



A Commands

- [show aaa accounting, on page 2](#)
- [show aaa authentication, on page 3](#)
- [show aaa authentication login, on page 4](#)
- [show aaa authentication login ascii-authentication, on page 5](#)
- [show aaa authentication login error-enable, on page 6](#)
- [show aaa authentication login invalid-username-log, on page 7](#)
- [show aaa authentication login password-aging, on page 8](#)
- [show aaa authorization, on page 9](#)
- [show aaa bypass-user, on page 10](#)
- [show aaa groups, on page 11](#)
- [show aaa local user blocked, on page 12](#)
- [show aaa user default-role, on page 13](#)
- [show access-list, on page 14](#)
- [show access-list database, on page 17](#)
- [show access-lists, on page 18](#)
- [show accounting log, on page 23](#)
- [show accounting log all, on page 24](#)
- [show accounting log last-index, on page 25](#)
- [show accounting log nvram, on page 26](#)
- [show accounting log nvram last-index, on page 27](#)
- [show accounting log nvram start-seqnum, on page 28](#)
- [show accounting log start-seqnum, on page 29](#)
- [show acl status, on page 30](#)
- [show amt process, on page 31](#)
- [show amt vrf all, on page 33](#)
- [show archive log config, on page 34](#)
- [show arp access-lists, on page 35](#)

show aaa accounting

```
show aaa accounting [ __readonly__ [ TABLE_acctMethods <service> <methods> ] ]
```

Syntax Description

| | |
|---------------------|--|
| show | Show running system information |
| aaa | Show aaa information |
| accounting | Show accounting configuration |
| <i>__readonly__</i> | (Optional) |
| TABLE_acctMethods | (Optional) |
| <i>service</i> | (Optional) service type |
| <i>methods</i> | (Optional) Accounting methods configured for the application |

Command Mode

- /exec

show aaa authentication

show aaa authentication [*__readonly__* [*TABLE_AuthenMethods* <service> <method>]]

Syntax Description

| | |
|----------------------------|---|
| <i>show</i> | Show running system information |
| <i>aaa</i> | Show aaa information |
| <i>authentication</i> | Show authentication configuration |
| <i>__readonly__</i> | (Optional) |
| <i>TABLE_AuthenMethods</i> | (Optional) |
| <i>service</i> | (Optional) Service for which authentication is needed |
| <i>method</i> | (Optional) Authentication method used for the service |

Command Mode

- /exec

show aaa authentication login

```
show aaa authentication login { mschap | mschapv2 | chap } [ __readonly__ [ <mschap_status> ] [
<mschapv2_status> ] [ <chap_status> ] ]
```

Syntax Description

| | |
|------------------------|--|
| show | Show running system information |
| aaa | Show aaa information |
| authentication | Show authentication configuration |
| login | Show authentication login error message configuration |
| mschap | Show authentication login MSCHAP enable configuration |
| mschapv2 | Show authentication login MSCHAP V2 enable configuration |
| chap | Show authentication login CHAP enable configuration |
| __readonly__ | (Optional) |
| <i>mschap_status</i> | (Optional) mschap enabled or disabled |
| <i>mschapv2_status</i> | (Optional) mschapv2 enabled or disabled |
| <i>chap_status</i> | (Optional) chap enabled or disabled |

Command Mode

- /exec

show aaa authentication login ascii-authentication

```
show aaa authentication login ascii-authentication [ __readonly__ { <ascii_authen_status> } ]
```

Syntax Description

| | |
|----------------------------|---|
| show | Show running system information |
| aaa | Show aaa information |
| authentication | Show authentication configuration |
| login | Show authentication login message configuration |
| ascii-authentication | Show ascii-authentication configuration |
| <i>__readonly__</i> | (Optional) |
| <i>ascii_authen_status</i> | (Optional) ascii authentication status |

Command Mode

- /exec

show aaa authentication login error-enable

show aaa authentication login error-enable [__readonly__ [<status>]]

Syntax Description

| | |
|----------------|--|
| show | Show running system information |
| aaa | Show aaa information |
| authentication | Show authentication configuration |
| login | Show authentication login error message configuration |
| error-enable | Show authentication login error message enable configuration |
| __readonly__ | (Optional) |
| <i>status</i> | (Optional) login error-enable enabled or disabled |

Command Mode

- /exec

show aaa authentication login invalid-username-log

```
show aaa authentication login invalid-username-log [ __readonly__ [ <status> ] ]
```

Syntax Description

| | |
|----------------------|---|
| show | Show running system information |
| aaa | Show aaa information |
| authentication | Show authentication configuration |
| login | Show authentication login message configuration |
| invalid-username-log | Show invalid username log configuration |
| <i>__readonly__</i> | (Optional) |
| <i>status</i> | (Optional) login invalid-username-log enabled or disabled |

Command Mode

- /exec

show aaa authentication login password-aging

```
show aaa authentication login password-aging [ __readonly__ { <passwordAging_status> } ]
```

Syntax Description

| | |
|-----------------------------|---|
| show | Show running system information |
| aaa | Show aaa information |
| authentication | Show authentication configuration |
| login | Show authentication login error message configuration |
| password-aging | Show password-aging enable configuration |
| <i>__readonly__</i> | (Optional) |
| <i>passwordAging_status</i> | (Optional) login password-aging |

Command Mode

- /exec

show aaa authorization

```
show aaa authorization [ all ] [ __readonly__ [ <pki_ssh_cert_author> <pki_ssh_pubkey_author> ] [
TABLE_cmd_methods <appl_subtype> <cmd_type> <methods> ] [ TABLE_app_methods <appl> <methods>
]]
```

Syntax Description

| | |
|------------------------------|---|
| show | Show running system information |
| aaa | Show aaa information |
| authorization | Show authorization configuration |
| all | (Optional) Show all(include defaults configurations) authorization info |
| __readonly__ | (Optional) |
| <i>pki_ssh_cert_author</i> | (Optional) |
| <i>pki_ssh_pubkey_author</i> | (Optional) |
| TABLE_cmd_methods | (Optional) table containing command authorization methods |
| <i>appl_subtype</i> | (Optional) |
| <i>cmd_type</i> | (Optional) |
| <i>methods</i> | (Optional) |
| TABLE_app_methods | (Optional) table containing application authorization methods |
| <i>appl</i> | (Optional) |
| <i>methods</i> | (Optional) |

Command Mode

- /exec

show aaa bypass-user

```
show aaa bypass-user [ <s0> ] [ __readonly__ [ <num_bypass_users> ] [ TABLE_bypassUsers <username>
<account> <author> ] ]
```

Syntax Description

| | |
|-------------------------|--|
| show | Show running system information |
| aaa | Show aaa information |
| bypass-user | Show bypass user information |
| <i>s0</i> | (Optional) Enter the username |
| <i>__readonly__</i> | (Optional) |
| <i>num_bypass_users</i> | (Optional) Number of bypass users configured |
| TABLE_bypassUsers | (Optional) |
| <i>username</i> | (Optional) Username |
| <i>account</i> | (Optional) Accounting Bypass |
| <i>author</i> | (Optional) Authorization bypass |

Command Mode

- /exec

show aaa groups

```
show aaa groups [ __readonly__ { TABLE_groups <group> } ]
```

Syntax Description

| | |
|--------------|-------------------------------------|
| show | Show running system information |
| aaa | Show aaa information |
| groups | Show configured groups |
| __readonly__ | (Optional) |
| TABLE_groups | (Optional) Table showing aaa groups |
| <i>group</i> | (Optional) Name of the group |

Command Mode

- /exec

show aaa local user blocked

show aaa local user blocked [*__readonly__* { *TABLE_sessions* <*u_name*> <*u_state*> }]

Syntax Description

| | |
|-----------------------|--|
| show | Show running system information |
| aaa | Configure aaa functions |
| local | Local username |
| user | Local system user |
| blocked | Display Blocked users |
| <i>__readonly__</i> | (Optional) |
| <i>TABLE_sessions</i> | (Optional) aaa local users blocked table |
| <i>u_name</i> | (Optional) Name of the user |
| <i>u_state</i> | (Optional) State of the user |

Command Mode

- /exec

show aaa user default-role

```
show aaa user default-role [ __readonly__ { default_role_status <udr_status> } ]
```

Syntax Description

| | |
|---------------------|--|
| show | Show running system information |
| aaa | Show aaa information |
| user | Remotely authenticated user |
| default-role | Default role assigned by aaa-admin for remote authentication |
| __readonly__ | (Optional) |
| default_role_status | (Optional) user default role status |
| <i>udr_status</i> | (Optional) Status of user default role |

Command Mode

- /exec

show access-list

```
show { system internal | hardware } access-list { summary | [ vdc <vdc_id> ] { [ interface <if_name> | vlan
<vlan_id> | inband table <table> ] [ { input | output } { config | { { entries | merge } [ detail ] } } | statistics |
l4ops | redirect | sampler } ] } [ module <module> ] [ __readonly__ <type> <feature> <plcy_id> <src_ip>
<src_mask> <dst_ip> <dst_mask> <proto> <l4ops> <action> <mac> <cos> <vlan> <l2_proto> <ethertype>
[ TABLE_vdc <vdc-no> <vdc-type> <dir> <policy-type> <policy-id> <policy-name> ] [ TABLE_instance
<inst> [ TABLE_tcam_resource_usage <tcam-no> <lbl> <hw-lbl-id> <bank> ] [ TABLE_class <class-type>
<policies> <netflow-profile> <netflow-deny-profile> <tcam-entries> ] <l4-protocol-cam-entries>
<mac-etype-proto-cam-entries> <lous> <tcp-flags-table-entries> <adjacency-entries> ] ]
```

Syntax Description

| | |
|----------------|--|
| show | Show running system information |
| system | System-related show commands |
| internal | Commands for internal use |
| hardware | Show hardware information |
| access-list | Access Control List |
| summary | summary |
| vdc | (Optional) vdc id |
| <i>vdc_id</i> | (Optional) vdc_id |
| interface | (Optional) interface name |
| <i>if_name</i> | (Optional) display access list for the interface |
| vlan | (Optional) vlan_id |
| <i>vlan_id</i> | (Optional) vlan_id |
| inband | (Optional) inband interface |
| table | (Optional) vrf table number |
| <i>table</i> | (Optional) vrf table number |
| input | (Optional) input/ingress policies |
| output | (Optional) output/egress policies |
| config | (Optional) parsed policy software database |
| entries | (Optional) tcam entries |
| statistics | (Optional) aggregate statistics |
| l4ops | (Optional) l4 operations information |

| | |
|---------------------|---|
| redirect | (Optional) redirect resource information |
| sampler | (Optional) with sampler details |
| merge | (Optional) tcam entries merge information |
| detail | (Optional) detailed information |
| module | (Optional) Slot/module |
| <i>module</i> | (Optional) Slot/module number |
| <i>__readonly__</i> | (Optional) |
| <i>type</i> | (Optional) policy type eg: ACL, QOS |
| <i>feature</i> | (Optional) feature type eg: RACL, VACL |
| <i>plcy_id</i> | (Optional) policy id |
| <i>src_ip</i> | (Optional) src ipv4 address |
| <i>src_mask</i> | (Optional) src mask |
| <i>dst_ip</i> | (Optional) dst ipv4 address |
| <i>dst_mask</i> | (Optional) dst mask |
| <i>proto</i> | (Optional) protocol eg: TCP, UDP ... |
| <i>l4ops</i> | (Optional) layer 4 operations |
| <i>action</i> | (Optional) action |
| <i>mac</i> | (Optional) mac address |
| <i>cos</i> | (Optional) acos value |
| <i>vlan</i> | (Optional) vlan id |
| <i>l2_proto</i> | (Optional) L2 protocol |
| <i>ethertype</i> | (Optional) ethertype |
| TABLE_vdc | (Optional) show for vdc |
| <i>vdc-no</i> | (Optional) vdc number |
| <i>vdc-type</i> | (Optional) VDC type-COPP etc |
| <i>dir</i> | (Optional) Policy Direction |
| <i>policy-type</i> | (Optional) Policy type |
| <i>policy-id</i> | (Optional) Policy id |
| <i>policy-name</i> | (Optional) Policy name |

| | |
|------------------------------------|---|
| TABLE_instance | (Optional) show for an instance |
| <i>inst</i> | (Optional) instance number |
| TABLE_tcam_resource_usage | (Optional) TCAM resource usage |
| <i>tcam-no</i> | (Optional) tcam number |
| <i>lbl</i> | (Optional) lbl name |
| <i>hw-lbl-id</i> | (Optional) hw lbl id |
| <i>bank</i> | (Optional) bank number |
| TABLE_class | (Optional) table class |
| <i>class-type</i> | (Optional) Class type |
| <i>policies</i> | (Optional) Policy name |
| <i>netflow-profile</i> | (Optional) Netflow Profile |
| <i>netflow-deny-profile</i> | (Optional) Netflow Deny Profile |
| <i>tcam-entries</i> | (Optional) No. of TCAM entries |
| <i>l4-protocol-cam-entries</i> | (Optional) L4 protocol cam entries |
| <i>mac-etype-proto-cam-entries</i> | (Optional) No. of mac etype/proto cam entries |
| <i>lous</i> | (Optional) No. of LOU's |
| <i>tcp-flags-table-entries</i> | (Optional) No. of CP flags table entries |
| <i>adjacency-entries</i> | (Optional) No. of adjacency entries |

Command Mode

- /exec

show access-list database

```
show { system internal | hardware } access-list [ vdc <vdc_id> ] database { interface | vlan | policy | process } [ module <module> ] [ __readonly__ <if_idx> <vlan> <plcy_id> <process_info> ]
```

Syntax Description

| | |
|---------------------|---|
| show | Show running system information |
| system | System-related show commands |
| internal | Commands for internal use |
| hardware | Show hardware information |
| access-list | Access Control List |
| vdc | (Optional) vdc id |
| <i>vdc_id</i> | (Optional) vdc_id |
| database | Show memory database |
| interface | display interfaces/vlans in a vdc with policies |
| policy | display policies in a vdc |
| vlan | display vlans in a vdc |
| process | display process database in a vdc |
| module | (Optional) Slot/module |
| <i>module</i> | (Optional) Slot/module number |
| <i>__readonly__</i> | (Optional) |
| <i>if_idx</i> | (Optional) interface |
| <i>vlan</i> | (Optional) vlan |
| <i>plcy_id</i> | (Optional) policy id |
| <i>process_info</i> | (Optional) process information |

Command Mode

- /exec

show access-lists

```
show [ <ip_ipv6_mac> ] access-lists [ <name> ] [ capture session <capture_session> ] [ <expanded> |
<summary> | <private> | <brief> ] [ __readonly__ TABLE_ip_ipv6_mac <op_ip_ipv6_mac> <show_summary>
<acl_name> [ <statistics> ] [ <frag_opt_permit_deny> ] [ <global_capture_session> ] [ TABLE_seqno <seqno>
{ <permitdeny> [ <proto_str> | <proto> | <ip> | <ipv6> ] { <src_any> | <src_ip_prefix> | <src_ip_addr>
<src_ip_mask> | <src_ipv6_prefix> | <src_ipv6_addr> <src_ipv6_mask> | <mac_src> <mac_src_wild> |
<src_addrgrp> } [ <src_port_op> [ <src_port1_str> ] { <src_port1_num> } [ <src_port2_str> | <src_port2_num>
] | <src_portgrp> ] { <dest_any> | <dest_ip_prefix> | <dest_ip_addr> <dest_ip_mask> | <dest_ipv6_prefix>
| <dest_ipv6_addr> <dest_ipv6_mask> | <mac_dest> <mac_dest_wild> | <dest_addrgrp> } [ <dest_port_op>
[ <dest_port1_str> ] { <dest_port1_num> } [ <dest_port2_str> | <dest_port2_num> ] | <dest_portgrp> ] [ {
<icmp_type> [ <icmp_code> ] | <icmp_str> } | { <icmpv6_type> [ <icmpv6_code> ] | <icmpv6_str> } ] [
<igmp_type> | <igmp_type_str> ] [ [ <precedence> | <precedence_str> ] [ <tos> | <tos_str> ] ] [ <dscp> |
<dscp_str> ] ] [ <ttl> ] ] [ <log> ] [ <udfs> ] [ <capture_session> ] [ <fragments> ] [ <plen_op> <plen1> [
<plen2> ] ] [ <urg> ] [ <ack> ] [ <psh> ] [ <rst> ] [ <syn> ] [ <fin> ] [ <established> ] [ <http-method> |
<http_opt_str> ] [ <tcp-option-length> ] [ <tcp-flags-mask> ] [ <flow_label> ] [ <timerange> ] [ <eth_proto>
| <eth_proto_str> ] [ <vlan> ] [ <cos> ] [ <match_count> ] [ [ <nve_vni> ] | <remark> [ <action> <actionid>
] ] ] [ ethertype <ethertypeid> | vlan <vlanid> | ingress_intf { <intfid> | <intfname> } | vlan_priority
<vlanpriorityid> ] + [ <action> <actionid> ] [ [ <stats_enabled> ] [ <frag_option> ] { <num_ace> } {
<conf_if_header> } [ <conf_if> ] { <active_if_header> } [ <active_if> ] ] ] ]
```

Syntax Description

| | |
|-----------------------------|---|
| show | Show running system information |
| <i>name</i> | (Optional) List name |
| <i>ip_ipv6_mac</i> | (Optional) IP/IPv6/MAC |
| capture | (Optional) capture |
| session | (Optional) session |
| <i>capture_session</i> | (Optional) session id |
| <i>op_ip_ipv6_mac</i> | (Optional) IP/IPv6/MAC |
| access-lists | List access lists |
| <i>show_summary</i> | (Optional) |
| <i>acl_name</i> | (Optional) List name |
| <i>__readonly__</i> | (Optional) |
| TABLE_ip_ipv6_mac | (Optional) |
| <i>frag_opt_permit_deny</i> | (Optional) frag_op_type |
| ethertype | (Optional) Configure match based on ethertype |
| vlan | (Optional) Configure match based on vlan |

| | |
|-----------------------|---|
| <i>ingress_intf</i> | (Optional) Configure match based on ingress interface |
| <i>vlan_priority</i> | (Optional) Configure match based on priority |
| <i>ethertypeid</i> | (Optional) Configure the ethertype value |
| <i>vlanid</i> | (Optional) VLAN number |
| <i>intfid</i> | (Optional) Interface index |
| <i>intfname</i> | (Optional) Interface name |
| <i>vlanpriorityid</i> | (Optional) Vlan Priority |
| <i>seqno</i> | (Optional) Sequence number |
| <i>permitdeny</i> | (Optional) Permit/deny |
| <i>proto</i> | (Optional) A protocol number |
| TABLE_seqno | (Optional) |
| <i>proto_str</i> | (Optional) Protocol name |
| <i>ip</i> | (Optional) IP |
| <i>ipv6</i> | (Optional) IPV6 |
| <i>src_any</i> | (Optional) SRCAny |
| <i>dest_any</i> | (Optional) DESTAny |
| <i>src_ip_prefix</i> | (Optional) Source IP prefix |
| <i>src_ip_addr</i> | (Optional) Source IP address |
| <i>src_ip_mask</i> | (Optional) Source IP mask |
| <i>mac_src</i> | (Optional) Source MAC address |
| <i>mac_src_wild</i> | (Optional) Source MAC mask |
| <i>dest_ip_prefix</i> | (Optional) Destination IP prefix |
| <i>dest_ip_addr</i> | (Optional) Destination IP address |
| <i>dest_ip_mask</i> | (Optional) Destination IP mask |
| <i>mac_dest</i> | (Optional) Destination MAC address |
| <i>mac_dest_wild</i> | (Optional) Destination MAC mask |
| <i>src_port_op</i> | (Optional) Source Port operator |
| <i>dest_port_op</i> | (Optional) Destination Port operator |
| <i>src_portl_str</i> | (Optional) Source port name |

| | |
|-------------------------------|------------------------------------|
| <i>src_port1_num</i> | (Optional) Source port number |
| <i>src_port2_str</i> | (Optional) Source port name |
| <i>src_port2_num</i> | (Optional) Source port number |
| <i>dest_port1_str</i> | (Optional) Destination port name |
| <i>dest_port1_num</i> | (Optional) Destination port number |
| <i>dest_port2_str</i> | (Optional) Destination port name |
| <i>dest_port2_num</i> | (Optional) Destination port number |
| <i>icmp_type</i> | (Optional) ICMP type |
| <i>icmp_code</i> | (Optional) ICMP code |
| <i>icmp_str</i> | (Optional) ICMP message |
| <i>icmpv6_type</i> | (Optional) ICMP type |
| <i>icmpv6_code</i> | (Optional) ICMP code |
| <i>icmpv6_str</i> | (Optional) ICMP message |
| <i>igmp_type</i> | (Optional) IGMP type |
| <i>igmp_type_str</i> | (Optional) IGMP type String |
| <i>precedence</i> | (Optional) precedence |
| <i>precedence_str</i> | (Optional) precedence string |
| <i>tos</i> | (Optional) tos |
| <i>tos_str</i> | (Optional) tos string |
| <i>dscp</i> | (Optional) dscp |
| <i>dscp_str</i> | (Optional) dscp string |
| <i>udfs</i> | (Optional) udfs string |
| <i>ttl</i> | (Optional) ttl |
| <i>capture_session</i> | (Optional) capture session |
| <i>global_capture_session</i> | (Optional) capture session |
| <i>log</i> | (Optional) Log |
| <i>fragments</i> | (Optional) Fragments |
| <i>urg</i> | (Optional) URG |
| <i>ack</i> | (Optional) ACK |

| | |
|--------------------------|---|
| <i>psh</i> | (Optional) PSH |
| <i>rst</i> | (Optional) RST |
| <i>syn</i> | (Optional) SYN |
| <i>fin</i> | (Optional) FIN |
| <i>established</i> | (Optional) ESTABLISHED |
| <i>http-method</i> | (Optional) http-method |
| <i>http_opt_str</i> | (Optional) http_option string |
| <i>tcp-option-length</i> | (Optional) TCP Option size |
| <i>tcp-flags-mask</i> | (Optional) TCP Flags mask |
| <i>flow_label</i> | (Optional) IPv6 flow label |
| <i>timerange</i> | (Optional) Time-range |
| <i>eth_proto</i> | (Optional) MAC protocol number |
| <i>eth_proto_str</i> | (Optional) MAC protocol name |
| <i>vlan</i> | (Optional) VLAN number |
| <i>cos</i> | (Optional) CoS value |
| <i>match_count</i> | (Optional) Number of packets matching the ACL |
| <i>nve_vni</i> | (Optional) nve vni |
| <i>remark</i> | (Optional) Remark String |
| <i>statistics</i> | (Optional) STATISTICS |
| <i>src_addrgrp</i> | (Optional) Source address group |
| <i>dest_addrgrp</i> | (Optional) Destination address group |
| <i>src_portgrp</i> | (Optional) Source port group |
| <i>dest_portgrp</i> | (Optional) Destination port group |
| <i>plen_op</i> | (Optional) Source Port operator |
| <i>plen1</i> | (Optional) Packet length minimum |
| <i>plen2</i> | (Optional) packet length maximum |
| <i>action</i> | (Optional) Action |
| <i>actionid</i> | (Optional) redirect: Ethernet1/1,port-channel1 set-erspan-dscp: <1-63> set-erspan-gre-proto: <1-65535> |

| | |
|-------------------------|----------------------------------|
| <i>stats_enabled</i> | (Optional) |
| <i>frag_option</i> | (Optional) |
| <i>num_ace</i> | (Optional) Total number of ACEs |
| <i>conf_if_header</i> | (Optional) |
| <i>conf_if</i> | (Optional) Configured Interfaces |
| <i>active_if_header</i> | (Optional) |
| <i>active_if</i> | (Optional) Active interfaces |
| <i>expanded</i> | (Optional) EXPANDED |
| <i>summary</i> | (Optional) SUMMARY |
| <i>private</i> | (Optional) PRIVATE |
| <i>brief</i> | (Optional) BRIEF |

Command Mode

- /exec

show accounting log

```
show accounting log [ { <i0> | start-time <SYYYY> <SMonth> <SDate> <STime> [ end-time <EYYYY>
<EMonth> <EDate> <ETime> ] } ] [ __readonly__ [ TABLE_acctlog_time <accountlog_starttime> ] ]
```

Syntax Description

| | |
|-----------------------------|--|
| show | Show running system information |
| accounting | Show Accounting Information |
| log | Show Accounting Log |
| <i>i0</i> | (Optional) Log Size(in bytes) |
| start-time | (Optional) Show messages from a given start-time |
| <i>SYYYY</i> | (Optional) Enter year in YYYY format |
| <i>SMonth</i> | (Optional) Enter Month as Jan, Feb, Mar, ..., Oct, Nov, or Dec |
| <i>SDate</i> | (Optional) Enter day of month in dd format |
| <i>STime</i> | (Optional) Enter hour, minutes, seconds as HH:MM:SS |
| end-time | (Optional) Show messages from a given end-time |
| <i>EYYYY</i> | (Optional) Enter year in YYYY format |
| <i>EMonth</i> | (Optional) Enter Month as Jan, Feb, Mar, ..., Oct, Nov, or Dec |
| <i>EDate</i> | (Optional) Enter day of month in dd format |
| <i>ETime</i> | (Optional) Enter hour, minutes, seconds as HH:MM:SS |
| __readonly__ | (Optional) |
| TABLE_acctlog_time | (Optional) |
| <i>accountlog_starttime</i> | (Optional) accounting log starttime |

Command Mode

- /exec

show accounting log all

show accounting log all [*__readonly__* [*TABLE_acctlog* <*accountlog_all*>]]

Syntax Description

| | |
|-----------------------|---|
| show | Show running system information |
| accounting | Show accounting configuration |
| log | Show Accounting Log |
| all | Display accounting log including show commands (Use <terminal log-all> to enable show command accounting) |
| <i>__readonly__</i> | (Optional) |
| <i>TABLE_acctlog</i> | (Optional) |
| <i>accountlog_all</i> | (Optional) accounting log all |

Command Mode

- /exec

show accounting log last-index

```
show accounting log last-index [ __readonly__ { <last_index> } ]
```

Syntax Description

| | |
|-------------------|--|
| show | Show running system information |
| accounting | Show accounting configuration |
| log | Show Accounting Log |
| last-index | Show accounting log last index information |
| __readonly__ | (Optional) |
| <i>last_index</i> | (Optional) accounting log last index |

Command Mode

- /exec

show accounting log nvram

```
show accounting log nvram [ { <i0> | start-time <SYYYY> <SMonth> <SDate> <STime> [ end-time
<EYYYY> <EMonth> <EDate> <ETime> ] } ] [ __readonly__ [ TABLE_acctnvramlog_time
<accountnvramlog_starttime> ] ]
```

Syntax Description

| | |
|----------------------------------|--|
| show | Show running system information |
| accounting | Show Accounting Information |
| log | Show Accounting Log |
| nvram | present in nvram |
| <i>i0</i> | (Optional) Log Size(in bytes) |
| start-time | (Optional) Show messages from a given start-time |
| <i>SYYYY</i> | (Optional) Enter year in YYYY format |
| <i>SMonth</i> | (Optional) Enter Month as Jan, Feb, Mar, ..., Oct, Nov, or Dec |
| <i>SDate</i> | (Optional) Enter day of month in dd format |
| <i>STime</i> | (Optional) Enter hour, minutes, seconds as HH:MM:SS |
| end-time | (Optional) Show messages from a given end-time |
| <i>EYYYY</i> | (Optional) Enter year in YYYY format |
| <i>EMonth</i> | (Optional) Enter Month as Jan, Feb, Mar, ..., Oct, Nov, or Dec |
| <i>EDate</i> | (Optional) Enter day of month in dd format |
| <i>ETime</i> | (Optional) Enter hour, minutes, seconds as HH:MM:SS |
| __readonly__ | (Optional) |
| TABLE_acctnvramlog_time | (Optional) |
| <i>accountnvramlog_starttime</i> | (Optional) accounting log nvram starttime |

Command Mode

- /exec

show accounting log nvram last-index

```
show accounting log nvram last-index [ __readonly__ { <last_index> } ]
```

Syntax Description

| | |
|---------------------|--|
| show | Show running system information |
| accounting | Show accounting configuration |
| log | Show Accounting Log |
| nvram | present in nvram |
| last-index | Show accounting log last index information |
| <i>__readonly__</i> | (Optional) |
| <i>last_index</i> | (Optional) accounting log last index |

Command Mode

- /exec

show accounting log nvram start-seqnum

```
show accounting log nvram start-seqnum <SSEQNUM> [ end-seqnum <ESEQNUM> ] [ __readonly__ [
TABLE_acctnvramlog_seq <accountnvramlog_seq> ] ]
```

Syntax Description

| | |
|-------------------------------|--|
| show | Show running system information |
| accounting | Show Accounting Information |
| log | Show Accounting Log |
| nvram | present in nvram |
| start-seqnum | Show messages starting from a given sequence number |
| end-seqnum | (Optional) Show messages ending with a given sequence number |
| <i>SSEQNUM</i> | Enter Starting Sequence Number |
| <i>ESEQNUM</i> | (Optional) Enter Starting Sequence Number |
| <i>__readonly__</i> | (Optional) |
| <i>TABLE_acctnvramlog_seq</i> | (Optional) |
| <i>accountnvramlog_seq</i> | (Optional) accounting log nvram seqnum |

Command Mode

- /exec

show accounting log start-seqnum

```
show accounting log start-seqnum <SSEQNUM> [ end-seqnum <ESEQNUM> ] [ __readonly__ [
TABLE_acctlog_seq <accountlog_seq> ] ]
```

Syntax Description

| | |
|--------------------------|--|
| show | Show running system information |
| accounting | Show Accounting Information |
| log | Show Accounting Log |
| start-seqnum | Show messages starting from a given sequence number |
| end-seqnum | (Optional) Show messages ending with a given sequence number |
| <i>SSEQNUM</i> | Enter Starting Sequence Number |
| <i>ESEQNUM</i> | (Optional) Enter Starting Sequence Number |
| <i>__readonly__</i> | (Optional) |
| <i>TABLE_acctlog_seq</i> | (Optional) |
| <i>accountlog_seq</i> | (Optional) accounting log seqnum |

Command Mode

- /exec

show acl status

```
show acl status [ __readonly__ [ <status_log_string> ] ]
```

Syntax Description

| | |
|--------------------------|--|
| show | Show running system information |
| acl | Show information about acl |
| status | Shows the status of last acl operation |
| __readonly__ | (Optional) |
| <i>status_log_string</i> | (Optional) ppf entry string |

Command Mode

- /exec

show amt process

```
show amt process [ vrf { <vrf-name> | <vrf-known-name> } ] [ __readonly__ TABLE_vrf <vrf> <pid> <uuid>
<q> <re4> <ge4> <re6> <ge6> <pi4> <ar4> <ag4> <ra4> <ga4> <dra4> <pi6> <ar6> <ag6> <ra6> <ga6>
<dra6> <qqic4> <tc4> <tl4> <rc4> <rl4> <jp4> <qqic6> <tc6> <tl6> <rc6> <rl6> <jp6> <grm4> <gjp4>
<gslp4> <gsl4> <grm6> <gjp6> <gslp6> <gsl6> ]
```

Syntax Description

| | |
|-----------------------|--|
| show | Show running system information |
| amt | AMT show commands |
| vrf | (Optional) Display information for VRF |
| <i>vrf-name</i> | (Optional) VRF name |
| <i>vrf-known-name</i> | (Optional) Known VRF name |
| process | Display AMT process information |
| <i>__readonly__</i> | (Optional) |
| TABLE_vrf | (Optional) |
| <i>vrf</i> | (Optional) |
| <i>pid</i> | (Optional) |
| <i>uuid</i> | (Optional) |
| <i>q</i> | (Optional) |
| <i>re4</i> | (Optional) |
| <i>ge4</i> | (Optional) |
| <i>re6</i> | (Optional) |
| <i>ge6</i> | (Optional) |
| <i>pi4</i> | (Optional) |
| <i>ar4</i> | (Optional) |
| <i>ag4</i> | (Optional) |
| <i>ra4</i> | (Optional) |
| <i>ga4</i> | (Optional) |
| <i>dra4</i> | (Optional) |
| <i>pi6</i> | (Optional) |

| | |
|--------------|------------|
| <i>qqic4</i> | (Optional) |
| <i>tc4</i> | (Optional) |
| <i>tl4</i> | (Optional) |
| <i>rc4</i> | (Optional) |
| <i>rl4</i> | (Optional) |
| <i>jp4</i> | (Optional) |
| <i>qqic6</i> | (Optional) |
| <i>tc6</i> | (Optional) |
| <i>tl6</i> | (Optional) |
| <i>rc6</i> | (Optional) |
| <i>rl6</i> | (Optional) |
| <i>jp6</i> | (Optional) |
| <i>grm4</i> | (Optional) |
| <i>gjp4</i> | (Optional) |
| <i>gslp4</i> | (Optional) |
| <i>gsl4</i> | (Optional) |
| <i>grm6</i> | (Optional) |
| <i>gjp6</i> | (Optional) |
| <i>gslp6</i> | (Optional) |
| <i>gsl6</i> | (Optional) |

Command Mode

- /exec

show amt vrf all

```
show amt vrf all [ __readonly__ TABLE_vrf <vrf> <cid> <ip_tid> <ipv6_tid> ]
```

Syntax Description

| | |
|-----------------|---------------------------------------|
| show | Show running system information |
| amt | AMT show commands |
| vrf | Display all VRFs AMT is configured in |
| all | Display all VRFs AMT is configured in |
| __readonly__ | (Optional) |
| TABLE_vrf | (Optional) |
| <i>vrf</i> | (Optional) |
| <i>cid</i> | (Optional) |
| <i>ip_tid</i> | (Optional) |
| <i>ipv6_tid</i> | (Optional) |

Command Mode

- /exec

show archive log config

```
show archive log config { all | [ user <username> ] [ first-index <first_index> [ last-index <last_index> ] ] }
[ __readonly__ [ TABLE_archivelog_time [ <archivelog_firstindex> ] ] ]
```

Syntax Description

| | |
|------------------------------|---|
| show | Show running system information |
| archive | Show archive configuration |
| log | Show Archive Log |
| config | Show Config Logger information |
| all | List all the records in the config log |
| user | (Optional) List records for specific user in the config log |
| <i>username</i> | (Optional) Username |
| first-index | (Optional) The first record number to display |
| last-index | (Optional) The last record number to display |
| <i>first_index</i> | (Optional) config log first index |
| <i>last_index</i> | (Optional) config log last index |
| __readonly__ | (Optional) |
| TABLE_archivelog_time | (Optional) |
| <i>archivelog_firstindex</i> | (Optional) archive log startindex |

Command Mode

- /exec

show arp access-lists

```
show arp access-lists [ <name> ] [ __readonly__ TABLE_arp <arp_name> [ TABLE_seqno <seqno> {
<permitdeny> <reqresp> ip { { <sender_ip_any> | { { <sender_host> <sender_ip> | { <sender_net_ip>
<sender_ip_mask> } } } } [ { <target_ip_any> | { { <target_host> <target_ip> | { <target_net_ip>
<target_ip_mask> } } } ] } mac { { <sender_mac_any> | { { <sender_mac_host> <sender_mac> | {
<sender_net_mac> <sender_mac_mask> } } } } [ { <target_mac_any> | { { <target_mac_host> <target_mac>
| { <target_net_mac> <target_mac_mask> } } } ] } [ <arp_log> ] } | <remark> ] ] [ capture session
<session-id> ]
```

Syntax Description

| | |
|-----------------------|---------------------------------|
| show | Show running system information |
| arp | ARP access-lists |
| access-lists | List access lists |
| <i>name</i> | (Optional) List name |
| <i>__readonly__</i> | (Optional) |
| <i>arp_name</i> | (Optional) Name of the ARP ACL |
| <i>seqno</i> | (Optional) Sequence number |
| <i>permitdeny</i> | (Optional) Permit/deny |
| ip | (Optional) Any IP protocol |
| TABLE_arp | (Optional) |
| TABLE_seqno | (Optional) |
| <i>reqresp</i> | (Optional) ARP_Request |
| <i>sender_ip_any</i> | (Optional) Any |
| <i>sender_host</i> | (Optional) Host |
| <i>sender_ip</i> | (Optional) IP address <a.b.c.d> |
| <i>sender_net_ip</i> | (Optional) IP address <a.b.c.d> |
| <i>sender_ip_mask</i> | (Optional) IP mask <a.b.c.d> |
| <i>target_ip_any</i> | (Optional) Any |
| <i>target_host</i> | (Optional) Host |
| <i>target_ip</i> | (Optional) IP address <a.b.c.d> |
| <i>target_net_ip</i> | (Optional) IP address <a.b.c.d> |
| <i>target_ip_mask</i> | (Optional) IP mask <a.b.c.d> |

| | |
|------------------------|---|
| <i>mac</i> | (Optional) MAC configuration commands |
| <i>sender_mac_any</i> | (Optional) Any |
| <i>sender_mac_host</i> | (Optional) Host |
| <i>sender_mac</i> | (Optional) MAC address EEEE.EEEE.EEEE |
| <i>sender_net_mac</i> | (Optional) MAC address EEEE.EEEE.EEEE |
| <i>sender_mac_mask</i> | (Optional) MAC mask EEEE.EEEE.EEEE |
| <i>target_mac_any</i> | (Optional) Any |
| <i>target_mac_host</i> | (Optional) Host |
| <i>target_mac</i> | (Optional) MAC address EEEE.EEEE.EEEE |
| <i>target_net_mac</i> | (Optional) MAC address EEEE.EEEE.EEEE |
| <i>target_mac_mask</i> | (Optional) MAC mask EEEE.EEEE.EEEE |
| <i>remark</i> | (Optional) Remark String |
| <i>arp_log</i> | (Optional) Log |
| <i>capture</i> | (Optional) Enable packet capture on this filter for session |
| <i>session</i> | (Optional) Session ID <1-48> for this session |
| <i>session-id</i> | (Optional) Session ID <1-48> for this session |

Command Mode

- /exec