



0 Show Commands

- [show object-group](#), on page 3
- [show ospfv3](#), on page 4
- [show ospfv3 border-routers](#), on page 5
- [show ospfv3 database](#), on page 6
- [show ospfv3 database database-summary](#), on page 8
- [show ospfv3 database detail](#), on page 9
- [show ospfv3 interface](#), on page 11
- [show ospfv3 interface brief](#), on page 12
- [show ospfv3 neighbors](#), on page 13
- [show ospfv3 neighbors detail](#), on page 14
- [show ospfv3 neighbors summary](#), on page 15
- [show ospfv3 request-list](#), on page 16
- [show ospfv3 retransmission-list](#), on page 17
- [show ospfv3 route](#), on page 18
- [show ospfv3 route summary](#), on page 19
- [show ospfv3 statistics](#), on page 20
- [show ospfv3 summary-address](#), on page 21
- [show ospfv3 traffic](#), on page 22
- [show ospfv3 virtual-links](#), on page 23
- [show ospfv3 virtual-links brief](#), on page 24
- [show otv isis](#), on page 25
- [show otv isis active-source](#), on page 26
- [show otv isis adjacency](#), on page 27
- [show otv isis aed-svr-req local](#), on page 28
- [show otv isis database](#), on page 29
- [show otv isis ed-summary local](#), on page 30
- [show otv isis ed-summary remote](#), on page 31
- [show otv isis fast-flood](#), on page 32
- [show otv isis hostname](#), on page 33
- [show otv isis interface](#), on page 34
- [show otv isis ip mroute](#), on page 35
- [show otv isis ip redistribute mroute](#), on page 36
- [show otv isis redistribute route](#), on page 37

- [show otv isis route-map statistics](#), on page 38
- [show otv isis route](#), on page 39
- [show otv isis rrm](#), on page 40
- [show otv isis site-index](#), on page 41
- [show otv isis site](#), on page 42
- [show otv isis spf-log](#), on page 43
- [show otv isis srm](#), on page 44
- [show otv isis ssn](#), on page 45
- [show otv isis statistics](#), on page 46
- [show otv isis track-adjacency-nextthop](#), on page 47
- [show otv isis traffic](#), on page 48
- [show otv isis vlan-status local](#), on page 49

show object-group

show object-group [<obj-name>]

Syntax Description

show	Show running system information
object-group	Show configured ACL object groups
<i>obj-name</i>	(Optional) object-group name

Command Mode

- /exec

show ospfv3

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs

Command Mode

- /exec

show ospfv3 border-routers

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] border-routers [ all_routes ] [
vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
border-routers	Border routers
all_routes	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED

Command Mode

- /exec

show ospfv3 database

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] database [ [ [ [ router | network
| intra-area-prefix | inter-area { irouter | iprefix } | nssa-external | area-unknown | [ [ { link | link-unknown |
grace } [ <interface> ] ] ] ] [ area <area-id-ip> ] ] | external [ tag <tag_val> ] | as-unknown [ <lsid> ] [
self-originated | adv-router <adv-id> | adv-router-name <adv-name> ] ] [ vrf { <vrf-name> | <vrf-known-name>
| all } ] ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
database	Link-state Database Summary
router	(Optional) Display router LSAs
network	(Optional) Display network LSAs
inter-area	(Optional) Display inter-area LSAs
iprefix	(Optional) Display Inter-Area-Prefix LSAs
irouter	(Optional) Display Inter-Area-Router LSAs
nssa-external	(Optional) Display NSSA-external LSAs
area-unknown	(Optional) Display area-scope unknown LSAs
external	(Optional) Display AS-external LSAs
as-unknown	(Optional) Display as-scope unknown LSAs
grace	(Optional) Display Grace LSAs
link	(Optional) Display Link LSAs
link-unknown	(Optional) Display link-scope unknown LSAs
interface	(Optional) OSPF enabled interface
intra-area-prefix	(Optional) Display Intra-Area-Prefix LSAs

self-originated	(Optional) Display only self-originated LSAs
<i>lsid</i>	(Optional) Restrict display by link state ID
adv-router	(Optional) Restrict display by Advertising router
<i>advid</i>	(Optional) Advertising router ID
adv-router-name	(Optional) Restrict display by Advertising router name
<i>adv-name</i>	(Optional) DNS Name of the Advertising router
area	(Optional) Display only LSA's in this area
<i>area-id-ip</i>	(Optional) Area Id as an integer or ip address
tag	(Optional) Restrict display by tag
<i>tag_val</i>	(Optional) 32-bit tag value

Command Mode

- /exec

show ospfv3 database database-summary

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] database database-summary
[ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
database	Link-state Database Summary
database-summary	Summary of database

Command Mode

- /exec

show ospfv3 database detail

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] database [ [ [ router | network | intra-area-prefix | inter-area { irouter | iprefix } | nssa-external | area-unknown | [ [ { link | link-unknown | grace } [ <interface> ] ] ] ] [ area <area-id-ip> ] ] | external [ tag <tag_val> ] | as-unknown [ [ <lsid> ] [ self-originated | adv-router <advid> | adv-router-name <adv-name> ] detail [ vrf { <vrf-name> | <vrf-known-name> | all } ] ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
database	Link-state Database Summary
router	(Optional) Display router LSAs
network	(Optional) Display network LSAs
inter-area	(Optional) Display inter-area LSAs
iprefix	(Optional) Display Inter-Area-Prefix LSAs
irouter	(Optional) Display Inter-Area-Router LSAs
nssa-external	(Optional) Display NSSA-external LSAs
area-unknown	(Optional) Display area-scope unknown LSAs
external	(Optional) Display AS-external LSAs
as-unknown	(Optional) Display as-scope unknown LSAs
grace	(Optional) Display Grace LSAs
link	(Optional) Display Link LSAs
link-unknown	(Optional) Display link-scope unknown LSAs
interface	(Optional) OSPF enabled interface
intra-area-prefix	(Optional) Display Intra-Area-Prefix LSAs

self-originated	(Optional) Display only self-originated LSAs
<i>lsid</i>	(Optional) Restrict display by link state ID
adv-router	(Optional) Restrict display by Advertising router
<i>advid</i>	(Optional) Advertising router ID
adv-router-name	(Optional) Restrict display by Advertising router name
<i>adv-name</i>	(Optional) DNS Name of the Advertising router
area	(Optional) Display only LSA's in this area
<i>area-id-ip</i>	(Optional) Area Id as an integer or ip address
tag	(Optional) Restrict display by tag
<i>tag_val</i>	(Optional) 32-bit tag value
detail	Display LSA in detail

Command Mode

- /exec

show ospfv3 interface

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] interface [ <interface> | vrf { <vrf-name> | <vrf-known-name> | all } ] [ private ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
interface	OSPF enabled interface
<i>interface</i>	(Optional) OSPF enabled interface
private	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED

Command Mode

- /exec

show ospfv3 interface brief

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] interface brief [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
interface	OSPF enabled interface
brief	Display summary of OSPFv3 interfaces

Command Mode

- /exec

show ospfv3 neighbors

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] neighbors [ { { <interface> [ <neighbor> | <neighbor-name> ] } | { [ <neighbor> | <neighbor-name> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] } } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
neighbors	Neighbor list
<i>interface</i>	(Optional) OSPF enabled interface
<i>neighbor</i>	(Optional) Router ID of neighbor
<i>neighbor-name</i>	(Optional) DNS Name of the neighbor

Command Mode

- /exec

show ospfv3 neighbors detail

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] neighbors [ <interface> ] [ <neighbor> ] detail [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ private ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
neighbors	Neighbor list
<i>interface</i>	(Optional) OSPF enabled interface
<i>neighbor</i>	(Optional) Router ID of neighbor
detail	Show detailed neighbor display
private	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED

Command Mode

- /exec

show ospfv3 neighbors summary

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] neighbors [ <interface> ]
summary [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
neighbors	Neighbor list
<i>interface</i>	(Optional) OSPF enabled interface
summary	Summary of neighbors

Command Mode

- /exec

show ospfv3 request-list

```
show [ ipv6 ] ospfv3 [ <tag> ] request-list { <ip-addr> | <neighbor-name> } <interface>
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
request-list	Link state request list
<i>interface</i>	OSPF enabled interface
<i>ip-addr</i>	Neighbor router ID
<i>neighbor-name</i>	DNS Name of the neighbor

Command Mode

- /exec

show ospfv3 retransmission-list

```
show [ ipv6 ] ospfv3 [ <tag> ] retransmission-list { <routerid> | <router-name> } <interface>
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
retransmission-list	Link state retransmission list
<i>routerid</i>	Neighbor router ID
<i>router-name</i>	DNS Name of the router
<i>interface</i>	OSPF enabled interface

Command Mode

- /exec

show ospfv3 route

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] route [ <ipv6-prefix> [
longer-prefixes ] ] [ all_routes ] [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
route	Internal OSPF routes
longer-prefixes	(Optional) Show exact match and more specific routes
all_routes	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED
<i>tag</i>	(Optional)

Command Mode

- /exec

show ospfv3 route summary

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] route [ <ipv6-prefix> [
longer-prefixes ] ] summary [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
route	Internal OSPF routes
longer-prefixes	(Optional) Show exact match and more specific routes
summary	Show route counts

Command Mode

- /exec

show ospfv3 statistics

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] statistics [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
statistics	Event counters

Command Mode

- /exec

show ospfv3 summary-address

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] summary-address [ private ]
[ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
summary-address	Summary-address redistribution information
private	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED
<i>tag</i>	(Optional)

Command Mode

- /exec

show ospfv3 traffic

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] traffic [ <interface> [ detail ]
| [ detail ] | [ detail ] vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
<i>interface</i>	(Optional) OSPF enabled interface
detail	(Optional) Display detailed information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
traffic	Packet counters

Command Mode

- /exec

show ospfv3 virtual-links

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] virtual-links [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
virtual-links	Virtual link information

Command Mode

- /exec

show ospfv3 virtual-links brief

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] virtual-links brief [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
virtual-links	Virtual link information
brief	Display summary of OSPFv3 virtual links

Command Mode

- /exec

show otv isis

```
show otv isis [ <otv-isis-tag> ] [ vpn { <vrf-name> | all } ] [ process | protocol ] [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) Display information for all VRFs
process	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED
protocol	(Optional) Display IS-IS process information

Command Mode

- /exec

show otv isis active-source

```
show otv isis [ <otv-isis-tag> ] active-source [ vlan <vlan-id> [ group <gip-addr> [ source <sip-addr> ] ] ] [
summary ] [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
active-source	Display IS-IS Active-source information
vlan	(Optional) Display IS-IS VLAN information
<i>vlan-id</i>	(Optional) Display IS-IS VLAN information
group	(Optional) Display IS-IS Group information
source	(Optional) Display IS-IS Source information
<i>gip-addr</i>	(Optional) Display single IP redistribute route
<i>sip-addr</i>	(Optional) Display single IP redistribute route
summary	(Optional) Display route counts

Command Mode

- /exec

show otv isis adjacency

```
show otv isis [ <otv-isis-tag> ] adjacency [ <interface> ] { [ system-id <sid> ] | [ detail ] | [ summary ] } [ vpn
{ <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
adjacency	Display IS-IS adjacency information
<i>interface</i>	(Optional) IS-IS interface
system-id	(Optional) Hostname or System ID
<i>sid</i>	(Optional) Hostname or System ID (in the form of XXXX.XXXX.XXXX)
detail	(Optional) Display IS-IS adjacency detail information
summary	(Optional) Display IS-IS adjacency summary information

Command Mode

- /exec

show otv isis aed-svr-req local

```
show otv isis [ <otv-isis-tag> ] aed-svr-req { local | remote }
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
aed-svr-req	Display aed svr req Info
local	local
remote	remote

Command Mode

- /exec

show otv isis database

```
show otv isis [ <otv-isis-tag> ] [ site ] database [ mgroup ] [ detail | advertise | summary ] [ <lid> ] { [
zero-sequence ] | [ adjacency <adj-id> ] } [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
site	(Optional) Display IS-IS OTV site information
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
database	Display IS-IS database information
mgroup	(Optional) Display IS-IS GM database information
<i>lid</i>	(Optional) LSP ID in the form of XXXX.XXXX.XXXX.XX-XX
detail	(Optional) Display detailed IS-IS information
advertise	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED
summary	(Optional) Display summary IS-IS information
zero-sequence	(Optional) LSP with zero sequence number
adjacency	(Optional) Adjacency filter
<i>adj-id</i>	(Optional) Single exact match adjacency filter

Command Mode

- /exec

show otv isis ed-summary local

show otv isis [<otv-isis-tag>] ed-summary local

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
ed-summary	Display ED Summary Info
local	local

Command Mode

- /exec

show otv isis ed-summary remote

```
show otv isis [ <otv-isis-tag> ] ed-summary remote [ site-identifier { <site-id-mac> | <site-id-hex> } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
ed-summary	Display ED Summary Info
remote	remote
site-identifier	(Optional) site-identifier
<i>site-id-mac</i>	(Optional) Site ID in MAC address format
<i>site-id-hex</i>	(Optional) Site ID in hex

Command Mode

- /exec

show otv isis fast-flood

```
show otv isis [ <otv-isis-tag> ] fast-flood
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
fast-flood	Fast flood the LSP's

Command Mode

- /exec

show otv isis hostname

```
show otv isis [ <otv-isis-tag> ] hostname [ detail ] [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
hostname	Display IS-IS hostname table information
detail	(Optional) Display detailed IS-IS information

Command Mode

- /exec

show otv isis interface

```
show otv isis [ <otv-isis-tag> ] interface [ brief | <interface> ] [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
brief	(Optional) Brief display of IS-IS interfaces
interface	Display IS-IS interface information
<i>interface</i>	(Optional) IS-IS interface

Command Mode

- /exec

show otv isis ip mroute

```
show otv isis [ <otv-isis-tag> ] ip mroute [ vlan <vlan-id> [ group <gip-addr> [ source <sip-addr> ] ] ] [
summary ] [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
ip	Display IS-IS IPv4 information
mroute	Display IS-IS multicast group information
vlan	(Optional) Display IS-IS VLAN information
<i>vlan-id</i>	(Optional) Display IS-IS VLAN information
group	(Optional) Display IS-IS Group information
source	(Optional) Display IS-IS Source information
<i>gip-addr</i>	(Optional) Display single IP redistribute route
<i>sip-addr</i>	(Optional) Display single IP redistribute route
summary	(Optional) Display route counts

Command Mode

- /exec

show otv isis ip redistribute mroute

```
show otv isis [ <otv-isis-tag> ] ip redistribute mroute [ vlan <vlan-id> [ group <gip-addr> [ source <sip-addr> ] ] ] [ summary ] [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
ip	Display IS-IS IPv4 information
redistribute	Display IS-IS redistribute information
vlan	(Optional) Display IS-IS VLAN information
<i>vlan-id</i>	(Optional) Display IS-IS VLAN information
group	(Optional) Display IS-IS Group information
source	(Optional) Display IS-IS Source information
<i>gip-addr</i>	(Optional) Display single IP redistribute route
<i>sip-addr</i>	(Optional) Display single IP redistribute route
mroute	Display IS-IS multicast group information
summary	(Optional) Display route counts

Command Mode

- /exec

show otv isis redistribute route

```
show otv isis [ <otv-isis-tag> ] [ mac ] redistribute route [ summary ] [ direct-mask ] [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
redistribute	Display IS-IS redistribute information
route	Display ISIS redistribute route
mac	(Optional) Display IS-IS MAC information
summary	(Optional) Display route counts
direct-mask	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED

Command Mode

- /exec

show otv isis route-map statistics

```
show otv isis [ <otv-isis-tag> ] route-map statistics [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
route-map	Display IS-IS route-map information
statistics	Display IS-IS route-map statistics

Command Mode

- /exec

show otv isis route

```
show otv isis [ <otv-isis-tag> ] route [ summary | detail | is ] [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
is	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED
route	Display IS-IS route information
summary	(Optional) Display route counts
detail	(Optional) Display detail route information

Command Mode

- /exec

show otv isis rrm

```
show otv isis [ <otv-isis-tag> ] rrm [ mgroup ] <interface> [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
rrm	Display IS-IS Retransmit-Routing-Message information
mgroup	(Optional) Display IS-IS GM Retransmit-Routing-Message information
<i>interface</i>	IS-IS interface

Command Mode

- /exec

show otv isis site-index

show otv isis [<otv-isis-tag>] site-index

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
site-index	Display site index table

Command Mode

- /exec

show otv isis site

```
show otv isis [ <otv-isis-tag> ] site [ statistics ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
site	Display IS-IS OTV site information
statistics	(Optional) Display IS-IS protocol statistics

Command Mode

- /exec

show otv isis spf-log

```
show otv isis [ <otv-isis-tag> ] spf-log [ detail ] [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
spf-log	Display IS-IS SPF information
detail	(Optional) Display detail ISIS SPF information

Command Mode

- /exec

show otv isis srm

```
show otv isis [ <otv-isis-tag> ] srm [ mgroup ] <interface> [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
srm	Display IS-IS Send-Routing-Message information
mgroup	(Optional) Display IS-IS GM-Send-Routing-Message information
<i>interface</i>	IS-IS interface

Command Mode

- /exec

show otv isis ssn

```
show otv isis [ <otv-isis-tag> ] ssn [ mgroup ] <interface> [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
ssn	Display IS-IS Send-Sequence-Number information
mgroup	(Optional) Display IS-IS GM-Send-Sequence-Number information
<i>interface</i>	IS-IS interface

Command Mode

- /exec

show otv isis statistics

```
show otv isis [ <otv-isis-tag> ] statistics [ <interface> ] [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
statistics	Display IS-IS protocol statistics
<i>interface</i>	(Optional) IS-IS interface

Command Mode

- /exec

show otv isis track-adjacency-nexthop

```
show otv isis [ <otv-isis-tag> ] track-adjacency-nexthop
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
track-adjacency-nexthop	Display IS-IS OTV adjacency nexthop tracking information

Command Mode

- /exec

show otv isis traffic

```
show otv isis [ <otv-isis-tag> ] traffic [ <interface> ] [ mbuf-priority ] [ vpn { <vrf-name> | all } ]
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
traffic	Display IS-IS traffic information
<i>interface</i>	(Optional) IS-IS interface
mbuf-priority	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED

Command Mode

- /exec

show otv isis vlan-status local

```
show otv isis [ <otv-isis-tag> ] vlan-status { local | remote }
```

Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vlan-status	Display vlan status Info
local	local
remote	remote

Command Mode

- /exec

show otv isis vlan-status local