



## Sample SMF Configuration

---

- [Sample Configuration, on page 1](#)

### Sample Configuration

The following is only a sample configuration file provided solely for your reference. You must create and modify your own configuration file according to the specific needs of your deployment.

```
profile compliance comp1
  service nsmf-pdusession
    version uri v1
    version full 1.0.2
    version spec 15.4.0
  exit
  service namf-comm
    version uri v1
    version full 1.0.2
    version spec 15.4.0
  exit
  service n1
    version uri v1
    version full 1.0.0
    version spec 15.4.0
  exit
  service n2
    version uri v1
    version full 1.0.0
    version spec 15.4.0
  exit
  service nudm-sdm
    version uri v2
    version full 2.0.1
    version spec 15.4.0
  exit
  service nudm-uecm
    version uri v1
    version full 1.0.2
    version spec 15.4.0
  exit
  service nnrf-disc
    version uri v1
    version full 1.0.2
    version spec 15.4.0
  exit
```

## Sample Configuration

```

service nnrf-nfm
version uri v1
version full 1.0.2
version spec 15.4.0
exit
service npcf-smpolicycontrol
version uri v1
version full 1.0.2
version spec 15.4.0
exit
service nchf-convergedcharging
version uri v2
version full 2.0.1
version spec 15.3.0
exit
exit
profile network-element amf amf1
nf-client-profile AP1
failure-handling-profile FH3
query-params [ dnn target-nf-instance-id ]
exit
profile network-element udm udm1
nf-client-profile UP1
failure-handling-profile FH1
query-params [ target-plmn target-nf-instance-id ]
query-target-plmn primary
exit
profile network-element pcf pcfl
nf-client-profile PP1
failure-handling-profile FH1
query-params [ dnn target-plmn target-nf-instance-id requester-snssais ]
rulebase-prefix cbn#
predefined-rule-prefix crn#
use-amf-provided-pcf true
exit
profile network-element chf chf1
nf-client-profile CP1
failure-handling-profile FH2
query-params [ dnn target-plmn chf-supported-plmn ]
query-target-plmn primary
nf-client-profile-offline CP2
failure-handling-profile-offline FH2
exit
profile network-element chf chgser1
exit
profile network-element sepp sepp1
nf-client-profile hsepp
exit
profile network-element upf upf1
n4-peer-address ipv4 209.165.200.231
n4-peer-port 8805
upf-group-profile upfGroup1
dnn-list [ cisco intershat starent ]
capacity 65535
priority 1
exit
profile network-element upf upf2
n4-peer-address ipv4 209.165.200.232
n4-peer-port 8805
dnn-list [ cisco intershat starent ]
capacity 65535
priority 2
exit
profile network-element upf upf3

```

```
node-id          toolsUPF
n4-peer-address ipv4 209.165.200.233
n4-peer-port    8805
dnn-list        [ cisco intershat starent ]
capacity        32768
priority        10
exit
profile upf-group upfGroup1
  heartbeat
    interval      63
    retransmission-timeout 3
    max-retransmissions 5
  exit
  supported-features [ secondary-pdr ]
exit
profile wps wps1
  arp           1-15
  dscp n3 0x14
  dscp sxa 0x22
  dscp s5e 0x24
  dscp s11 0x26
  message-priority [ pfcp gtpc ]
exit
profile wps wps_F5972
  arp           1-4,14
  dscp n3 0x0F
  message-priority [ pfcp gtpc ]
exit
profile pcscf pcscf1
  v4-list
    precedence 3
    primary 209.165.201.1
    secondary 209.165.201.2
  exit
  exit
  v6-list
    precedence 3
    primary 33:33::1
    secondary 33:33::2
  exit
  exit
  v4v6-list
    precedence 3
    primary ipv4 209.165.200.225
    primary ipv6 fd01:976a:c305:9::5
    secondary ipv4 209.165.200.26
    secondary ipv6 46:46:33::2
  exit
  exit
  exit
profile icmpv6 icmpprf1
  options virtual-mac b6:6d:57:45:45:45
exit
profile charging chgprf1
  method          [ offline ]
  limit volume 10000000
  limit duration 7200
  accounting limit volume downlink 100000 total 100000 uplink 100000
  accounting triggers [ qos-change rat-change serv-node-change ambr-change ue-time-change
plmn-change user-loc-change ]
  tight-interworking-mode true
  quota request always
  quota suppress triggers [ qht ]
  reporting-level online rating-group
```

## Sample Configuration

```

        reporting-level offline service-id
exit
profile charging chgprf2
    method [ offline ]
    accounting limit volume downlink 100000 total 100000 uplink 100000
    accounting triggers [ qos-change rat-change serv-node-change ambr-change ue-time-change
plmn-change user-loc-change ]
    tight-interworking-mode true
    quota request always
    quota suppress triggers [ qht ]
    reporting-level online rating-group
    reporting-level offline service-id
exit
profile charging chgprf3_roaming
    method [ offline ]
exit
profile charging-characteristics 1
    charging-profile chgprf2
    charging-qbc-profile qbc_general
exit
profile charging-qbc qbc_general
    limit volume 20500
    limit duration 70
    max-charging-condition 1
    max-deferred-urr 2
    triggers [ ambr-change qos-change user-loc-change ]
exit
profile charging-qbc qbc_hsmf1
    limit volume 40500
    limit duration 140
    triggers [ ambr-change qos-change serv-node-change user-loc-change ]
exit
profile failure-handling FH1
    interface pfcp
        message N4SessionEstablishmentReq
            cause-code pfcp-entity-in-congestion action retry-terminate max-retry 2
            cause-code system-failure action terminate
            cause-code service-not-supported action terminate
            cause-code no-resource-available action retry-terminate max-retry 3
            cause-code no-response-received action retry-terminate max-retry 1
            cause-code reject action terminate
        exit
        message N4SessionModificationReq
            cause-code mandatory-ie-incorrect action terminate
            cause-code session-ctx-not-found action terminate
            cause-code reject action terminate
        exit
    exit
    interface sxa
        message SessionEstablishmentReq
            cause-code 2-255 action retry-terminate max-retry 4
        exit
    exit
exit
profile failure-handling gtp1
    interface gtpc message S5S8CreateBearerReq
        cause-code temp-fail
        action retry timeout 1000 max-retry 2
    exit
exit
    interface gtpc message S5S8UpdateBearerReq
        cause-code temp-fail
        action retry timeout 1000 max-retry 2
    exit

```

```
exit
interface gtpc message S5S8DeleteBearerReq
cause-code temp-fail
action retry timeout 1000 max-retry 2
exit
exit
exit
profile access access1
n26 idft enable timeout 15
n2 idft enable timeout 15
gtpc gtpc-failure-profile gtp1
erir delay 1
eps-fallback cbr delay 3000 max-retry 1 timeout 1
exit
profile access idft
n1 t3591-pdu-mod-cmd timeout 2 max-retry 1
n1 t3592-pdu-rel-cmd timeout 2 max-retry 1
n26 idft enable timeout 15
n2 idft enable timeout 15
erir delay 2000
exit
profile tai-group TA1
mcc 123 mnc 456
tac list [ 00092a 2346 2356 ]
exit
mcc 310 mnc 260
tac list [ 00092a 2346 2356 ]
tac range start 1234 end 7890
exit
exit
mcc 310 mnc 310
tac list [ 2346 2356 2378 ]
tac range start 5676 end 5767
exit
exit
exit
profile tai-group TA2
mcc 310 mnc 260
tac list [ 2346 5676 ]
exit
exit
profile tai-group tgp2
mcc 091 mnc 05
exit
exit
profile ecgi-group ECGI1
mcc 122 mnc 234
ecgi range start 1234567 end 1234577
exit
exit
mcc 123 mnc 456
ecgi range start 1234567 end 1234577
exit
exit
mcc 310 mnc 260
ecgi range start 1234567 end 1234577
exit
exit
mcc 310 mnc 310
exit
exit
profile ecgi-group ECGI2
exit
profile ncgi-group NCGI1
```

**Sample Configuration**

```

mcc 123 mnc 456
  ncgi range start 123456788 end 133456789
  exit
  exit
mcc 310 mnc 260
  ncgi list [ 123456789 ]
  ncgi range start 123456788 end 234567891
  exit
  exit
mcc 310 mnc 310
  ncgi list [ 123456789 133456789 ]
  ncgi range start 234567891 end 244567891
  exit
  exit
  exit
profile ncgi-group NCGI2
  mcc 123 mnc 456
    ncgi range start 123456789 end 133456789
    exit
    ncgi range start 234567891 end 244567891
    exit
    exit
  mcc 310 mnc 260
    ncgi range start 123456789 end 133456789
    exit
    exit
    exit
  profile location-area-group loc1
    tai-group TA1
    ecgi-group ECGI1
    ncgi-group NCGI1
    exit
  profile location-area-group loc2
    tai-group TA2
    ncgi-group NCGI1
    exit
  profile radius
    deadtime          2
    detect-dead-server response-timeout 2
    max-retry         2
    timeout           2
    enable-packet-dump
    server 209.165.200.248 1812
      type     auth
      secret   $8$j1Tgf1IvRvdywBgDZsP7q7FPzo87+/c1QV99bLxz6AY=
      priority 1
    exit
    server 209.165.200.248 1813
      type     acct
      secret   $8$bANGMCn/x7CspByC/q5Jm1sMo5d9TZMKdTbEq7543wc=
      priority 10
    exit
  attribute
    nas-identifier CISCO-SMF
  exit
  accounting
    algorithm first-server
    max-retry 3
    timeout   1
  attribute
    nas-identifier CISCO-ACCT-SMF
  exit
  exit
server-group sgl

```

```
server auth 209.165.200.248 1812
exit
server acct 209.165.200.248 1813
exit
attribute
nas-ip 209.165.200.226
exit
accounting
attribute
nas-ip 209.165.200.226
exit
exit
exit
profile radius-dynamic-author
client 209.165.200.248
secret $8$G7fLQoqcBFpZNstAQUT/VtoxHqGqwPdLNBlPlIHOI=
exit
exit
profile dnn cisco
dns primary ipv4 209.165.200.239
dns primary ipv6 2001:4870:e00b:1a::3
dns secondary ipv6 2001:4870:e00b:1a::5
network-element-profiles chf chf1
network-element-profiles amf amf1
network-element-profiles pcf pcf1
network-element-profiles udm udm1
network-element-profiles sepp sepp1
dnn cisco network-function-list [ upf upf2 ]
dnn rmgr cisco
timeout absolute 360000 up-idle 900 cp-idle 1500
charging-profile chgprf1
charging-qbc-profile qbc_hsmf1
virtual-mac b6:6d:47:47:47:47
pcscf-profile pcscf1
wps-profile wps1
ssc-mode 1 allowed [ 3 ]
session type IPV4 allowed [ IPV6 IPV4V6 ]
upf apn cisco
qos-profile qos_nonStdQci
authentication secondary radius group sgl
authentication algorithm pap 1 password-use-pco chap 2 convert-to-mschap mschap 3
always-on false
userplane-inactivity-timer 300
only-nr-capable-ue true
exit
profile dnn intershat
dns primary ipv4 209.165.200.239
dns primary ipv6 2001:4870:e00b:1a::3
dns secondary ipv6 2001:4870:e00b:1a::5
network-element-profiles chf chf1
network-element-profiles amf amf1
network-element-profiles pcf pcf1
network-element-profiles udm udm1
network-element-profiles sepp sepp1
timeout absolute 360000 up-idle 900 cp-idle 1500
charging-profile chgprf1
charging-qbc-profile qbc_hsmf1
virtual-mac b6:6d:47:47:47:47
nexthop-forwarding-address ipv4 209.165.200.254
nexthop-forwarding-address ipv6 8454:8454::8454
pcscf-profile pcscf1
wps-profile wps1
ssc-mode 1
```

**Sample Configuration**

```

session type IPV4 allowed [ IPV6 IPV4V6 ]
qos-profile           qos_nonStdQci
authentication secondary radius group sgl
authentication algorithm pap 1 password-use-pco chap 2 convert-to-mschap mschap 3
always-on             false
dcnr                  true
userplane-inactivity-timer 1800
only-nr-capable-ue   true
emergency            false
exit
profile dnn sos
network-element-profiles chf chf1
network-element-profiles amf amf1
network-element-profiles pcf pcf1
network-element-profiles udm udm1
virtual-mac b6:6d:47:47:47:47
ssc-mode 1
session type IPV4 allowed [ IPV6 IPV4V6 ]
authorization local
emergency  true
exit
profile dnn starent
dns primary ipv4 10.168.220.239
dns primary ipv6 2001:4870:e00b:1a::3
dns secondary ipv6 2001:4870:e00b:1a::5
network-element-profiles chf chf1
network-element-profiles amf amf1
network-element-profiles pcf pcf1
network-element-profiles udm udm1
dnn cisco network-function-list [ upf upf2 ]
timeout absolute 360000 up-idle 60 cp-idle 600
charging-profile      chgprf1
virtual-mac            b6:6d:47:47:47:47
pcscf-profile          pcscf1
wps-profile            wps2
ssc-mode 1
session type IPV4 allowed [ IPV6 IPV4V6 ]
upf apn intershat
qos-profile            qos_F5972
always-on              false
userplane-inactivity-timer 300
only-nr-capable-ue   true
emergency            false
exit
profile sgw-qos-profile sgw-non-standardqci
dscp-map operator-defined-qci 128 non-gbr arp-priority-level 5 uplink user-datatype
dscp-marking 0x1e
dscp-map operator-defined-qci 128 non-gbr arp-priority-level 5 downlink user-datatype
dscp-marking 0x22 encap-header copy-inner
exit
profile qos 5qi-to-dscp-mapping-table
dscp-map q15 1 uplink user-datatype dscp-marking 0x2D
dscp-map q15 1 downlink encap-header dscp-marking 0x2F
dscp-map q15 3 uplink user-datatype dscp-marking 0x0c
dscp-map q15 3 downlink encap-header dscp-marking 0x0c
dscp-map q15 5 uplink user-datatype dscp-marking 0x3D
dscp-map q15 5 downlink encap-header dscp-marking 0x3F
dscp-map q15 6 uplink user-datatype dscp-marking 0x0c
dscp-map q15 6 downlink encap-header dscp-marking 0x0c
dscp-map q15 7 uplink user-datatype dscp-marking 0x0e
dscp-map q15 7 downlink encap-header dscp-marking 0x0e
dscp-map q15 8 uplink user-datatype dscp-marking 0x0e
dscp-map q15 8 downlink encap-header dscp-marking 0x0e
dscp-map q15 9 uplink user-datatype dscp-marking 0x0a

```

```

dscp-map qi5 9 downlink encsp-header dscp-marking 0x0a
dscp-map qi5 43 uplink user-datatype dscp-marking 0x1D
dscp-map qi5 43 downlink encsp-header dscp-marking 0x1F
exit
profile qos abc
    ambr ul "250 Kbps"
    ambr dl "500 Kbps"
    qi5      7
    arp priority-level 14
    arp preempt-cap NOT_PREEMPT
    arp preempt-vuln PREEMPTABLE
    priority 120
    max data-burst 2000
    dscp-map qi5 1 arp-priority-level 12 uplink user-datatype dscp-marking 0x2e
    dscp-map qi5 1 arp-priority-level 12 downlink user-datatype dscp-marking 0x12 encsp-header
    copy-inner
    dscp-map qi5 1 uplink user-datatype dscp-marking 0x2e
    dscp-map qi5 1 downlink user-datatype dscp-marking 0x12 encsp-header copy-inner
    dscp-map qi5 2 uplink user-datatype dscp-marking 0x3f
    dscp-map qi5 2 downlink user-datatype dscp-marking 0x2a encsp-header dscp-marking 0x0a
    dscp-map qi5 3 uplink user-datatype dscp-marking 0x2e
    dscp-map qi5 3 downlink user-datatype dscp-marking 0x12 encsp-header copy-inner
    dscp-map qi5 4 uplink user-datatype dscp-marking 0x3f
    dscp-map qi5 4 downlink user-datatype dscp-marking 0x2a encsp-header dscp-marking 0x0a
    dscp-map qi5 5 uplink user-datatype dscp-marking 0x2e
    dscp-map qi5 5 downlink user-datatype dscp-marking 0x12 encsp-header copy-inner
    dscp-map qi5 6 uplink user-datatype dscp-marking 0x3f
    dscp-map qi5 6 downlink user-datatype dscp-marking 0x2a encsp-header dscp-marking 0x0a
    dscp-map qi5 7 uplink user-datatype dscp-marking 0x3f
    dscp-map qi5 7 downlink user-datatype dscp-marking 0x2a encsp-header dscp-marking 0x0a
    dscp-map qi5 8 uplink user-datatype dscp-marking 0x2e
    dscp-map qi5 8 downlink user-datatype dscp-marking 0x12 encsp-header copy-inner
    dscp-map qi5 9 uplink user-datatype dscp-marking 0x3f
    dscp-map qi5 9 downlink user-datatype dscp-marking 0x2a encsp-header dscp-marking 0x0a
    dscp-map qi5 65 uplink user-datatype dscp-marking 0x2e
    dscp-map qi5 65 downlink user-datatype dscp-marking 0x12 encsp-header copy-inner
    dscp-map qi5 66 uplink user-datatype dscp-marking 0x3f
    dscp-map qi5 66 downlink user-datatype dscp-marking 0x2a encsp-header dscp-marking 0x0a
    dscp-map qi5 69 uplink user-datatype dscp-marking 0x2e
    dscp-map qi5 69 downlink user-datatype dscp-marking 0x12 encsp-header copy-inner
    dscp-map qi5 70 uplink user-datatype dscp-marking 0x3f
    dscp-map qi5 70 downlink user-datatype dscp-marking 0x2a encsp-header dscp-marking 0x0a
    dscp-map qi5 80 uplink user-datatype dscp-marking 0x2e
    dscp-map qi5 80 downlink user-datatype dscp-marking 0x12 encsp-header copy-inner
    dscp-map qi5 82 uplink user-datatype dscp-marking 0x3f
    dscp-map qi5 82 downlink user-datatype dscp-marking 0x2a encsp-header dscp-marking 0x0a
    dscp-map qi5 83 uplink user-datatype dscp-marking 0x3f
    dscp-map qi5 83 downlink user-datatype dscp-marking 0x2a encsp-header dscp-marking 0x0a
exit
profile qos qos1
    qi5      128
    arp priority-level 8
    arp preempt-cap NOT_PREEMPT
    arp preempt-vuln NOT_PREEMPTABLE
    priority 9
    max data-burst 2048
exit
profile qos qos_F5972
    dscp-map qi5 1 arp-priority-level 5 uplink user-datatype dscp-marking 0x1e
    dscp-map qi5 1 arp-priority-level 5 downlink user-datatype dscp-marking 0x22 encsp-header
    copy-inner
exit
profile qos qos_nonStdQci
    ambr ul "250 Kbps"

```

**Sample Configuration**

```

ambr dl "500 Kbps"
qi5 128
arp priority-level 12
arp preempt-cap NOT_PREEMPT
arp preempt-vuln PREEMPTABLE
dscp-map qi5 1 arp-priority-level 5 uplink user-datatype dscp-marking 0x1e
dscp-map qi5 1 arp-priority-level 5 downlink user-datatype dscp-marking 0x22 encsp-header
copy-inner
dscp-map qi5 2 arp-priority-level 6 uplink user-datatype dscp-marking 0x3e
dscp-map qi5 2 arp-priority-level 6 downlink user-datatype dscp-marking 0x23 encsp-header
copy-inner
dscp-map qi5 3 arp-priority-level 12 uplink user-datatype dscp-marking 0x2f
dscp-map qi5 3 arp-priority-level 12 downlink user-datatype dscp-marking 0x14 encsp-header
copy-inner
dscp-map qi5 6 downlink encsp-header copy-inner
dscp-map qi5 7 downlink encsp-header dscp-marking 0x01
dscp-map qi5 15 arp-priority-level 12 uplink user-datatype dscp-marking 0x2f
dscp-map qi5 15 arp-priority-level 12 downlink user-datatype dscp-marking 0x14 encsp-header
copy-inner
dscp-map qi5 65 arp-priority-level 5 uplink user-datatype dscp-marking 0x1e
dscp-map qi5 65 arp-priority-level 5 downlink user-datatype dscp-marking 0x22 encsp-header
copy-inner
dscp-map qi5 70 arp-priority-level 12 uplink user-datatype dscp-marking 0x2f
dscp-map qi5 70 arp-priority-level 12 downlink user-datatype dscp-marking 0x14 encsp-header
copy-inner
dscp-map qi5 80 downlink encsp-header copy-inner
dscp-map qi5 81 downlink encsp-header copy-inner
dscp-map qi5 83 arp-priority-level 6 uplink user-datatype dscp-marking 0x3e
dscp-map qi5 83 arp-priority-level 6 downlink user-datatype dscp-marking 0x23 encsp-header
copy-inner
dscp-map qi5 85 downlink encsp-header dscp-marking 0x01
dscp-map qi5 128 arp-priority-level 5 uplink user-datatype dscp-marking 0x1e
dscp-map qi5 128 arp-priority-level 5 downlink user-datatype dscp-marking 0x22 encsp-header
copy-inner
dscp-map qi5 230 arp-priority-level 6 uplink user-datatype dscp-marking 0x3e
dscp-map qi5 230 arp-priority-level 6 downlink user-datatype dscp-marking 0x23 encsp-header
copy-inner
dscp-map qi5 254 downlink encsp-header dscp-marking 0x01
exit
profile ppd ppd1
  fqi 1,10-15,43,65
  dscp 0 ppi 3
  dscp 1 ppi 2
  dscp 43 ppi 3
exit
profile nf-client nf-type udm
  udm-profile UP1
    locality LOC1
    priority 30
    service name type nudm-sdm
      endpoint-profile EP1
        capacity 30
        uri-scheme http
        version
          uri-version v2
        exit
      exit
    endpoint-name EP1
      primary ip-address ipv4 209.165.200.248
      primary ip-address port 9001
    exit
  exit
service name type nudm-uecm

```

```
endpoint-profile EP1
    capacity 30
    uri-scheme http
    endpoint-name EP1
        primary ip-address ipv4 209.165.200.248
        primary ip-address port 9001
    exit
exit
exit
service name type nudm-ee
endpoint-profile EP1
    capacity 30
    api-uri-prefix PREFIX
    api-root ROOT
    uri-scheme http
    endpoint-name EP1
        priority 56
        primary ip-address ipv4 209.165.200.248
        primary ip-address port 9001
    exit
exit
exit
exit
profile nf-client nf-type pcf
pcf-profile PP1
locality LOC1
priority 30
service name type npcf-smpolicycontrol
endpoint-profile EP1
capacity 30
uri-scheme http
endpoint-name EP1
priority 100
primary ip-address ipv4 209.165.200.248
primary ip-address port 9003
exit
endpoint-name realPCF
priority 50
primary ip-address ipv4 10.1.2.138
primary ip-address port 9082
exit
exit
exit
exit
profile nf-client nf-type amf
amf-profile AP1
locality LOC1
priority 30
service name type namf-comm
endpoint-profile EP2
capacity 30
uri-scheme http
endpoint-name EP1
priority 56
primary ip-address ipv4 209.165.200.248
primary ip-address port 9002
exit
endpoint-name realAMF
priority 100
primary ip-address ipv4 209.165.202.138
```

**Sample Configuration**

```
        primary ip-address port 8090
        exit
        exit
        exit
        exit
        exit
        profile nf-client nf-type chf
        chf-profile CP1
        locality LOC1
        priority 30
        service name type nchf-convergedcharging
        endpoint-profile EP1
        capacity 30
        uri-scheme http
        version
        uri-version v2
        exit
        exit
        endpoint-name EP1
        priority 100
        primary ip-address ipv4 209.165.200.248
        primary ip-address port 9004
        exit
        exit
        exit
        exit
        chf-profile CP2
        locality LOC1
        priority 31
        service name type nchf-convergedcharging
        endpoint-profile EP1
        capacity 30
        uri-scheme http
        version
        uri-version v2
        exit
        exit
        endpoint-name EP1
        priority 56
        primary ip-address ipv4 209.165.200.248
        primary ip-address port 9005
        exit
        exit
        exit
        exit
        exit
        exit
        profile nf-client nf-type sepp
        sepp-profile hsepp
        locality LOC1
        priority 30
        service name type nsmf-pdusession
        endpoint-profile EP1
        capacity 30
        uri-scheme http
        endpoint-name EP1
        priority 56
        primary ip-address ipv4 209.165.200.250
        primary ip-address port 8090
        exit
        endpoint-name lfs-hsepp
        priority 10
```

```
primary ip-address ipv4 209.165.200.248
primary ip-address port 8888
secondary ip-address ipv4 209.165.200.249
secondary ip-address port 8889
exit
exit
exit
exit
exit
profile nf-pair nf-type UDM
nrf-discovery-group DISC1
locality client LOC1
locality preferred-server LOC1
locality geo-server GEO
cache invalidation true timeout 20000
exit
profile nf-pair nf-type AMF
nrf-discovery-group DISC1
locality client LOC1
locality preferred-server LOC1
locality geo-server GEO
exit
profile nf-pair nf-type PCF
nrf-discovery-group DISC1
locality client LOC1
locality preferred-server LOC1
locality geo-server GEO
exit
profile nf-pair nf-type SEPP
nrf-discovery-group DISC1
locality client LOC1
locality preferred-server LOC1
locality geo-server GEO
exit
profile nf-pair nf-type UPF
nrf-discovery-group DISC1
locality client LOC1
locality preferred-server LOC1
locality geo-server GEO
exit
profile nf-pair nf-type CHF
nrf-discovery-group DISC1
locality client LOC1
locality preferred-server LOC1
locality geo-server GEO
cache invalidation true timeout 20000
exit
profile nf-client-failure nf-type udm
profile failure-handling FH1
service name type nudm-sdm
message type UdmSdmGetUESMSubscriptionData
status-code httpv2 504
retry 1
action continue
exit
exit
message type UdmSdmSubscribeToNotification
status-code httpv2 504
retry 1
action continue
exit
exit
message type UdmSubscriptionReq
```

**Sample Configuration**

```
status-code httpv2 504
  retry  1
  action continue
  exit
exit
service name type nudm-uecm
  message type UdmUecmRegisterSMF
    status-code httpv2 504
      retry  1
      action continue
      exit
exit
  message type UdmUecmUnregisterSMF
    status-code httpv2 504
      action continue
      exit
exit
  message type UdmRegistrationReq
    status-code httpv2 504
      action continue
      exit
exit
  exit
profile nf-client-failure nf-type pcf
  profile failure-handling FH1
    service name type npcf-smpolicycontrol
      responsetimeout 4000
      message type PcfSmpolicycontrolCreate
        status-code httpv2 0,403
          action retry-and-ignore
          exit
        status-code httpv2 400,504
          action continue
          exit
        status-code httpv2 404
          action terminate
          exit
        status-code httpv2 500
          retry  2
          action retry-and-ignore
          exit
        status-code httpv2 503
          retry  2
          action retry-and-continue
          exit
exit
  message type PcfSmpolicycontrolUpdate
    status-code httpv2 0,403
      action retry-and-ignore
      exit
    status-code httpv2 400,504
      action continue
      exit
    status-code httpv2 404
      action terminate
      exit
    status-code httpv2 500
      retry  2
      action retry-and-ignore
      exit
    status-code httpv2 503
```

```
    retry  2
    action retry-and-continue
exit
exit
message type PcfSmpolicycontrolDelete
status-code httpv2 0,403
    action retry-and-ignore
exit
status-code httpv2 400
    action continue
exit
status-code httpv2 404
    action terminate
exit
status-code httpv2 500
    retry  2
    action retry-and-ignore
exit
status-code httpv2 503
    retry  2
    action retry-and-continue
exit
exit
exit
profile nf-client-failure nf-type chf
profile failure-handling FH2
service name type nchf-convergedcharging
message type ChfConvergedchargingCreate
status-code httpv2 0,500,504
    action continue
exit
status-code httpv2 400,404
    retry  3
    action retry-and-terminate
exit
status-code httpv2 403
    retry  3
    action retry-and-ignore
exit
status-code httpv2 503
    action terminate
exit
exit
message type ChfConvergedchargingUpdate
status-code httpv2 0,500,504
    action continue
exit
status-code httpv2 400,404
    retry  3
    action retry-and-terminate
exit
status-code httpv2 403
    retry  3
    action retry-and-ignore
exit
status-code httpv2 503
    action terminate
exit
exit
message type ChfConvergedchargingDelete
status-code httpv2 0,500,504
    action continue
```

**Sample Configuration**

```

exit
status-code httpv2 400,404
retry 3
action retry-and-terminate
exit
status-code httpv2 403
retry 3
action retry-and-ignore
exit
status-code httpv2 503
action terminate
exit
exit
exit
exit
profile nf-client-failure nf-type sepp
profile failure-handling sepp
service name type nsmf-pdusession
responsetimeout 4000
message type VsmfPduSessionCreate
status-code httpv2 0
retry 5
action retry-and-terminate
exit
status-code httpv2 504
retry 3
action retry-and-terminate
exit
exit
message type VsmfPduSessionUpdate
status-code httpv2 0,401,404,503-504
action retry-and-continue
exit
status-code httpv2 400
action terminate
exit
exit
message type VsmfPduSessionRelease
status-code httpv2 0,504
action retry-and-terminate
exit
exit
exit
profile smf smf1
locality LOC1
allowed-nssai [ slice1 slice2 ]
load-profile gtp-load1
instances 1 fqdn 5gc.mnc456.mcc123.3gppnetwork.org
instances 1 inter-plmn-fqdn 5gc.mnc210.mcc310.3gppnetwork.org
instances 1 supported-features [ vsmf ]
plmn-list mcc 123 mnc 456
exit
plmn-list mcc 310 mnc 310
exit
service name nsmf-pdu
type pdu-session
schema http
service-id 1
version 1.Rn.0.0
http-endpoint base-url http://smf-service
icmpv6-profile icmpprfl

```

```
compliance-profile compl
access-profile     access1
subscriber-policy polSub
exit
exit
profile sgw sgw1
    locality          LOC1
    fqdn              cisco.com.apn.epc.mnc456.mcc123
    subscriber-policy polSub
    ddn failure-action-drop-timer 60
    ddn no-user-connect-retry-timer 60
    qci-qos-profile   sgw-non-standardqci
    wps-profile       wps1
    plmn-list mcc 123 mnc 456
exit
plmn-list mcc 310 mnc 260
exit
exit
profile sgw-charging-threshold thre1
    cc profile value 1
        volume total 100000
        buckets 2
        duration 180
exit
    cc profile value 2
        volume uplink 100000
        volume downlink 100000
        buckets 4
        duration 120
exit
    cc profile value 4
        volume total 10000000
        buckets 4
        duration 300
exit
    cc profile value 8
        volume total 100000
        buckets 2
        duration 3000
exit
exit
profile overload gtp-overload1
    overload-exclude-profile self-protection gtp-overloadExclude1
    node-level
        tolerance minimum 15
        tolerance maximum 35
        reduction-metric minimum 20
        reduction-metric maximum 90
        advertise
            interval      300
            change-factor 15
            validity-period 60
        exit
    interface gtpc
        overloaded-action [ advertise ]
    exit
exit
profile overload-exclude gtp-overloadExclude1
    dnn-list      [ sos ]
    arp-list      [ 1 2 3 ]
    procedure-list [ session-delete ]
    message-priority s5
    upto 0
```

**Sample Configuration**

```

exit
exit
profile load gtp-load1
  load-calc-frequency 30
  load-fetch-frequency 15
advertise
  interval      30
  change-factor 5
exit
interface gtpc
  action advertise
exit
exit
profile gtpp-profile pf1 gtpp
  local-storage
    file
      rotation
        volume      5
        cdr-count   1000
        time-interval 60
    exit
    name
      prefix          hSMF-cnsgw1
      format          .%Y-%m-%d%H-%M-%S.%4Q
      max-file-seq-num 9
      start-file-seq-num 1
      recover-file-seq-num true
    exit
    format custom1
  exit
exit
dictionary custom24
exit
profile gtpp-profile pf2 gtpp
  local-storage
    file
      rotation
        volume      5
        cdr-count   1000
        time-interval 60
    exit
    name
      prefix          hSMF-cnsgw1
      format          .%Y-%m-%d%H-%M-%S.%4Q
      max-file-seq-num 9
      start-file-seq-num 1
      recover-file-seq-num true
    exit
    format custom1
  exit
exit
dictionary custom24
exit
profile gtpp-profile pf4 gtpp
  local-storage
    file
      rotation
        volume      5
        cdr-count   1000
        time-interval 60
    exit
    name
      prefix          hSMF-cnsgw1
      format          .%Y-%m-%d%H-%M-%S.%4Q

```

```
max-file-seq-num      9
start-file-seq-num    1
recover-file-seq-num true
exit
format custom1
exit
exit
dictionary custom24
exit
profile dns-proxy
  timeout          6000
  round-robin-answers
  servers serv1
    ip        209.165.202.143
    port      53
    protocol  tcp
  exit
  servers serv2
    ip        209.165.200.225
    port      53
    protocol  tcp
  exit
exit
profile converged-core cc1
  max-upf-index 150
exit
nf-tls certificates cert1
  cert-data abc
  private_key k1
exit
active-charging service acs1
  bandwidth-policy BWP
    flow limit-for-bandwidth id 1 group-id 2
    flow limit-for-bandwidth id 2 group-id 3
    flow limit-for-bandwidth id 3 group-id 4
      group-id 2 direction uplink peak-data-rate 64000 peak-burst-size 8000 violate-action
      discard
      group-id 2 direction downlink peak-data-rate 64000 peak-burst-size 8000 violate-action
      discard
      group-id 3 direction uplink peak-data-rate 128000 peak-burst-size 12000 violate-action
      discard
      group-id 3 direction downlink peak-data-rate 128000 peak-burst-size 12000 violate-action
      discard
      group-id 4 direction uplink peak-data-rate 3000000000 peak-burst-size 100 violate-action
      discard
      group-id 4 direction downlink peak-data-rate 3000000000 peak-burst-size 100 violate-action
      discard
    exit
  packet-filter pkt1
    ip local-port range 2 to 23
    ip protocol = 23
    ip remote-address = 209.165.201.0/27
    ip remote-port range 12 to 34
    ip tos-traffic-class = 23 mask = 23
    priority 23
  exit
  charging-action cal
  billing-action egcdr
  content-id      51
  flow action redirect-url http://www.google.com
  flow limit-for-bandwidth id 1
  service-identifier 6000
  tft-notify-ue
  tos af11
```

## Sample Configuration

```

tft packet-filter pkt1
exit
charging-action caStaticOfflineOnline
  billing-action egcdr
  cca charging credit
  content-id      30
  flow limit-for-bandwidth direction uplink peak-data-rate 1000000000 peak-burst-size 100
  violate-action discard committedDataRate 1000000000 committed-burst-size 100 exceed-action
    discard
    flow limit-for-bandwidth direction downlink peak-data-rate 1000000000 peak-burst-size 100
    violate-action discard committedDataRate 1000000000 committed-burst-size 100 exceed-action
      discard
      service-identifier 60
      tft-notify-ue
      tos af11
      tft packet-filter pkt1
    exit
rulebase cisco
  billing-records egcdr
  edr transaction-complete http charging-edr http-edr
  dynamic-rule order first-if-tied
  egcdr threshold interval 1000
  action priority 1 ruledef ip-any-rule charging-action cisco
  route priority 1000 ruledef http-port-route analyzer http
exit
rulebase rbal
  action priority 1 dynamic-only ruledef rdal charging-action cal description myrule1
  action priority 10 ruledef rdal charging-action cal
exit
urr-list urr_smf
  rating-group 10 urr-id 1
  rating-group 10 service-identifier 20 urr-id 2
  rating-group 10 service-identifier 21 urr-id 50
  rating-group 11 urr-id 3
  rating-group 11 service-identifier 21 urr-id 4
  rating-group 11 service-identifier 201 urr-id 11
  rating-group 12 urr-id 5
  rating-group 12 service-identifier 22 urr-id 6
  rating-group 13 urr-id 7
  rating-group 13 service-identifier 23 urr-id 8
  rating-group 30 urr-id 17
  rating-group 30 service-identifier 60 urr-id 18
  rating-group 30 service-identifier 61 urr-id 19
  rating-group 31 urr-id 20
  rating-group 31 service-identifier 61 urr-id 21
  rating-group 31 service-identifier 62 urr-id 22
  rating-group 32 urr-id 23
  rating-group 40 urr-id 24
  rating-group 51 service-identifier 6000 urr-id 32
  rating-group 100 urr-id 9
  rating-group 100 service-identifier 200 urr-id 10
  rating-group 100 service-identifier 201 urr-id 51
  rating-group 101 urr-id 11
  rating-group 101 service-identifier 201 urr-id 12
  rating-group 102 urr-id 13
  rating-group 102 service-identifier 202 urr-id 14
  rating-group 103 urr-id 15
  rating-group 103 service-identifier 203 urr-id 16
  rating-group 110 urr-id 25
  rating-group 199 urr-id 199
exit
ruledef adc_Youtube
  multi-line-or all-lines
exit

```

```
credit-control group onlineoffline
  diameter ignore-service-id true
exit
group-of-ruledefs adc_specific
  add-ruledef priority 1 ruledef adc_google
  add-ruledef priority 2 ruledef adc_facebook_https
  add-ruledef priority 3 ruledef adc_sni
exit
gtpp group group1
  gtpp egcdr service-data-flow threshold interval 60
  gtpp egcdr service-data-flow threshold volume downlink 100000 uplink 100000 total 200000
exit
apn cisco
  gtpp group group1
  active-charging rulebase rbal
exit
apn intershat
  gtpp group group1
  active-charging rulebase rbal
exit
policy subscriber polSub
  precedence 1
    sst          22
    sdt          Abf123
    serving-plmn mcc 123
    serving-plmn mnc 456
    supi-start-range 1000000000000001
    supi-stop-range 2999999999999999
    gpsi-start-range 1000000000
    gpsi-stop-range 9999999999
    operator-policy opPol1
exit
precedence 511
  operator-policy defOprPol1
exit
exit
policy upf-selection up-policy1
  precedence 1
    [ dnn slice ]
exit
precedence 2
  [ dnn location ]
exit
precedence 3
  [ dnn pdn-type-session ]
exit
precedence 4
  [ dnn ]
exit
exit
policy operator defOprPol1
  policy dnn      defPolDnn
  policy network-capability ncl
exit
policy operator opPol1
  policy dnn      polDnn
  policy network-capability ncl
exit
policy operator opPol2
  policy dnn      polDnn
  policy network-capability ncl
exit
policy dnn defPolDnn
  profile default-profile
```

**Sample Configuration**

```

dnn cisco profile cisco
dnn dnn2 profile profile2
dnn intershat profile intershat
dnn sos profile sos
dnn starent profile abc.com
exit
policy dnn dnnPol1
profile default
dnn starent profile abc.com
exit
policy dnn polDnn
profile default-profile
dnn cisco profile cisco
dnn dnn2 profile profile2
dnn intershat profile intershat
exit
policy network-capability nc1
nw-support-local-address-tft true
exit
nssai name slice1
sst 1
dnn [ cisco intershat sos starent ]
exit
nssai name slice2
sst 2
sdt abf123
dnn [ cisco intershat sos starent ]
exit
system-diagnostics session-consistency action monitor
ipam
instance 1
source local
address-pool v4pool1
vrf-name ISP
tags
dnn intershat
exit
ipv4
split-size
per-cache 65536
per-dp 65536
exit
address-range 209.165.201.1 209.165.201.30
exit
exit
exit
group nf-mgmt NFMGMT1
nrf-mgmt-group MGMT
locality LOC1
exit
group nrf discovery DISC1
nrf-type PLMN
service type nrf nnrf-disc
endpoint-profile
name EP1
uri-scheme http
version
uri-version v1
full-version 209.165.200.224/27
exit
exit
endpoint-name sauNRF
priority 80

```

```
capacity 56
primary ip-address ipv4 209.165.201.4
primary ip-address port 8095
exit
exit
exit
exit
cdl system-id          2
cdl enable-geo-replication true
cdl zookeeper replica 1
cdl remote-site 1
  db-endpoint host 209.165.202.154
  db-endpoint port 8882
  kafka-server 10.1.8.54 10092
  exit
exit
cdl label-config session
  endpoint key smi.cisco.com/node-type
  endpoint value smf-cdl
  slot map 1
    key   smi.cisco.com/node-type
    value smf-cdl
  exit
  slot map 2
    key   smi.cisco.com/node-type
    value smf-cdl-1
  exit
  index map 1
    key   smi.cisco.com/node-type
    value smf-cdl-1
  exit
exit
cdl logging default-log-level error
cdl logging logger datastore.ep.session
  level debug
exit
cdl logging logger datastore.index.session
  level debug
exit
cdl logging logger datastore.slot.session
  level debug
exit
cdl datastore session
  label-config session
  geo-remote-site [ 1 ]
  slice-names      [ 1 2 ]
  endpoint replica 1
  endpoint external-ip 209.165.202.158
  endpoint external-port 8882
  index replica 1
  index map      1
  index write-factor 1
  slot replica 1
  slot map       2
  slot write-factor 1
exit
cdl kafka replica 1
cdl kafka ssl-settings enable-ssl false
cdl kafka label-config key smi.cisco.com/pod-type
cdl kafka label-config value cdl-kafka-1
cdl kafka external-ip 209.165.202.158 10092
exit
etcd replicas 1
edr reporting enable
```

**Sample Configuration**

```
edr subscribers [ 112233445566776 112233445566777 112233445566778 imsi-123456789012345
imsi-123456789012346 imsi-310310789012345 ]
edr file transaction
  reporting enable
exit
edr file transaction-collision
  reporting enable
exit
instance instance-id 1
endpoint li
  replicas 1
  nodes    1
  vip-ip 209.165.201.3
exit
endpoint nodemgr
  replicas 1
  nodes    2
exit
endpoint gtp
  replicas 1
  nodes    1
  vip-ip 209.165.200.232
interface s5
  vip-ip 209.165.200.232
exit
interface s5e
  vip-ip 209.165.200.233
exit
interface s11
  vip-ip 209.165.200.236
exit
exit
endpoint pfcp
  replicas 1
  nodes    2
  interface n4
    heartbeat
      interval          0
      retransmission-timeout 3
      max-retransmissions 5
    exit
  exit
exit
endpoint service
  replicas 1
  nodes    1
exit
endpoint protocol
  replicas 1
  nodes    2
  vip-ip 209.165.200.253
interface sxa
  vip-ip 209.165.200.254
exit
interface n4
  vip-ip 209.165.200.230
exit
exit
endpoint radius
  replicas 1
  nodes    1
  vip-ip 209.165.200.226
interface coa-nas
  vip-ip 209.165.200.226 vip-port 3799
```

```
        exit
    exit
    endpoint sgw-service
        replicas 1
        nodes    1
    exit
    endpoint dns-proxy
        replicas 1
    exit
    endpoint sbi
        replicas 1
        nodes    1
        vip-ip 209.165.200.226
        interface nrf
            vip-ip 209.165.200.226
        exit
    exit
    exit
logging transaction message enable
logging transaction duplicate enable
logging level application trace
logging level transaction trace
logging level tracing debug
logging name infra.application.core level application warn
logging name infra.application.core level tracing warn
logging name infra.config.core level application trace
logging name infra.config.core level transaction trace
logging name infra.config.core level tracing off
logging name infra.dispatcher.core level application warn
logging name infra.dispatcher.core level transaction warn
logging name infra.dispatcher.core level tracing warn
logging name infra.heap_dump.core level application warn
logging name infra.ipcstream.core level application error
logging name infra.ipcstream.core level transaction warn
logging name infra.ipcstream.core level tracing warn
logging name infra.memory_cache.core level application error
logging name infra.memory_cache.core level transaction error
logging name infra.message_log.core level transaction trace
logging name infra.resource_monitor.core level application warn
logging name infra.resource_monitor.core level transaction warn
logging name infra.rest_server.core level application error
logging name infra.rest_server.core level tracing off
logging name infra.topology.core level application off
logging name infra.topology.core level transaction off
logging name infra.topology.core level tracing off
deployment
    app-name          cnsgw-smf-1
    cluster-name      Local
    dc-name           DC
    model             small
    logical-nf-instance-id 1
exit
k8 label protocol-layer key smi.cisco.com/vm-type value smf-proto-1
exit
k8 label cdl-layer key smi.cisco.com/node-type value smf-cdl-1
exit
k8 label oam-layer key smi.cisco.com/node-type value oam
exit
instances instance 1
    system-id  smf
    cluster-id smf
    slice-name 1
exit
local-instance instance 1
```

**Sample Configuration**

```

system mode running
helm default-repository roaming-ph2
helm repository cnsgw-1
  access-token
dev-deployer.gen:AKCp5ekcXA7TknM9DbLASNBw4jwVEsx9Z9WpQwEvCvCQ2mJhLymcz6BfbH38YJiWC6fn1cKmw
  url
https://engci-maven-master.cisco.com/artifactory/smi-fuse-internal-snapshot/mobile-cnat-cn/cn-products/master/
exit
helm repository roaming-cx
  access-token
dev-deployer.gen:AKCp5ekcXA7TknM9DbLASNBw4jwVEsx9Z9WpQwEvCvCQ2mJhLymcz6BfbH38YJiWC6fn1cKmw
  url
https://engci-maven-master.cisco.com/artifactory/mobile-cnat-charts-release/releas-builds/2021.03.m0.d4.0/cag/2021.03.m0.d4.0.i77/cag.2021.03.m0.d4.0.i77/
exit
helm repository roaming-ph2
  access-token
dev-deployer.gen:AKCp5ekcXA7TknM9DbLASNBw4jwVEsx9Z9WpQwEvCvCQ2mJhLymcz6BfbH38YJiWC6fn1cKmw
  url
https://engci-maven-master.cisco.com/artifactory/smi-fuse-internal-snapshot/mobile-cnat-cn/cn-products/dev-smf-amigos/
exit
k8s name      cnsgw-smf-1
k8s namespace  cnsgw-1
k8s nf-name    smf
k8s registry   dockerhub.cisco.com/smi-fuse-docker-internal
k8s single-node true
k8s use-volume-claims false
k8s ingress-host-name 209.165.200.238.nip.io
aaa authentication users user admin
  uid        117
  gid        117
  password   $1$bQRuPxWc$ESF/KLDQBkmdQNtrReTJN1
  ssh_keydir /tmp/admin/.ssh
  homedir    /tmp/admin
exit
aaa authentication users user liadmin
  uid        201
  gid        2011
  password   $1$LugH/seF$hi4y0QnpOzoEiJDqGLd0L.
  ssh_keydir /tmp/liadmin/.ssh
  homedir    /tmp/liadmin
exit
aaa authentication users user liadmin2
  uid        202
  gid        2021
  password   $1$HBRlxp0W$pmaMFhDV9QIayXTxEZtxc0
  ssh_keydir /tmp/liadmin2/.ssh
  homedir    /tmp/liadmin2
exit
aaa authentication users user liadmin3
  uid        203
  gid        2031
  password   $1$kE6v4ZBD$sv970lhMCmTtjm7Q35Esq1
  ssh_keydir /tmp/liadmin3/.ssh
  homedir    /tmp/liadmin3
exit
aaa ios level 0
  prompt "\h> "
exit
aaa ios level 15
  prompt "\h# "
exit
aaa ios privilege exec
  level 0
  command action

```

```
exit
command autowizard
exit
command enable
exit
command exit
exit
command help
exit
command startup
exit
exit
level 15
  command configure
  exit
exit
exit
nacm write-default deny
nacm groups group LI
  user-name [ liadmin ]
exit
nacm groups group LI2
  user-name [ liadmin2 ]
exit
nacm groups group LI3
  user-name [ liadmin3 ]
exit
nacm groups group admin
  user-name [ admin ]
exit
nacm rule-list admin
  group [ admin ]
    rule li-deny-tap
      module-name      lawful-intercept
      path            /lawful-intercept
      access-operations *
      action          deny
    exit
    rule li-deny-clear
      module-name      tailf-mobile-smf
      path            /clear/lawful-intercept
      access-operations *
      action          deny
    exit
    rule any-access
      action permit
    exit
  exit
nacm rule-list confd-api-manager
  group [ confd-api-manager ]
    rule any-access
      action permit
    exit
  exit
nacm rule-list ops-center-security
  group [ * ]
    rule change-self-password
      module-name      ops-center-security
      path            /smiuser/change-self-password
      access-operations exec
      action          permit
    exit
    rule smiuser
      module-name      ops-center-security
```

**Sample Configuration**

```
path          /smiuser
access-operations exec
action        deny
exit
exit
nacm rule-list lawful-intercept
group [ LI LI2 LI3 ]
rule li-accept-tap
  module-name    lawful-intercept
  path          /lawful-intercept
  access-operations *
  action        permit
exit
rule li-accept-clear
  module-name    tailf-mobile-smf
  path          /clear/lawful-intercept
  access-operations *
  action        permit
exit
exit
```