



# Release Notes for Cisco Unified Contact Center Management Portal

Release 9.1(1)

### August 2013

#### **Corporate Headquarters**

Cisco Systems, Inc. 170 West Tasman Drive San Jose, CA 95134-1706 USA

http://www.cisco.com Tel: 408 526-4000

800 553-NETS (6387)

Fax: 408 526-4100

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCBs public domain version of the UNIX operating system. All rights reserved. Copyright 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <a href="http://www.cisco.com/go/trademarks">http://www.cisco.com/go/trademarks</a>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

Copyright 2013 Cisco Systems, Inc. All rights reserved.



# **Contents**

Contents		i
1.	Release Notes for Cisco Unified CCMP Release 9.1(1)	1
	Product Documentation	1
	New and Enhanced Features	1
	Known Caveats	2
	Troubleshooting	2
	Documentation Feedback	2



# 1. Release Notes for Cisco Unified CCMP Release 9.1(1)

This document contains release information for the Cisco Unified Contact Center Management Portal 9.1(1) and comprises the following sections:

- Product Documentation, page 1
- New and Enhanced Features, page 1
- Known Caveats, page 2
- Troubleshooting, page 2
- Documentation Feedback, page 2.

#### **Product Documentation**

For all Cisco Unified CCMP Release 9.1(1) documentation, see the Cisco Unified Contact Center Management Portal product support page.

#### **New and Enhanced Features**

The following sections details the new features and lists the enhanced features for Cisco Unified CCMP 9.1(1):

#### **New Features**

- Provisioning Precision Routing. This release includes two new resource types
   (Attributes and Precision Queues) to support precision routing. Using the Unified
   CCMP System Manager tool users can now create and manage precision queue
   resources and precision routing attributes.
- **Provision Network VRU Scripts**. Network VRU Scripts may now be provisioned through the Unified CCMP System Manager tool.
- Custom Dimension Data. Some remote resources now have a custom data tab, which allows you to specify your own key fields and corresponding values for these keys. For example, you could use custom data to store additional

Release Notes for Cisco Unified Contact Center Management Portal

information about an agent like Active Directory logon, business group, and email address. Where supported, you can define custom data for resources in System Manager.

- General Changes. In System Manager, you can now filter the list of resources
  by the value in the Description field. In the list of resources in the middle pane,
  click on the icon until "Description" shows at the top of the list, then enter your
  filter term in the search box.
- The on-line help interface has been updated in this release.

#### **Known Caveats**

Agent Attribute Assignment. If an agent is a supervisor agent, then the agent
must be associated with a domain account before they can have attributes
associated with them.

#### **Bug Search Tool**

To use the Bug Search Tool, follow these steps:

- To access the Bug Search Tool, go to https://www.cisco.com/cisco/psn/bssprt/bss
- 2. Log in with your Cisco.com user ID and password.
- 3. To look for information about a specific problem, enter the bug ID number in the search box and press **Return** or click **Search**.
- Alternatively, under Search By Product, select Voice and Unified Communications from the Product Category list, enter Cisco Unified Contact Center Management Portal in the Select Product box, and then click Search.

## **Troubleshooting**

For Cisco Unified Contact Center software troubleshooting tips, go to Cisco Documentation Wiki

http://docwiki.cisco.com/wiki/, and then click the product/option you are interested in.

#### **Documentation Feedback**

You can provide comments about this document by sending email to the following address: mailto: ccbu\_docfeedback@cisco.com

We appreciate your comments.