

How to get CliQr user credentials for Windows deployment through API?

Contents

[Introduction](#)

[How to get CliQr user credentials for Windows deployment through API?](#)



Introduction

This article describes how to get the credentials for a CliQr user in deployed Windows instance.

How to get CliQr user credentials for Windows deployment through API?

At the time of deployment, the system generates Virtual Machine (VM) password for the user when the job is orchestrated. If the user changes the password at a later stage, that password is not reflected in this API's response.

a. These credentials can be retrieved from CloudCenter GUI from the deployments page as shown here:

Start Time:	2/16/18 12:02:29		
End Time:	Not Available		
Access:	 		
Get Windows Credential			
Task Name	Task Status	Last Update Time	Last Message
nodelnit	TaskRunning	2/16/18 12:06:20.016	Starting DEPLOY services...
nodelnit	TaskRunning	2/16/18 12:06:20.010	No service START defined

b. Get credentials via API:

```
curl -k -X GET -H "Accept: application/json" -u cloudcenteradmin:40E45DBE57E35ECB  
"https://<HOST>:<PORT>/v1/jobs/647/credentials"
```

Response:

```
[{"nodeId": "i-01dcac3f0f6486691", "username": "cliqr", "password": "&*}c*$p}T^nGaH98"}]
```