



## User Inputs for Installation

This appendix provides information on the user inputs during Common Services 3.0.3 installation.



**Note**

For information on the Installation of Common Services 3.0.5, see [“Prerequisites” section on page 1-1](#).

This appendix contains:

- [User Inputs for Typical Installation, page C-1](#)
- [User Inputs for Custom Installation, page C-2](#)

## User Inputs for Typical Installation

Enter the following information while installing in Typical mode:

**Table C-1**      **User Inputs for New Installation: Typical**

Settings	Value
Components to install	Select the components you want to install.
Password for <i>admin</i> user	No default values. Enter the admin password. For more information on passwords, see <a href="#">“Password Information”</a>
Password for System Identity Account	No default values. Enter the System Identity Account password. For more information on passwords, see <a href="#">“Password Information”</a>

Enter the following information during an upgrade installation in Typical mode:

**Table C-2** *User Inputs for Upgrade Installation: Typical*

Settings	Value
Backup folder	Enter a folder for the backup data. You can also browse and select a folder.
Password for system identity account	No default values. Enter the System Identity Account password. For more information on passwords, see <a href="#">“Password Information”</a> The installation program retains the System Identity Account password if you are upgrading from CS 3.0, CS 3.0 SP1, CS 3.0 SP2.
Components to install	Select the components you want to install. The Select Components dialog box appears if you have a different set of components in the previous version.

Enter the following information while reinstalling in Typical mode:

**Table C-3** *User Inputs for Reinstallation: Typical*

Settings	Value
Backup folder	Enter a folder for the backup data. You can also browse and select a folder.
Components to install	Select the components you want to install.

## User Inputs for Custom Installation

Enter the following information while installing in Custom mode:

**Table C-4** *User Inputs for a New Installation: Custom*

Settings	Value
Destination folder	The default location is <i>System drive:\Program Files\CSCOpX</i> . Select another location if you want to install in a specific location. We recommend that you specify a short path for the destination folder.
Components to install	Select the components you want to install.
Password for users <i>admin</i> and <i>guest</i>	No default values. Enter the admin and guest password. For more information on passwords, see <a href="#">“Password Information”</a>
Password for System Identity Account	No default values. Enter the system identity account password. For more information on passwords, see
Password for user <i>casuser</i> (Optional)	The password is generated randomly if you leave the field blank.
Password for the CiscoWorks Common Services database.	Enter the database password. For more information on passwords, see <a href="#">“Password Information”</a>

**Table C-4** *User Inputs for a New Installation: Custom (continued)*

Settings	Value
Web server settings: <ul style="list-style-type: none"> <li>• HTTPS port</li> <li>• Administrator's e-mail address</li> <li>• SMTP server name</li> </ul>	The default values are: <ul style="list-style-type: none"> <li>• Port number 443</li> <li>• <i>admin@domain.com</i></li> <li>• <i>localhost name</i></li> </ul>
Data for the Self-signed Certificate: <ul style="list-style-type: none"> <li>• Country Code</li> <li>• State</li> <li>• City</li> <li>• Company</li> <li>• Organization</li> <li>• Host name</li> </ul>	By default, the self-signed certificate is generated using the organization that Windows is registered to, and the host name. Host name is mandatory. You can leave the other fields blank.

Enter the following information during an upgrade installation in Custom mode:

**Table C-5** *User Inputs for an Upgrade Installation: Custom*

Settings	Value
Backup folder	Enter a folder for the backup data. You can also browse and select a folder.
Components to install	Select the components you want to install. The Select Components dialog box appears if you have a different set of components in the previous version.
Password for users <i>admin</i> and <i>guest</i> (Optional)	You may change the passwords for the admin and guest users. To keep the existing passwords, leave the fields blank. For more information on passwords, see <a href="#">“Password Information”</a>
Password for system identity account	No default values. Enter the System Identity Account password. For more information on passwords, see <a href="#">“Password Information”</a> . If you are upgrading from CS 3.0, CS 3.0 SP1, CS 3.0 SP2, you can either retain the existing password or enter a new password.
Password for the user casuser (Optional)	If you do not enter a password, the setup program will generate a random password for you. If casuser does not exist, it will be created.
Password for the CiscoWorks Common Services Database (Optional)	Leave the fields blank to use the existing password.

**Table C-5** User Inputs for an Upgrade Installation: Custom (continued)

Settings	Value
Web server settings: <ul style="list-style-type: none"> <li>• HTTPS port</li> <li>• Administrator's e-mail address</li> <li>• SMTP server name (optional)</li> </ul>	You can choose to keep the existing information.
Data for the Self-signed Certificate: <ul style="list-style-type: none"> <li>• Country Code</li> <li>• State</li> <li>• City</li> <li>• Company</li> <li>• Organization</li> <li>• Host name</li> </ul>	You may change the Self-Signed Certificate information. By default, the installation program uses the existing Self-signed Certificate information.  If you want to generate a new certificate, uncheck the Keep existing certificate check box, and enter the country code, state, city, company, organization, and host name for HTTPS.  The host name is mandatory. You can leave the other fields blank.

Enter the following information while reinstalling in Custom mode:

**Table C-6** User Inputs for Reinstallation: Custom

Settings	Value
Backup folder	Enter a folder for the backup data. You can also browse and select a folder.
Destination folder	The default location is <i>System drive:\Program Files\CSCOPx</i> .  We recommend that you specify a short path for the destination folder.
Password for users <i>admin</i> and <i>guest</i> (Optional)	You may change the passwords for the admin and guest users. To keep the existing passwords, leave the fields blank.
Password for system identity account	You may change the passwords for the system identity account. To keep the existing passwords, leave the fields blank.
Password for user casuser (Optional)	If you do not enter a password, the setup program will generate a random password for you. If casuser does not exist, it will be created.
Password for the CiscoWorks Common Services Database (Optional)	Leave the fields blank to use the existing password.

**Table C-6** *User Inputs for Reinstallation: Custom (continued)*

<b>Settings</b>	<b>Value</b>
Web server settings: <ul style="list-style-type: none"> <li>• HTTPS port</li> <li>• Administrator's e-mail address</li> <li>• SMTP server name</li> </ul> (Optional)	You can choose to keep the existing information.
Data for the Self-signed Certificate: <ul style="list-style-type: none"> <li>• Country Code</li> <li>• State</li> <li>• City</li> <li>• Company</li> <li>• Organization</li> <li>• Host name</li> </ul>	<p>You may change the Self-Signed Certificate information. By default, the installation program uses the existing Self- signed Certificate information.</p> <p>If you want to generate a new certificate, uncheck the Keep existing certificate check box, and enter the country code, state, city, company, organization, and host name for HTTPS.</p> <p>The host name is mandatory. You can leave the other fields blank.</p>

