



---

## A

### access

- privileges for NetConfig jobs, assigning [9-5](#)
- Telnet and SSH, configuring [12-66](#)

### Adhoc task, in NetConfig

- about [9-43](#)
- using [9-34](#)

### alias devices, managing [3-51](#)

- about [3-51](#)
- resolving [3-52](#)

### applications

- Audit Trail [15-1](#)
- Bug Toolkit [16-1](#)
- Change Audit [13-1](#)
- Config Editor [10-1](#)
- Configuration Management [8-1](#)
- Contract Connection [18-1](#)
- Inventory [6-1](#)
- Job Approval [20-1](#)
- NetConfig [9-1](#)
- NetShow [11-1](#)
- SmartCase [17-1](#)
- Software Management [12-1](#)
- Syslog Analyzer and Collector [14-1](#)

### task overviews (tables) [2-1](#)

- Bug Toolkit [2-21](#)
- Change Audit and Audit Trail [2-24](#)
- Config Editor [2-13](#)
- Configuration Management [2-10](#)
- Device Management [2-6](#)
- Inventory [2-3](#)
- Job Management and Job Approval [2-19](#)
- NetConfig [2-15](#)
- Reports [2-20](#)
- Software Management [2-17](#)
- Syslog Analyzer and Collector [2-26](#)

### what's new and RME task overviews (tables) [2-1](#)

### Archive Management (part of Configuration Management) [8-2](#)

- about [8-2](#)
- archive purging [8-39](#)
- archive searches [8-67](#)
- archive status, checking [8-42](#)
- configurations, modifying [8-7](#)
- credentials, entering [8-5](#)
- custom search queries
  - creating [8-68](#)
  - deleting [8-71](#)
  - editing [8-71](#)

- running 8-69
- search report, displaying 8-72
- security, modifying 8-9
  - Catalyst commands 8-10
  - content engine commands 8-10
  - content service switch commands 8-10
  - IOS commands 8-9
- setting up 8-26
  - directory, moving 8-27
  - shadow directory, enabling and disabling 8-28
- using 8-5
- Archiving netshow job output 11-23
- Audit Trail, using 15-1
  - about 15-1
  - standard report, generating 15-8
- Audit Trail application
  - task overview (table) 2-24
- Authentication Proxy task in NetConfig 9-44
- authorizing a distribution job, in Software Management 12-75
- automated actions, defining
  - in Change Audit 13-11
    - creating 13-12
    - deleting 13-18
    - editing 13-16
    - enabling, disabling 13-17
    - exporting, importing 13-17
  - in Syslog Analysis 14-43
    - creating 14-44

- deleting 14-51
- editing 14-47
- enabling, disabling 14-49
- example of 14-51
- exporting, importing 14-50
- verifying 14-54

---

## B

- backup.pl command, description C-1
- backup policy, setting 14-27
- Banner task in NetConfig 9-47
- baseline configurations 8-100
  - (see also baseline configuration templates) 8-104
- Baseline Compliance report 8-137
- Baseline Configs window 8-102
- commands, deploying 8-138
- compliance jobs, deleting 8-143
- Compliance Jobs window 8-131
- non-compliance report, running 8-133
- templates (see baseline configuration templates) 8-104
- baseline configuration templates 8-104
  - (see also baseline configurations) 8-100
  - creating 8-104
    - advanced 8-106
    - basic 8-104
  - deleting 8-119
  - editing 8-113

- exporting [8-118](#)
  - importing [8-119](#)
  - viewing [8-114](#)
  - Bug Toolkit, using [16-1](#)
    - Bug Summary report
      - generating [16-1](#)
      - understanding [16-6](#)
    - Cisco.com, logging into [16-5](#)
    - Locate Device report
      - generating [16-8](#)
      - understanding [16-10](#)
    - troubleshooting [A-133](#)
  - Bug Toolkit application
    - task overview (table) [2-21](#)
- 
- C
- CA (Certification Authority) task in NetConfig [9-50](#)
  - Cable BPI/BPI+ task in NetConfig [9-118](#)
  - Cable DHCP-GiAddr and Helper task in NetConfig [9-120](#)
  - Cable Downstream task in NetConfig [9-123](#)
  - Cable Interface Bundling task in NetConfig [9-133](#)
  - Cable Spectrum Management task in NetConfig [9-134](#)
  - Cable Trap Source task in NetConfig [9-138](#)
  - Cable Upstream task in NetConfig [9-127](#)
  - Catalyst devices
    - 1900/2820 device upgrade recommendations [12-107](#)
    - configuring using Telnet [14-21](#)
    - upgrade recommendations, understanding [12-105](#)
  - cautions regarding
    - changing Change Audit purge settings [13-6](#), [15-12](#)
    - dropping a system group from the view [3-64](#)
    - NetConfig's Adhoc task [9-43](#)
    - NetConfig commands in a user-defined template [9-28](#)
    - resetting purge policy in Syslog Analyzer [14-29](#)
  - CDP task in NetConfig [9-48](#)
  - CE (Content Engine) devices
    - configuring using Telnet [14-22](#)
  - Change Audit, using [13-1](#)
    - automated actions, defining [13-11](#)
      - Automated Action window details [13-12](#)
    - creating [13-12](#)
    - deleting [13-18](#)
    - editing [13-16](#)
    - enabling, disabling [13-17](#)
    - exporting, importing [13-17](#)
  - exception periods
    - creating [13-9](#)
    - defining [13-8](#)
    - deleting [13-11](#)
    - editing [13-10](#)
    - enabling and disabling [13-9](#)

- maintenance tasks [13-4](#)
    - forced purges, performing [13-6, 15-12](#)
    - purge policy, setting [13-4, 15-10](#)
  - overview
    - Syslog, comparison with [13-2](#)
  - process
    - about [13-30](#)
    - stopping and starting [13-30](#)
  - report details [13-28](#)
  - reports [13-19](#)
    - Exception Period report [13-19](#)
    - standard report [13-22](#)
  - troubleshooting [A-129](#)
- Change Audit application
  - task overview (table) [2-24](#)
- CIP microcode image types, and software image upgrades [12-74](#)
- Cisco.com
  - adding images from [12-28](#)
  - Software Management tasks, and [12-6](#)
  - software repository, synchronizing with [12-44](#)
- Cisco IOS device upgrade recommendations [12-104](#)
- CiscoWorks Server, and Software Management [12-5](#)
- command-line tool (see `cwcli config`) [19-1](#)
- command reference
  - (see also `cwcli config, using`) [19-1](#)
  - `backup.pl` [C-1](#)
  - command-line tool
    - see `cwcli netconfig` command [9-138](#)
    - `dbpasswd.pl` [C-1](#)
    - `dbRestoreOrig.pl` [C-2](#)
    - `dig` [C-2](#)
    - `dmgtd` [C-2](#)
    - `pdexec` [C-3](#)
    - `pdmsg` [C-3](#)
    - `pdreg` [C-4](#)
    - `pdrun.pl` [C-4](#)
    - `pdshow` [C-3](#)
    - `pdterm` [C-3](#)
    - `RemoveJrmJobs.pl` [C-4](#)
    - `restorebackup.pl` [C-5](#)
    - RME commands [C-1](#)
    - `uninstall.sh` [C-5](#)
- Common Syslog Collector (see under Syslog Analyzer) [14-1](#)
- Config CLI, troubleshooting [A-137](#)
- Config Editor
  - editor manager, working with
    - in processed mode [10-14](#)
- Config Editor, using
  - benefits of [10-2](#)
  - changes in this release [10-11](#)
  - configuration files
    - closing [10-24](#)
    - downloading [10-43](#)
    - editing [10-12](#)
    - exporting to HTML format [10-24](#)
    - opening [10-34](#)

- removing [10-18](#)
- saving [10-19](#)
- configuration restore operation [10-42](#)
- configuration tools [10-26](#)
  - to check syntax [10-30](#)
  - to compare versions [10-27](#)
  - to display changes [10-29](#)
- device states, and [5-8](#)
- downloading configuration files [10-43](#)
  - files, selecting [10-44](#)
  - job password policy [10-54](#)
  - job scheduling [10-45](#)
  - job status, viewing [10-54](#)
  - starting a job [10-43](#)
  - work orders, reviewing [10-53](#)
- editor manager, working with [10-13](#)
  - Config Editor, using jobs, in [10-15](#)
  - credentials, modifying with [10-17](#)
  - processed mode [10-14](#)
- open files, viewing list of [10-33](#)
- opening a file [10-34](#)
  - by device and version [10-34](#)
  - from an external location [10-41](#)
  - viewing a list of open files [10-33](#)
- preferences, setting up [10-11](#)
- printing a file [10-23](#)
- restore operation [10-42](#)
- search and replace in configuration files [10-22](#)
- tasks in [10-2](#)
  - undoing all edits [10-21](#)
- Config Editor application
  - task overview (table) [2-13](#)
  - troubleshooting [A-42](#)
- configuration files
  - changes to
    - displaying [10-29](#)
  - closing [10-24](#)
  - currently open, viewing list of [10-33](#)
  - downloading [10-43](#)
    - files, selecting [10-44](#)
    - job password policy [10-54](#)
    - job scheduling [10-45](#)
    - job status, viewing [10-54](#)
    - starting a new job [10-43](#)
    - work orders, reviewing [10-53](#)
  - editing [10-12](#)
  - exporting to HTML format [10-24](#)
  - opening [10-34](#)
    - by baseline [10-38](#)
    - by device and version [10-34](#)
    - by pattern search [10-36](#)
    - external files [10-41](#)
  - printing [10-23](#)
  - removing [10-18](#)
  - saving [10-19](#)
  - syntax checking [10-30](#)
    - about [10-30](#)
    - external interface [10-30](#)

- versions of, comparing [10-27](#)
- Configuration Management, using [8-1](#)
  - administrator tasks [8-5](#)
  - archival reports [8-44](#)
    - Failed Devices report [8-45](#)
    - Partially Successful Devices report [8-45](#)
    - Successful Devices report [8-44](#)
  - Archive Management (see Archive Management) [8-2](#)
  - Archive Management Job Browser [8-89](#)
    - deleting a job [8-97](#)
    - job details, viewing [8-98](#)
    - retrying a job [8-92](#)
    - stopping a job [8-96](#)
  - archive purging [8-39](#)
  - archive searches with custom queries [8-67](#)
    - creating queries [8-68](#)
    - deleting queries [8-71](#)
    - editing queries [8-71](#)
    - running queries [8-69](#)
    - search report, displaying [8-72](#)
  - archive status, checking [8-42](#)
  - baseline configurations (see baseline configurations) [8-100](#)
  - baseline templates (see baseline configuration templates) [8-104](#)
  - collection settings, defining [8-35](#)
  - comparing configurations [8-79](#)
    - Config Diff Viewer [8-86](#)
    - running versus latest archived [8-81](#)
    - startup versus running [8-80](#)
    - two versions of different [8-84](#)
    - two versions of same [8-81](#)
  - Config Editor option
    - functional flow (figure) [10-3](#)
    - tasks (table) [10-4](#)
  - configuration version tree [8-52](#)
  - Config Viewer [8-53](#)
  - job policies, configuring [8-17](#)
    - defining default policies [8-17](#)
    - scenarios, job password configured [8-23](#)
  - job scheduling
    - Sync Archive [8-46](#)
    - Sync on Device [8-49](#)
  - labels, configuring [8-61](#)
    - creating [8-62](#)
    - deleting [8-66](#)
    - editing [8-64](#)
    - purging [8-67](#)
    - viewing [8-65](#)
  - Quick Configuration Download feature
    - about [8-52](#)
    - using [8-59](#)
  - reports
    - archive search report [8-72](#)
    - Configuration Version summary [8-56](#)
    - Device Configuration Quick View [8-76](#)
    - Out-of-Sync report [8-49](#)
    - Search Archive Result [8-75](#)

- transport protocols, configuring [8-12](#)
  - order, defining [8-16](#)
  - requirements for use [8-13](#)
- troubleshooting [A-28](#)
- Configuration Management application
  - task overview (table) [2-10](#)
- conflicting device types, working with [3-53](#)
  - deleting the conflicting type [3-56](#)
  - resolving the type conflict [3-55](#)
- Contract Connection
  - accessing and using [18-2](#)
  - reports
    - contract status detailed [18-3, 18-7](#)
    - device type summary [18-3, 18-4](#)
    - generated, archiving and viewing [18-13](#)
  - scheduling jobs [18-9](#)
    - viewing job status [18-11](#)
  - working with [18-1](#)
- Creating netshow jobs [11-11](#)
- Crypto Map task in NetConfig [9-54](#)
- CSS (Content Service Switch) devices
  - configuring using Telnet [14-22](#)
- cwcli config, using [19-1](#)
  - batch processing [19-3, 19-8](#)
  - CLI framework [19-2, 19-8](#)
  - command parameters [19-15](#)
    - all commands [19-15](#)
    - compare command [19-15](#)
    - delete command [19-15](#)
  - core options and nmconfig equivalents [19-25](#)
  - examples of cwcli config and nmconfig equivalents [19-26](#)
  - getting started [19-9](#)
  - man page information [19-26](#)
    - arguments and options, about [19-28](#)
    - function-dependent options [19-29](#)
    - function-independent options [19-29](#)
    - function-specific options [19-30](#)
    - input list file format [19-32](#)
    - mandatory arguments [19-28](#)
    - view option usage [19-33](#)
  - man page information for subcommands [19-33](#)
    - compare [19-34](#)
    - compareanddeploy [19-35](#)
    - comparewithbaseline [19-35](#)
    - delete [19-36](#)
    - deploybaseline [19-36](#)
    - export [19-37](#)
    - get [19-37](#)
    - import [19-38](#)
    - listlock [19-39](#)
    - put [19-39](#)
    - reload [19-40](#)
    - run2start [19-40](#)
    - start2run [19-41](#)
    - write2run [19-42](#)
    - write2start [19-43](#)
  - overview [19-2, 19-7](#)

- running [19-13](#)
    - additional information [19-14](#)
    - on multiple devices [19-13](#)
  - syntax examples [19-19](#)
  - uses [19-9](#)
    - comparing configurations [19-12](#)
    - deleting configurations [19-12](#)
    - device and archive updates [19-9](#)
    - remote access [19-13](#)
  - cwcli netconfig command [9-138](#)
    - man page [9-138](#)
- 
- ## D
- dbpasswd.pl command, description [C-1, C-2](#)
  - deleting
    - device groups [4-16](#)
  - devices
    - conflicting types [3-56](#)
    - normal [3-30](#)
    - pre-deployed [3-41](#)
    - suspended [3-36](#)
  - images from the software repository [12-46](#)
  - device groups, managing [4-1](#)
    - administering groups [4-20](#)
    - creating [4-4](#)
      - group properties, entering [4-4](#)
      - group rules, defining [4-7](#)
      - membership, assigning [4-10](#)
      - summary, displaying [4-11](#)
    - deleting [4-16](#)
    - details, viewing [4-13](#)
    - Device Management task overview (table) [2-6](#)
    - editing [4-12](#)
    - grouping rules, understanding [4-16](#)
    - membership
      - refreshing [4-15](#)
      - viewing [4-15](#)
    - RME Group Administration page [4-3](#)
  - devices
    - outside the NAT, managing [D-2](#)
    - syslog messages for, not getting [A-124](#)
  - devices, managing
    - adding
      - automatically [3-17](#)
      - manually [3-12](#)
    - alias devices [3-51](#)
      - about [3-51](#)
      - resolving [3-52](#)
    - attributes, editing [3-18](#)
    - bugs filed against, identifying (see Bug Toolkit application) [16-1](#)
    - configurations, verifying [9-3](#)
    - conflicting device types [3-53](#)
      - deleting the conflicting type [3-56](#)
      - resolving the type conflict [3-55](#)
    - credentials, verifying [9-3](#)
    - device credentials

- editing [3-64](#)
    - viewing [3-58](#)
  - Device Management task overview (table) [2-6](#)
  - Device Selector [3-86](#)
    - device icons and types [3-101](#)
    - displaying available devices [3-87](#)
    - filtering [3-93](#)
    - selecting a device [3-92](#)
  - images from, adding to the software repository [12-33](#)
  - normal devices, managing [3-26](#)
    - deleting [3-30](#)
    - exporting [3-27](#)
    - resubmitting [3-31](#)
    - suspending [3-29](#)
  - pending devices, working with [3-33](#)
  - pre-deployed devices, managing [3-37](#)
    - deleting [3-41](#)
    - exporting [3-39](#)
    - resubmitting [3-42](#)
    - suspending [3-40](#)
  - prompts, verifying [9-4](#)
  - states, viewing [3-24](#)
  - suspending devices, managing [3-35](#)
    - deleting [3-36](#)
    - resubmitting [3-36](#)
  - devices, working with [3-1](#)
  - device security, modifying [9-4](#)
  - Device Selector [3-86](#)
    - device icons and types [3-101](#)
    - displaying available devices [3-87](#)
    - filtering [3-93](#)
    - filtering usage example [3-98](#)
    - selecting a device [3-92](#)
  - dig command, description [C-2](#)
  - dmgtd command, description [C-2](#)
  - DNS task in NetConfig [9-55](#)
  - downloading configuration files [10-43](#)
    - files, selecting [10-44](#)
    - job password policy [10-54](#)
    - job scheduling [10-45](#)
    - job status, viewing [10-54](#)
    - starting a job [10-43](#)
    - work orders, reviewing [10-53](#)
- 
- E
- editing device groups [4-12](#)
  - editor manager (see under Config Editor) [10-13](#)
  - Enable [A-32](#), [A-33](#)
  - Enable Password task in NetConfig [9-58](#)
  - exporting
    - automated actions in Syslog Analysis [13-17](#)
    - configuration files, to HTML format [10-24](#)
    - devices
      - normal [3-27](#)
      - pre-deployed [3-39](#)
    - message filters, in Syslog Analyzer [14-59](#)

## F

## files

- configuration (see configuration files) [10-12](#)
- Software Management, locating [12-122](#)

## filters

- Inventory change report filters, setting [6-16](#)
- Inventory change report filters, setting, Collection or Polling schedule, changing [6-16](#)
- message filters in Syslog Analyzer, defining [14-55](#)
  - creating [14-56](#)
  - deleting [14-59](#)
  - editing [14-57](#)
  - enabling, disabling [14-58](#)
  - exporting, importing [14-59](#)
- forced purges
  - in Change Audit [13-6, 15-12](#)
  - in Syslog Analyzer [14-30](#)

## H

How [A-30](#)

HTML format, exporting a configuration file to [10-24](#)

HTTP, configuring for software image upgrades [12-73](#)

HTTP Server task in NetConfig [9-61](#)

## I

IGMP Configuration task in NetConfig [9-67](#)

IKE (Internet Key Exchange) Configuration task in NetConfig [9-72](#)

## images

- adding to software repository [12-28](#)
  - from a file system [12-36](#)
  - from a URL [12-39](#)
  - from Cisco.com [12-28](#)
  - from devices [12-33](#)
  - from the network [12-41](#)
- attributes [12-47](#)
  - default attribute values, understanding [12-49](#)
  - editing and viewing [12-50](#)
  - finding missing attribute information [12-50](#)
  - understanding [12-48](#)
- deleting [12-46](#)
- distribution by [12-90](#)
- IOS images, and recommendation filters [12-15](#)
  - searching for [12-46](#)
- importing automated actions in Syslog Analysis [13-17](#)
- Interface IP Address Configuration task in NetConfig [9-70](#)
- Inventory [2-3](#)
  - change report filters, setting [6-16](#)
- Inventory, using [6-1](#)
  - change report filters, setting [6-16](#)

collection or polling schedule, changing [6-18](#)  
 data, collecting and updating [6-3](#)  
 graphs, generating [6-4](#)  
 Inventory Job Browser [6-5](#)  
   collection jobs, creating and editing [6-12](#)  
   job details, viewing [6-10](#)  
   polling jobs, creating and editing [6-12](#)  
 prerequisites [6-2](#)  
 prerequisites for use [6-2](#)  
 reports, generating [6-20](#)  
   24 hour inventory change report [6-25](#)  
   chassis slot details [6-29](#)  
   chassis slot summary [6-28](#)  
   chassis summary graph [6-31](#)  
   detailed device report [6-27](#)  
   Hardware report [6-26](#)  
   hardware summary graph [6-30](#)  
   multiservice port details [6-29](#)  
   Software report [6-27](#)  
   software version graph [6-31](#)  
 reports, viewing [6-4](#)  
 reports and graphs, viewing [6-4](#)  
 report templates, working with [6-32](#)  
   creating [6-33](#)  
   deleting [6-40](#)  
   modifying [6-39](#)  
   running [6-41](#)  
 task overview (table) [2-3](#)  
 Inventory Reports, troubleshooting [A-20](#)

IOS  
   devices, configuring  
     using Telnet [14-20](#)  
 images, and recommendation filters [12-15](#)

---

## J

Job Approval  
   task overview (table) [2-19](#)  
 Job Approval, using [20-1](#)  
   approver details, specifying [20-3](#)  
   approver lists  
     assigning [20-6](#)  
     creating, editing [20-4](#)  
   jobs, approving and rejecting [20-8](#)  
   jobs, enabling [20-11](#)  
   setting up [20-6](#)  
   task workflow [20-2](#)  
   troubleshooting [A-130](#)  
 Job Browser (see under Inventory) [6-5](#)  
 Job Browser and Collection Status [6-5](#)

---

## L

Local Username task in NetConfig [9-63](#)  
 Login [A-30](#), [A-32](#)

## M

managing devices when RME Server is within a network address translation (NAT) boundary [D-1](#)

Masking credentials of show commands [11-11](#)

message filters, in Syslog Analysis [14-55](#)

creating [14-56](#)

deleting [14-59](#)

editing [14-57](#)

enabling, disabling [14-58](#)

exporting, importing [14-59](#)

MICA portware image types, and software image upgrades [12-73](#)

microcode and modem firmware requirements for software image upgrades [12-73](#)

Microcom firmware image types, and software image upgrades [12-74](#)

## N

NAT (see under devices) [D-2](#)

NetConfig

task overview (table) [2-15](#)

NetConfig, using [9-1](#)

before you begin [9-3](#)

device configurations, verifying [9-3](#)

device credentials, verifying [9-3](#)

device prompts, verifying [9-4](#)

device security, modifying [9-4](#)

job approval, enabling [9-5](#)

job policies, default, configuring [9-5](#)

task access privileges, assigning [9-5](#)

cwcli netconfig command description [9-138](#)

device states, and [5-9](#)

interactive commands, handling [9-34](#)

.ini file [9-35](#)

user-defined templates [9-34](#)

job, starting a new [9-9](#)

job approvers, setting [9-26](#)

job password [9-27](#)

job policies, default, configuring [9-26](#)

jobs, browsing and editing [9-17](#)

job details, viewing [9-23](#)

multi-line commands, handling [9-35](#)

rolling back configuration changes [9-6](#)

rollback commands, creating [9-6](#)

rollback on failure, configuring [9-7](#)

system-defined tasks [9-36](#)

Adhoc tasks [9-43](#)

Authentication Proxy task [9-44](#)

Banner task [9-47](#)

Cable BPI/BPI+ task [9-118](#)

Cable DHCP-GiAddr and Helper task [9-120](#)

Cable Downstream task [9-123](#)

Cable Interface Bundling task [9-133](#)

Cable Spectrum Management task [9-134](#)

Cable Trap Source task [9-138](#)

Cable Upstream task [9-127](#)

CDP task [9-48](#)

- Certification Authority (CA) task [9-50](#)
- Crypto Map task [9-54](#)
- dialog box, understanding [9-40](#)
- DNS task [9-55](#)
- Enable Password task [9-58](#)
- HTTP Server task [9-61](#)
- IGMP Configuration task [9-67](#)
- IKE Configuration task [9-72](#)
- Interface IP Address Configuration task [9-70](#)
- Local Username task [9-63](#)
- NTP Server Configuration task [9-75](#)
- RADIUS Server Configuration task [9-78](#)
- RCP Configuration task [9-82](#)
- SNMP Community Configuration task [9-83](#)
- SNMP Security Configuration task [9-87](#)
- SNMP Traps Configuration task [9-91](#)
- SSH Configuration task [9-104](#)
- Syslog task [9-98](#)
- TACACS+ Configuration task [9-107](#)
- TACACS Configuration task [9-105](#)
- Telnet Password Configuration task [9-110](#)
- Transform task [9-112](#)
- User-Defined Protocol task [9-116](#)
- Web User task [9-115](#)
- tasks [9-2](#)
- tasks, assigning to users [9-32](#)
- templates [14-24](#)
- transport protocol order for jobs, setting [9-27](#)
- troubleshooting [A-40](#)
- user-defined tasks, creating and editing [9-27](#)
- user permissions, understanding [9-7](#)
  - administrator task permissions [9-8](#)
  - job approval permissions [9-7](#)
  - job editing permissions [9-8](#)
  - user-defined task permissions [9-8](#)
- NetShow
  - adding and deleting adhoc commands [11-35](#)
  - Administering NetShow settings [11-42](#)
    - assigning approval lists [11-49](#)
    - defining default job policies [11-43](#)
    - defining protocol order [11-46](#)
    - generating standard audit trail report [11-50](#)
    - purging jobs [11-45](#)
    - setting log levels [11-47](#)
  - archiving job output [11-23](#)
- Commands
  - adding and deleting adhoc commands [11-35](#)
  - custom command execution privilege, assigning [11-38](#)
  - cwcli netshow command [11-42](#)
  - launching show commands from device center [11-38](#)
  - using show commands [11-1](#)
- Command Sets [11-27](#)
  - assigned Command Sets, showing [11-36](#)
  - assigning [11-36](#)
  - assigning to users [11-37](#)

- command set details, viewing [11-30](#)
- creating [11-31](#)
- deleting [11-34](#)
- editing [11-33](#)
- managing [11-30](#)
- system-defined command sets [11-29](#)
- credentials, masking [11-11](#)
- Deleting output archive [11-27](#)
- Job Work Order [11-15](#)
- NetShow job browser [11-5](#)
  - copying jobs [11-20](#)
  - creating jobs [11-11](#)
  - deleting jobs [11-22](#)
  - editing jobs [11-16](#)
  - job details, viewing [11-7](#)
  - stopping jobs [11-21](#)
- NetShow jobs, working with [11-2](#)
- viewing job output [11-24](#)
- viewing permission report [11-2](#)
- Netshow
  - Working with NetShow Jobs [11-2](#)
- NTP Server Configuration task in NetConfig [9-75](#)

---

## O

overviews

- Common Syslog Collector [14-5](#)
- editing a configuration file in Config Editor [10-12](#)

- of cwcli config [19-2, 19-7](#)
- opening a configuration file [10-34](#)
- RME [1-1](#)
- syntax checking in Config Editor [10-30](#)
- Syslog Analyzer [14-5](#)
- Syslog Analyzer reports [14-60](#)

---

## P

- pdexec command, description [C-3](#)
- pdmsg command, description [C-3](#)
- pdreg command, description [C-4](#)
- pdrun.pl command, description [C-4](#)
- pdshow command, description [C-3](#)
- pdterm command, description [C-3](#)
- PIX Firewall devices, upgrade recommendations, understanding [12-107](#)
- purging messages
  - cautions regarding changing purge values
    - in Change Audit [13-6, 15-12](#)
    - in Syslog Analyzer [14-29](#)
  - forced purges
    - in Change Audit [13-6, 15-12](#)
    - in Syslog Analyzer [14-30](#)
  - purge policies, setting
    - in Change Audit [13-4, 15-10](#)
    - in Syslog Analyzer [14-29](#)

- 
- R**
- RADIUS Server Configuration task in NetConfig [9-78](#)
  - rcp
    - configuring for software image upgrades [12-68](#)
    - on Solaris [12-68](#)
    - selecting as active file transfer method [12-70](#)
  - RCP Configuration task in NetConfig [9-82](#)
  - removeJrmJobs.pl command, description [C-4](#)
  - reports, generating [7-1](#)
    - archived reports
      - purging [7-12](#)
      - viewing [7-10](#)
  - Audit Trail standard report [15-8](#)
  - Bug Toolkit reports
    - Bug Summary [16-1](#)
    - Locate Device [16-8](#)
  - Change Audit reports
    - Exception Period [13-19](#)
    - standard [13-22](#)
  - custom report templates [7-6](#)
    - creating [7-8](#)
    - deleting [7-10](#)
    - editing [7-9](#)
  - report jobs, purging [7-12](#)
  - Reports Generator [7-5](#)
  - Reports Job browser [7-2](#)
  - Syslog Analyzer reports
    - Severity Level Summary [14-66](#)
    - standard [14-66](#)
    - Syslog 24-Hour Report [14-65](#)
    - Syslog Custom Summary [14-66](#)
    - Unexpected Devices [14-69](#)
  - Reports task overview (table) [2-20](#)
  - report templates in Inventory, working with [6-32](#)
    - creating [6-33](#)
      - adding rules [6-35](#)
      - deleting rules [6-39](#)
      - modifying rules [6-38](#)
    - deleting [6-40](#)
    - modifying [6-39](#)
    - running [6-41](#)
  - restorebackup.pl command, description [C-5](#)
  - rolling back configuration changes in NetConfig [9-6](#)
    - rollback commands, creating [9-6](#)
    - rollback on failure, configuring [9-7](#)
  - RSAC (Remote Syslog Analyzer Collector)
    - properties file
      - COLLECTOR\_PORT [14-13](#)
      - COUNTRY\_CODE [14-10](#)
      - DEBUG\_CATEGORY\_NAME [14-11](#)
      - DEBUG\_FILES [14-12](#)
      - DEBUG\_LEVEL [14-12](#)
      - DEBUG\_MAX\_BACKUPS [14-12](#)
      - DEBUG\_MAX\_FILE\_SIZE [14-12](#)

FILTER\_THREADS [14-13](#)  
 PARSER\_FILE [14-13](#)  
 QUEUE\_CAPACITY [14-13](#)  
 READ\_INTERVAL\_IN\_SECS [14-13](#)  
 SUBSCRIPTION\_DATA\_FILES [14-13](#)  
 SYSLOG\_FILES [14-11](#)  
 TIMEZONE [14-10](#)  
 TIMEZONE\_FILE [14-11](#)

---

## S

searching for images [12-46](#)  
 security warning regarding -p [19-29](#)  
 Setting system preferences [21-1](#)  
 SmartCase  
   launching CCO Service Request Tool [17-1](#)  
 SNMP  
   SNMP Community Configuration task in NetConfig [9-83](#)  
   SNMP Security Configuration task in NetConfig [9-87](#)  
   SNMP Traps Configuration task in NetConfig [9-91](#)  
 Software Management  
   task overview (table) [2-17](#)  
 Software Management, using [12-1](#)  
   administration tasks [12-9](#)  
   preferences, viewing and editing [12-9](#)  
   upgrade information, updating [12-19](#)  
   distribution by devices [12-76](#)  
   distribution by images [12-90](#)  
   distribution job, authorizing [12-75](#)  
   environment, setting up [12-4](#)  
     Cisco.com, logging into [12-6](#)  
     CiscoWorks Server [12-5](#)  
   files, locating [12-122](#)  
   Job Approval [12-8](#)  
   preferences, viewing and editing [12-9](#)  
     protocol order, selecting [12-14](#)  
     recommendation filters, and IOS images [12-15](#)  
   remote staging and distribution [12-97](#)  
   software distribution [12-51](#)  
     methods [12-59](#)  
     upgrade analysis [12-52](#)  
     Upgrade Analysis report, understanding [12-55](#)  
     upgrades, configuring devices for [12-63](#), [12-70](#)  
     upgrades, planning [12-61](#)  
     upgrades from Cisco.com, planning [12-53](#)  
     upgrades from the software repository, planning [12-54](#)  
   software image repository, maintaining [12-63](#)  
 Software Management jobs [12-108](#)  
   deleting [12-115](#)  
   failed job, retrying [12-111](#)  
   schedule, changing [12-110](#)  
   stopping [12-113](#)  
   successful, undoing [12-112](#)  
   software repository [12-22](#)

- image attributes [12-47](#)
- images, adding [12-28](#)
- images, deleting [12-46](#)
- searching [12-46](#)
- synchronization [12-24](#)
- synchronization jobs, removing [12-27](#)
- synchronization report, scheduling [12-25](#)
- synchronization report, viewing [12-27](#)
- synchronizing with Cisco.com [12-44](#)
- troubleshooting [A-47](#)
- upgrade information, updating [12-19](#)
  - before you begin [12-20](#)
- upgrade recommendations, understanding [12-104](#)
  - for Catalyst devices [12-105](#)
  - for Catalyst 1900/2920 devices [12-107](#)
  - for Cisco IOS devices [12-104](#)
  - for PIX Firewall devices [12-107](#)
  - for VPN 3000 series devices [12-107](#)
- upgrades, scheduling [12-74](#)
- user-supplied scripts, understanding [12-117](#)
- SSH Configuration task in NetConfig [9-104](#)
- states, managing [5-1](#)
  - RME 3.x behavior [5-1](#)
- scenarios [5-7](#)
  - adding a device [5-7](#)
  - configuration changes [5-9](#)
  - configuration deployment [5-8](#)
  - Inventory detailed device report [5-8](#)
  - software image upgrade [5-10](#)
  - state descriptions [5-2](#)
  - transitions [5-5](#)
    - aliased [5-6](#)
    - normal [5-6](#)
    - pending [5-5](#)
    - pre-deployed [5-5](#)
    - suspended [5-6](#)
- syslog
  - formats [B-1](#)
- Syslog Analysis application
  - FAQs on
    - location of syslog messages [A-124](#)
    - not getting syslog messages for devices [A-124](#)
- Syslog Analyzer
  - purge policy
    - caution regarding changing values [14-29](#)
    - setting [14-29](#)
  - reports, generating
    - Severity Level Summary report [14-66](#)
    - standard reports [14-66](#)
    - Syslog Custom Summary report [14-66](#)
    - Unexpected Device report [14-69](#)
  - reports, overview [14-60](#)
  - reports, understanding [14-65](#)
  - report templates (see Syslog Analyzer custom report templates) [14-32](#)
  - status, viewing [14-7](#), [14-18](#)
    - collector status, viewing [14-7](#)
    - procedure [14-8](#)

- task overview (table) [2-26](#)
  - troubleshooting [A-124](#)
  - workflow [14-15](#)
    - stopping and restarting [14-17](#)
    - UNIX, syslog configuration file on [14-17](#)
    - Windows 2000 [14-16](#)
  - Syslog Analyzer and Collector, using [14-1](#)
    - automated actions [14-43](#)
      - creating [14-44](#)
      - deleting [14-51](#)
      - editing [14-47](#)
      - enabling, disabling [14-49](#)
      - example [14-51](#)
      - exporting, importing [14-50](#)
    - backup policy, setting [14-27](#)
    - Common Syslog Collector, subscribing to [14-7](#)
      - collector status, viewing [14-7](#)
      - procedure [14-8](#)
    - custom report templates
      - defining [14-32](#)
      - deleting [14-39](#)
      - editing [14-38](#)
    - devices, configuring for [14-19](#)
      - before you begin [14-19](#)
      - using NetConfig templates [14-24](#)
      - using Telnet [14-20](#)
    - forced purges [14-30](#)
    - message filters [14-55](#)
      - creating [14-56](#)
      - deleting [14-59](#)
      - editing [14-57](#)
      - enabling, disabling [14-58](#)
      - exporting, importing [14-59](#)
      - overview [14-5](#)
    - Syslog Analyzer custom report templates
      - creating [14-33](#)
        - adding a message type [14-35](#)
        - deleting a message type [14-37](#)
        - editing a message type [14-37](#)
        - selecting a message type [14-38](#)
      - running [14-39](#)
    - Syslog task in NetConfig [9-98](#)
    - System-defined command sets [11-29](#)
- 
- T
- TACACS+ Configuration task in NetConfig [9-107](#)
  - TACACS Configuration task in NetConfig [9-105](#)
  - TACACS credentials, interpreting [A-30](#)
    - custom TACACS prompts, troubleshooting [A-34](#)
    - enable login authentication
      - in SSH mode [A-33](#)
      - in Telnet mode [A-32](#)
    - login authentication
      - in SSH mode [A-32](#)
      - in Telnet mode [A-30](#)

## task overviews (tables)

Bug Toolkit [2-21](#)change tracking [2-24](#)configuration editing [2-13](#)configuration management [2-10](#)device and group management [2-6](#)job management [2-19](#)NetConfig [2-15](#)reporting [2-20](#)software management [2-17](#)Syslog Analyzer and Collector [2-26](#)

## Telnet

Telnet Password Configuration task in  
NetConfig [9-110](#)using to configure devices for Syslog  
Analyzer [14-20](#)using to configuring devices for Syslog  
AnalyzerCatalyst devices [14-21](#)CE devices [14-22](#)CSS devices [14-22](#)Telnet, using to configure devices for Syslog  
AnalyzerIOS devices [14-20](#)TFTP, configuring for software image  
upgrades [12-70](#)on Solaris [12-71](#)on Windows [12-71](#)Transform task in NetConfig [9-112](#)transport protocols, configuring [8-12](#)order, defining [8-16](#)requirements for use [8-13](#)troubleshooting [A-1](#)BugToolKit [A-133](#)Change Audit [A-129](#)Config CLI [A-137](#)Config Editor [A-42](#)Config Management [A-28](#)Inventory Reports [A-20](#)Job Approval [A-130](#)NetConfig [A-40](#)Software Management [A-47](#)Syslog [A-124](#)

## U

uninstall.sh command, description [C-5](#)

## upgrades

analyzing prerequisites and impact [12-52](#)configuring devices for [12-63](#)additional requirements, meeting [12-65](#)additional SFB checks [12-65](#)HTTP [12-73](#)microcode requirements [12-73](#)minimum requirements, meeting [12-64](#)modem firmware requirements [12-73](#)rcp, configuring [12-68](#)SCP, configuring [12-67](#)Telnet and SSH access, configuring [12-66](#)TFTP, configuring [12-70](#)

- distributing by devices
    - advanced [12-83](#)
    - basic [12-76](#)
  - distributing by images [12-90](#)
  - distribution job, authorizing [12-75](#)
  - distribution methods [12-59](#)
  - planning [12-61](#)
    - from Cisco.com [12-53](#)
    - from the software repository [12-54](#)
    - identifying possible changes [12-61](#)
    - prerequisites, satisfying [12-62](#)
    - software repository, maintaining [12-63](#)
    - testing the new images [12-63](#)
  - recommendations, understanding [12-104](#)
    - for Catalyst 1900/2820 devices [12-107](#)
    - for Catalyst devices [12-105](#)
    - for Cisco IOS devices [12-104](#)
    - for PIX Firewall devices [12-107](#)
    - for VPN 3000 devices [12-107](#)
  - remote staging and distribution [12-97](#)
  - scheduling [12-74](#)
  - Upgrade Analysis report,
    - understanding [12-55](#)
  - User-Defined Protocol task in NetConfig [9-116](#)
  - user-supplied scriptsfor software management [12-117](#)
  - Software Management synchronization reports [12-27](#)
  - user-defined device groups
    - membership details [4-15](#)
    - properties [4-13](#)
  - VPN 3000 devices, upgrade recommendations, understanding [12-107](#)
- 

## W

- warnings
  - regarding security and -p [19-29](#)
- warnings regarding
  - configuration change detection schedule, and purging [8-40](#)
  - device passwords during export [3-23, 3-28, 3-40](#)
- Web User task in NetConfig [9-115](#)
- What [A-34](#)
- what's new in this release
  - in Config Editor [10-11](#)
- Windows, and the NetConfig .ini file [9-35](#)

---

## V

- viewing