



Supported Devices Table for CiscoWorks Voice Manager 3.1

Revised: February 25, 2008

The following tables show the Cisco devices supported when CiscoWorks Voice Manager 3.1 was released:

- [Table 1, Cisco Routers](#),
- [Table 2, Cisco Universal Gateways](#)
- [Table 3, Cisco Analog Phone Gateways](#)
- [Table 4, Cisco Integrated Access Devices](#)



Note

Cisco Unified Border Element runs as an integrated Cisco IOS software application on the devices listed in Tables 1–4.

You can find information about new device support at <http://www.cisco.com>.

Table 1 **Cisco Routers**

Series	Devices Supported	SysObjectID	Supported Cisco IOS Version
Cisco 7200 Series Routers	7202	1.3.6.1.4.1.9.1.194	12.4(15)T1
	7204	1.3.6.1.4.1.9.1.125	
	7204VXR	1.3.6.1.4.1.9.1.223	
	7206	1.3.6.1.4.1.9.1.108	
	7206VXR	1.3.6.1.4.1.9.1.222	
Cisco 3800 Series Integrated Services Routers	3825	1.3.6.1.4.1.9.1.543	12.4(15)T1
	3845	1.3.6.1.4.1.9.1.544	
Cisco 3700 Series Multiservice Access Routers	3725	1.3.6.1.4.1.9.1.414	12.4(15)T1
	3745	1.3.6.1.4.1.9.1.436	



Americas Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

© 2008 Cisco Systems, Inc. All rights reserved.

Table 1 Cisco Routers (continued)

Series	Devices Supported	SysObjectID	Supported Cisco IOS Version
Cisco 2800 Series Integrated Services Routers	2801	1.3.6.1.4.1.9.1.619	12.4(15)T1
	2811	1.3.6.1.4.1.9.1.576	
	2821	1.3.6.1.4.1.9.1.577	
	2851	1.3.6.1.4.1.9.1.578	
Cisco 2600 XM Series Routers	2610XM	1.3.6.1.4.1.9.1.466	12.4(15)T1
	2611XM	1.3.6.1.4.1.9.1.467	
	2620XM	1.3.6.1.4.1.9.1.468	
	2621XM	1.3.6.1.4.1.9.1.469	
	2650XM	1.3.6.1.4.1.9.1.470	
	2651XM	1.3.6.1.4.1.9.1.471	

Table 2 Cisco Universal Gateways¹

Series	Devices Supported	SysObjectID	Supported Cisco IOS Version
Cisco AS5800 Series Universal Gateways	AS5800	1.3.6.1.4.1.9.1.188	12.4(15)T1
	AS5850	1.3.6.1.4.1.9.1.308	
Cisco AS5400 Series Universal Gateways	AS5400	1.3.6.1.4.1.9.1.274	12.4(11)T, 12.4(11)XW
	AS5400XM	1.3.6.1.4.1.9.1.668	
Cisco AS5300 Series Universal Gateways	AS5300	1.3.6.1.4.1.9.1.162	12.4(15)T1
	AS5350	1.3.6.1.4.1.9.1.313	
	AS5350XM	1.3.6.1.4.1.9.1.679	12.4(11)T, 12.4(11)XW

1. Supports only VoIP.

Table 3 Cisco Analog Phone Gateways

Series	Devices Supported	SysObjectID	Supported Cisco IOS Version
Cisco VG200 Series Gateways	VG224	1.3.6.1.4.1.9.1.558	12.4(15)T1

Table 4 **Cisco Integrated Access Devices**

Series	Devices Supported	SysObjectID	Supported Cisco IOS Version
Cisco IAD2400 Series Integrated Access Devices	IAD2420	1.3.6.1.4.1.9.1.362	12.4(15)T1
	IAD2430	1.3.6.1.4.1.9.1.506	
	IAD243024FXS	1.3.6.1.4.1.9.1.545	
	IAD2431	1.3.6.1.4.1.9.1.547	
	IAD24318FXS	1.3.6.1.4.1.9.1.546	
	IAD2431T1E1	1.3.6.1.4.1.9.1.548	
	IAD2432	1.3.6.1.4.1.9.1.549	



Note

Bug fix releases of supported Cisco IOS releases are also supported.