



APPENDIX **D**

Unsupported Commands in Cisco IOS Release 12.2(50)SE

This appendix lists some of the command-line interface (CLI) commands that appear when you enter the question mark (?) at the Catalyst 2960 switch prompt but are not supported in this release, either because they are not tested or because of switch hardware limitations. This is not a complete list. These unsupported commands are listed by software feature and command mode:

- [Access Control Lists, page D-1](#)
- [Boot Loader Commands, page D-2](#)
- [Debug Commands, page D-2](#)
- [IGMP Snooping Commands, page D-2](#)
- [Interface Commands, page D-3](#)
- [MAC Address Commands, page D-3](#)
- [Miscellaneous, page D-4](#)
- [Network Address Translation \(NAT\) Commands, page D-4](#)
- [QoS, page D-4](#)
- [RADIUS, page D-5](#)
- [SNMP, page D-5](#)
- [SNMPv3, page D-5](#)
- [Spanning Tree, page D-6](#)
- [VLAN, page D-6](#)
- [VTP, page D-6](#)

Access Control Lists

Unsupported Privileged EXEC Commands

access-enable [host] [timeout *minutes*]

access-template *access-list-number name dynamic-name source destination minutes*

clear access-template *access-list-number name dynamic-name source destination*

```
show access-lists rate-limit
show accounting
show ip accounting checkpoint output-packets access violations
show ip cache prefix-mask type number
```

Unsupported Global Configuration Commands

```
access-list dynamic extended { | }
```

Unsupported Route-Map Configuration Commands

```
match ip address prefix-list
```

Boot Loader Commands

Unsupported Global Configuration Commands

```
boot buffersize
```

Debug Commands

Unsupported Privileged EXEC Commands

IGMP Snooping Commands

Unsupported Global Configuration Commands

Interface Commands

Unsupported Privileged EXEC Commands

random-detect rate-limit shape *vlan-id* fair-queue irb mac-accounting precedence irb

interface tunnel

Unsupported Interface Configuration Commands

MAC Address Commands

Unsupported Privileged EXEC Commands

**Note**

privileged EXEC command to display Layer 2 multicast address-table entries for a VLAN.

Miscellaneous

Unsupported User EXEC Commands

Unsupported Privileged EXEC Commands

Unsupported Global Configuration Commands

- l2protocol-tunnel global drop-threshold
- memory reserve critical
- service compress-config
- stack-mac persistent timer

Network Address Translation (NAT) Commands

Unsupported Privileged EXEC Commands

QoS

Unsupported Global Configuration Command

Unsupported Interface Configuration Commands

Unsupported Policy-Map Configuration Command

RADIUS

Unsupported Global Configuration Commands

feature

feature

SNMPv3

Unsupported 3DES Encryption Commands

Spanning Tree

Unsupported Global Configuration Command

Unsupported Interface Configuration Command

VLAN

Unsupported Global Configuration Command

Unsupported vlan-config Command

Unsupported User EXEC Commands

VTP

Unsupported Privileged EXEC Commands

password *number*



Note
