



Cisco Aironet Omnidirectional Antenna (AIR-ANT-SE-WiFi-O)

This document describes the Cisco Aironet AIR-ANT-SE-WiFi-O Antenna and provides instructions for mounting it. The antenna operates in the 2.4-GHz and 5-GHz frequency bands and is designed for use with Cisco Spectrum Expert spectrum analyzer software. The antenna connects to the Cisco Spectrum Expert Sensor Wi-Fi card (hereafter referred to as the sensor card). The antenna's omnidirectional qualities provide RF detection in all directions from the antenna. The antenna can be useful with all ISMS mobile features, but is especially useful in detecting and identifying RF devices

The following information is provided in this document.

- [Technical Specifications, page 2](#)
- [System Requirements, page 3](#)
- [Installation Notes, page 3](#)
- [Installing and Using the Antenna, page 3](#)
- [Obtaining Documentation, Obtaining Support, and Security Guidelines, page 7](#)




Americas Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

© 2007 Cisco Systems, Inc. All rights reserved.

Technical Specifications

Antenna type	Dual band dipole, omnidirectional
Operating frequency range	2400–2500 MHz 4900–5900 MHz
Nominal input impedance	50 Ω
VSWR	2:1 all bands
Peak gain (2400–2500 MHz)	2-dBi
Peak gain (4900–5900 MHz)	3-dBi
Polarization	Linear, vertical
Length	4.5 in (11.4 cm)
Diameter	2.875 in (7.302 cm)
Cable	LMR-100
Connector	RP-SMA/MMCX
Cable length	24-in. (60.9 cm)



System Requirements

This antenna is designed for use with the Cisco Spectrum Expert spectrum analyzer application only. The antenna is not designed for use with access points.


Installation Notes

The antenna is designed to connect to a dedicated antenna port on the Cisco sensor card. No special tools are required to install the antenna.

Installing and Using the Antenna

A typical laptop computer installation is shown in [Figure 1](#).


Figure 1 *Typical Laptop Computer Installation*



Follow these steps to connect the antenna to your laptop computer.

- Step 1** Verify that the contents of the omnidirectional antenna kit is complete as shown in [Figure 2](#)


Figure 2 *Omnidirectional Antenna Kit Contents*



1	Antenna mounting clip	3	Antenna cable
2	Antenna		


- Step 2** Connect the antenna cable to the antenna as shown in [Figure 3](#). Make the connection hand tight.

Figure 3 *Connecting the Antenna Cable to the Antenna*




Step 3 Insert the antenna into the antenna holder on the antenna clip as shown in [Figure 4](#).

Figure 4 *Inserting the Antenna into the Antenna Clip*




Step 4 Slide the antenna into the antenna holder as far as it will go as shown in [Figure 5](#).

Figure 5 *Sliding the Antenna into the Antenna Holder*



Step 5 Attach the antenna clip to your laptop computer cover as shown in [Figure 6](#).


Figure 6 *Attaching the Antenna Clip to a Laptop Computer Cover*



Note Before completing the following steps, you must have installed and configured Cisco Spectrum Expert software and the sensor card on your laptop. The sensor card should be inserted in a PCMCIA slot before continuing the installation.

Step 6 Connect the antenna cable to the sensor card as shown in

Figure 7 *Connecting the Antenna Cable to the Sensor Card*



Step 7 Boot your laptop computer and start the Cisco Spectrum Expert software.

- Step 8** Refer to your Cisco Spectrum Expert software documentation for information about detecting and identifying signals.
-

Obtaining Documentation, Obtaining Support, and Security Guidelines

For information on obtaining documentation, obtaining support, providing documentation feedback, security guidelines, and also recommended aliases and general Cisco documents, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

CCVP, the Cisco logo, and Welcome to the Human Network are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networkers, Networking Academy, Network Registrar, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0711R)