

End-of-Sale and End-of-Life Announcement for the Cisco ONS 15454 OC-192 Fixed Optics Cards

EOL5826

Cisco® announces the end-of-sale and end-of-life dates for the Cisco ONS 15454 OC-192 Fixed Optics Cards. The last day to order the Cisco ONS 15454 OC-192 Fixed Optics Cards is July 30, 2008. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the Cisco ONS 15454 OC-192 Fixed Optics Cards. Table 2 lists the product part numbers affected by this announcement.

The Cisco ONS 15454 OC-192 XFP-Based Optics Card provides a single XFP-based pluggable optics module with greater benefits than the fixed optics cards it replaces. It provides multiple-reach capabilities including short-reach (SR), intermediate-reach (IR), long-reach (LR), and ITU DWDM frequencies. Additionally, the SR-only card provides a cost-effective, fixed SR configuration to support first cost-sensitive installations where flexibility is not paramount. It offers more cost-effective sparing of XFPs versus fixed card alternatives, making it suitable for all metro applications between central offices, colocation offices, or enterprise and campus facilities with span lengths from 2 km to 80 km. It supports many user applications through plug-in devices and simplifies support for system changes. The OC-192 XFP card can carry concatenated payloads of STS-3c/VC-4, STS-6c/VC-4-2c, STS-12c/VC-4-4c, STS-24c/VC-4-8c, and STS-48c/VC-4-16c, as well as nonconcatenated payloads on an STS-1, VC-4, VC-3, VC-12, VC-11, and VT1.5 basis. In SONET applications, the card is software-provisionable to transport SDH payloads over SONET in the form of STS-Nc-concatenated payloads. The card port can be commissioned for use in unidirectional-path switched ring/subnetwork connection protection (UPSR/SNCP), 2-fiber and 4-fiber bidirectional line switched ring/multiplex section-shared protection ring (BLSR/MS-SPR), 1+1 automatic protection switching/line multiplex section protection (APS/LMSP), or path-protected mesh network (PPMN) architectures, providing the flexibility to build the type of networks required to meet service demands, traffic patterns, and user needs. The card supports in-service bandwidth upgrade capabilities from lower-speed cards, including the single-port OC-12, OC-48, and OC-192 cards, using the Cisco Transport Controller's simple span-upgrade wizard.

Table 1. End-of-Life Milestones and Dates for the Cisco ONS 15454 OC-192 Fixed Optics Cards

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	July 31, 2007
End-of-Sale Date	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	July 30, 2008
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	October 29, 2008
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of product failure or defect.	July 30, 2009
End of New Service Attachment Date: HW	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	July 30, 2009

Milestone	Definition	Date
End of Service Contract Renewal Date: HW	The last date to extend or renew a service contract for the product.	October 28, 2012
Last Date of Support: HW	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	July 29, 2013

HW = Hardware OS SW = Operating System Software App. SW = Application Software

The Cisco ONS 15454 OC-192 XFP card can operate with the XC-10G and XC-VXC Cross-Connect Cards. They require the Cisco ONS 15454 Timing, Communications, and Control 2 Card (TCC2) or TCC2-Plus (TCC2P) Card to support the data communications channel (DCC) capacity. It requires Cisco ONS 15454 Software Release 6.0 or greater and operates in the high-speed slots 5, 6, 12, and 13.

Table 2. Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
15454-192L-1-30.3	OC192 LR, 1530.33, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-30.3=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-30.3=	OC192 LR, 1530.33, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-30.3=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-31.1	OC192 LR, 1531.12, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-31.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-31.1=	OC192 LR, 1531.12, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-31.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-31.9	OC192 LR, 1531.90, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-31.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-31.9=	OC192 LR, 1531.90, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-31.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-32.6	OC192 LR, 1532.68, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-32.6=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-32.6=	OC192 LR, 1532.68, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-32.6=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-34.2	OC192 LR, 1534.25, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-34.2=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-34.2=	OC192 LR, 1534.25, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-34.2=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-35.0	OC192 LR, 1535.04, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-35.0=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-35.0=	OC192 LR, 1535.04, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-35.0=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-35.8	OC192 LR, 1535.82, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-35.8=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-35.8=	OC192 LR, 1535.82, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-35.8=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-36.6	OC192 LR, 1536.61, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-36.6=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-36.6=	OC192 LR, 1536.61, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-36.6=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-38.1	OC192 LR, 1538.19, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-38.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-38.1=	OC192 LR, 1538.19, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-38.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-38.9	OC192 LR, 1538.98, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-38.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-38.9=	OC192 LR, 1538.98, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-38.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-39.7	OC192 LR, 1539.77, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-39.7=	10G, Any Reach, XFP compatible (Ordered Separately)

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
15454-192L-1-39.7=	OC192 LR, 1539.77, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-39.7=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-40.5	OC192 LR, 1540.56, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-40.5=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-40.5=	OC192 LR, 1540.56, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-40.5=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-42.1	OC192 LR, 1542.14, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-42.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-42.1=	OC192 LR, 1542.14, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-42.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-42.9	OC192 LR, 1542.94, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-42.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-42.9=	OC192 LR, 1542.94, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-42.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-43.7	OC192 LR, 1543.73, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-43.7=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-43.7=	OC192 LR, 1543.73, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-43.7=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-44.5	OC192 LR, 1544.53, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-44.5=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-44.5=	OC192 LR, 1544.53, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-44.5=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-46.1	OC192 LR, 1546.12, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-46.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-46.1=	OC192 LR, 1546.12, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-46.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-46.9	OC192 LR, 1546.92, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-46.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-46.9=	OC192 LR, 1546.92, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-46.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-47.7	OC192 LR, 1547.72, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-47.7=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-47.7=	OC192 LR, 1547.72, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-47.7=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-48.5	OC192 LR, 1548.51, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-48.5=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-48.5=	OC192 LR, 1548.51, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-48.5=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-50.1	OC192 LR, 1550.12, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-50.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-50.1=	OC192 LR, 1550.12, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-50.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-50.9	OC192 LR, 1550.92, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-50.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-50.9=	OC192 LR, 1550.92, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-50.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-51.7	OC192 LR, 1551.72, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-51.7=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-51.7=	OC192 LR, 1551.72, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-51.7=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-52.5	OC192 LR, 1552.52, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-52.5=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-52.5=	OC192 LR, 1552.52, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-52.5=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-54.1	OC192 LR, 1554.13, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-54.1=	10G, Any Reach, XFP compatible (Ordered Separately)

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
15454-192L-1-54.1=	OC192 LR, 1554.13, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-54.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-54.9	OC192 LR, 1554.94, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-54.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-54.9=	OC192 LR, 1554.94, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-54.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-55.7	OC192 LR, 1555.75, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-55.7=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-55.7=	OC192 LR, 1555.75, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-55.7=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-56.5	OC192 LR, 1556.55, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-56.5=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-56.5=	OC192 LR, 1556.55, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-56.5=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-58.1	OC192 LR, 1558.17, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-58.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-58.1=	OC192 LR, 1558.17, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-58.1=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-58.9	OC192 LR, 1558.98, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-58.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-58.9=	OC192 LR, 1558.98, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-58.9=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-59.7	OC192 LR, 1559.79, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-59.7=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-59.7=	OC192 LR, 1559.79, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-59.7=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-60.6	OC192 LR, 1560.61, 100 GHz, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-60.6=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-192L-1-60.6=	OC192 LR, 1560.61, 100 GHz, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-60.6=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-OC192-LR2	OC192, LR, 1550, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-L2	10G, Any Reach, XFP compatible (Ordered Separately)
15454-OC192-LR2=	OC192, LR, 1550, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-L2=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-OC192IR1550	OC192, IR, 1550, 1 Ckt., SC	15454-10G-XR with ONS-XC-10G-I2	10G, Any Reach, XFP compatible (Ordered Separately)
15454-OC192IR1550=	OC192, IR, 1550, 1 Ckt., SC	15454-10G-XR= with ONS-XC-10G-I2=	10G, Any Reach, XFP compatible (Ordered Separately)
15454-OC192SR1310	OC192, SR, 1310, 1 Ckt., SC	15454-10G-S1	10G, SR, Includes SR XFP (ONS-XC-10G-S1)
15454-OC192SR1310=	OC192, SR, 1310, 1 Ckt., SC	15454-10G-S1=	10G, SR, Includes SR XFP (ONS-XC-10G-S1)

Product Migration Options

Customers are encouraged to migrate to the Cisco ONS 15454 OC-192 X Form-Factor Pluggable (XFP) optics card. Information about this product can be found at:

<http://www.cisco.com/en/US/products/hw/optical/ps2006/ps2010/index.html>.

Table 3. Product Comparisons

Feature	Cisco ONS 15454 OC-192 Fixed Optics Cards	Cisco ONS 15454 OC-192 X Form-Factor Pluggable (XFP) Optics Card
No. of ITU wavelengths offered	32	40

Customers can use the Cisco Technology Migration Plan (TMP) to trade in products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, go to: <http://www.cisco.com/go/tradein/>. The Cisco TMP application requires all users to have a Cisco.com user ID.

Customers may be able to continue to purchase the end-of-sale product through the Cisco Authorized Refurbished Equipment program. Refurbished units of the end-of-sale product are available in limited supply for sale in certain countries on a first-come, first-served basis. For information about the refurbished equipment program, go to: <http://www.cisco.com/web/ordering/ciscocapital/refurbished/index.html>.

For More Information

For more information about the Cisco ONS 15454 OC-192 X Form-Factor Pluggable (XFP) Optics Card, visit <http://www.cisco.com/en/US/products/hw/optical/ps2006/ps2010/index.html> or contact your local account representative.

For more information about the Cisco End-of-Life Policy, go to: http://www.cisco.com/en/US/products/prod_end_of_life.html.

To subscribe to receive end-of-life/end-of-sale information, go to: <http://www.cisco.com/cgi-bin/Support/FieldNoticeTool/field-notice>.



Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

Asia Pacific Headquarters

Cisco Systems, Inc.
168 Robinson Road
#28-01 Capital Tower
Singapore 068912
www.cisco.com
Tel: +65 6317 7777
Fax: +65 6317 7799

Europe Headquarters

Cisco Systems International BV
Haarlerbergpark
Haarlerbergweg 13-19
1101 CH Amsterdam
The Netherlands
www-europe.cisco.com
Tel: +31 0 800 020 0791
Fax: +31 0 20 357 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

©2007 Cisco Systems, Inc. All rights reserved. CCVP, the Cisco logo, and the Cisco Square Bridge logo are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, IQ Expertise, the IQ logo, IQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networking Academy, Network Registrar, Packet, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0705R)