



ReadMe for Cisco Unified Communications Manager Release 10.5(2)SU4a

Revision 1

Updated November 16, 2016

Changes in this revision, Revision 1

- Added a new Resolved Caveat: [CSCvb97805](#)
- Added a new Open Caveat: [CSCvc08992](#)

This ReadMe file discusses the following topics:

- [Introduction, page 2](#)
- [System Requirements, page 2](#)
- [Version and Description, page 2](#)
- [Important Notes, page 3](#)
- [Firmware Upgrade Issues, page 3](#)
- [Related Documentation, page 3](#)
- [Before You Begin, page 4](#)
- [Installation Instructions, page 4](#)
- [Reverting to a Previous Version, page 5](#)
- [Caveats, page 5](#)
- [Obtaining Documentation and Submitting a Service Request, page 26](#)



Note

To view the release notes for previous versions of Cisco Unified Communications Manager, choose the Cisco Unified Communications Manager version from the following URL:
http://www.cisco.com/en/US/products/sw/voicesw/ps556/prod_release_notes_list.html



Americas Headquarters:

Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

**Note**

Please review all sections in this document pertaining to installation before you install this Service Update (SU). Failure to install this SU as described may result in inconsistent Cisco Unified Communications Manager behavior.

Before you install Cisco Unified Communications Manager, Cisco recommends that you review the “Important Notes” section on page 3 for information about issues that may affect your system.

Introduction

This 10.5(2)SU4a ReadMe file contains important information about installation procedures and resolved caveats for Cisco Unified Communications Manager release 10.5(2)SU4a. This SU can be applied to Cisco Unified Communications Manager, Business Edition 6000, Session Management Edition, and Cisco Unity Connection.

System Requirements

The following sections comprise the system requirements for this release.

Server Support

In this release, you cannot install or run Cisco Unified Communications Manager on server hardware; you must run these applications on virtual machines. Please refer to the “Platform requirements” section of the *Upgrade Guide for Cisco Unified Communications Manager, Release 10.0(1)*. for additional details:

http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/upgrade/10_0_1/CUCM_BK_U4214F9D_00_upgrade-guide-cucm-100/CUCM_BK_U4214F9D_00_upgrade-guide-cucm-100_chapter_010.html#CUCM_RF_HE98F0D1_00

Uninterruptible Power Supply

Ensure that you connect each node to an uninterruptible power supply (UPS) to provide backup power and protect your system.

**Caution**

Failure to connect the Cisco Unified Communication Manager nodes to a UPS may result in damage to physical media and require a new installation of Cisco Unified CM.

Version and Description

This SU is a cumulative update that incorporates all of the fixes and changes from Cisco Unified Communications Manager 10.5(2) through 10.5(2)SU4 along with additional changes that are specific to this SU.

**Note**

You can only install this SU on Cisco Unified Communications Manager Release 6.1(4x), 6.1(5x), 7.1(3x), 7.1(5x), 8.0(x), 8.5(1x), 8.6(x), 9.0(x), 9.1(x), 10.0(1), 10.5(1), 10.5(2), 10.5(2)SU1, 10.5(2)SU2, 10.5(2)su3x, 10.5(2)su4 or any 10.5(2)ES from 10.5.2.11001-1 to 10.5.2.14081-2. Upgrades from 6x, 7x, 8.x, and 9.x need to be requested via PUT (www.cisco.com/upgrade) to obtain the necessary license. This SU should not be installed on a Business Edition 3000 server.

See the Compatibility Matrix for further details:

<http://www.cisco.com/c/en/us/support/unified-communications/unified-communications-manager-call-manager/products-device-support-tables-list.html>

Important Notes

SUs do not impact system compatibility unless specifically stated.

Cisco provides the following guidance to help you successfully upgrade Cisco Unified Communications Manager software:

- To minimize call-processing interruptions during the upgrade process, register all devices to servers that are running the same version of Cisco Unified Communications Manager software. Make sure that you register all devices to the backup Cisco Unified Communications Manager server or to the primary Cisco Unified Communications Manager server, but not to both the backup and primary servers.

Firmware Upgrade Issues

For all SCCP and SIP firmware upgrades from firmware release versions earlier than 8.3(3) to version 8.5(2)SR1 or greater, you must first upgrade your firmware to version 8.5(2). Once you have upgraded to version 8.5(2), you can upgrade your IP Phone to version 8.5(2)SR1 or later. Refer to the *Firmware Versions in this Release* section of this document to determine the firmware load provided in this SU.

For additional details, Firmware Upgrade Instructions, and Firmware Download locations please see:

SCCP

http://www.cisco.com/en/US/docs/voice_ip_comm/cuipph/firmware/8_5_2/english/release/notes/7900_852SR1.html#wp57602

SIP

http://www.cisco.com/en/US/docs/voice_ip_comm/cuipph/firmware/8_5_2/english/release/notes/7900_852SR1.html#wp147343

Related Documentation

To view documentation that supports Cisco Unified CM Release 10.5(x), go to:

http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/docguide/10_5_2/CUCM_BK_D6D433CE_00_CUCM-documentation-guide-1052.html

Before You Begin

Before you upgrade the software version of Cisco Unified Communications Manager, verify your current software version.

To do that, open Cisco Unified Communications Manager Administration. The following information displays:

- Cisco Unified Communications Manager Administration System version

Installation Instructions



Note

Apply this SU to all of your Cisco Unified Communications Manager servers, beginning with the publisher server and TFTP server.

Refer to the *Upgrade Guide for Cisco Unified Communications Manager, Release 10.0(1)* for detailed information about doing this upgrade:

http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/upgrade/10_0_1/CUCM_BK_U4214F9D_00_upgrade-guide-cucm-100/CUCM_BK_U4214F9D_00_upgrade-guide-cucm-100_chapter_010.html



Note

Because the 10.5.2.14901-1 build is a non-bootable ISO, it proves useful only for upgrades. You cannot use it for new installations. You may however install with the base version 10.5.2.10000-5 and apply 10.5.2.14901-1 as a patch during the installation.

Release 10.5(2) is available in both restricted (which is the release type that has always been available from Cisco) and unrestricted versions of software to comply with import / export restrictions to various countries. The unrestricted version is available in limited markets. Please refer to the “Export Unrestricted” section in the **Upgrade Planning** chapter, of the *Upgrade Guide for Cisco Unified Communications Manager, Release 10.0(1)* referenced above for a more detailed description.



Caution

For both restricted and unrestricted upgrades from an 8.5(x) or earlier release to a 10.5(x) release, a patch (COP file) must be applied prior to initiating the upgrade. Before you upgrade from compatible versions of Unified CUCM, install the COP file named `ciscocm.refresh_upgrade_v1.5.cop.sgn`. Please refer to the “Refresh Upgrades” section in the **Upgrade overview** chapter at the *Upgrade Guide for Cisco Unified Communications Manager, Release 10.0(1)* referenced earlier in this document for detailed installation instructions and download location.

The file names and hash values you will use for this upgrade are:

- UCSInstall_UCOS_10.5.2.14901-1.sgn.iso

The **MD5** for the Restricted combined download is: 042e0a2a60f74804b9e2ab8b7ef52f6d

The **SHA-512** for the Restricted combined download is:

804c3fc4a398d6f707620da8d59517b911f45ce0f16c37c23d15c85c57e95d18a2427ef482c34d19
8083031b0b2bc1754a1bda5c0274008f5c9650bd280ceddc

**Note**

Once installed, UNRST releases can never be converted or upgraded to releases which support full encryption capabilities

For the Unrestricted version:

- UCSInstall_UCOS_UNRST_10.5.2.14901-1.sgn.iso

The **MD5** for the Unrestricted combined download is: b8b013ec3125e986114dd5104caf08bc

The **SHA-512** for the Unrestricted combined download is:

9d21ea9a9e6102448120d2b97a6a4190fff142be2a4f745ec92894f483f0119c1d0a0acd6097708b
950a6c671068265b073ae9b7e4ddf0e47a68e4d0bfa8b427

Reverting to a Previous Version

**Note**

Revert the SU on all servers in the cluster in the same order in which you performed the installation.

Refer to the “Switch to previous version” section in the **Upgrade Tasks** chapter at *Upgrade Guide for Cisco Unified Communications Manager, Release 10.0(1)* for detailed instructions on “Reverting to a Previous Version.”

http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/upgrade/10_0_1/CUCM_BK_U4214F9D_00_upgrade-guide-cucm-100/CUCM_BK_U4214F9D_00_upgrade-guide-cucm-100_chapter_0100.html#CUCM_TP_RD8DD800_00

Caveats

Caveats describe unexpected behavior on a Cisco Unified Communications server. The following sections contain lists and descriptions of resolved and open caveats in this release.

Resolved Caveats

Resolved Caveats for Cisco Unified Communications Manager Release 10.5(2)SU4a describes possible unexpected behaviors in previous Cisco Unified Communications Manager Release 10.5(2) releases.

Resolved Caveats for Cisco Unified Communications Manager Release 10.5(2)SU4a

The following information comprises unexpected behavior that is addressed by this SU of Cisco Unified Communications Manager.

Resolved CUCM Caveats in 10.5(2)SU4a

[CSCvb97805](#): CUCM 10.5(2)SU4 ILS Authentication configuration options are missing

Resolved CUCM Caveats in 10.5(2)SU4

- [CSCvb78438](#) : Active and standby CTI RD due to SdLinkOOS
- [CSCvb13614](#) : dnsdomainname returns null instead of (none) when domainname is not set
- [CSCvb65237](#) : CUCM L2 Upgrade to 10.5.2 SU4 Fails At Licensing Component
- [CSCuv07653](#) : F3388 - Call Preservation Duration Management
- [CSCva22547](#) : Proxy TFTP returns 503 while Cluster Router Map DB is initializing
- [CSCvb54922](#) : Null pointer dereference when recording is invoked from a SIP Phone
- [CSCut30685](#) : Increase swap space on VOS based products
- [CSCvb17284](#) : Bad audio quality for Ringtones on 78XX and 88XX phones
- [CSCuz79366](#) : SNMP port 161 was not added to iptable rules
- [CSCva74508](#) : BAT export TURN (ICE) Password in clear text
- [CSCvb22671](#) : Timer based stale Directed Call Park instance clean up in case any error
- [CSCvb39142](#) : SparkRD should support end to end dtmf
- [CSCuw87889](#) : CUCM doesn't insert transcoder codec change & inact media w/ SIP phone
- [CSCux74884](#) : Platform CLI file get command ssh client Ciphers needs to be updated
- [CSCva58795](#) : Blind Xfer w/Early Media Uses an MTP Unnecessarily
- [CSCva91101](#) : User's pin should not be plain text in the EMService logs
- [CSCva93755](#) : CUCM Queuing Caller doesn't hear ringback tone when call is ring agent
- [CSCvb00502](#) : unable to edit old phone contact after the CUCM upgrade
- [CSCvb29852](#) : Phones don't recognize 2016d TZ Updates
- [CSCus28201](#) : MA fails to respond in rebuilt cluster when Sub is not up/not installed.
- [CSCus78120](#) : TAR file not getting listed after Pub is rebuilt in UCM+IMP Cluster
- [CSCut78334](#) : Unable to get list of Backups from Restore page
- [CSCva88701](#) : Evaluation of ciscocm for TCP August 2016
- [CSCvb03745](#) : updateUser returns "Syntax Error" if linePrimaryUri tag has apostrophe.
- [CSCva55016](#) : Upgrade JDK for July 2016 Critical Patch Updates
- [CSCva86484](#) : RISDC Cores on CUCM
- [CSCva91800](#) : Conference call fails to revert to 2 party call when 3rd party hangs up
- [CSCva95927](#) : BAT Insert phone fails if "override existing configuration" is unchecked
- [CSCva97139](#) : Race condition causes Directed Call Park leak
- [CSCuv17758](#) : CCM exhibits "IntentionalAbort" due to CCMDB mutex held by DMPpropagation
- [CSCuw11999](#) : UC Fusion Spark Only Remote Device - jtapi
- [CSCuw15465](#) : UC Fusion Spark Only Remote Device - cmui
- [CSCuw98131](#) : Diversion header incorrectly populated with called number for CTIRD
- [CSCuy54870](#) : Call not being cleared up properly results in busy trigger treatment
- [CSCuz11051](#) : Spark Licensing Adjustment for Spark Remote Device Users
- [CSCuz25827](#) : JTAPI DeleteTerminal does not actually delete terminals
- [CSCuz81488](#) : CUCM - Directed CallPark fails when SdLink down in multinode cluster
- [CSCuz97529](#) : Call not cleared/dropped on SparkRD when callingParty drops while call is ringin
- [CSCva31266](#) : RPID incorrect for outbound Spark Fusion call anchored on SparkRD
- [CSCva76949](#) : Extend&Connect Calls Fail Using Standard Local Route Group with Spark RD
- [CSCva91711](#) : CUCM Self Care does not reset after inactivity timeout
- [CSCva96332](#) : Phones reboot when domainname is set and domainname command returns null
- [CSCuw12006](#) : UC Fusion - Spark Only Remote Device tapi
- [CSCuy56429](#) : CUCM doesn't send 200 reason headr to CTIRD when call answered elsewhere
- [CSCuz72547](#) : Active and standby CTI RD due to race condition
- [CSCva74274](#) : CUCM - LibTiff Remote Execution Vulnerabilities
- [CSCuv86726](#) : UC Fusion - Spark Only Remote Device cmcti

[CSCuw73784](#) : PMR 22707,227,000 cdr define happens twice as cdr err throws 213/ 195
[CSCuz94584](#) : Transfer Fails when Destination Device in Shadow Location
[CSCva40238](#) : CTI Manager core when the CIPC EM looking process takes long time
[CSCva46509](#) : DNS A Record Lookup Memory Leak while Handling SdlGetHostBynameRsp
[CSCuz05077](#) : Call Drops after Jabber Stops & Starts Video
[CSCuz52535](#) : Evaluation of ciscocm for OpenSSL May 2016
[CSCuz65339](#) : CCM Cores when MTP resources doubled
[CSCuz85612](#) : "dbaxlweb" AXL connections are crossing the threshold 100
[CSCva80036](#) : ICT not passing the original called number when QSIG is Enabled.
[CSCva95523](#) : Fresh Install and Upgrade failing in selinux module
[CSCty67386](#) : Tomcat manager returns HTTP 403 instead of 404 error
[CSCuv30782](#) : CAPF certificate validity duration change should be allowed
[CSCuz27447](#) : Upgrade JDK for April 2016 Critical Patch Updates
[CSCva20265](#) : CUCM - LibXML Arbitrary Code Execution and DoS Vulnerabilities
[CSCva80135](#) : listchange API does not return for Line ForwardAll destination
[CSCty06667](#) : Remote syslog messages not showing in the Local syslog file CiscoSyslog
[CSCul51014](#) : Self care portal does not recognize default Voicemail profile / pilot
[CSCut82634](#) : secure attribute not set in tokens
[CSCuv43734](#) : UDS does not support PAB dialing
[CSCuw43220](#) : Expansion Modules Configuration is lost
[CSCux05087](#) : OS admin and DRF access restriction CLI
[CSCux86084](#) : IP conntrack count is not correct when using the Admin CLI
[CSCuz44377](#) : Evaluation of ciscocm for NTP_April_2016
[CSCuz61569](#) : CUCM - OpenSSH X11Forwarding, PAM Auth, Use After Free Vuls
[CSCuz61577](#) : CUCM - Numerous DoS Vulnerabilities on File Command
[CSCva00034](#) : Unnecessary DNS A Record Lookup While Resolving SRV Request
[CSCva18469](#) : CUCM -Tomcat Fileupload Info Disclosure Vulnerability (CVE 2016 3092)
[CSCva18486](#) : CUCM - SEtroubleshoot Arbitrary Code Execution Vulnerabilities
[CSCva24367](#) : Proxy TFTP CRMDB database file can not be accessed via Platform CLI
[CSCva38329](#) : CUCM 10.5 ip_conntrack/nf_conntrack defaults needs to be changed
[CSCva71953](#) : CallPickup not working for phones sending hostname in INVITE From header
[CSCva72406](#) : 10.5(2)su4 upgrade rules to prevent install over ineligible ES's

Resolved Cisco Unity Connection Caveats in 10.5(2)SU4

[CSCvb64399](#) : Playback - Use sender's ANI config option working by default in before play mess
[CSCva55920](#) : Jabber 11.7 problem connecting to Seattle Unity Connection VM Server
[CSCvb35772](#) : SCCP ports don't register back when multiple CM goes down & brought up
[CSCva81803](#) : Caller name incorrect on Unity transferred calls
[CSCvb05270](#) : UC Handle 491 Request Pending when multiple CUCM configured with TCP/TLS
[CSCuu39704](#) : CuCsMgr generates core when CUCM sends corrupted CTL file
[CSCux63206](#) : Internal dev work for US223548 - CUCA changes for Exchange 2016 support
[CSCuy63340](#) : Sender ANI incorrectly played for messages left on call handler.
[CSCvb19446](#) : To support SIP automata tag as part of US251040
[CSCuy82569](#) : UC CLI to repair the DB Replication issues
[CSCva14718](#) : CUC Jetty stderrout log is growing enormously
[CSCva61873](#) : 'Europe/Kaliningrad' time zone is set to (GMT+0300)
[CSCva68365](#) : RSS feed throwing error "HTTP status 404"

[CSCux40807](#) : Not all partitions appear in user search selector
[CSCux51571](#) : Unity Connection Menu drop down not working in Edge Browser
[CSCux52984](#) : SSO Authorize proxy only works with original admin account
[CSCux68840](#) : CUC - Recording format issue
[CSCux98109](#) : RTMT alert due to voice name synchronization trying to run on subscriber
[CSCuy19727](#) : Isec tunnel breaks after reboot on unity connection
[CSCuz29570](#) : Safari 7 and 9 web & mini inbox not loading properly
[CSCuz48432](#) : CUC - Dates for March alternating greeting listed wrongly via TUI
[CSCuz83764](#) : Upgrade JDK to 1.7.0_101 for 11.5 Release
[CSCva04975](#) : CLI Commands "utils cuc proxy usrcreate" and usrpaswd fails
[CSCva28304](#) : Stop RTMT Alert for Directory and Voice Name Synchronization in HTTPS NW
[CSCva89989](#) : Revert Cron Job for Swap off/on in 10.5.2

Resolved CUCM Caveats in 10.5(2.14081-2); base ES for 10.5(2)SU4

[CSCva26198](#) : Missing Check For "Unity Connection ELM" causing DST (2016d) cop to fail
[CSCut80861](#) : Incorrect SQL for updateUser and lineAppearanceAssociationForPresences
[CSCuz43163](#) : Call start recording fails when initiated second time on the device
[CSCut08386](#) : Keyword 'eval' is not allowed as a substring
[CSCva50760](#) : Non FIPS operation in CDR file transfer
[CSCva32290](#) : SOAP API selectCmDevice function no longer returns results
[CSCva24593](#) : SIP Refer pass-through cause VMSize usage growing for CCM
[CSCuz51426](#) : DST/TZ data upgrade with 2016d
[CSCuz50894](#) : VMware Tools 10.0 update fails on CUCM/CUC 10.5/11.0 part2
[CSCva29077](#) : CCM Memory Leak With Dual Mode SIP Phones
[CSCuz94249](#) : Corporate Directory Search issue with Cisco 9951 Phones
[CSCuz89754](#) : BIB Call recording fail when observed "RecordingResourcesNotAvailable"
[CSCuz85694](#) : UCMUser login failed credentials messaging allows user ID identification
[CSCuz60554](#) : OOB DTMF not pass though for calls via route list
[CSCuz06490](#) : Import shows success but import doesn't happen for SIP Normalization
[CSCuu36501](#) : UCM sends space instead of escaped %20 in certain directory softkeys
[CSCuz63133](#) : Race condition when redirect is received, before transfer is complete
[CSCuz40639](#) : IX5000 Telepresence endpoint - add TMS, streams,proximity,multi-mode
[CSCuz68370](#) : CUCM silently drops requests with Unexpected Method
[CSCuz90005](#) : Personal Address Book should sort the users by nick name
[CSCuz59456](#) : Phone FW and support file for 78xx/88xx 11.5.1 release
[CSCuy55946](#) : Update phone via BAT removes Enterprise Alternate Number DN config
[CSCuv05193](#) : "Enable Caller ID" checkbox is not present on FXO on 4321 & 4351 MGCP
[CSCuf39363](#) : Secure URLs (Directory) repopulate to default on reboot /Tomcat restart
[CSCuz80519](#) : Add new QED for Cisco TelePresence DX70/80
[CSCuz40162](#) : CUCM GUI incorrect port numbers in slot 1 of ISR 4451 MGCP gateway
[CSCuz11510](#) : Dependency Error message during RU upgrade from 9.1.2
[CSCuz07076](#) : UCMNSS Remote Execution Vulnerabilities
[CSCuy82197](#) : Add Recents item for 78xx QED to control softkey Recents
[CSCux81705](#) : RTMT shows Incorrect value of EM Requests in Progress
[CSCux17964](#) : [QED]78xx Button template has "new call" "end call" item
[CSCuw37904](#) : Need to enter the password twice exchange 2010,
[CSCuu43648](#) : Directed Call park number not getting updated for phone

[CSCuj61544](#): Enhancement for EnvProcessCdr when it generates a pkid
[CSCuz89773](#): Initialize CallParkCount to zero to send SdLinkOOS
[CSCuz85584](#): Empty ipccExtension tag blanks primaryExtension & extensionsInfo
[CSCuz56695](#): Rebroadcast External Multicast Source not forwarding IGMPv2
[CSCuz10700](#): CUCM User password is found in the SNMP logs
[CSCux21905](#): TVS thread blocked by incomplete TVS handshake
[CSCuw11044](#): error while attempting to enable SAML Single SignOn
[CSCuy86858](#): DST/TZ data upgrade with 2016c
[CSCug55011](#): FIPS modeCDR Transfer Fails with "Unsupported typePRIVATE KEY" Error
[CSCux37689](#): Call is not recorded after refer from Webex
[CSCuz59010](#): CUCM cores while printing sipSPIEventInfo
[CSCuz55844](#): Remote destination export fails due to fktodaccess is NULL.
[CSCuz53675](#): Call Pickup Notification Alert Not Working When Queuing Enabled
[CSCuz15367](#): Core dump when using a IUA script
[CSCuz09036](#): Additional Req-URI parameters getting duplicated in SIP Invite by CUCM
[CSCuy89624](#): CUCM; Kerbos DoS and Info Disclosure Vulnerabilities
[CSCuy70032](#): Duplicate URI alerts seen with same URI having multiple case instances
[CSCux74780](#): Increase 48 character limit on CTI-RD dial string
[CSCux73307](#): Native Call Queue call rings back in 0 seconds when parked by 88XX phone
[CSCuu63399](#): Server Time Displayed in UTC Format in BAT scheduler page
[CSCuz30891](#): add the dn to RPID with x-cisco-original-called tag for call back
[CSCuz26354](#): ccm core due to stale entries in mRemoteLineInfoTable exceed 65535
[CSCuz13020](#): CCM Memory Leak with TLS X509 subject alternative names
[CSCuy90860](#): CER Application user password is getting printed in CUCM e911 logs
[CSCuy86302](#): CUCMOpenSSH Bypass Vulnerabilities
[CSCuy69555](#): CUCMWeak Diffie-Hellman Secret Generation in LibSSH2
[CSCuw78377](#): failure to check signal length causes core in mempy()
[CSCuw14080](#): Information disclosure in robots.txt
[CSCuv85926](#): CUCM back up file _UCM_BAT.tar has encryption key in plain text
[CSCus52973](#): IPVMS MTP not conforming to RFC for DTMF marker bits
[CSCut85703](#): CCM Memory Leak When Xcoder Allocation Fails Due to Resource Unavailable
[CSCuz27190](#): LDAP sync of users fails when LDAP server is configured via AXL API
[CSCuz25125](#): CUCM stops responding to PCA requests
[CSCuy89511](#): CallManager Service crashes due to corrupted UserUserData in H.225 Setup
[CSCuy28299](#): CTI - RPID populated incorrect for outbound Spark Fusion enterprise call
[CSCuy15704](#): CUCM cores in voice-sip-stack component when DNS name is used
[CSCux99227](#): Cisco Unified Call Manager SQL Injection Vulnerability
[CSCux78290](#): CUCMTLS1.2 Transcript Collision Attacks Against MD5 Key Exchange
[CSCuw19185](#): Changing SIP source port of Phone is not reflected to BiB.
[CSCus48317](#): Navigation to Service Profile is not happening
[CSCuz44590](#): ULT with configured 'Call Pickup Group' cannot be configured to null
[CSCuz43866](#): TLS SIP Trunk reset due to mis-detected error
[CSCuz30670](#): ATA1901.2.2 QED/Firmware DevPack check in
[CSCuy82773](#): CUCM console-kit-dae process taking up 2Gb of memory
[CSCuy66601](#): CUCMBuffer Overflow For NSS Parsed ASN.1 Structures
[CSCux95217](#): Evaluation of ciscocm for NTP_January_2016
[CSCux90777](#): Upgrade JDK to 1.7.0_95 for Jan 2016 Critical Patch Updates
[CSCuw48368](#): CUCMOpenLDAP Ber_Get_Next Denial of Service Vulnerability

[CSCUw24319](#) : Evaluation of SSL/TLS CVE-2013-2566 single-byte biases Vulnerability
[CSCuz18234](#) : Phone FW for 792x 1.4.8.4 release
[CSCuz11737](#) : CUCM "Allow non-super user to grant access to administrative web pages"
[CSCuy91623](#) : MGCP FXO to Sip Shared lines showing unknown caller id until connected
[CSCuy50259](#) : CUCM cores due to Record-Route record in the SIP trace
[CSCuy20456](#) : 11.0.2 QED files for 8821 phones
[CSCuu46430](#) : LPM unable to purge the DRF Logs
[CSCux50482](#) : Proper handling of OpenSSL errors
[CSCuz25758](#) : Personal Address Book should sort according to last name
[CSCuz03763](#) : MWI Routing loop causes leak cause code 102
[CSCuz00266](#) : Audit logs Should contain old Phone MAC address when MAC is updated
[CSCuy96274](#) : CUCM SsManager table leak on multiple call redirection.
[CSCuy83555](#) : Re-invite fails for EO-EO redirected call with early media
[CSCuy42107](#) : Add a single-port RTP option to TSP
[CSCuy31670](#) : UCMUSER8821 PNG check-in
[CSCuy30769](#) : CM Send out CM FQDN instead of Top Level Domain through SIP Trunk
[CSCux90747](#) : VMware Tools 10.0 update fails on CUCM 10.5/11.0 with selinux denials
[CSCux10607](#) : IPv4 to IPv6 Interworking not able to transfer calls.
[CSCUw55248](#) : Windows 10 support for TAPI
[CSCUw43942](#) : SIP trunk call failures due to Mid-call INVITE timeout
[CSCUw60623](#) : One-way audio after SIP phone sends re-invite
[CSCuy72395](#) : Hub_None excluded from tie breaker calculation on effective path
[CSCuy90533](#) : LPM Tool should have permission to delete trace files under CTFTP
[CSCuy87299](#) : Caching issue while updating phones details for a PAB user
[CSCuy43998](#) : media control saving wrong capabilities
[CSCux41945](#) : CUCM is omitting DN part for the re-invite for a specific name
[CSCux34835](#) : Evaluation of ciscocm for Java_December_2015
[CSCUw98496](#) : Bad NULL-SHA cipher used in creating outbound TLS connection to Phone(2)
[CSCuv71724](#) : memory leak when processing incoming SIP NOTIFY messages over UDP-cores
[CSCUp66564](#) : Null pointer exception in CAR login page
[CSCUs68189](#) : HTTP Status 500 error in CAR page during login
[CSCuy74870](#) : CCM Process Memory Leak when SIP DNS SRV Records in Use
[CSCuy53732](#) : CTI Line Status Unregistered after temporary CTI - CCM SDL Link cut
[CSCuy15292](#) : Personal Directory XML Parse Error for entry with 32 Char or above
[CSCux19218](#) : UCMILS Coredumps on Authentication Settings Change
[CSCuy92593](#) : The userIdentity Field Not Set When Sync With OpenLDAP
[CSCuy60235](#) : Call Park Manager cause ccm service core when losing network connect
[CSCuy45449](#) : Directed call park stops working after some time
[CSCuy22016](#) : Impedance incorrectly using imported default on registration of ATA187
[CSCuy09616](#) : DVOR call not happening when both FAC and CMC enabled on route pattern
[CSCuy09369](#) : ACK message during re-invite has SDP, call drops
[CSCuy02795](#) : Call fails when the line initiating pickup tries to answer a ICT call
[CSCux20071](#) : CUCM not sending SDP in 183 to play Initial Announcement for queuing.
[CSCuv88655](#) : Device reported as OOS after linkOOS although device is still registered
[CSCun62804](#) : UCM DBAdd discoveryuseridentity and uniqueidentifier to enduser_create
[CSCUs53391](#) : PAB not sorted alphabetically (by last name) after upgrade to 10.x
[CSCuy81258](#) : Phone Manual/User guide is unavailable for 7811 phone in Self-Care (2)
[CSCuy41587](#) : ListChange not reflecting changes made in CUCM using AXL client

[CSCuy32014](#) : CUCMGLIBC Getaddrinfo Stack-Based Buffer Overflow
[CSCuy07640](#) : Unable to Import UDP when Enterprise/E.164 Alternate Number is true
[CSCuy03375](#) : CUCMBind DoS Processing Malformed APL Records
[CSCux74624](#) : CTI CallerID not updated after consulted transfer
[CSCuu92816](#) : RTMT doesn't list IM&P Services with multiple FQDN exits for same IMP IP
[CSCut13559](#) : Unable to Add / Delete IP SEC Configuration after Migration from 7 to 10
[CSCuy42493](#) : Data on CCMAdmin and BAT export are different
[CSCuy29693](#) : AMC causes device unregistered RTMT alerts after receiving invalid XML
[CSCuy21610](#) : The userIdentity Field Not Set When Sync With OpenLDAP
[CSCuy17895](#) : Phone Manual/User guide is unavailable for 7811 phone in Self-Care
[CSCux83666](#) : LDAP auth config reverts from ipaddr to default FQDN after CUCM upgrade
[CSCux66151](#) : RTMT- Evaluation of ciscocm for Java_December_2015
[CSCux47307](#) : Exception thrown when database connections exceed max. connection limit.
[CSCuy32868](#) : Hunt pilot not working intermittently
[CSCuy11523](#) : Silence streamed from MOH under heavy load on queued calls
[CSCux97401](#) : racing condition leads to hung signalling in SIPInterface
[CSCux82917](#) : CUCM cored - SIP Incoming message without Contact Header
[CSCuw17917](#) : CUCM 9.x Smart call home registration issue
[CSCuu78454](#) : Misguiding alerts in RTMT about car
[CSCuy12714](#) : non-Ascii characters are not displayed on IP Phone
[CSCuy09251](#) : IPMA Console Search Issue
[CSCux81942](#) : CCM Service Core When SIP Endpoint Sends SNFSubscribeInd in Active State
[CSCux74846](#) : Log Server entry in Phone Specific Configuration Help is incomplete
[CSCux74820](#) : Log Server entry in Phone Specific Configuration Help is incomplete
[CSCuy93330](#) : tvsGetNextThread() returned NULL
[CSCuv64397](#) : SCCP StationRegister cause CCM 10.5 to core
[CSCuv21285](#) : Recording Tone is always played for SNR calls
[CSCuy13881](#) : Geolocation pdf+xml not parsed due to corrupted mHost value in memory
[CSCuy00309](#) : EM thread dead lock causes maximum concurrent sessions reached error
[CSCuy19831](#) : BAT - Export Phones - Select/All Details Hangs
[CSCuy01919](#) : Bulk Export Line Group from BAT Display Incorrect Total Numberof Records
[CSCux78830](#) : CUCM media sessions not closing resulting in memory leak
[CSCuw11061](#) : Saving IPCC extension in CUCDM removes it from CUCM user page
[CSCux58486](#) : dateFormat and time format is not working in UpdateDateTimeGroup api
[CSCuw11066](#) : Update IPCC extension in CUCDM, operation fails but populates in CUCM
[CSCux52190](#) : Heap corruption trigger CTI Manager core 9.1.2
[CSCux19127](#) : 8861 CP-BEKEM does not display Nth line when EMCC User Logs In
[CSCuu21545](#) : User Ctrl VMA call is not working when DTMF signaling is set 'No Pref'
[CSCui69419](#) : FAC timer starting point should be delayed due to the announcement time
[CSCux73531](#) : Phones not accepting ITL files signed by the ITLRecovery key
[CSCux62870](#) : Entry in PAB cannot be added or deleted if Nickname contains a space
[CSCux55827](#) : CCM does not send an ACK after it receives 200 OK
[CSCuw05580](#) : Calls to HP(Queuing enabled)not working as expected when Agent available
[CSCuv83074](#) : Conference and MoH doesn't work if configured with server name
[CSCuu65414](#) : Interwork External Multicast MOH source to Unicast MOH
[CSCut82181](#) : Errors found when MOH is switching from Playing PA to music stream
[CSCus94962](#) : Generate preconfigured VMs(OVAs) as build output deliverables
[CSCus19754](#) : Two SIP phones registered with the same name results in CCM core

- [CSCui60607](#) : Make MOH so caller does not hear repeat ann immediately after greeting
- [CSCus02663](#) : Missing fax mLine in answer when inactive Fax mLine received in Offer
- [CSCux54208](#) : Locations "download topology" xml file is missing entries
- [CSCux54206](#) : CUCMLibpng Arbitrary Execution and DoS Vulnerabilities
- [CSCux48813](#) : Virtual FFF port is not being created when adding SCCP gateway via AXL
- [CSCuw59646](#) : Tomcat Upgrade to 7064
- [CSCuw38129](#) : Add support for X509 Name Constraints extension Other name field
- [CSCuw11633](#) : enhance change notify code for large columns for PMR 78810 227 000
- [CSCuw01791](#) : PMR78810 227 000check repair fails with SQL error 195 ISAM 143 deadlock
- [CSCuv48314](#) : Invalid DN in database when certificate common name contains doublequote
- [CSCuu24422](#) : IMP repeatedly imports tomcatrust certificate from CUCM
- [CSCut42768](#) : Missed calls are still logged when uncheckig "Log Missed Calls" on 79XX
- [CSCut33608](#) : Blind SQL injection issue on phoneEditdo page
- [CSCtl75789](#) : Intermittent false Server Down alerts received through RTMT
- [CSCur98596](#) : DRS support for aes256-ctr ciphers
- [CSCux64208](#) : Change in License Server for InstallAnywhere
- [CSCux50940](#) : Extend&Connect Outbound Calls Failing Using Standard Local Route Group
- [CSCux13055](#) : Installation of RTMT on 32-bit Windows 7 machine is getting errored
- [CSCux00070](#) : CUCM Autocomplete Not Specified for ILS Authentication Credentials
- [CSCuw82868](#) : Upgrade JDK for October 2015 Critical Patch Updates
- [CSCuw28566](#) : RPM Coredump received on CUCM cluster version 10.5.2.12016-1
- [CSCuw02206](#) : Certificates and CSRs generated with SHA1 hash & 1024 bit in some cases
- [CSCuv92008](#) : v.150 Dynamic Payload SIP NSE needs invalidated
- [CSCuv61745](#) : v.150 Dynamic Payload MGCP Support
- [CSCuv44419](#) : CUCMGrep Arbitrary Code Execution Vulnerabilities
- [CSCuv36064](#) : Cisco UCM Information Disclosure for certain web pages
- [CSCuv29884](#) : MGCP changes to support dynamic V.150 codec values.
- [CSCuv26281](#) : Evaluation of ciscocm for OpenSSL July 2015 vulnerability
- [CSCuu97143](#) : Handling of invalid V.150 codecs
- [CSCuu63528](#) : V150 Changes for SCCP
- [CSCuu55848](#) : SIP V.150MER dynamic payload changes
- [CSCur20688](#) : Multiple HostAgent core files generated
- [CSCux49021](#) : Database exceeds maximum connections is the issue
- [CSCux28855](#) : Selfcare page in English instead of German, when de-DE is installed
- [CSCuw29068](#) : On parallel broadcast to phones, a 503 Service Unavailable error is seen
- [CSCuv72501](#) : G729 Codec variants not mapped properly with multiple fntp lines
- [CSCuw11463](#) : UCM - Bind Malformed DNSSEC Key Failed Assertion Denial of Service
- [CSCux60445](#) : New license server For Install Anywhere
- [CSCux49673](#) : Authentication attempts to LDAP while using Webdialer proxy user
- [CSCux44250](#) : Hunt Pilots starting with '+' are not returned by perfmon
- [CSCux30379](#) : CUCM responds with 400 Bad Request to SIP INFO during mid call
- [CSCux26920](#) : CUCM makes audio port 0 on receiving multiple m lines from CUBE for MMOH
- [CSCux16027](#) : RSVP Session leak when transfer across SIP Trunk in SHADOW Loc
- [CSCux11900](#) : Cisco Unified Communications Manager NSS and NSPR Library Vulnerability
- [CSCuw92769](#) : "Between Location" links on secondary locations not available
- [CSCuw87432](#) : CUCM Admin Page Won't Accept "-" or "_" or "." in CTI Remote Device Name
- [CSCuw85074](#) : Evaluation of ciscocm for NTP_October_2015
- [CSCuw78346](#) : Upgrade failed due to the number of bytes in the dkey file is 65

- [CSCuw26299](#) : Process leak due to cause value not handled in Cdcc
- [CSCuv26864](#) : Line/Directory numbers are incorrectly ordered in CUCM self care portal
- [CSCuu85089](#) : CUCMOpenSaml Vulnerabilities
- [CSCuu26971](#) : Touchless install fails to add server entry when using clusterConfig.xml
- [CSCut34517](#) : Core in cfttp on 10.5.2.11900-3 and 11.0.0.98000-245
- [CSCus79875](#) : ImsReadAdminUserName Procedure returns a UserName with Null Credentials
- [CSCus21649](#) : CLONE - SIPHandlers rejects the inactive fax mLine.
- [CSCuv44401](#) : CUCM; NTP Vulnerabilities
- [CSCux27207](#) : Proxy TFTP continuously returns 503 after network impairment to leafs
- [CSCux26126](#) : UCM Configuration files and phone firmware for 8845/8865 11.0.1 release
- [CSCux17963](#) : 10.3(1)SR2 Feature Updates, Firmware Checkin for 8831 IP Phone
- [CSCuv85929](#) : CUCM back up file _UCM_CDPAGT.tar has encryption key in plain text
- [CSCuv62220](#) : Phone FW and support file for 8811/8841/8851/8851NR/8861 11.0.1 release
- [CSCuv44355](#) : CUCM; CURL Vulnerabilities
- [CSCuv44408](#) : CUCM; Sudo Privilege Escalation Vulnerability
- [CSCut45211](#) : Unable to edit numbers for existing Personal Directory contact
- [CSCux43613](#) : UCM Configuration files and phone firmware for 78xx 11.0.1 release
- [CSCux42937](#) : Phone FW and support file for 3905 9.4(1)SR2 release
- [CSCux24822](#) : CUCM not requesting for Media Resource Manager to Allocate MoH Server
- [CSCux22567](#) : Cannot use Mobility Softkey to switch from the desk phone to a mobile.
- [CSCuw91377](#) : Dual Ringback on phone when CUCM sends ui-state=ringout inUPDATE on CFN
- [CSCuv73792](#) : LBM Leak with multiple Broadcast Line Groups and SCCP
- [CSCuv69965](#) : utils import config fails to change application password for 10.5.2 CUCM
- [CSCuv62923](#) : Getting unsupported ciphers in FIPS mode
- [CSCuv44427](#) : CUCMPython Vulnerabilities
- [CSCuv29854](#) : rsyslog5 version vulnerable to multiple CVE's
- [CSCuv00283](#) : Not able to access CLI after DRS bacup and restore with FIPS.
- [CSCuu62577](#) : "Advertise Globally via ILS" inserts Alternate Number into Local DA
- [CSCut84956](#) : CUCM Park feature cannot retrieve calls
- [CSCut45250](#) : Personal Directory remains logged in after EM logoff/logon
- [CSCus02985](#) : Unable to Export debug level Audit Log to Remote Syslog Server
- [CSCuv13405](#) : CiscoSyslog log rotation exceeds the limit
- [CSCuw59266](#) : Call Transfer fails on CUCM when initialed from Attendant Console
- [CSCuv54501](#) : CCM core dump when phone processing speed dial configuration
- [CSCuv51863](#) : CUCM 10.5 & 11.0 RTMT - analyze call path error
- [CSCuv19736](#) : Post Migration of CUCM DRF Backups fail
- [CSCuw50916](#) : Circular algorithm not working correctly when call queuing is enabled
- [CSCuw22149](#) : Add 2 new resources for 2 new IMP GUI pages
- [CSCtf35144](#) : SIP REFERRED-BY is not working
- [CSCuv07349](#) : DST/TZ data upgrade with 2015g
- [CSCux11988](#) : AXL getUser gives error for users with multiple lines
- [CSCux07405](#) : CTIMgr cores on bulk CTIDbChangeNotify on numplan (DN) Insert/Upd/Delete
- [CSCux04799](#) : CTIManager core with invalid OAuthToken
- [CSCuu55380](#) : Redundant LDAP hosts are not used
- [CSCuw64866](#) : DST/TZ data upgrade with 2015e - RTMT
- [CSCuw53282](#) : Out of order mid-call re-invite not responded to correctly
- [CSCuw41476](#) : CUCM stops processing SIP calls due to SIPUdp connection being closed
- [CSCuw46845](#) : TFTP Proxy briefly sends 404's during service restart

- [CSCUw16858](#) : Proxy/Leaf TFTP Server sending 503's after Network Impairment
- [CSCUw63775](#) : CCM core due to allocation of memory with two extra bytes
- [CSCUw23493](#) : CUCM not sending SDP in acknowledgement to LYNC server for resuming call
- [CSCUu37401](#) : SME Core Dump due to not clearing ecpPtrList
- [CSCUw27210](#) : CCM Service not checking ProcessNodeRole while deciding Cluster Pkid
- [CSCUv92117](#) : Unable to download of logs through RTMT fails with permission issues.
- [CSCUq94353](#) : MOH resource(streams) are not released after the session is closed.
- [CSCUw63041](#) : Directed call park not working under race condition
- [CSCUw53630](#) : BAT not handling universal Phone Security Profile properly
- [CSCUu47473](#) : IM&PPCD migration from 10.x to 11.0 might cause GUI issues on IM&P
- [CSCUu18479](#) : TAPI SSO Auth Token Fetch issue...
- [CSCUv86160](#) : Not able to erase CTIManager Logs on updating Trace Output Settings
- [CSCUv47858](#) : CUCM - Libuser Privilege Escalation Vulnerabilities for /etc/passwd File
- [CSCUv17409](#) : Bulk loading 300 users fails to provision for certain users.
- [CSCUv67599](#) : Unable to set region pairing back to defaults
- [CSCUw28635](#) : CCM SIP core while accessing a stale ccb.
- [CSCUw36904](#) : 9.4(2)SR2 SIP/SCCP loads files for 894x IP Phones
- [CSCUw22277](#) : cp-mediacontrol timing issue passing OLC ack to SIP process
- [CSCUv65202](#) : Content-ID sent by Communications Manager is not FRC2392 compliant
- [CSCUv07151](#) : Emport/export issue when BLF is configured on the phones
- [CSCUu99738](#) : Phones reboot after uploading MultiSan Cert where case doesn't match CSR
- [CSCUu49985](#) : TSP 8.5(1.15) Allows non-admin users to change TAPI password
- [CSCUs21121](#) : Corporate Directory entry order is not alphabetical
- [CSCUo58633](#) : Route Plan Report shows Unmapped Exception error
- [CSCUr99233](#) : calling @go.webex.com meeting number is stored in recents as DN not URI
- [CSCUv73283](#) : PacketCapture fails in downloading of key file in FIPs mode
- [CSCUv57765](#) : LDAP Connection Timeout can't be changed from 5 sec it won't take effect
- [CSCUv40352](#) : Hunt Pilot not forwarding call when members are unregistered
- [CSCUv33290](#) : Fix usage of SSL in JAVA to address poodle vulnerability - DirSync
- [CSCUv53449](#) : CUCM - Error handling TKEY queries can lead to Bind DDOS
- [CSCUv89821](#) : Failed to download trace file from UCM with DimeGetFileService
- [CSCUv24353](#) : CUCM Prefixes 00 when adding Directory Number Range with \+.
- [CSCUu40206](#) : ATA190No icon in device page for devpack 10.5.2/11.0.1
- [CSCUq79553](#) : Memory leak triggered by duplicate IOS SCCP device names
- [CSCSy90529](#) : CDR Load status shows Unsuccessful if it is interrupted by DRS backup
- [CSCUa71863](#) : CAR Auto Purge MAX age below 34 days causes high memory usage
- [CSCUv99604](#) : 9.4(2)SR2 SIP loads and support files for 8961/9951/9971 IP Phones
- [CSCUv82344](#) : Add support for Extension Mobility Size Safe feature to 8845 phone
- [CSCUv72326](#) : getPhone gives error sporadically if ikdevice_primaryphone is not null
- [CSCUv67610](#) : Video set to 384 and Immersive bandwidth set to 2147483647
- [CSCUv23626](#) : Unable to export large number of data in BAT.
- [CSCUu63357](#) : SCCP recording enabled device sends UpdateCaps before sending OLCAck
- [CSCUu47104](#) : Call manager service crashes due to issues in reaching IM&P server
- [CSCUu25118](#) : Phone updates capabilities removing video, CCM changed it to codec=0
- [CSCUu20964](#) : AXL Nulls Parameters When Update Request Doesn't Contain
- [CSCUs42387](#) : Memory leak in LBMInterface during Code Yellow
- [CSCUr36639](#) : CUCM sends Malformed/MissingTO;field for data call with codec X-CCD/8000
- [CSCUv34080](#) : CUCM / SME not passing properly the ptime for G729

- [CSCuv29584](#) : call rejected after receiving 422 response, not sending new invite
- [CSCuv19482](#) : SIP 200 Ok with no SDP leaves SIP cdpc in reqOfferSent state
- [CSCuv13482](#) : U1-upgrade is failing with "Critical error"
- [CSCuv76159](#) : UCCE Client Login Error 12005 with second line shared
- [CSCuv85931](#) : CUCM back up file _UCM_CLM.tar has encryption key in plain text
- [CSCus10085](#) : Enable/Disable LBM Refresh Mechanism to reduce the ISV signal traffic
- [CSCuv79938](#) : Adding DX series 10.2.5 QED parameters
- [CSCuv19723](#) : Proxy TFTP return 503 service unavailable
- [CSCuv62722](#) : extensionsInfo, primaryExtension & ipccExtension do not work properly
- [CSCuv39370](#) : CUCM Software Session Initiation Protocol Memory Leak Vulnerability
- [CSCuv57329](#) : ILS 10.5 cluster does not insert URIs received from 9.1.2 Cluster
- [CSCuv52584](#) : GK entry in device table is getting associated with common phone profile
- [CSCuu17508](#) : Call Anchoring Fails on INVITE with SIP URI only (no blended addressing)
- [CSCuu02261](#) : UTF-8 name turns into garbled characters with QSIG SIP trunk
- [CSCut66011](#) : Transfer Fail Error 0x8000002c
- [CSCus99122](#) : Issue with MTP in DTMF scenario over SIP trunk
- [CSCut51204](#) : DTMF digits getting queued on SCCP side
- [CSCuv64099](#) : 9.4(1)SR2 SCCP/SIP firmware files for 6921/41/61/45 IP Phones
- [CSCuv52183](#) : SSL_ERROR_SSL handling in SdISSTCPConnection
- [CSCuv34143](#) : SIPInterface leak in CCM for T38 fax to audio fallback calls.
- [CSCuv33186](#) : updateGatewaySccpEndpoints-throws error if request in based on UUID
- [CSCuv22026](#) : CUCM does not forward call according to CFNC for calls using CTI RP/port
- [CSCuv06688](#) : CUCM drops video-call after session refresh
- [CSCuu67940](#) : CUCM sending UPDATE after 183 session progress
- [CSCuu63627](#) : URI dialing with "Apostrophe (') fails.
- [CSCut21219](#) : DB service crashes after switch version./ SELinux blocks cmoninit proces
- [CSCuu00543](#) : Fax call from H.323 to SIP with MTP fails
- [CSCuu76094](#) : ATA1901.2.1 QED/Firmware DevPack check in
- [CSCus76626](#) : Fix usage of SSL in JAVA apps to address poodle vulnerability - db
- [CSCuv29427](#) : 2911.5.0.98000-101 cc_mainline (CCM) Build Status Is FAILED
- [CSCuv13339](#) : Port config problem ISR4351 SCCP
- [CSCuu99733](#) : CLI login attempt not logged in remote syslog
- [CSCur09534](#) : Utils dbreplication status should not proceed if there is no good Sub
- [CSCuv23627](#) : Check in Firmware of 8845/8865 in 10.3.2 release
- [CSCuv02601](#) : SIP Normalization doesn't work for 3rd Party SIP Phones also with UDP.
- [CSCuu69291](#) : CUCM will not handle IPV6 m line for Fax
- [CSCuu58085](#) : PMR 32360 227 000Database replication does not complete due to 195.
- [CSCuu46978](#) : CUCM cores while handling CcInfoInd signal in stop_indication state
- [CSCut92727](#) : Jabber for android doesn't register on the secondary CUCM
- [CSCut66725](#) : Multiple Vulnerabilities in Cisco Unified Communications Manager
- [CSCuq90589](#) : Reflected Cross Site Scripting Vulnerabilities in CCM Reports Interface
- [CSCus51617](#) : Issue with CLI HA command run on CUCM node
- [CSCuv19611](#) : Core file generated - all phones unregistered (Part 2)
- [CSCuv02929](#) : Stunnel Multiple Vulnerabilities (CVE-2013-1762) for CUCM
- [CSCuv02113](#) : BAT issue after exporting UDP, it skips Busy Lamp field 1
- [CSCuu74218](#) : GetGateway request error
- [CSCuu58142](#) : CallsInProgress leaks when Incoming SNRD call is Rejected
- [CSCuu20587](#) : SME Cluster Internetworks SIP 180 Ringing with SDP as SIP Update

- [CSCuu09773](#) : VM port should use DeviceTransientConnection alarm
- [CSCuu08633](#) : Cannot delete all SNMP Community with "Apply to all Nodes"
- [CSCuu00241](#) : UCMBuffer Overflow and Info Disclosure Vulnerabilites in GLIBC
- [CSCut94383](#) : Import of Phone Button Template with many speed dials becomes corrupt
- [CSCut89621](#) : Migration from 6.1.5 to 10.x fails using PCD in installdb
- [CSCut65100](#) : Unable to enable FIPS on a freshly installed server
- [CSCut55579](#) : Additional SAST role in tokenless CTL file to address end-point lock-out
- [CSCut35513](#) : MTP is re-tagging the DSCP values for audio calls as video calls
- [CSCut28801](#) : Issue seen in call queuing over edge scenarios
- [CSCut19546](#) : Script injection vulnerability in CUCM
- [CSCus82843](#) : Using an External CA with FIPS Mode Enabled Crashes CAPF
- [CSCur97585](#) : SME doesn't propagate Delayed Offer SIP REINVITE use early offer instead
- [CSCus78859](#) : One step restore of CUCM+IMP fails if CUCM pub is rebuilt
- [CSCuu97800](#) : Core file generated - all phones unregistered
- [CSCuu92481](#) : Cisco Unified Communications Manager Multiple CUPS Vulnerabilities
- [CSCuu81402](#) : 1.4.7.3 loads and support files for 7925/7926 phones
- [CSCuu77145](#) : Similarity on CUP and CUCM IP causing ILS replication problems.
- [CSCuu59477](#) : SHA1 in CTL file with etoken is wrong if DER cert exceeds 2048 bytes
- [CSCuu39790](#) : DNA does not provide full call flow for E.164 patterns
- [CSCuu10266](#) : Ringback heard in Secure Mode - 180 Ringing after 183
- [CSCut58680](#) : Support for BLF Presence notify on DX endpoints over Edge
- [CSCut53471](#) : CUCM not appending "sip.cisco.multistream" during hold for multistream
- [CSCut09474](#) : Adding a gateway returns incorrect UUID
- [CSCus91423](#) : Incorrect port sent by CCM for early offer causes one way audio
- [CSCus44191](#) : Inconsistency in Failed Backup Notice on /ccmadmin
- [CSCus24036](#) : All https threads in use from slow LDAP response
- [CSCus21948](#) : CCMAAdmin EM Actively Logged in Device report does not display User ID
- [CSCur76009](#) : Added Support for DX series endpoints for Mobile & Remote Access
- [CSCue55353](#) : Add warning when regenerating TVS/CCM/CAPF certificate that phones reset
- [CSCuq22701](#) : T-38 fails when CM sends multiple re-Invites to fax server
- [CSCuu41653](#) : DRS Backup should not offer blowfish-cbc and none algorithms in fips
- [CSCut69012](#) : Upload of Customized Logon Banner fails in Unity Connection
- [CSCuu84269](#) : ccm ejects calls via DNS query when FQDN in contact
- [CSCuu79158](#) : CUCM DB not accessing correctly to H.323 Information
- [CSCuu64781](#) : MTP leaking DTMF digits RFC2833 to OOB for SIP to CTI calls
- [CSCuu37563](#) : Slow Phone Registration and High CPU on Leaf Nodes
- [CSCut82604](#) : 7935/7936 unable to perform conference or transfer after 10.5 upgrade
- [CSCut75601](#) : App User "Find More Phones" Option Omits Already Associated Devices
- [CSCut55817](#) : Uninformative licence warning
- [CSCut09788](#) : Only use localhostAddress in EMServiceServlet.java to load DTDs
- [CSCus01744](#) : Files have incorrect permission after migration to 10.5
- [CSCur90677](#) : TLS check box failing to validate TLS connection between CUCM and Tivoli
- [CSCur83976](#) : DRF Restore fails when different version backup co-exist in same path
- [CSCuo44391](#) : Bad NULL-SHA cipher used in creating outbound TLS connection to Phone
- [CSCuu79472](#) : IX5000 Telepresence endpoint - add H265 options
- [CSCuu71239](#) : addPhone request failes when ownerUserName has single character
- [CSCuu69964](#) : IMS FQDN validation fails for case mismatch of FQDN of certificate
- [CSCuu40786](#) : Can not ssh to the migrated server which is in FIPs mode

- [CSCut78092](#) : Remove HCS specific config from OVA
- [CSCut66440](#) : Unable to open an ssh connection in FIPS mode
- [CSCut61986](#) : Protective code in stopindicationCreateH245Interface to avoid core dum
- [CSCus47235](#) : CUCM 1052 CN not duplicated into SAN for CSR
- [CSCur99152](#) : fips enabled cucm migration failed from 861 to 1052
- [CSCur59758](#) : ILS should encode special characters when saving it in Database
- [CSCua17750](#) : capable of setting DiffieHellmanGroup14SHA1
- [CSCuu49879](#) : UCM Configuration files for 8845/8865 10.3.2 release
- [CSCut91447](#) : MMoH answer using previous outgoing SDP caused call transfer to drop
- [CSCut82848](#) : UCMKRB5 Vulnerabilities
- [CSCut61121](#) : UCMSetroubleshoot Command Injection via Crafted File Name
- [CSCut27483](#) : SIP KPML dtmf broken during call transfer.
- [CSCut19580](#) : XSS vulnerability on ccmivr page on CUCM
- [CSCur85651](#) : Certificate Exception seen in Serviceability due to Connection refusal
- [CSCus46753](#) : Support for Delegated trust model in OCSP response
- [CSCuu51723](#) : BAT job for Phone export fails while querying ASCII label
- [CSCuu34134](#) : Not able to login to Dest-CUCM Sub after M1
- [CSCuu08175](#) : Subscriber upgrade failed when the Pub was on 8.6.2 with 10.5.2 inactive
- [CSCut75712](#) : unable to update CTL file via CLI due to invalid certificate table entry
- [CSCut62787](#) : Verification of the CTL file failed
- [CSCut27712](#) : Multi-server cert not updated in the DB when domain name is in Caps
- [CSCus56895](#) : Not able to login to dest-CUCM after network migration.
- [CSCur97909](#) : Uploading multiserver cert doesnot delete self signed certs in DB
- [CSCuu50618](#) : Corporate and Personal Directory menus on CP-7937 are garbled with JPN
- [CSCuu30173](#) : Unable to update Directory URI using AXL is not working
- [CSCus76577](#) : Fix usage of SSL in JAVA to address poodle vulnerability - CMUI
- [CSCus50525](#) : CUCMCredentials in Clear Text in Secure file for SNMPv3 User
- [CSCuu15292](#) : Storing of User Credentials in Audit Log
- [CSCut49421](#) : Verification of ITL file failed upon executing utils itl reset localkey
- [CSCus76799](#) : Fix usage of SSL in JAVA to address poodle vulnerability - Webdialer
- [CSCus76651](#) : Fix usage of SSL in JAVA to address poodle vulnerability - ServSoap
- [CSCus33755](#) : Cannot enable ITLRecoveryKey on CUCM 10.5(2)
- [CSCus06157](#) : ITL File on disk is not the same as that served by TFTP Server
- [CSCuu34699](#) : Some of the mobility call scenarios broken with SCCP phones
- [CSCuu23209](#) : Phone firmware for Cisco IP Phone 8811/41/51/51NR/61 10.3.1 release
- [CSCus76808](#) : Fix usage of SSL in JAVA to address poodle vulnerability - RTMT
- [CSCus76717](#) : Fix usage of SSL in JAVA to address poodle vulnerability - IMS
- [CSCuu21796](#) : Update default telnet mode & add HTTPS for Collaboration Endpoints
- [CSCuu21022](#) : 78xx 10.3.1 release phone load 10-3-1-12 check in place-holder
- [CSCuu19473](#) : 9.4(2)SR1 SCCP/SIP phone loads for 79xx IP Phones
- [CSCuu18141](#) : Need to add Wireless LAN Profile support to DX80 and DX70 QED
- [CSCuu13960](#) : Blank removeTransPattern transaction deletes the first row in Numplan
- [CSCuu13590](#) : 8811/41/51/61 phone no configuration for Network Hold Moh AudioSource
- [CSCuu12435](#) : BAT does not insert CFA CSS and destination (Part 3)
- [CSCut63372](#) : CTL File broken with 4096 signature length certificates
- [CSCut18960](#) : TFTP crashes or hangs with too many open files
- [CSCus76517](#) : Fix usage of SSL in JAVA to address poodle vulnerability - Backup
- [CSCus76504](#) : Fix usage of SSL in JAVA to address poodle vulnerability - AXL

- [CSCus47804](#) : ms-CSR using text file with invalid entries should report Exception
- [CSCus35747](#) : TFTP tries to send response on closed connections
- [CSCur67631](#) : Support for CA signed cert with keylen of 4096 for ITL,TVS,tokenless CTL
- [CSCut90217](#) : Upgrade JDK to 1.7.0_79
- [CSCuu05415](#) : Enable dual bank for 78xx on CUCM
- [CSCut90659](#) : IPMA Status store (StartUpdate and StopUpdate
- [CSCut79665](#) : EM login fails with Error 12 with Apostrophe(') in DP Name
- [CSCut60376](#) : Misconfigured Mobile Connect-SNR causes call leak in StationD part2
- [CSCut60329](#) : Misconfigured Mobile Connect-SNR causes call leak in StationD
- [CSCut46146](#) : MARCH 2015 OpenSSL Vulnerabilities
- [CSCus30693](#) : TC end point becomes audio-only call after hold/resume
- [CSCur83890](#) : 10.3(1) Feature Updates, Firmware Checkin for 8831 Conference IP Phone
- [CSCuq44439](#) : CUCM / Arbitrary file retrieval vulnerability
- [CSCuu09573](#) : BAT does not insert CFA CSS and destination (Part 2)
- [CSCut96944](#) : CEChange phrase "Service name" to "Service domain"
- [CSCut96163](#) : Address selinux denials for dbcnclientpipe
- [CSCut78730](#) : CEChange phrase "Service name" to "Service domain"
- [CSCus18112](#) : UCCX creation of a call control group fails with AXL errors
- [CSCut72715](#) : CUCM does not send MDCX to the gateway after putting call on hold
- [CSCut45298](#) : Corporate Directory XML Parse Error for long strings
- [CSCut28516](#) : 9.4(2)SR1 SCCP/SIP loads and support files for 8941/8945 IP Phones
- [CSCus02709](#) : Add ASCII search key in Directory Search(UDS) for JP Users
- [CSCut76807](#) : Export DN shows pkid's instead of the proper names for CSS
- [CSCut52412](#) : BRI Protocol missing while configuring Cisco MGCP BRI Port for VG350
- [CSCus49679](#) : Unable to delete LSC on 78xx/88xx IPv6 phones - LSCConnection failed
- [CSCur65914](#) : BAT Import fails with max number of connections error
- [CSCut56037](#) : Phones Export and Import issue, mismtch in tables
- [CSCut52574](#) : Service profile blank page after a BAT import
- [CSCut37922](#) : Jabber Mobile device re-registration fails when built-in-bridge is on
- [CSCut33308](#) : BRI Phone/port cannot be configured for VG350 Gateway.
- [CSCut32451](#) : Incorrect terminal Connection State after hold on a CBarged call
- [CSCut30176](#) : DTMF fails due to CUCM not sending SUBSCRIBE when using FQDN
- [CSCut57688](#) : Add support for configuring proximity on mx800 dual
- [CSCut47746](#) : CDR not showing the correct duration for calls redirected by Unity cnxn
- [CSCut37916](#) : PRT softkey "Report" displayed not centralized
- [CSCus98735](#) : Certificate issues on CUP fresh installation
- [CSCus97790](#) : include cluster_info.xml in floppy image during migration
- [CSCus76752](#) : Fix usage of SSLv3 in RTMT application to address poodle vulnerability
- [CSCus14745](#) : Updating a signing Tomcat cert requires the Tomcat cert to be resigned
- [CSCur99180](#) : BAT not modifying Route Patterns using Import
- [CSCur88854](#) : 6901/11 931SR2 load check in
- [CSCur82676](#) : CUCM doesn't escape pound character # in Remote-Party-ID header
- [CSCur77512](#) : Commit ACT2 SUDI CA cert in CUCM DB
- [CSCut44137](#) : Unable to import IP Phones by BAT when Extension Mobility is subscribed
- [CSCut40980](#) : SME routed call fail - CUCM 10.5.2.11008-1 SIP-4025
- [CSCut40056](#) : Add support for configuring proximity
- [CSCut19504](#) : Local file read vulnerability on CUCM
- [CSCut11882](#) : updateAppUser request is validating for password tag

- [CSCus83367](#) : BAT- Error when trying to update values for slots of VG350 SCCP gateway
- [CSCus80465](#) : One Way Audio issue when two SIP 180-Ring received from PSTN
- [CSCus72996](#) : PCD selects wrong export directory
- [CSCur69443](#) : find button in Partitions for Learned Numbers and Patterns needs a fix
- [CSCur60158](#) : SIP Trunk with Early Media may respond 488 to quick mid-call invite
- [CSCuq52682](#) : CCM processs core dump due to random memory corruption
- [CSCun63825](#) : IMS Java library does not check FQDN during TLS connection with LDAP
- [CSCut30725](#) : UCM Bind Issue In Trust Anchor Management Can Cause Named to Crash
- [CSCus95329](#) : remote support user password is stored insecurely
- [CSCus70009](#) : Support file for 8851NR and 8811/8841/8851/8861 10.3.1 release
- [CSCut22159](#) : UCM Configuration files for 78xx 10.3.1 release
- [CSCus99318](#) : [VG350] Missing QED support for VWIC T1/E1 under VG350 on CUCM
- [CSCus98105](#) : IX5000 Telepresence endpoint - 14 seat layout
- [CSCus88308](#) : DST/TZ data upgrade with 2015a
- [CSCus76532](#) : Mismatch in security profile setting when endpoint provisioned from PCP
- [CSCus48716](#) : VG gateways should use Phone Alerts EndPointTransientConnection
- [CSCus34732](#) : CUCM returns 301 redirect response due to SIPS URI in Contact header
- [CSCus23371](#) : Location bandwidth leak on CUCM when logical partitioning is enabled.
- [CSCus11853](#) : CCMEncryption fallback mechanism fails, throws NullPointerException
- [CSCur83687](#) : libxml2 security update
- [CSCur63875](#) : Configuration param name for CollabEdge credential persistency
- [CSCuq99457](#) : ATA190Should support failover with IP if CUCM with no domain
- [CSCut19965](#) : 1.4.6.3 loads and support files for 792x phones
- [CSCus97421](#) : BAT does not insert CFA CSS and destination
- [CSCus84086](#) : Local route group for redirected calls fails if EM/UDP is logged out
- [CSCus61706](#) : ccm core due to ata sending Out of order RESUME in t38 reinvoke
- [CSCur79530](#) : ITL verification fails when using signed CallManager cert
- [CSCus91571](#) : BAT fails to modify E.164 alternate number mask
- [CSCus82737](#) : CUCM does not inform phone to stop encrypting on SRTP to RTP fallback
- [CSCus66320](#) : Details not shown in RTMT syslog viewer
- [CSCus42665](#) : Change in samAccountName in AD breaks LDAP sync for that user
- [CSCus18681](#) : [VG350] Missing QED support for BRI under VG350 on CUCM
- [CSCur99336](#) : UCM support of gateway recording for agent re-queuing by CVP
- [CSCus85880](#) : CUCM 10.5.2 CCM service intermittently cores
- [CSCus66650](#) : UCMGLIBC;nss_hostname_digits_dots() heap-based buffer overflow
- [CSCus26858](#) : December 2014 - NTPd.org Vulnerabilities
- [CSCus17793](#) : SIP Layer Unable to handle 180 and 200 ok with SDP back to back
- [CSCus08290](#) : SDPOfferRejectedInd sent for Update message
- [CSCur95815](#) : CUCM 10.x - ip phone displays same entry in different personal directory
- [CSCur92797](#) : Add subunit EM-4BRI-NT/TE for card EVM-HD on Slot 1 for MGCP GW 2951
- [CSCur68773](#) : EMCC doesn't pick up appropriate home cluster setting
- [CSCur49414](#) : PSIRTReporter Servlet allows access to contents of local files
- [CSCus78123](#) : PCD should enable and support product 10.6 version for UCCX
- [CSCus72831](#) : AXL's listUserResponse capitalizes telephoneNumber for 10.5.2
- [CSCus51284](#) : Unable to retrieve parked call on SIP 7942/7962 via BLF
- [CSCus47768](#) : IPV6 calls across sip trunk fails
- [CSCus35964](#) : Subscriber fresh installation fails with CUCM Version 10.5(2)
- [CSCuq02712](#) : CUCM 10.5 Multi-Server CallManager cert disallows changing security mode

- [CSCus77202](#) : ATA1901.1.2 firmware DevPack check in
- [CSCus77144](#) : ATA190Changes to "auto barge" and "echo cancellation"
- [CSCus62851](#) : CUCMJasper Arbitrary Code Execution Vulnerabilities
- [CSCus61696](#) : CTI port in CUCM doesnt accept "-" or "_" or "."
- [CSCus49295](#) : PCD installation fails with "Security Password" is empty.
- [CSCus20837](#) : CUCMCVE-2014-8500Delegation Handling Can Be Exploited to Crash BIND
- [CSCur66246](#) : H.323 gateway shows down when running on multiple nodes cause code 41
- [CSCus57373](#) : 8x to 9x upgrades broken due to incorrect reference of phone XML rule
- [CSCus50095](#) : CUCM 10 and 10.5 not backward compatible with AXL 9 query
- [CSCus44838](#) : Inserting RD through BAT fails with A subquery returned more than 1 row
- [CSCus29507](#) : CUCM showing wrong status of the devices on the Search Page
- [CSCus24732](#) : SIPCdpc incorrectly expects PRACK when UPDATE not supported
- [CSCus08038](#) : 1-way audio conferencing due to multiple begin-media handling
- [CSCur71984](#) : No Diversion header for SNR call if refer from HuntGroup
- [CSCur67141](#) : Add support for EEEOnPcPort and EEEOnSwPort config param to 78XX Phones
- [CSCur67137](#) : Add support for EEEOnPcPort and EEEOnSwPort config param to 88XX Phones
- [CSCus13276](#) : CUCM 10.5.2 security password recovery causes DB to not start at reboot
- [CSCur99102](#) : PCD Migration from 10.x to 10.5.2 fails
- [CSCur68969](#) : Redirect call fails when both primary and secondary DNs are set
- [CSCus25604](#) : Add support for MX800 Dual SpeakerTrack plus feature updates for MX & SX
- [CSCun65311](#) : Dialed number analysis results in Null pointer exception & Core dump
- [CSCus01569](#) : Upgrade rules to prevent 10.5(2) Respins from installing over ES's
- [CSCur78324](#) : Build In Bridge feature does not work on Mobility Client (BOT/TCT)
- [CSCur65013](#) : CUCM limit of 10 successive TPs impacting Customer deployment

Resolved Cisco Unity Connection Caveats in 10.5(2)ES84; base ES for 10.5(2)SU4

- [CSCuz26312](#) : Drs needs to check db consistency before Database backup
- [CSCuz20806](#) : Jabber unable to access VoiceMail after Upgrade is performed in SSO Mode
- [CSCuy57240](#) : CUC Error updating user with email-address containing Apostrophe
- [CSCuz50018](#) : To Catch Selinux policy install failure during install/upgrade scenario
- [CSCuz55172](#) : CUC - Diginet alternate extensions listing remote partitions
- [CSCuy85927](#) : directory handler does not play names in intended order.
- [CSCuy94274](#) : Unity Connection not sending Silence Packets in SRTP
- [CSCuy99881](#) : UC - Java Processes Missing from sudoers File Causes Lingering PID's
- [CSCuy71145](#) : Unable to change password through Cisco PCA
- [CSCuy83478](#) : Auto-discovery over LDAPS fails for UMS Test Button
- [CSCuy88944](#) : CUIPI Adding an external service with TtsOfEmailCapability at "false"
- [CSCux24578](#) : Cisco Unity Connection Cross-Site Request Forgery Vulnerability
- [CSCuy68234](#) : Mbxsync FindItem EWS requests not excluding calendaring items
- [CSCuy00023](#) : CUC 10.5.2.13900-12 Switch version failing on Subscriber node
- [CSCux35135](#) : Evaluation of connection for Java_December_2015
- [CSCuw52370](#) : unable to create Unity User from CUCM end user link
- [CSCux68971](#) : Need to update the sudoers for all C++ Processes.
- [CSCuj85141](#) : VMMonitorCall thread stuck leading UC not to answer calls
- [CSCux67499](#) : SQL NullPointer Exception while syncing CUC's user information via PCP
- [CSCuw83224](#) : Need RTMT alert if DynDB for Unity Connection goes full or close to full
- [CSCum24094](#) : CUC; Running SysAgent Task on Secondary Server gives incorrect error

- [CSCup92741](#) : Unity Connection Reflected Cross Site Scripting
- [CSCus01998](#) : UC to Handle 491 Request Pending in Release to Switch Transfer
- [CSCuq98969](#) : CuCsMgr Core Dump when Call is placed while Port Group is Reset
- [CSCuu63531](#) : Unity connection sending incorrect cseq in CANCEL messages
- [CSCut34899](#) : User must change at next signIn doesn't prompt for a paswd change pop-up
- [CSCuw99186](#) : AVC Denials for logrotate
- [CSCuw80758](#) : US207177 Upgrade of RSA CryptoJ from 5.0.1 to 6.1.3
- [CSCuw80734](#) : US207177 Upgrade of RSA SSLJ from 5.1.1.4.3 to 6.1.4 version
- [CSCuw83461](#) : CUALS SQL query optimization
- [CSCuu40079](#) : Switch version failing due to constraint violation in tbl_timezone
- [CSCtn18812](#) : ACE_File_Lock;;ACE_File_LockPermission denied
- [CSCuv93175](#) : HTML Notification image not displayed when Alias created with %20
- [CSCuw78824](#) : Support for Tomcat upgrade to 7.0.64
- [CSCux65172](#) : Webinbox and Miniinbox with QT 7.7.6 on Windows 7
- [CSCuw87240](#) : Unable to move mailbox users with large number of messages
- [CSCux00410](#) : UC10.5 CH doesn't work when re-directing with "+" & CH is w/o "+" in UC
- [CSCuw93879](#) : Greeting uploaded via bulk edit disappear in some scenarios
- [CSCux05117](#) : SELinuxAVC Denials while deleting stderr.log file of Jetty
- [CSCuv53622](#) : [INTDEV]US208645GS load Enhancement for Unity Connection
- [CSCuw61288](#) : Enable "MbxSynchUsePaging" during upgrade from 8.x/9.x to 10.x and later
- [CSCuw48498](#) : UC 10.5//Call screening not working with voice enable directory handler
- [CSCuw28427](#) : Unity Connection shows Hex in Message Subject if URI contains space sequence
- [CSCuw44868](#) : Switch version failed with KeyError'MessageType'
- [CSCuw83074](#) : Unity Connection API's not returning the correct total
- [CSCuw55559](#) : Unable to play Busy Greeting over SIP
- [CSCuw16068](#) : Unity Upgrade from 9.1 to 10.5.2 unnecessarily deletes ucuser.xml
- [CSCuv63824](#) : Multiple SQL injection vulnerabilities in Unity
- [CSCuv41569](#) : SparePartitionLowWaterMarkExceeded RTMT Alert due to large out.cuvrt.txt
- [CSCtr50458](#) : CuMixer Core Dumps during SRTP Decryption
- [CSCuv31252](#) : Upload of large voicemail wav file do not work on WebInbox in Firefox
- [CSCuv73956](#) : Sender display name is junk characters for non-unity subscriber
- [CSCuw24395](#) : IN-Bound VPIM messages will fail, if there is no SUB field in message
- [CSCut99307](#) : Jetty Service getting abruptly stopped in enforcing mode
- [CSCus88698](#) : Switch version failing for 11.0.0.98000-158 to 11.0.0.98000-169
- [CSCuv04411](#) : Cannot edit extension for imported ldap users
- [CSCuv11233](#) : users and usertemplate API doesnt support subsub domains as emailaddress
- [CSCuv46838](#) : Unable to add multiple comma-seperated SMTP addresses via VMrest API
- [CSCuv04949](#) : Secure SCCP integrtrion not working properly
- [CSCuv32210](#) : CUC Greetings Uploaad "failed to record name"
- [CSCuu97867](#) : Ldap Integrate/Do not integrate do not work via CUPI
- [CSCuv21270](#) : Improper AXL Message While connecting to latest CUCM
- [CSCuu32724](#) : Secure messages can't be played from relay address when recp is remote
- [CSCuv11275](#) : Message is not marked read after deleting it during play through VVM
- [CSCuu68923](#) : UC 10.5.1 - Corporate Email Fails to Sync When LDAP is Updated
- [CSCuu18688](#) : Changing Unified Messaging Service password returns DB error.
- [CSCuu42960](#) : TLS fails while fetching server certs from CTL files in case of MultiSAN
- [CSCuu16403](#) : Refresh Upgrade of Subscriber failed from 9.1.2 to 10.5.2
- [CSCuu02013](#) : Call Handler Traffic Report truncating call handler name

- [CSCuq98972](#) : Download of logs through RTMT fails with permission issues.
- [CSCut99489](#) : Upper Save button in the Create New Destination page doesn't work.
- [CSCuq64344](#) : Fields with Data imported via AXL is not greyed out
- [CSCut93001](#) : 'On Notification Failure', the selected values are not retained.
- [CSCut64262](#) : CUC User template not displays remote CSS on 10.5.2 when digitally N/w
- [CSCut48660](#) : Upgrade failing on GGSG Build
- [CSCus58742](#) : DOD Jabber Scaling Enhancements
- [CSCut12963](#) : Mbxsync crashes with cumbxlocator traces enabled
- [CSCus49745](#) : SYSTEM RESTORE TOOL
- [CSCuu27443](#) : SMTP, MTA, Replicator Agent sort files throw IllegalArgumentException
- [CSCuu17393](#) : Error msg in getting in logs while resetting phone system page in CUCA
- [CSCuu17272](#) : In CPCA,on entering garbage in Number Pattern,the old value gets deleted
- [CSCuu09365](#) : Report data is not accurate in Unity Connection
- [CSCut97692](#) : INTERNALDEV US192600 Rapid extension addressing
- [CSCut84428](#) : Password length is not prompted during reset on PIN expiry
- [CSCut59542](#) : Phone sends BYE due to crypto mismatch in SRTP
- [CSCut33244](#) : Reverse Trapsemaphore leak
- [CSCut31628](#) : Stderrout jetty log is getting generated in huge amount
- [CSCut28345](#) : Blank subject in SMTP notification if using non-default locale CUC 10.5
- [CSCut21967](#) : Unity Connection Jetty Log is not descriptive
- [CSCut19195](#) : Dial Extra Digits field does not exist in Pager Notification Devices
- [CSCus01573](#) : Ucxn web UI and vmrest interface outages in CTG Alpha
- [CSCur57826](#) : SIB synchronization Thread Exit while error in parsing EWS response
- [CSCur10534](#) : Unity Connection 10.5 TLS/PKI inter-op redundant CUCM
- [CSCuq76274](#) : Issue in bulk edit task for modifying alternate extension
- [CSCuq66432](#) : UC - Secure Msgs Not Delivered if Accept and Relay is Enabled
- [CSCuq96642](#) : CuDBProxy core generated on CUC 10.5.1.10000-7
- [CSCuq64179](#) : Voice Enabled Directory Handler allows transfer to unknown extension
- [CSCuu52561](#) : JDK Upgrade for 10.5.2 ES
- [CSCuu40352](#) : Transfer loop after upgrade to CUC 10.5.2
- [CSCut54944](#) : Search Space for a Tenant CallHandlerTemplate mapped to Connection SS
- [CSCut13696](#) : Dynamic db getting filled with tbl_Idapsyncq entries
- [CSCus53138](#) : Unable to set default language to a user.
- [CSCut15971](#) : UC 10 - User Template - cannot use "-" in domain name for Relay Address
- [CSCus11814](#) : Dropdowns in Web Inbox not working with IE11
- [CSCus41121](#) : Notifier Service restart during executing calendaring event notification
- [CSCur43137](#) : Mediamaster ErrorSave recording fails on accessing CiscoPCA via INBOX
- [CSCus69766](#) : Evaluation of glibc GHOST vulnerability - CVE-2015-0235
- [CSCus68609](#) : UCXN sends SRTP answer in reply to EO RTP offer
- [CSCus85994](#) : Connection Sysagent terminates while executing task "Check UM Services"
- [CSCur13541](#) : Failed Mailbox DB Creation causes Upgrade Failure (L2 upgrade)
- [CSCuq38796](#) : Failed Mailbox DB Creation causes Upgrade Failure
- [CSCus11432](#) : CUC includes full SIP URI in "From" on Voicemails with "-" in ANI
- [CSCus33633](#) : Unity Connection switch verison fail to 10.5.2
- [CSCur93296](#) : "More Options" in Contact Template->Locations-drop-down opens blank page
- [CSCua00059](#) : Upgrade fail on SU releases when locales installed
- [CSCur89579](#) : Alt greeting end time config off 1 hour due to DST change
- [CSCus29428](#) : HTTP 500 failure when using API enable Notification on CUC 10.5

- [CSCus28531](#) : To track the code changes of NTLM support with FIPS in unity connection
- [CSCus28314](#) : TTS functionality not working in FIPS mode
- [CSCur94099](#) : Message sending failed in early offer via "release to switch" in SRTP
- [CSCur85359](#) : UC SRSV node unable to upload voicemails with No caller ANI info.
- [CSCur82675](#) : The contents of tbl_receipttext get reversed after switch version
- [CSCur75502](#) : Wrong DSCP marking for 100 Try, 180ring, 200ok in SIP signalling traffic
- [CSCuq89577](#) : User Administrator access issue for Notification Devices under user edit.

Open Caveats

Open Caveats for Cisco Unified Communications Manager Release 10.5(2)SU4a describes a few of the possible unexpected behaviors still remaining in Cisco Unified Communications Manager Release 10.5(2)SU4a. For a complete list of open caveats please access the bug toolkit located at: https://bst.cloudapps.cisco.com/bugsearch/?referring_site=btk



Tip

For more information about an individual defect, click the associated Identifier in the to access the online record for that defect, including workarounds.

Open Caveats

- [CSCvv08992](#) : CUCM IPMA shows error "Unable to update. Please contact System Administrator"
- [CSCuq13927](#) : Addition/Removal of CiscoTSP providers fail intermittently
- [CSCuz10194](#) : Secured connection to CUCM failing with CiscoTSP 32bit-plugin.

Firmware / Device Loads

SUs contain firmware loads, however, Cisco recommends that you always download the latest firmware load from the Voice Software Download Center.

Phone Firmware

To download phone firmware, follow this procedure:

Step 1 Go <http://www.cisco.com/cisco/software/navigator.html?mdfid=278875240&i=rp>

Step 2 Select **Collaboration Endpoints** in the center column

Step 3 Select **IP Phones** in the right most column

Step 4 Select the desired phone series in the right most column

Step 5 Select the desired phone model in the right most column

Step 6 From the options that display, select the desired software type for your deployment.

Device Packages

Firmware upgrades not explicitly addressed in the Phone Firmware section can be obtained via Dev Packs. To download Dev Packs for this release, follow this procedure:

Step 1 Go <http://www.cisco.com/cisco/software/navigator.html?mdfid=278875240&i=rp>

Step 2 Select **Call Control** in the right most column

Step 3 Select **Unified Communications Manager (CallManager)** in the right most column

Step 4 Select **Unified Communications Manager Version 10.5** in the right most column

Step 5 From the options that display, select **Unified Communications Manager/CallManager Device Packages**

Step 6 From the options that display, select the desired release for your deployment.

Firmware Versions in this Release

Device type	Load name	Version
3905	3905.9-4-1SR2-2	9.4(1SR2.2)
3911_3951-sip	3911_3951-sip.8-1-4a	8.1(4.0)
6608	6608-4.0.0.32-mgcp	4.0(0.32)
6608cfb	6608cfb-4.0.0.03-sccp	4.0(0.3)
6608mtp	6608mtp-4.0.0.06-sccp	4.0(0.6)
6624	6624-4.0.0.13-mgcp	4.0(0.13)
6901-sccp	6901-sccp.9-3-1-SR2-2	9.3(1.0)
6901-sip	6901-sip.9-3-1-SR2-3	9.3(1.0)
6911-sccp	6911-sccp.9-3-1-SR2-3	9.3(1.0)
6911-sip	6911-sip.9-3-1-SR2-4	9.3(1.0)
6945-SCCP	6945-SCCP-9-4-1-3SR2	9.4(1.3)
6945-SIP	6945-SIP-9-4-1-3SR2	9.4(1.3)
69xx-SCCP	69xx-SCCP-9-4-1-3SR2	9.4(1.3)
69xx-SIP	69xx-SIP-9-4-1-3SR2	9.4(1.3)
78xx	78xx.11-5-1-18	11.5(1.18)
7902	7902-8.0.2-sccp	8.0(2.0)
7905	7905-8.0.1.1-sip	8.0(1.1)
7905	7905-8.0.3-sccp	8.0(3.0)
7910	7910-5.0.7.0-sccp	5.0(7.0)
7911_7906-sccp	7911_7906-sccp.9-4-2SR1-1	9.4(2SR1.1)
7911_7906-sip	7911_7906-sip.9-4-2SR1-1	9.4(2SR1.1)
7912	7912-8.0.1.1-sip	8.0(1.1)
7912	7912-8.0.4-sccp	8.0(4.0)
7914-sccp	7914-sccp.5-0-4	5.0(4.0)
7915	7915.1-0-4-2	1.0(4.2)
7916	7916.1-0-4-2	1.0(4.2)
7920-sccp	7920-sccp.3-0-2	3.0(2.0)
7921-sccp	7921-sccp.1-4-6-3	1.4(6.3)
7925-sccp	7925-sccp.1-4-8-4.k3	1.4(8.4)
7926-sccp	7926-sccp.1-4-8-4.k3	1.4(8.4)
7931-sccp	7931-sccp.9-4-2SR1-1	9.4(2SR1.1)
7931-sip	7931-sip.9-4-2SR1-1	9.4(2SR1.1)
7935-sccp	7935-sccp.3-2-19	3.2(19.0)
7936-sccp	7936-sccp.3-3-21	3.3(21.0)
7937	7937-1-4-4-SCCP	1.4(4.0)
7937	7937-1-4-5-7-SCCP	1.4(5.7)

7940-7960	7940-7960-8.12.00-sip	8.12(00.0)
7940-7960-sccp	7940-7960-sccp.8-1-2SR2	8.1(2SR2.0)
7941_7961-sccp	7941_7961-sccp.9-4-2SR1-1	9.4(2SR1.1)
7941_7961-sip	7941_7961-sip.9-4-2SR1-1	9.4(2SR1.1)
7942_7962-sccp	7942_7962-sccp.9-4-2SR1-1	9.4(2SR1.1)
7942_7962-sip	7942_7962-sip.9-4-2SR1-1	9.4(2SR1.1)
7945_7965-sccp	7945_7965-sccp.9-4-2SR1-1	9.4(2SR1.1)
7945_7965-sip	7945_7965-sip.9-4-2SR1-1	9.4(2SR1.1)
7970_7971-sccp	7970_7971-sccp.9-4-2SR1-1	9.4(2SR1.1)
7970_7971-sip	7970_7971-sip.9-4-2SR1-1	9.4(2SR1.1)
7975-sccp	7975-sccp.9-4-2SR1-1	9.4(2SR1.1)
7975-sip	7975-sip.9-4-2SR1-1	9.4(2SR1.1)
7985	7985-4-1-7-0-sccp	4.1(7.0)
8831-sip	8831-sip.10-3-1SR2-2	10.3(1SR2.2)
8845_65-sip	8845_65-sip.11-5-1-18	11.5(1.18)
88xx-sip	88xx-sip.11-5-1-18	11.5(1.18)
894x-sccp	894x-sccp.9-4-2SR2-2	9.4(2SR2.2)
894x-sip	894x-sip.9-4-2SR2-2	9.4(2SR2.2)
8961	8961.9-4-2SR2-2	9.4(2SR2.2)
9951	9951.9-4-2SR2-2	9.4(2SR2.2)
9971	9971.9-4-2SR2-2	9.4(2SR2.2)
ata	ata-3.2.4-sccp	3.2(4.0)
ata187	ata187.9-2-3-1	9.2(3.1)
ata190	ata190.1-2-2-003	1.2(2.3)

Cisco Unity Connection RPMs

CCM Reference Build: 10.5.2.14901-1

Cisco Unity RPMs:

BuiltRPMsList

NRec-9.0-14.i386-rhel3.rpm
 NRec-en-US-9.0-0.i386-rhel3.rpm
 NSS-5.1.8.2-2012060116.i386-linux.rpm
 NuanceVersion-4.0.3.3-50.i386.rpm
 cuc-10.5.2.14900-1411.i386.rpm
 cuc-base-10.5.2.14900-1411.i386.rpm
 cuc-bin-10.5.2.14900-1411.i386.rpm
 cuc-etc-10.5.2.14900-1411.i386.rpm
 cuc-install-10.5.2.14900-1411.i386.rpm
 cuc-jetty-10.5.2.14900-1411.i386.rpm
 cuc-languagepack-enu-10.5.2.14900-1411.i386.rpm
 cuc-lib-ext-10.5.2.14900-1411.i386.rpm
 cuc-lib-jar-10.5.2.14900-1411.i386.rpm
 cuc-lib-so-10.5.2.14900-1411.i386.rpm
 cuc-links-10.5.2.14900-1411.i386.rpm
 cuc-productid-10.5.2.14900-1411.i386.rpm

```
cuc-python-10.5.2.14900-1411.i386.rpm
cuc-python-site-10.5.2.14900-1411.i386.rpm
cuc-selinux-10.5.2.14900-1411.i386.rpm
cuc-share-10.5.2.14900-1411.i386.rpm
nvn-American-English-en-US-Samantha-5.0.0-9133.i386.rpm
nvn-api-5.0.2-10035.i386.rpm
openssl097a-0.9.7a-9.el5_4.2.i386.rpm
```

Plug-In Report

```
-----
cm-taps-plugin-7.0.2.0-1.i386.rpm
cm-axlsqtoolkit-plugin-1.1.0.0-1.i386.rpm
cm-tsp-plugin-10.5.2.9-0.i386.rpm
cm-ctlc-plugin-6.0.0.1-1.i386.rpm
cm-jtapi-plugin-10.5.2.14900-1.i386.rpm
cm-rtmt-client-plugin-10.0.0.0-0.i386.rpm
```

TZDATA file

```
-----
platform-tzdata-2016d-1.el6.i386.rpm
Version
2016-d
```

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the *What's New in Cisco Product Documentation* as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS version 2.0.

Cisco and the Cisco Logo are trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and other countries. A listing of Cisco's trademarks can be found at www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1005R)

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

© 2016 Cisco Systems, Inc. All rights reserved.