

ليجست و ديهمتلا ىلع CSSM نيوكت ISE مادختساب صيخارتلا

تايوتحمل

[قمدقمل](#)

[قيساسال تابلطتم](#)

[تابلطتم](#)

[قمدختسم تانوكمل](#)

[نيوكتلا](#)

[قكبلل ليطي طختلا مسرلا](#)

[VMware نم ESXi ىلع CSSM تيبثت](#)

[PREM-ىلع CSSM لي اولال نيوكتلا](#)

[يكذل باسجلا عم دادعلا ىلع CSSM جم](#)

[تنترتنالب لاصتالا لالغ نم اقبسم زاوجل ىلع ك صاخلا CSSM لجس: 1 رايخلا](#)

[تنترتنالب لاصتالا نودب رتوي بمكل ىلع ك صاخلا CSSM لجس: 2 رايخلا](#)

[ISE عم دادعلا ىلع CSSM جم](#)

[Windows ق دم عجرم نم تاداهش عاشنا](#)

[Windows Server ىلع DNS تالجس ةفاض](#)

[اهجالص او عا طخال فاشكتسا](#)

[\(ISE ف اطح\) لوصول لباقر ريغ IP ناووع/فيضمل](#)

[\(CSSM on-prem ف اطح شرح\) Cisco ىل لوصول رذعتي SSO ةمدخ](#)

[قمر قلووجل اىجرى DNS لجل لباقر IP ناووع و ا فيضم مساسيل CSR ف عئاشلا مسالا \(PREM ىلع CSSM ف اطح\) ريخا](#)

قمدقمل

باسجل او (ISE) Cisco نم ةيوهلا ةمدخ كرحم عم مداخل ىلع CSSM لماكت دنتسملا اذه فصى
ةمات ةسالسب دادعلا نم صي امم، Cisco نم يكذل

قيساسال تابلطتم

تابلطتم

ISE 3.x

202304+ رادصلا 8 رادصلا، Cisco (CSSM) نم يكذل جمانربلا ري دم

قمدختسم تانوكمل


- 3.2 2 ةيوهلا ةمدخ كرحم حيحصت
- SSM ىلع PREM 8.20234

- Windows Active Directory 2016 (DNS وCertificate Authority services)
- VMWare ESXi 7 رادصإل

ةصاخ ةي لم عم ةئي ب ي ف ةدوجوملا ةزهجال نم دنتسملا اذه ي ف ةدراول تامولعمل اءاشنإ م تناك اذإ .(يضا رتفا) حوسمم نيوكتب دنتسملا اذه ي ف ةمدختسُملا ةزهجال اءي مء آءب رمأ يال لم تحملا ريثأتلل كم هف نم دكأ ف ،ليغشتلا دي ق ك تكبش

نيوكتل

ةكبش ل ل يطي ختل مسرلا



ةماع ايءولوبوط


VMware نم ESXi ل CSSM تيبت

1. يلاتلا طابترالا مادختسإ كنكم ي Cisco IOS® ءمانرب لي زنتب مق :

<https://software.cisco.com/download/home/286285506/type/286326948/release/8-202304>


2. VMware نم ESXi ي ISO لي مءت .

DataCore ءفصتم > ني زختلا ةءو ل ل لقتنا




تانايېللا ضرعت سم مسق

3. (يراي تخ) دي دج دلجم عاشن ل ليلد عاشن قوف رونا.




ليلدلا عاشن

CSSM: دلجم عاشن مت، لاثملا اذه يف




تادلجمل اءاشنا

4. فلم رتخأ م ث ليمحت قوف رقنا .




ت ليمحت ISO

CSSM: دلجم ي ف ISO فلم دجوي نآلا:




ISO لېمحت لمتك

5. VM لېجست / عاشن | > ېره اظلا زاچلا ىل لقتنا .ېره اظلا زاچلا عاشن اب مق .



01 ةدېج VM ةوطخ عاشن |

6. ېلاتلا قوف رقن او دېج ېره اظلا زاچلا عاشن ارتخا .




02 ةديج VM ةوطخ عاشنا


7. ةيلات ال تامل عمل نيوك تب مق م ث:

- يره اظلا كزاهج مسا لخدأ: م سالا.
- ثدجأ رادصا و ESXi 6.5 و ا ثدجأ رادصا و ESXi 6.0 اما دج: ق فاولا.
- Guest OS: Linux لي غشت ال ماظن ةلئاع.
- Linux 2.6x (ا رادصا) و CentOS 7 اما رتخأ: Guest لي غشت ال ماظن رادصا ا ىرألا (تب)

(يلات ال) Next قوف رقنا.




8. يلاتل قوف روناو كيدل نيزختلا ةدحو دح.



نيزختلا تادحو ةمئاق

9. يلاتل تاملعمل نيوكت:

- تابلطتم يلعل فلال vCPU دادعإ دم تعي. ىندأ دحك 4: ةيزك رمل ةجالعمل ةدحو
كب صاخلال سايقملا



سباقم لا ددع نع رظنلا ضغب 1 ىل ع سباقم لكل زكارم لا رادقم نييعت مزلي: ةظحال م
ةيزكرم ةجالام ةدحو نيوكت نيوكت مزلي، لاثم لا لىبس ىل ع. ةددحم لا ةيره اظلا
سباقم لكل دحاو زكرم و سباقم 4 ةئيه ىل ع تلوف 4 ةعرسب (vCPU)

▼ CPU	4 ▼ ⓘ
Cores per Socket	1 ▼ Sockets: 1

ىونلا نيوكت

- تىاباجي ج 8: ةركاذلا
- دادم إالا ىل ع دادم إالا نييعت نم ققحتو تىاباجي ج 200 ةعس: ةتباتلا صارقألا كرحم قىقدلا

▼ Hard disk 1	200	GB	✕
Maximum Size	869.33 GB		
Location	[datastore1] CSSM TAC		Browse...
Disk Provisioning	<input checked="" type="radio"/> Thin provisioned <input type="radio"/> Thick provisioned, lazily zeroed <input type="radio"/> Thick provisioned, eagerly zeroed		

صرقلا ةئيهت

- ةقاطلا ليغشت دن ع ليصوت ددحو E1000 ةئيهت عون ددح: ةكبشلا ةئيهت


▼ Network Adapter 1	VM Network
Status	<input checked="" type="checkbox"/> Connect at power on
Adapter Type	E1000e

ةكبشلا تادادع| نيوكت

- ISO فلم ددحو "ISO تانايب فلم رتخأ: DVD صارقأ / ةطوغضملا صارقألا كرحم


Datastore browser

Upload Download Delete Move Copy Create directory | Refresh

datastore1	.sdd.sf	SSM_On-Prem-8-2...	 SSM_On-Prem-8-2023... 2.92 GB Wednesday, July 26, 2...
vmimages	CSSM		

ISO ةروص


ةقباسلا تاوطخلا تنأ م تي نإ ام دادعإ ةي لم عملا ةصالخ تققد عي طتسي تنأ



VM 01 نيوكت صخلم

(يالات ل) Next قوف رقنا.


ءاهن قوف رقنا 10.



VM 02 نيوكت صخلم


PREM-يلى CSSM لىل وئال نيوكتال

1. كىب صاخلا VM جمانرب ددو ةيضا رتفالا ةزهجالا لىل لقتنا VMware ESXi، جمانرب يى قىقاطالا لىغشت قوف رقتا مث




قىقاطالا لىغشت رايخ

2. حتف > مكحتلا ةدحو دح (VM) ةيضا رتفالا ةزهجالا مكحت ةدحو ةرادال ةددعتم تارايخ كىدل. ضرعتسملا مكحت ةدحو



يرهاظلا زاھجلا ةرادا تارايخ

3. كىب ةصاخلا ةكبشلا تادادع لىل نيوكتال مق.



CSSM FQDN لرب موقوي يذلا DNS مداخل IP ناووع نيوكت مهمل نم :ةظحالم

Cisco SSM On-Prem Installation

System Settings:
 Hostname:
 Message Of The Day: Security Profile: FIPS 140-2 Mode:

Hardware Settings:
 CPU Model: Intel(R) Xeon(R) CPU E5-2699A v4 @ 2.40GHz CPU Threads: 4 Architecture: 64-bit
 Total System Memory: 8174636 kB Free Memory: 4330340 kB
 Available Disks: sda (200Gb) Encrypt Drive with LUKS: Enable USB:

Network Settings:
 Network Device:

IPv4 Configuration	IPv6 Configuration
Method: <input type="text" value="Static"/>	Method: <input type="text" value="Disabled"/>
Address: <input type="text" value="10.4.23.60"/>	Address: <input type="text"/>
Netmask: <input type="text" value="255.255.248.0"/>	Prefix: <input type="text"/>
Gateway: <input type="text" value="10.4.16.1"/>	Gateway: <input type="text"/>

Configure DNS: Specify more than one with commas

CSSM تادادع | نيوكت

ةديجال CLI رورم ةم لك نيوكتل قفاوم قوف رونا.

لوصول رماو ةجوم ةيؤر نم نكمتت ىتحت يهتنتو تيبتتال ةيلمع أدبت مث 4.

```

CSSM
#####
#                               #
#           Authorized access only!           #
#                               #
# Disconnect IMMEDIATELY if you are not an authorized user!!! #
#           All actions Will be monitored and recorded           #
#                               #
#####

SSM-On-Prem login: _

```

CSSM ل لولال نيوكتل لمتكا

5. https://<ip_address_cssm> لخدأو ضرعتسم حتفا.



Log into an Existing Account

User Name

Password

Log In

[Forgot Password](#)

Welcome to Smart Software Manager On-Prem where you can locally manage Smart Licensing and perform local Account Management functions for your organization.

CSSM لوخد ليحست ةحفص

ةيضارتفالا دامتعالا تانايب مادختسا

مدختسملا مسا: admin

رورملا ةملك: Cisco Admin!2345

6. كغ ددح.

7. ةيموسررلا مدختسملا ةهجال ةديج رورم ةملك ءاشناب مق.

8. فيضملا ل ءاشلا مسالا نيوكتب مق. (لثام: hostname.yourdomain).

فيضملا ل كرتشم مساك cssm.testlab.local نيوكتب مت، ةالجال هذه في.

Welcome to Cisco Smart Software Manager On-Prem

STEP 1

System Language Selection

STEP 2

Temporary Password Reset

STEP 3

Host Common Name

STEP 4

Review and Confirm

Products that support String SSL Cert Checking require the SSM On-Prem's "Host Common Name" to match the "destination" URL address. For example:

- Products using Smart Transport must use both the "license smart url" configuration and the "cssm.testlab.local" value in the URL string.
- Legacy products using Smart Call Home must use both the "destination address http" configuration and the "cssm.testlab.local" value in the URL string.

If the above URLs do not match expectations, refer to the SSM On-Prem AdminWorkspace -> Security Widget to change the Host Common Name to the correct value.

The option to configure alternative names (SAN) is available in Admin Console under Security -> Certificates and can be configured after the initial setup.

* Host Common Name
cssm.testlab.local

Back

Next

9. قيبطت قوف رقناو نيوكتلا ةحص نم ققحت.

STEP 1 System Language Selection	STEP 2 Temporary Password Reset	STEP 3 Host Common Name	STEP 4 Review and Confirm
-------------------------------------	------------------------------------	----------------------------	------------------------------

Once you click "Apply", you will be redirected to the login page where you will need to login with your new password. Please ensure you have securely stored your password for future logins.

Review and Confirm

Language Selected:	English
Password Reset:	Yes
Host Common Name:	sccmtac.ciscotac.com



ل CSSM ل ةلؤلأل تاداعإل لامك مت

يكدل باسحل عم دادعإل لىل ع CSSM جم

PREM. م داخ لىل ع ك ب صاخل CSSM ب يكدل ك باسح نارقل لىل جاتحت


1. يلاتل طابترال مادختساب Cisco نم يكدل ك باسح حتفا:

<https://software.cisco.com/>

2. ةيكدل جماربل ري دم مسق نم ص صيخارتل ةرادا رتخأ م.


	Smart Software Manager	Download and Upgrade	Traditional Licenses
	Track and manage your licenses. Convert traditional licenses to Smart Licenses. Manage licenses >	Download new software or updates to your current software. Access downloads >	Generate and manage PAK-based and other device licenses, including demo licenses. Access LRP >
	Manage Smart Account Update your profile information and manage users. Manage account >	EA Workspace Generate and manage licenses purchased through a Cisco Enterprise Agreement. Access EA Workspace >	Manage Entitlements eDelivery, version upgrade, and more management functionality is now available in our new portal. Access MCE >
	صيخارتل ةرادا راىخ		

3. اذه، ليلدل اذه في. يره اظلال باسحل او يكذل باسحل مسا خسن او نوزخمل الى لقتنا. اذ
رابط InternalTestDemoAccount67 و AAA MEX.



Cisco جمارب ةحفص

4. Admin لمع ةحاسم رايخ ددحو CSSM ةيموسررلا مدختسمل ةهجاوحتفا.



ةيسئرلا CSSM ةمئاق.


5. تاباسحل ددح مث.

On-Prem Admin Workspace

Smart Software Manager On-Prem



Access
Management



Settings



Accounts



Support
Center




API Toolkit



Synchronization



Network



Users



Security

Generate CSR

Common Name	<input type="text" value="cssm.testlab.local"/>
Organizational Unit	<input type="text" value="Testlab"/>
Country	<input type="text" value="Mexico"/>
State/Province	<input type="text" value="Mexico City"/>
City/Locality	<input type="text" value="Mexico City"/>
Organization	<input type="text" value="SEC AAA"/>
Key Size	<input type="text" value="2048"/>
Subject Alternative Name	<input type="text" value="cssm.testlab.local"/>

Generate

Cancel

CSR لي صافات

4. اذه ي ف [Windows CA نم تاداهش عاشنا](#) عجار ، تامول عمل نم دي زم ل CSR عي قوت ب مق . دن ت س م ل
5. رذجل ق د ص م ل عجر م ل ا داهش ل ي م ح ت .

Browser Certificate

localhost
(Default Certificate)

File Home Share View

certs

This PC > Desktop > certs

CA Certificates

Add

Description Sul

CSSM cer

Root CA

رذجلال قدصملا عجرملا ليحت

ةباتم يل ع رونا.



Please note that if you are uploading **LDAP Server Certificate**, it is mandatory to reboot your SSM On-Prem server for the certificate to take effect and thus allowing secure communication with the server.

Below are the commands for non-HA(standalone) deployments:

1. Execute "reboot" command in Onprem-console
ssh admin@<IP>
onprem-console
reboot

For HA deployments

1. Execute reboot command on active node in onprem-console. After failover, ensure that DB replication has started. If you wish to restore the previous active node, execute another reboot, after verifying replication has started.

The active node is the node that is serving the virtual IP of the cluster.

Proceed

ةباتملا راخ

6. قفاوم ىلع رقناو رذجال اءءاشلا رءءاوا فصولءءا.

Upload Certificate

* Description:

* Certificate:


فصولل رذجال قءصملا عءرملا

7. (CSSM ءىوه اءءاش) CA لبق نم عقوملا CSR لىمءء.

Browser Certificate

localhost
(Default Certificate)

CA Certificates




2 items

Search by Description

Description	Subject	Expires On	Created	Actions
RootCA	/DC=com/DC=ciscotac/CN=ci	2026-Jul-24 09:26:34	2023-Jul-30 19:41:06	Actions

CSSM فىرءء ءءءو لىمءء



انيدل قدصملا عجرملا يف ةطيسولا ةداهشلا دجوت ال ،انتلاح يف :ةظحالم :ةظحالم
نوكت ةطيسولا ةداهشلا نإف ،كتينب يف ةطيسو ةداهش مدختست تنك اذا ،كلذ عمو
ةيمازلا

8. نيتداهشلا الك تيبثت نم دكأت ،كلذ دعب .

Browser Certificate

Add

Generate CSR



cssm.testlab.local

EXPIRATION DATE: 2025-JUL-16

CA Certificates

Add

Search by Description

Description	Subject	Expires On	Created	Actions
RootCA	/DC=local/DC=testlab/CN=tes	2027-Apr-14 22:51:26	2024-Jul-16 21:18:52	Actions

تاداهشلا ةحص نم ققحتلا

ص. صيخرتلا لمع ةحاسم دي دحت: SSM On-Prem يلع زيمم زمراشن | 9.


On-Prem Admin Workspace



Licensing Workspace

Log Out

Smart Software Manager On-Prem



System Health
Good
Your machine is working well

Server Name SSM-On-Prem
Version 8-202304
Uptime 3 days

Resource Monitor Percentage
CPU |
RAM |
DISK |

Interface: ens192
↑ 6.9 MB/s ↓ 37 KB/s

Recent Alerts

لمعلا ةحاسم ةحفص

ي. كذلا صيخرتلا يلى لقتنا | 10.

On-Prem License Workspace



Admin Workspace Hello, Local Admin Log Out

Smart Software Manager On-Prem

Demo Account



License

Smart Licensing

Track and manage Smart Licensing



Administration

Request an Account

Get an Account for your organization. The Account must be approved by your System Administrator or System Operator before it can be used.

Request Access to an Existing Account

Submit a request for access to an existing local Account. Approval must be granted by a Smart Account Administrator for your local Account.

11. ةعباتم قوف رقناو دي دج زيمم زمر قوف رقنا م ث ، يلح م ل ا ير ه اظلا با س ح ل ل ن ع ش ح با .

Smart Licensing

Alerts | **Inventory** | Convert to Smart Licensing | Reports | Preferences | Activity

Local Virtual Account: [Default](#)

General | Licenses | Product Instances | SL Using Policy | Event Log

Local Virtual Account

Description: This is the default virtual account created during company account creation.

Default Local Virtual Account: Yes

Product Instance Registration Tokens

The registration tokens below can be used to register new product instances to this Local Virtual Account. For products that support Smart Transport, you must configure the "license smart uri" on the product to use the [Smart Transport Registration URL](#). For products that support Smart Licensing Using Policy that use cslu as transport, you must configure the "license smart transport cslu" to use the [CSLU Transport URL](#). For legacy products that still use Smart Call Home, you must configure the "destination address http" on the product to use the [Smart Call Home Registration URL](#). The recommended method is Smart Transport. Please consult your Products Configuration Guide for setting the destination URL value.

[New Token...](#)

دي دج زيمم زمر رايخ .

12. ه س ن و زيمم زمر عاشن ا د د ح .

Create Registration Token



This dialog will generate the token required to register your product instances with your Account .

Local Virtual Account: **Default**

Description:

Expire After: Days
Enter a value between 1 and 9999, but Cisco recommends a maximum of 30 days

Max. Number of Uses:
The token will be expired when either the expiration or the maximum uses is reached.

Allow export-controlled functionality on the products registered with this token

Create Token

Cancel

دي دج زيمم زمر عاشن ا .

Local Virtual Account: Default

General Licenses Product Instance

Local Virtual Account

Description This is the default virtual account.

Default Local Virtual Account: Yes

Product Instance Registration Tokens

The registration tokens below can be used to register new product instances to this Local Virtual Account. For products that support Smart Transport, you must configure the "license smart url" on the product to use the Smart Transport Registration URL. For products that support Smart Licensing Using Policy that use cslu as transport, you must configure the "license smart transport cslu" to use the CSLU Transport URL. For legacy products that still use Smart Call Home, you must configure the "destination address http" on the product to use the Smart Call Home Registration URL. The recommended method is Smart Transport. Please consult your Products Configuration Guide for setting the destination URL value.

New Token...

Showing Page 1 of 1 (1 Records)

Token	Expiration Date	Uses	Description	Export-Controlled	Created By	Actions
NmNjYWM2NTAINTUyOS00ZDdmLT	2023-Aug-29 20:35:30 (in 30 days)			Allowed	admin	Actions

زي ممل زم رل لي صافت

13. م ث ، صيخرت ل > م ظن أ ل > ة ر ا د ا ل ا ل ا ل ق ت ن ا و (ISE) ة ي م و س ر ل م د خ ت س م ل ة ه ج ا و ح ت ف ا .
م دا خ ل ا ل ا ل ع د و ج و م ل SSM م دا خ ف ي ض م ق ي ر ط د د و ، ل ي ج س ت ل ل ا ل ي ص ا ف ت ق و ف ر ق ن ا
ز ي م م ل ز م ر ل ق ص ل ا و ، ي ل و ا ل ا

License Type

Choose Registration Details to acquire pre-purchased license entitlements. Choose Permanent License Reservation to enable all Cisco ISE licenses. Enter the required details to enable Cisco ISE licenses. When you click Register, you agree to the terms and conditions detailed in [Smart Licensing Resources](#).

- Smart Licensing Registration
- Permanent License Reservation
- Specific License Reservation

Registration Details

When you register Cisco ISE in the [Cisco Smart Software Manager portal](#), a unique ID called the Registration Token is displayed in the portal. Copy the registration token displayed in the CSSM portal and paste it here.

Registration Token

NmNjYWM2NTAINTUyOS00ZDdmLT

صخر ل ا ل ي ج س ت

14. ل ج س ة ق ط ق و ط و ف ي ض م ل د ا ن Prem ل ع ل SSM ل ع FQDN ل ع ل SSM ل ا ت ل خ د .

CSSM configuration

Security

Account Password Certificates Event Log

Product Certificate

Host Common Name
cssm.testlab.local

Subject Alternative Name

Save

NOTE: The Host Common Name is typically composed of Host + Domain Name(FQDN) and will look like "www.yoursite.com" or "yoursite.com". The SSL Server Certificate used for product communications is specific to the Common Name that has been issued at the Host. Therefore, the Common Name must match the Web address you will use to configure the Cisco Product when connecting to SSM On-Prem. The Common name is a part of the Subject Alternative Name by default. If you change the Common Name or add Subject Alternative Name, you must resynchronize your Local Account in order for Cisco to issue a new product certificate(TG cert).

Browser Certificate

Add Generate CSR

cssm.testlab.local

EXPIRATION DATE: 2025-JUL-18

ISE configuration

Connection Method
SSM On-Prem server

SSM On-Prem server Host
cssm.testlab.local

Note: Cisco Support Diagnostics will not work with SSM On-Prem server registration.

Tier
 Essential Advantage Premier Device Admin

Virtual Appliance
 ISE VM License

This enables the ISE features for the purchased licenses to be tracked by Cisco Smart Licensing.

By clicking Register you will agree to the Terms&Conditions. You can download Terms&Conditions on [Smart Licensing Resources](#).


Cancel Register

إعدادات CSSM و ISE.

نأل فيض ملل عئاشللا مساللا لىل لاجمل + فيض ملل مسال نيوكت مهمل نم: ةظحال
الدب IP ناو نع مادختسا كنكمي. CSSM ب لاصتا عاشنال ةملعمللا هذه مدختسي ISE

لإجمالي hostname + domain، هذه هي صيغة العنوان، hostname + domain، من

15. لرجوع التثبيت، ارجع أو.




لرجوع التثبيت لم تذكر.

Windows. قد يصعب إجراء عملية التثبيت.

يؤدي إلى إيقاف مؤقت مؤقت، قد يصعب إجراء عملية التثبيت.

1. إلى <http://localhost/certsrv/> في حافة الويب وزيارة الموقع.
2. إدخال رقم التثبيت.




إدخال رقم التثبيت.

3. إدخال رقم التثبيت.



إدخال رقم التثبيت.


4. ظروف حمل بلطلال يف اهقصلو تامولعمل خسننا مٲ . اقباس هؤاشنإ مٲ ڤذلا CSR حتفا .



ةدهاشلا لاسرا .

اڤئاقلا اهلاڤزنت مٲي ةدهاشلا لاسرا قوف رقنلا دعب

5. CA ةدهاش لڤزنت ددحو <http://localhost/certsrv/> ىلا لقتنا . CA ةدهاش رذج لڤزنتب مق نآلا . CRL وأ تاداهشلا ةلسلس وأ



رذجالا قءصملا عجرملا لڤزنت

6. Base64 زيمرتلا بولسأ مادختساب CA ةدهاش لڤزنتب مق .

Download a CA Certificate, Certificate Chain, or CRL

To trust certificates issued from this certification authority, install this CA certificate chain.

To download a CA certificate, certificate chain, or CRL, select the certificate and encoding method.

CA certificate:

Current [ciscotac-ca]

Encoding method:

DER
 Base 64

[Download CA certificate](#)

[Download CA certificate chain](#)


[Download latest base CRL](#)

64. ةدعاق رايخ

Windows Server ىل ع DNS تال ج س ة فاض ا


CSSM FQDN و ISE تالك بش ة فاض اب مقف ، لوؤس م لا تنك اذا

1. DNS ق ي ب ط ت ح ت ف او Windows Finder ىل ع "DNS" ب ت ك ا : DNS ة ر ا د ا ح ت ف ا .



رأي DNS.

2. كـب صـاخـلـا لـاـجـمـلـا رتـخـاو > هـيـجـوتـلـا ةـداعـ| شـحـب قـطـانـم يـلـا لـقـتـنا .



DNS رېدم.

"(A و AAA) ديډج فيضم ددحو ةشاشلا ىلع ءادوس ةحاسم قوف نميألا سواملا رزب رقنا 3.

Update Server Data File

Reload

New Host (A or AAAA)...

New Alias (CNAME)...

New Mail Exchanger (MX)...

New Domain...

New Delegation...

Other New Records...

DNSSEC



All Tasks



Refresh

Export List...

View



Arrange Icons



ةمچرتل هذه لوج

ةللأل تاي نقتل نمة ومة مادختساب دن تسمل اذة Cisco تمةرت
ملاعلاء انء مء مء نمة دختسمل معد ىوتحم مء دقتل ةر شبل او
امك ةق قء نوك ت نل ةللأل ةمچرت لصف أن ةظحال مء ءرء. ةصاأل مء تءل ب
Cisco ةللخت. فرتحم مچرت مءم دقء ةللأل ةل فارتحال ةمچرتل عم لاعل او
ىل إلمءءاد ءوچرلاب ةصوءو تامچرتل هذه ةقء نء اهءل وئس م Cisco
Systems (رفوتم طبارل) ةل صأل ةل ءل ءن إل دن تسمل