

# ىلع ینورتكلإل دیربلا تاداعل لیجست RV110W

## فدهلا

دیرب باسح ىلإ ماظنلا تامولعم تالجم لاسرا ىلع یردقلااب RV110W عتمت ی  
هجوملا ىلاح ىلع عالطا ىلع ىاقبلا ىنکام ل وؤسملل ىزیملا هذه حیثت . ینورتكلإل  
RV110W ىلع ینورتكلإل دیربلا لجم تاداعل نیوکت ىفیفک لاقملا اذه حرشی

## قیبطلل ىلباقلا ىزهجالا

- زارطلا RV110W

## ىئارجا تاوطخ

### ینورتكلإل دیربلا نیوکت لیجست

تاداعل > لیجستلا > ىرادلا رایخال هجوملا نیوکتل ىدعاسملا ىادألا مدختسأ 1. ىوطخلا  
ینورتكلإل دیربلا تاداعل ىحفص رهظت . ینورتكلإل دیربلا

## E-mail Settings

### Log E-mail Configuration

E-mail Logs:

Enable

Minimum Email Log Severity:

Information

[Configure Severity](#)

E-mail Server Address:

E-mail Server Port:

(Range: 1 - 65535)

Return E-mail Address:

Send to E-mail Address (1):

Send to E-mail Address (2) (Optional):

Send to E-mail Address (3) (Optional):

E-mail Encryption (SSL):

Enable

Authentication with SMTP server:

None

E-mail Authentication Username:

E-mail Authentication Password:

E-mail Authentication Test:

[Test](#)

### Send E-mail Logs by Schedule

Unit:

Never

Day:

Sunday

تالچسلا لاسرال نيكمت ع برم ددح، نورتكلال ديبرال تالچس ني مي يلى ع 2. ةوطخال  
ني نورتكلال ديبرال ربع.

## E-mail Settings

### Log E-mail Configuration

E-mail Logs:  Enable

Minimum Email Log Severity: Information [Configure Severity](#)

E-mail Server Address:

E-mail Server Port:  (Range: 1 - 65535,

Return E-mail Address:

Send to E-mail Address (1):

Send to E-mail Address (2) (Optional):

Send to E-mail Address (3) (Optional):

E-mail Encryption (SSL):  Enable

Authentication with SMTP server:

E-mail Authentication Username:

E-mail Authentication Password:

E-mail Authentication Test:

### Send E-mail Logs by Schedule

Unit:

Day:

لجسلا تاداع | > ليجستال > ةرادإل ىل لاقتنال ةروطخل نيوكت قوف رونا 3. ةوطخل نيورتكلإل ديربلإل إلهاسرا ديرت يتل تالجال نيوكتل

اهئارجاب موقت تاريخيغ ي يغليو رخأ ةحفص ىل كهيجوت ءارجال اذه دي عي: **ةطخال م**

نيورتكلإل ديرب مداخل ناوع لخدأ، "نيورتكلإل ديربل مداخل ناوع" ل قح ي ف 4. ةوطخل ملسم لل نيورتكلإل ديربل نيوانع ب نرتقم.

ديربل ةمدخ رفومل ذفنم لمقرر لخدأ، نيورتكلإل ديربل مداخل ذفنم ل قح ي ف 5. ةوطخل نيورتكلإل

دادعإل كرتاف، صاخ ذفنم مقرر بلطتي ال نيورتكلإل ديربل ةمدخ دوزم ناك إذا: **ةطخال م**

ل.ق.ح.ال.ف (25) ي.ض.ارت.ف.ال.

ي.ن.ورت.ك.ل.ا.د.ي.ر.ب.ن.ا.و.ن.ع.ل.خ.د.أ.؛ "ع.ج.ت.ر.م.ل.ا.ي.ن.و.ر.ت.ك.ل.ا.ل.ا.د.ي.ر.ب.ل.ا.ن.ا.و.ن.ع" ل.ق.ح.ي.ف. 6. ة.و.ط.خ.ل.ا.ي.ن.و.ر.ت.ك.ل.ا.ل.ا.د.ي.ر.ب.ل.ا.ن.ي.و.ا.ن.ع.ن.و.ك.ت.ا.م.د.ن.ع.ل.ج.س.ل.ل.ي.ن.و.ر.ت.ك.ل.ا.ل.ا.د.ي.ر.ب.ل.ا.ل.ئ.ا.س.ر.ل.ب.ق.ت.س.ي.ة.ط.ش.ن.ر.ي.غ.ة.ي.س.ا.س.ا.ل.

د.ي.ر.ب.ن.ا.و.ن.ع.ل.و.أ.ل.خ.د.أ.، (1) ي.ن.و.ر.ت.ك.ل.ا.ل.ا.د.ي.ر.ب.ل.ا.ن.ا.و.ن.ع.ي.ل.ا.ل.ا.س.ر.ا.ل.ق.ح.ي.ف. 7. ة.و.ط.خ.ل.ا.ي.ن.و.ر.ت.ك.ل.ا.ل.ا.د.ي.ر.ب.ل.ا.ل.ج.س.ل.ا.د.ي.ر.ب.ل.ب.ق.ت.س.ي.ي.ن.و.ر.ت.ك.ل.ا.

د.ي.ر.ب.ل.ا.ن.ا.و.ن.ع.ل.خ.د.أ.، (ي.ر.ا.ي.ت.خ.ا) (2) ي.ن.و.ر.ت.ك.ل.ا.ل.ا.د.ي.ر.ب.ل.ا.ن.ا.و.ن.ع.ي.ل.ا.ل.ا.س.ر.ا.ل.ق.ح.ي.ف. 8. ة.و.ط.خ.ل.ا.ت.د.ر.ا.ا.ذ.ا.ي.ن.و.ر.ت.ك.ل.ا.ل.ا.ل.ج.س.ل.ا.د.ي.ر.ب.م.ل.ت.س.ي.ي.ذ.ل.ا.ي.ن.ا.ث.ل.ا.ي.ن.و.ر.ت.ك.ل.ا.ل.

د.ي.ر.ب.ل.ا.ن.ا.و.ن.ع.ل.خ.د.أ.، (ي.ر.ا.ي.ت.خ.ا) (3) ي.ن.و.ر.ت.ك.ل.ا.ل.ا.د.ي.ر.ب.ل.ا.ن.ا.و.ن.ع.ي.ل.ا.ل.ا.س.ر.ا.ل.ق.ح.ي.ف. 9. ة.و.ط.خ.ل.ا.ت.د.ر.ا.ا.ذ.ا.ي.ن.و.ر.ت.ك.ل.ا.ل.ا.ل.ج.س.ل.ا.د.ي.ر.ب.م.ل.ت.س.ي.ي.ذ.ل.ا.ث.ل.ا.ل.ا.ي.ن.و.ر.ت.ك.ل.ا.ل.

## E-mail Settings

### Log E-mail Configuration

E-mail Logs:	<input checked="" type="checkbox"/> Enable
Minimum Email Log Severity:	Information <a href="#">Configure Severity</a>
E-mail Server Address:	<input type="text" value="mail.mailserver.com"/>
E-mail Server Port:	<input type="text" value="25"/> (Range: 1 - 65535)
Return E-mail Address:	<input type="text" value="backup@mailserver.com"/>
Send to E-mail Address (1):	<input type="text" value="emai@mailserver.com"/>
Send to E-mail Address (2) (Optional):	<input type="text"/>
Send to E-mail Address (3) (Optional):	<input type="text"/>
E-mail Encryption (SSL):	<input type="checkbox"/> Enable
Authentication with SMTP server:	None ▼
E-mail Authentication Username:	<input type="text"/>
E-mail Authentication Password:	<input type="text"/>
E-mail Authentication Test:	<input type="button" value="Test"/>

### Send E-mail Logs by Schedule

Unit:	Never ▼
Day:	Sunday ▼

رېفېش تېل نېكېم ت عېرم ددح، (SSL) ي نورت كلال ال دېرېال رېفېش تېل نېمې ي لى ع 10 ة وطلخ ال ي نورت كلال ال دېرېال لئاسر.

## E-mail Settings

### Log E-mail Configuration

E-mail Logs:	<input checked="" type="checkbox"/> Enable
Minimum Email Log Severity:	Information <a href="#">Configure Severity</a>
E-mail Server Address:	<input type="text" value="mail.mailserver.com"/>
E-mail Server Port:	<input type="text" value="25"/> (Range: 1 - 65535,
Return E-mail Address:	<input type="text" value="backup@mailserver.com"/>
Send to E-mail Address (1):	<input type="text" value="emai@mailserver.com"/>
Send to E-mail Address (2) (Optional):	<input type="text"/>
Send to E-mail Address (3) (Optional):	<input type="text"/>
E-mail Encryption (SSL):	<input checked="" type="checkbox"/> Enable
Authentication with SMTP server:	<input type="text" value="None"/>
E-mail Authentication Username:	<input type="text"/>
E-mail Authentication Password:	<input type="text"/>
E-mail Authentication Test:	<input type="button" value="Test"/>

### Send E-mail Logs by Schedule

Unit:	<input type="text" value="Never"/>
Day:	<input type="text" value="Sunday"/>

يذلا ةقداصملا عون رتخ، SMTP مداخل ةقداصملا ةلدسنملا ةمئاقلا نم 11 ةوطخلا يورتكللالا ديربلا مداخل هم دختسي.

لخدأف، رخأ ارايخ ترتخأ اذا 12 ةوطخلا يلى يطختلاب مقف، "ءيش ال" ترتخأ اذا 12 ةوطخلا ديربلا ةقداصم م دختسم مسا لقح يف يورتكللالا ديربلا باسحل م دختسملا مسا يورتكللالا ديربلا ةقداصم رورم ةملك لقح يف باسحلل رورملا ةملك ويورتكللالا

Minimum Email Log Severity:	Information	<a href="#">Configure Severity</a>
E-mail Server Address:	<input type="text" value="mail.mailserver.com"/>	
E-mail Server Port:	<input type="text" value="25"/>	(Range: 1 - 65535,
Return E-mail Address:	<input type="text" value="backup@mailserver.com"/>	
Send to E-mail Address (1):	<input type="text" value="email@mailserver.com"/>	
Send to E-mail Address (2) (Optional):	<input type="text"/>	
Send to E-mail Address (3) (Optional):	<input type="text"/>	
E-mail Encryption (SSL):	<input checked="" type="checkbox"/> Enable	
Authentication with SMTP server:	LOGIN ▾	
E-mail Authentication Username:	<input type="text" value="email@mailserver.com"/>	
E-mail Authentication Password:	<input type="password" value="••••••••"/>	
E-mail Authentication Test:	<input type="button" value="Test"/>	
<b>Send E-mail Logs by Schedule</b>		
Unit:	Never ▾	
Day:	Sunday ▾	
Time:	12 ▾ AM ▾	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>		

روفال ىلع ينورتكلال ديربال لاصتا رابتخال رابتخا| قوف رقنا 13 ةوطخلا

Minimum Email Log Severity:	Information	<input type="button" value="Configure Severity"/>
E-mail Server Address:	<input type="text" value="mail.mailserver.com"/>	(
E-mail Server Port:	<input type="text" value="25"/>	(Range: 1 - 65535,
Return E-mail Address:	<input type="text" value="backup@mailserver.com"/>	(
Send to E-mail Address (1):	<input type="text" value="email@mailserver.com"/>	(
Send to E-mail Address (2) (Optional):	<input type="text"/>	
Send to E-mail Address (3) (Optional):	<input type="text"/>	
E-mail Encryption (SSL):	<input checked="" type="checkbox"/> Enable	
Authentication with SMTP server:	<input type="text" value="LOGIN"/>	▼
E-mail Authentication Username:	<input type="text" value="email@mailserver.com"/>	
E-mail Authentication Password:	<input type="password" value="••••••••"/>	
E-mail Authentication Test:	<input type="button" value="Test"/>	
<b>Send E-mail Logs by Schedule</b>		
Unit:	<input type="text" value="Never"/>	▼
Day:	<input type="text" value="Sunday"/>	▼
Time:	<input type="text" value="12"/>	<input type="text" value="AM"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>		

اهل هاجت لرم ال اءاغل و اءار يءا لظ فءل ظ فء قوف رقا 14 ءو طءا

لوءءا بسء يءورء كل الاءا ءرءا ءالءس لاسرا



Minimum Email Log Severity:	Information	<a href="#">Configure Severity</a>
E-mail Server Address:	mail.mailserver.com (f	
E-mail Server Port:	25	(Range: 1 - 65535, I
Return E-mail Address:	backup@mailserver.com (f	
Send to E-mail Address (1):	email@mailserver.com (f	
Send to E-mail Address (2) (Optional):		
Send to E-mail Address (3) (Optional):		
E-mail Encryption (SSL):	<input checked="" type="checkbox"/> Enable	
Authentication with SMTP server:	LOGIN	
E-mail Authentication Username:	email@mailserver.com	
E-mail Authentication Password:	••••••••	
E-mail Authentication Test:	<a href="#">Test</a>	
<b>Send E-mail Logs by Schedule</b>		
Unit:	Never	
Day:	Never	
Time:	Hourly	
	Daily	
	Weekly	
<a href="#">Save</a> <a href="#">Cancel</a>		

لئاسر يقلت اهيف ديرت يتلا تارملا ددع رتخأ، ةلدسنملا ةدحول ةمئاق نم 1. ةوطخل  
لجس لاب ةصاخلا ينورتكلإلا ديربلا

لجس لل ينورتكلإلا ديربلا لئاسر لاسرا متي نلف، "مدع" ترتخأ اذا: **ةطخال**

Minimum Email Log Severity: Information

E-mail Server Address: mail.mailserver.com (F)

E-mail Server Port: 25 (Range: 1 - 65535, I)

Return E-mail Address: backup@mailserver.com (F)

Send to E-mail Address (1): email@mailserver.com (F)

Send to E-mail Address (2) (Optional):

Send to E-mail Address (3) (Optional):

E-mail Encryption (SSL):  Enable

Authentication with SMTP server: LOGIN

E-mail Authentication Username: email@mailserver.com

E-mail Authentication Password: .....

E-mail Authentication Test:

---

**Send E-mail Logs by Schedule**

Unit: Weekly

Day: Sunday

Time:

دېرېر لئاسر رېقلىل عوبسألا نم اموي رتخاف، اي عوبسأ ترتخأ اذا. 2. ةوطخال  
مويلا ةلدس نم لاقلا نم ينورتك لال

Minimum Email Log Severity: Information [Configure Severity](#)

E-mail Server Address: mail.mailserver.com

E-mail Server Port: 25 (Range: 1 - 65535)

Return E-mail Address: backup@mailserver.com

Send to E-mail Address (1): email@mailserver.com

Send to E-mail Address (2) (Optional):

Send to E-mail Address (3) (Optional):

E-mail Encryption (SSL):  Enable

Authentication with SMTP server: LOGIN

E-mail Authentication Username: email@mailserver.com

E-mail Authentication Password: ●●●

E-mail Authentication Test: st

---

**Send E-mail Logs by Schedule**

Unit: 01

Day: 02

Time: 03

04

05

06

07

08

09

10

11

12 AM

Save Cancel

دېر بل لئاسر رېقلىتل مويىل نىم تقورتنخاف، ايمويى و ايعوبسأ ترتخأ اذا 3. ةوطخلال تقولا ةلدسنم المائاوقلا نم ينورتكلال

اهلهاجتل رمأل اءاغل و اءاريفيغتلا ظفحل ظفح قوف رقنا 4. ةوطخلال

ةمچرتل هذه لوج

ةللأل تاي نقتل نم ةومچم مادختساب دن تسمل اذه Cisco تچرت  
ملاعلاء انءمچ يف نيمدختسمل معدى وتحم مي دقتل ةيرشبل او  
امك ةقيد نوك تنل ةللأل ةمچرت لصف انءمچال مچرئى. ةصاغل متهتل بل  
Cisco يلخت. فرتحم مچرت مامدقي يتل ةيفارتحال ةمچرتل عم لاعل او  
ىل اءمءاد ةوچرلاب يصوت وتامچرتل هذه ةقدنع اهتيل وئسم Cisco  
Systems (رفوتم طبارل) يلصلأل يزىلچنل دن تسمل