



Open Source Used In Cisco Business Dashboard 2.7.x for Ubuntu 22.04

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco website at www.cisco.com/go/offices.

Text Part Number: 78EE117C99-1828708469

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-1828708469

Contents

- 1.1 velocity 1.7**
 - 1.1.1 Available under license
- 1.2 commons-compress 1.8.1**
 - 1.2.1 Available under license
- 1.3 xalan 2.7.2**
 - 1.3.1 Available under license
- 1.4 miglayout 3.5.5**
 - 1.4.1 Available under license
- 1.5 spring-plugin-core 1.2.0.RELEASE**
 - 1.5.1 Available under license
- 1.6 jzlib 1.1.3**
 - 1.6.1 Available under license
- 1.7 spring-plugin-metadata 1.2.0.RELEASE**
 - 1.7.1 Available under license
- 1.8 paranamer 2.8**
 - 1.8.1 Available under license
- 1.9 antlr 4.7**
 - 1.9.1 Available under license
- 1.10 avro 1.8.2**
 - 1.10.1 Available under license
- 1.11 commons-collections 4.2**
 - 1.11.1 Available under license
- 1.12 bouncy-castle 1.60**
 - 1.12.1 Available under license
- 1.13 failureaccess 1.0.1**
- 1.14 latencyutils 2.0.3**

- 1.15 commons-fileupload 1.4**
 - 1.15.1 Available under license
- 1.16 zjsonpatch 0.4.8**
- 1.17 mapstruct 1.2.0.Final**
- 1.18 swagger-annotations 1.5.20**
- 1.19 j2objc-annotations 1.3**
 - 1.19.1 Available under license
- 1.20 commons-beanutils 1.9.4**
 - 1.20.1 Available under license
- 1.21 angular 8.0.1**
 - 1.21.1 Available under license
- 1.22 jaxb-api 2.3.1**
 - 1.22.1 Available under license
- 1.23 compress-lzf 1.0.3**
 - 1.23.1 Available under license
- 1.24 commons-digester 1.8.1**
 - 1.24.1 Available under license
- 1.25 commons-validator 1.6**
 - 1.25.1 Available under license
- 1.26 jacoco-agent 0.8.3**
 - 1.26.1 Available under license
- 1.27 apr 1.6.5**
 - 1.27.1 Available under license
- 1.28 bean-validation-api 2.0.1.Final**
 - 1.28.1 Available under license
- 1.29 echarts 4.2.1**
- 1.30 orika-core 1.5.4**
 - 1.30.1 Available under license
- 1.31 jakarta-persistence-api 2.2.3**
 - 1.31.1 Available under license
- 1.32 jakarta-transaction-api 1.3.3**
 - 1.32.1 Available under license
- 1.33 streamsupport 1.6.3**
 - 1.33.1 Available under license
- 1.34 big-math 2.0.0**
 - 1.34.1 Available under license
- 1.35 jcifs 1.3.17**
 - 1.35.1 Available under license
- 1.36 quartz 2.3.2**

- 1.36.1 Available under license
- 1.37 c3p0 0.9.5.4**
 - 1.37.1 Available under license
- 1.38 thrift 0.13.0**
 - 1.38.1 Available under license
- 1.39 jackson-mapper-asl 1.9.13**
 - 1.39.1 Available under license
- 1.40 bouncycastle-fips 1.0.3**
 - 1.40.1 Available under license
- 1.41 jctools-core 3.1.0**
 - 1.41.1 Available under license
- 1.42 okio 2.8.0**
 - 1.42.1 Available under license
- 1.43 guava 30.0-jre**
 - 1.43.1 Available under license
- 1.44 httpcomponents-client 4.5.13**
 - 1.44.1 Available under license
- 1.45 commons-logging 1.2**
 - 1.45.1 Available under license
- 1.46 bcel 2.7.2**
 - 1.46.1 Available under license
- 1.47 isorelax 20090621**
 - 1.47.1 Available under license
- 1.48 stax 4.2.1**
 - 1.48.1 Available under license
- 1.49 asm 5.0.4**
 - 1.49.1 Available under license
- 1.50 xz-java 1.8**
 - 1.50.1 Available under license
- 1.51 hibernate-commons-annotations 5.1.2.Final**
 - 1.51.1 Available under license
- 1.52 classmate 1.5.1**
 - 1.52.1 Available under license
- 1.53 aspect-j 1.9.5**
 - 1.53.1 Available under license
- 1.54 jakarta-validation-api 2.0.2**
 - 1.54.1 Available under license
- 1.55 joda-time 2.10.6**
 - 1.55.1 Available under license

1.56 javax-ws-rs-api 2.0

1.56.1 Available under license

1.57 commons-codec 1.15

1.57.1 Available under license

1.58 javax-el-api 3.0.0

1.58.1 Available under license

1.59 javassist 3.24.1-GA

1.59.1 Available under license

1.60 javax-xml-soap-api 1.4.0

1.60.1 Available under license

1.61 spring-security-jwt 1.0.9.RELEASE

1.61.1 Available under license

1.62 checker-qual 3.4.1

1.62.1 Available under license

1.63 jax-ws-api 2.3.1

1.63.1 Available under license

1.64 beam-runners-java-fn-execution 2.25.0

1.64.1 Available under license

1.65 beam-runners-core-java 2.25.0

1.65.1 Available under license

1.66 beam-sdks-java-fn-execution 2.25.0

1.66.1 Available under license

1.67 beam-sdks-java-core 2.25.0

1.67.1 Available under license

1.68 beam-runners-local-java-core 2.25.0

1.68.1 Available under license

1.69 conscrypt-openjdk-uber 1.3.0

1.69.1 Available under license

1.70 beam-runners-direct-java 2.25.0

1.70.1 Available under license

1.71 beam-runners-core-construction-java 2.25.0

1.71.1 Available under license

1.72 gson 2.8.6

1.72.1 Available under license

1.73 istack-commons 3.0.12

1.73.1 Available under license

1.74 jakarta-mail 1.6.7

1.74.1 Available under license

1.75 re2j 1.2

- 1.75.1 Available under license
- 1.76 tslib 1.9.0**
 - 1.76.1 Available under license
- 1.77 mockito-inline 3.9.0**
 - 1.77.1 Available under license
- 1.78 commons-lang3 3.12.0**
 - 1.78.1 Available under license
- 1.79 springfoxswagger 2.9.2**
 - 1.79.1 Available under license
- 1.80 springfox-swagger-ui 2.9.2**
 - 1.80.1 Available under license
- 1.81 springfox-schema 2.9.2**
 - 1.81.1 Available under license
- 1.82 springfox-spring-web 2.9.2**
 - 1.82.1 Available under license
- 1.83 swagger 1.5.20**
 - 1.83.1 Available under license
- 1.84 springfox-core 2.9.2**
 - 1.84.1 Available under license
- 1.85 springfox-spi 2.9.2**
 - 1.85.1 Available under license
- 1.86 springfox-swagger-common 2.9.2**
 - 1.86.1 Available under license
- 1.87 jakarta xml bind api 2.3.3**
 - 1.87.1 Available under license
- 1.88 commons-io 2.10.0**
 - 1.88.1 Available under license
- 1.89 jsoup 1.14.2**
 - 1.89.1 Available under license
- 1.90 servlet-api 4.0.1**
 - 1.90.1 Available under license
- 1.91 lombok 1.18.22**
 - 1.91.1 Available under license
- 1.92 commons-csv 1.9.0**
 - 1.92.1 Available under license
- 1.93 commons-pool 2.11.1**
 - 1.93.1 Available under license
- 1.94 okhttp 4.9.3**
 - 1.94.1 Available under license

- 1.95 lodash-es 4.17.21**
 - 1.95.1 Available under license
- 1.96 snake-yaml 1.30**
 - 1.96.1 Available under license
- 1.97 hdrhistogram 2.1.12**
 - 1.97.1 Available under license
- 1.98 avro-guava-dependencies 1.8.2**
 - 1.98.1 Available under license
- 1.99 hikaricp 4.0.3**
 - 1.99.1 Available under license
- 1.100 xsdlib 2013.6.1**
 - 1.100.1 Available under license
- 1.101 dom 1.0**
 - 1.101.1 Available under license
- 1.102 ganymed-ssh2 262**
 - 1.102.1 Available under license
- 1.103 javax-el 3.0.0**
 - 1.103.1 Available under license
- 1.104 jacoco-core 0.8.6**
 - 1.104.1 Available under license
- 1.105 jboss-marshalling 1.4.11.Final**
 - 1.105.1 Available under license
- 1.106 stateless4j 2.5.0**
 - 1.106.1 Available under license
- 1.107 mchange-commons-java 0.2.15**
 - 1.107.1 Available under license
- 1.108 error_prone_annotations 2.5.1**
 - 1.108.1 Available under license
- 1.109 java-sizeof 0.0.5**
 - 1.109.1 Available under license
- 1.110 annotations 4.1.1.4**
 - 1.110.1 Available under license
- 1.111 jboss-logging 3.4.3.Final**
 - 1.111.1 Available under license
- 1.112 jandex 2.4.2.Final**
 - 1.112.1 Available under license
- 1.113 alpn-api 1.1.2.v20150522**
 - 1.113.1 Available under license
- 1.114 animal-sniffer-annotation 1.18**

- 1.114.1 Available under license
- 1.115 npn-api 1.1.1.v20141010**
 - 1.115.1 Available under license
- 1.116 protobuf-java-util 3.11.0**
 - 1.116.1 Available under license
- 1.117 lzma-java 1.3**
 - 1.117.1 Available under license
- 1.118 jboss-modules 1.1.0.Beta1**
 - 1.118.1 Available under license
- 1.119 google-auth-library-credentials 0.18.0**
 - 1.119.1 Available under license
- 1.120 auto-common 0.10**
 - 1.120.1 Available under license
- 1.121 javax-annotation-api 1.3.2**
 - 1.121.1 Available under license
- 1.122 slf4j 1.7.36**
 - 1.122.1 Available under license
- 1.123 jul-to-slf4j 1.7.36**
 - 1.123.1 Available under license
- 1.124 log4j-api 2.17.2**
 - 1.124.1 Available under license
- 1.125 log4j-to-slf4j 2.17.2**
 - 1.125.1 Available under license
- 1.126 javaip 0.17**
 - 1.126.1 Available under license
- 1.127 jacoco-report 0.8.6**
 - 1.127.1 Available under license
- 1.128 core-js 2.5.4**
 - 1.128.1 Available under license
- 1.129 mustache 3.0.1**
 - 1.129.1 Available under license
- 1.130 simpleclient-common 0.15.0**
 - 1.130.1 Available under license
- 1.131 javapoet 1.9.0**
 - 1.131.1 Available under license
- 1.132 escapevelocity 0.9**
 - 1.132.1 Available under license
- 1.133 xml-apis 1.3.04**
 - 1.133.1 Available under license

- 1.134 mockito 4.5.1**
 - 1.134.1 Available under license
- 1.135 ion-java 1.0.2**
 - 1.135.1 Available under license
- 1.136 jedis 3.8.0**
 - 1.136.1 Available under license
- 1.137 activation-api 1.2.2**
 - 1.137.1 Available under license
- 1.138 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava**
 - 1.138.1 Available under license
- 1.139 eclipse-jdt-core 3.14.0.v20171206-0802**
 - 1.139.1 Available under license
- 1.140 orika-eclipse-tools 1.5.4**
 - 1.140.1 Available under license
- 1.141 mongodb-driver-core 4.6.1**
 - 1.141.1 Available under license
- 1.142 bson-record-codec 4.6.1**
 - 1.142.1 Available under license
- 1.143 mongodb-driver-sync 4.6.1**
 - 1.143.1 Available under license
- 1.144 simpleclient_tracer_otel_agent 0.15.0**
 - 1.144.1 Available under license
- 1.145 simpleclient 0.15.0**
 - 1.145.1 Available under license
- 1.146 simpleclient_tracer_otel 0.15.0**
 - 1.146.1 Available under license
- 1.147 simpleclient_tracer_common 0.15.0**
 - 1.147.1 Available under license
- 1.148 backbone-events-standalone 0.2.7**
 - 1.148.1 Available under license
- 1.149 json-source-map 0.4.0**
 - 1.149.1 Available under license
- 1.150 ngx-color 4.1.1**
 - 1.150.1 Available under license
- 1.151 ngx-infinite-scroll 7.2.0**
 - 1.151.1 Available under license
- 1.152 cglib 3.3.0**
 - 1.152.1 Available under license
- 1.153 commons-jxpath 1.3**

- 1.153.1 Available under license
- 1.154 protobuf-java 3.11.0**
 - 1.154.1 Available under license
- 1.155 eclipse-text 3.6.100**
 - 1.155.1 Available under license
- 1.156 apache-commons-text 1.10.0**
 - 1.156.1 Available under license
- 1.157 spring-retry 1.3.4**
 - 1.157.1 Available under license
- 1.158 hibernate-validator 6.2.5.Final**
 - 1.158.1 Available under license
- 1.159 kotlin 1.6.21**
 - 1.159.1 Available under license
- 1.160 commons-compiler 3.1.9**
 - 1.160.1 Available under license
- 1.161 janino 3.1.9**
 - 1.161.1 Available under license
- 1.162 httpcomponents-core 4.4.16**
 - 1.162.1 Available under license
- 1.163 commons-net 3.9.0**
 - 1.163.1 Available under license
- 1.164 objenesis 3.2**
 - 1.164.1 Available under license
- 1.165 jackson-databind 2.13.5**
 - 1.165.1 Available under license
- 1.166 jackson-annotations 2.13.5**
 - 1.166.1 Available under license
- 1.167 jackson 2.13.5**
 - 1.167.1 Available under license
- 1.168 byte-buddy 1.12.23**
 - 1.168.1 Available under license
- 1.169 jmustache 1.15**
 - 1.169.1 Available under license
- 1.170 txw2 2.3.8**
 - 1.170.1 Available under license
- 1.171 jackson-datatype-jdk8 2.13.5**
 - 1.171.1 Available under license
- 1.172 jackson-datatype-jsr310 2.13.5**
 - 1.172.1 Available under license

- 1.173 jackson-module-parameter-names 2.13.5**
 - 1.173.1 Available under license
- 1.174 jackson-xc 2.13.5**
 - 1.174.1 Available under license
- 1.175 jackson-dataformat-xml 2.13.5**
 - 1.175.1 Available under license
- 1.176 jackson-dataformat-yaml 2.13.5**
 - 1.176.1 Available under license
- 1.177 hibernate 5.6.15.Final**
 - 1.177.1 Available under license
- 1.178 json-java 20220924**
 - 1.178.1 Available under license
- 1.179 jackson-dataformat-cbor 2.13.5**
 - 1.179.1 Available under license
- 1.180 amqp-client 5.14.2**
 - 1.180.1 Available under license
- 1.181 hibernate-types-55 2.14.0**
 - 1.181.1 Available under license
- 1.182 handy-uri-templates 2.1.6**
 - 1.182.1 Available under license
- 1.183 mapstruct-jdk8 1.2.0.Final**
 - 1.183.1 Available under license
- 1.184 threetenbp 1.3.8**
 - 1.184.1 Available under license
- 1.185 nashorn-commonjs-modules 1.0.9**
 - 1.185.1 Available under license
- 1.186 jacoco-cli 0.8.6**
 - 1.186.1 Available under license
- 1.187 aws-java-sdk-marketplacemeteringservice 1.11.222**
 - 1.187.1 Available under license
- 1.188 jmespath-java 1.11.222**
 - 1.188.1 Available under license
- 1.189 auto-value 1.6.2**
 - 1.189.1 Available under license
- 1.190 aws-java-sdk-core 1.11.222**
 - 1.190.1 Available under license
- 1.191 auto-value-annotations 1.6.2**
 - 1.191.1 Available under license
- 1.192 mapstruct-processor 1.2.0.Final**

- 1.192.1 Available under license
- 1.193 logback-core 1.2.12**
 - 1.193.1 Available under license
- 1.194 netty 4.1.91.Final**
 - 1.194.1 Available under license
- 1.195 spring-tx 5.3.27**
 - 1.195.1 Available under license
- 1.196 spring-web 5.3.27**
 - 1.196.1 Available under license
- 1.197 spring-web-mvc 5.3.27**
 - 1.197.1 Available under license
- 1.198 spring-jdbc 5.3.27**
 - 1.198.1 Available under license
- 1.199 spring-beans 5.3.27**
 - 1.199.1 Available under license
- 1.200 spring-context 5.3.27**
 - 1.200.1 Available under license
- 1.201 spring-expression 5.3.27**
 - 1.201.1 Available under license
- 1.202 spring-aspects 5.3.27**
 - 1.202.1 Available under license
- 1.203 spring-aop 5.3.27**
 - 1.203.1 Available under license
- 1.204 spring-data-commons 2.7.11**
 - 1.204.1 Available under license
- 1.205 spring-data-mongodb 3.4.11**
 - 1.205.1 Available under license
- 1.206 spring-data-jpa 2.7.11**
 - 1.206.1 Available under license
- 1.207 micrometer-core 1.9.10**
 - 1.207.1 Available under license
- 1.208 spring-data-keyvalue 2.7.11**
 - 1.208.1 Available under license
- 1.209 spring-data-redis 2.7.11**
 - 1.209.1 Available under license
- 1.210 jsr305 3.0.2**
 - 1.210.1 Available under license
- 1.211 tomcat-coyote 9.0.74**
 - 1.211.1 Available under license

1.212 openssl 3.0.2-0ubuntu1.10

1.212.1 Available under license

1.213 jaxb-runtime 2.3.8

1.213.1 Available under license

1.214 spring-rabbit 2.4.12

1.214.1 Available under license

1.215 woodstox 6.4.0

1.215.1 Available under license

1.216 jaxb-core 2.3.8

1.216.1 Available under license

1.217 jinjava 2.7.0

1.217.1 Available under license

1.218 spring-framework 5.3.27

1.218.1 Available under license

1.219 bson 4.6.1

1.219.1 Available under license

1.220 tomcat 9.0.74

1.220.1 Available under license

1.221 spring-amqp 2.4.12

1.221.1 Available under license

1.222 activation 1.2.2

1.222.1 Available under license

1.223 spring-security-core 5.7.8

1.223.1 Available under license

1.224 snappy-java 1.1.4

1.224.1 Available under license

1.225 spring-security-web 5.7.8

1.225.1 Available under license

1.226 freeradius 3.0.26

1.226.1 Available under license

1.227 postgres-sql 14.9

1.227.1 Available under license

1.228 mongodb 6.0.11

1.228.1 Available under license

1.229 rabbitmq 3.9.13

1.229.1 Available under license

1.230 redis 6.0.16

1.230.1 Available under license

1.231 generate-schema 2.6.0

- 1.231.1 Available under license
- 1.232 fast-json-patch 2.0.7**
 - 1.232.1 Available under license
- 1.233 rxjs 6.5.2**
 - 1.233.1 Available under license
- 1.234 ngx-echarts 4.2.1**
 - 1.234.1 Available under license
- 1.235 codemirror 5.62.0**
 - 1.235.1 Available under license
- 1.236 ngx-json-viewer 2.4.0**
 - 1.236.1 Available under license
- 1.237 jsonlint 1.6.3**
 - 1.237.1 Available under license
- 1.238 d3 5.8.0**
 - 1.238.1 Available under license
- 1.239 ngx-cookie-service 2.2.0**
 - 1.239.1 Available under license
- 1.240 bootstrap 4.3.1**
 - 1.240.1 Available under license

1.1 velocity 1.7

1.1.1 Available under license :

Apache Velocity

Copyright (C) 2000-2007 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).
Apache License

Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the

attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as

required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License,
Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.2 commons-compress 1.8.1

1.2.1 Available under license :

Apache Commons Compress
Copyright 2002-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

The files in the package `org.apache.commons.compress.archivers.sevenz`
were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/),
which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (<http://www.7-zip.org/sdk.html>)

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.3 xalan 2.7.2

1.3.1 Available under license :

SUN PUBLIC LICENSE Version 1.0

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof and corresponding documentation released with the source code.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this

License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated documentation, interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's

choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

2.1 The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective

on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such

combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that

the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters.

(a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor

must include a text file with the Source Code distribution titled

"LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2,

Contributor shall promptly

modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface ("API") and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must

duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered

Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

Sun Microsystems, Inc. ("Sun") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Sun. No one other than Sun has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code

governed by this License), You must: (a) rename Your license so that the phrases "Sun," "Sun Public License," or "SPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Sun Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER

OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim

is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant

under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United

States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

Exhibit A -Sun Public License Notice.

The contents of this file are subject to the Sun Public License Version 1.0 (the "License"); you may not use this file except in compliance with the License. A copy of the License is available at <http://www.sun.com/>

The Original Code is _____. The Initial Developer of the Original Code is _____. Portions created by _____ are Copyright (C)_____. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms of the _____ license (the "[_____] License?"), in which case the provisions of [_____] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the

[____] License and not to allow others to use your version of this file under the SPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [____] License. If you do not delete the provisions above, a recipient may use your version of this file under either the SPL or the [____] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Geronimo

Copyright 2003-2006 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

```
=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xalan Java distribution. ==  
=====
```

Apache Xalan (Xalan XSLT processor)

Copyright 1999-2014 The Apache Software Foundation

Apache Xalan (Xalan serializer)

Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems.,
<http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation.,

<http://www.ibm.com>.

The binary distribution package (ie. jars, samples and documentation) of
this product includes software developed by the following:

- The Apache Software Foundation
 - Xerces Java - see LICENSE.txt
 - JAXP 1.3 APIs - see LICENSE.txt
 - Bytecode Engineering Library - see LICENSE.txt
 - Regular Expression - see LICENSE.txt
- Scott Hudson, Frank Flannery, C. Scott Ananian
 - CUP Parser Generator runtime (javacup/runtime) - see LICENSE.txt

The source distribution package (ie. all source and tools required to build
Xalan Java) of this product includes software developed by the following:

- The Apache Software Foundation
 - Xerces Java - see LICENSE.txt
 - JAXP 1.3
APIs - see LICENSE.txt
 - Bytecode Engineering Library - see LICENSE.txt
 - Regular Expression - see LICENSE.txt
 - Ant - see LICENSE.txt
 - Stylebook doc tool - see LICENSE.txt
- Elliot Joel Berk and C. Scott Ananian
 - Lexical Analyzer Generator (JLex) - see LICENSE.txt

Apache Xerces Java
Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Portions of Apache Xerces Java in xercesImpl.jar and xml-apis.jar were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

=====
Apache xml-commons xml-apis (redistribution of xml-apis.jar)

Apache XML Commons
Copyright 2001-2003,2006 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

- Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
 - software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
 - software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

Apache OpenEJB
Copyright 1999-2009 The Apache OpenEJB development community

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).
xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt,v 1.2
2005/06/03 22:49:13 mrglavas Exp \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

W3C DOCUMENT LICENSE
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose

and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is

now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle \$Date: 2005/06/03 22:49:13 \$
xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt,v 1.2 2005/06/03 22:49:13 mrglavas Exp \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-software-20021231>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property

claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL

OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses.

The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache xml-commons xml-apis ==
== distribution. ==
=====

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

xml-commons/java/external/LICENSE.sax.txt \$Id: LICENSE.sax.txt,v 1.1 2002/01/31 23:26:48 curcuru Exp \$

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered

under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at

<http://www.saxproject.org/> for more up-to-date

releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com

2000-05-05

1.4 miglayout 3.5.5

1.4.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* License (BSD):

* =====

*

* Copyright (c) 2004, Mikael Grev, MiG InfoCom AB. (miglayout (at) miginfocom (dot) com)

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without modification,

* are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list

* of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this

* list of conditions and the following disclaimer in the documentation and/or other

* materials provided with the distribution.

* Neither the name of the MiG InfoCom AB nor the names of its contributors may be
 * used to endorse or promote products derived from this software without specific
 * prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
 * WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.
 * IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
 * INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
 * BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA,
 * OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY,
 * WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
 * OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
 * POSSIBILITY
 * OF SUCH DAMAGE.
 *
 * @version 1.0
 * @author Mikael Grev, MiG InfoCom AB
 * Date: 2006-sep-08
 */

Found in path(s):

* /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
 jar/net/miginfocom/layout/LayoutUtil.java
 * /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
 jar/net/miginfocom/swing/SwingComponentWrapper.java
 *
 /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
 jar/net/miginfocom/swt/MigLayout.java
 * /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
 jar/net/miginfocom/layout/BoundSize.java
 * /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
 jar/net/miginfocom/layout/ResizeConstraint.java
 * /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
 jar/net/miginfocom/swt/SwtContainerWrapper.java
 * /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
 jar/net/miginfocom/demo/SwtDemo.java
 * /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
 jar/net/miginfocom/layout/ComponentWrapper.java
 * /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
 jar/net/miginfocom/layout/Grid.java
 * /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
 jar/net/miginfocom/layout/LC.java
 * /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-

```
jar/net/miginfocom/layout/LinkHandler.java
*
/opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
jar/net/miginfocom/demo/SwingDemo.java
* /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
jar/net/miginfocom/layout/ConstraintParser.java
* /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
jar/net/miginfocom/layout/UnitConverter.java
* /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
jar/net/miginfocom/swing/SwingContainerWrapper.java
* /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
jar/net/miginfocom/swing/MigLayout.java
* /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
jar/net/miginfocom/layout/UnitValue.java
* /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
jar/net/miginfocom/layout/ContainerWrapper.java
* /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
jar/net/miginfocom/layout/AC.java
*
/opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
jar/net/miginfocom/layout/PlatformDefaults.java
* /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
jar/net/miginfocom/layout/IDEUtil.java
* /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-
jar/net/miginfocom/swt/SwtComponentWrapper.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* License (BSD):
* =====
*
* Copyright (c) 2004, Mikael Grev, MiG InfoCom AB. (miglayout (at) miginfocom (dot) com)
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without modification,
* are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright notice, this list
* of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this
* list of conditions and the following disclaimer in the documentation and/or other
* materials provided with the distribution.
* Neither the name of the MiG InfoCom AB nor the names of its contributors may be
* used to endorse or promote products derived from this software without specific
* prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
```

DISCLAIMED.

* IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA,
* OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY,
* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY

* OF SUCH DAMAGE.

*

* @version 1.0

* @author Mikael Grev, MiG InfoCom AB

* Date: 2006-sep-08

*/

/** Returns the absolute positioning of one or more of the edges. This will be applied last in the layout cycle and will not

* affect the flow or grid positions. The positioning is relative to the parent and can not (as padding) be used

* to adjust the edges relative to the old value. May be `<code>null</code>` and elements may be `<code>null</code>`.

* `<code>null</code>` value(s) for the x2 and y2 will be interpreted as to keep the preferred size and thus the x1

* and x2 will just absolutely positions the component.

* `<p>`

* Note that { `@link #setBoundsInGrid(boolean)` } changes the interpretation of thisproperty slightly.

* `<p>`

* For a more thorough explanation of what this constraint does see the white paper or cheat Sheet at www.migcomponents.com.

* `@return` The current value as a new array, free to modify.

*/

Found in path(s):

* /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-jar/net/miginfocom/layout/CC.java

No license file was found, but licenses were detected in source scan.

/*

* License (BSD):

* =====

*

* Copyright (c) 2004, Mikael Grev, MiG InfoCom AB. (miglayout (at) miginfocom (dot) com)

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without modification,

* are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list

* of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the MiG InfoCom AB nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*

* @version 1.0

* @author Mikael Grev, MiG InfoCom AB

* Date: 2006-sep-08

*/

/** Returns the gaps as pixel values.

* @param parent The parent. Used to get the pixel values.

* @param defGap The default gap to use if there is no gap set on this object (i.e. it is null).

* @param refSize The reference size used to get the pixel sizes.

* @param before IF it is the gap before rather than the gap after to return.

* @return The [min,preferred,max] sizes for the specified gap. Uses { @link net.miginfocom.layout.LayoutUtil#NOT_SET }

* for gap sizes that are <code>null</code>. Returns <code>null</code> if there was no gap specified. A new and free to use array.

*/

Found in path(s):

* /opt/cola/permits/117692136_1695289078.9935892/0/miglayout-3-5-5-sources-jar/net/miginfocom/layout/DimConstraint.java

1.5 spring-plugin-core 1.2.0.RELEASE

1.5.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008-2012 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-
jar/org/springframework/plugin/core/Plugin.java
* /opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-
jar/org/springframework/plugin/core/support/AbstractTypeAwareSupport.java
*
 /opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-
jar/org/springframework/plugin/core/config/PluginListDefinitionParser.java
* /opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-
jar/org/springframework/plugin/core/support/PluginRegistryFactoryBean.java
* /opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-
jar/org/springframework/plugin/core/config/PluginRegistryDefinitionParser.java
* /opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-
jar/org/springframework/plugin/core/PluginRegistry.java
* /opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-
jar/org/springframework/plugin/core/SimplePluginRegistry.java
* /opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-
jar/org/springframework/plugin/core/OrderAwarePluginRegistry.java
* /opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-
jar/org/springframework/plugin/core/config/PluginNamespaceHandler.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008-2010 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not
 * use this file except in compliance with the License. You may obtain a copy of
 * the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-jar/org/springframework/plugin/core/support/BeanListFactoryBean.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-jar/org/springframework/plugin/core/config/EnablePluginRegistries.java
* /opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-jar/org/springframework/plugin/core/PluginRegistrySupport.java
*
/opt/cola/permits/123064744_1695291084.0082867/0/spring-plugin-core-1-2-0-release-sources-jar/org/springframework/plugin/core/config/PluginRegistriesBeanDefinitionRegistrar.java

1.6 jzlib 1.1.3

1.6.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2000-2011 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

```
* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/Deflate.java
* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/Inflate.java
* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/ZStream.java
* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/Adler32.java
No license file was found, but licenses were detected in source scan.
```

/*

Copyright (c) 2000,2001,2002,2003 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/InfCodes.java
* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/Tree.java
* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/ZStreamException.java
* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/StaticTree.java
* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/InfTree.java
No license file was found, but licenses were detected in source scan.

/*

Copyright (c) 2011 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/GZIPHeader.java

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/GZIPInputStream.java

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/GZIPOutputStream.java

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/Inflater.java

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/DeflaterOutputStream.java

*

/opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/ZInputStream.java

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/ZOutputStream.java

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/JZlib.java

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/InflaterInputStream.java

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/GZIPException.java

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/CRC32.java

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/InfBlocks.java

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/Checksum.java

* /opt/cola/permits/127992493_1695293957.3536224/0/jzlib-1-1-3-sources-zip/com/jcraft/jzlib/Deflater.java

1.7 spring-plugin-metadata 1.2.0.RELEASE

1.7.1 Available under license :

Apache License, Version 2.0

<http://www.apache.org/licenses/LICENSE-2.0>

Copyright 2010 the original author or authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

1.8 paranamer 2.8

1.8.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
*
```

```
* Copyright (c) 2009 Paul Hammant
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. Neither the name of the copyright holders nor the names of its
```

```
* contributors may be used to endorse or promote products derived from
```

```
* this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
```

```
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
```

```
LIMITED TO, THE
```

```
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
```

```
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
```

```
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
```

```
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
```

```
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
```

```
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
```

```
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
```

```
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
```

```
* THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

Found in path(s):

```
*/opt/cola/permits/161214140_1695312241.3082175/0/paranamer-2-8-sources-
```

```
jar/com/thoughtworks/paranamer/AnnotationParanamer.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
*
```

```
* Copyright (c) 2007 Paul Hammant
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*
*/

Found in path(s):

* /opt/cola/permits/161214140_1695312241.3082175/0/paranamer-2-8-sources-
jar/com/thoughtworks/paranamer/Paranamer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2007 Paul Hammant

* Copyright 2013 Samuel Halliday

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/161214140_1695312241.3082175/0/paranamer-2-8-sources-
jar/com/thoughtworks/paranamer/JavadocParanamer.java

No license file was found, but licenses were detected in source scan.

/**

*

* Copyright (c) 2013 Stefan Fleiter

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/161214140_1695312241.3082175/0/paranamer-2-8-sources-jar/com/thoughtworks/paranamer/PositionalParanamer.java

No license file was found, but licenses were detected in source scan.

/***

*

* Portions Copyright (c) 2007 Paul Hammant

* Portions copyright (c) 2000-2007 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/161214140_1695312241.3082175/0/paranamer-2-8-sources-jar/com/thoughtworks/paranamer/BytecodeReadingParanamer.java

No license file was found, but licenses were detected in source scan.

/***

*

* Copyright (c) 2007 Paul Hammant

* All rights reserved.

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/161214140_1695312241.3082175/0/paranamer-2-8-sources-
jar/com/thoughtworks/paranamer/DefaultParanamer.java
* /opt/cola/permits/161214140_1695312241.3082175/0/paranamer-2-8-sources-
jar/com/thoughtworks/paranamer/NullParanamer.java
* /opt/cola/permits/161214140_1695312241.3082175/0/paranamer-2-8-sources-
jar/com/thoughtworks/paranamer/AdaptiveParanamer.java
*
/opt/cola/permits/161214140_1695312241.3082175/0/paranamer-2-8-sources-
jar/com/thoughtworks/paranamer/ParameterNamesNotFoundException.java
* /opt/cola/permits/161214140_1695312241.3082175/0/paranamer-2-8-sources-
jar/com/thoughtworks/paranamer/CachingParanamer.java

1.9 antlr 4.7

1.9.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

* Use of this file is governed by the BSD 3-clause license that
* can be found in the LICENSE.txt file in the project root.
*/

Found in path(s):

* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/ATNDeserializationOptions.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/LexerPushModeAction.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/tree/Tree.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/tree/AbstractParseTreeVisitor.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/tree/xpath/XPathLexer.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/misc/Triple.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/tree/pattern/RuleTagToken.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/tree/pattern/TokenTagToken.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/LexerInterpreter.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/StarBlockStartState.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/ActionTransition.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/misc/Utils.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/BlockEndState.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/IntStream.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/AmbiguityInfo.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/PredictionContext.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/ParseInfo.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/misc/MultiMap.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/tree/xpath/XPathWildcardElement.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/ATNType.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-

```

jar/org/antlr/v4/runtime/atn/BlockStartState.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/TokensStartState.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/AtomTransition.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/ATNState.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/FailedPredicateException.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/ErrorNode.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/PredictionContextCache.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/pattern/ParseTreePatternMatcher.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/UnbufferedTokenStream.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/ErrorInfo.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/LexerNoViableAltException.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/SingletonPredictionContext.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/dfa/DFASState.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/TokenStream.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/CommonTokenStream.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/CharStreams.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/ATNConfig.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/IterativeParseTreeWalker.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/pattern/ParseTreePattern.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/PredictionMode.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/ANTLRInputStream.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/EmptyPredictionContext.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/misc/MurmurHash.java

```

* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/DecisionEventInfo.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/RangeTransition.java
 *
 /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/LexerPopModeAction.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/misc/IntervalSet.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/ConsoleErrorListener.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/tree/RuleNode.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/Lexer.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/LookaheadEventInfo.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/LexerCustomAction.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/DecisionState.java
 *
 /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/WritableToken.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/misc/IntegerList.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/PrecedencePredicateTransition.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/misc/Predicate.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/Transition.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/PredicateTransition.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/tree/ParseTreeWalker.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/tree/pattern/TagChunk.java
 *
 /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/AbstractPredicateTransition.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/misc/LogManager.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/Parser.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/tree/xpath/XPathLexerErrorListener.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-

jar/org/antlr/v4/runtime/atn/LexerActionType.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/PredicateEvalInfo.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/misc/Interval.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/TokenFactory.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/TokenStreamRewriter.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/BailErrorStrategy.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/LoopEndState.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/misc/FlexibleHashMap.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/LexerATNConfig.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/VocabularyImpl.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/SyntaxTree.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/LL1Analyzer.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/RuleTransition.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/BasicBlockStartState.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/ATNSimulator.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/SetTransition.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/xpath/XPath.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/OrderedATNConfigSet.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/Trees.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/xpath/XPathElement.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/xpath/XPathRuleAnywhereElement.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/NoViableAltException.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/misc/Pair.java

* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/LexerIndexedCustomAction.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/tree/xpath/XPathWildcardAnywhereElement.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/ProxyErrorListener.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/CodePointTransitions.java
 *
 /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/misc/IntegerStack.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/SemanticContext.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/tree/ParseTreeProperty.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/InterpreterRuleContext.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/tree/xpath/XPathTokenElement.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/LexerSkipAction.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/CodePointCharStream.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/EpsilonTransition.java
 *
 /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/DecisionInfo.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/BufferedTokenStream.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/RuleContextWithAltNum.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/ANTLRFileStream.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/DefaultErrorStrategy.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/atn/ContextSensitivityInfo.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/dfa/DFASerializer.java
 *
 /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/misc/IntSet.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/tree/xpath/XPathRuleElement.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
 jar/org/antlr/v4/runtime/Recognizer.java
 * /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-

```

jar/org/antlr/v4/runtime/misc/DoubleKeyMap.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/ParseTreeVisitor.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/ATNDeserializer.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/misc/Array2DHashSet.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/CodePointBuffer.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/CommonToken.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/ATN.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/PlusLoopbackState.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/misc/EqualityComparator.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/LexerMoreAction.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/LexerChannelAction.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/Token.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/RuleContext.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/ParserInterpreter.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/ATNConfigSet.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/ErrorNodeImpl.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/TerminalNode.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/ParserATNSimulator.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/InputMismatchException.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/LexerTypeAction.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/NotSetTransition.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/misc/ParseCancellationException.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/misc/NotNull.java

```

* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/tree/pattern/TextChunk.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/CommonTokenFactory.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/ListTokenSource.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/ProfilingATNSimulator.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/tree/ParseTree.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/CharStream.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/tree/TerminalNodeImpl.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/UnbufferedCharStream.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/ParserRuleContext.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/ATNSerializer.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/LexerActionExecutor.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/RuleStopState.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/LexerModeAction.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/StarLoopEntryState.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/RecognitionException.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/LexerATNSimulator.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/tree/pattern/ParseTreeMatch.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/dfa/DFA.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/PlusBlockStartState.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/BaseErrorListener.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/misc/ObjectEqualityComparator.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-jar/org/antlr/v4/runtime/atn/ArrayPredictionContext.java
*

```

/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/misc/TestRig.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/dfa/LexerDFASerializer.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/DiagnosticErrorListener.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/xpath/XPathTokenAnywhereElement.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/StarLoopbackState.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/misc/OrderedHashSet.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/ANTLRErrorListener.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/ParseTreeListener.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/ANTLRErrorStrategy.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/RuleStartState.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/misc/AbstractEqualityComparator.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/WildcardTransition.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/RuntimeMetaData.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/LexerAction.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/TokenSource.java
*
/opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/Vocabulary.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/tree/pattern/Chunk.java
* /opt/cola/permits/169822625_1695316177.9963315/0/antlr4-runtime-4-7-sources-
jar/org/antlr/v4/runtime/atn/BasicState.java

```

1.10 avro 1.8.2

1.10.1 Available under license :

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Avro
Copyright 2009-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.11 commons-collections 4.2

1.11.1 Available under license :

Apache Commons Collections
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.12 bouncy-castle 1.60

1.12.1 Available under license :

Copyright (c) 2000 - 2020 The Legion of the Bouncy Castle Inc. (<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

```
java/io/PrintStreamjava/lang/Objectjava/lang/StringBuilderjava/lang/SystemlicenseText
lineSeparatormainorg/bouncycastle/LICENSEorg/bouncycastle/util/Stringsoutportions of the
Software.println$subject to the following conditions:toString
! "&Ljava/io/PrintStream;Ljava/lang/String;()Ljava/lang/String;(Ljava/lang/String;)V(Ljava/lang/String;)V-
(Ljava/lang/String;)Ljava/lang/StringBuilder;(3#4$5,5*68 09 1:
->
.:
/;
/=
/?
2<Code!1. #4H*C %7H
@ABH/YDFGFGFFGF
FGFFGFFGFFGFGF FGF
FGFGFFGFFGFFGFFGFFGFFEA
```

1.13 failureaccess 1.0.1

1.14 latencyutils 2.0.3

1.15 commons-fileupload 1.4

1.15.1 Available under license :

Apache Commons FileUpload
Copyright 2002-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.16 zjsonpatch 0.4.8

1.17 mapstruct 1.2.0.Final

1.18 swagger-annotations 1.5.20

1.19 j2objc-annotations 1.3

1.19.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

1.20 commons-beanutils 1.9.4

1.20.1 Available under license :

Apache Commons BeanUtils
Copyright 2000-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.21 angular 8.0.1

1.21.1 Available under license :

BSD 2-Clause License

For Yarn software

Copyright (c) 2016-present, Yarn Contributors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
import { HttpClientTestingModule, HttpTestingController } from '@angular/common/http/testing';
import { Injector } from '@angular/core';
import { TestBed } from '@angular/core/testing';
```

```
import { ContributorService } from './contributor.service';
import { ContributorGroup } from './contributors.model';
```

```
describe('ContributorService', () => {
```

```
  let injector: Injector;
  let contribService: ContributorService;
  let httpMock: HttpTestingController;
```

```
  beforeEach(() => {
    injector = TestBed.configureTestingModule({
      imports: [HttpClientTestingModule],
      providers: [
        ContributorService
      ]
    });
```

```
    contribService = injector.get<ContributorService>(ContributorService);
    httpMock = injector.get(HttpTestingController);
  });
```

```
  afterEach(() => httpMock.verify());
```

```
  it('should make a single connection to the server', () => {
    const req = httpMock.expectOne({});
    expect(req.request.url).toBe('generated/contributors.json');
  });
```

```
  describe('#contributors', () => {
```

```
    let contribs: ContributorGroup[];
    let testData: any;
```

```
    beforeEach(() => {
      testData = getTestContribs();
      httpMock.expectOne({}).flush(testData);
```

```

    contribService.contributors.subscribe(results => contribs = results);
  });

it('contributors observable should complete', () => {
  let completed = false;
  contribService.contributors.subscribe(undefined, undefined, () => completed = true);
  expect(completed).toBe(true, 'observable completed');
});

it('should reshape the contributor json to expected result', () => {
  const groupNames = contribs.map(g => g.name).join(',');
  expect(groupNames).toEqual('Angular,Collaborators,GDE');
});

it('should have expected "GDE" contribs in order', () => {
  const gde = contribs[2];
  const actualAngularNames = gde.contributors.map(l => l.name).join(',');
  const expectedAngularNames = [testData.gkalpak, testData.kapunahelewong].map(l
=> l.name).join(',');
  expect(actualAngularNames).toEqual(expectedAngularNames);
});

it('should support including a contributor in multiple groups', () => {
  const contributor = testData.gkalpak;
  const matchedGroups = contribs
    .filter(group => group.contributors.includes(contributor))
    .map(group => group.name);

  expect(matchedGroups).toEqual(['Collaborators', 'GDE']);
});

it('should do WHAT(?) if the request fails');
});

function getTestContribs() {
  return {
    kapunahelewong: {
      name: 'Kapunahele Wong',
      picture: 'kapunahelewong.jpg',
      website: 'https://github.com/kapunahelewong',
      twitter: 'kapunahele',
      bio: 'Kapunahele is a front-end developer and contributor to angular.io',
      groups: ['GDE']
    },
    misko: {
      name: 'Miko Hevery',
      picture: 'misko.jpg',

```

```

twitter: 'mhevery',
website: 'http://misko.hevery.com',
  bio: 'Miko Hevery is the creator of AngularJS framework.',
  groups: ['Angular']
},
igor: {
  name: 'Igor Minar',
  picture: 'igor-minar.jpg',
  twitter: 'IgorMinar',
  website: 'https://google.com/+IgorMinar',
  bio: 'Igor is a software engineer at Angular.',
  groups: ['Angular']
},
kara: {
  name: 'Kara Erickson',
  picture: 'kara-erickson.jpg',
  twitter: 'karaforthewin',
  website: 'https://github.com/kara',
  bio: 'Kara is a software engineer on the Angular team at Angular and a co-organizer of the Angular-SF Meetup. ',
  groups: ['Angular']
},
jeffcross: {
  name: 'Jeff Cross',
  picture: 'jeff-cross.jpg',
  twitter: 'jeffbcross',
  website: 'https://twitter.com/jeffbcross',
  bio: 'Jeff was one of the earliest core team members on AngularJS.',
  groups: ['Collaborators']
},
naomi: {
  name: 'Naomi Black',
  picture: 'naomi.jpg',
  twitter: 'naomitraveller',
  website: 'http://google.com/+NaomiBlack',
  bio: 'Naomi is Angular\'s TPM generalist and jack-of-all-trades.',
  groups: ['Angular']
},
gkalpak: {
  name: 'George Kalpakas',
  picture: 'gkalpak.jpg',
  twitter: 'gkalpakas',
  bio: 'George wrote this test, so he gets to have his name included here.',
  groups: ['GDE', 'Collaborators'],
}
};
}
import { Component, Input } from '@angular/core';

```

```

import { Contributor } from './contributors.model';
import { CONTENT_URL_PREFIX } from 'app/documents/document.service';

@Component({
  selector: 'aio-contributor',
  template: `
    <div [ngClass]="{ 'flipped': person.isFlipped }" class="contributor-card">

      <div class="card-front" (click)="flipCard(person)">
        <h3>{{person.name}}</h3>

        <div class="contributor-image" [style.background-image]="url('+pictureBase+(person.picture ||
noPicture)+')">
          <div class="contributor-info">
            <a *ngIf="person.bio" mat-button class="info-item">
              View Bio
            </a>
            <a *ngIf="person.twitter" mat-icon-button class="info-item icon"
              href="https://twitter.com/{{person.twitter}}" target="_blank" (click)="$event.stopPropagation()">
              <mat-icon svgIcon="logos:twitter"></mat-icon>
            </a>
            <a *ngIf="person.website" mat-icon-button class="info-item icon"
              href="{{person.website}}" target="_blank" (click)="$event.stopPropagation()">
              <mat-icon class="link-icon">link</mat-icon>
            </a>
          </div>
        </div>
      </div>

      <div class="card-back" *ngIf="person.isFlipped" (click)="flipCard(person)">
        <h3>{{person.name}}</h3>
        <p class="contributor-bio">{{person.bio}}</p>
      </div>
    </div>
  `
})
export class ContributorComponent {
  @Input() person: Contributor;
  noPicture = '_no-one.png';
  pictureBase = CONTENT_URL_PREFIX + 'images/bios/';

  flipCard(person: Contributor) {
    person.isFlipped = !person.isFlipped;
  }
}
import { Injectable } from '@angular/core';
import { HttpClient } from '@angular/common/http';

```

```

import { ConnectableObservable, Observable } from 'rxjs';
import { map, publishLast } from 'rxjs/operators';

import { Contributor, ContributorGroup } from './contributors.model';

// TODO(andrewjs): Look into changing this so that we don't import the service just to get the const
import { CONTENT_URL_PREFIX } from 'app/documents/document.service';

const contributorsPath = CONTENT_URL_PREFIX + 'contributors.json';
const knownGroups = ['Angular', 'Collaborators', 'GDE'];

@Injectable()
export class ContributorService {
  contributors: Observable<ContributorGroup[]>;

  constructor(private http: HttpClient) {
    this.contributors = this.getContributors();
  }

  private getContributors() {
    const contributors = this.http.get<{[key: string]: Contributor}>(contributorsPath).pipe(
      // Create group map
      map(contribs => {
        const contribMap: { [name: string]:
Contributor[] } = {};
        Object.keys(contribs).forEach(key => {
          const contributor = contribs[key];
          contributor.groups.forEach(group => {
            const contribGroup = contribMap[group] || (contribMap[group] = []);
            contribGroup.push(contributor);
          });
        });

        return contribMap;
      }),

      // Flatten group map into sorted group array of sorted contributors
      map(cmap => {
        return Object.keys(cmap).map(key => {
          const order = knownGroups.indexOf(key);
          return {
            name: key,
            order: order === -1 ? knownGroups.length : order,
            contributors: cmap[key].sort(compareContributors)
          } as ContributorGroup;
        });
      }).sort(compareGroups);
    });
  }
}

```

```

    publishLast(),
  );

  (contributors as ConnectableObservable<ContributorGroup[]>).connect();
  return contributors;
}
}

function compareContributors(l: Contributor,
r: Contributor) {
return l.name.toUpperCase() > r.name.toUpperCase() ? 1 : -1;
}

function compareGroups(l: ContributorGroup, r: ContributorGroup) {
return l.order === r.order ?
  (l.name > r.name ? 1 : -1) :
  l.order > r.order ? 1 : -1;
}
import { ReflectiveInjector } from '@angular/core';

import { of } from 'rxjs';

import { ContributorGroup } from './contributors.model';
import { ContributorListComponent } from './contributor-list.component';
import { ContributorService } from './contributor.service';
import { LocationService } from 'app/shared/location.service';

// Testing the component class behaviors, independent of its template
// Let e2e tests verify how it displays.
describe('ContributorListComponent', () => {

  let component: ContributorListComponent;
  let injector: ReflectiveInjector;
  let contributorService: TestContributorService;
  let locationService: TestLocationService;
  let contributorGroups: ContributorGroup[];

  beforeEach(() => {
    injector = ReflectiveInjector.resolveAndCreate([
      ContributorListComponent,
      {provide: ContributorService, useClass: TestContributorService },
      {provide: LocationService, useClass: TestLocationService }
    ]);

    locationService
    = injector.get(LocationService);
    contributorService = injector.get(ContributorService);

```

```

    contributorGroups = contributorService.testContributors;
  });

  it('should select the first group when no query string', () => {
    component = getComponent();
    expect(component.selectedGroup).toBe(contributorGroups[0]);
  });

  it('should select the first group when query string w/o "group" property', () => {
    locationService.searchResult = { foo: 'GDE' };
    component = getComponent();
    expect(component.selectedGroup).toBe(contributorGroups[0]);
  });

  it('should select the first group when query group not found', () => {
    locationService.searchResult = { group: 'foo' };
    component = getComponent();
    expect(component.selectedGroup).toBe(contributorGroups[0]);
  });

  it('should select the GDE group when query group is "GDE"', () => {
    locationService.searchResult = { group: 'GDE' };
    component = getComponent();
    expect(component.selectedGroup).toBe(contributorGroups[1]);
  });

  it('should select the GDE group when query group is "gde" (case insensitive)', () => {
    locationService.searchResult = { group: 'gde' };
    component = getComponent();
    expect(component.selectedGroup).toBe(contributorGroups[1]);
  });

  it('should set the query to the "GDE" group when user selects "GDE"', () => {
    component = getComponent();
    component.selectGroup('GDE');
    expect(locationService.searchResult['group']).toBe('GDE');
  });

  it('should set the query to the first group when user selects unknown name', () => {
    component = getComponent();
    component.selectGroup('GDE'); // a legit group that isn't the first

    component.selectGroup('foo'); // not a legit group name
    expect(locationService.searchResult['group']).toBe('Angular');
  });

  /// Test Helpers ///
  function getComponent(): ContributorListComponent {

```

```

const comp = injector.get(ContributorListComponent);
comp.ngOnInit();
return comp;
}

```

```

interface SearchResult { [index: string]: string; }

```

```

class TestLocationService {
  searchResult: SearchResult = {};
  search = jasmine.createSpy('search').and.callFake(() => this.searchResult);
  setSearch = jasmine.createSpy('setSearch')
    .and.callFake((label: string, result: SearchResult) => {
      this.searchResult = result;
    });
}

```

```

class TestContributorService {
  testContributors = getTestData();
  contributors = of(this.testContributors);
}

```

```

function getTestData(): ContributorGroup[] {
  return [
    // Not interested in the contributors data in these tests
    { name: 'Angular', order: 0, contributors: [] },
    { name: 'GDE', order: 1, contributors: [] },
  ];
}
});

```

```

{
  "mhevery": {
    "name": "Miko Hevery",
    "picture": "misko.jpg",
    "twitter": "mhevery",
    "website": "http://misko.hevery.com",
    "bio": "Miko Hevery is the creator of AngularJS framework. He has passion for making complex things simple. He currently works at Google, but has previously worked at Adobe, Sun Microsystems, Intel, and Xerox, where he became an expert in building web applications in web related technologies such as Java, JavaScript, Flex and ActionScript.",
    "groups": ["Angular"],
    "lead": "kara"
  },
  "igorminar": {
    "name": "Igor Minar",
    "picture": "igor-minar.jpg",
    "twitter": "IgorMinar",
    "website": "https://google.com/+IgorMinar",
    "bio": "Igor is a software engineer at Google. He is a lead on the Angular project, practitioner of test driven

```

development, open source enthusiast, hacker. In his free time, Igor enjoys spending time with his wife and two kids, doing outdoor activities (including but not limited to sports,

gardening and building retaining walls).",

```
"groups": ["Angular"],
```

```
"lead": "bradlygreen"
```

```
},
```

```
"bradlygreen": {
```

```
"name": "Brad Green",
```

```
"picture": "brad-green.jpg",
```

```
"twitter": "bradlygreen",
```

```
"website": "https://plus.google.com/+BradGreen",
```

```
"bio": "Brad Green works at Google as an engineering director. Brad manages the Google Sales Platform suite of projects as well as the AngularJS framework. Prior to Google, Brad worked on the early mobile web at AvantGo, founded and sold startups, and spent a few hard years toiling as a caterer. Brad's first job out of school was as lackey to Steve Jobs at NeXT Computer writing demo software and designing his slide presentations. Brad enjoys throwing dinner parties with his wife Heather and putting on plays with his children.",
```

```
"groups": ["Angular"]
```

```
},
```

```
"jelbourn": {
```

```
"name": "Jeremy Elbourn",
```

```
"picture": "jelbourn.jpg",
```

```
"twitter": "jelbourn",
```

```
"website": "https://plus.google.com/+JeremyElbourn/",
```

```
"bio": "Angular Material Team Lead. FE Engineer @ Google specializing in AngularJS, component design, and the cleanest of code.",
```

```
"groups": ["Angular"],
```

```
"lead": "igorminar"
```

```
},
```

```
"petebacondarwin": {
```

```
"name": "Pete Bacon Darwin",
```

```
"picture": "pete.jpg",
```

```
"twitter": "petebd",
```

```
"website": "http://www.bacondarwin.com",
```

```
"bio": "AngularJS for JS Team Lead. Pete has been working on the core team since 2012 and became the team lead for the AngularJS for JS branch in November 2014. He has co-authored a book on AngularJS and regularly talks about and teaches Angular.",
```

```
"groups": ["Angular"],
```

```
"lead": "igorminar"
```

```
},
```

```
"stephenfluin": {
```

```
"name": "Stephen Fluin",
```

```
"picture": "stephenfluin.jpg",
```

```
"twitter": "stephenfluin",
```

```
"website": "https://plus.google.com/+stephenfluin",
```

```
"bio": "Stephen is a Developer Advocate working on the Angular team. Before joining Google, he was a Google Expert. Stephen loves to help enterprises use technology more effectively.",
```

```
"groups": ["Angular"],
```

```

"lead": "bradlygreen"
},
"robwormald": {
  "name": "Rob Wormald",
  "picture": "rob-wormald.jpg",
  "twitter": "robwormald",
  "website": "http://github.com/robwormald",
  "bio": "Rob is a Developer Advocate on the Angular team at Google. He's the Angular team's resident reactive programming geek and founded the Reactive Extensions for Angular project, ngrx.",
  "groups": ["Angular"],
  "lead": "stephenfluin"
},
"rkirov": {
  "name": "Rado Kirov",
  "picture": "rado.jpg",
  "twitter": "radokirov",
  "website": "https://plus.sandbox.google.com/+RadoslavKirov",
  "bio": "Rado has been on the Angular Core team since Summer 2014. Before Angular, he worked on the AdSense serving stack, responsible for serving billions of ads daily. Being passionate about open source, he made contributions to Angular as a Google-20% project, before making the fulltime jump. He is a recovering academic; ask him about error-correcting codes from algebraic curves (or don't).",
  "groups": ["Angular"],
  "lead": "mprobst"
},
"alexeeagle": {
  "name": "Alex Eagle",
  "picture": "alex-eagle.jpg",
  "twitter": "jakeherringbone",
  "website": "http://google.com/+alexeeagle",
  "bio": "Alex works on language tooling for JavaScript and TypeScript. Previously Alex spent five years in Google's developer testing tools. He has developed systems including Google's continuous integration service, capturing build&test failures, and explaining them to developers. Before Google, Alex worked at startups including Opower, and consulted for large government IT. In his 20% time, he created the Error-Prone static analysis tool, which detects common Java programming mistakes and reports them as compile errors.",
  "groups": ["Angular"],
  "lead": "igorminar"
},
"kyliu": {
  "name": "Keen Yee Liao",
  "groups": ["Angular"],
  "lead": "alexeeagle",
  "picture": "kyliu.jpg"
},
"clydin": {
  "name": "Charles Lyding",
  "groups": ["Angular"],
  "lead": "alexeeagle",
  "picture": "clydin.jpg"
}

```

```

},
"alan-agius4": {
  "name": "Alan Agius",
  "groups": ["Angular"],
  "lead": "alexeagle",
  "picture": "alan-agius4.jpg",
  "bio": "Angular CLI Member, Loves TypeScript, Build Tools, Food, Beer & Coffee:"
},
"gregmagolan": {
  "name": "Greg Magolan",
  "groups": ["Angular"],
  "lead": "alexeagle",
  "picture": "gregmagolan.jpg",
  "bio": "Building great software with Angular and Node.js."
},
"mprobst": {
  "name": "Martin Probst",
  "picture": "martin-probst.jpg",
  "twitter": "martin_probst",
  "website": "http://probst.io",
  "bio": "Martin is a software engineer at Google in the AngularJS team. He holds a MSc in Software Engineering from HPI in Potsdam, Germany. Before joining the AngularJS team at Google, he worked at a database startup in the Netherlands, at EMC, at SAP, and as a freelancer. In his free time, he likes to cook and sail, not necessarily at the same time.",
  "groups": ["Angular"],
  "lead": "bradlygreen"
},
"alxhub": {
  "name": "Alex Rickabaugh",
  "picture": "alex-rickabaugh.jpg",
  "twitter": "synalx",
  "website": "https://plus.google.com/+AlexRickabaugh/about",
  "bio": "Core team member working to optimize the Angular platform for the next generation of applications, including mobile. Before joining the Angular team, Alex worked in the Google sales organization where he helped build the first large Angular application within Google.",
  "groups": ["Angular"],
  "lead": "kara"
},
"matsko": {
  "name": "Matias Niemela",
  "picture": "matias.jpg",
  "twitter": "yearofmoo",
  "website": "http://yearofmoo.com",
  "bio": "Matias Niemela is a fullstack web developer who has been programming & building websites for over 10 years, and a core team member of AngularJS for two years. In the spring of 2015 Matias joined Angular full time at Google. In his free time Matias loves to build complex things and is always up for public speaking, travelling and tweaking his current Vim setup.",
  "groups": ["Angular"],

```

```

"lead": "kara"
},
"hansl": {
  "name": "Hans Larsen",
  "picture": "hansl.jpg",
  "twitter": "hanslatwork",
  "website": "http://www.codingatwork.com/",
  "bio": "Hans is a software engineer at Google on the Angular team and was previously at Slack. He works
everyday to help make it easier for everyone to create beautiful, consistent web applications using Angular, using
Material Design components and the CLI tool.",
  "groups": ["Angular"],
  "lead": "alexeagle"
},
"kara": {
  "name": "Kara Erickson",
  "picture": "kara-erickson.jpg",
  "twitter": "karaforthewin",
  "website": "https://github.com/kara",
  "bio": "Kara is a software engineer on the Angular team at Google and a co-organizer of the
Angular-SF Meetup. Prior to Google, she helped build UI components in Angular for guest management systems at
OpenTable. She enjoys snacking indiscriminately and probably other things too.",
  "groups": ["Angular"],
  "lead": "igorminar"
},
"vikerman": {
  "name": "Vikram Subramanian",
  "picture": "vikram.jpg",
  "twitter": "vikerman",
  "bio": "Vikram is a Software Engineer on the Angular team focused on Engineering Productivity. That means he
makes sure people on the team can move fast and not break things. Vikram enjoys doing Yoga and going on walks
with his daughter.",
  "groups": ["Angular"],
  "lead": "alexeagle"
},
"pkozlowski-opensource": {
  "name": "Pawel Kozlowski",
  "picture": "pawel.jpg",
  "twitter": "pkozlowski_os",
  "bio": "Open source hacker, AngularJS book author, AngularUI lead developer. Pawel is an software-development
addict who believes in free, open source software. He is a core contributor to the AngularJS
framework, AngularUI, Karma-runner and several other projects. He is the co-author of the \"Mastering Web
Application Development with AngularJS\" book. When not coding, Pawel can be spotted speaking at various
software development conferences.",
  "groups": ["Angular"],
  "lead": "kara"
},
"devversion": {
  "name": "Paul Gschwendtner",

```

```

    "picture": "devversion.jpg",
    "twitter": "DevVersion",
    "website": "https://github.com/DevVersion",
    "bio": "Paul is a 17-year-old developer living in Germany. While he attends school, Paul works as a core team member on Angular Material. Paul focuses on tooling and building components for Angular.",
    "groups": ["Angular"],
    "lead": "kara"
  },
  "EladBezalel": {
    "name": "Elad Bezalel",
    "picture": "eladbezalel.jpg",
    "website": "https://github.com/EladBezalel",
    "bio": "Elad is a fullstack developer with a very strong love for design. Since 8 years old, he's been designing in Photoshop and later on fell in love with programing. This strong bond between design and computer programming gave birth to a new kind of love. And he is currently doing the combination of both, as a core member of the ngMaterial project.",
    "groups": ["GDE"]
  },
  "marclaval": {
    "name": "Marc Laval",
    "picture": "marclaval.jpg",
    "twitter": "marclaval",
    "website": "https://github.com/mlaval",
    "bio": "Marc is a manager at Amadeus where he leads the team in charge of developing and recommending UI frameworks for the company. He is also an open source developer and a contributor to Angular.",
    "groups": ["Angular"],
    "lead": "kara"
  },
  "wardbell": {
    "name": "Ward Bell",
    "picture": "wardbell.jpg",
    "website": "https://github.com/wardbell",
    "twitter": "wardbell",
    "bio": "Ward is an all-around developer with JavaScript, Node.js, and .net chops. He's a frequent conference speaker and podcaster, trainer, Google Developer Expert for Angular, Microsoft MVP, and PluralSight author. He is also president of IdeaBlade, an enterprise software consulting firm and the makers of breeze.js. He would like to get more sleep and spend more time in the mountains.",
    "groups": ["GDE"]
  },
  "Narretz": {
    "name": "Martin Staffa",
    "picture": "martinstaffa.jpg",
    "twitter": "Narretz",
    "bio": "Martin is an English major turned web developer who loves frontend stuff. He's been part of the AngularJS team since 2014. If you can't find him roaming the Github issue queues, he's probably out with his camera somewhere.",
    "groups": ["Angular"],
    "lead": "petebacondarwin"
  }
}

```

```

},
"filipesilva": {
  "name": "Filipe Silva",
  "picture": "filipe-silva.jpg",
  "twitter": "filipematossilv",
  "website": "http://github.com/filipesilva",
  "bio": "Filipe is a passion-driven developer that always strives for the most elegant solution for each problem. He is currently an author for Angular.io, a core contributor for Angular-CLI and senior front end engineer at KonnectAgain. When not busy going through PRs, you can find him scouring reddit for new dinner recipes to cook or enjoying a craft beer in Dublin.",
  "groups": ["Angular"],
  "lead": "alexeagle"
},
"andrewseguin": {
  "name": "Andrew Seguin",
  "picture": "andrewseguin.jpg",
  "website": "http://github.com/andrewseguin",
  "bio": "Andrew is an engineer on the Angular Material team working on bringing material components to the world. When hes not obsessing over pixels and design, he is probably off somewhere having adventures with his wife and daughters.",
  "groups": ["Angular"],
  "lead": "jelbourn"
},
"crisbeto": {
  "name": "Kristiyan Kostadinov",
  "picture": "crisbeto.jpg",
  "website": "http://crisbeto.com/",
  "bio": "Kristiyan is a front-end developer, passionate open-source contributor and a core team member on Angular Material.",
  "groups": ["Angular"],
  "lead": "jelbourn"
},
"gkalpak": {
  "name": "Georgios Kalpakas",
  "picture": "gkalpak.jpg",
  "twitter": "gkalpakas",
  "website": "https://github.com/gkalpak",
  "bio": "George is a Software Engineer with a passion for chess, robotics and automating stuff. He has a strong need to know how things work (so if you already know, he'd love to have a talk with you). He has been a member of the AngularJS team since 2014. When not doing geeky stuff, he is probably trying to convince his wife and kids to apply programming principles in real life. (Or is it the other way around?)",
  "groups": ["Angular"],
  "lead": "igorminar"
},
"mmalerba": {
  "name": "Miles Malerba",
  "picture": "mmalerba.jpg",
  "bio": "Miles is a software engineer on the Angular Material team at Google. In addition to Javascripting he enjoys

```

```

eating food and ogling cute puppies.",
  "groups": ["Angular"],
  "lead": "jelbourn"
},
"jasonaden": {
  "name": "Jason Aden",
  "picture":
"jasonaden.jpg",
  "bio": "Jason is a software engineer at Google on the Angular Core team. He is enthusiastic about Angular and application development in the modern age. In his free time Jason enjoys spending time with his wife and four children and doing outdoor activities (hiking, fishing, snowboarding, etc.).",
  "groups": ["Angular"],
  "lead": "igorminar"
},
"jeffwhelpley": {
  "name": "Jeff Whelpley",
  "picture": "jeffwhelpley.jpg",
  "twitter": "jeffwhelpley",
  "website": "https://medium.com/@jeffwhelpley",
  "bio": "Jeff Whelpley is a Google Developer Expert and the CTO of GetHuman. He is the co-organizer of the Angular Boston meetup group, co-creator of Angular Universal, former host of AngularAir and frequent speaker at Angular events.",
  "groups": ["GDE"]
},
"pascalprecht": {
  "name": "Pascal Precht",
  "picture": "pascalprecht.jpg",
  "website": "https://twitter.com/PascalPrecht",
  "bio": "Pascal is a software engineer, author and Google Developer Expert for the Angular team. He loves contributing to open source and is the creator of the popular angular-translate module. In his spare time hes fiddling with EDM production.",
  "groups": ["GDE"]
},
"deborah": {
  "name": "Deborah Kurata",
  "picture": "deborah.jpg",
  "twitter": "deborahkurata",
  "website": "http://blogs.ms_mvps.com/deborahk/",
  "bio": "Deborah is a software developer, author, and Google Developer Expert. She is author of several Pluralsight courses including: 'Angular 2: Getting Started' and Angular Routing",
  "groups": ["Collaborators", "GDE"],
  "mentor": "kara"
},
"alyssa": {
  "name": "Alyssa Nicoll",
  "picture": "mickey_mouse.jpg",
  "twitter": "alyssanicoll",
  "website": "alyssa.io",

```

```

"bio": "I am an energetic, ber passionate GDE and Web Dev. I have some Front-End and Angular courses on Egghead.io and Code School. I love to learn new things and share them with others. I Scuba Dive and have a toothless dog named 'Gummy'. My DM is always open, come talk sometime.",
"groups": ["GDE"]
},
"ralph": {
"name": "Ralph Wang",
"picture": "ralph.jpg",
"twitter": "ralph_wang_gde",
"bio": "Ralph(Zhicheng Wang) is a senior consultant at ThoughtWorks and also a GDE. He is a technology enthusiast and he is a passionate advocate of 'Simplicity, Professionalism and Sharing'. In his eighteen years of R&D career, he worked as tester, R&D engineer, project manager, product manager and CTO. He is immersed in the excitement of the arrival of the baby.",
"groups": ["GDE"]
},
"manekinecko": {
"name": "Wassim Chegham",
"picture": "wassim.jpg",
"twitter": "manekinecko",
"website": "https://medium.com/@wassimchegham",
"bio": "Wassim (aka manekinecko on Twitter/Github) is a Developer Advocate at SFEIR, in Web technologies (Angular, Polymer, PWA, Web Components...). He is also a Developer Expert in Web technologies nominated by Google. He enjoys writing technical articles, meeting developers at events, speaking at conferences and contributing to open source projects. Wassim loves the Web Platform and works hard to move it forward.",
"groups": ["Angular"],
"mentor": "filipesilva"
},
"chrisnoring": {
"name": "Christoffer Noring",
"picture": "chrisnoring.jpg",
"twitter": "chris_noring",
"website": "softchris.github.io",
"bio": "Chris is a Full Stack Developer at McKinsey. A Google Developer Expert in Web Technologies and Angular. He is also a Nativescript Developer Expert. He is one of the organizers of the Angular conference ngVikings and an author of the book RxJS 5 Ultimate",
"groups": ["GDE"]
},
"jorgeucano": {
"name": "Jorge Cano",
"picture": "jorgeucano.jpg",
"twitter": "jorgeucano",
"website": "https://medium.com/@jorgeucano",
"bio": "After more than 10 years working in the tech industry, Jorge is a full stack developer with focus on JavaScript technologies. Today, Jorge is working at Hero Devs using Angular / RxJS / Firebase as well as other technologies. He delivered several courses and talks as well as write some tech articles on these subjects. Because of that, he was recognised as a Google Developer Expert in Angular & web technologies and Nativescript Developer Expert.",
"groups": ["GDE"]

```

```

},
"toddmotto": {
  "name": "Todd Motto",
  "picture": "toddmotto.jpg",
  "twitter": "toddmotto",
  "website": "https://ultimateangular.com",
  "bio": "Owner and trainer at Ultimate Angular. Lives in England, UK. Has a love for teaching, OSS and speaking
at conferences. Google Developer Expert for Web Technologies and Angular.",
  "groups": ["GDE"]
},
"michaelhladky": {
  "name": "Michael Hladky",
  "picture": "michael-hladky.jpg",
  "twitter": "Michael_Hladky",
  "website": "https://github.com/BioPhoton",
  "bio": "Michael is a self employed trainer, consultant
and developer with the focus on Angular, and located in Vienna, Austria. He gives workshops on Angular, RxJS
and Ionic. As Google Developer Expert, founder of Angular-Austria-Association and Angular-Vienna meetup, and
speaker he is an active part of the community.",
  "groups": ["GDE"]
},
"michaelprentice": {
  "name": "Michael Prentice",
  "picture": "michaelprentice.jpg",
  "twitter": "splaktar",
  "website": "https://www.DevIntent.com",
  "bio": "Lead for AngularJS Material. Owner and consultant at DevIntent. Ex-Angular GDE. Founder of the
Google Developers Group (GDG) community on the Space Coast of Florida, USA.",
  "groups": ["Angular"],
  "lead": "jelbourn"
},
"manfredsteyer": {
  "name": "Manfred Steyer",
  "picture": "steyer.jpg",
  "twitter": "ManfredSteyer",
  "website": "https://www.softwarearchitekt.at",
  "bio": "Trainer and Consultant with focus on Angular. Writes for O'Reilly, the German Java Magazine and Heise.
Regularly speaks at conferences.",
  "mentor": "mgechev",
  "groups": ["GDE", "Collaborators"]
},
"maximalsalnikov": {
  "name": "Maxim Salnikov",
  "picture": "maximalsalnikov.jpg",
  "twitter": "webmaxru",
  "website": "https://medium.com/@webmaxru",
  "bio": "Oslo-based web front-end engineer, a Google Developer Expert in Angular, Web technologies and IoT.
Active public speaker & trainer for the developer events. Leader of Norways largest meetups dedicated to web front-

```

end and mobile development. Founder of ngVikings and Mobile Era conferences. Progressive Web Apps advocate.",

```
"groups": ["GDE"]
},
"jeremywilken": {
  "name": "Jeremy Wilken",
  "picture": "jeremywilken.jpg",
  "twitter": "gnomeontherun",
  "website": "https://gnomeontherun.com",
  "bio": "Based in Austin Texas, Jeremy is an application architect and homebrewer. He is a Google Developer Expert in Web Technologies and Angular, with a focus on speaking and training and author of Angular in Action and Ionic in Action.",
  "groups": ["GDE"]
},
"mgechev": {
  "name": "Minko Gechev",
  "picture": "minko.jpg",
  "twitter": "mgechev",
  "website": "http://blog.mgechev.com",
  "bio": "Software engineer who enjoys theoretical computer science and its practical applications. Speaker, author of the book 'Switching to Angular', codelyzer, Guess.js, and the Go linter revive. Working for faster and more reliable software.",
  "groups": ["Angular"],
  "lead": "alexeeagle"
},
"urish": {
  "name": "Uri Shaked",
  "picture": "urish.jpg",
  "twitter": "UriShaked",
  "website": "https://urish.org",
  "bio": "Uri Shaked is a Google Developer Expert for Web Technologies. He regularly writes about Web and IoT related technologies in his medium blog, and speaks about these topics in conferences and meetup around the world. Among his interests are reverse engineering, hardware hacking, building 3d-printed robots and games, playing music and Salsa dancing.",
  "groups": ["GDE"]
},
"eusoj": {
  "name": "Josue Gutierrez",
  "picture": "josue.jpg",
  "twitter": "eusoj",
  "website": "http://techtam.io",
  "bio": "Based in Mexico, Josue has been web developer since the last 10 years, he is part of the Google Developer Expert Program, passionate about teaching and building communities",
  "groups": ["GDE"]
},
"SanderElias": {
  "name": "Sander Elias",
  "picture": "sanderelias.jpg",
  "twitter": "esoSanderElias",
```

```

    "website": "https://sanderelias.nl",
    "bio": "Sander is a versed developer with over 4 decades of practice under his belt. He is also an Google Developer Expert for web, specializing in Angular. Organizer of meetups and conferences. Helping out others wherever he can. When he is not breathing code, he is fiddling around with IOT, photography, science and anything that might vaguely is gadget-like! Thinks he a master of the grill, but in reality you probably don't get a food-poisoning ;) Also, and actually the most important thing to him, he is a father of 4, and has the most patient girlfriend in the universe.",
    "groups": ["GDE"]
  },
  "filipbech": {
    "name": "Filip Bruun Bech-Larsen",
    "picture": "filipbech.jpg",
    "twitter": "filipbech",
    "website": "http://filipbech.github.io/",
    "bio": "Filip is a Frontend developer from Denmark. He works at IMPACT, delivering large-scale, high-performance e-commerce to international clients - most often build in Angular. He runs the local Angular usergroup - ngAarhus, and gives talks/workshops around and beyond the country of Denmark.",
    "groups": ["GDE"]
  },
  "ocombe": {
    "name": "Olivier Combe",
    "picture": "ocombe.jpg",
    "twitter": "ocombe",
    "bio": "Olivier is a passionate front-end engineer who loves interacting with the community by doing open source projects (ocLazyLoad, ngx-translate), being a panelist at Angular-Air, giving talks or just chatting on Twitter and Slack. Hes a member of the Angular Core team and works on i18n.",
    "groups": ["Angular"],
    "lead": "kara"
  },
  "cironunes": {
    "name": "Ciro Nunes",
    "picture": "cironunes.jpg",
    "twitter": "cironunesdev",
    "bio": "Ciro is the Lead Front-end Engineer of CrossEngage and Google Developer Expert in Web Technologies.",
    "groups": ["GDE"]
  },
  "elecash": {
    "name": "Ral Jimnez",
    "picture": "raul.jpg",
    "twitter": "elecash",
    "bio": "Raul works as a CEO and Front-end Architect at Byte Default for companies around the world helping them to build high-performance web apps. In his spare time he's usually working on Videogular, involved in local meetups, speaking at conferences and contributing to open source projects.",
    "groups": ["GDE"]
  },
  "simpulton": {
    "name": "Lukas Ruebbelke",
    "picture": "lukas.jpg",

```

```

    "twitter": "simpulton",
    "bio": "Developer. Hacker. Community backer. Author and blogger.
Console logger.",
    "groups": ["GDE"]
  },
  "christianweyer": {
    "name": "Christian Weyer",
    "picture": "christianweyer.jpg",
    "twitter": "ChristianWeyer",
    "website": "https://www.thinktecture.com",
    "bio": "Co-founder and CTO of Thinktecture AG, as well as Google GDE and Microsoft MVP. Since two decades
active as an engaged and passionate speaker on several software conferences and events all over the world. Some
people call him 'Mr. Cross-Platform'.",
    "groups": ["GDE"]
  },
  "shairez": {
    "name": "Shai Reznik",
    "picture": "shaireznik.jpg",
    "twitter": "shai_reznik",
    "website": "https://www.hirez.io",
    "bio": "Teaches Angular at HiRez.io the most entertaining online courses on the web. An experienced developer,
consultant and speaker also known for his unusual crazy Angular talks such as ng-wat, ng-show, ng-rap, etc. Shai is
also the organizer of the largest JavaScript group in Israel and a professional Improv performer.",
    "groups": ["GDE"]
  },
  "danwahlin": {
    "name": "Dan Wahlin",
    "picture": "danwahlin.jpg",
    "twitter": "DanWahlin",
    "website": "https://codewithdan.com",
    "bio": "Dan Wahlin founded Wahlin Consulting which provides consulting and onsite/online training services on
Web technologies such as JavaScript, Angular, TypeScript, Node.js, C#, ASP.NET Core, Web API, and Docker.
Hes also published many developer courses on Pluralsight.com and Udemy.com. Dan is a Google GDE, Docker
Captain, and Microsoft MVP and Regional Director and speaks at conferences and user groups around the world.
Dan has written several books on Web technologies, hundreds of technical articles and blog posts
(https://blog.codewithdan.com) and runs the 'Code with Dan Web Weekly Newsletter' - a great way to stay up on the
latest technologies. Follow Dan on Twitter @DanWahlin.",
    "groups": ["GDE"]
  },
  "joeeames": {
    "name": "Joe Eames",
    "picture": "joeeames.jpg",
    "twitter":
"josepheames",
    "website": "https://joeeames.me",
    "bio": "Joe Eames is a developer and educator. He publishes course on Angular and JavaScript on Pluralsight.com.
He is an organizer of ng-conf, a Google Developer Expert in Angular, gives lots of talks & workshops, and loves all
things web.",

```

```

"groups": ["GDE"]
},
"willmendesneto": {
  "name": "Wilson Mendes",
  "picture": "willmendesneto.jpg",
  "twitter": "willmendesneto",
  "website": "https://willmendesneto.github.io",
  "bio": "GDE (Google Developer Expert) Angular and Web Technologies, GDG Salvador organizer, passionate about technology and active in communities with a focus on web development, including Angular, JavaScript, HTML5, CSS3, Workflow, web performance, security and Internet of things. Participates in events organization, speaker at conferences in Brazil and other countries and contributes to several open source projects.",
  "groups": ["GDE"]
},
"jecelynyeen": {
  "name":
"Jecelyn Yeen",
  "picture": "jecelynyeen.jpg",
  "twitter": "jecelynyeen",
  "website": "https://developers.google.com/experts/people/jecelyn-yeen",
  "bio": "GDE (Google Developer Expert) Angular and Web Technologies, Women Who Code KL Director, Jecelyn specializes in professional application development with technologies, including Angular, HTML5, Typescript, JavaScript, CSS, C#, NodeJs, Cloud and ASP.NET.",
  "groups": ["GDE"]
},
"areai51": {
  "name": "Vinci Rufus",
  "picture": "vincirufus.jpg",
  "twitter": "areai51",
  "website": "https://developers.google.com/experts/people/vinci-rufus",
  "bio": "Director of Experience Technology at SapienRazorfish. Consults various brands on their frontend and mobile web architecture. A speaker at various forums and mentor at Launchpad Accelerator and ngGirls India. Spends free time playing with Angular, Preact, web-components ",
  "groups": ["GDE"]
},
"tchatel": {
  "name": "Thierry Chatel",
  "picture": "thierrychatel.jpg",
  "twitter": "ThierryChatel",
  "website": "http://www.methotic.com",
  "bio": "Thierry is a senior consultant and trainer, specialized on Angular, and a Google Developer Expert.",
  "groups": ["GDE"]
},
"gerardsans": {
  "name": "Gerard Sans",
  "picture": "gerardsans.jpg",
  "twitter": "gerardsans",
  "website": "https://medium.com/@gerard.sans",
  "bio": "Gerard is very excited about the future of the Web and JavaScript. Always happy Computer Science

```

Engineer and humble Google Developer Expert. He loves to share his learnings by giving talks, trainings and writing about cool technologies. He loves running AngularZone and GraphQL London, mentoring students and giving back to the community.",

```
"groups": ["GDE"]
},
"nirkaufman": {
  "name": "Nir Kaufman",
  "picture": "nirkaufman.jpg",
  "twitter": "nirkaufman",
  "website": "http://ngnir.life/",
  "bio": "Nir is a Principal Frontend Consultant
```

& Head of the Angular department at 500Tech, Google Developer Expert and community leader. He organizes the largest Angular meetup group in Israel (Angular-IL), talks and teaches about front-end technologies around the world. He is also the author of two books about Angular and the founder of the 'Frontend Band'.",

```
"groups": ["GDE"]
},
"achautard": {
  "name": "Alain Chautard",
  "picture": "alainchautard.png",
  "twitter": "AlainChautard",
  "website": "http://www.angulartraining.com",
```

"bio": "Alain Chautard is a Google Developer Expert in Web Technologies / Angular. He started working with Angular JS in 2011. Since then he has worked with all Angular versions on a daily basis, both as a developer and as a technical trainer. He is the organizer of the Sacramento Angular Meetup group, co-organizer of the Google Developer Group chapter in Sacramento, California, and published author of the Packt video course 'Getting Started with Angular'",

```
"groups":
["GDE"]
},
"coryrylan": {
  "name": "Cory Rylan",
  "picture": "cory-rylan.jpg",
  "twitter": "coryrylan",
  "website": "https://coryrylan.com",
```

"bio": "Cory is a full time front end web developer. He works full time building responsive web applications and progressive web apps. When not building web apps he is busy teaching Angular and other web technologies in workshops and conferences. He loves the web and is optimistic of the places it can take us.",

```
"groups": ["GDE"]
},
"mhartington": {
  "name": "Mike Hartington",
  "picture": "mhartington.png",
  "twitter": "mhartington",
  "website": "https://mhartington.io",
```

"bio": "Mike is a Developer Advocate for the Ionic Framework and a GDE in Angular. He spends most of his time making fast PWAs and exploring emerging web standards. When not behind a keyboard, you'll probably find him with a guitar and beer.",

```
"groups": ["GDE"]
```

```

},
"juristr": {
  "name": "Juri Strumpflohnner",
  "picture": "juristr.jpg",
  "twitter": "juristr",
  "website": "https://juristr.com",
  "bio": "Juri is a software engineer and freelance trainer and consultant currently mostly focusing on the frontend side using JavaScript, TypeScript and Angular. He has a passion for teaching and sharing his knowledge and experiences with others. This mostly happens by writing tech articles for his personal blog, by creating video courses for Egghead.io, during on-site workshops at companies or by speaking at conferences. In his free time he enjoys practicing Yoseikan Budo, a martial art where he currently owns the 3rd DAN black belt.",
  "groups": ["GDE"]
},
"mashhoodr": {
  "name": "Mashhood Rastgar",
  "picture": "mashhood.jpg",
  "twitter": "mashhoodr",
  "website": "http://imars.info/",
  "bio": "Mashhood is the principal technical consultant at Recurship and a Google Developer Expert. He works with different startups in US and EU to helps them crawl through the technical maze and quickly build amazing products focused around the problems they are trying to solve. He specializes in using the latest web technologies available to execute the best possible solutions.",
  "groups": ["GDE"]
},
"kimmaida": {
  "name": "Kim Maida",
  "picture": "kimmaida.jpg",
  "twitter": "KimMaida",
  "website": "https://kmaida.io/",
  "bio": "Kim is an an Angular consultant, developer, speaker, writer, and Google Developer Expert. She is passionate about learning from and sharing knowledge with other developers through blogging, speaking, workshops, and open source.",
  "groups": ["GDE"]
},
"elanaolson": {
  "name": "Elana Olson",
  "picture": "elanaolson.jpg",
  "twitter": "elanathellama",
  "bio": "Elana is a Developer Relations intern on the Angular team at Google. She is working on migration paths from AngularJS to Angular and would love to chat about your experience with upgrading.",
  "groups": ["Angular"],
  "lead": "stephenfluin"
},
"kevinyang": {
  "name": "Kevin Yang",
  "picture": "kevinyang.jpg",
  "twitter": "chgc",
  "website": "https://blog.kevinyang.net/",

```

```

"bio": "Kevin is a Angular Taiwan, Angular Girls Taiwan community organzier. He loves sharing knowledge with
other developers through blogging, speaking, workshops.",
  "groups": ["GDE"]
},
"sajee": {
  "name": "Sajeetharan Sinnathurai",
  "picture": "sajee.jpg",
  "twitter": "kokkisajee",
  "website": "https://sajeetharan.herokuapp.com/",
  "bio": "Sajeetharan is a Developer, Top contributor on stackoverflow for #Angular, ng-SriLanka organizer. He
makes use of his extensive knowledge over the past years to contribute to community to make the world a better
place.",
  "groups": ["GDE"]
},
"lacolaco": {
  "name": "Suguru Inatomi",
  "picture": "lacolaco.jpg",
  "twitter": "laco2net",
  "website": "https://lacolaco.net",
  "bio": "Suguru is a community-loving
Frontend developer and a lead of Angular Japan User Group. He organizes the largest Angular event in Japan (ng-
japan). And he is a contributor to Angular by sending patches, writing, speaking, and localizing resources in
Japanese.",
  "groups": ["GDE"]
},
"katerina": {
  "name": "Katerina Skroumpelou",
  "picture": "katerina.jpg",
  "twitter": "psybercity",
  "website": "https://mandarini.github.io/",
  "bio": "Katerina is a front end software engineer, a conference speaker and AngularAthens meetup organizer. She
is obsessed with sharing knowledge about things she loves. She is also trying to support diversity in the community.
She lives with her cat in Athens.",
  "groups": ["GDE"]
},
"blove": {
  "name": "Brian Love",
  "picture": "brian-love.jpg",
  "twitter": "brian_love",
  "website": "https://brianflove.com",
  "bio": "Brian is a software engineer and GDE in Angular with a passion for learning, writing, speaking, teaching
and mentoring. Brian has been building web applications for over 20 years and has long been a fanboy of
JavaScript. When not in front of his Macbook Pro Brian is in the Rocky Mountains skiing or hiking.",
  "groups": ["GDE"]
},
"jeffbrcross": {
  "name": "Jeff Cross",
  "picture": "jeff-cross.jpg",

```

```

"twitter": "jeffbcross",
"website": "https://nrwl.io/",
"bio": "Jeff is an Angular Consultant at nrwl.io where he helps enterprise teams succeed with Angular. Prior to founding Nrwl, Jeff was one of the earliest members of the Angular Core Team at Google, and contributed to many of the early state management and performance efforts of AngularJS and Angular.",
"groups": ["GDE"]
},
"keilla": {
"name": "Keilla Menezes Fernandes",
"picture": "keilla.jpg",
"twitter": "keillamenezes_",
"bio": "I am Senior Software Development Consultant in ThoughtWorks and GDE in Angular. Graduated in Computer Science from Federal University of Bahia,
I have been worked with software development for more than 11 years. Since 2017, I started with Angular Framework and I went deep into front-end ecosystem and became more specialized in this area. I participate in a computer science community, Campinas Front-end, that promotes events in this area. In the end of 2016, I started to do technical talks. The passion for science is the engine that drives me to seek answers to the problems that computing aims to solve. Besides that, sharing knowledge and experiences is the path I choose to democratize the technology for all.",
"groups": ["GDE"]
},
"mira": {
"name": "Stanimira Vlaeva",
"picture": "mira.jpg",
"twitter": "StanimiraVlaeva",
"website": "https://github.com/sis0k0",
"bio": "Software engineer on the NativeScript team at Progress, focused on NativeScript Angular, NativeScript schematics, and integrating webpack in the {N} build system. Co-organizing the Angular Sofia meetup. Speaking about Angular things at conferences here and there.",
"groups": ["GDE"]
},
"sharondio": {
"name": "Sharon DiOrio",
"picture": "sharon.jpg",
"twitter": "sharondio",
"website": "https://medium.com/@sharondio",
"bio": "Sharon is a mother to four teenagers, wife of a USMC veteran/police officer, and lead front-end engineer for an educational non-profit in Boston. In her spare time, she is the \"Head Instigator\" of the Angular-Boston Meetup and an active member of the Boston meetups community. She occasionally speaks on Angular and related topics at technology conferences across the country. She has a Bachelor of Fine Arts from SMU and a Masters with honors from RTFM.",
"groups": ["GDE"]
},
"leonardoizzamia": {
"name": "Leonardo Zizzamia",
"picture": "leonardo.jpg",
"twitter": "zizzamia",

```

```

"website": "https://medium.com/@zizzamia",
"bio": "Leonardo is a Senior Software Engineer at Coinbase. He is deeply passionate about web performance and most recently developed Perfume.js to help companies prioritize roadmaps and business, through performance analytics. From 2018, co-organizer of the Angular San Francisco Meetup group and NGRome Conference.",
"groups": ["GDE"]
},
"tomastrajan": {
"name": "Tomas Trajan",
"picture": "tomastrajan.jpg",
"twitter": "tomastrajan",
"website": "https://medium.com/@tomastrajan",
"bio": "Tomas is a Senior Software Engineer with passion for frontend and especially Angular. He always strives to provide lots of value and to empower teams he is working with by sharing know-how, introducing best practices and automating mundane task to enable full focus on creating value for the users! He likes to share his Angular know-how by blogging, speaking and recording video content. He is a co-organizer of Angular Meetup Zurich.",
"groups": ["GDE"]
},
"samjulien": {
"name": "Sam Julien",
"picture": "samjulien.jpg",
"twitter": "samjulien",
"website": "http://www.samjulien.com/",
"bio": "Sam Julien builds software, articles, video courses, and campfires. A developer, speaker, writer, and GDE in the Pacific Northwest, Sam's favorite thing in the world is changing someone's life by teaching them to code.",
"groups": ["Collaborators", "GDE"],
"mentor": "gkalpak"
},
"JiaLiPassion": {
"name": "JiaLi Passion",
"groups": ["Collaborators"],
"mentor": "mhevery",
"picture": "JiaLiPassion.jpg",
"bio": "A programmer with passion, angular/zone.js guy! Web frontend engineer @sylabs"
},
"cxbrayat": {
"name": "Cdric Exbrayat",
"mentor": "petebacondarwin",
"groups": ["Collaborators"],
"picture": "cxbrayat.jpg",
"bio": "Author of `Become a ninja with Angular (2+)` https://books.ninja-squad.com/angular - Angular trainer and @Ninja-Squad co-founder"
},
"CaerusKaru": {
"name": "Adam Plumer",
"groups": ["Collaborators"],
"mentor": "vikerman",
"picture": "CaerusKaru.jpg"
},

```

```

"jbedard": {
  "name": "Jason Bedard",
  "groups": ["Collaborators"],
  "mentor": "kyliau",
  "picture": "jbedard.jpg"
},
"JoostK": {
  "name": "Joost Koehoorn",
  "groups": ["Collaborators"],
  "mentor": "alxhub",
  "picture": "joostk.jpg",
  "twitter": "devjoost",
  "bio": "Joost is a Software Engineer from the Netherlands with an interest in open source software who likes to learn something new every day. He works at Bluერიq during the day and contributes to Angular in his spare time, by working on the Angular compiler and runtime. He may review your PR even if you never asked for it ;)"
},
"jschwarty": {
  "name": "Justin Schwartzenberger",
  "picture": "justinschwartzenberger.jpg",
  "twitter": "schwarty",
  "website": "https://schwarty.com",
  "bio": "Justin (aka Schwarty) is a Google Developer Expert in Web Technologies and Angular, the host and maintainer of the weekly AngularAir live video broadcast, educator, writer and content creator. He has Angular courses available on LinkedIn Learning and Pluralsight and loves passing on years of full stack development knowledge to help empower others to find their inner awesomeness!",
  "groups": ["GDE"]
},
"brandonroberts": {
  "name": "Brandon Roberts",
  "picture": "brandonroberts.jpg",
  "twitter": "brandontroberts",
  "website": "https://brandonroberts.dev",
  "bio": "Brandon is a developer and technical writer working on guides, tutorials, application development, and infrastructure for the Angular docs. He is also a maintainer of the NgRx project, building reactive libraries for Angular.",
  "groups": ["Angular"],
  "lead": "dennispbrown"
},
"chembu": {
  "name": "Sreevani Sreejith",
  "picture": "sreevani.jpg",
  "bio": "Sreevani is a tech writer with prior programming experience. She writes documentation for the Angular framework team. Outside of work, she likes practicing yoga, honing her skills on classical dance forms, and baking cakes.",
  "groups": ["Angular"],
  "lead": "dennispbrown"
},

```

```

"dennispbrown": {
  "name": "Denny Brown",
  "picture": "denny.jpg",
  "bio": "Denny is founder of Expert Support, a professional services firm specializing in technical communication, and leads the Angular technical writing team. His lifelong passion has been to reduce the time and effort required to understand complex technical information. Early on, he was Associate Chairman of the Computer Science Department at Stanford, where he taught introductory courses in programming. He also plays old-timers baseball in local leagues and national tournaments.",
  "groups": ["Angular"],
  "lead": "bradlygreen"
},
"jbogartyde": {
  "name": "Judy Bogart",
  "picture": "judy.png",
  "groups": ["Angular"],
  "lead": "dennispbrown"
},
"jenniferfell": {
  "name": "Jennifer Fell",
  "picture": "jennifer.jpg",

"website": "http://silverpath.org",
  "bio": "Jennifer is a technical content strategist, architect, designer, and writer. As lead of the Angular docs team, she's always interested in learning more about how developers learn and use Angular. Her offline persona is a horsewoman in Idaho.",
  "groups": ["Angular"],
  "lead": "dennispbrown"
},
"kapunahelewong": {
  "name": "Kapunahele Wong",
  "picture": "kapunahele.jpg",
  "twitter": "kapunahele",
  "bio": "Kapunahele is a developer and Angular fan who works on the Angular docs writing guides and developing example apps. She also enjoys Native Hawaiian practices, textile arts, and marveling at little, inconspicuous plants growing in forgotten places outdoors.",
  "groups": ["Angular"],
  "lead": "dennispbrown"
},
"luixaviles": {
  "name": "Luis Aviles",
  "picture": "luixaviles.jpg",
  "twitter": "luixaviles",
  "website": "https://luixaviles.com",
  "bio": "Luis is an enthusiast of
Open Source software and communities, as well as being a public speaker, a technology trainer and an author of courses and technical articles. He is the organizer of the Angular Bolivia community and NG Bolivia conference. When he's not coding, Luis is reading about Astronomy or nerding about outer space, photography or even doing Astrophotography.",

```

```

"groups": ["GDE"]
},
"siddajmera": {
  "name": "Siddharth Ajmera",
  "picture": "sidd-ajmera.jpg",
  "twitter": "SiddAjmera",
  "website": "https://webstackup.com/",
  "bio": "Siddharth is a Full Stack JavaScript Developer and a GDE in Angular. He's passionate about sharing his
knowledge on Angular, Firebase and the Web in general. He's the organizer of WebStack, a local community of
developers focused on Web, Mobile, Voice and Server related technologies in general. WebStack hosts free monthly
meetups every 2nd or 3rd Saturday of the month. Siddharth is also an avid photographer and loves traveling. Find
him anywhere
on the Web with `SiddAjmera`.",
  "groups": ["GDE"]
},
"bbrennan": {
  "name": "Bonnie Brennan",
  "twitter": "bonnster75",
  "groups": ["GDE"],
  "picture": "bonnie.jpg",
  "bio": "Bonnie has been specializing in Angular since 2013. She is the founder of ngHouston Angular Meetup and
a regular panelist on Angular Air. She is also the very proud parent component of @thelittlestdev!"
},
"globegitter": {
  "name": "Markus Padourek",
  "groups": ["Collaborators"],
  "mentor": "gregmagolan",
  "picture": "globegitter.jpg"
},
"ahsanayaz": {
  "name": "Muhammad Ahsan Ayaz",
  "picture": "ahsanayaz.jpg",
  "twitter": "ahsan_ayz",
  "website": "https://medium.com/@ahsan.ayaz",
  "bio": "Muhammad Ahsan Ayaz is Software Architect at Modus Create. He is absolutely passionate about Angular
and Web Technologies. Uses Angular daily and talks about it everywhere. Runs NodeSchool Karachi and is a co-
organizer of NgPakistan",
  "groups":
["GDE"]
},
"andrewkushnir": {
  "name": "Andrew Kushnir",
  "picture": "andrew-kushnir.jpg",
  "bio": "Andrew is a software engineer at Google on the Angular Core team.",
  "groups": ["Angular"],
  "lead": "kara"
},
"kamilmysliwicz": {

```

```

    "name": "Kamil Mysliwiec",
    "picture": "kamilmysliwiec.jpg",
    "twitter": "kammysliwiec",
    "website": "https://github.com/kamilmysliwiec",
    "bio": "Kamil Mysliwiec is a software engineer truly passionate about Web Technologies. Creator of NestJS, Co-
Founder of Trilon.io, speaker, and trainer.",
    "groups": ["GDE"]
  }
}
import { NgModule, Type } from '@angular/core';
import { CommonModule } from '@angular/common';
import { MatIconModule } from '@angular/material/icon';
import { ContributorListComponent } from './contributor-list.component';
import { ContributorService } from './contributor.service';
import { ContributorComponent } from './contributor.component';
import { WithCustomElementComponent } from './element-registry';

@NgModule({
  imports: [ CommonModule, MatIconModule ],
  declarations: [ ContributorListComponent, ContributorComponent ],
  entryComponents: [ ContributorListComponent ],
  providers: [ ContributorService ]
})
export class ContributorListModule implements WithCustomElementComponent {
  customElementComponent: Type<any> = ContributorListComponent;
}
#!/usr/bin/env node

// Imports
const {existsSync, readFileSync} = require('fs');
const {join, resolve} = require('path');

// Constants
const CONTENT_DIR = resolve(__dirname, '.././content');
const IMAGES_DIR = join(CONTENT_DIR, 'images/bios');
const CONTRIBUTORS_PATH = join(CONTENT_DIR, 'marketing/contributors.json');

// Run
_main();

// Functions - Definitions
function _main() {
  const contributors = JSON.parse(readFileSync(CONTRIBUTORS_PATH, 'utf8'));
  const expectedImages = Object.keys(contributors)
    .filter(key => !!contributors[key].picture)
    .map(key => join(IMAGES_DIR, contributors[key].picture));
  const missingImages = expectedImages.filter(path => !existsSync(path));

```

```
if (missingImages.length > 0) {  
  throw new Error(  
    'The following pictures are referenced in \'contributors.json\' but do not exist:' +  
    missingImages.map(path => `\n - ${path}`).join(" ");  
  }  
}
```

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
export interface ContributorGroup {  
  name: string;  
  order: number;  
  contributors: Contributor[];  
}
```

```
export interface Contributor {  
  groups: string[];  
  name: string;  
  picture?: string;  
  website?: string;  
  twitter?: string;  
  bio?: string;  
  isFlipped?: boolean;  
}
```

The MIT License

Copyright (c) 2010-2019 Google LLC. <http://angular.io/license>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
/**
```

```
* @license
```

```
* Copyright Google Inc. All Rights Reserved.
```

```
*
```

```
* Use of this source code is governed by an MIT-style license that can be
```

```
* found in the LICENSE file at https://angular.io/license
```

```
*/
```

```
'use strict';
```

```
// THIS CHECK SHOULD BE THE FIRST THING IN THIS FILE
```

```
// This is to ensure that we catch env issues before we error while requiring other dependencies.
```

```
const engines = require('./package.json').engines;
```

```
require('./tools/check-environment')({
```

```
  requiredNodeVersion: engines.node,
```

```
  requiredNpmVersion: engines.npm,
```

```
  requiredYarnVersion: engines.yarn
```

```
});
```

```
const gulp = require('gulp');
```

```
// See `tools/gulp-tasks/README.md` for information about task loading.
```

```
function loadTask(fileName, taskName) {
```

```
  const taskModule = require('./tools/gulp-tasks/' + fileName);
```

```
  const task = taskName ? taskModule[taskName] : taskModule;
```

```
  return task(gulp);
```

```
}
```

```
// Check source code for formatting errors in all source files.
```

```
gulp.task('format:enforce', loadTask('format',
```

```
'enforce'));
```

```

// Format all source files.
gulp.task('format:all', loadTask('format', 'format'));

// Format only untracked source code files.
gulp.task('format:untracked', loadTask('format', 'format-untracked'));

// Format only the changed, tracked source code files.
gulp.task('format:diff', loadTask('format', 'format-diff'));

// Format only changed lines based on the diff from the provided --branch
// argument (or `master` by default).
gulp.task('format:changed', ['format:untracked', 'format:diff']);

// Alias for `format:changed` that formerly formatted all files.
gulp.task('format', ['format:changed']);

gulp.task('lint', ['format:enforce', 'validate-commit-messages', 'tslint']);
gulp.task('tslint', ['tools:build'], loadTask('lint'));
gulp.task('validate-commit-messages', loadTask('validate-commit-message'));
gulp.task('source-map-test', loadTask('source-map-test'));
gulp.task('tools:build', loadTask('tools-build'));
gulp.task('check-cycle', loadTask('check-cycle'));
gulp.task('serve',
  loadTask('serve', 'default'));
gulp.task('changelog', loadTask('changelog'));
gulp.task('check-env', () => { /* this is a noop because the env test ran already above */ });
gulp.task('cldr:extract', loadTask('cldr', 'extract'));
gulp.task('cldr:download', loadTask('cldr', 'download'));
gulp.task('cldr:gen-closure-locale', loadTask('cldr', 'closure'));
import { Component, OnInit } from '@angular/core';
import { ContributorGroup } from './contributors.model';
import { ContributorService } from './contributor.service';
import { LocationService } from 'app/shared/location.service';

@Component({
  selector: `aio-contributor-list`,
  template: `
<div class="flex-center group-buttons">
  <a *ngFor="let name of groupNames"
    [class.selected]="name == selectedGroup.name"
    class="button mat-button filter-button"
    (click)="selectGroup(name)">{ { name } }</a>
</div>
<section *ngIf="selectedGroup" class="grid-fluid">
  <div class="contributor-group">
    <aio-contributor *ngFor="let person of selectedGroup.contributors" [person]="person"></aio-contributor>
  </div>
</section>`
})

```

```

    })
    export class ContributorListComponent implements OnInit {
    private groups: ContributorGroup[];
    groupNames: string[];
    selectedGroup: ContributorGroup;

    constructor(
    private contributorService: ContributorService,
    private locationService: LocationService) { }

    ngOnInit() {
    const groupName = this.locationService.search()['group'] || "";
    // no need to unsubscribe because `contributors` completes
    this.contributorService.contributors
    .subscribe(grps => {
    this.groups = grps;
    this.groupNames = grps.map(g => g.name);
    this.selectGroup(groupName);
    });
    }

    selectGroup(name: string) {
    name = name.toLowerCase();
    this.selectedGroup = this.groups.find(g => g.name.toLowerCase() === name) || this.groups[0];
    this.locationService.setSearch("", {group: this.selectedGroup.name});
    }
    }
    /**
    * @license Angular v0.0.0-PLACEHOLDER
    * (c) 2010-2019 Google LLC. https://angular.io/
    * License: MIT
    */
    # Produces a GraphViz Dot file from the data in the contributors.json file.
    # Documentation for this syntax at https://stedolan.github.io/jq/manual
    to_entries
    | map(select(
    (.value.groups | index("Angular")) or
    (.value.groups | index("Collaborators"))))
    | map(.value |= {
    name: .name,
    lead: (.lead // .mentor // ""),
    fillcolor: (if .groups | index("Collaborators") then "aquamarine" else "beige" end),
    })
    | map(
    "\(.key|tojson) [ label=\(.value.name|tojson) fillcolor=\(.value.fillcolor|tojson) style=filled ] ",
    (if .value.lead != "" then "\(.key|tojson) -> \(.value.lead|tojson)" else "" end)
    )
    []

```

@title
@description
The MIT License

Copyright (c) 2010-2019 Google LLC. <http://angular.io/license>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.22 jaxb-api 2.3.1

1.22.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the

terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST

OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4

(June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not

allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended

to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee

is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify

your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this

License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source

code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the

conditions of

this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software

Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE

PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name
and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision

comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program ``Gnomovision'` (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.23 compress-`lzf` 1.0.3

1.23.1 Available under license :

Compress LZF

This library contains efficient implementation of LZF compression format, as well as additional helper classes that build on JDK-provided `gzip` (deflate) codec.

Licensing

Library is licensed under Apache License 2.0, as per accompanying LICENSE file.

Credit

Library has been written by Tatu Saloranta (tatu.saloranta@iki.fi).
It was started at Ning, inc., as an official Open Source process used by platform backend, but after initial versions has been developed outside of Ning by supporting community.

Other contributors include:

- * Jon Hartlaub (first versions of streaming reader/writer; unit tests)
- * Cedrik Lime: parallel LZF implementation

Various community members have contributed bug reports, and suggested minor fixes; these can be found from file "VERSION.txt" in SCM.

This copy of Compress-LZF library is licensed under the Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.24 commons-digester 1.8.1

1.24.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Digester
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.25 commons-validator 1.6

1.25.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Validator

Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.26 jacoco-agent 0.8.3

1.26.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in 'under the terms and conditions of the Eclipse Public License Version 1.0 which is subject to the terms and conditions of the following license: All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the

following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 3. Neither the name of the copyright holders nor the names of its this software without specific prior written permission.'

1.27 apr 1.6.5

1.27.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

APACHE PORTABLE RUNTIME SUBCOMPONENTS:

The Apache Portable Runtime includes a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

From strings/apr_fnmatch.c, include/apr_fnmatch.h, misc/unix/getopt.c, file_io/unix/mktemp.c, strings/apr_strings.c:

/*

- * Copyright (c) 1987, 1993, 1994
- * The Regents of the University of California. All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. All advertising materials mentioning features or use of this software
 * must display the following acknowledgement:
 * This product includes software developed by the University of
 * California, Berkeley and its contributors.
 * 4. Neither the name of the University nor the names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF
 * MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.

From network_io/unix/inet_ntop.c, network_io/unix/inet_pton.c:

```
/* Copyright (c) 1996 by Internet Software Consortium.
 *
 * Permission to use, copy, modify, and distribute this software for any
 * purpose with or without fee is hereby granted, provided that the above
 * copyright notice and this permission notice appear in all copies.
 *
 * THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE
 * CONSORTIUM DISCLAIMS
 * ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
 * CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
 * DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
 * PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
 * ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
 * SOFTWARE.
```

From dso/aix/dso.c:

```
* Based on libdl (dlfcn.c/dlfcn.h) which is
 * Copyright (c) 1992,1993,1995,1996,1997,1988
 * Jens-Uwe Mager, Helios Software GmbH, Hannover, Germany.
 *
```

- * Not derived from licensed software.
- *
- * Permission is granted to freely use, copy, modify, and redistribute
- * this software, provided that the author is not construed to be liable
- * for any results of using the software, alterations are clearly marked
- * as such, and this notice is not modified.

From strings/apr_strnatcmp.c,
include/apr_strings.h:

strnatcmp.c -- Perform 'natural order' comparisons of strings in C.
Copyright (C) 2000 by Martin Pool <mbp@humblebug.org.au>

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

From
strings/apr_snprintf.c:

- *
- * cvt - IEEE floating point formatting routines.
- * Derived from UNIX V7, Copyright(C) Caldera International Inc.
- *

Copyright(C) Caldera International Inc. 2001-2002. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code and documentation must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

All advertising materials mentioning features or use of this software must display the following acknowledgement:

This product includes software developed or owned by Caldera International, Inc.

Neither the name of Caldera International, Inc. nor the names of other contributors may be used to endorse or promote products derived from this software without specific prior written permission.

USE OF THE SOFTWARE PROVIDED FOR UNDER THIS LICENSE BY CALDERA INTERNATIONAL, INC. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL CALDERA INTERNATIONAL, INC. BE LIABLE FOR ANY DIRECT, INDIRECT INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Portable Runtime

Copyright (c) 2000-2019 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were developed at the National Center for Supercomputing Applications (NCSA) at the University of Illinois at Urbana-Champaign.

This software contains code derived from the RSA Data Security Inc. MD5 Message-Digest Algorithm.

This software contains code derived from UNIX V7, Copyright(C) Caldera International Inc.

1.28 bean-validation-api 2.0.1.Final

1.28.1 Available under license :

Bean Validation API

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

1.29 echarts 4.2.1

1.30 orika-core 1.5.4

1.30.1 Available under license :

Copyright (c) 2006 Paul Hammant & ThoughtWorks, Inc
All rights reserved.

You may consider all of ParaNamer as public domain which is explained here (courtesy of Creative Commons):

Copyright-Only Dedication (based on United States law) or Public Domain Certification

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

See the full license at <http://creativecommons.org/licenses/publicdomain/>

My
own notes: Feel free to"

- * contribute code back to the project (or not).
- * fork all or portions of the project, and give it a license of your choosing.

* link to it (import) for the purposes of an 'extend' or 'use' from a project of any license

* credit the ParaNamer project (or not if you prefer) when you use it.

MOZILLA PUBLIC LICENSE

Version 1.1

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit

A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes

Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters

(a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE.

NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date

You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF

INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the MPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

EXHIBIT A -Mozilla Public License.

The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is Javassist.

The Initial Developer of the Original Code is Shigeru Chiba. Portions created by the Initial Developer are Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Contributor(s):

__Bill Burke, Jason T. Greene_____.

Alternatively, the contents of this software may be used under the terms of the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), or the Apache License Version 2.0 (the "AL"), in which case the provisions of the LGPL or the AL are applicable instead of those above. If you wish to allow use of your version of this software only under the terms of either the LGPL or the AL, and not to allow others to use your version of this software under the terms of the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the LGPL or the AL. If you do not delete the provisions above, a recipient may use your version of this software under the terms of any one of the MPL, the LGPL or the AL.

1.31 jakarta-persistence-api 2.2.3

1.31.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2006, 2019 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at or the Eclipse Distribution License v. 1.0 which is available at'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2017, 2019 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at or the Eclipse Distribution License v. 1.0 which is available at'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2013, 2019 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at or the Eclipse Distribution License v. 1.0 which is available at'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2011, 2019 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at or the Eclipse Distribution License v. 1.0 which is available at'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2008, 2019 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at or the Eclipse Distribution License v. 1.0 which is available at'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2008, 2019 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at or the Eclipse Distribution License v. 1.0 which is available at'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2018, 2019 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at or the Eclipse Distribution License v. 1.0 which is available at <name>Eclipse Public License v. 2.0</name> <name>Eclipse Distribution License v. 1.0</name> <comments>Standard Eclipse Distribution License</comments> Copyright © 2019 Eclipse Foundation. All rights reserved.
'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2008, 2019 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at or the Eclipse Distribution License v. 1.0 which is available at'

1.32 jakarta-transaction-api 1.3.3

1.32.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2012, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License, <![CDATA[Copyright © 2019 Eclipse Foundation. All Rights Reserved.'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2013, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2010, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

1.33 streamsupport 1.6.3

1.33.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.)

You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it

if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in

the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty;
keep intact all the notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified

work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a

special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License.

However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent

license

would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author

to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
This
is free software, and you are welcome to redistribute it
under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General

Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

1.34 big-math 2.0.0

1.34.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.35 jcifs 1.3.17

1.35.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who
decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion

of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete

corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a

derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute

the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany

the work with the complete corresponding

machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the

Library. A suitable mechanism is one that (1) uses at run time a

copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

Found license 'GNU Lesser General Public License' in 'This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public'

Found license 'GNU Lesser General Public License' in 'This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public should be encrypted (message confidentiality).'

1.36 quartz 2.3.2

1.36.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1

through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section)

patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and

assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.37 c3p0 0.9.5.4

1.37.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'This library is free software; you can redistribute it and/or modify 1) The GNU Lesser General Public License (LGPL), version 2.1, as published by the Free Software Foundation 2) The Eclipse Public License (EPL), version 1.0 This software is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>'

Found license 'GNU Lesser General Public License' in 'This library is free software; you can redistribute it and/or modify 1) The GNU Lesser General Public License (LGPL), version 2.1, as published by the Free Software Foundation 2) The Eclipse Public License (EPL), version 1.0 This software is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>'

1.38 thrift 0.13.0

1.38.1 Available under license :

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.39 jackson-mapper-asl 1.9.13

1.39.1 Available under license :

No license file was found, but licenses were detected in source scan.

/* Jackson JSON-processor.

*

* Copyright (c) 2007- Tatu Saloranta, tatu.saloranta@iki.fi

*

* Licensed under the License specified in file LICENSE, included with
* the source code and binary code bundles.

* You may not use this file except in compliance with the License.

*

* Unless required by applicable law or agreed to in writing, software

- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1078286973_1597285663.32/0/jackson-mapper-asl-1-9-13-sources-2-jar/org/codehaus/jackson/map/MappingJsonFactory.java

1.40 bouncycastle-fips 1.0.3

1.40.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Base constructor.
 * <p>
 * The authorizer attempts to perform matching (including the use of the wildcard) in accordance with RFC 6125.
 * </p>
 * <p>
 * Known suffixes is a list of public domain suffixes that can't be used as wild cards for
 * example *.com, or c*c.com, as a dns wildcard could match every/most .com domains if a registrar were issue it.
 * If *.com is in the known suffixes list will not be allowed to match.
 * </p>
 *
 * @param knownSuffixes a set of suffixes that cannot be wild-carded, e.g. { ".com", ".net", ".org" }
 */
```

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1089947271_1601369618.24/0/bcpkix-fips-1-0-3-sources-jar/org/bouncycastle/est/jcajce/JsseDefaultHostnameAuthorizer.java

1.41 jctools-core 3.1.0

1.41.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
  <modelVersion>4.0.0</modelVersion>

  <artifactId>jctools-core</artifactId>
  <groupId>org.jctools</groupId>
  <version>3.1.0</version>
  <name>Java Concurrency Tools Core Library</name>
```

<description>Java Concurrency Tools Core Library</description>

<packaging>bundle</packaging>

<dependencies>

<dependency>

<groupId>org.hamcrest</groupId>

<artifactId>hamcrest-all</artifactId>

<version>\${hamcrest.version}</version>

<scope>test</scope>

</dependency>

<dependency>

<groupId>junit</groupId>

<artifactId>junit</artifactId>

<version>\${junit.version}</version>

<scope>test</scope>

</dependency>

<dependency>

<groupId>com.google.guava</groupId>

<artifactId>guava-testlib</artifactId>

<version>\${guava-testlib.version}</version>

<scope>test</scope>

</dependency>

</dependencies>

<build>

<plugins>

<plugin>

<groupId>org.apache.maven.plugins</groupId>

<artifactId>maven-surefire-plugin</artifactId>

<version>3.0.0-M3</version>

<configuration>

<includes>

<include>*</include>

</includes>

</configuration>

</plugin>

<plugin>

<groupId>org.apache.felix</groupId>

<artifactId>maven-bundle-plugin</artifactId>

<version>4.2.1</version>

<extensions>>true</extensions>

<configuration>

<instructions>

<Import-Package>sun.misc;resolution:=optional</Import-Package>

</instructions>

</configuration>

</plugin>

```

<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-source-plugin</artifactId>
  <version>3.2.0</version>
  <executions>
    <execution>
      <id>attach-sources</id>
      <phase>verify</phase>
      <goals>
        <goal>jar-no-fork</goal>
      </goals>
    </execution>
  </executions>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-javadoc-plugin</artifactId>
  <version>3.1.1</version>
  <configuration>
    <additionalOptions>
      <additionalOption>-Xdoclint:none</additionalOption>
    </additionalOptions>
    <source>8</source>
  </configuration>
  <executions>
    <execution>
      <id>attach-javadocs</id>
      <goals>
        <goal>jar</goal>
      </goals>
    </execution>
  </executions>
</plugin>
</plugins>
</build>

<distributionManagement>
  <repository>
    <id>bintray-jctools-jctools</id>
    <name>jctools-jctools</name>
    <url>https://api.bintray.com/maven/jctools/jctools/jctools-core/;publish=1</url>
  </repository>
</distributionManagement>

<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>

<licenses>

```

```

<license>
  <name>Apache
  License, Version 2.0</name>
  <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
  <distribution>repo</distribution>
</license>
</licenses>

<scm>
  <url>https://github.com/JCTools/JCTools</url>
  <connection>scm:git:https://github.com/JCTools/JCTools</connection>
  <tag>HEAD</tag>
</scm>

<developers>
  <developer>
    <url>https://github.com/nitsanw</url>
  </developer>
  <developer>
    <url>https://github.com/mjpt777</url>
  </developer>
  <developer>
    <url>https://github.com/RichardWarburton</url>
  </developer>
  <developer>
    <url>https://github.com/kay</url>
  </developer>
  <developer>
    <url>https://github.com/franz1981</url>
  </developer>
</developers>

<prerequisites>
  <maven>3.5.0</maven>
</prerequisites>

<properties>
  <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
  <java.version>1.6</java.version>
  <java.test.version>1.8</java.test.version>

  <maven.compiler.source>${java.version}</maven.compiler.source>
  <maven.compiler.target>${java.version}</maven.compiler.target>
  <maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
  <maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

  <hamcrest.version>1.3</hamcrest.version>
  <junit.version>4.12</junit.version>

```

```
<guava-testlib.version>21.0</guava-testlib.version>
</properties>
</project>
```

Found

in path(s):

```
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/META-INF/maven/org.jctools/jctools-core/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/Ordering.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpmcUnboundedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java
*
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MessagePassingQueueUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeJvmInfo.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/LinkedQueueAtomicNode.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpmcLinkedQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscUnboundedXaddArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/Preference.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscAtomicArrayQueue.java
```

```

*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MessagePassingQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/SupportsIterator.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MPMCUnboundedXaddArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscGrowArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/AtomicQueueFactory.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MPMCArrayQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/SpscAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/SpscArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/AbstractEntry.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MPMCUnboundedXaddChunk.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscChunkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/NonBlockingHashMapLong.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/UnsafeLongArrayAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscBlockingConsumerArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/NonBlockingHashMap.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/BaseMpscLinkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/MpscGrowArrayQueue.java
*

```

/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingIdentityHashMap.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/BaseLinkedQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/InternalAPI.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingHashSet.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/Pow2.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/ConcurrentQueueSpec.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpSCChunkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/ConcurrentAutoTable.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscUnboundedXaddChunk.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/LinkedQueueNode.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpSCUnboundedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/PortableJvmInfo.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/ConcurrentCircularArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingSetInt.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscLinkedQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeRefArrayAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscCompoundQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpSCChunkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpSCArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java

```

*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/QueueFactory.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/UnsafeAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscUnboundedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/SpSCGrowAbleAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/IndexedQueueSizeUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/SpSCGrowAbleArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/RangeUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/package-info.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/BaseSpSCLinkedArrayQueue.java

```

1.42 okio 2.8.0

1.42.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/ByteString.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/internal/-Utf8.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/-Util.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/-Platform.kt
*
/opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/-Platform.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/internal/ByteString.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/internal/RealBufferedSink.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/internal/SegmentedByteString.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/internal/RealBufferedSource.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/BufferedSource.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/RealBufferedSink.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/Okio.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/RealBufferedSource.kt

*

/opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/Source.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/BufferedSink.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/Sink.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/Buffer.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/internal/Buffer.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/Timeout.kt

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 Square Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/ByteString.kt

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2018 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/PeekSource.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/-DeprecatedOkio.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/-DeprecatedUpgrade.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/Throttler.kt
*
/opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/-DeprecatedUtf8.kt
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/ForwardingTimeout.kt
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/Utf8.kt
No license file was found, but licenses were detected in source scan.

/*

- * Copyright (C) 2014 Square, Inc.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/GzipSource.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/InflaterSource.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/AsyncTimeout.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/ForwardingSink.kt
*
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/Source.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/SegmentPool.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/SegmentPool.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/BufferedSource.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/Segment.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/RealBufferedSink.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/Sink.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/JvmOkio.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/Buffer.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/Timeout.kt
*
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/ForwardingSource.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/RealBufferedSource.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/DeflaterSink.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/GzipSink.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/BufferedSink.kt

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/-Base64.kt
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2016 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/HashingSource.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/commonMain/okio/Options.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/HashingSink.kt
* /opt/cola/permits/1096821398_1601900245.47/0/okio-2-8-0-sources-jar/jvmMain/okio/Pipe.kt
```

1.43 guava 30.0-jre

1.43.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the
 * License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
 * either
 * express or implied. See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableSortedAsList.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2010 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java
```

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/annotations/package-info.java
```

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java
```

*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Ascii.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Equivalence.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/annotations/Beta.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/Atomics.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/net/package-info.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/SortedLists.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/primitives/package-info.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Strings.java
*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ContiguousSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/Monitor.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/ListeningExecutorService.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/CombinedFuture.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/ReaderInputStream.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-

jar/com/google/common/util/concurrent/Platform.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/FarmHashFingerprint64.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/AggregateFutureState.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/AsyncCallable.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ConsumingQueueIterator.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/InterruptibleTask.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/MacHashFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/LittleEndianByteArray.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/CartesianList.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/escape/package-info.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/LongAddables.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/reflect/MutableTypeToInstanceMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/reflect/Invokable.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/SipHashFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-

```

jar/com/google/common/reflect/Parameter.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/FileWriteMode.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/LongAddable.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/reflect/package-
info.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/reflect/TypeToInstanceMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/CharSource.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/RateLimiter.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/reflect/AbstractInvocationHandler.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/math/LinearTransformation.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/math/PairedStats.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/reflect/ClassPath.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ListenableScheduledFuture.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/LongAddable.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/reflect/TypeCapture.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/math/Stats.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/ChecksumHashFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/math/PairedStatsAccumulator.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/FilteredKeyMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/reflect/Element.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/LongAddables.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/ByteSink.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/Closer.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/ByteSource.java

```

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableRangeSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/AbstractByteHasher.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/math/StatsAccumulator.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableRangeMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/SmoothRateLimiter.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/CharSink.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/html/package-
info.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ServiceManager.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/xml/package-
info.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/StandardSystemProperty.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/BaseEncoding.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/TopKSelector.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/SuccessorsFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/RecursiveDeleteOption.java
```

```
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/Network.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/PredecessorsFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/Graphs.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/MutableNetwork.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/InsecureRecursiveDeleteException.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/ImmutableGraph.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/MutableGraph.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/ImmutableNetwork.java
*
```

```
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/Graph.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/LinkedHashMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/Multimaps.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/Multisets.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ReverseNaturalOrdering.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
```

jar/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/AbstractSetMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/AbstractSortedSetMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/MutableClassToInstanceMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/NullsFirstOrdering.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingListIterator.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ArrayListMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/Synchronized.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/AbstractListMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/LexicographicalOrdering.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingList.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ComparatorOrdering.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/Interner.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/LinkedHashMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/HashMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingIterator.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingCollection.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/SingletonImmutableSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingQueue.java
*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/RegularImmutableSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/TreeMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/HashMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Iterators.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Maps.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/LinkedListMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ForwardingConcurrentMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/EnumBiMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/NaturalOrdering.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/AbstractMapEntry.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ImmutableList.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ForwardingObject.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Iterables.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Lists.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/UsingToStringOrdering.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/SortedSetMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ListMultimap.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ConcurrentHashMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Sets.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ForwardingMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/NullsLastOrdering.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/AbstractMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/AbstractBiMap.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Multiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ReverseOrdering.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/BiMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ForwardingMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ForwardingSortedSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/package-info.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/SetMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/TreeMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ExplicitOrdering.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Multimap.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/EnumHashBiMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/AbstractIterator.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Ordering.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ForwardingSortedMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/MapDifference.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/CompoundOrdering.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/AbstractMapBasedMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ForwardingMapEntry.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/PeekingIterator.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/StandardTable.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Platform.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ImmutableMapKeySet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ImmutableMapValues.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ImmutableMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/RegularImmutableBiMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Serialization.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ImmutableCollection.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/HashBasedTable.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/SingletonImmutableBiMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Tables.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ImmutableMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ImmutableMapEntrySet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Table.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-

```
jar/com/google/common/collect/Collections2.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableSortedSet.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/EmptyImmutableListMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableBiMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableListMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/RegularImmutableMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/CollectPreconditions.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/Range.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableEntry.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/StandardRowSortedTable.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/JdkBackedImmutableBiMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/IndexedImmutableSet.java
```

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/JdkBackedImmutableMap.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/BaseImmutableMultimap.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you
* may not use this file except in compliance with the License. You may
* obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied. See the License for the specific language governing
* permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/eventbus/SubscriberRegistry.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/eventbus/Dispatcher.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/MoreObjects.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/eventbus/Subscriber.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/math/Quantiles.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/ListenerCallQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/ImmediateFuture.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/FuturesGetChecked.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/AggregateFuture.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/TimeLimiter.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/CaseFormat.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/PatternFilenameFilter.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/escape/CharEscaper.java

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/FluentFuture.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/reflect/TypeToken.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/AppendableWriter.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/UncheckedTimeoutException.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/FakeTimeLimiter.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/annotations/VisibleForTesting.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/CollectionFuture.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/AbstractCatchingFuture.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/TimeoutFuture.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/AbstractTransformFuture.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/Futures.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/escape/CharEscaperBuilder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2020 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

```
/**
```

```
* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular
* version.
```

```
*/
```

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/SortedMultisets.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/SortedMultiset.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

/*

* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group

* and released to the public domain, as explained at

* <http://creativecommons.org/licenses/publicdomain>

*

```
* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
* java.util.HashMap
class.
*/
```

Found in path(s):

```
*/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/Striped.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2009 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
/**
```

```
 * Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
```

```
 * key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
```

```
 * version.
```

```
*
```

```
 * @throws UnsupportedOperationException always
```

```
 * @deprecated <b>Pass a key of type {@code Comparable}
```

```
to use {@link
```

```
 * ImmutableSortedMap#of\(Comparable, Object\).</b>
```

```
*/
```

Found in path(s):

```
*/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2010 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingSortedSetMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingSetMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/SortedMapDifference.java
*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingImmutableCollection.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/MinMaxPriorityQueue.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/AbstractSequentialIterator.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingListMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/RowSortedTable.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/UnmodifiableListIterator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-

```

jar/com/google/common/primitives/Doubles.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/Chars.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/Longs.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/Booleans.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/net/InetAddresses.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/Converter.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/CharMatcher.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/escape/Escaper.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/Ints.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/FluentIterable.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/escape/UnicodeEscaper.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/thirdparty/publicsuffix/TrieParser.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ListenableFutureTask.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/Shorts.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/net/PercentEscaper.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/Stopwatch.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/Bytes.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Joiner.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/Floats.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/internal/Finalizer.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/SequentialExecutor.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/MultiReader.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/FileBackedOutputStream.java

```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/MultimapBuilder.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableMapEntry.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/MoreFiles.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2016 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/NetworkConnections.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/GraphConstants.java
```

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/StandardMutableNetwork.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/AbstractNetwork.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/MapRetrievalCache.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/ForwardingNetwork.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/RangeGwtSerializationDependencies.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/AbstractGraphBuilder.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/EndpointPair.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/StandardValueGraph.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/StandardNetwork.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/MoreCollectors.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/EdgesConnecting.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Comparators.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/CollectCollectors.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/AbstractGraph.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/UndirectedNetworkConnections.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/StandardMutableGraph.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/MutableValueGraph.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/ValueGraph.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-

```
jar/com/google/common/graph/ImmutableValueGraph.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/ValueGraphBuilder.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/EndpointPairIterator.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/DirectedGraphConnections.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/ForwardingGraph.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/UndirectedMultiNetworkConnections.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/ForwardingValueGraph.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/MapIteratorCache.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/AbstractValueGraph.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/ElementOrder.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/DirectedNetworkConnections.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/GraphBuilder.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/GraphConnections.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/AbstractDirectedNetworkConnections.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/MultiEdgesConnecting.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/NetworkBuilder.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/UndirectedGraphConnections.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/StandardMutableValueGraph.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
```

* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/CommonPattern.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/CommonMatcher.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/PatternCompiler.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/JdkPattern.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/HashBiMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/Resources.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/FinalizableSoftReference.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/LittleEndianDataInputStream.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/MultiInputStream.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/LineReader.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/package-info.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/primitives/Primitives.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/package-info.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/AbstractIterator.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/FinalizablePhantomReference.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/ByteStreams.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/eventbus/DeadEvent.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Suppliers.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/DirectExecutor.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/ExecutionList.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/eventbus/AsyncEventBus.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/CountingOutputStream.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/CountingInputStream.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/FinalizableWeakReference.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Predicates.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/FinalizableReferenceQueue.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Interners.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/eventbus/package-info.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/LineBuffer.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Throwables.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/AbstractFuture.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/Flushables.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Preconditions.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/eventbus/AllowConcurrentEvents.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/EnumMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/package-info.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/FinalizableReference.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Charsets.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Objects.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/Closeables.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Function.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Predicate.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/eventbus/Subscribe.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Supplier.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/Files.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/ListenableFuture.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Functions.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/eventbus/EventBus.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/CharStreams.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/LittleEndianDataOutputStream.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Defaults.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/io/Java8Compatibility.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/math/BigDecimalMath.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/Java8Compatibility.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/math/ToDoubleRounder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/IgnoreJRERRequirement.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
*/

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ServiceManagerBridge.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/AtomicLongMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/GwtTransient.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/hash/HashingInputStream.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Verify.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/FilteredMultimapValues.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/AbstractTable.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/VerifyException.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/reflect/TypeVisitor.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/eventbus/SubscriberExceptionHandler.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/Runnables.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/eventbus/SubscriberExceptionContext.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Utf8.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/CharSequenceReader.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/BaseGraph.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ClosingFuture.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/AbstractBaseGraph.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/Traverser.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/net/InternetDomainName.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/ForwardingFuture.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/Callables.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/SparseImmutableTable.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Platform.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/JdkFutureAdapters.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/annotations/GwtIncompatible.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/AbstractService.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/net/HostSpecifier.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/primitives/UnsignedBytes.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/html/HtmlEscapers.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/escape/Escapers.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/Service.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/escape/ArrayBasedCharEscaper.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/ByteArrayDataInput.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/MapMaker.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/ByteArrayDataOutput.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/primitives/SignedBytes.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/reflect/TypeResolver.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/cache/CacheBuilder.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/DenseImmutableTable.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Splitter.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/cache/ReferenceEntry.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/escape/Platform.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Cut.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/annotations/GwtCompatible.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/AbstractIdleService.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/net/UrlEscapers.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/ByteProcessor.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/RegularImmutableTable.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/io/LineProcessor.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/MapMakerInternalMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/escape/ArrayBasedEscaperMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/SettableFuture.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/xml/XmlEscapers.java
No license file was found, but licenses were detected in source scan.

/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/publicdomain/zero/1.0/>

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/AtomicDoubleArray.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/hash/Striped64.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/hash/LongAdder.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/cache/Striped64.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/cache/LongAdder.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2019 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/primitives/Platform.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/Internal.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

/**

* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular

* version.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

/**

* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular

* version.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/FloatsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2016 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

/**

* Holder for extra methods of { @code Objects } only in web. Intended to be empty for regular

* version.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-

jar/com/google/common/base/ExtraObjectsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/*

* This method was rewritten in Java from an intermediate step of the Murmur hash function in

* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

* following header:

*

* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

* hereby

disclaims copyright to this source code.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-

jar/com/google/common/collect/Hashing.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2019 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/CompactHashing.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/graph/IncidentEdgeSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

/*
* This following method is a modified version of one found in
* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>
* which contained the following notice:
*
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to
*
the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>
*
* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/MoreExecutors.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/graph/package-info.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/CollectSpliterators.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the
 * License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
 * either
 * express or implied. See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/AbstractRangeSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Count.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
```

jar/com/google/common/collect/RangeSet.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingSortedMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/SortedIterables.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/GeneralRange.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/RegularImmutableSortedMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/SortedIterable.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableSortedMultiset.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/ImmutableLongArray.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/ImmutableDoubleArray.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/ImmutableIntArray.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/AbstractHashFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ForwardingCondition.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ForwardingLock.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableTable.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableSetMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/SingletonImmutableTable.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableEnumSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/AbstractIndexedIterator.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableClassToInstanceMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/SingletonImmutableList.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ComputationException.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ComparisonChain.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableAsList.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/RegularImmutableList.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/DiscreteDomain.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
```

```
jar/com/google/common/collect/ForwardingTable.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ImmutableSortedMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/RegularImmutableSortedSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ArrayTable.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/EmptyImmutableSetMultimap.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler
wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/
```

```
Found in path(s):
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/Partially.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*

```

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/UncheckedExecutionException.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/AbstractScheduledService.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/hash/Hashing.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/Queues.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/TreeRangeSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/primitives/UnsignedLong.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/hash/Murmur3_32HashFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/cache/CacheBuilderSpec.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/hash/AbstractStreamingHasher.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/primitives/UnsignedInteger.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/Uninterruptibles.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/cache/AbstractCache.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/RegularContiguousSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/WrappingExecutorService.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/math/MathPreconditions.java

```

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/math/package-
info.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/math/DoubleUtils.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/HashFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/net/HttpHeaders.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/PairwiseEquivalence.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ExecutionError.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/cache/package-
info.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/base/Present.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/Funnel.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/MessageDigestHashFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/net/MediaType.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/ParseRequest.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/AbstractNonStreamingHashFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/math/LongMath.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/LoadingCache.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/AbstractSortedMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/PrimitiveSink.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/BloomFilter.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/AbstractHasher.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/RemovalCause.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/Weigher.java

```

```

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/BloomFilterStrategies.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/Cache.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ForwardingExecutorService.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/Crc32cHashFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/ForwardingLoadingCache.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/EmptyContiguousSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/CacheStats.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/math/DoubleMath.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/Murmur3_128HashFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/FutureCallback.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/Enums.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/ForwardingCache.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/Hasher.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/net/HostAndPort.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/HashingOutputStream.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/reflect/TypeParameter.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/AsyncFunction.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/AbstractCompositeHashFunction.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/UnsignedInts.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/Optional.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/FunctionalEquivalence.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-

```

```
jar/com/google/common/math/BigIntegerMath.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/HashCode.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/hash/Funnels.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/Absent.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/math/IntMath.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/RemovalListeners.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/UnsignedLongs.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/BoundType.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/Ticker.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/reflect/Types.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/CacheLoader.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/RemovalListener.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/cache/AbstractLoadingCache.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/RegularImmutableMultiset.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Returns an array containing all of the elements in the specified collection. This method
* returns the elements in the order they are returned by the collection's iterator. The returned
```

```
* array is "safe" in that no references to it are maintained by the collection. The caller is
* thus free to modify the returned
array.
*
* <p>This method assumes that the collection size doesn't change while the method is running.
*
* <p>TODO(kevinb): support concurrently modified collections?
*
* @param c the collection for which to return an array of elements
*/
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ObjectArrays.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2011 The Guava Authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/hash/package-
info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2018 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
```

* the License.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/hash/ImmutableSupplier.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/util/concurrent/ExecutionSequencer.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/JdkBackedImmutableSet.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/JdkBackedImmutableMultiset.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/RangeMap.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ForwardingImmutableMap.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/FilteredKeyListMultimap.java

*

/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/UnmodifiableSortedMultiset.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/TransformedIterator.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-jar/com/google/common/collect/ImmutableEnumMap.java

* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-

jar/com/google/common/collect/SortedMultisetBridge.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/EvictingQueue.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/AllEqualOrdering.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingNavigableMap.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/CompactHashSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/FilteredKeySetMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingImmutableList.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/DescendingMultiset.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/FilteredEntrySetMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingImmutableSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/TreeRangeMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingNavigableSet.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/CompactLinkedHashMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/FilteredSetMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/FilteredEntryMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/TransformedListIterator.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/CompactHashMap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingDeque.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/DescendingImmutableSortedSet.java
*
/opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/TreeTraverser.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/RegularImmutableAsList.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/AbstractNavigableMap.java

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/CompactLinkedHashSet.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/AbstractMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/FilteredMultimap.java
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/collect/ForwardingBlockingDeque.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2020 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

```
/**
```

```
* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular
* version.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/primitives/IntsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2012 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

```
/*
 * This method was rewritten in Java from an intermediate step of the Murmur hash function in
 * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
 * following header:
 *
 * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
 * hereby disclaims
 * copyright to this source code.
 */
```

Found in path(s):

```
* /opt/cola/permits/1102081303_1603450661.12/0/guava-30-0-jre-sources-
jar/com/google/common/base/SmallCharMatcher.java
```

1.44 httpcomponents-client 4.5.13

1.44.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

=====

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code

Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its

Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer

for sale, have made, import, and otherwise transfer either its

Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software;

or

(b) for infringements caused by: (i) Your and any other third party's

modifications
of Covered Software, or (ii) the combination of its
Contributions with other software (except as part of its Contributor
Version); or

(c) under Patent Claims infringed by Covered Software in the absence of
its Contributions.

This License does not grant any rights in the trademarks, service marks,
or logos of any Contributor (except as may be necessary to comply with
the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to
distribute the Covered Software under a subsequent version of this
License (see Section 10.2) or under the terms of a Secondary License (if
permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its
Contributions are its original creation(s) or it has sufficient rights
to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have
under
applicable copyright doctrines of fair use, fair dealing, or other
equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted
in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under
the terms of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code

Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code

Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any

liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License

prior to termination shall survive termination.

```

*****
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is
* free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
* repair, or correction. This disclaimer of warranty constitutes an
* essential part of this License. No use of any Covered Software is
* authorized under this License except under this disclaimer.
*
*****

```

```

*****
*
*
* 7. Limitation of Liability
* -----
*
*
* Under no circumstances and under no legal theory, whether tort
* (including negligence), contract, or otherwise, shall any
* Contributor, or anyone who distributes Covered Software as
* permitted above, be liable to You for any direct, indirect,
* special, incidental, or consequential damages of any character
* including, without limitation, damages for lost profits, loss of
* goodwill, work stoppage, computer failure or malfunction, or any
* and all other commercial damages or losses, even if such party
* shall have been informed of the possibility of such damages. This
* limitation of liability shall not apply to liability for death or
* personal injury resulting from such party's negligence to the
* extent applicable law prohibits such limitation. Some
* jurisdictions do not allow the exclusion or limitation
* of
* incidental or consequential damages, so this exclusion and
* limitation may not apply to You.
*
*****

```

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

Apache HttpComponents Client

Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.45 commons-logging 1.2

1.45.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2001-2006 The Apache Software Foundation.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2001-2004,2006 The Apache Software Foundation.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/AvalonLogger.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2004 The Apache Software Foundation.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/WeakHashtable.java

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/package.html

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/package.html

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2001-2004 The Apache Software Foundation.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogConfigurationException.java

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Log4JLogger.java

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-

```
jar/org/apache/commons/logging/impl/LogFactoryImpl.java
*
/opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/Jdk13LumberjackLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/SimpleLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/Jdk14Logger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/LogSource.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/LogKitLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/Log.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2005 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/ServletContextCleaner.java
```

1.46 bcel 2.7.2

1.46.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
```

```
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* This is a special exception that is used to stop parsing when
* search for an element. For instance, when searching
* for xml:stylesheet
* PIs, it is used to stop the parse once the document element is found.
* @see StylesheetPIHandler
* @xsl.usage internal
*/
```

Found in path(s):

```
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/StopParseException.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/transformer/QueuedEvents.java
```

*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/XslAttribute.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/NodeLocator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/ToStream.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/MessageHandler.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/KeyIndex.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/ElemDesc.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemForEach.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/patterns/ContextMatchStepPattern.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/res/XPATHErrorResources_zh.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncBoolean.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/NodeSetType.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/CurrentCall.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/trax/TransformerHandlerImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/When.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/SecuritySupport.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/axes/WalkingIteratorSorted.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemWhen.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/utils/SerializerMessages_ja.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/StylesheetPIHandler.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncSubstring.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/trax/TrAXFilter.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncConcat.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/utils/SerializerMessages_zh_CN.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_ko.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/Function.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/trax/XSLTSource.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/AttributeIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/StringToIntTable.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/LoadDocument.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/ObjectFactory.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/NumeratorFormatter.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/utils/SerializerMessages_hu.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/SecuritySupport.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_zh.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Equals.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/Pattern.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/processor/ProcessorExsltFuncResult.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/DOMEnhancedForDTM.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/SecuritySupport.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/MatchingIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FuncNot.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/processor/XSLTAttributeDef.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/StringToStringTableVector.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/If.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/ObjectFactory.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/SerializerTraceWriter.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Lt.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/PrefixResolver.java

```

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/res/XSLTErrorResources_en.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/ToTextSAXHandler.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/res/StringArrayWrapper.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Choose.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemFallback.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/transformer/XalanProperties.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncUnparsedEntityURI.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/transformer/KeyIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/DOM2Helper.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/Hashtable.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/UnionIterator.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/NthIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Stylesheet.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/res/XSLTErrorResources_sk.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/XSLTC.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/ErrorMessage_pt_BR.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/res/XSLMessages.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/DTMNodeProxy.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/StartsWithCall.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/ElemContext.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/XPathProcessorException.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/NodeCounterGenerator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_zh_TW.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

jar/org/apache/xml/utils/res/XResources_he.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/functions/FuncRound.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/util/MethodGenerator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/IntExpr.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/Fallback.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/runtime/ErrorMessageMessages_ja.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/DOMOrder.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/LangCall.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/extensions/ExtensionsTable.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Minus.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/utils/res/CharArrayWrapper.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/CastExpr.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/runtime/ErrorMessageMessages_pl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/extensions/ExtensionNamespaceSupport.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/ObjectFactory.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/TransletException.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/utils/StringBufferPool.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/And.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/ToSAXHandler.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/res/XPATHErrorResources_ca.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/res/XSLTErrorResources_pl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/utils/SerializerMessages_zh_TW.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/utils/SerializerMessages.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/templates/AVTPartXPath.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/ExtendedLexicalHandler.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/XPathVisitable.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/WhiteSpaceInfo.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/trace/EndSelectionEvent.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FuncLang.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/trax/DOM2SAX.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/res/XResources_ka.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/TransformerIdentityImpl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/IntVector.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/processor/ProcessorGlobalVariableDecl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/res/XMLErrorResources_tr.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/PredicatedNodeTest.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/compiler/OpCodes.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/res/XResources_hy.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemTemplateElement.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/LiteralElement.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemTextLiteral.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/utils/SerializerMessages_de.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/Step.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/util/IntegerArray.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_pt_BR.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/objects/XString.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_de.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/DescendantIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/ToXMLStream.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/objects/XNodeSet.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemText.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/ErrorMessage.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/trax/SecuritySupport.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/FilterParentPath.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/Sort.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FuncLast.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/CeilingCall.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/Function3Args.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/Utils/URI.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/XPath.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/RealType.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/DecimalFormatProperties.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/res/XPATHErrorResources_pt_BR.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/NamespaceMappings.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/res/XSLTErrorsResources_zh.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/AttributeValue.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/NodeSortKey.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/res/XMLErrorResources_ko.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/res/XSLTErrorsResources_tr.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/Utils/res/XResourceBundleBase.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/DTMFilter.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/Key.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/Utils/res/XResources_cy.java
 *

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FuncId.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/ContainsCall.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/res/XMLErrorResources_zh_TW.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/res/XPATHErrorResources_sv.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/res/LongArrayWrapper.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemPI.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/sql/SecuritySupport.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/output/StringOutputBuffer.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/XMLStringDefault.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ref/IncrementalSAXSource_Xerces.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/res/XResources_ko.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/NodeSortRecord.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FuncNormalizeSpace.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/RtMethodGenerator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ref/DTMSafeStringPool.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_ca.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/BasisLibrary.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/Parameter.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_pl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/objects/XNodeSetForDOM.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/res/XResources_es.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemCopy.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/SerializerConstants.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/dom3/LSSerializerImpl.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/VariableRefBase.java

*

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/XMLStringFactoryDefault.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/KeyManager.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemComment.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/AttributeSet.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/compiler/Lexer.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/DOM3Serializer.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/Predicate.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/NodeVector.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/SuballocatedIntVector.java

*

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/SingleNodeCounter.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/SerializableLocatorImpl.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ref/DTMNodeIterator.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xslt/EnvironmentCheck.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/res/XResources_fr.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/ExsltStrings.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/res/XResourceBundle.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/XUnresolvedVariableSimple.java

*

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_tr.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/res/XResources_zh_TW.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/AlternativePattern.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Neg.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/NodeSet.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/objects/XNull.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/dom3/DOMErrorHandlerImpl.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

jar/org/apache/xml/dtm/ref/IncrementalSAXSource.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/util/MultiHashtable.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/objects/XRTreeFrag.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/templates/ElemNumber.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/processor/ProcessorNamespaceAlias.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/trace/TraceManager.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/objects/XObject.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/templates/ElemExtensionScript.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/transformer/ClonerToResultTree.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/templates/AVTPart.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/cmdline/getopt/GetOptsException.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/DOM.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/serialize/DOMSerializer.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemIf.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/processor/ProcessorGlobalParamDecl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/extensions/ExtensionNamespaceContext.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/ChildIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/PositionCall.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/templates/ElemApplyImport.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/ParameterRef.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/Template.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/res/XMLErrorResources_sk.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/dom3/DOMLocatorImpl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/processor/ProcessorStylesheetElement.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/compiler/PseudoNames.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/SecuritySupport.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/TransformSnapshotImpl.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/Util.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xslt/SecuritySupport.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/DTMDOMException.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/RoundCall.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemApplyTemplates.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/processor/StylesheetHandler.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ref/sax2dtm/SAX2RTFDTM.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/ObjectFactory.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/trace/PrintTraceListener.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/SerializationHandler.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/trace/TracerEvent.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/FloorCall.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/FastStringBuffer.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ref/sax2dtm/SAX2DTM2.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ref/CustomStringPool.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/DOMWSFilter.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/extensions/ExpressionContext.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FunctionDef1Arg.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/OneStepIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/SimpleAttributeValue.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/FilterExprWalker.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/res/XSLTErrorResources_sv.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/res/XMLErrorResources_pl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/res/XSLTErrorResources.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FuncTranslate.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/ValueOf.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/Operators.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/ParentLocationPath.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/TreeWalker2Result.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/UnparsedEntityUriCall.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/BooleanCall.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FuncSubstringBefore.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/NameSpace.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/NameBase.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/MultiDOM.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/CachedXPathAPI.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/KeyPattern.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/ObjectVector.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/ErrorMessage_tr.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/res/XPATHErrorResources_zh_CN.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/RawCharacterHandler.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/sql/ObjectArray.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/BinOpExpr.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/ProcessingInstruction.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/DOMBuilder.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

jar/org/apache/xml/utils/SystemIDResolver.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/WriterToASCI.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/ErrorMessage_ru.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/DTM.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/BooleanType.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/LogicalExpr.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/utils/Messages.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/MutableAttrListImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/ArrayNodeListIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/OutlineableChunkStart.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/NamespaceAlias.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/DTMDefaultBaseIterators.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncStringLength.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncGenerateId.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/OutputPropertiesFactory.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/ProcessorStylesheetDoc.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/XSLTElementProcessor.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncStartsWith.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/axes/ContextNodeList.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/FilteredAbsolutePath.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/NamespaceAlias.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/DTMChildIterNodeList.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/DocumentCall.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

```

jar/org/apache/xalan/xsltc/dom/FilterIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/trax/SmartTransformerFactoryImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/res/XMLErrorResources_es.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/ErrorMessage_hu.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/serialize/Serializer.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/LocationPathPattern.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/axes/BasicTestIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/utils/SerializerMessages_zh.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/NodeSortRecordGenerator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/FlowList.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/XSLTVisitable.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/jaxp/XPathFactoryImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/Arg.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/DTMDefaultBase.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/trace/ExtensionEvent.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/ObjectFactory.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/axes/UnionPathIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemUnknown.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/objects/XRTreeFragSelectWrapper.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/ReferenceType.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/Redirect.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/XMLReaderManager.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/domapi/XPathExpressionImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/utils/SerializerMessages_sl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/transformer/MsgMgr.java

```

```

*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/XslElement.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/AttributesImplSerializer.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/Filter.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/NamespacesSupport2.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/UnImplNode.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/res/XSLTErrorResources_cs.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemOtherwise.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/ExtendedContentHandler.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/ErrorMessage_de.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/InternalRuntimeError.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/SourceTreeManager.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ObjectFactory.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/utils/XML11Char.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Div.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/serialize/SerializerFactory.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/ProcessorPreserveSpace.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/res/XSLTErrorResources_hu.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/compiler/Compiler.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/res/XPATHErrorResources_tr.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/SuballocatedByteVector.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/operations/NotEquals.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/ExsltSets.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/ErrorMessage_ko.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/res/XMLErrorResources.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/SecuritySupport.java
*

```

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/extensions/ExtensionNamespacesManager.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/res/XPATHErrorResources_fr.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/templates/ElemChoose.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/lib/sql/DefaultConnectionPool.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/extensions/MethodResolver.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/Constants.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/utils/MsgKey.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/Import.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/dom/StripWhitespaceFilter.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/SymbolTable.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/utils/URI.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/utils/SystemIDResolver.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/util/ErrorMsg.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/res/XPATHErrorResources_ja.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/UnionPathExpr.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/cmdline/getopt/IllegalArgumentException.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/SerializerTrace.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/res/XMLErrorResources_hu.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/transformer/DecimalToRoman.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/utils/Hashtree2Node.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/dom/SAXImpl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/dom/DocumentCache.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/extensions/ExtensionHandler.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

jar/org/apache/xalan/processor/ProcessorTemplate.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Lte.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/lib/sql/SQLExceptionDocument.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemMessage.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/LocaleUtility.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/extensions/XSLProcessorContext.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/ChunkedIntArray.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/DTMAxisIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/FunctionAvailableCall.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/DTMDocumentImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/StringLengthCall.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/operations/VariableSafeAbsRef.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/ProcessorText.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/res/XSLTErrorResources_fr.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/extensions/ExpressionVisitor.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/AVTPartSimple.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/ToUnknownStream.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/NodeSortRecordFactGenerator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/OutlineableChunkEnd.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/CharInfo.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/res/XMLErrorResources_sl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/LiteralAttribute.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/jaxp/XPathImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/res/XMLErrorResources_zh.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/NameCall.java

```

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/Comment.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/ErrorMessage_zh.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/AbsPathChecker.java

*

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/ExpressionNode.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FuncSystemProperty.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/TransletOutput.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FuncExtFunctionAvailable.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/res/XSLTErrorResources_es.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/StylesheetComposed.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_it.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/domapi/XPathNSResolverImpl.java

*

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/res/XPATHErrorResources_zh_TW.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/trax/Util.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/NumberType.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FunctionOneArg.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/ElementAvailableCall.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/compiler/XPathDumper.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/VarNameCollector.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/processor/ProcessorCharacters.java

*

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/extensions/ExtensionHandlerGeneral.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Gte.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/EmptySerializer.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/NodeSequence.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/utils/SerializerMessages_it.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/util/JavaCupRedirect.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/dtm/ref/DTMDefaultBaseTraversers.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/util/Type.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/util/AttributeSetMethodGenerator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/objects/XStringForChars.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/dom/DOMBuilder.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/XPathFactory.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/NodeInfo.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/processor/ProcessorDecimalFormat.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/transformer/XSLInfiniteLoopException.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/utils/SerializerMessages_ko.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/Mode.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/DOMSerializer.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/templates/OutputProperties.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/functions/Function2Args.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/res/XMLErrorResources_en.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/ProcessorVersion.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/processor/ProcessorKey.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/templates/FuncFormatNumb.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/dom3/DOM3SerializerImpl.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/res/XMLErrorResources_de.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/trace/TraceListenerEx3.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/res/XSLTErrorResources_pt_BR.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

jar/org/apache/xml/serializer/ToXMLSAXHandler.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/objects/XNumber.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/OutputPropertyUtils.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/TopLevelElement.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Copy.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/ObjectFactory.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncNumber.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/Constants.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/trace/TraceListener.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/dom3/NamespaceSupport.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/dom3/DOMErrorImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/extensions/ExtensionHandlerJava.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/ProcessorStripSpace.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/trace/TraceListenerEx2.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/RealExpr.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/axes/UnionChildIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/DTMException.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/CompareGenerator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/XMLNSDecl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Output.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Closure.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/utils/Utils.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/TemplateList.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/axes/SelfIteratorNoPredicate.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

```

jar/org/apache/xml/utils/res/XResources_sv.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/InternalServerError.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/utils/SerializerMessages_ru.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/KeyCall.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/ElemDesc.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/NodeIteratorBase.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/ProcessorTemplateElem.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/DTMAxisTraverser.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemExsltFuncResult.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/extensions/XPathFunctionResolverImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/transformer/TransformerClient.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/ObjectFactory.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/trace/TraceListenerEx.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/ExtensionsProvider.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/cmdline/Compile.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/ExsltDatetime.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncContains.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/EmptyIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemValueOf.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/trace/SelectionEvent.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/VoidType.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemParam.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/AdaptiveResultTreeImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/objects/XBoolean.java
*

```

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/util/ResultTreeType.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/jaxp/JAXPPrefixResolver.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/trax/OutputSettings.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/Encodings.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/SerializerFactory.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/utils/WrongParserException.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/XPathException.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/dtm/ref/DTMStringPool.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/String.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/patterns/NodeTestFilter.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/utils/StringToStringTable.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/ExsltDynamic.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/dom/XSLTCDTMMManager.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/dtm/ref/DTMTreeWalker.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/utils/XMLCharacterRecognizer.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/patterns/NodeTest.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/IdKeyPattern.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/serialize/SerializerUtils.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/util/NamedMethodGenerator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/SourceTree.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/patterns/FunctionPattern.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/dom/ExtendedSAX.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/utils/ThreadControllerWrapper.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/dom/SimpleResultTreeImpl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/lib/sql/SQLQueryParser.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

jar/org/apache/xalan/xsltc/compiler/util/ClassGenerator.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/IteratorPool.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/DOMCache.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemAttributeSet.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncTrue.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/res/IntArrayWrapper.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/patterns/StepPattern.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/MultipleNodeCounter.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/res/XSLTErrorResources_ca.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/jaxp/XPathExpressionImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncFloor.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/axes/SubContextList.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/axes/WalkerFactory.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/IncrementalSAXSource_Filter.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/TreeWalker.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/dom3/DOM3TreeWalker.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/objects/XMLStringFactoryImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Instruction.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/extensions/XPathFunctionImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/res/XResources_ja_JP_HA.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/PrefixResolverDefault.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Parser.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/ErrorMessage_sl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/dom2dtm/DOM2DTMdefaultNamespaceDeclarationNode.java

```

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/KeyTable.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/output/WriterOutputBuffer.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/CallTemplate.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ref/dom2dtm/DOM2DTM.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/jaxp/JAXPVariableStack.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Plus.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/processor/XSLTElementDef.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/DOMHelper.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/utils/SerializerMessages_cs.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/FuncKey.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/res/XResources_ja_JP_HI.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/res/XPATHErrorResources_es.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/ObjectFactory.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/ApplyTemplates.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/AVT.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/compiler/OpMap.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/ClonedNodeListIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/res/XPATHErrorResources_sk.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/CastCall.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/AxesWalker.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/utils/StringToIntTable.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/SerializerBase.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/utils/SerializerMessages_en.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/objects/XObjectFactory.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/FunctionCall.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/trax/TemplatesImpl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/UnresolvedRef.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/ObjectFactory.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/Process.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/ParentPattern.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/ObjectType.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/SortSettings.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/RelativePathPattern.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/TransformerImpl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/StripFilter.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/objects/XStringForFSB.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/trax/TransformerFactoryImpl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/TestGenerator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ref/CoroutineManager.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/OneStepIteratorForward.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/FilterGenerator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FuncSum.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/XML11Char.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/FuncQname.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemLiteralResult.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/NodeSorter.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/TransformState.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/UnaryOperation.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/ErrorMessage_cs.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

jar/org/apache/xalan/xsltc/dom/CollatorFactoryBase.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/transformer/TrAXFilter.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemAttribute.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncCeiling.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/XSLTSchema.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncLocalPart.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/SourceLoader.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemCallTemplate.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/NodeSortRecordFactory.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/StylesheetRoot.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/LastCall.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/utils/BoolStack.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/VariableBase.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/NodeCounter.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/ProcessingInstructionPattern.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/Translet.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/ObjectStack.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemTemplate.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/utils/AttList.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/trax/SAX2DOM.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/ExpressionOwner.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/IdPattern.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/res/XMLErrorResources_sv.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/ErrorMessage_fr.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

```

jar/org/apache/xpath/objects/XBooleanStatic.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/trax/TransformerImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/SyntaxTreeNode.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/ProcessorImport.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/axes/HasPositionalPredChecker.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncCount.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/ExtendedType.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage ru.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/ForwardPositionIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncPosition.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/lib/ExsltBase.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/WriterChain.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/NumberCall.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/NodeTest.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/lib/sql/PooledConnection.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Otherwise.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/jaxp/JAXPExtensionsProvider.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/StepPattern.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage ja.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/NodeConsumer.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/Constants.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/dom3/DOMOutputImpl.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/lib/SecuritySupport.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/RedundentExprEliminator.java

```

```

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemCopyOf.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/utils/DOM2Helper.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_cs.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncCurrent.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncExtFunction.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/EncodingInfo.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/lib/sql/ObjectFactory.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/ErrorMessage_no.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/res/XPATHErrorResources_sl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/DefaultErrorHandler.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Whitespace.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/transformer/KeyRefIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/extensions/ExtensionHandlerJavaPackage.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/lib/sql/ConnectionPool.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/UnaryOpExpr.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FunctionMultiArgs.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/RelativeLocationPath.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Mult.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/Serializer.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/XMLChar.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_no.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/NodeType.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/utils/XMLChar.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/WrongNumberArgsException.java

```

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/AbstractTranslet.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ref/SecuritySupport.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/ListingErrorHandler.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/FuncDocument.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Bool.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/UseAttributeSets.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/trace/GenerateEvent.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/client/XSLTProcessorApplet.java

*

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/FormatNumberCall.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/Counter.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/XMLStringFactory.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/DOMAdapter.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/AnyNodeCounter.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/cmdline/getopt/MissingOptArgException.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/ToHTMLSAXHandler.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/BooleanExpr.java

*

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ref/DTMAxisIteratorBase.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/SecuritySupport.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/MatchGenerator.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/utils/SerializerMessages_tr.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/cmdline/getopt/GetOpt.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/Method.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/res/XMLErrorResources_ca.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_fr.java

*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/VariableRef.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/WithParam.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/FilteredStepIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/CountersTable.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/TreeWalker.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/sql/JNDIConnectionPool.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/res/XMLMessages.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/res/XPATHErrorResources.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/SingletonIterator.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/res/XResources_ja_JP_I.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/output/OutputBuffer.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ref/CoroutineParser.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/domapi/XPathResultImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/ToTextStream.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/XPathAPI.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/BitArray.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/AbsoluteLocationPath.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/ErrorMessage_it.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/res/XPATHErrorResources_pl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/res/XResources_it.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/ExsltMath.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemExsltFunction.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemEmpty.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/output/TransletOutputHandlerFactory.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

jar/org/apache/xml/serializer/utils/SerializerMessages_sv.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/WhitespaceInfoPaths.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/axes/PathComponent.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/transformer/SerializerSwitcher.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/operations/Variable.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/RelationalExpr.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/WrappedRuntimeException.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/res/XPATHErrorResources_it.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/NodeSetDTM.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemSort.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/AttributeList.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/res/XPATHErrorResources_hu.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/DTMAxisIterNodeList.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/operations/Number.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/compiler/OpMapVector.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/StringVector.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/StringValueHandler.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/operations/Operation.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncString.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemUse.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/DTMManagerDefault.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/PipeDocument.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/Extensions.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/TypeCheckError.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/lib/sql/SQLDocument.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

jar/org/apache/xpath/res/XPATHErrorResources_cs.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/runtime/ErrorMessage_zh_TW.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/dom/StepIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/trax/TemplatesHandlerImpl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/XSLOutputAttributes.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/Text.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/IntStack.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/transformer/StackGuard.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/util/IntType.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/CompilerException.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/functions/FuncSubstringAfter.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/dom/CachedNodeListIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/templates/TemplateSubPatternAssociation.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/utils/res/XResources_zh_CN.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/runtime/ErrorMessage_sk.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/NamespaceUriCall.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/functions/FuncNamespace.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/res/XMLErrorResources_it.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/runtime/Constants.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/dtm/ref/sax2dtm/SAX2DTM.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/utils/SAXSourceLocator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/util/MarkerInstruction.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/CollatorFactory.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

jar/org/apache/xalan/xsltc/compiler/util/ErrorMessageSk.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/Utils/SerializerMessages_pt_BR.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/Utils/SerializerMessages_es.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/UnsupportedElement.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/res/XSLTErrorResources_ru.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/StringType.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/cmdline/ObjectFactory.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemVariable.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Or.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/ErrorMessageSk.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/EmptyFilter.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/Utils/SerializerMessages_sk.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/res/XSLTErrorResources_sl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/KeyDeclaration.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/TestSeq.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/StringStack.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/extensions/ExtensionHandlerExsltFunction.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/Node.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/lib/sql/DTMDocument.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/cmdline/Transform.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/Utils/res/XResources_en.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/SortingIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/compiler/XPathParser.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```

```

jar/org/apache/xml/serializer/WriterToUTF8Buffered.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/NotCall.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/StringCall.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/ExsltCommon.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/lib/sql/XConnection.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/SecuritySupport.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/res/XSLTErrorResources_ja.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/ProcessorExsltFunction.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/res/XPATHErrorResources_ko.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/ProcessorUnknown.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/domapi/XPathNamespaceImpl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Mod.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/AbsolutePathPattern.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Variable.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/AttList.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/FilterExpr.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/axes/ReverseAxesWalker.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/patterns/UnionPattern.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/res/XMLErrorResources_ja.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/XPathContext.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Include.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemWithParam.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/CurrentNodeListFilter.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/MethodType.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/WhitespaceStrippingElementMatcher.java

```

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/Attribute.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/CopyOf.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/Attributes.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/MatchPatternIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/DupFilterIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/NodeIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/DecimalFormatting.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/XPathVisitor.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/res/XSLTErrorResources_ko.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/XalanTransformState.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemVariablePseudo.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/FilterExprIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/runtime/ErrorMessage_es.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_hu.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/res/XMLErrorResources_ru.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/utils/SerializerMessages_pl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/Expression.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/TransformStateSetter.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/domapi/XPathEvaluatorImpl.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemExtensionCall.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/RTFIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/ref/DTMNodeListBase.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/LocPathIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/res/XMLErrorResources_pt_BR.java
 *

```

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/ProcessorInclude.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/ObjectPool.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Message.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/DTMNamedNodeMap.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xslt/ObjectFactory.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/XMLString.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/ElemExtensionDecl.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/utils/WrappedRuntimeException.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/utils/res/XResources_de.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/res/XPATHMessages.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/runtime/ErrorMessage_ca.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/cmdline/SecuritySupport.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/LocalNameCall.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/extensions/SecuritySupport.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/BoolStack.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/FoundIndex.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/dom3/DOMStringListImpl.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/res/XSLTErrorResources_it.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncExtElementAvailable.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/DTMIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/ArgumentList.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/objects/DTMXRTreeFrag.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/AnccestorPattern.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/axes/WalkingIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/EqualityExpr.java
*

```

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/res/XPATHErrorResources_en.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/axes/ChildTestIterator.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/ForEach.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xpath/res/XPATHErrorResources_de.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/utils/StringComparable.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/Expression.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/templates/XSLTVisitor.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/LiteralExpr.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/ApplyImports.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/lib/sql/ConnectionPoolManager.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/processor/ProcessorAttributeSet.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Quo.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/NSInfo.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/extensions/ExtensionHandlerJavaClass.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/dom3/DOMConstants.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/dtm/ref/ExpandedNameTable.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/QName.java
 *
 /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/DTMManager.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/GenerateIdCall.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/QName.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/transformer/TransformSnapshot.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xml/serializer/utils/SerializerMessages_ca.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/lib/sql/QueryParameter.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_es.java
 * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
 jar/org/apache/xalan/processor/ProcessorOutputElem.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/Param.java

*

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/AttributeValueTemplate.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/extensions/ObjectFactory.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/res/XPATHErrorResources_ru.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/util/SlotAllocator.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/Number.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/res/XResources_el.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/TransformerHandlerImpl.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/trax/DOM2TO.java

*

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/Stylesheet.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/VariableStack.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/DTMWSFilter.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/FilterExprIteratorSimple.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/res/XSLTErrorsResources_zh_CN.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/dom/MultiValuedNodeHeapIterator.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/res/XSLTErrorsResources_zh_TW.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/ElemElement.java

*

/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/ConcatCall.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/res/XSLTErrorsResources_de.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/ResultNamespace.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/processor/ProcessorLRE.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/utils/SerializerMessages_fr.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/trax/ObjectFactory.java

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-

```
jar/org/apache/xml/utils/res/XResources_ja_JP_A.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/Gt.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/res/XMLErrorResources_fr.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/res/XMLErrorResources_cs.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/DTMConfigurationException.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/dtm/ref/DTMNodeList.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/dtm/Axis.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/templates/XUnresolvedVariable.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncFalse.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/SecuritySupport.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/util/ErrorMessage_sl.java
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/AbsoluteIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/dom/CurrentNodeListIterator.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/IllegalCharException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* $Id: Version.src 1225426 2011-12-29 04:13:08Z mrglavas $
```

```

*/
package org.apache.xalan;

/**
 * Administrative
 * class to keep track of the version number of
 * the Xalan release.
 * <P>This class implements the upcoming standard of having
 * org.apache.project-name.Version.getVersion() be a standard way
 * to get version information. This class will replace the older
 * org.apache.xalan.processor.Version class.</P>
 * <P>See also: org/apache/xalan/res/XSLTInfo.properties for
 * information about the version of the XSLT spec we support.</P>
 * @xsl.usage general
 */
public class Version
{

/**
 * Get the basic version string for the current Xalan release.
 * Version String formatted like
 * <CODE>"<B>Xalan</B> <B>Java</B> v.r[.dd] <B>D</B>]</CODE>.
 *
 * Futurework: have this read version info from jar manifest.
 *
 * @return String denoting our current version
 */
public static String getVersion()
{
    return getProduct()+" "+getImplementationLanguage()+" "
        +getMajorVersionNum()+". "+getReleaseVersionNum()+". "

        +( (getDevelopmentVersionNum() > 0) ?
            ("D"+getDevelopmentVersionNum()) : (""+getMaintenanceVersionNum()));
}

/**
 * Print the processor version to the command line.
 *
 * @param argv command line arguments, unused.
 */
public static void main(String argv[])
{
    System.out.println(getVersion());
}

/**
 * Name of product: Xalan.

```

```

*/
public static String getProduct()
{
    return "Xalan";
}

/**
 * Implementation Language: Java.
 */
public static String getImplementationLanguage()
{
    return "Java";
}

/**
 * Major version number.
 * Version number. This changes only when there is a
 *     significant, externally apparent enhancement from
 *     the previous release. 'n' represents the n'th
 *     version.
 *
 *     Clients should carefully consider the implications
 *     of new versions as external interfaces and behaviour
 *
 *     may have changed.
 */
public static int getMajorVersionNum()
{
    return @version.VERSION@;
}

/**
 * Release Number.
 * Release number. This changes when:
 *     - a new set of functionality is to be added, eg,
 *       implementation of a new W3C specification.
 *     - API or behaviour change.
 *     - its designated as a reference release.
 */
public static int getReleaseVersionNum()
{
    return @version.RELEASE@;
}

/**
 * Maintenance Drop Number.

```

```
* Optional identifier used to designate maintenance
* drop applied to a specific release and contains
* fixes for defects reported. It maintains compatibility
* with the release and contains no API changes.
* When missing, it designates the final and complete
* development drop for a release.
```

```
*/
```

```
public static int getMaintenanceVersionNum()
{
    return
    @version.MINOR@;
}
```

```
/**
```

```
* Development Drop Number.
* Optional identifier designates development drop of
* a specific release. D01 is the first development drop
* of a new release.
*
* Development drops are works in progress towards a
* completed, final release. A specific development drop
* may not completely implement all aspects of a new
* feature, which may take several development drops to
* complete. At the point of the final drop for the
* release, the D suffix will be omitted.
*
* Each 'D' drops can contain functional enhancements as
* well as defect fixes. 'D' drops may not be as stable as
* the final releases.
```

```
*/
```

```
public static int getDevelopmentVersionNum()
{
    try {
        if ((new String("@version.DEVELOPER@")).length() == 0)
            return 0;
        else
            return Integer.parseInt("@version.DEVELOPER@");
    } catch (NumberFormatException nfe) {
        return 0;
    }
}
```

Found in path(s):

```
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/Version.src
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* $Id: Version.src 468654 2006-10-28 07:09:23Z minchau $
*/
package org.apache.xml.serializer;

/**
 * Administrative class to keep track of the version number of
 * the Serializer release.
 * <P>This class implements the upcoming standard of having
 * org.apache.project-name.Version.getVersion() be a standard way
 * to get version information.</P>
 * @xsl.usage general
 */
public final class Version
{
    /**
     * Get the basic version string for the current Serializer.
     * Version String formatted like
     * <CODE>"<B>Serializer</B> <B>Java</B> v.r[.dd| <B>D</B>nn]"</CODE>.
     *
     * Futurework: have this read version info from jar manifest.
     *
     * @return String denoting our current version
     */
    public static String getVersion()
    {
        return getProduct()+" "+getImplementationLanguage()+" "
            +getMajorVersionNum()+"."+getReleaseVersionNum()+"."
            +(getDevelopmentVersionNum() > 0) ?
                ("D"+getDevelopmentVersionNum()) : (""+getMaintenanceVersionNum());
    }
}

```

```

/**
 * Print the processor version to the command
line.
 *
 * @param argv command line arguments, unused.
 */
public static void main(String argv[])
{
    System.out.println(getVersion());
}

/**
 * Name of product: Serializer.
 */
public static String getProduct()
{
    return "Serializer";
}

/**
 * Implementation Language: Java.
 */
public static String getImplementationLanguage()
{
    return "Java";
}

/**
 * Major version number.
 * Version number. This changes only when there is a
 * significant, externally apparent enhancement from
 * the previous release. 'n' represents the n'th
 * version.
 *
 * Clients should carefully consider the implications
 * of new versions as external interfaces and behaviour
 * may have changed.
 */
public static int getMajorVersionNum()
{
    return @version.VERSION@;
}

/**
 * Release Number.

```

```

* Release number. This
changes when:
*     - a new set of functionality is to be added, eg,
*       implementation of a new W3C specification.
*     - API or behaviour change.
*     - its designated as a reference release.
*/
public static int getReleaseVersionNum()
{
    return @version.RELEASE@;
}

/**
* Maintenance Drop Number.
* Optional identifier used to designate maintenance
* drop applied to a specific release and contains
* fixes for defects reported. It maintains compatibility
* with the release and contains no API changes.
* When missing, it designates the final and complete
* development drop for a release.
*/
public static int getMaintenanceVersionNum()
{
    return @version.MINOR@;
}

/**
* Development Drop Number.
* Optional identifier designates development drop of
* a specific release. D01 is the first development
drop
* of a new release.
*
* Development drops are works in progress towards a
* completed, final release. A specific development drop
* may not completely implement all aspects of a new
* feature, which may take several development drops to
* complete. At the point of the final drop for the
* release, the D suffix will be omitted.
*
* Each 'D' drops can contain functional enhancements as
* well as defect fixes. 'D' drops may not be as stable as
* the final releases.
*/
public static int getDevelopmentVersionNum()
{
    try {
        if ((new String("@version.DEVELOPER@")).length() == 0)

```

```
    return 0;
else
    return Integer.parseInt("@version.DEVELOPER@");
} catch (NumberFormatException nfe) {
    return 0;
}
}
}
```

Found in path(s):

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/Version.src
No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xsltc/compiler/XPathLexer.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
// Proprietary
/** The 'document-location()' id (Proprietary). */
```

Found in path(s):

```
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/compiler/FunctionTable.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Major version number.
* Version number. This changes only when there is a
* significant, externally apparent
enhancement from
* the previous release. 'n' represents the n'th
* version.
*
* Clients should carefully consider the implications
* of new versions as external interfaces and behaviour
* may have changed.
*/
```

Found in path(s):

```
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/Version.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/processor/XSLProcessorVersion.java
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/Version.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

```
/*
 * $Id: xpath.cup 1225752 2011-12-30 04:12:46Z mrglavas $
 */
```

```
/*
 * @author Jacek Ambroziak
 * @author
 * Santiago Pericas-Geertsen
 * @author Morten Jorgensen
 * @author G. Todd Miller
 */
```

```
package org.apache.xalan.xsltc.compiler;
```

```
import java.util.Stack;
import java.util.Vector;
import java.io.StringReader;
import java_cup.runtime.*;
```

```
import org.apache.xml.dtm.DTM;
import org.apache.xalan.xsltc.DOM;
import org.apache.xml.dtm.Axis;
import org.apache.xalan.xsltc.runtime.Operators;
import org.apache.xalan.xsltc.compiler.util.ErrorMsg;
```

```
parser code {:
```

```
/**
 * Used by function calls with no args.
 */
```

```

static public final Vector EmptyArgs = new Vector(0);

/**
 * Reference to non-existing variable.
 */
static public final VariableRef DummyVarRef = null;

/**
 * Reference to the Parser class.
 */
private Parser _parser;
private XSLTC _xsltc;

/**
 * String representation of the expression being parsed.
 */
private String _expression;

/**
 * Line number where this expression/pattern
was declared.
 */
private int _lineNumber = 0;

/**
 * Reference to the symbol table.
 */
public SymbolTable _symbolTable;

public XPathParser(Parser parser) {
    _parser = parser;
    _xsltc = parser.getXSLTC();
    _symbolTable = parser.getSymbolTable();
}

public int getLineNumber() {
    return _lineNumber;
}

public QName getQNameIgnoreDefaultNs(String name) {
    return _parser.getQNameIgnoreDefaultNs(name);
}

public QName getQName(String namespace, String prefix, String localname) {
    return _parser.getQName(namespace, prefix, localname);
}

public void setMultiDocument(boolean flag) {

```

```

        _xslt.setMultiDocument(flag);
    }

    public void setCallsNodeset(boolean flag) {
        _xslt.setCallsNodeset(flag);
    }

    public void setHasIdCall(boolean flag) {
        _xslt.setHasIdCall(flag);
    }

    /**
     * This
method is similar to findNodeType(int, Object) except that it
     * creates a StepPattern instead of just returning a node type. It also
     * differs in the way it handles "{uri}:*" and "{uri}:@*". The last two
     * patterns are expanded as "[namespace-uri() = 'uri']" and
     * "@*[namespace-uri() = 'uri']", respectively. This expansion considerably
     * simplifies the grouping of patterns in the Mode class. For this
     * expansion to be correct, the priority of the pattern/template must be
     * set to -0.25 (when no other predicates are present).
     */
    public StepPattern createStepPattern(int axis, Object test, Vector predicates) {
int nodeType;

        if (test == null) { // "*"
            nodeType = (axis == Axis.ATTRIBUTE) ? NodeTest.ATTRIBUTE :
                (axis == Axis.NAMESPACE) ? -1 : NodeTest.ELEMENT;

            return new StepPattern(axis, nodeType, predicates);
        }
        else if (test instanceof Integer) {
            nodeType = ((Integer) test).intValue();

            return new StepPattern(axis, nodeType, predicates);
        }
        else {
            QName name = (QName)test;
            boolean setPriority = false;

            if (axis == Axis.NAMESPACE) {
                nodeType = (name.toString().equals("*")) ? -1
                    : _xslt.registerNamespacePrefix(name);
            }
            else {
                final String uri = name.getNamespace();

```

```

final String local = name.getLocalPart();
final QName namespace_uri =
    _parser.getQNameIgnoreDefaultNs("namespace-uri");

// Expand {uri}:* to *[namespace-uri() = 'uri'] - same for @*
if (uri != null && (local.equals("") || local.equals("@*"))) {
    if (predicates == null) {
        predicates = new Vector(2);
    }

    // Priority is set by hand if no other predicates exist
    setPriority = (predicates.size() == 0);

    predicates.add(
        new Predicate(
            new EqualityExpr(Operators.EQ,
                new NamespaceUriCall(namespace_uri),
                new LiteralExpr(uri)));
    )

    if (local.equals(""))
    {
        nodeType = (axis == Axis.ATTRIBUTE) ? NodeTest.ATTRIBUTE
        : NodeTest.ELEMENT;
    }
    else if (local.equals("@*")) {
        nodeType = NodeTest.ATTRIBUTE;
    }
    else {
        nodeType = (axis == Axis.ATTRIBUTE) ? _xsltc.registerAttribute(name)
        : _xsltc.registerElement(name);
    }
}

final StepPattern result = new StepPattern(axis, nodeType, predicates);

// Set priority for case prefix:* and prefix:@* (no predicates)
if (setPriority) {
    result.setPriority(-0.25);
}

return result;
}
}

public int findNodeType(int axis, Object test) {
if (test == null) { // *
    return (axis == Axis.ATTRIBUTE) ?

```

```

NodeTest.ATTRIBUTE :
(axis == Axis.NAMESPACE) ? -1 : NodeTest.ELEMENT;
    }
    else if (test instanceof Integer) {
        return ((Integer)test).intValue();
    }
    else {
        QName name = (QName)test;

        if (axis == Axis.NAMESPACE) {
            return (name.toString().equals(""))
? -1
        : _xslt.registerNamespacePrefix(name);
        }

        if (name.getNamespace() == null) {
            final String local = name.getLocalPart();

            if (local.equals("*")) {
                return (axis == Axis.ATTRIBUTE) ? NodeTest.ATTRIBUTE
: NodeTest.ELEMENT;
            }
            else if (local.equals("@*")) {
                return NodeTest.ATTRIBUTE;
            }
        }

        return (axis == Axis.ATTRIBUTE) ? _xslt.registerAttribute(name)
: _xslt.registerElement(name);
    }
}

/**
 * Parse the expression passed to the current scanner. If this
 * expression contains references to local variables and it will be
 * compiled in an external module (not in the main class) request
 * the current template to create a new variable stack frame.
 *
 * @param lineNumber Line where the current expression is defined.
 * @param external Set to <tt>true</tt> if this expression is
 * compiled in a separate module.
 *
 */
public Symbol parse(String expression, int lineNumber) throws Exception {
    try {
        _expression = expression;
        _lineNumber = lineNumber;
    }
}

```

```

return super.parse();
}
catch (IllegalCharException e) {
    ErrorMsg err = new ErrorMsg(ErrorMsg.ILLEGAL_CHAR_ERR,
        lineNumber, e.getMessage());
    _parser.reportError(Constants.FATAL, err);
}
return null;
}

/**
 * Lookup a variable or parameter in the symbol table given its name.
 *
 * @param name Name of the symbol being looked up.
 */
final SyntaxTreeNode lookupName(QName name) {
    // Is it a local var or param ?
    final SyntaxTreeNode result = _parser.lookupVariable(name);
if (result != null)
    return(result);
    else
    return(_symbolTable.lookupName(name));
}

public final void addError(ErrorMsg error) {
    _parser.reportError(Constants.ERROR,
error);
}

public void report_error(String message, Object info) {
final ErrorMsg err = new ErrorMsg(ErrorMsg.SYNTAX_ERR, _lineNumber,
    _expression);
_parser.reportError(Constants.FATAL, err);
}

public void report_fatal_error(String message, Object info) {
    // empty
}

public RelativeLocationPath insertStep(Step step, RelativeLocationPath rlp) {
if (rlp instanceof Step) {
    return new ParentLocationPath(step, (Step) rlp);
}
else if (rlp instanceof ParentLocationPath) {
    final ParentLocationPath plp = (ParentLocationPath) rlp;
    final RelativeLocationPath newrlp = insertStep(step, plp.getPath());
    return new ParentLocationPath(newrlp, plp.getStep());
}
}

```

```

else {
    addError(new ErrorMsg(ErrorMsg.INTERNAL_ERR, "XPathParser.insertStep"));
    return rlp;
}
}

/**
 * Returns true if the axis applies to elements only. The axes
 * child, attribute, namespace, descendant
result in non-empty
 * nodesets only if the context node is of type element.
 */
public boolean isElementAxis(int axis) {
return (axis == Axis.CHILD || axis == Axis.ATTRIBUTE ||
axis == Axis.NAMESPACE || axis == Axis.DESCEDANT);
}
:}

terminal SLASH, DOT, LBRACK, RBRACK, VBAR, LPAREN, RPAREN, STAR, COMMA;
terminal DOLLAR, ATSIGN;
terminal DDOT, DCOLON, DSLASH;
terminal EQ, NE;
terminal LT, GT, LE, GE;
terminal PLUS, MINUS, DIV, MOD, MULT;
terminal String Literal;
terminal String QNAME;
terminal ID, KEY, TEXT, NODE, OR, AND, COMMENT, PI, PIPARAM, PRECEDINGSIBLING;
terminal SELF, PARENT, CHILD, ATTRIBUTE, ANCESTOR, ANCESTORORSELF, DESCENDANT;
terminal DESCENDANTORSELF, FOLLOWING, FOLLOWINGSIBLING, NAMESPACE, PRECEDING;
terminal Double REAL;
terminal Long INT;
terminal PATTERN, EXPRESSION;

non terminal SyntaxTreeNode TopLevel;

non terminal Expression Expr, Argument, LocationPath;
non terminal Expression Predicate, FilterExpr, Step;
non
terminal Expression OrExpr, AndExpr, EqualityExpr;
non terminal Expression RelationalExpr, AdditiveExpr;
non terminal Expression MultiplicativeExpr, UnaryExpr;
non terminal Expression VariableReference, FunctionCall;
non terminal Expression PrimaryExpr, UnionExpr, PathExpr, AbbreviatedStep;
non terminal Expression RelativeLocationPath, AbbreviatedRelativeLocationPath;
non terminal Expression AbsoluteLocationPath, AbbreviatedAbsoluteLocationPath;

non terminal Object NodeTest, NameTest;

```

```

non terminal IdKeyPattern IdKeyPattern;
non terminal Pattern Pattern;
non terminal Pattern LocationPathPattern;
non terminal StepPattern ProcessingInstructionPattern;
non terminal RelativePathPattern RelativePathPattern;
non terminal StepPattern StepPattern;
non terminal Object NodeTestPattern, NameTestPattern;

non terminal Vector Predicates, NonemptyArgumentList;
non terminal QName QName, FunctionName, VariableName;
non terminal Integer AxisName, AxisSpecifier;
non terminal
Integer ChildOrAttributeAxisSpecifier;

```

```

precedence left VBAR;
precedence left OR;
precedence left AND;
precedence nonassoc EQ, NE;
precedence left LT, GT, LE, GE;

```

```

precedence left PLUS, MINUS;
precedence left DIV, MOD, MULT;
precedence left DOLLAR;
precedence left ATSIGN;
precedence right DCOLON;

```

```

start with TopLevel;

```

```

TopLevel ::= PATTERN Pattern:pattern
    { : RESULT = pattern; : }

```

```

    | EXPRESSION Expr:expr
    { : RESULT = expr; : };

```

```

/* ----- Patterns ----- */

```

```

Pattern ::= LocationPathPattern:lpp
    { : RESULT = lpp; : }

    | LocationPathPattern:lpp VBAR Pattern:p
    { : RESULT = new AlternativePattern(lpp, p); : };

```

```

LocationPathPattern ::= SLASH
    { : RESULT = new AbsolutePathPattern(null); : }

    | SLASH RelativePathPattern:rpp
    { : RESULT = new AbsolutePathPattern(rpp); : }

```

```

| IdKeyPattern:ikp
{: RESULT = ikp; :}

| IdKeyPattern:ikp SLASH RelativePathPattern:rpp
{: RESULT = new ParentPattern(ikp, rpp); :}

| IdKeyPattern:ikp DSLASH RelativePathPattern:rpp
{: RESULT = new AncestorPattern(ikp, rpp); :}

| DSLASH RelativePathPattern:rpp
{: RESULT = new AncestorPattern(rpp); :}

| RelativePathPattern:rpp
{: RESULT = rpp; :};

IdKeyPattern ::= ID LPAREN Literal:l RPAREN
{: RESULT = new IdPattern(l);
  parser.setHasIdCall(true);
:}

| KEY LPAREN Literal:l1 COMMA Literal:l2 RPAREN
{: RESULT = new KeyPattern(l1, l2); :};

ProcessingInstructionPattern ::= PIPARAM LPAREN Literal:l RPAREN
{: RESULT = new ProcessingInstructionPattern(l); :};

RelativePathPattern ::= StepPattern:sp
{: RESULT = sp; :}

| StepPattern:sp SLASH RelativePathPattern:rpp
{: RESULT
= new ParentPattern(sp, rpp); :}

| StepPattern:sp DSLASH RelativePathPattern:rpp
{: RESULT = new AncestorPattern(sp, rpp); :};

StepPattern ::= NodeTestPattern:nt
{:
RESULT = parser.createStepPattern(Axis.CHILD, nt, null);
:}

| NodeTestPattern:nt Predicates:pp
{:
RESULT = parser.createStepPattern(Axis.CHILD, nt, pp);
:}

| ProcessingInstructionPattern:pip

```

```

{: RESULT = pip; :}

| ProcessingInstructionPattern:pip Predicates:pp
  {: RESULT = (ProcessingInstructionPattern)pip.setPredicates(pp); :}

  | ChildOrAttributeAxisSpecifier:axis NodeTestPattern:nt
    {:
    RESULT = parser.createStepPattern(axis.intValue(), nt, null);
    :}

  | ChildOrAttributeAxisSpecifier:axis
  NodeTestPattern:nt Predicates:pp
    {:
    RESULT = parser.createStepPattern(axis.intValue(), nt, pp);
    :}

  | ChildOrAttributeAxisSpecifier:axis ProcessingInstructionPattern:pip
    {:
    RESULT = pip; // TODO: report error if axis is attribute
    :}

  | ChildOrAttributeAxisSpecifier:axis ProcessingInstructionPattern:pip
  Predicates:pp
    {:
    // TODO: report error if axis is attribute
    RESULT = (ProcessingInstructionPattern)pip.setPredicates(pp);
    :};

NodeTestPattern ::= NameTestPattern:nt
  {: RESULT = nt; :}

  | NODE
  {: RESULT = new Integer(NodeTest.ANODE); :}

  | TEXT
  {: RESULT = new Integer(NodeTest.TEXT); :}

  | COMMENT
  {: RESULT = new Integer(NodeTest.COMMENT); :}

  | PI
  {: RESULT = new Integer(NodeTest.PI); :};

NameTestPattern ::= STAR
  {: RESULT = null; :}

  | QName:qn
  {: RESULT = qn; :};

```

ChildOrAttributeAxisSpecifier ::= ATSIGN

```
{: RESULT = new Integer(Axis.ATTRIBUTE); :}
```

```
| CHILD DCOLON
```

```
{: RESULT = new Integer(Axis.CHILD); :}
```

```
| ATTRIBUTE DCOLON
```

```
{: RESULT = new Integer(Axis.ATTRIBUTE); :};
```

Predicates ::= Predicate:p

```
{:
```

```
Vector temp = new Vector();
```

```
temp.addElement(p);
```

```
RESULT = temp;
```

```
:}
```

```
| Predicate:p Predicates:pp
```

```
{: pp.insertElementAt(p, 0); RESULT = pp; :};
```

Predicate ::= LBRACK Expr:e RBRACK

```
{:
```

```
RESULT = new Predicate(e);
```

```
:};
```

/* ----- Expressions ----- */

Expr ::= OrExpr:ex

```
{: RESULT = ex; :};
```

OrExpr ::= AndExpr:ae

```
{: RESULT = ae; :}
```

```
| OrExpr:oe OR AndExpr:ae
```

```
{: RESULT = new LogicalExpr(LogicalExpr.OR, oe, ae); :};
```

AndExpr ::= EqualityExpr:e

```
{: RESULT = e; :}
```

```
| AndExpr:ae AND EqualityExpr:ee
```

```
{: RESULT = new LogicalExpr(LogicalExpr.AND,  
ae, ee); :};
```

EqualityExpr ::= RelationalExpr:re

```
{: RESULT = re; :}
```

```
| EqualityExpr:ee EQ RelationalExpr:re
```

```

{: RESULT = new EqualityExpr(Operators.EQ, ee, re); :}

| EqualityExpr:ee NE RelationalExpr:re
{: RESULT = new EqualityExpr(Operators.NE, ee, re); :};

RelationalExpr ::= AdditiveExpr:ae
{: RESULT = ae; :}

| RelationalExpr:re LT AdditiveExpr:ae
{: RESULT = new RelationalExpr(Operators.LT, re, ae); :}

| RelationalExpr:re GT AdditiveExpr:ae
{: RESULT = new RelationalExpr(Operators.GT, re, ae); :}

| RelationalExpr:re LE AdditiveExpr:ae
{: RESULT = new RelationalExpr(Operators.LE, re, ae); :}

| RelationalExpr:re GE AdditiveExpr:ae
{: RESULT = new RelationalExpr(Operators.GE, re, ae); :};

AdditiveExpr ::= MultiplicativeExpr:me
{: RESULT = me; :}

| AdditiveExpr:ae PLUS MultiplicativeExpr:me
{: RESULT = new BinOpExpr(BinOpExpr.PLUS,
ae, me); :}

| AdditiveExpr:ae MINUS MultiplicativeExpr:me
{: RESULT = new BinOpExpr(BinOpExpr.MINUS, ae, me); :};

MultiplicativeExpr ::= UnaryExpr:ue
{: RESULT = ue; :}

| MultiplicativeExpr:me MULT UnaryExpr:ue
{: RESULT = new BinOpExpr(BinOpExpr.TIMES, me, ue); :}

| MultiplicativeExpr:me DIV UnaryExpr:ue
{: RESULT = new BinOpExpr(BinOpExpr.DIV, me, ue); :}

| MultiplicativeExpr:me MOD UnaryExpr:ue
{: RESULT = new BinOpExpr(BinOpExpr.MOD, me, ue); :};

UnaryExpr ::= UnionExpr:ue
{: RESULT = ue; :}

| MINUS UnaryExpr:ue
{: RESULT = new UnaryOpExpr(ue); :};

```

```

UnionExpr ::= PathExpr:pe
    {: RESULT = pe; :}

    | PathExpr:pe VBAR UnionExpr:rest
    {: RESULT = new UnionPathExpr(pe, rest); :};

PathExpr ::= LocationPath:lp
    {: RESULT = lp; :}

    | FilterExpr:fexp
    {: RESULT = fexp; :}

    | FilterExpr:fexp
SLASH RelativeLocationPath:rlp
    {: RESULT = new FilterParentPath(fexp, rlp); :}

    | FilterExpr:fexp DSLASH RelativeLocationPath:rlp
    {:
        //
        // Expand '/' into '/descendant-or-self::node()/' or
        // into '/descendant-or-self::*/'
        //
        int nodeType = DOM.NO_TYPE;
        if (rlp instanceof Step &&
            parser.isElementAxis(((Step) rlp).getAxis()))
        {
            nodeType = DTM.ELEMENT_NODE;
        }
        final Step step = new Step(Axis.DESCENDANTORSELF, nodeType, null);
        FilterParentPath fpp = new FilterParentPath(fexp, step);
        fpp = new FilterParentPath(fpp, rlp);
        if (fexp instanceof KeyCall == false) {
            fpp.setDescendantAxis();
        }
        RESULT = fpp;
    :};

LocationPath ::= RelativeLocationPath:rlp
    {: RESULT = rlp; :}

    | AbsoluteLocationPath:alp
    {: RESULT = alp; :};

RelativeLocationPath ::= Step:step
    {: RESULT
    = step; :}

    | RelativeLocationPath:rlp SLASH Step:step

```

```

{:
if (rlp instanceof Step && ((Step) rlp).isAbbreviatedDot()) {
    RESULT = step;    // Remove './' from the middle
}
else if (((Step) step).isAbbreviatedDot()) {
    RESULT = rlp;    // Remove './' from the end
}
else {
    RESULT =
        new ParentLocationPath((RelativeLocationPath) rlp, step);
}
:}

```

```

| AbbreviatedRelativeLocationPath:arlp
{: RESULT = arlp; :};

```

AbsoluteLocationPath ::= SLASH

```

{: RESULT = new AbsoluteLocationPath(); :}

```

```

| SLASH RelativeLocationPath:rlp

```

```

{: RESULT = new AbsoluteLocationPath(rlp); :}

```

```

| AbbreviatedAbsoluteLocationPath:aalp

```

```

{: RESULT = aalp; :};

```

AbbreviatedRelativeLocationPath ::= RelativeLocationPath:rlp DSLASH Step:step

```

{:
    final Step right = (Step)step;
    final
int axis = right.getAxis();
    final int type = right.getNodeType();
    final Vector predicates = right.getPredicates();

if ((axis == Axis.CHILD) && (type != NodeTest.ATTRIBUTE)) {
    // Compress './child:E' into 'descendant::E' - if possible
    if (predicates == null) {
        right.setAxis(Axis.DESCENDANT);
        if (rlp instanceof Step && ((Step)rlp).isAbbreviatedDot()) {
            RESULT = right;
        }
        else {
            // Expand 'rlp//child::E' into 'rlp/descendant::E'
            RelativeLocationPath left = (RelativeLocationPath)rlp;
            RESULT = new ParentLocationPath(left, right);
        }
    }
}
else {
    // Expand './step' -> 'descendant-or-self::*step'

```

```

        if (rlp instanceof Step && ((Step)rlp).isAbbreviatedDot()) {

            Step left = new Step(Axis.DESCENDANTORSELF,
                DTM.ELEMENT_NODE, null);
                RESULT = new ParentLocationPath(left, right);
            }
            else {
                // Expand 'rlp//step' -> 'rlp/descendant-or-self::*//step'
                RelativeLocationPath left = (RelativeLocationPath)rlp;
                Step mid = new Step(Axis.DESCENDANTORSELF,
                    DTM.ELEMENT_NODE, null);
                ParentLocationPath ppl = new ParentLocationPath(mid, right);
                RESULT = new ParentLocationPath(left, ppl);
            }
        }
    }
}
else if ((axis == Axis.ATTRIBUTE) || (type == NodeTest.ATTRIBUTE)) {
    // Expand 'rlp//step' -> 'rlp/descendant-or-self::*//step'
    RelativeLocationPath left = (RelativeLocationPath)rlp;
    Step middle = new Step(Axis.DESCENDANTORSELF,
        DTM.ELEMENT_NODE, null);

        ParentLocationPath ppl = new ParentLocationPath(middle, right);
        RESULT = new ParentLocationPath(left, ppl);
    }
    else {
        // Expand 'rlp//step' -> 'rlp/descendant-or-self::node()/step'
        RelativeLocationPath left = (RelativeLocationPath)rlp;
        Step middle = new Step(Axis.DESCENDANTORSELF,
            DOM.NO_TYPE, null);
        ParentLocationPath ppl = new ParentLocationPath(middle, right);
        RESULT = new ParentLocationPath(left, ppl);
    }
}
};

```

```

AbbreviatedAbsolutePath ::= DSLASH RelativeLocationPath:rlp

```

```

    {
        //
        // Expand '/' into '/descendant-or-self::node()' or
        // into '/descendant-or-self::*/'
        //
        int nodeType = DOM.NO_TYPE;
        if (rlp instanceof Step &&
            parser.isElementAxis(((Step) rlp).getAxis()))
        {
            nodeType = DTM.ELEMENT_NODE;
        }
    }

```

```

    final Step step = new Step(Axis.DESCENDANTORSELF, nodeType, null);
    RESULT =
new AbsoluteLocationPath(parser.insertStep(step,
    (RelativeLocationPath) rlp));
:};

```

```

Step ::= NodeTest:ntest
{
    if (ntest instanceof Step) {
        RESULT = (Step)ntest;
    }
    else {
RESULT = new Step(Axis.CHILD,
        parser.findNodeType(Axis.CHILD, ntest),
        null);
    }
:}

```

```

| NodeTest:ntest Predicates:pp
{
    if (ntest instanceof Step) {
        Step step = (Step)ntest;
        step.addPredicates(pp);
        RESULT = (Step)ntest;
    }
    else {
        RESULT = new Step(Axis.CHILD,
            parser.findNodeType(Axis.CHILD, ntest), pp);
    }
:}

```

```

| AxisSpecifier:axis NodeTest:ntest Predicates:pp
{: RESULT = new Step(axis.intValue(),
    parser.findNodeType(axis.intValue(), ntest),
    pp);
:}

```

```

| AxisSpecifier:axis NodeTest:ntest
{: RESULT = new Step(axis.intValue(),
    parser.findNodeType(axis.intValue(), ntest),
    null);
:}

```

```

| AbbreviatedStep:abbrev
{: RESULT = abbrev; :};

```

```

AxisSpecifier ::= AxisName:an DCOLON
{: RESULT = an; :}

```

```

| ATSIGN
{: RESULT = new Integer(Axis.ATTRIBUTE); :};

AxisName ::= ANCESTOR
{: RESULT = new Integer(Axis.ANCESTOR); :}

| ANCESTORORSELF
{: RESULT = new Integer(Axis.ANCESTORORSELF); :}

| ATTRIBUTE
{: RESULT = new Integer(Axis.ATTRIBUTE); :}

| CHILD
{: RESULT = new Integer(Axis.CHILD); :}

| DESCENDANT
{: RESULT = new Integer(Axis.DESCENDANT); :}

| DESCENDANTORSELF
{: RESULT = new Integer(Axis.DESCENDANTORSELF); :}

| FOLLOWING
{: RESULT = new
Integer(Axis.FOLLOWING); :}

| FOLLOWINGSIBLING
{: RESULT = new Integer(Axis.FOLLOWINGSIBLING); :}

| NAMESPACE
{: RESULT = new Integer(Axis.NAMESPACE); :}

| PARENT
{: RESULT = new Integer(Axis.PARENT); :}

| PRECEDING
{: RESULT = new Integer(Axis.PRECEDING); :}

| PRECEDINGSIBLING
{: RESULT = new Integer(Axis.PRECEDINGSIBLING); :}

| SELF
{: RESULT = new Integer(Axis.SELF); :};

AbbreviatedStep ::= DOT
{: RESULT = new Step(Axis.SELF, NodeTest.ANODE, null); :}

| DDOT

```

```
{: RESULT = new Step(Axis.PARENT, NodeTest.ANODE, null); :};
```

```
FilterExpr ::= PrimaryExpr:primary
```

```
{: RESULT = primary; :}
```

```
| PrimaryExpr:primary Predicates:pp
```

```
{: RESULT = new FilterExpr(primary, pp); :};
```

```
PrimaryExpr ::= VariableReference:vr
```

```
{: RESULT = vr; :}
```

```
| LPAREN Expr:ex RPAREN
```

```
{: RESULT = ex; :}
```

```
| Literal:string
```

```
{:
```

```
/*
```

```
* If the string appears to have the syntax of a QName, store  
* namespace info in the literal expression. This is used for  
* element-available and function-available functions, among  
* others. Also, the default namespace must be ignored.
```

```
*/
```

```
String namespace = null;
```

```
final int index = string.lastIndexOf(':');
```

```
if (index > 0) {
```

```
    final String prefix = string.substring(0, index);
```

```
    namespace = parser._symbolTable.lookupNamespace(prefix);
```

```
}
```

```
RESULT = (namespace == null) ? new LiteralExpr(string)
```

```
    : new LiteralExpr(string, namespace);
```

```
:}
```

```
| INT:num
```

```
{:
```

```
    long value = num.longValue();
```

```
    if (value < Integer.MIN_VALUE || value > Integer.MAX_VALUE) {
```

```
        RESULT = new RealExpr(value);
```

```
    }
```

```
    else {
```

```
        if (num.doubleValue() == -0)
```

```
            RESULT = new RealExpr(num.doubleValue());
```

```
        else if (num.intValue() == 0)
```

```
            RESULT = new IntExpr(num.intValue());
```

```
    else if (num.doubleValue() == 0.0)
```

```
        RESULT = new RealExpr(num.doubleValue());
```

```

        else
            RESULT = new IntExpr(num.intValue());
    }
    :}

    | REAL:num
    {: RESULT = new RealExpr(num.doubleValue()); :}

    | FunctionCall:fc
    {: RESULT = fc; :};

```

VariableReference ::= DOLLAR VariableName:varName

```

{:
    // An empty QName prefix for a variable or parameter reference
    // should map to the null namespace and not the default URI.
    SyntaxTreeNode node = parser.lookupName(varName);

    if (node != null) {
        if (node instanceof Variable) {
            RESULT = new VariableRef((Variable)node);
        }
        else if (node instanceof Param) {
            RESULT = new ParameterRef((Param)node);
        }
        else {
            RESULT = new UnresolvedRef(varName);
        }
    }

    if (node == null) {
        RESULT = new UnresolvedRef(varName);
    }
    :};

```

FunctionCall ::= FunctionName:fname LPAREN RPAREN

```

{:
    if (parser.getQNameIgnoreDefaultNs("current").equals(fname)) {
        RESULT = new CurrentCall(fname);
    }
    else if (parser.getQNameIgnoreDefaultNs("number").equals(fname)) {
        RESULT = new NumberCall(fname, parser.EmptyArgs);
    }
    else if (parser.getQNameIgnoreDefaultNs("string").equals(fname)) {
        RESULT = new StringCall(fname, parser.EmptyArgs);
    }
    else if (parser.getQNameIgnoreDefaultNs("concat").equals(fname)) {
        RESULT = new ConcatCall(fname, parser.EmptyArgs);
    }

```

```

}
else if (parser.getQNameIgnoreDefaultNs("true").equals(fname)) {
    RESULT = new BooleanExpr(true);
}
else if (parser.getQNameIgnoreDefaultNs("false").equals(fname)) {

RESULT = new BooleanExpr(false);
}
else if (parser.getQNameIgnoreDefaultNs("name").equals(fname)) {
    RESULT = new NameCall(fname);
}
else if (parser.getQNameIgnoreDefaultNs("generate-id").equals(fname)) {
    RESULT = new GenerateIdCall(fname, parser.EmptyArgs);
}
else if (parser.getQNameIgnoreDefaultNs("string-length").equals(fname)) {
    RESULT = new StringLengthCall(fname, parser.EmptyArgs);
}
else if (parser.getQNameIgnoreDefaultNs("position").equals(fname)) {
    RESULT = new PositionCall(fname);
}
else if (parser.getQNameIgnoreDefaultNs("last").equals(fname)) {
    RESULT = new LastCall(fname);
}
else if (parser.getQNameIgnoreDefaultNs("local-name").equals(fname)) {
    RESULT = new LocalNameCall(fname);
}
else if (parser.getQNameIgnoreDefaultNs("namespace-uri").equals(fname)) {
    RESULT = new NamespaceUriCall(fname);
}
else {
    RESULT = new FunctionCall(fname, parser.EmptyArgs);
}
:}

| FunctionName:fname LPAREN NonemptyArgumentList:argl RPAREN
{:
if (parser.getQNameIgnoreDefaultNs("concat").equals(fname)) {
    RESULT = new ConcatCall(fname, argl);
}
else if (parser.getQNameIgnoreDefaultNs("number").equals(fname)) {
    RESULT = new NumberCall(fname, argl);
}
else if (parser.getQNameIgnoreDefaultNs("document").equals(fname)) {
parser.setMultiDocument(true);
    RESULT = new DocumentCall(fname, argl);
}
else if (parser.getQNameIgnoreDefaultNs("string").equals(fname)) {

```

```

    RESULT = new StringCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("boolean").equals(fname)) {
    RESULT = new BooleanCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("name").equals(fname)) {

RESULT = new NameCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("generate-id").equals(fname)) {
    RESULT = new GenerateIdCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("not").equals(fname)) {
    RESULT = new NotCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("format-number").equals(fname)) {
    RESULT = new FormatNumberCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("unparsed-entity-uri").equals(fname)) {
    RESULT = new UnparsedEntityUriCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("key").equals(fname)) {
    RESULT = new KeyCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("id").equals(fname)) {
    RESULT = new KeyCall(fname, arg1);
    parser.setHasIdCall(true);
}
else if (parser.getQNameIgnoreDefaultNs("ceiling").equals(fname))
{
    RESULT = new CeilingCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("round").equals(fname)) {
    RESULT = new RoundCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("floor").equals(fname)) {
    RESULT = new FloorCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("contains").equals(fname)) {
    RESULT = new ContainsCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("string-length").equals(fname)) {
    RESULT = new StringLengthCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("starts-with").equals(fname)) {
    RESULT = new StartsWithCall(fname, arg1);
}
else if (parser.getQNameIgnoreDefaultNs("function-available").equals(fname)) {

```

```

    RESULT = new FunctionAvailableCall(fname, argl);
}
else if (parser.getQNameIgnoreDefaultNs("element-available").equals(fname))
{
    RESULT = new ElementAvailableCall(fname, argl);
}
else if (parser.getQNameIgnoreDefaultNs("local-name").equals(fname)) {
    RESULT = new LocalNameCall(fname, argl);
}
else if (parser.getQNameIgnoreDefaultNs("lang").equals(fname)) {
    RESULT = new LangCall(fname, argl);
}
else if (parser.getQNameIgnoreDefaultNs("namespace-uri").equals(fname)) {
    RESULT = new NamespaceUriCall(fname, argl);
}
else if (parser.getQName(Constants.TRANSLET_URI, "xslt", "cast").equals(fname)) {
    RESULT = new CastCall(fname, argl);
}
// Special case for extension function nodeset()
else if (fname.getLocalPart().equals("nodeset") || fname.getLocalPart().equals("node-set")) {
parser.setCallsNodeset(true); // implies MultiDOM
    RESULT = new FunctionCall(fname, argl);
}
else {
    RESULT = new FunctionCall(fname, argl);
}
:};

```

NonemptyArgumentList

```

::= Argument:arg
{
    Vector temp = new Vector();
    temp.addElement(arg);
    RESULT = temp;
}

| Argument:arg COMMA NonemptyArgumentList:argl
{: argl.insertElementAt(arg, 0); RESULT = argl; :};

```

FunctionName ::= QName:fname

```

{:
    RESULT = fname;
:};

```

VariableName ::= QName:vname

```

{:
    RESULT = vname;
:};

```

```

Argument ::= Expr:ex
    {: RESULT = ex; :};

NodeTest ::= NameTest:nt
    {: RESULT = nt; :}

    | NODE
    {: RESULT = new Integer(NodeTest.ANODE); :}

    | TEXT
    {: RESULT = new Integer(NodeTest.TEXT); :}

    | COMMENT
    {: RESULT = new Integer(NodeTest.COMMENT); :}

    | PIPARAM LPAREN Literal:l RPAREN
    {:
        QName name = parser.getQNameIgnoreDefaultNs("name");
        Expression exp = new EqualityExpr(Operators.EQ,
            new NameCall(name),
            new LiteralExpr(l));
        Vector predicates = new Vector();
        predicates.addElement(new Predicate(exp));
        RESULT = new Step(Axis.CHILD, NodeTest.PI, predicates);
    :}

    | PI
    {: RESULT = new Integer(NodeTest.PI); :};

NameTest ::= STAR
    {: RESULT = null; :}

    | QName:qn
    {: RESULT = qn; :};

QName ::= QNAME:qname
    {: RESULT = parser.getQNameIgnoreDefaultNs(qname); :}

    | DIV
    {: RESULT = parser.getQNameIgnoreDefaultNs("div"); :}

    | MOD
    {: RESULT = parser.getQNameIgnoreDefaultNs("mod"); :}

    | KEY
    {: RESULT = parser.getQNameIgnoreDefaultNs("key"); :}

```

```

| ANCESTOR
{: RESULT = parser.getQNameIgnoreDefaultNs("child"); ;}

| ANCESTORORSELF
{: RESULT = parser.getQNameIgnoreDefaultNs("ancestor-or-self"); ;}

| ATTRIBUTE
{: RESULT
= parser.getQNameIgnoreDefaultNs("attribute"); ;}

| CHILD
{: RESULT = parser.getQNameIgnoreDefaultNs("child"); ;}

| DESCENDANT
{: RESULT = parser.getQNameIgnoreDefaultNs("decendant"); ;}

| DESCENDANTORSELF
{: RESULT = parser.getQNameIgnoreDefaultNs("decendant-or-self"); ;}

| FOLLOWING
{: RESULT = parser.getQNameIgnoreDefaultNs("following"); ;}

| FOLLOWINGSIBLING
{: RESULT = parser.getQNameIgnoreDefaultNs("following-sibling"); ;}

| NAMESPACE
{: RESULT = parser.getQNameIgnoreDefaultNs("namespace"); ;}

| PARENT
{: RESULT = parser.getQNameIgnoreDefaultNs("parent"); ;}

| PRECEDING
{: RESULT = parser.getQNameIgnoreDefaultNs("preceding"); ;}

| PRECEDINGSIBLING
{: RESULT = parser.getQNameIgnoreDefaultNs("preceding-sibling"); ;}

| SELF
{: RESULT = parser.getQNameIgnoreDefaultNs("self"); ;}

| ID
{: RESULT = parser.getQNameIgnoreDefaultNs("id"); ;};

```

Found in path(s):

```

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/xpath.cup

```

No license file was found, but licenses were detected in source scan.

```
# to you under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# http://www.apache.org/licenses/LICENSE-2.0
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/Encodings.properties
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/XMLEntities.properties
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/output_text.properties
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/res/XSLTInfo.properties
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/output_xml.properties
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/Makefile.inc
*
/opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/output_unknown.properties
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/HTMLEntities.properties
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xml/serializer/output_html.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

```
// is found, then throw a special exception in order to terminate
```

Found in path(s):

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/processor/TransformerFactoryImpl.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
// Attribution to: "Voytenko, Dimitry" <DVoytenko@SECTORBASE.COM>

Found in path(s):

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/ToHTMLStream.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002 World Wide Web Consortium,
* (Massachusetts Institute of Technology, Institut National de
* Recherche en Informatique et en Automatique, Keio University). All
* Rights Reserved. This program is distributed under the W3C's Software
* Intellectual Property License. This program is distributed in the
* hope that it will be useful, but WITHOUT ANY WARRANTY; without even
* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
* PURPOSE.
* See W3C License <http://www.w3.org/Consortium/Legal/> for more details.
*/

Found in path(s):

* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/domapi/XPathStylesheetDOM3Exception.java

No license file was found, but licenses were detected in source scan.

* Licensed to the Apache Software Foundation (ASF) under one

- * or more contributor license agreements. See the NOTICE file
- * distributed with this work for additional information
- * regarding copyright ownership. The ASF licenses this file
- * to you under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE>

2.0

*

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

Found in path(s):

- * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/trace/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/functions/package.html
 - *
 - /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/transformer/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/client/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/processor/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/domapi/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/templates/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/serializer/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/extensions/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/operations/package.html
 - *
 - /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/compiler/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/patterns/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/lib/sql/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/xslt/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xalan/res/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xml/utils/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/objects/package.html
 - * /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/axes/package.html
 - *
 - /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-jar/org/apache/xpath/res/package.html
- No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Execute the proprietary document-location() function, which returns
* a node set of documents.
* @xsl.usage advanced
*/
```

Found in path(s):

```
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/functions/FuncDoclocation.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* $Id: XSLProcessorVersion.src 468640 2006-10-28 06:53:53Z minchau $
*/
```

```

package org.apache.xalan.processor;

/**
 * Administrative class to keep track of the version number of
 * the Xalan release.
 * <P>See also: org/apache/xalan/res/XSLTInfo.properties</P>
 * @deprecated To be replaced by org.apache.xalan.Version.getVersion()
 * @xsl.usage general
 */
public class XSLProcessorVersion
{

/**
 * Print the processor version to the command line.
 *
 * @param argv command line arguments, unused.
 */
public static void main(String argv[])
{
    System.out.println(S_VERSION);
}

/**
 * Constant name of product.
 */
public static final String PRODUCT = "Xalan";

/**
 * Implementation Language.
 */
public static final String LANGUAGE = "Java";

/**
 * Major version number.
 * Version number. This changes only when there is a
 * significant, externally apparent enhancement from
 * the previous release. 'n' represents the n'th
 * version.
 *
 * Clients should carefully consider
the implications
 * of new versions as external interfaces and behaviour
 * may have changed.
 */
public static final int VERSION = @version.VERSION@;

/**
 * Release Number.

```

```

* Release number. This changes when:
*   - a new set of functionality is to be added, eg,
*     implementation of a new W3C specification.
*   - API or behaviour change.
*   - its designated as a reference release.
*/
public static final int RELEASE = @version.RELEASE@;

/**
* Maintenance Drop Number.
* Optional identifier used to designate maintenance
* drop applied to a specific release and contains
* fixes for defects reported. It maintains compatibility
* with the release and contains no API changes.
* When missing, it designates the final and complete
* development drop for a release.
*/
public static final int MAINTENANCE
= @version.MINOR@;

/**
* Development Drop Number.
* Optional identifier designates development drop of
* a specific release. D01 is the first development drop
* of a new release.
*
* Development drops are works in progress towards a
* completed, final release. A specific development drop
* may not completely implement all aspects of a new
* feature, which may take several development drops to
* complete. At the point of the final drop for the
* release, the D suffix will be omitted.
*
* Each 'D' drops can contain functional enhancements as
* well as defect fixes. 'D' drops may not be as stable as
* the final releases.
*/
public static final int DEVELOPMENT = 0;

/**
* Version String like <CODE>"<B>Xalan</B> <B>Language</B>
* v.r[.dd] <B>D</B>nn]"</CODE>.
* <P>Semantics of the version string are
identical to the Xerces project.</P>
*/
public static final String S_VERSION = PRODUCT+" "+LANGUAGE+" "
+VERSION+"."+RELEASE+"."
+(DEVELOPMENT > 0 ? ("D"+DEVELOPMENT)

```

```
: (""+MAINTENANCE));
```

```
}
```

Found in path(s):

```
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-  
jar/org/apache/xalan/processor/XSLProcessorVersion.src
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one or more  
* contributor license agreements. See the NOTICE file distributed with  
* this work for additional information regarding copyright ownership.
```

```
* The ASF licenses this file to You under the Apache License, Version 2.0  
* (the "License"); you may not use this file except in compliance with  
* the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.
```

```
*/
```

```
/*
```

```
* $Id: xpath.lex 1225752 2011-12-30 04:12:46Z mrglavas $
```

```
*/
```

```
/*
```

```
* @author Jacek Ambroziak
```

```
* @author
```

```
Santiago Pericas-Geertsen
```

```
* @author Morten Jorgensen
```

```
*
```

```
*/
```

```
package org.apache.xalan.xsltc.compiler;
```

```
import java_cup.runtime.Symbol;
```

```
%%
```

```
%cup
```

```
%unicode
```

```
%class XPathLexer
```

```
%yyeof
```

```
{
```

```
    int last;
```

```

void initialize() {
    last = -1;
}

static boolean isWhitespace(int c) {
    return (c == ' ' || c == '\t' || c == '\r' || c == '\n' || c == '\f');
}

/**
 * If symbol is not followed by ':' or '(', then treat it as a
 * name instead of an axis or function (Jira-1912).
 */
Symbol disambiguateAxisOrFunction(int ss) throws Exception {
    // Peek in the input buffer without changing the internal state
    int index = yy_buffer_index;

    // Skip whitespace
    while (index < yy_buffer_read && isWhitespace(yy_buffer[index])) {
        index++;
    }

    // If end of buffer, can't disambiguate :(

    if (index >= yy_buffer_read) {
        // Can't disambiguate, so return as symbol
        return new Symbol(ss);
    }

    // Return symbol if next token is ':' or '('
    return (yy_buffer[index] == ':' && yy_buffer[index+1] == ':' ||
            yy_buffer[index] == '(') ?
        newSymbol(ss) : newSymbol(sym.QNAME, yytext());
}

/**
 * If symbol is first token or if it follows any of the operators
 * listed in http://www.w3.org/TR/xpath#exprlex then treat as a
 * name instead of a keyword (Jira-1912).
 */
Symbol disambiguateOperator(int ss) throws Exception {
    switch (last) {
        case -1: // first token
        case sym.ATSIGN:
        case sym.DCOLON:
        case sym.LPAREN:
        case sym.LBRACK:
        case sym.COMMA:

```

```

    case sym.AND:
    case sym.OR:
    case
sym.MOD:
    case sym.DIV:
    case sym.MULT:
    case sym.SLASH:
    case sym.DSLASH:
    case sym.VBAR:
    case sym.PLUS:
    case sym.MINUS:
    case sym.EQ:
    case sym.NE:
    case sym.LT:
    case sym.LE:
    case sym.GT:
    case sym.GE:
        return newSymbol(sym.QNAME, yytext());
    }
    return newSymbol(ss);
}

/**
 * If symbol is first token or if it follows any of the operators
 * listed in http://www.w3.org/TR/xpath#exprlex then treat as a
 * wildcard instead of a multiplication operator
 */
Symbol disambiguateStar() throws Exception {
    switch (last) {
    case -1: // first token
    case sym.ATSIGN:
    case sym.DCOLON:
    case sym.LPAREN:
    case sym.LBRACK:
    case sym.COMMA:

case sym.AND:
    case sym.OR:
    case sym.MOD:
    case sym.DIV:
    case sym.MULT:
    case sym.SLASH:
    case sym.DSLASH:
    case sym.VBAR:
    case sym.PLUS:
    case sym.MINUS:
    case sym.EQ:
    case sym.NE:

```

```

    case sym.LT:
    case sym.LE:
    case sym.GT:
    case sym.GE:
        return newSymbol(sym.STAR);
    }
    return newSymbol(sym.MULT);
}

Symbol newSymbol(int ss) {
    last = ss;
    return new Symbol(ss);
}

Symbol newSymbol(int ss, String value) {
    last = ss;
    return new Symbol(ss, value);
}

Symbol newSymbol(int ss, Long value) {
    last = ss;
    return new Symbol(ss, value);
}

Symbol newSymbol(int ss, Double value) {
    last = ss;
    return new
Symbol(ss, value);
}
%}

%eofval{
return newSymbol(sym.EOF);
%eofval}

%yylexthrow{
Exception
%yylexthrow}

Letter={BaseChar}{{Ideographic}

BaseChar=[\u0041-\u005A\u0061-\u007A\u00C0-\u00D6\u00D8-\u00F6\u00F8-\u00FF\u0100-\u0131\u0134-
\u013E\u0141-\u0148\u014A-\u017E\u0180-\u01C3\u01CD-\u01F0\u01F4-\u01F5\u01FA-\u0217\u0250-
\u02A8\u02BB-\u02C1\u0386\u0388-\u038A\u038C\u038E-\u03A1\u03A3-\u03CE\u03D0-
\u03D6\u03DA\u03DC\u03DE\u03E0\u03E2-\u03F3\u0401-\u040C\u040E-\u044F\u0451-\u045C\u045E-
\u0481\u0490-\u04C4\u04C7-\u04C8\u04CB-\u04CC\u04D0-\u04EB\u04EE-\u04F5\u04F8-\u04F9\u0531-
\u0556\u0559\u0561-\u0586\u05D0-\u05EA\u05F0-\u05F2\u0621-\u063A\u0641-\u064A\u0671-\u06B7\u06BA-
\u06BE\u06C0-\u06CE\u06D0-\u06D3\u06D5\u06E5-\u06E6\u0905-\u0939\u093D\u0958-\u0961\u0985-

```

\u098C\u098F-\u0990\u0993-\u09A8\u09AA-\u09B0\u09B2\u09B6-\u09B9\u09DC-\u09DD\u09DF-
\u09E1\u09F0-\u09F1\u0A05-\u0A0A\u0A0F-\u0A10\u0A13-\u0A28\u0A2A-\u0A30\u0A32-\u0A33\u0A35-
\u0A36\u0A38-\u0A39\u0A59-\u0A5C\u0A5E\u0A72-\u0A74\u0A85-\u0A8B\u0A8D\u0A8F-\u0A91\u0A93-
\u0AA8\u0AAA-\u0AB0\u0AB2-\u0AB3\u0AB5-\u0AB9\u0ABD\u0AE0\u0B05-\u0B0C\u0B0F-\u0B10\u0B13-
\u0B28\u0B2A-\u0B30\u0B32-\u0B33\u0B36-\u0B39\u0B3D\u0B5C-\u0B5D\u0B5F-\u0B61\u0B85-
\u0B8A\u0B8E-\u0B90\u0B92-\u0B95\u0B99-\u0B9A\u0B9C\u0B9E-\u0B9F\u0BA3-\u0BA4\u0BA8-
\u0BAA\u0BAE-\u0BB5\u0BB7-\u0BB9\u0C05-\u0C0C\u0C0E-\u0C10\u0C12-\u0C28\u0C2A-\u0C33\u0C35-
\u0C39\u0C60-\u0C61\u0C85-\u0C8C\u0C8E-\u0C90\u0C92-\u0CA8\u0CAA-\u0CB3\u0CB5-
\u0CB9\u0CDE\u0CE0-\u0CE1\u0D05-\u0D0C\u0D0E-\u0D10\u0D12-\u0D28\u0D2A-\u0D39\u0D60-
\u0D61\u0E01-\u0E2E\u0E30\u0E32-\u0E33\u0E40-\u0E45\u0E81-\u0E82\u0E84\u0E87-
\u0E88\u0E8A\u0E8D\u0E94-\u0E97\u0E99-\u0E9F\u0EA1-\u0EA3\u0EA5\u0EA7\u0EAA-\u0EAB\u0EAD-
\u0EAE\u0EB0\u0EB2-\u0EB3\u0EBD\u0EC0-\u0EC4\u0F40-\u0F47\u0F49-\u0F69\u10A0-\u10C5\u10D0-
\u10F6\u1100\u1102-\u1103\u1105-\u1107\u1109\u110B-\u110C\u110E-
\u1112\u1113\u1113E\u1140\u114C\u114E\u1150\u1154-\u1155\u1159\u115F-
\u1161\u1163\u1165\u1167\u1169\u116D-\u116E\u1172-\u1173\u1175\u119E\u11A8\u11AB\u11AE-
\u11AF\u11B7-\u11B8\u11BA\u11BC-\u11C2\u11EB\u11F0\u11F9\u1E00-\u1E9B\u1EA0-\u1EF9\u1F00-
\u1F15\u1F18-\u1F1D\u1F20-\u1F45\u1F48-\u1F4D\u1F50-\u1F57\u1F59\u1F5B\u1F5D\u1F5F-\u1F7D\u1F80-
\u1FB4\u1FB6-\u1FBC\u1FBE\u1FC2-\u1FC4\u1FC6-\u1FCC\u1FD0-\u1FD3\u1FD6-\u1FDB\u1FE0-
\u1FEC\u1FF2-\u1FF4\u1FF6-\u1FFC\u2126\u212A-\u212B\u212E\u2180-\u2182\u3041-\u3094\u30A1-
\u30FA\u3105-\u312C\uAC00-\uD7A3]

Ideographic=[\u4E00-\u9FA5\u3007\u3021-\u3029]

CombiningChar=[\u0300-\u0345\u0360-\u0361\u0483-\u0486\u0591-\u05A1\u05A3-\u05B9\u05BB-
\u05BD\u05BF\u05C1-\u05C2\u05C4\u064B-\u0652\u0670\u06D6-\u06DC\u06DD-\u06DF\u06E0-\u06E4\u06E7-
\u06E8\u06EA-\u06ED\u0901-\u0903\u093C\u093E-\u094C\u094D\u0951-\u0954\u0962-\u0963\u0981-
\u0983\u09BC\u09BE\u09BF\u09C0-\u09C4\u09C7-\u09C8\u09CB-\u09CD\u09D7\u09E2-
\u09E3\u0A02\u0A3C\u0A3E\u0A3F\u0A40-\u0A42\u0A47-\u0A48\u0A4B-\u0A4D\u0A70-\u0A71\u0A81-
\u0A83\u0ABC\u0ABE-\u0AC5\u0AC7-\u0AC9\u0ACB-\u0ACD\u0B01-\u0B03\u0B3C\u0B3E-\u0B43\u0B47-
\u0B48\u0B4B-\u0B4D\u0B56-\u0B57\u0B82-\u0B83\u0BBE-\u0BC2\u0BC6-\u0BC8\u0BCA-
\u0BCD\u0BD7\u0C01-\u0C03\u0C3E-\u0C44\u0C46-\u0C48\u0C4A-\u0C4D\u0C55-\u0C56\u0C82-
\u0C83\u0CBE-\u0CC4\u0CC6-\u0CC8\u0CCA-\u0CCD\u0CD5-\u0CD6\u0D02-\u0D03\u0D3E-\u0D43\u0D46-
\u0D48\u0D4A-\u0D4D\u0D57\u0E31\u0E34-\u0E3A\u0E47-\u0E4E\u0EB1\u0EB4-\u0EB9\u0EBB-
\u0EBC\u0EC8-\u0ECD\u0F18-\u0F19\u0F35\u0F37\u0F39\u0F3E\u0F3F\u0F71-\u0F84\u0F86-\u0F8B\u0F90-
\u0F95\u0F97\u0F99-\u0FAD\u0FB1-\u0FB7\u0FB9\u20D0-\u20DC\u20E1\u302A-\u302F\u3099\u309A]

Digit=[\u0030-\u0039\u0660-\u0669\u06F0-\u06F9\u0966-\u096F\u09E6-\u09EF\u0A66-\u0A6F\u0AE6-
\u0AEF\u0B66-\u0B6F\u0BE7-\u0BEF\u0C66-\u0C6F\u0CE6-\u0CEF\u0D66-\u0D6F\u0E50-\u0E59\u0ED0-
\u0ED9\u0F20-\u0F29]

Extender=[\u00B7\u02D0\u02D1\u0387\u0640\u0E46\u0EC6\u3005\u3031-\u3035\u309D-\u309E\u30FC-\u30FE]

NCName={({Letter}}|"_"|{NCNameStartChar})({NCNameChar})*

NCNameChar={Letter}|{Digit}|"."|"-|"_|{CombiningChar}|{Extender}|{NCNameStartChar}|

\u00B7 | [\u0300-\u036F] | [\u203F-\u2040] | [\u0130-\u0136]

NCNameStartChar=[\u0041-\u005A\u0061-\u007A\u00C0-\u00D6\u00D8-\u00F6\u00F8-\u02FF\u0370-\u037D\u037F-\u1FFF\u200C-\u200D\u2070-\u218F\u2C00-\u2FEF\u3001-\uD7FF\uF900-\uFDCF\uFDF0-\uFFFD] | \u005F |({HighSurrogate}{LowSurrogate})

HighSurrogate=[\uD800-\uDBFF]

LowSurrogate=[\uDC00-\uDFFF]

%%

```
"*"          { return disambiguateStar(); }
"/"          { return newSymbol(sym.SLASH); }
"+"          { return newSymbol(sym.PLUS); }
"-"          { return newSymbol(sym.MINUS); }
"div"        { return disambiguateOperator(sym.DIV); }
"mod"        { return disambiguateOperator(sym.MOD); }
"::"         { return newSymbol(sym.DCOLON); }
","          { return newSymbol(sym.COMMA); }
"@"          { return newSymbol(sym.ATSIGN); }
".."         { return newSymbol(sym.DDOT); }
"|"          { return newSymbol(sym.VBAR); }
"$"          { return newSymbol(sym.DOLLAR); }
"//"         { return newSymbol(sym.DSLASH); }
"="          { return newSymbol(sym.EQ); }
"!="         { return newSymbol(sym.NE); }
"<"         { return newSymbol(sym.LT); }
">"         { return newSymbol(sym.GT); }
"<="        { return newSymbol(sym.LE); }
">="        { return newSymbol(sym.GE); }
"id"         { return disambiguateAxisOrFunction(sym.ID); }
"key"        { return disambiguateAxisOrFunction(sym.KEY); }
"text()"     { return newSymbol(sym.TEXT); }
"text"+[ \t\r\n\f]+"()" { return newSymbol(sym.TEXT); }
"node()"     { return newSymbol(sym.NODE); }
"node"+[ \t\r\n\f]+"()" { return newSymbol(sym.NODE); }
"comment()"  { return newSymbol(sym.COMMENT); }
"comment"+[ \t\r\n\f]+"()" { return newSymbol(sym.COMMENT); }
"processing-instruction"
{ return disambiguateAxisOrFunction(sym.PIPARAM); }
"processing-instruction()" { return newSymbol(sym.PI); }
"processing-instruction"+[ \t\r\n\f]+"()" { return newSymbol(sym.PI); }
"or"         { return disambiguateOperator(sym.OR); }
"and"        { return disambiguateOperator(sym.AND); }
"child"      { return disambiguateAxisOrFunction(sym.CHILD); }
"attribute"  { return disambiguateAxisOrFunction(sym.ATTRIBUTE); }
```

```

"ancestor"      { return disambiguateAxisOrFunction(sym.ANCESTOR); }
"ancestor-or-self"  { return disambiguateAxisOrFunction(sym.ANCESTORORSELF); }
"descendant"    { return disambiguateAxisOrFunction(sym.DESCENDANT); }
"descendant-or-self"  { return disambiguateAxisOrFunction(sym.DESCENDANTORSELF); }
"following"     { return disambiguateAxisOrFunction(sym.FOLLOWING); }
"following-sibling"  { return disambiguateAxisOrFunction(sym.FOLLOWINGSIBLING); }
}
"namespace"     { return disambiguateAxisOrFunction(sym.NAMESPACE); }
"parent"        { return disambiguateAxisOrFunction(sym.PARENT); }
"preceding"     { return disambiguateAxisOrFunction(sym.PRECEDING); }
"preceding-sibling"  { return disambiguateAxisOrFunction(sym.PRECEDINGSIBLING); }
"self"         { return disambiguateAxisOrFunction(sym.SELF); }
"["            { return newSymbol(sym.LBRACK); }
"]"            { return newSymbol(sym.RBRACK); }
"("            { return newSymbol(sym.LPAREN); }
")"            { return newSymbol(sym.RPAREN); }
"<PATTERN>"    { initialize(); return new Symbol(sym.PATTERN); }
"<EXPRESSION>"  { initialize(); return new Symbol(sym.EXPRESSION); }
\"[^\"]*\"     { return newSymbol(sym.Literal,
    yytext().substring(1, yytext().length() - 1)); }
\"[^\"]*\"     { return newSymbol(sym.Literal,
    yytext().substring(1,
    yytext().length() - 1)); }
{Digit}+       { return newSymbol(sym.INT, new Long(yytext())); }
{Digit}+(\."{Digit}*)? { return newSymbol(sym.REAL, new Double(yytext())); }
"."{Digit}+    { return newSymbol(sym.REAL, new Double(yytext())); }
"."            { return newSymbol(sym.DOT); }
({NCName}":")?{NCName} { return newSymbol(sym.QNAME, yytext()); }
({NCName}":")?*" { return newSymbol(sym.QNAME, yytext()); }
({NCName}":")?@"* { return newSymbol(sym.QNAME, yytext()); }
[ \t\r\n\f]    { /* ignore white space. */ }
.              { throw new Exception(yytext()); }

```

Found in path(s):

```
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xalan/xsltc/compiler/xpath.lex
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
// Proprietary, built in functions
/** current function string (Proprietary). */
```

Found in path(s):

```
* /opt/cola/permits/1134796662_1613422294.09/0/xalan-2-7-2-sources-
jar/org/apache/xpath/compiler/Keywords.java
```

1.47 isorelax 20090621

1.47.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* @(#) $Id: IslandSchemaReader.java,v 1.4 2001/11/01 00:11:45 kkawa Exp $
*
* Copyright 2001 KAWAGUCHI Kohsuke
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN
* NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-
```

jar/org/iso_relax/dispatcher/IslandSchemaReader.java

No license file was found, but licenses were detected in source scan.

/*

* @(#)Id: IgnoredSchema.java,v 1.5 2003/05/30 23:46:32 kkawa Exp \$

*

* Copyright 2001 Kohsuke KAWAGUCHI

*

* Permission is hereby granted, free of charge, to any person obtaining

* a copy of this software and associated documentation files (the

* "Software"), to deal in the Software without restriction, including

* without limitation the rights to use, copy, modify, merge, publish,

* distribute, sublicense, and/or sell copies of the Software, and to

* permit persons to whom the Software is furnished to do so, subject to

* the following conditions:

*

* The above copyright notice and this permission notice shall be included

* in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

* IN NO

EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE

* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-

jar/org/iso_relax/dispatcher/impl/IgnoredSchema.java

No license file was found, but licenses were detected in source scan.

/*

* @(#)Id: AttributesDecl.java,v 1.3 2001/11/01 00:11:45 kkawa Exp \$

*

* Copyright 2001 Kohsuke KAWAGUCHI

*

* Permission is hereby granted, free of charge, to any person obtaining

* a copy of this software and associated documentation files (the

* "Software"), to deal in the Software without restriction, including

* without limitation the rights to use, copy, modify, merge, publish,

* distribute, sublicense, and/or sell copies of the Software, and to

* permit persons to whom the Software is furnished to do so, subject to

* the following conditions:

*

* The above copyright notice and this permission notice shall be included

* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO
EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-jar/org/iso_relax/dispatcher/AttributesDecl.java

No license file was found, but licenses were detected in source scan.

/*

* @(#) \$Id: IslandVerifier.java,v 1.6 2003/05/30 23:46:32 kkawa Exp \$

*

* Copyright 2001 MURATA Makoto, KAWAGUCHI Kohsuke

*

* Permission is hereby granted, free of charge, to any person obtaining

* a copy of this software and associated documentation files (the

* "Software"), to deal in the Software without restriction, including

* without limitation the rights to use, copy, modify, merge, publish,

* distribute, sublicense, and/or sell copies of the Software, and to

* permit persons to whom the Software is furnished to do so, subject to

* the following conditions:

*

* The above copyright notice and this permission notice shall be included

* in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

* IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE

* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-jar/org/iso_relax/dispatcher/IslandVerifier.java

No license file was found, but licenses were detected in source scan.

/*

```
* @(#)Id: Dispatcher.java,v 1.6 2003/05/30 23:46:32 kkawa Exp $
*
* Copyright 2001 MURATA Makoto, KAWAGUCHI Kohsuke
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/
```

Found in path(s):

```
*/opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-
jar/org/iso_relax/dispatcher/Dispatcher.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* @(#)Id: SchemaProvider.java,v 1.6 2003/05/30 23:46:32 kkawa Exp $
*
* Copyright 2001 Kohsuke KAWAGUCHI
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
```

* IN NO
EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-
jar/org/iso_relax/dispatcher/SchemaProvider.java

No license file was found, but licenses were detected in source scan.

/*

* @(#) \$Id: ElementDecl.java,v 1.3 2001/11/01 00:11:45 kkawa Exp \$

*

* Copyright 2001 Kohsuke KAWAGUCHI

*

* Permission is hereby granted, free of charge, to any person obtaining

* a copy of this software and associated documentation files (the

* "Software"), to deal in the Software without restriction, including

* without limitation the rights to use, copy, modify, merge, publish,

* distribute, sublicense, and/or sell copies of the Software, and to

* permit persons to whom the Software is furnished to do so, subject to

* the following conditions:

*

* The above copyright notice and this permission notice shall be included

* in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

* IN NO EVENT

SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE

* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-
jar/org/iso_relax/dispatcher/ElementDecl.java

No license file was found, but licenses were detected in source scan.

/*

* @(#) \$Id: IslandSchema.java,v 1.5 2003/05/30 23:46:32 kkawa Exp \$

*

* Copyright 2001 KAWAGUCHI Kohsuke

*

* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO EVENT
SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-
jar/org/iso_relax/dispatcher/IslandSchema.java

No license file was found, but licenses were detected in source scan.

/*

* @(#) \$Id: DispatcherImpl.java,v 1.5 2003/05/30 23:46:32 kkawa Exp \$

*

* Copyright 2001 Kohsuke KAWAGUCHI

*

* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:

*

* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO

EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-
jar/org/iso_relax/dispatcher/impl/DispatcherImpl.java

1.48 stax 4.2.1

1.48.1 Available under license :

This copy of Stax2 API is licensed under the Simplified BSD License (also known as "2-clause BSD", or "FreeBSD License") See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.opensource.org/licenses/bsd-license.php>

with details of:

<COPYRIGHT HOLDER> = FasterXML.com

<YEAR> = 2010-

1.49 asm 5.0.4

1.49.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/package.html
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/util/package.html
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/tree/package.html
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/signature/package.html
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/package.html
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/package.html
No license file was found, but licenses were detected in source scan.

/***

* ASM XML Adapter
* Copyright (c) 2004-2011, Eugene Kuleshov
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/xml/SAXClassAdapter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/xml/SAXAdapter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/xml/Processor.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/xml/SAXFieldAdapter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/xml/ASMContentHandler.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/xml/SAXCodeAdapter.java

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/xml/asm-xml.dtd

No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

*/

/**

* Creates a new {@link GeneratorAdapter}. *Subclasses must not use this*

* constructor*.* Instead, they must use the

* {@link #GeneratorAdapter(int, MethodVisitor, int, String, String)}

* version.

*

* @param mv

* the

method visitor to which this adapter delegates calls.

* @param access

- * the method's access flags (see { @link Opcodes }).
- * @param name
- * the method's name.
- * @param desc
- * the method's descriptor (see { @link Type Type }).
- * @throws IllegalStateException
- * If a subclass calls this constructor.
- */

Found in path(s):

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/commons/GeneratorAdapter.java

No license file was found, but licenses were detected in source scan.

/**

- * ASM: a very small and fast Java bytecode manipulation framework
- * Copyright (c) 2000-2011 INRIA, France Telecom
- * All rights reserved.

*

- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:

- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.

*

- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- * "AS IS"

- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.

*/

/**

- * Creates a new JSRInliner. <i>Subclasses must not use this
- * constructor</i>. Instead, they must use the
- * { @link #JSRInlinerAdapter(int, MethodVisitor, int, String, String, String, String[])}

```

* version.
*
* @param mv
*
the <code>MethodVisitor</code> to send the resulting inlined
*     method code to (use <code>null</code> for none).
* @param access
*     the method's access flags (see { @link Opcodes }). This
*     parameter also indicates if the method is synthetic and/or
*     deprecated.
* @param name
*     the method's name.
* @param desc
*     the method's descriptor (see { @link Type }).
* @param signature
*     the method's signature. May be <tt>null</tt>.
* @param exceptions
*     the internal names of the method's exception classes (see
*     { @link Type#getInternalName() getInternalName }). May be
*     <tt>null</tt>.
* @throws IllegalStateException
*     If a subclass calls this constructor.
*/

```

Found in path(s):

```

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/JSRInlinerAdapter.java

```

No license file was found, but licenses were detected in source scan.

```

/****

```

```

* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

```

"AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

*/

/**

* Constructs a new {@link ClassNode}. *Subclasses must not use this*
* constructor*.* Instead, they must use the {@link #ClassNode(int)}
* version.
*
* @throws IllegalStateException
* If a subclass calls this constructor.
*/

Found in path(s):

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/tree/ClassNode.java

No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

*/

/**

* Constructs a new {@link Textifier}. *Subclasses must not use this
* constructor*. Instead, they must use the {@link #Textifier(int)}
* version.

*

* @throws IllegalStateException

* If a subclass calls this constructor.

*/

Found in path(s):

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/util/Textifier.java

No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

```

* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
 * Constructs a new {@link LocalVariableAnnotationNode}. <i>Subclasses must
 * not use this constructor</i>. Instead, they must use the
 * {@link #LocalVariableAnnotationNode(int, TypePath, LabelNode[], LabelNode[], int[], String)}
 * version.
 *
 * @param typeRef
 *     a reference to the annotated type. See {@link TypeReference}.
 * @param typePath
 *     the path to the annotated type argument, wildcard bound, array
 *     element type, or static inner type within 'typeRef'. May be
 *     <tt>null</tt> if the annotation targets 'typeRef' as a whole.
 * @param start
 *     the first instructions corresponding to the continuous ranges
 *     that make the scope of this local variable (inclusive).
 * @param end
 *     the last instructions corresponding to the continuous ranges
 *     that make the scope of this local variable (exclusive). This
 *     array must have the same size as the 'start' array.
 * @param index
 *     the local variable's index in each range. This array must have
 *     the same size as the 'start' array.
 * @param desc
 *     the class descriptor of
the annotation class.
 */

```

Found in path(s):

```

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/LocalVariableAnnotationNode.java

```

No license file was found, but licenses were detected in source scan.

```

/**
 * ASM: a very small and fast Java bytecode manipulation framework
 * Copyright (c) 2000-2011 INRIA, France Telecom
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.

```

* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/Label.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/Type.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/AnnotationWriter.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/optimizer/NameMapping.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/util/Printer.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/optimizer/Shrinker.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/Method.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/util/CheckAnnotationAdapter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/RemappingFieldAdapter.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/ClassWriter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/Attribute.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/MethodInsnNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/MethodVisitor.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-

jar/org/objectweb/asm/util/TraceFieldVisitor.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/SourceValue.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/AdviceAdapter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/Remapper.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/BasicValue.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/FieldWriter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/ByteVector.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/AbstractInsnNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/Interpreter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/JumpInsnNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/TableSwitchGenerator.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/tree/FieldNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/FieldInsnNode.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/tree/LabelNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/optimizer/ClassConstantsCollector.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/util/CheckSignatureAdapter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/InstructionAdapter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/IntInsnNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/RemappingClassAdapter.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/ClassReader.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/VarInsnNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/RemappingMethodAdapter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-

jar/org/objectweb/asm/tree/analysis/Value.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/StaticInitMerger.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/optimizer/AnnotationConstantsCollector.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/AnnotationVisitor.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/tree/InsnNode.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/signature/SignatureReader.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/LdcInsnNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/LineNumberNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/optimizer/JarOptimizer.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/LocalVariablesSorter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/optimizer/Constant.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/TypeAnnotationNode.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/Handle.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/TryCatchBlockNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/optimizer/ClassOptimizer.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/util/ASMifier.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/util/TraceClassVisitor.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/TableSwitchInsnNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/Frame.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/Subroutine.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-

jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/InnerClassNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/ParameterNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/LocalVariableNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/Analyzer.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/SmallSet.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/TypeInsnNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/util/TraceSignatureVisitor.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/InsnNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/optimizer/MethodOptimizer.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/util/CheckFieldAdapter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/Frame.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/util/CheckMethodAdapter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/SimpleRemapper.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/AnnotationNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/FieldVisitor.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/Context.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/util/TraceMethodVisitor.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/optimizer/MethodConstantsCollector.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/Handler.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/MethodNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/tree/InsnList.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/optimizer/FieldConstantsCollector.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/MethodWriter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/signature/SignatureWriter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/Item.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/Edge.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/ClassVisitor.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/tree/FrameNode.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/optimizer/ConstantPool.java
*
/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/Opcodes.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/util/CheckClassAdapter.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/signature/SignatureVisitor.java
No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

```

*/
/**
 * Creates a new {@link AnalyzerAdapter}. Subclasses must not use this
 * constructor. Instead, they must use the
 * {@link #AnalyzerAdapter(int, String, int, String, String, MethodVisitor)}
 * version.
 *
 * @param owner
 *
 *     the owner's class name.
 * @param access
 *     the method's access flags (see {@link Opcodes}).
 * @param name
 *     the method's name.
 * @param desc
 *     the method's descriptor (see {@link Type Type}).
 * @param mv
 *     the method visitor to which this adapter delegates calls. May
 *     be null.
 * @throws IllegalStateException
 *     If a subclass calls this constructor.
 */

```

Found in path(s):

```

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/commons/AnalyzerAdapter.java

```

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

- * 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/xml/package.html

No license file was found, but licenses were detected in source scan.

#All rights reserved.

#Redistribution and use in source and binary forms, with or without
#modification, are permitted provided that the following conditions
#are met:

- #1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- #2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
- #3. Neither the name of the copyright holders nor the names of its
this software without specific prior written permission.

Found in path(s):

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/optimizer/shrink-
annotations.properties

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/optimizer/shrink-
frames.properties

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/optimizer/shrink-
resize.properties

*

/opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/optimizer/shrink-
signatures.properties

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-
jar/org/objectweb/asm/optimizer/shrink.properties

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/optimizer/shrink-
writer.properties

No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2013 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

- * 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
- *
 - * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
 - * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- */

Found in path(s):

- * /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/TypePath.java
- * /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/TypeReference.java

No license file was found, but licenses were detected in source scan.

/**

- * ASM: a very small and fast Java bytecode manipulation framework
- * Copyright (c) 2000-2011 INRIA, France Telecom
- * All rights reserved.
- *
 - * Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
 - * 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
 - * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
 - * 3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
- *
 - * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
 - * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/util/Textifiable.java
* /opt/cola/permits/1135863767_1613617914.89/0/asm-5-0-4-sources-6-jar/org/objectweb/asm/util/ASMifiable.java

1.50 xz-java 1.8

1.50.1 Available under license :

Licensing of XZ for Java

=====

All the files in this package have been written by Lasse Collin
and/or Igor Pavlov. All these files have been put into the
public domain. You can do whatever you want with these files.

This software is provided "as is", without any warranty.

1.51 hibernate-commons-annotations

5.1.2.Final

1.51.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software

patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the

users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's

complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or

linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany

the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse

you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a

license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision

will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is

safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

```
<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice
```

That's all there is to it!

1.52 classmate 1.5.1

1.52.1 Available under license :

This copy of Java ClassMate library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

* Brian Langel

1.53 aspect-j 1.9.5

1.53.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 in all these cases the incoming type binding is for Z, but annotations are for different levels. We need to align their layout for proper attribution.'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2005 Contributors. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in 'All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0 "This software is distributed under the Eclipse Public License\n" +'

Found license 'Eclipse Public License 1.0' in 'This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 compiler.copyright = Copyright IBM Corp 2000, 2015. All rights reserved.'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2006 Contributors.All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0'

Found license 'Common Public License 1.0 (CPLv1.0)' in 'and others. All rights reserved. This program and the accompanying materials are made available under the terms of the Common Public License v1.0 which accompanies this'

Found license 'Eclipse Public License 1.0' in 'This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 " * All Rights Reserved.\n" + //\$NON-NLS-1\$'

Found license 'Eclipse Public License 1.0' in 'This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0'

Found license 'Common Public License 1.0 (CPLv1.0)' in 'All rights reserved. This program and the accompanying materials are made available under the terms of the Common Public License v1.0'

Found license 'Eclipse Public License 1.0' in '// * All rights reserved. // * This program and the accompanying materials are made available // * under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in 'All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2010 Contributors. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2006, 2010 Contributors. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in 'This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 more details.'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2006 Contributors. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in 'All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v2.0'

Found license 'Eclipse Public License 1.0' in 'This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 lookup3.c, by Bob Jenkins, May 2006, Public Domain. the public

domain. It has no warranty.'

Found license 'Eclipse Public License 1.0' in 'This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 Binary vs source, substitutions, annotation re-attribution from SE7 locations etc trigger these'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2007 Contributors. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2008 Contributors. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0'

1.54 jakarta-validation-api 2.0.2

1.54.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Jakarta Bean Validation API
 *
 * License: Apache License, Version 2.0
 * See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Validator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/CascadableDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintTarget.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/FutureOrPresent.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Null.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintValidatorContext.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ExecutableDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/groups/Default.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/MessageInterpolator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/Unwrapping.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/ValueExtractor.java
```

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraintvalidation/ValidationTarget.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/MethodDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/UnexpectedTypeException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/BeanDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Digits.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/bootstrap/ProviderSpecificBootstrap.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/UnwrapByDefault.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NegativeOrZero.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintViolation.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ValidateUnwrappedValue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraintvalidation/SupportedValidationTarget.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/groups/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/spi/ValidationProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ElementKind.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/GroupConversionDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/ExtractedValue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/bootstrap/GenericBootstrap.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/MethodType.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/ValueExtractorDeclarationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ConstructorDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

jar/javax/validation/constraintvalidation/package-info.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/AssertTrue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Path.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/executable/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/PositiveOrZero.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/ValueExtractorDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/BootstrapConfiguration.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ElementDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ContainerElementTypeDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/GroupDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Min.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/groups/ConvertGroup.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/Scope.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Max.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ReportAsSingleViolation.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ReturnValueDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ParameterNameProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Pattern.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/NoProviderFoundException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Validation.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ValidatorContext.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/NotBlank.java

*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/spi/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Constraint.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Valid.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/CrossParameterDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ClockProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Configuration.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/executable/ValidateOnExecution.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Size.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/PastOrPresent.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintViolationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/bootstrap/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/TraversableResolver.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/executable/ExecutableValidator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ValidationProviderResolver.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ValidatorFactory.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ContainerDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ConstraintDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ParameterDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NotNull.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/GroupSequence.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Negative.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

```
jar/javax/validation/ConstraintValidatorFactory.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ValidationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/OverridesAttribute.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/spi/BootstrapState.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Email.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ConstraintDeclarationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/PropertyDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ConstraintValidator.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/executable/ExecutableType.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/AssertFalse.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Future.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/DecimalMax.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Positive.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/NotEmpty.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/spi/ConfigurationState.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Payload.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/DecimalMin.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Past.java
No license file was found, but licenses were detected in source scan.
```

~ Jakarta Bean Validation API

~

~ License: Apache License, Version 2.0

~ See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE>

<![CDATA[

Comments to: <bean-validation-dev@eclipse.org>.

Copyright © 1999-2019 Eclipse Foundation.

Use is subject to <[EFSL]({@docRoot}/doc-files/speclicense.html)>; this spec is based on

material that is licensed under the Apache License, version 2.0.]]>

Found in path(s):

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/META-INF/maven/jakarta.validation/jakarta.validation-api/pom.xml

1.55 joda-time 2.10.6

1.55.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by
Joda.org (<https://www.joda.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.56 javax-ws-rs-api 2.0

1.56.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2010-2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * This method is reserved for future use. Proprietary JAX-RS extensions may leverage the method.'

Found license 'General Public License 2.0' in '* Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * Licensed under the Apache License, Version 2.0 (the "License"); * you may not use this file except in compliance with the License. * You may obtain a copy of the License at * <http://www.apache.org/licenses/LICENSE-2.0> * distributed under the License is distributed on an "AS IS" BASIS,'

Found license 'General Public License 2.0' in '* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.57 commons-codec 1.15

1.57.1 Available under license :

Apache Commons Codec

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from <http://aspell.net/test/orig/batch0.tab>.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

The content of package org.apache.commons.codec.language.bm has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.58 javax-el-api 3.0.0

1.58.1 Available under license :

```
/*  
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
*  
* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved.  
*  
* The contents of this file are subject to the terms of either the GNU  
* General Public License Version 2 only ("GPL") or the Common Development  
* and Distribution License("CDDL") (collectively, the "License"). You  
* may not use this file except in compliance with the License. You can  
* obtain a copy of the License at  
* https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html  
* or packager/legal/LICENSE.txt. See the License for the specific
```

- * language governing permissions and limitations under the License.
- *
- * When distributing the software, include this License Header Notice in each
- * file and include the License file at packager/legal/LICENSE.txt.
- *
- * GPL Classpath Exception:
- * Oracle designates this particular file as subject to the "Classpath"
- * exception as provided by Oracle in the GPL Version 2 section of the License
- * file
- that accompanied this code.
- *
- * Modifications:
- * If applicable, add the following below the License Header, with the fields
- * enclosed by brackets [] replaced by your own identifying information:
- * "Portions Copyright [year] [name of copyright owner]"
- *
- * Contributor(s):
- * If you wish your version of this file to be governed by only the CDDL or
- * only the GPL Version 2, indicate your decision by adding "[Contributor]
- * elects to include this software in this distribution under the [CDDL or GPL
- * Version 2] license." If you don't indicate a single choice of license, a
- * recipient has the option to distribute your version of this file under
- * either the CDDL, the GPL Version 2 or to extend the choice of license to
- * its licensees as provided above. However, if you add GPL Version 2 code
- * and therefore, elected the GPL Version 2 license, then the option applies
- * only if the new code is made subject to such option by the copyright
- * holder.
- */

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under

intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH

PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works

in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather,

the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not

responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE

PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and  
you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at  
compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

```
"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that  
accompanied this code."
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.59 javassist 3.24.1-GA

1.59.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Javassist, a Java-bytecode translator toolkit.
 * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
 *
 * The contents of this file are subject to the Mozilla Public License Version
 * 1.1 (the "License"); you may not use this file except in compliance with
 * the License. Alternatively, the contents of this file may be used under
 * the terms of the GNU Lesser General Public License Version 2.1 or later,
 * or the Apache License Version 2.0.
 *
 * Software distributed under the License is distributed on an "AS IS" basis,
 * WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
 * for the specific language governing rights and limitations under the
 * License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/CannotCompileException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ClassFilePrinter.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ClassFile.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/Analyzer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/scopedpool/SoftValueHashMap.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/CastExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassPool.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/CompileError.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Handler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/TransformCall.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/stackmap/Tracer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
```

```

jar/javassist/compiler/JvstTypeChecker.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/ControlFlow.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/TokenId.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/MethodInfo.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/LocalVariableTypeAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/SerializedProxy.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/TransformBefore.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/Loader.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/SyntaxError.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/stackmap/TypeData.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/LocalVariableAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/Util.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/TransformAfter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/DoubleConst.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/rmi/ObjectNotFoundException.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/ByteArrayClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ByteStream.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/Member.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/Metaobject.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/Mnemonic.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/CodeAnalyzer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/RuntimeSupport.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/MethodCall.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/Dump.java
*

```

/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/FieldDecl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Subroutine.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/web/Viewer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ByteArray.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/DefineClassHelper.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/ProxyObjectOutputStream.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtPrimitiveType.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtMethod.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/InnerClassesAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/ProxyObject.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/FieldInfo.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtField.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Declarator.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/StringL.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/NewArray.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Stmnt.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformAccessArrayField.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/SignatureAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/DuplicateMemberException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/RemoteException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Variable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/Cflow.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPool.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/DeprecatedAttribute.java
*

/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/SecurityActions.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Expr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/LoaderClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/MapMaker.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/MemberResolver.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ExceptionsAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/Translator.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/CodeIterator.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/ProxyFactory.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CodeConverter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/AnnotationsAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewConstructor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformNewClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/Bytecode.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPoolRepository.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Keyword.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/SyntheticAttribute.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/URLClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Executor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/TypeChecker.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/NewExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/InstanceOfExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/HotSwapAgent.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPoolFactory.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/DefinePackageHelper.java

```

*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/IntQueue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/Reflection.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/Loader.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ConstPool.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtArray.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/BadBytecode.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/MethodDecl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/StackMap.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/FramePrinter.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/CannotReflectException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/TransformNew.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtBehavior.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/LineNumberAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/Visitor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/stackmap/BasicBlock.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/TransformWriteField.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/CtNewWrappedConstructor.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/InstructionPrinter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/CodeAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/stackmap/TypedBlock.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/NoSuchClassError.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/rmi/AppletServer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/SerialVersionUID.java

```

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/TypeTag.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/ArrayInit.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/CallExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/MultiType.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Type.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformReadField.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/AccessorMaker.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/web/Webserver.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Expr.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/FieldAccess.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/Desc.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/ExprEditor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/LongVector.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtMember.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/JvstCodeGen.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/RemoteRef.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtConstructor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/ASTList.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Instanceof.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/IntConst.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Metalevel.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/MemberCodeGen.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassPoolTail.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/NestHostAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Frame.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-

jar/javassist/bytecode/NestMembersAttribute.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/Transformer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/Sample.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/Symbol.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/Lex.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/AssignExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ProceedHandler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/FactoryHelper.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/web/BadHttpRequest.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/SubroutineScanner.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ParameterAnnotationsAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/AttributeInfo.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/SymbolTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/Compiler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/AnnotationDefaultAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Pair.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/CtNewWrappedMethod.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/AnnotationImpl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/rmi/StubGenerator.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/EnclosingMethodAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/Modifier.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/Inner.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/CannotInvokeException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/KeywordTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/ASTree.java

```

*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/CannotCreateException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/MethodFilter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/Proxy.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ConstantAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/MethodHandler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ExceptionTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/Callback.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/HotSwapper.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/Descriptor.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/StackMapTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/Opcodes.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassMap.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/MultiArrayType.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/BinExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/Proxy.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtClassType.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/CodeGen.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/ClassMetaobject.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/ProxyObjectInputStream.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/Javac.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/AnnotationsWriter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/DotClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/NewExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/AccessFlag.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/expr/ConstructorCall.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassPath.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/rmi/ObjectImporter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-

```

```

jar/javassist/tools/reflect/Sample.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/NotFoundException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/NoFieldException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/TransformFieldAccess.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/SourceFileAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Cast.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/Parser.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/CondExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/framedump.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewMethod.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ClassFileWriter.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 2004 Bill Burke. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

```

```

Found in path(s):
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/DoubleMemberValue.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/EnumMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/MemberValue.java

```

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/Annotation.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/ShortMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/ArrayMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/StringMemberValue.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/ClassMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/BooleanMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/IntegerMemberValue.java

1.60 javax-xml-soap-api 1.4.0

1.60.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under

intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH

PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather,

the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not

responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE

PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and  
you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at  
compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

```
"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that  
accompanied this code."
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.61 spring-security-jwt 1.0.9.RELEASE

1.61.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2006-2011 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
 * with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
 * an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the
 * specific language governing permissions and limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/codecs/Codecs.java
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/crypto/sign/InvalidSignatureException.java
*
 /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/JwtAlgorithms.java
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/BinaryFormat.java
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/crypto/sign/RsaKeyHelper.java
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/Jwt.java
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/crypto/cipher/CipherMetadata.java
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/crypto/sign/MacSigner.java
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/crypto/sign/Signer.java
*
 /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/AlgorithmMetadata.java
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/crypto/sign/RsaVerifier.java
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/crypto/sign/SignatureVerifier.java
```

```
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/JwtHelper.java
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/crypto/sign/RsaSigner.java
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/crypto/sign/SignerVerifier.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2002-2017 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
Found in path(s):
```

```
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/crypto/sign/EllipticCurveKeyHelper.java
```

```
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/crypto/sign/EllipticCurveSignatureHelper.java
```

```
*
```

```
/opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/crypto/sign/EllipticCurveVerifier.java
```

```
No license file was found, but licenses were detected in source scan.
```

```
/**
```

```
* Base64 encoder which is a reduced version of Robert Harder's public domain implementation (version 2.3.7).
```

```
* See http://iharder.net/base64 for more information.
```

```
*
```

```
* @author Luke Taylor
```

```
*/
```

```
Found in path(s):
```

```
* /opt/cola/permits/1136822735_1613930800.48/0/spring-security-jwt-1-0-9-release-sources-2-
jar/org/springframework/security/jwt/codec/Base64Codec.java
```

1.62 checker-qual 3.4.1

1.62.1 Available under license :

Checker Framework qualifiers

Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.63 jax-ws-api 2.3.1

1.63.1 Available under license :

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2006-2017 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2006-2017 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2017-2018 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2007-2017 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2009-2017 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2015-2017 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.64 beam-runners-java-fn-execution 2.25.0

1.64.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/control/SingleEnvironmentInstanceJobBundleFactory.java
*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/data/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/control/InstructionRequestHandler.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/artifact/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/wire/WireCoders.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/state/InMemoryBagUserStateFactory.java
*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/data/FnDataService.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/environment/ProcessEnvironment.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/status/BeamWorkerStatusGrpcService.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/environment/testing/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/data/GrpcDataService.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/control/FnApiControlClientPoolService.java
*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/control/JobBundleFactory.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/control/BundleProgressHandler.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/control/DefaultExecutableStageContext.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/environment/ProcessManager.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/state/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/data/RemoteInputDestination.java
*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-jar/org/apache/beam/runners/fnexecution/provisioning/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-

```

jar/org/apache/beam/runners/fnexecution/control/RemoteBundle.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/logging/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/environment/ExternalEnvironmentFactory.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/graph/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/environment/DockerEnvironmentFactory.java
*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/FnService.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/GrpcFnServer.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/state/StateDelegator.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/ServerFactory.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/environment/EmbeddedEnvironmentFactory.java
*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/BundleSplitHandler.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/ProcessBundleDescriptors.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/environment/DockerCommand.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/TimerReceiverFactory.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/state/GrpcStateService.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/state/StateRequestHandlers.java
*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/MapControlClientPool.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/provisioning/JobInfo.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/translation/BatchSideInputHandlerFactory.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/ExecutableStageContext.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/BundleFinalizationHandler.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/environment/DockerContainerEnvironment.java

```

```

*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/provisioning/StaticGrpcProvisionService.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/translation/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/translation/PipelineTranslatorUtils.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/SdkHarnessClient.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/wire/LengthPrefixUnknownCoders.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/FnApiClient.java
*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/logging/GrpcLoggingService.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/BundleFinalizationHandlers.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/ControlClientPool.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/artifact/ArtifactRetrievalService.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/environment/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/environment/StaticRemoteEnvironmentFactory.java
*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/StageBundleFactory.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/GrpcContextHeaderAccessorProvider.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/DefaultJobBundleFactory.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/wire/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/state/StateRequestHandler.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/logging/Slf4jLogWriter.java
*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/environment/RemoteEnvironment.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/ReferenceCountingExecutableStageContextFactory.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/artifact/ArtifactStagingService.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/environment/ProcessEnvironmentFactory.java

```

```

* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/environment/StaticRemoteEnvironment.java
*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/environment/EnvironmentFactory.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/status/WorkerStatusClient.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/OutputReceiverFactory.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/BundleCheckpointHandler.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/control/RemoteOutputReceiver.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/InProcessServerFactory.java
*
/opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/logging/LogWriter.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/status/package-info.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/HeaderAccessor.java
* /opt/cola/permits/1145036266_1618218196.92/0/beam-runners-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/runners/fnexecution/environment/testing/NeedsDocker.java

```

1.65 beam-runners-core-java 2.25.0

1.65.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

```
/**
 * A trigger that is equivalent to {@code Repeatedly.forever(AfterWatermark.pastEndOfWindow())}. See
 * {@link RepeatedlyStateMachine#forever}
 * and {@link AfterWatermarkStateMachine#pastEndOfWindow} for
 * more details.
 */
```

Found in path(s):

```
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/DefaultTriggerStateMachine.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/LabeledMetrics.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/SplittableParDoViaKeyedWorkItems.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/ActiveWindowSet.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/ReadyCheckingSideInputReader.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/SimpleExecutionState.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/GaugeData.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/ReshuffleTriggerStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/package-info.java
```

```

*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/GaugeCell.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/NonEmptyPanels.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/MetricsContainerImpl.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/UnsupportedSideInputReader.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/DoFnRunner.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/InMemoryStateInternals.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/FinishedTriggersBitSet.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/StateNamespaceForTest.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/DefaultMetricResults.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/TestInMemoryStateInternals.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/GroupByKeyViaGroupByKeyOnly.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/ReduceFnContextFactory.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/package-info.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/DirtyState.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/PushbackSideInputDoFnRunner.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/SideInputHandler.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/WindowingInternals.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/TriggerStateMachineContextFactory.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/OutputWindowedValue.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/LateDataUtils.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/SimpleDoFnRunner.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/StateInternals.java

```

```

* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/TriggerStateMachines.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/GroupAlsoByWindowsAggregators.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/RepeatedlyStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/AfterWatermarkStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/FinishedTriggersSet.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/GlobalCombineFnRunners.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/DoFnRunners.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/PaneInfoTracker.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/TriggerStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/SpecMonitoringInfoValidator.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/NullSideInputReader.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/NonMergingActiveWindowSet.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/ExecutionStateSampler.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/MonitoringInfoEncodings.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/ReduceFnRunner.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/MetricCell.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/TriggerStateMachineRunner.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/InMemoryTimerInternals.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/MonitoringInfoConstants.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/SideInputReader.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/SplittableProcessElementInvoker.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/AfterPaneStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-

```

jar/org/apache/beam/runners/core/InMemoryMultimapSideInputView.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/ExecutableTriggerStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/KeyedWorkItemCoder.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/serialization/Base64Serializer.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/WatermarkHold.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/StatefulDoFnRunner.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/DistributionData.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/MetricsMap.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/MetricsPusher.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/GlobalCombineFnRunner.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/DistributionCell.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/FinishedTriggers.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/TimerInternals.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/NoOpMetricsSink.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/StateAccessor.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/AfterAllStateMachine.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/serialization/package-info.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/StateMerging.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/NeverStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/StateTag.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/MetricsContainerStepMap.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/AfterDelayFromFirstElementStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/ReduceFn.java

```

*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/InMemoryBundleFinalizer.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/OrFinallyStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/AfterSynchronizedProcessingTimeStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/AfterEachStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/StateTags.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/StateNamespaces.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/ExecutionStateTracker.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/PeekingReiterator.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/MetricUpdates.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/CounterCell.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/MergingActiveWindowSet.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/SystemReduceFn.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/StateInternalsFactory.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/SimpleMonitoringInfoBuilder.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/StepContext.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/OutputAndTimeBoundedSplittableProcessElementInvoker.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/SimplePushbackSideInputDoFnRunner.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/ProcessFnRunner.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/AfterFirstStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/GroupAlsoByWindowViaWindowSetNewDoFn.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/KeyedWorkItem.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/StateTable.java

```

```

* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/ElementByteSizeObservable.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/MergingStateAccessor.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/StateNamespace.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/LateDataDroppingDoFnRunner.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/SimpleStateRegistry.java
*
/opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/MonitoringInfoMetricName.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/TimerInternalsFactory.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/triggers/AfterProcessingTimeStateMachine.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/metrics/package-info.java
* /opt/cola/permits/1145036185_1618218201.09/0/beam-runners-core-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/KeyedWorkItems.java

```

1.66 beam-sdks-java-fn-execution 2.25.0

1.66.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-

```

jar/org/apache/beam/sdk/fn/stream/DataStreams.java
*
/opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/IdGenerators.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/InboundDataClient.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/BeamFnDataTimeBasedBufferingOutboundObserver.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/IdGenerator.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/JvmInitializers.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/CompletableFutureInboundDataClient.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/stream/AdvancingPhaser.java
*
/opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/RemoteGrpcPortWrite.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/windowing/package-info.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/FnDataReceiver.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/stream/BufferingStreamObserver.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/channel/SocketAddressFactory.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/stream/package-info.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/stream/OutboundObserverFactory.java
*
/opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/channel/package-info.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/test/InProcessManagedChannelFactory.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/package-info.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/LogicalEndpoint.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/BeamFnDataGrpcMultiplexer.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/splittabledofn/WatermarkEstimators.java
*
/opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/BeamFnDataBufferingOutboundObserver.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-

```

jar/org/apache/beam/sdk/fn/channel/ManagedChannelFactory.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/CloseableFnDataReceiver.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/test/TestStreams.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/test/TestExecutors.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/RemoteGrpcPortRead.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/stream/ForwardingClientResponseObserver.java
*
/opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/windowing/EncodedBoundedWindow.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/splittabledofn/package-info.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/BeamFnDataInboundObserver.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/splittabledofn/RestrictionTrackers.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/stream/SynchronizedStreamObserver.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/test/package-info.java
*
/opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/package-info.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/stream/DirectStreamObserver.java
* /opt/cola/permits/1145036373_1618218199.42/0/beam-sdks-java-fn-execution-2-25-0-sources-1-
jar/org/apache/beam/sdk/fn/data/BeamFnDataSizeBasedBufferingOutboundObserver.java

```

1.67 beam-sdks-java-core 2.25.0

1.67.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
grammar FieldSpecifierNotation;
```

```
@header {
```

```
/*
```

```

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance

```

* with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

```
*/  
package org.apache.beam.sdk.schemas.parser.generated;  
}
```

fieldSpecifier: dotExpression;

dotExpression:
dotExpressionComponent ('.' dotExpressionComponent)*;

dotExpressionComponent: qualifiedComponent # qualifyComponent
| IDENTIFIER # simpleIdentifier
| WILDCARD # wildcard
;

qualifiedComponent: IDENTIFIER qualifierList
;

qualifierList: arrayQualifier (qualifierList)* # arrayQualifierList
| mapQualifier (qualifierList)* # mapQualifierList
;

arrayQualifier: '['
| '['*'
;

mapQualifier: '{'
| '{*'
;

IDENTIFIER: [a-zA-Z0-9_]+ ;

WILDCARD: '*';

WS: [\t\n\r]+ -> skip ;

Found in path(s):

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/parser/generated/FieldSpecifierNotation.g4

No license file was found, but licenses were detected in source scan.

```
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License. You may obtain a copy of the License at
# http://www.apache.org/licenses/LICENSE-2.0
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/sdk.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/MetricNameFilter.java
```

```
*
```

```
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/MatcherSerializer.java
```

```
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/SystemDoFnInternal.java
```

```
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/logicaltypes/package-info.java
```

```
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/MetricResults.java
```

```
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/BackOffUtils.java
```

```
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/TimerSpecs.java
```

```
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
```

jar/org/apache/beam/sdk/testing/UsesSplittableParDoWithWindowedSideInputs.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/reflect/DoFnInvokers.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/BitSetCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/GroupIntoBatches.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/KvSwap.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/transforms/DropFields.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/utils/RowSelector.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/PaneInfo.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/package-info.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/TupleTag.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/PaneExtractors.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/ToString.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/fs/ResourceIdTester.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Values.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/annotations/SchemaIgnore.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/harness/package-info.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/MovingFunction.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/SerializableFunctions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/CoderProperties.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/ConstantAvroDestination.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/ExternalTransformBuilder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/splittabledofn/ManualWatermarkEstimator.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/annotations/Experimental.java

```

*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesMetricsPusher.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/display/HasDisplayData.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/MetricQueryResults.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/range/ByteKeyRange.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Materialization.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/CoderException.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/parser/generated/FieldSpecifierNotationBaseVisitor.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/AvroSource.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/DefaultValueFactory.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/Utils/JavaBeanUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/TestPipelineOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/IdentityWindowFn.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/GlobalWindows.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/Metric.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/KvCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/splittabledofn/ByteKeyRangeTracker.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/FileIO.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/splittabledofn/TimestampObservingWatermarkEstimator.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/join/UnionCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesParDoLifecycle.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/POutput.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/reflect/OnTimerInvokers.java

```

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/GetterBasedSchemaProvider.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/windowing/WindowMappingFn.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/SerializableCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/windowing/FixedWindows.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/CustomCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/values/TypeDescriptor.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/testing/UsesBoundedSplittableParDo.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/metrics/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/FromRowUsingCreator.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/VarInt.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/SetterBasedCreatorFactory.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/state/Timers.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/WithFailures.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/testing/UsesSideInputsWithDifferentCoders.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/options/PipelineOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/Latest.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/options/StreamingOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/metrics/DelegatingCounter.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/runners/PTransformOverrideFactory.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/StructuralByteArray.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/state/GroupingState.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/testing/UsesCustomWindowMerging.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-

jar/org/apache/beam/sdk/io/OffsetBasedSource.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/FlatMapElements.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/VarIntCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/reflect/OnTimerMethodSpecifier.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/common/ReflectHelpers.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesCrossLanguageTransforms.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/CoderProviders.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/InvalidWindows.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/RowWithStorage.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/TimestampedValue.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/UnboundedSource.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/FieldValueTypeInfoInformation.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesSystemMetrics.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/StateSpecs.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/display/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/ToJson.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/Never.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/ByteCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesStrictTimerOrdering.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/PipelineOptionsValidator.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/ByteArrayCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/Row.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/ZipFiles.java

```

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/TimeDomain.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/StateContexts.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/ReadableState.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/join/CoGbkResult.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/TimerMap.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/PCollectionTuple.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/reflect/OnTimerInvoker.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/fs/ResolveOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/join/CoGbkResultSchema.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/TimestampTransform.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/annotations/DefaultSchema.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/WithKeys.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Top.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/utils/ByteBuddyUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/logicaltypes/OneOfType.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/StringDelegateCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/CollectionCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/BooleanCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/PipelineOptionsReflector.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/CoderUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/ShardedFile.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/StateContext.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-

```

```

jar/org/apache/beam/sdk/util/DoFnInfo.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/PValueBase.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/LocalResources.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/NumberedShardedFile.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/SuccessOrFailure.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/utils/ByteBuddyLocalVariableManager.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Create.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesTestStreamWithOutputTimestamp.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/join/CoGroupByKey.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/range/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/CountingSource.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/package-info.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/InferableFunction.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/FieldValueGetter.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/IllegalMutationException.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/RegexMatcher.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/parser/generated/FieldSpecifierNotationListener.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/ExplicitShardedFile.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/ApiSurface.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/GroupByKey.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/BigDecimalCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/utils/POJOUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/package-info.java

```

```

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/FileBasedSink.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/PDone.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/splittabledofn/WatermarkEstimator.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/transforms/Cast.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/CachingFactory.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/SlidingWindows.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/RowJsonValueExtractors.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/WindowedValue.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/reflect/ByteBuddyDoFnInvokerFactory.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/BoundedSource.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/Repeatedly.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/StreamingIT.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/AfterSynchronizedProcessingTime.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/Window.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Materializations.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/RemoteEnvironmentOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/io/InvalidConfigurationException.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/AfterWatermark.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/MoreFutures.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Sample.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/Compression.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/splittabledofn/HasDefaultTracker.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-

```

jar/org/apache/beam/sdk/function/CloseableThrowingConsumer.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/NeedsRunner.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/logicaltypes/Date.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesUnboundedSplittableParDo.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/MapState.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesOrderedListState.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/transforms/Join.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesSchema.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/transforms/Convert.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/logicaltypes/NanosInstant.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/SchemaVerification.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Wait.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/RowWithGetters.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/ValueState.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesAttemptedMetrics.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/SdkHarnessOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/Distribution.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/function/ThrowingConsumer.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/BitSetCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/CombineWithContext.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/ListCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/TypeParameter.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/StructuredCoder.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/testing/ValidatesRunner.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/windowing/MergeOverlappingIntervalWindows.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/reflect/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/BufferedElementCountingOutputStream.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/MimeTypes.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/metrics/Counter.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/io/fs/MoveOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/common/Reiterable.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/windowing/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/logicaltypes/PassThroughLogicalType.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/utils/AvroUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/transforms/CoGroup.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/RowJson.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/metrics/SinkMetrics.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/PipelineRunner.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/options/PortablePipelineOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/Sets.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/splittabledofn/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/io/range/OffsetRangeTracker.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/values/RowUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/metrics/Gauge.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/testing/CombineFnTester.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-

jar/org/apache/beam/sdk/transforms/Combine.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/utils/AvroByteBuddyUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Requirements.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/join/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/WriteFilesResult.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/TextRowCountEstimator.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/PipelineResult.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/expansion/package-info.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/CoderProviderRegistrar.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/FlattenWithHeterogeneousCoders.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/Hidden.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/SerializableBiFunction.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/StateBinder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/PTransform.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/reflect/DoFnInvoker.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/WriteFiles.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/logicaltypes/Time.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Reshuffle.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/utils/ReflectUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/range/ByteKey.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/MetricsEnvironment.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/utils/SchemaZipFold.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/runners/package-info.java

```

*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/ExposedByteArrayInputStream.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Sum.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/AtomicCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesTestStreamWithMultipleStages.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesSideInputs.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/DynamicFileDestinations.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesKms.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/splittabledofn/GrowableOffsetRangeTracker.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesFailureMessage.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/FluentBackoff.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/ThrowingSupplier.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/annotations/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/SourceMetrics.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/fs/EmptyMatchTreatment.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/CompressedSource.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/runners/PTransformMatcher.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesTestStreamWithProcessingTime.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/utils/AutoValueUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/DoubleCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/JavaFieldSchema.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/LocalFileSystem.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/logicaltypes/FixedBytes.java

```

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/reflect/DoFnInvokerFactory.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/state/OrderedListState.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/ExposedByteArrayOutputStream.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/CombineFnUtil.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/PeriodicImpulse.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/transforms/AddFields.java
 *
 /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/splittabledofn/HasDefaultWatermarkEstimator.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/utils/StaticSchemaInference.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/options/ProxyInvocationHandler.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/io/FileSystemRegistrar.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/SetCoder.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/io/FileBasedSource.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/state/WatermarkHoldState.java
 *
 /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/WindowTracing.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/VarLongCoder.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/io/AvroIO.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/Distinct.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/StringUtf8Coder.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/testing/JsonMatcher.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/AvroGenericCoder.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/MapElements.java
 *
 /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/values/PValue.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-

jar/org/apache/beam/sdk/schemas/SchemaProviderRegistrar.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/TextSink.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/reflect/StableInvokerNamingStrategy.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/parser/generated/FieldSpecifierNotationVisitor.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/CombineFnBase.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/WindowFnTestUtils.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesStatefulParDo.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/MetricsFilter.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/ShardedKey.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/logicaltypes/DateTime.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/FieldValueSetter.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/MutationDetector.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/parser/package-info.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/Sleeper.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/utils/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/SchemaUserTypeCreator.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/Weighted.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/SerializableThrowable.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/runners/TransformHierarchy.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/TimestampCombiner.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/runners/PipelineRunnerRegistrar.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/CoderProvider.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/PipelineOptionsFactory.java

```

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesKeyInParDo.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/IntervalWindow.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/fs/MatchResult.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/MapCoder.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/Factory.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/TFRecordIO.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/WindowFn.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/AppliedCombineFn.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/AutoValueSchema.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/SerializableUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/range/ByteKeyRangeTracker.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/PipelineOptionsRegistrar.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/MetricFiltering.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/common/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/NoopLock.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/fs/MetadataCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/IncompatibleWindowException.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/ApplicationNameOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/DoFnSchemaInformation.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/fs/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/WindowingStrategy.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/expansion/ExternalTransformRegistrar.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-

```

jar/org/apache/beam/sdk/testing/LargeKeys.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/ClassLoaderFileSystem.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/DoFnTester.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/transforms/RenameFields.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/WindowSupplier.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/logicaltypes/NanosDuration.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/SerializableBiConsumer.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/ValueProvider.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/EmptyOnDeserializationThreadLocal.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/SourceTestUtils.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/ReifyTimestamps.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/BigEndianShortCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/DefaultTrigger.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/LocalFileSystemRegistrar.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/CombiningState.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/FileSystems.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/parser/generated/FieldSpecifierNotationParser.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/JavaBeanSchema.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/CrashingRunner.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/Description.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/FieldTypeDescriptors.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/SerializableFunction.java

```

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/RowJsonUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/splittabledofn/RestrictionTracker.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/UnownedOutputStream.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/LocalResourceId.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/PAssert.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Watch.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/SerializableAvroCodecFactory.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesMapState.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/TimerSpec.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/ShardingWritableByteChannel.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/AvroSchemaIOPProvider.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/Timer.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/io/SchemaIO.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/reflect/ByteBuddyOnTimerInvokerFactory.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/StateSpec.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/Read.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/ValueProviders.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/FileSystemUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/Metrics.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/StreamUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/Utils/SelectHelpers.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/io/InvalidLocationException.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-

```

jar/org/apache/beam/sdk/coders/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/ApproximateQuantiles.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/DelegateCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/TupleTagList.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/MetricResult.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/DefaultPipelineOptionsRegistrar.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/NonMergingWindowFn.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/display/DisplayData.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/PCollectionList.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/fs/CreateOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/common/ElementByteSizeObservableIterator.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/reflect/DoFnSignature.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/DoFnWithExecutionInformation.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/TextSource.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/Sessions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/WeightedValue.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/GatherAllPanes.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/ValueWithRecordId.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/ParDo.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/range/OffsetRange.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/GlobalWindow.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/ThrowingRunnable.java

```

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/function/ThrowingBiConsumer.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesSetState.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/KV.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/OrFinallyTrigger.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/StringUtils.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/DoFn.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/SchemaCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/FileChecksumMatcher.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/logicaltypes/NanosType.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesCommittedMetrics.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/ApproximateUnique.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesTestStream.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/transforms/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/DoFnOutputReceivers.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/ReleaseInfo.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/reflect/DoFnSignatures.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/IterableCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Deduplicate.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/MetricsSink.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Flatten.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesImpulse.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/function/ThrowingFunction.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-

```

jar/org/apache/beam/sdk/package-info.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/Histogram.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/AvroSink.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/range/RangeTracker.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/CalendarWindows.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/annotations/SchemaCreate.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/splittabledofn/WatermarkEstimators.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/parser/generated/FieldSpecifierNotationBaseListener.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesTimerMap.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/State.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/MetricsOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/io/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/InstantCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/CoderRegistry.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/DistributionResult.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/logicaltypes/EnumerationType.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/SchemaTranslation.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/PBegin.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/Coder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/io/SchemaIOPProvider.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/transforms/Group.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Reify.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesRequiresTimeSortedInput.java

```

*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/RowCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/logicaltypes/MicrosInstant.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Filter.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/DurationCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/parser/FieldAccessDescriptorParser.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/PCollectionView.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/GenerateSequence.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Count.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Impulse.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/Schema.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/SerializableMatcher.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/DefaultFilenamePolicy.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/PCollectionViews.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/SchemaUtils.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/fs/MetadataCoderV2.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/UserCodeException.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/Pipeline.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/ManualDockerEnvironmentOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/SnappyCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/harness/JvmInitializer.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/AfterAll.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/ReadableStates.java

```

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/CombineContextFactory.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/ProcessFunction.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/ViewFn.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/options/Default.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/InstanceBuilder.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/utils/ConvertHelpers.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/NameUtils.java

*

/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/metrics/MetricKey.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/annotations/package-info.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/annotations/Internal.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/metrics/MetricName.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/View.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/windowing/AfterProcessingTime.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/runners/PTransformOverride.java

*

/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/AvroCoder.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/LengthPrefixCoder.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/SchemaProvider.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/IterableLikeCoder.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/windowing/BoundedWindow.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/testing/UsesUnboundedPCollections.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/options/PipelineOptionSpec.java

*

/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/windowing/AfterPane.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-

```

jar/org/apache/beam/sdk/coders/FloatCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/function/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/CombineFns.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/DefaultCoder.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/TextIO.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/common/ElementByteSizeObserver.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/GaugeResult.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesBundleFinalizer.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/transforms/Filter.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Mean.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/parser/generated/package-info.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/PartitioningWindowFn.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/BigEndianIntegerCoder.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/ReadAllViaFileBasedSource.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/Annotations.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Keys.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/PCollection.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/LzoCompression.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/utils/SelectByteBuddyHelpers.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesCounterMetrics.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/Source.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesGaugeMetrics.java

```

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/io/ShardingFunction.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/io/fs/ResourceId.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/windowing/AfterEach.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/FilePatternMatchingShardedFile.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/testing/MatcherDeserializer.java

*

/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/NullableCoder.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/BucketingFunction.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/BackOff.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/PeriodicSequence.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/BigEndianLongCoder.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/function/ThrowingBiFunction.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/logicaltypes/SqlTypes.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/ShardedKeyCoder.java

*

/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/testing/UsesTimersInParDo.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/values/ValueInSingleWindow.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/Max.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/windowing/ReshuffleTrigger.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/testing/TestStream.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/io/ReadableFileCoder.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/splittabledofn/OffsetRangeTracker.java

*

/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/io/InvalidSchemaException.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/io/FileSystem.java

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-

```

jar/org/apache/beam/sdk/values/TaggedPValue.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/RowCoderGenerator.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/Trigger.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/SerializableComparator.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/ShardNameTemplate.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Min.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/CannotProvideCoderException.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/BoundedReadFromUnboundedSource.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/SetState.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/StateKeySpec.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/windowing/AfterFirst.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/values/TypeDescriptors.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/MutationDetectors.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/common/ElementByteSizeObservableIterable.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/StaticWindows.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/common/Reiterator.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/state/BagState.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Join/RawUnionValue.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/options/ExperimentalOptions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/coders/BigIntegerCoder.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/util/Preconditions.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/io/DynamicAvroDestinations.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/TestPipeline.java

```

* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/NoSuchSchemaException.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/Partition.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/TextualIntegerCoder.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/values/PInput.java
 *
 /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/AvroRecordSchema.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/SchemaCoderHelpers.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/io/fs/ResourceIdCoder.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/runners/AppliedPTransform.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/util/UnownedInputStream.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/coders/VoidCoder.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/SchemaRegistry.java
 *
 /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/Contextful.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/io/GenericRecordWriteConverter.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/transforms/SchemaAggregateFn.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/JsonToRow.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/transforms/splittabledofn/SplitResult.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/options/Validation.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/io/BlockBasedSource.java
 *
 /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/options/package-info.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/testing/package-info.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/schemas/parser/generated/FieldSpecifierNotationLexer.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-jar/org/apache/beam/sdk/function/ThrowingRunnable.java
 * /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-

```

jar/org/apache/beam/sdk/transforms/reflect/OnTimerInvokerFactory.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/utils/FieldValueTypeSupplier.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/metrics/MetricsContainer.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/WithTimestamps.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/join/KeyedPCollectionTuple.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/Regex.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesOnWindowExpiration.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/SerializableMatchers.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/testing/UsesDistributionMetrics.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/transforms/Select.java
*
/opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/annotations/SchemaFieldName.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/schemas/FieldAccessDescriptor.java
* /opt/cola/permits/1145036248_1618218205.49/0/beam-sdks-java-core-2-25-0-sources-1-
jar/org/apache/beam/sdk/transforms/SimpleFunction.java

```

1.68 beam-runners-local-java-core 2.25.0

1.68.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

```

- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1145036391_1618218206.1/0/beam-runners-local-java-core-2-25-0-sources-1-jar/org/apache/beam/runners/local/StructuralKey.java
- *
- /opt/cola/permits/1145036391_1618218206.1/0/beam-runners-local-java-core-2-25-0-sources-1-jar/org/apache/beam/runners/local/package-info.java
- * /opt/cola/permits/1145036391_1618218206.1/0/beam-runners-local-java-core-2-25-0-sources-1-jar/org/apache/beam/runners/local/Bundle.java
- * /opt/cola/permits/1145036391_1618218206.1/0/beam-runners-local-java-core-2-25-0-sources-1-jar/org/apache/beam/runners/local/ExecutionDriver.java
- * /opt/cola/permits/1145036391_1618218206.1/0/beam-runners-local-java-core-2-25-0-sources-1-jar/org/apache/beam/runners/local/PipelineMessageReceiver.java

1.69 conscrypt-openjdk-uber 1.3.0

1.69.1 Available under license :

No license file was found, but licenses were detected in source scan.

- /*
- * Copyright (C) 2010 The Android Open Source Project
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLProvider.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/EmptyArray.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLContextImpl.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Android Open Source Project
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless
 * required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/HostProperties.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 The Android Open Source Project
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
```

- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ct/CTVerificationResult.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ct/VerifiedSCT.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ct/CTPolicy.java
- *
- /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ct/CTLogInfo.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ct/Serialization.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ct/CTVerifier.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ct/CTLogStore.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ct/CertificateEntry.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ct/SerializationException.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ct/DigitallySigned.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ct/CTConstants.java
- *
- /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ct/SignedCertificateTimestamp.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright 2015 The Android Open Source Project
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/GCMParameters.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2016 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/SSLUtils.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ArrayUtils.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/NativeRef.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/PSKKeyManager.java
*
/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/DuckTypedPSKKeyManager.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/CryptoUcalls.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/NativeCryptoJni.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/AddressUtils.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ConscryptEngineSocket.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/EvpMdRef.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/SSLServerSessionCache.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ClientSessionContext.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/TrustedCertificateIndex.java

*

/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/FileClientSessionCache.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ServerSessionContext.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/AbstractSessionContext.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/SSLClientSessionCache.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

```
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/  
/*  
* Copyright 2014 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless  
* required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-  
jar/org/conscrypt/NativeLibraryLoader.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2008 The Android Open Source Project  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/  
/**  
* Provides the Java side of our JNI glue for OpenSSL.  
* <p>  
* Note: Many methods in this class take a reference to a Java object that holds a  
* native pointer in the form of a long in addition to the long itself and don't use  
* the Java object in the native implementation. This is to prevent the Java
```

object

- * from becoming eligible for GC while the native method is executing. See
- * [this](https://github.com/google/error-prone/blob/master/docs/bugpattern/UnsafeFinalization.md)
- * for more details.
- *
- * @hide
- */

Found in path(s):

*/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/NativeCrypto.java

No license file was found, but licenses were detected in source scan.

/*

- * Licensed to the Apache Software Foundation (ASF) under one or more
- * contributor license agreements. See the NOTICE file distributed with
- * this work for additional information regarding copyright ownership.
- * The ASF licenses this file to You under the Apache License, Version 2.0
- * (the "License"); you may not use this file except in compliance with
- * the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

*/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/SSLParametersImpl.java

*

*/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/KeyManagerImpl.java

*/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/DefaultSSLContextImpl.java

*/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/SSLNullSession.java

*/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/KeyManagerFactoryImpl.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (C) 2016 The Android Open Source Project
- *
- * Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License");
* you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/TrustManagerFactoryImpl.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/TrustManagerImpl.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2018 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/PSSParameters.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.
*/

/*

* Copyright 2013 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless

required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.
*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/Platform.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Android Open Source Project

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless
* required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/ConscryptEngine.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2016 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
```

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/CertificatePriorityComparator.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLX509CertificateFactory.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLRandom.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLRSAKeyFactory.java

*

/* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLECPublicKey.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLX509Certificate.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLECPointContext.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLRSAPublicKey.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLKey.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLBIOInputStream.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/CertPinManager.java

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLECKeypairGenerator.java

```
*
/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLCipher.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLRSAKeyPairGenerator.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLRSAPrivateCrtKey.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLECGroupContext.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/ChainStrengthAnalyzer.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLCipherRSA.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLRSAPrivateKey.java
```

```
*
/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLECPrivateKey.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLMac.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLSignatureRawRSA.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2008 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLMessageDigestJDK.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLSignature.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

* Copyright (C) 2013 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLX509CRLEntry.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLECKKeyFactory.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLX509CertPath.java

*
/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLECDHKeyAgreement.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLX509CRL.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLKeyHolder.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License", "www.google.com", 443);
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/NativeSslSession.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless

required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/NativeLibraryUtil.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ActiveSession.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ConscryptFileDescriptorSocket.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ApplicationProtocolSelector.java
- *
- /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/PeerInfoProvider.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/AbstractConscryptEngine.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/DESEDESekretKeyFactory.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/Java8EngineWrapper.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/Preconditions.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ExperimentalApi.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/SessionSnapshot.java
- *
- /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/BufferAllocator.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ExternalSession.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/Conscrypt.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLCipherChaCha20.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ApplicationProtocolSelectorAdapter.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/KeyGeneratorImpl.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ECPParameters.java
- * /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ConscryptSession.java

*
/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/IvParameters.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLSignatureRawECDSA.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/SessionDecorator.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/NativeSsl.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/AbstractConscryptSocket.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/X509PublicKey.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/ConscryptServerSocket.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLSocketFactoryImpl.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLServerSocketFactoryImpl.java
*
/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/OpenSSLSocketImpl.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

/*

* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-jar/org/conscrypt/AllocatedBuffer.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Android Open Source Project
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/ByteArray.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Android Open Source Project
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/Internal.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/HandshakeListener.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/Java9PlatformUtil.java
*
```

```
/opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/Java7PlatformUtil.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/Java7ExtendedSSLSession.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/Java8PlatformUtil.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/Java8ExtendedSSLSession.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OAEPParameters.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2014 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLBIOSource.java
* /opt/cola/permits/1145036302_1618218217.13/0/conscrypt-openjdk-uber-1-3-0-sources-1-
jar/org/conscrypt/OpenSSLBIOSink.java
```

1.70 beam-runners-direct-java 2.25.0

1.70.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
```

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/TransformEvaluator.java

*
/opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/ImpulseEvaluatorFactory.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/KeyedPValueTrackingVisitor.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/BundleProcessor.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/DirectGraphVisitor.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/DirectExecutionContext.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/BoundedReadEvaluatorFactory.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/TransformExecutor.java

*
/opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/ImmutabilityCheckingBundleFactory.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/QuiescenceDriver.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/ModelEnforcement.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/RootProviderRegistry.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/ExecutableGraph.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/TransformExecutorServices.java

*
/opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/DirectTransformExecutor.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/SplittableProcessElementsEvaluatorFactory.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/ModelEnforcementFactory.java

* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/StepAndKey.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/CloningBundleFactory.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/DirectMetrics.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/DoFnLifecycleManager.java
 *
 /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/MultiStepCombine.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/ParDoEvaluatorFactory.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/WriteWithShardingFactory.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/TransformExecutorFactory.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/AbstractModelEnforcement.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/StepTransformResult.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/ViewOverrideFactory.java
 *
 /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/WindowEvaluatorFactory.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/ImmutabilityEnforcementFactory.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/UncommittedBundle.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/DirectRunner.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/TransformEvaluatorFactory.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/package-info.java
 *
 /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/ParDoMultiOverrideFactory.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/DirectGBKIntoKeyedWorkItemsOverrideFactory.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/FlattenEvaluatorFactory.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/StatefulParDoEvaluatorFactory.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-jar/org/apache/beam/runners/direct/CommittedResult.java
 * /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-

jar/org/apache/beam/runners/direct/Clock.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/EvaluationContext.java
*
/opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/WatermarkManager.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/RootInputProvider.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/CommittedBundle.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/PassthroughTransformEvaluator.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/UnboundedReadEvaluatorFactory.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/UnboundedReadDeduplicator.java
*
/opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/DoFnLifecycleManagerRemovingTransformEvaluator.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/WatermarkCallbackExecutor.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/DirectGroupByKeyOverrideFactory.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/NanosOffsetClock.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/CompletionCallback.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/ExecutorServiceParallelExecutor.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/ExecutorServiceFactory.java
*
/opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/EmptyInputProvider.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/CopyOnAccessInMemoryStateInternals.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/SourceShard.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/ImmutableListBundleFactory.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/TransformExecutorService.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/DirectTimerInternals.java
*
/opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/BundleFactory.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-

```

jar/org/apache/beam/runners/direct/GroupByKeyOnlyEvaluatorFactory.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/PCollectionViewWindow.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/DoFnLifecycleManagers.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/TestStreamEvaluatorFactory.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/DirectTestOptions.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/ParDoEvaluator.java
*
/opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/PipelineExecutor.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/DirectOptions.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/DisplayDataValidator.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/TransformResult.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/TransformEvaluatorRegistry.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/ReadEvaluatorFactory.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/DirectRegistrar.java
*
/opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/GroupAlsoByWindowEvaluatorFactory.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/SideInputContainer.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/PCollectionViewWriter.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/DirectGraph.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/ViewEvaluatorFactory.java
* /opt/cola/permits/1145036284_1618218228.07/0/beam-runners-direct-java-2-25-0-sources-1-
jar/org/apache/beam/runners/direct/DirectGroupByKey.java

```

1.71 beam-runners-core-construction-java

2.25.0

1.71.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/ParDoTranslation.java
*
 /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/EmptyFlattenAsCreateFactory.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/CoderTranslatorRegistrar.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/ModelCoderRegistrar.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/graph/SideInputReference.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/External.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/ImpulseTranslation.java
*
 /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/resources/PipelineResourcesOptions.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/graph/ProtoOverrides.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/WindowingStrategyTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/ArtifactResolver.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/graph/PipelineNode.java
```

```

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/graph/Networks.java
*
/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/AvroGenericCoderRegistrar.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/PCollectionViewTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/TriggerTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/TransformInputs.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/UnconsumedReads.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/resources/PipelineResourcesDetector.java
*
/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/SplittableParDo.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/graph/SplittableParDoExpander.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/graph/ExecutableStage.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/graph/QueryablePipeline.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/SplittableParDoNaiveBounded.java
*
/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/graph/GreedyPipelineFuser.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/ReadTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/renderer/package-info.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/ModelCoders.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/ReshuffleTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/Timer.java
*
/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/SingleInputOutputOverrideFactory.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/CoderTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/renderer/PortablePipelineDotRenderer.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/WriteFilesTranslation.java

```

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/PipelineTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/FlattenTranslator.java
*
/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/renderer/PipelineDotRenderer.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/ExpansionServiceClient.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/ExecutableStageTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/NativeTransforms.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/SdkComponents.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/RehydratedComponents.java
*
/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/resources/ClasspathScanningResourcesDetector.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/TestStreamTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/ExternalTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/PTTransformMatchers.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/UnboundedReadFromBoundedSource.java
*
/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/CoderTranslators.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/resources/package-info.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/DisplayDataTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/DefaultArtifactResolver.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/ReplacementOutputs.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/CreatePCollectionViewTranslation.java
*
/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/PTTransformTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/WindowIntoTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/graph/FusedPipeline.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/ExpansionServiceClientFactory.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/resources/PipelineResources.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/graph/GreedyPCollectionFusers.java

*

/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/graph/OutputDeduplicator.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/DeduplicatedFlattenFactory.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/DefaultExpansionServiceClientFactory.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/BeamUrns.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/graph/GreedyStageFuser.java

*

/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/TransformPayloadTranslatorRegistrar.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/GroupByKeyTranslation.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/graph/PipelineValidator.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/SyntheticComponents.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/graph/package-info.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/graph/TrivialNativeTransformExpander.java

*

/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/CoderTranslator.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/graph/ImmutableExecutableStage.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/PTransformReplacements.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/ForwardingPTransform.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/PipelineOptionsTranslation.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/Environments.java

*

/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/AvroGenericCoderTranslator.java

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-jar/org/apache/beam/runners/core/construction/RunnerPCollectionView.java

```

* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/UnsupportedOverrideFactory.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/CombineTranslation.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/package-info.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/PCollectionTranslation.java
*
/opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/SerializablePipelineOptions.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/graph/TimerReference.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/PrimitiveCreate.java
* /opt/cola/permits/1145036292_1618218228.27/0/beam-runners-core-construction-java-2-25-0-sources-1-
jar/org/apache/beam/runners/core/construction/graph/UserStateReference.java

```

1.72 gson 2.8.6

1.72.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2010 The Android Open Source Project
* Copyright (C) 2012 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/LinkedTreeMap.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/LinkedHashMap.java

```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/TypeAdapters.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/JsonTreeReader.java
*
/opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/ArrayTypeAdapter.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/TypeAdapter.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/JsonReaderInternalAccess.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/JsonTreeWriter.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/TypeAdapterFactory.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
*
/opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2018 The Gson authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
```

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/internal/GsonBuildConfig.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 The Gson authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/internal/reflect/PreJava9ReflectionAccessor.java

* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/internal/PreJava9DateFormatProvider.java

* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/internal/reflect/ReflectionAccessor.java

*

/opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/internal/reflect/UnsafeReflectionAccessor.java

* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/internal/JavaVersion.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/JsonParseException.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/JsonPrimitive.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/ExclusionStrategy.java
*
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/JsonDeserializer.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/internal/\$Gson\$Preconditions.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/internal/Excluder.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/JsonSerializationContext.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/JsonArray.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/annotations/Since.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/internal/Primitives.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/reflect/TypeToken.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/Gson.java
*
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/JsonIOException.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/JsonObject.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/JsonSerializer.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/internal/ObjectConstructor.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/JsonNull.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/JsonDeserializationContext.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/JsonElement.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/GsonBuilder.java

```
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/FieldNamingPolicy.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/FieldNamingStrategy.java
*
/opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/DefaultDateTypeAdapter.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/annotations/Until.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/annotations/SerializedName.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/annotations/Expose.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/InstanceCreator.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/annotations/JsonAdapter.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2011 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
*/
```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/LazilyParsedNumber.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/SqlDateTypeAdapter.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/ConstructorConstructor.java
*

/opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/TimeTypeAdapter.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/DateTypeAdapter.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/UnsafeAllocator.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/bind/TreeTypeAdapter.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright (C) 2008 Google Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/internal/\$Gson\$Types.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 Google Inc.

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/JsonSyntaxException.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/internal/Streams.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2010 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/stream/JsonToken.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/stream/JsonWriter.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/stream/JsonScope.java
*
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/stream/MalformedJsonException.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/stream/JsonReader.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/LongSerializationPolicy.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-
jar/com/google/gson/JsonStreamParser.java
* /opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/FieldAttributes.java
*
/opt/cola/permits/1108597571_1606176527.27/0/gson-2-8-6-sources-1-jar/com/google/gson/JsonParser.java
```

1.73 istack-commons 3.0.12

1.73.1 Available under license :

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * http://glassfish.java.net/public/CDDL+GPL_1_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 */
```

* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file that
accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.

*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices

contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED

SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the

Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER

INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended

to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these

conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to

exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source

code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable

runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License.

Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software

Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that

version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name
and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later

version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision
```

```
comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are  
welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at  
compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library,

you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent

modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.74 jakarta-mail 1.6.7

1.74.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other

form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing

of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of

the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone

to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program

(independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy

the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source code along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO

WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you

permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

Notices for Jakarta Mail

This content is produced and maintained by the Jakarta Mail project.

* Project home: <https://projects.eclipse.org/projects/ee4j.mail>

Trademarks

Jakarta Mail is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0
OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/mail>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.75 re2j 1.2

1.75.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2010 The Go Authors. All rights reserved.

Found in path(s):

- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Parser.java
- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Regexp.java
- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Utils.java
- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Machine.java
- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Inst.java
- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Prog.java
- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/CharClass.java
- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/RE2.java
- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Compiler.java
- *

/opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/PatternSyntaxException.java

- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/MachineInput.java
- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Unicode.java

No license file was found, but licenses were detected in source scan.

// Copyright 2010 Google Inc. All Rights Reserved.

Found in path(s):

- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Matcher.java
- * /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Pattern.java

No license file was found, but licenses were detected in source scan.

// Copyright 2011 The Go Authors. All rights reserved.

Found in path(s):

1.76 tslib 1.9.0

1.76.1 Available under license :

/*! *****

Copyright (c) Microsoft Corporation. All rights reserved.
Licensed under the Apache License, Version 2.0 (the "License"); you may not use
this file except in compliance with the License. You may obtain a copy of the
License at <http://www.apache.org/licenses/LICENSE-2.0>

THIS CODE IS PROVIDED ON AN *AS IS* BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED
WARRANTIES OR CONDITIONS OF TITLE, FITNESS FOR A PARTICULAR PURPOSE,
MERCHANTABILITY OR NON-INFRINGEMENT.

See the Apache Version 2.0 License for specific language governing permissions
and limitations under the License.

***** */

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source"

form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,

all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License. You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor

harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.77 mockito-inline 3.9.0

1.77.1 Available under license :

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.78 commons-lang3 3.12.0

1.78.1 Available under license :

Apache Commons Lang

Copyright 2001-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.79 springfoxswagger 2.9.2

1.79.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2015-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-
jar/springfox/documentation/swagger2/mappers/ModelMapper.java
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-
jar/springfox/documentation/swagger2/mappers/OAuth2AuthFactory.java
*
/opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-
jar/springfox/documentation/swagger2/mappers/ParameterMapper.java
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-
jar/springfox/documentation/swagger2/configuration/Swagger2JacksonModule.java
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-
jar/springfox/documentation/swagger2/mappers/ApiKeyAuthFactory.java
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-
```

jar/springfox/documentation/swagger2/mappers/BasicAuthFactory.java
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-
jar/springfox/documentation/swagger2/mappers/VendorExtensionsMapper.java
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-
jar/springfox/documentation/swagger2/mappers/SecurityMapper.java
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-
jar/springfox/documentation/swagger2/mappers/SerializableParameterFactories.java
No license file was found, but licenses were detected in source scan.

```
/*  
*  
* Copyright 2017-2019 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*  
*  
*/
```

Found in path(s):

* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-
jar/springfox/documentation/swagger2/mappers/InheritanceDeterminer.java
No license file was found, but licenses were detected in source scan.

```
/*  
*  
* Copyright 2015 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.
```

*
*
*/

Found in path(s):

* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-jar/springfox/documentation/swagger2/mappers/LicenseMapper.java
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-jar/springfox/documentation/swagger2/mappers/SecuritySchemeFactory.java
*
/opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-jar/springfox/documentation/swagger2/annotations/EnableSwagger2.java
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-jar/springfox/documentation/swagger2/mappers/ServiceModelToSwagger2Mapper.java
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-jar/springfox/documentation/swagger2/configuration/Swagger2DocumentationConfiguration.java
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-jar/springfox/documentation/swagger2/mappers/SerializableParameterFactory.java
No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2017-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-jar/springfox/documentation/swagger2/web/Swagger2Controller.java
No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2015-2017 the original author or authors.
*
*/

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-jar/springfox/documentation/swagger2/mappers/EnumMapper.java
* /opt/cola/permits/1177939619_1625570713.75/0/springfox-swagger2-2-9-2-sources-3-jar/springfox/documentation/swagger2/mappers/Properties.java

1.80 springfox-swagger-ui 2.9.2

1.80.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.81 springfox-schema 2.9.2

1.81.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2015 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-
jar/springfox/documentation/schema/TypeNameExtractor.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-
jar/springfox/documentation/schema/property/ObjectMapperBeanPropertyNamingStrategy.java
*
/opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-
jar/springfox/documentation/schema/ModelNameContext.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-
jar/springfox/documentation/schema/DefaultGenericTypeNamingStrategy.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-
jar/springfox/documentation/schema/DefaultModelDependencyProvider.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-
jar/springfox/documentation/schema/DefaultModelProvider.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-
jar/springfox/documentation/schema/property/FactoryMethodProvider.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-
jar/springfox/documentation/schema/plugins/SchemaPluginsManager.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-
jar/springfox/documentation/schema/Annotations.java
*
/opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-
jar/springfox/documentation/schema/CodeGenGenericTypeNamingStrategy.java
```

* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/configuration/ModelsConfiguration.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/bean/Accessors.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/field/FieldModelProperty.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/BaseModelProperty.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/CachingModelProvider.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/ResolvedTypes.java
*
/opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/bean/BeanModelProperty.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/Collections.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/ModelPropertyProvider.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/CachingModelPropertyProvider.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/BeanPropertyNamingStrategy.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/bean/ParameterModelProperty.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/bean/AccessorsProvider.java
*
/opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/ModelDependencyProvider.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/PojoPropertyBuilderFactory.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/ModelProvider.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/CachingModelDependencyProvider.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/field/FieldProvider.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/BeanPropertyDefinitions.java
*
/opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/ModelProperty.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/configuration/ObjectMapperConfigured.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/DefaultTypeNameProvider.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-

jar/springfox/documentation/schema/Maps.java

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2017-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/XmlPropertyPlugin.java

* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/plugins/XmlModelPlugin.java

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2015-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/ModelReferenceProvider.java
No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2015-2016 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 */
```

Found in path(s):

* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/Types.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/JacksonEnumTypeDeterminer.java
*
/opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/OptimizedModelPropertiesProvider.java
No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2017-2019 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
```

* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/plugins/PropertyDiscriminatorBasedInheritancePlugin.java
* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/JaxbPresentInClassPathCondition.java
No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939656_1625570693.96/0/springfox-schema-2-9-2-sources-3-jar/springfox/documentation/schema/property/SimpleMethodSignatureEquality.java

1.82 springfox-spring-web 2.9.2

1.82.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/parameter/ParameterMultiplesReader.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/paths/RelativePathProvider.java
*
/opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/json/Json.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/operation/OperationTagsReader.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/DocumentationCache.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/plugins/DefaultConfiguration.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/scanners/ApiListingReferenceScanResult.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/paths/QueryStringUriTemplateDecorator.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/operation/CachingOperationNameGenerator.java
*
/opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/ObjectMapperConfigurer.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/paths/PathMappingAdjuster.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/paths/PathMappingDecorator.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/plugins/Docket.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/parameter/ParameterDefaultReader.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/paths/AbstractPathProvider.java
*
/opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/scanners/ApiListingScanningContext.java

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/json/JacksonModuleRegistrar.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/paths/OperationPathDecorator.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/json/JsonSerializer.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/operation/HandlerMethodResolver.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/plugins/DocumentationPluginsBootstrapper.java
*
/opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/scanners/ApiListingReader.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/scanners/CachingOperationReader.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/SpringGroupingStrategy.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/ControllerNamingUtils.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/operation/OperationReader.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/paths/Paths.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/parameter/ModelAttributeField.java
*
/opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/parameter/ExpandedParameterBuilder.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/paths/PathSanitizer.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/plugins/DuplicateGroupsDetector.java
No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2015-2018 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*
*
*/

Found in path(s):

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/parameter/ModelAttributeParameterExpander.java

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/scanners/ApiDocumentationScanner.java

*

/opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/parameter/ParameterDataTypeReader.java

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/scanners/MediaTypeReader.java

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/operation/OperationResponseClassReader.java

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/plugins/DocumentationPluginsManager.java

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/operation/ResponseMessagesReader.java

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/SpringfoxWebMvcConfiguration.java

No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2015-2017 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

*

*/

Found in path(s):

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/parameter/ParameterNameReader.java

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-

jar/springfox/documentation/spring/web/plugins/WebMvcRequestHandlerProvider.java

*

/opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-

jar/springfox/documentation/spring/web/DescriptionResolver.java

No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2016-2017 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

*

*/

Found in path(s):

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-

jar/springfox/documentation/spring/web/WebMvcRequestHandler.java

No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2017-2018 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

*

*/

Found in path(s):

```
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/PropertySourcedMapping.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/plugins/PathAndParametersEquivalence.java
*
/opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/plugins/ResolvedMethodParameterEquivalence.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/plugins/JacksonSerializerConvention.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/PropertySourcedRequestMappingHandlerMapping.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/plugins/DefaultRequestHandlerCombiner.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/scanners/ResourcePathProvider.java
No license file was found, but licenses were detected in source scan.
```

```
/*
*
* Copyright 2017-2019 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/
```

Found in path(s):

```
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/readers/parameter/ModelAttributeParameterMetadataAccessor.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/readers/parameter/ExpansionContext.java
*
/opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/readers/parameter/ParameterTypeDeterminer.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/scanners/ResourceGroups.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2016-2019 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/readers/operation/AbstractOperationParameterRequestConditionReader.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
```

jar/springfox/documentation/spring/web/readers/parameter/ParameterTypeReader.java

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2016 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/readers/operation/OperationParameterRequestConditionReader.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/plugins/CombinedRequestHandler.java
*
/opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-
jar/springfox/documentation/spring/web/readers/operation/OperationParameterHeadersConditionReader.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 *
 * Copyright 2015-2016 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 */
```

*
*/

Found in path(s):

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/operation/OperationModelsProvider.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/operation/DefaultOperationReader.java
*
/opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/scanners/ApiDescriptionLookup.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/scanners/ApiDescriptionReader.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/operation/OperationDeprecatedReader.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/plugins/ApiSelectorBuilder.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/operation/DefaultTagsProvider.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/OperationCachingEquivalence.java
*
/opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/operation/OperationParameterReader.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/operation/ApiOperationReader.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/scanners/ApiListingReferenceScanner.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/scanners/ApiModelReader.java
No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2015-2019 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

*
*/

Found in path(s):

* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/scanners/ApiListingScanner.java
* /opt/cola/permits/1177939630_1625570717.51/0/springfox-spring-web-2-9-2-sources-3-jar/springfox/documentation/spring/web/readers/parameter/ParameterRequiredReader.java

1.83 swagger 1.5.20

1.83.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source"

form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole,

an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,

all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an

addendum to the

NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: HOW TO APPLY THE APACHE LICENSE TO YOUR WORK

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless
required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.84 springfox-core 2.9.2

1.84.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2015-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/SecurityScheme.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/OAuth.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/builders/OperationBuilder.java
```

```
*
/opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/ApiKey.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/BasicAuth.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/ResolvedMethodParameter.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/Parameter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
*
* Copyright 2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/
```

```
Found in path(s):
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/builders/ResponseMessageBuilder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
*
* Copyright 2015-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/RequestHandler.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/RequestHandlerSelectors.java
No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/PathSelectors.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/ObjectVendorExtension.java
*
/opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/ModelPropertyBuilder.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/AuthorizationCodeGrant.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/schema/WildcardType.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/AuthorizationScope.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/DocumentationBuilder.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/BuilderDefaults.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/AuthorizationScopeBuilder.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/ApiInfo.java

*

/opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/AuthorizationCodeGrantBuilder.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/CredentialsGrant.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/schema/Entry.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/AllowableValues.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/schema/ModelReference.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/annotations/Cacheable.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/ModelBuilder.java

*

/opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/schema/ModelProperty.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/ApiListingReference.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/TokenRequestEndpointBuilder.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/OperationNameGenerator.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/Parameters.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/annotations/ApiIgnore.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/Tags.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/ApiInfoBuilder.java

*

/opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/schema/ClassSupport.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/AllowableRangeValues.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/Tag.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/VendorExtension.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-

jar/springfox/documentation/service/TokenRequestEndpoint.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/ClientCredentialsGrant.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/ResourceGroup.java
*
/opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/AllowableListValues.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/ResourceOwnerPasswordCredentialsGrant.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/builders/ResourceListingBuilder.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/ApiListing.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/ResponseMessage.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/Documentation.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/Operation.java
*
/opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/StringVendorExtension.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/ApiDescription.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/builders/ImplicitGrantBuilder.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/GrantType.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/PathProvider.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/builders/OAuthBuilder.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/builders/ApiDescriptionBuilder.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/schema/Xml.java
*
/opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/TokenEndpoint.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/builders/LoginEndpointBuilder.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/SecurityReference.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/annotations/Incubating.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-
jar/springfox/documentation/service/ResourceListing.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/MediaTypes.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/schema/AlternateTypeRules.java
*
/opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/ImplicitGrant.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/Contact.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/schema/ModelRef.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/schema/Model.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/schema/Enums.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/ApiListingBuilder.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/LoginEndpoint.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/schema/AlternateTypeRule.java
*
/opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/TokenEndpointBuilder.java
No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2015-2019 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/ParameterMerger.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/ParameterBuilder.java

No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2017-2018 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

*

*/

Found in path(s):

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/ListVendorExtension.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/AlternateTypePropertyBuilder.java

*

/opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/builders/AlternateTypeBuilder.java

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/schema/AlternateTypeRuleConvention.java

No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2017-2019 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/schema/Example.java
No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/service/Header.java
* /opt/cola/permits/1177939693_1625570709.22/0/springfox-core-2-9-2-sources-3-jar/springfox/documentation/RequestHandlerKey.java

1.85 springfox-spi 2.9.2

1.85.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2015-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/contexts/RequestMappingContext.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/contexts/ParameterExpansionContext.java
*
/opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/schema/contexts/ModelContext.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/contexts/ParameterContext.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/contexts/OperationModelContextsBuilder.java
No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2015-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-

jar/springfox/documentation/spi/service/contexts/Orderings.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/contexts/OperationContext.java
No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2015 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-  
jar/springfox/documentation/spi/service/contexts/DocumentationContextBuilder.java  
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-  
jar/springfox/documentation/service/PathDecorator.java  
*  
/opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-  
jar/springfox/documentation/spi/service/ApiListingBuilderPlugin.java  
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-  
jar/springfox/documentation/spi/service/OperationModelsProviderPlugin.java  
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-  
jar/springfox/documentation/spi/service/contexts/ApiSelector.java  
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-  
jar/springfox/documentation/spi/schema/TypeNameProviderPlugin.java  
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-  
jar/springfox/documentation/spi/service/contexts/DocumentationContext.java  
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-  
jar/springfox/documentation/service/PathAdjuster.java  
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-  
jar/springfox/documentation/spi/service/ParameterBuilderPlugin.java  
*  
/opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-  
jar/springfox/documentation/spi/schema/AlternateTypeProvider.java  
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
```

```
jar/springfox/documentation/spi/DocumentationType.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/contexts/Defaults.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/ExpandedParameterBuilderPlugin.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/OperationBuilderPlugin.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/schema/EnumTypeDeterminer.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/contexts/PathContext.java
*
/opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/contexts/ApiListingContext.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/contexts/SecurityContext.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/contexts/SecurityContextBuilder.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/ResourceGroupingStrategy.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/schema/GenericTypeNamingStrategy.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/schema/ModelPropertyBuilderPlugin.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/schema/contexts/ModelPropertyContext.java
*
/opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/DefaultsProviderPlugin.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/schema/ModelBuilderPlugin.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/DocumentationPlugin.java
* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/RequestHandlerProvider.java
No license file was found, but licenses were detected in source scan.
```

```
/*
*
* Copyright 2017-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/RequestHandlerCombiner.java
No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-
jar/springfox/documentation/spi/service/ApiListingScannerPlugin.java
No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2017-2019 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software

- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- *
- *
- */

Found in path(s):

- * /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-jar/springfox/documentation/spi/service/ParameterMetadataAccessor.java
- * /opt/cola/permits/1177939641_1625570672.78/0/springfox-spi-2-9-2-sources-3-jar/springfox/documentation/spi/schema/SyntheticModelProviderPlugin.java

1.86 springfox-swagger-common 2.9.2

1.86.1 Available under license :

No license file was found, but licenses were detected in source scan.

- /*
- *
- * Copyright 2018 the original author or authors.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- *
- *
- */

Found in path(s):

- * /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/web/ModelRendering.java
- * /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/web/TagsSorter.java
- *
- /*
- * /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/web/OperationsSorter.java
- * /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-

jar/springfox/documentation/swagger/web/SecurityConfigurationBuilder.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-
jar/springfox/documentation/swagger/web/UiConfigurationBuilder.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-
jar/springfox/documentation/swagger/web/DocExpansion.java
No license file was found, but licenses were detected in source scan.

```
/*  
*  
* Copyright 2015-2017 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*  
*  
*/
```

Found in path(s):

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-
jar/springfox/documentation/swagger/readers/operation/OperationImplicitParametersReader.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-
jar/springfox/documentation/swagger/schema/ApiModelProperty.java
No license file was found, but licenses were detected in source scan.

```
/*  
*  
* Copyright 2015 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.
```

*
*
*/

Found in path(s):

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/schema/ApiModelPropertyPropertyBuilder.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/common/SwaggerPluginSupport.java
*
/opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/configuration/SwaggerCommonConfiguration.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/readers/operation/ResponseHeaders.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/web/ApiKeyVehicle.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/readers/parameter/ParameterAnnotationReader.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/web/SwaggerResourcesProvider.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/schema/ApiModelBuilder.java
*
/opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/web/InMemorySwaggerResourcesProvider.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/web/ClassOrApiAnnotationResourceGrouping.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/schema/ApiModelTypeNameProvider.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/web/SwaggerApiListingReader.java
No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2017-2018 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*
*
*/

Found in path(s):

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/web/UiConfiguration.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/common/XForwardPrefixPathAdjuster.java
*

/opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/web/SecurityConfiguration.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/web/SwaggerResource.java

No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2015-2016 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

*

*/

Found in path(s):

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/readers/operation/OperationHiddenReader.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/readers/operation/SwaggerOperationTagsReader.java
*

/opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/annotations/Annotations.java

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/readers/operation/VendorExtensionsReader.java

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/readers/operation/OperationNotesReader.java

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-

```
jar/springfox/documentation/swagger/readers/operation/OperationPositionReader.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-
jar/springfox/documentation/swagger/readers/operation/OperationAuthReader.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-
jar/springfox/documentation/swagger/readers/operation/SwaggerMediaTypeReader.java
*
/opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-
jar/springfox/documentation/swagger/readers/operation/OperationSummaryReader.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-
jar/springfox/documentation/swagger/readers/operation/OperationHttpMethodReader.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-
jar/springfox/documentation/swagger/readers/operation/SwaggerOperationModelsProvider.java
* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-
jar/springfox/documentation/swagger/readers/operation/OperationNicknameIntoUniqueIdReader.java
No license file was found, but licenses were detected in source scan.
```

```
/*
*
* Copyright 2017-2019 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/
```

```
/* NOTE: This class is copied from
* <groupId>org.springframework.data</groupId>
* <artifactId>spring-data-commons</artifactId>
* <version>1.13.9.RELEASE</version>
*
* Copyright 2013-2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
*/
```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/common/Version.java

No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2015-2018 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

*

*/

Found in path(s):

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/common/HostNameProvider.java

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/web/ApiResourceController.java

*

/opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/readers/operation/SwaggerOperationResponseClassReader.java

jar/springfox/documentation/swagger/readers/operation/SwaggerOperationResponseClassReader.java

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/readers/operation/SwaggerResponseMessageReader.java

jar/springfox/documentation/swagger/readers/operation/SwaggerResponseMessageReader.java

No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2017-2019 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/common/SpringVersionCapability.java

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/readers/parameter/Examples.java

No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2015-2019 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/readers/operation/OperationImplicitParameterReader.java

* /opt/cola/permits/1177939685_1625570697.96/0/springfox-swagger-common-2-9-2-sources-3-jar/springfox/documentation/swagger/readers/parameter/SwaggerExpandedParameterBuilder.java

*

/*
*/

/*
*/

1.87 jakarta xml bind api 2.3.3

1.87.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c)

The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving

attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of

Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled

for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY

COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER

TORT

(INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R.

2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable

law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The

application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial

Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

/*

* Copyright (c) 2005, 2019 Oracle and/or its affiliates. All rights reserved.

*

* This program and the accompanying materials are made available under the

* terms of the Eclipse Distribution License v. 1.0, which is available at

* <http://www.eclipse.org/org/documents/edl-v10.php>.

*

* SPDX-License-Identifier: BSD-3-Clause

*/

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2017, 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[/]: # " Copyright (c) 2018, 2019 Oracle and/or its affiliates. All rights reserved. "

[/]: # " "

[/]: # " This program and the accompanying materials are made available under the "

[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "

[/]: # " <http://www.eclipse.org/org/documents/edl-v10.php>. "

[/]: # " "

[/]: # " SPDX-License-Identifier: BSD-3-Clause "

Notices for Jakarta XML Binding

This content is produced and maintained by the Jakarta XML Binding project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb>

Trademarks

Jakarta XML Binding is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/jaxb-api>
- * <https://github.com/eclipse-ee4j/jaxb-tck>

Third-party Content

This project leverages the following third party content.

Apache River (3.0.0)

- * License: Apache-2.0 AND BSD-3-Clause

ASM 7 (n/a)

- * License: BSD-3-Clause
- * Project: <https://asm.ow2.io/>
- * Source: <https://repository.ow2.org/nexus/#nexus-search;gav~org.ow2.asm~asm-commons~~~~kw,versionexpand>

JTHarness (5.0)

- * License: (GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0)
- * Project: <https://wiki.openjdk.java.net/display/CodeTools/JT+Harness>
- * Source: <http://hg.openjdk.java.net/code-tools/jtharness/>

normalize.css (3.0.2)

* License: MIT

SigTest (n/a)

* License: GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.88 commons-io 2.10.0

1.88.1 Available under license :

Apache Commons IO

Copyright 2002-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.89 jsoup 1.14.2

1.89.1 Available under license :

The MIT License

Copyright (c) 2009-2021 Jonathan Hedley <<https://jsoup.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.90 servlet-api 4.0.1

1.90.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under

intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You

represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use,

distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR

CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California

and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works

in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the

entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.91 lombok 1.18.22

1.91.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2010-2011 The Project Lombok Authors.
 *
 * Permission is hereby granted, free of charge, to any person obtaining a copy
 * of this software and associated documentation files (the "Software"), to deal
 * in the Software without restriction, including without limitation the rights
 * to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
 * copies of the Software, and to permit persons to whom the Software is
 * furnished to do so, subject to the following conditions:
 *
 * The above copyright notice and this permission notice shall be included in
 * all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
 * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 * ANY CLAIM, DAMAGES OR OTHER
 * LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
 * OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
 * THE SOFTWARE.
 */
```

Found in path(s):

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/apt/Javac6BaseFileObjectWrapper.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/apt/LombokFileObject.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/apt/Javac7BaseFileObjectWrapper.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/apt/InterceptingJavaFileObject.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012-2019 The Project Lombok Authors.
 *
 * Permission is hereby granted, free of charge, to any person obtaining a copy
 * of this software and associated documentation files (the "Software"), to deal
 * in the Software without restriction, including without limitation the rights
 * to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
```

* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/Wither.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/agent/PatchDiagnostics.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/With.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011-2013 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-

```
jar/lombok/javac/java7/CommentCollectingScanner.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/java7/CommentCollectingScannerFactory.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/java6/CommentCollectingScanner.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/java6/CommentCollectingScannerFactory.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2010-2012 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/
```

```
Found in path(s):
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/bytecode/FixedClassWriter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2018-2021 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
```

* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/permit/Permit.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleBuilderDefaultRemove.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/eclipse/STS4LocationProvider.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/eclipse/AngularIDELocationProvider.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/package-info.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-

```
jar/lombok/delombok/UnicodeEscapeWriter.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/CorruptedIdeLocationException.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/runtimeDependencies/RuntimeDependencyInfo.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/LombokApp.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/WindowsDriveInfo.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/apt/package-info.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/installer/package-info.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/AccessLevel.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/agent/package-
info.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/AppleNativeLook.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/ClassLiteral.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/extern/flogger/Flogger.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/AlreadyHandledAnnotations.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/apt/Javac9JavaFileObjectWrapper.java
```

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/FieldSelect.java
No license file was found, but licenses were detected in source scan.

/**

* This is a reduced copy of the nqzero Permit-reflect project.
* <https://github.com/nqzero/permit-reflect>
*
* Many thanks to nqzero. The permit-reflect project is, like lombok itself, licensed under the MIT license.
* See <https://github.com/nqzero/permit-reflect/blob/master/License> for license info.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/permit/package-info.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012-2017 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/extern/slf4j/XSlf4j.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/ExtensionMethod.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/Accessors.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/Value.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/FieldDefaults.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017-2021 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleBuilderDefault.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleBuilderDefault.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/PostCompilerTransformation.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/FindTypeVarScanner.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012-2013 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/CompilerMessageMatcher.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/CapturingDiagnosticListener.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009-2011 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy

* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/CommentInfo.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/SpiLoadUtil.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013-2017 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/extern/log4j/Log4j2.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/java9/CommentCollectingParserFactory.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/Javac8BasedLombokOptions.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2012-2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/debug/DebugSnapshot.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/debug/package-
info.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/debug/DebugSnapshotStore.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2009-2013 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
```

*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/AnnotationValues.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/configuration/ConfigurationResolver.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/LombokImmutableList.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/Javac6BasedLombokOptions.java

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/delombok/FormatPreferenceScanner.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/ConfigurationValueParser.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/debug/FileLog.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/JavaIdentifiers.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/delombok/LombokOptionsFactory.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2014-2019 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/LombokTestSource.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2013-2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
*
```

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/java7/CommentCollectingParser.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/java6/CommentCollectingParser.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/java8/CommentCollectingParserFactory.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/java7/CommentCollectingParserFactory.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/java6/CommentCollectingParserFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015-2016 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/Generated.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/configuration/ConfigurationFileToSource.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/configuration/NullAnnotationLibrary.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/configuration/ConfigurationFile.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/WithBy.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/apt/Processor.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/Helper.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilSingularizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/GuavaTypeMap.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/CallSuperType.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/agent/EclipseLoaderPatcher.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/RunCoreTests.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/handlers/Singulars.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/debug/AssertionLogger.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/agent/EclipseLoaderPatcherTransplants.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/agent/PatchFixesShadowLoaded.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/EcjAugments.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/ConfigurationKeysLoader.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/Augments.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/package-
info.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/FieldAugment.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/ExampleValueString.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/launch/Agent.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/ConfigurationProblemReporter.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/debug/ProblemReporter.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/Tolerate.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/FlagUsageType.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

CLAIM, DAMAGES OR OTHER

- * LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
 - * OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
 - * THE SOFTWARE.
- */

Found in path(s):

*/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/agent/PatchValEclipsePortal.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010-2013 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR

ANY CLAIM, DAMAGES OR OTHER

* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

*/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/LombokOptions.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011-2021 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/CompilerMessageSuppressor.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/JavacResolution.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/java8/CommentCollectingScannerFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009-2021 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/installer/Installer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleCleanup.java

```

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleGetter.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/Version.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleCleanup.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleSynchronized.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleSneakyThrows.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/transform/TestLombokFilesIdempotent.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleSynchronized.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/agent/EclipsePatcher.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/Eclipse.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleSetter.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/EclipseAST.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleToString.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/DirectoryRunner.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/JavacNode.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleData.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/Main.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/transform/TestWithEcj.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/eclipse/STSLocationProvider.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/JavacHandlerUtil.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/RunTestsViaDelombok.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleSetter.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/eclipse/EclipseLocationProvider.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandlePrintAST.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/EclipseNode.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/handlers/SneakyThrowsAndCleanupDependencyInfo.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/transform/TestSourceFiles.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-

```

```
jar/lombok/javac/handlers/HandleData.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleSneakyThrows.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleEqualsAndHashCode.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleEqualsAndHashCode.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandlePrintAST.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleToString.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/EclipseHandlerUtil.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleGetter.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/delombok/DelombokApp.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/runtimeDependencies/CreateLombokRuntimeApp.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/transform/TestWithDelombok.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2009-2010 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/
```

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/installer/InstallException.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/DiagnosticsReceiver.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/installer/UninstallException.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/apt/MessengerDiagnosticsReceiver.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010-2019 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/PostCompiler.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/bytecode/ClassFileMetaData.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/apt/InterceptingJavaFileManager.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/Javac9BasedLombokOptions.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/PackageName.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010-2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/var.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009-2019 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/delombok/DelombokResult.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/JavacTransformer.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/NonNull.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/delombok/Delombok.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/AST.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/JavacASTAdapter.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/TypeLibrary.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/EclipseASTVisitor.java

*

/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/JavacASTVisitor.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/EclipseASTAdapter.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/Javac.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012-2021 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
 * of this software and associated documentation files (the "Software"), to deal
 * in the Software without restriction, including without limitation the rights
 * to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
 * copies of the Software, and to permit persons to whom the Software is
 * furnished to do so, subject to the following conditions:
 *
 * The above copyright notice and this permission notice shall be included in
 * all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
 * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 * ANY CLAIM, DAMAGES OR OTHER
 * LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
 * OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
 * THE SOFTWARE.
 */

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/javac/handlers/HandleExtensionMethod.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/javac/handlers/HandleWith.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/javac/handlers/HandleFieldDefaults.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/core/PublicApiCreatorApp.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/eclipse/handlers/HandleExtensionMethod.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/eclipse/handlers/HandleFieldDefaults.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/bytecode/PoolConstantsApp.java
 *
 /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/javac/handlers/HandleValue.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/eclipse/handlers/HandleValue.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/eclipse/agent/PatchDelegatePortal.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/javac/handlers/HandleAccessors.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/eclipse/agent/PatchExtensionMethod.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
 jar/lombok/eclipse/handlers/HandleWith.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014-2018 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/experimental/FieldNameConstants.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/launch/AnnotationProcessor.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/ConfigurationResolverFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/extern/jackson/Jacksonized.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014-2015 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/launch/Main.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013-2018 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/Builder.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/LombokConfiguration.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/ConfigurationKey.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013-2021 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleNonNull.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleBuilder.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/java8/CommentCollectingTokenizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleBuilder.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/eclipse/JbdsLocationProvider.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleJacksonized.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleNonNull.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/eclipse/RhdsLocationProvider.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2009-2016 The Project Lombok Authors.
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
```

```
*
```

```
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
```

```
*/
```

```
Found in path(s):
```

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/IdeLocationProvider.java
```

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/installer/OsUtils.java
```

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/eclipse/EclipseProductLocationProvider.java
```

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/installer/IdeLocation.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009-2014 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/handlers/package-info.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/bytecode/package-info.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/runtimeDependencies/package-info.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/package-info.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/package-info.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/AgentLauncher.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015-2020 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/Singular.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013-2021 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleSuperBuilder.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleSuperBuilder.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 The Project Lombok Authors.
 *
 * Permission is hereby granted, free of charge, to any person obtaining a copy
 * of this software and associated documentation files (the "Software"), to deal
 * in the Software without restriction, including without limitation the rights
 * to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
 * copies of the Software, and to permit persons to whom the Software is
 * furnished to do so, subject to the following conditions:
 *
 * The above copyright notice and this permission notice shall be included in
 * all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
 * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
 * CLAIM, DAMAGES OR OTHER
 * LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
 * OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
 * THE SOFTWARE.
 */
```

Found in path(s):

```
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/HandlerPriority.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/experimental/PackagePrivate.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/DeferUntilPostDiet.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/ResolutionResetNeeded.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/JavacResolver.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/agent/ExtensionMethodCompletionProposal.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/agent/PatchExtensionMethodCompletionProposalPortal.java
 *
 /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/NonFinal.java
 * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/agent/PatchExtensionMethodCompletionProposal.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2011-2020 The Project Lombok Authors.
 *
 * Permission is hereby granted, free of charge, to any person obtaining a copy
 * of this software and associated documentation files (the "Software"), to deal
```

* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/TestBase.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/TestEclipse.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/TestJavac.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015-2021 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilListSingularizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/singulars/EclipseGuavaSetListSingularizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/singulars/EclipseGuavaMapSingularizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilSetSingularizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/HandleHelper.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilMapSingularizer.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/JavacSingularsRecipes.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/HandleUtilityClass.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilSetSingularizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/HandleUtilityClass.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilListSetSingularizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/singulars/EclipseGuavaTableSingularizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilMapSingularizer.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/singulars/JavacGuavaMapSingularizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/EclipseSingularsRecipes.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilListSingularizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/singulars/JavacGuavaTableSingularizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/singulars/EclipseGuavaSingularizer.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/HandleHelper.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2016-2021 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights

* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/eclipse/MyEclipseLocationProvider.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/delombok/PrettyPrinter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010-2021 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/agent/PatchDelegate.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/HandleVal.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/TreeMirrorMaker.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/bytecode/AsmUtil.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/HandleDelegate.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/HandleVal.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/HandleConstructor.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/agent/PatchVal.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/HandleLog.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/bytecode/PostCompilerApp.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/launch/PatchFixesHider.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/HandleLog.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/RunTestsViaEcj.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/bytecode/SneakyThrowsRemover.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/bytecode/PreventNullAnalysisRemover.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/HandleConstructor.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020-2021 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/agent/PatchJavadoc.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleWithBy.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/eclipse/RhcrLocationProvider.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleSuperBuilderRemove.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleWithBy.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleJacksonized.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleBuilderRemove.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2021 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/HandleStandardException.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/HandleStandardException.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/experimental/StandardException.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2009-2017 The Project Lombok Authors.
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
```

```
*
```

```
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/Setter.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/Synchronized.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/Cleanup.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/package-
info.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/SneakyThrows.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/installer/InstallerGUI.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/Lombok.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/package-info.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/Data.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/eclipse/EclipseProductLocation.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/Getter.java
```

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015-2020 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/singulars/JavacGuavaSingularizer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015-2019 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/UtilityClass.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilSingularizer.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilListSetSingularizer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013-2019 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/java9/CommentCollectingParser.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/java8/CommentCollectingScanner.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/LombokInternalAliasing.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/java8/CommentCollectingParser.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/configuration/ConfigurationDataType.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/configuration/TypeName.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010-2018 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*

* Thanks to Stephen Haberman for a patch to solve some NPEs in Eclipse.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/agent/PatchValEclipse.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013-2020 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/handlers/HandlerUtil.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/JavacImportList.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/ImportList.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/EclipseImportList.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/JavacTreeMaker.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/ConfigurationKeys.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015-2017 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/TestSingulars.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011-2019 The Project Lombok Authors.
*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/CommentCatcher.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010-2017 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/extern/slf4j/Slf4j.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/val.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/NoArgsConstructor.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/extern/log4j/Log4j.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/Delegate.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/var.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/Delegate.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/AllArgsConstructor.java
*
/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/extern/apachecommons/CommonsLog.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/RequiredArgsConstructor.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/extern/java/Log.java
```

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011-2015 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/handlers/SetGeneratedByVisitor.java
```

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015-2021 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/handlers/singulars/JavacGuavaSetListSingularizer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009-2018 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

- * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/delombok/ant/DelombokTaskImpl.java
- * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/delombok/ant/DelombokTask.java
- * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/AnnotationProcessor.java
- * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/HandlerLibrary.java
- * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/AbstractRunTests.java
- * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/HandlerLibrary.java
- * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/delombok/DocCommentIntegrator.java
- *

/opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/ToString.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014-2021 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy

* of this software and associated documentation files (the "Software"), to deal

* in the Software without restriction, including without limitation the rights

* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

* copies of the Software, and to permit persons to whom the Software is

* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in

* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR

* ANY CLAIM, DAMAGES OR OTHER

* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

* THE SOFTWARE.

*/

Found in path(s):

- * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/HandleDelegate.java

- * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/configuration/ConfigurationApp.java

- * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/handlers/HandleFieldNameConstants.java

- * /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/handlers/HandleAccessors.java

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-  
jar/lombok/eclipse/handlers/HandleFieldNameConstants.java  
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-  
jar/lombok/launch/ShadowClassLoader.java  
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/JavacAugments.java  
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2019-2020 The Project Lombok Authors.
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy  
* of this software and associated documentation files (the "Software"), to deal  
* in the Software without restriction, including without limitation the rights  
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
* copies of the Software, and to permit persons to whom the Software is  
* furnished to do so, subject to the following conditions:
```

```
*
```

```
* The above copyright notice and this permission notice shall be included in  
* all copies or substantial portions of the Software.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR  
* ANY CLAIM, DAMAGES OR OTHER  
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
* THE SOFTWARE.
```

```
*/
```

```
Found in path(s):
```

```
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-  
jar/lombok/core/configuration/CheckerFrameworkVersion.java
```

```
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2010-2020 The Project Lombok Authors.
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy  
* of this software and associated documentation files (the "Software"), to deal  
* in the Software without restriction, including without limitation the rights  
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
* copies of the Software, and to permit persons to whom the Software is  
* furnished to do so, subject to the following conditions:
```

```
*
```

```
* The above copyright notice and this permission notice shall be included in  
* all copies or substantial portions of the Software.
```

```
*
```

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/apt/LombokFileObjects.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014-2020 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/ConfigurationParser.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/NullCheckExceptionType.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/SingleConfigurationSource.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/ConfigurationSource.java

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-

jar/lombok/core/configuration/BubblingConfigurationResolver.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/core/configuration/FileSystemSourceCache.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2016 The Project Lombok Authors.  
*  
* Permission is hereby granted, free of charge, to any person obtaining a copy  
* of this software and associated documentation files (the "Software"), to deal  
* in the Software without restriction, including without limitation the rights  
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
* copies of the Software, and to permit persons to whom the Software is  
* furnished to do so, subject to the following conditions:  
*  
* The above copyright notice and this permission notice shall be included in  
* all copies or substantial portions of the Software.  
*  
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY  
* CLAIM, DAMAGES OR OTHER  
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
* THE SOFTWARE.  
*/
```

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/eclipse/StandardProductDescriptor.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/installer/eclipse/EclipseProductDescriptor.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2009-2012 The Project Lombok Authors.  
*  
* Permission is hereby granted, free of charge, to any person obtaining a copy  
* of this software and associated documentation files (the "Software"), to deal  
* in the Software without restriction, including without limitation the rights  
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
* copies of the Software, and to permit persons to whom the Software is  
* furnished to do so, subject to the following conditions:  
*  
* The above copyright notice and this permission notice shall be included in  
* all copies or substantial portions of the Software.  
*  
*/
```

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/eclipse/EclipseAnnotationHandler.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/PrintAST.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/javac/JavacAnnotationHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013-2015 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/delombok/FormatPreferences.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2016-2017 The Project Lombok Authors.

*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-
jar/lombok/extern/jbosslog/JBossLog.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
* DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/experimental/SuperBuilder.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/configuration/AllowHelper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009-2020 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
* ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/EqualsAndHashCode.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/eclipse/TransformEclipseAST.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/JavacAST.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/TypeResolver.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/handlers/InclusionExclusionUtils.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/LombokNode.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/javac/apt/LombokProcessor.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2019 The Project Lombok Authors.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy

* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/configuration/LogDeclaration.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/handlers/LoggingFramework.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/CustomLog.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/configuration/ConfigurationValueType.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/CleanupTask.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/configuration/IdentifierName.java
* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/core/CleanupRegistry.java
No license file was found, but licenses were detected in source scan.

This vector art image is part of the public domain. It has been updated from:
<http://www.clker.com/clipart>

Found in path(s):

* /opt/cola/permits/1221016694_1635406611.86/0/lombok-1-18-22-sources-jar/lombok/installer/lombok.svg

1.92 commons-csv 1.9.0

1.92.1 Available under license :

Apache Commons CSV
Copyright 2005-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.93 commons-pool 2.11.1

1.93.1 Available under license :

Apache Commons Pool
Copyright 2001-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

APACHE COMMONS POOL DERIVATIVE WORKS:

The LinkedBlockingDeque implementation is based on an implementation written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/licenses/publicdomain>

1.94 okhttp 4.9.3

1.94.1 Available under license :

Note that publicsuffixes.gz is compiled from The Public Suffix List:
https://publicsuffix.org/list/public_suffix_list.dat

It is subject to the terms of the Mozilla Public License, v. 2.0:
<https://mozilla.org/MPL/2.0/>

/*

* Copyright (C) 2012 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Mozilla Public License

Version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. “Executable Form”

means

any form of the work other than Source Code Form.

1.7. “Larger Work”

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. “License”

means this document.

1.9. “Licensable”

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. “Modifications”

means any of the following:

any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

any new file in Source Code Form that contains any Covered Software.

1.11. “Patent Claims” of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. “Secondary License”

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. “Source Code Form”

means the form of the work preferred for making modifications.

1.14. “You” (or “Your”)

means an individual or a legal entity exercising rights under this License. For legal entities, “You” includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, “control” means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of

such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

for

any code that a Contributor has removed from Covered Software; or

for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights

to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

such Covered Software must also be made available in Source Code Form, as described in

Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s),

so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed

in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an “as is” basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes

an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party’s negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so

this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without

reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.95 Iodash-es 4.17.21

1.95.1 Available under license :

Copyright OpenJS Foundation and other contributors <<https://openjsf.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies
or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the

terms above.

1.96 snake-yaml 1.30

1.96.1 Available under license :

Found license 'Eclipse Public License 1.0' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> * Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

Found license 'GNU Lesser General Public License' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> * Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

1.97 hdrhistogram 2.1.12

1.97.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Written by Gil Tene of Azul Systems, and released to the public domain,
 * as explained at http://creativecommons.org/publicdomain/zero/1.0/
 */
```

Found in path(s):

```
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/WriterReaderPhaser.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Written by Gil Tene of Azul Systems, and released to the public domain,
 * as explained at http://creativecommons.org/publicdomain/zero/1.0/
 *
 * @author Gil Tene
 */
```

Found in path(s):

```
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/DoublePercentileIterator.java
```

```
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/ZigZagEncoding.java
```

```
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
```

jar/org/HdrHistogram/AllValuesIterator.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/Base64Helper.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/IntCountsHistogram.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/DoubleLinearIterator.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/PackedConcurrentDoubleHistogram.java
*
/opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/SynchronizedHistogram.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/packedarray/PackedArraySingleWriterRecorder.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/Histogram.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/LogarithmicIterator.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-jar/org/HdrHistogram/Version.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/RecordedValuesIterator.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/LinearIterator.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/PackedDoubleHistogram.java
*
/opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/AtomicHistogram.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/HistogramIterationValue.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/Recorder.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/ConcurrentDoubleHistogram.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/HistogramLogReader.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/HistogramLogProcessor.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/PackedHistogram.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/SingleWriterDoubleRecorder.java
*
/opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/DoubleRecorder.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/DoubleHistogramIterationValue.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-

```
jar/org/HdrHistogram/AbstractHistogramIterator.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/SynchronizedDoubleHistogram.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/PercentileIterator.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/PackedConcurrentHistogram.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/DoubleRecordedValuesIterator.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/DoubleAllValuesIterator.java
*
/opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/SingleWriterRecorder.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/DoubleLogarithmicIterator.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/ShortCountsHistogram.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/EncodableHistogram.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/HistogramLogScanner.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/packedarray/PackedArrayRecorder.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/ConcurrentHistogram.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Written by Gil Tene of Azul Systems, and released to the public domain,
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
*
* @author Gil Tene
*/
```

```
Found in path(s):
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/AbstractHistogram.java
* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-
jar/org/HdrHistogram/DoubleHistogram.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* package-info.java
* Written by Gil Tene of Azul Systems, and released to the public domain,
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
*/
```

Found in path(s):

* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-jar/org/HdrHistogram/package-info.java

No license file was found, but licenses were detected in source scan.

/**

* Written by Gil Tene of Azul Systems, and released to the public domain,

* as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

*

* @author Gil Tene

*/

package org.HdrHistogram;

final class Version {

public static final String version="\$VERSION\$";

public static final String build_time="\$BUILD_TIME\$";

}

Found in path(s):

* /opt/cola/permits/1257203437_1642787675.09/0/hdrhistogram-2-1-12-sources-jar/org/HdrHistogram/Version.java.template

1.98 avro-guava-dependencies 1.8.2

1.98.1 Available under license :

Apache Avro Guava Dependencies

Copyright 2009-2017 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

License for Guava classes included in this binary artifact:

Copyright: 2006-2015 The Guava Authors

License: <http://www.apache.org/licenses/LICENSE-2.0> (see above)

1.99 hikaricp 4.0.3

1.99.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013, 2014 Brett Wooldridge
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/PoolBase.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 Brett Wooldridge
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/PoolEntry.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/dropwizard/CodahaleHealthChecker.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013,2014 Brett Wooldridge

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/MetricsTrackerFactory.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/HikariJNDIFactory.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/HikariPool.java

*

/*
/opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/dropwizard/CodaHaleMetricsTracker.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/MetricsTracker.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 Brett Wooldridge

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/metrics/IMetricsTracker.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Brett Wooldridge
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/metrics/prometheus/PrometheusHistogramMetricsTrackerFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 Brett Wooldridge
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/IsolationLevel.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013, 2014 Brett Wooldridge

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/SuspendResumeLock.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyResultSet.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/JavassistProxyFactory.java

*

/opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/HikariConfig.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/prometheus/HikariCPCollector.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/FastList.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/ConcurrentBag.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/DriverDataSource.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyFactory.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyConnection.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyLeakTaskFactory.java

*

/opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyLeakTask.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2016 Brett Wooldridge

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-

jar/com/zaxxer/hikari/metrics/prometheus/PrometheusMetricsTrackerFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 Brett Wooldridge

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyCallableStatement.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/prometheus/PrometheusMetricsTracker.java

* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/hibernate/HikariConfigurationUtil.java

```
*
/opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/HikariDataSource.java
* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/UtilityElf.java
* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/HikariConfigMXBean.java
* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/metrics/dropwizard/CodahaleMetricsTrackerFactory.java
* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/pool/ProxyPreparedStatement.java
* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/HikariPoolMXBean.java
* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/metrics/prometheus/PrometheusHistogramMetricsTracker.java
* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/util/PropertyElf.java
*
/opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/hibernate/HikariConnectionProvider.java
* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/pool/ProxyStatement.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2015 Brett Wooldridge
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/metrics/PoolStats.java
* /opt/cola/permits/1257217757_1642790274.61/0/hikaricp-4-0-3-sources-
jar/com/zaxxer/hikari/util/ClockSource.java
```

1.100 xsdlib 2013.6.1

1.100.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2001-2013 Oracle and/or its affiliates. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * - Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * - Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * - Neither the name of Oracle nor the names of its
 * contributors may be used to endorse or promote products derived
 * from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 * BUT NOT LIMITED TO,
 * THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
 * CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/LongType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/BuiltinAtomicType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/XSDatatypeImpl.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/ListType.java
```

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/xml/util/XmlChars.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/Base64BinaryType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/GYearMonthType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/IntegerDerivedType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/MinLengthFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/TypeIncubator.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/DurationType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/TokenType.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/MaxLengthFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/datetime/PreciseCalendarFormatter.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/TimeType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/NormalizedStringType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/HexBinaryType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/UnsignedLongType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/IntegerValueType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/FinalComponent.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/MaxExclusiveFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/UnionType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/MinExclusiveFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/EnumerationFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/datetime/PreciseCalendarParser.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/BooleanType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/MaxInclusiveFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-

jar/com/sun/msv/datatype/xsd/NegativeIntegerType.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/datetime/IDateTimeValueType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/datetime/DateTimeFactory.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/datetime/AbstractCalendarFormatter.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/datetime/BigDateTimeValueType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/datetime/Util.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/NumberType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/WhiteSpaceProcessor.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/MinInclusiveFacet.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DoubleType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/XmlNames.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/ByteType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/WhiteSpaceFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DataTypeWithLexicalConstraintFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DatatypeFactory.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/datetime/ITimeDurationValueType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/QnameValueType.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/NcnameType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/StringType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/DatabindableDatatype.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/EntityType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/SimpleURType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/regex/RegExp.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/FloatType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/NmtokenType.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/UnsignedIntType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/DateTimeBaseType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/BinaryValueType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/Proxy.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/LengthFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/datetime/CalendarFormatter.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/datetime/TimeZone.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/ErrorDatatypeLibrary.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/ListValueType.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/FractionDigitsFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/ngimpl/DatatypeBuilderImpl.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/UnicodeUtil.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/XSDatatype.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/LanguageType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/RangeFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/datetime/AbstractCalendarParser.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/ErrorType.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/GMonthType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/ngimpl/DataTypeLibraryImpl.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/ShortType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-

jar/com/sun/msv/datatype/xsd/GMonthDayType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/NonPositiveIntegerType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DateTimeType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/regex/JDKImpl.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/PatternFacet.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/FloatingNumberType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/SerializationContext.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/AnyURIType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/IntType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/TotalDigitsFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/UnsignedShortType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DataTypeWithFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/PositiveIntegerType.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DateType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/Discrete.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/regex/XercesImpl.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/regex/RegExpFactory.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/ConcreteType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/Comparator.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/GYearType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/NameType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DataTypeWithValueConstraintFacet.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/UnsignedByteType.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/datetime/BigTimeDurationValueType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/NonNegativeIntegerType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/datetime/CalendarParser.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/GDayType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/IntegerType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/IDType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/QnameType.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/BinaryBaseType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/IDREFTType.java

No license file was found, but licenses were detected in source scan.

2013 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/package.html

No license file was found, but licenses were detected in source scan.

/*

* The Apache Software License, Version 1.1

*

*

* Copyright (c) 1999-2003 The Apache Software Foundation. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

*

* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

*

* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

* Alternately,

this acknowledgment may appear in the software itself,

* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT

OF SUBSTITUTE GOODS OR SERVICES; LOSS OF

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation and was
* originally based on software copyright (c) 1999, International
* Business Machines, Inc., <http://www.apache.org>. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.

*/

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/ParserForXMLSchema.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/RegexParser.java

No license file was found, but licenses were detected in source scan.

/*

* The Apache Software License, Version 1.1

*

*

* Copyright (c) 1999-2013 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately,

this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Xerces" and "Apache Software Foundation" must
* not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache",
* nor may "Apache" appear in their name, without prior written
* permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT
* OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation and was
* originally based on software copyright (c) 1999, International
* Business Machines, Inc., <http://www.apache.org>. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*/

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/RangeToken.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2001-2013 Oracle and/or its affiliates. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are

* met:

*
* - Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* - Redistribution in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* Neither the name of Sun Microsystems, Inc. or the names of
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* This software is provided "AS IS," without
a warranty of any kind. ALL
* EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES,
* INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A
* PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND
* ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES OR LIABILITIES
* SUFFERED BY LICENSEE AS A RESULT OF OR RELATING TO USE, MODIFICATION
* OR DISTRIBUTION OF THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL
* SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA,
* OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR
* PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF
* LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE,
* EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.
*/

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/InternalImpl.java

No license file was found, but licenses were detected in source scan.

Copyright (c) 2001-2013 Oracle and/or its affiliates. All rights reserved.
modification, are permitted provided that the following conditions are
- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
this software without specific prior written permission.

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/message.properties
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/message_ja.properties
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/message_fr.properties

No license file was found, but licenses were detected in source scan.

/*

* The Apache Software License, Version 1.1

*

*

* Copyright (c) 1999-2002 The Apache Software Foundation. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

*

* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

*

* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

* Alternately,

this acknowledgment may appear in the software itself,

* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation and was
* originally based on software copyright (c) 1999, International
* Business Machines, Inc., <http://www.apache.org>. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.

*/

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/BMPattern.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/RegularExpression.java

*

/opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/Op.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/ParseException.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/Match.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/REUtil.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/Token.java

No license file was found, but licenses were detected in source scan.

Copyright (c) 2001-2013 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions

are met:

- Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

- Neither the name of Oracle nor the names of its

from this software without specific prior written permission.

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/Messages.properties

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/Messages_ja.properties

1.101 dom 1.0

1.101.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2000 World Wide Web Consortium,
* (Massachusetts Institute of Technology, Institut National de
* Recherche en Informatique et en Automatique, Keio University). All
* Rights Reserved. This program is distributed under the W3C's Software
* Intellectual Property License. This program is distributed in the
* hope that it will be useful, but WITHOUT ANY WARRANTY; without even
* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
* PURPOSE. See W3C License <http://www.w3.org/Consortium/Legal/> for more
* details.
*/

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/w3c/dom/html/HTMLDOMImplementation.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2001 World Wide Web Consortium,
* (Massachusetts Institute of Technology, Institut National de
* Recherche en Informatique et en Automatique, Keio University). All
* Rights Reserved. This program is distributed under the W3C's Software
* Intellectual Property License. This program is distributed in the
* hope that it will be useful, but WITHOUT ANY WARRANTY; without even
* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
* PURPOSE.
* See W3C License <http://www.w3.org/Consortium/Legal/> for more details.
*/

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ElementEditAS.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASNotationDeclaration.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASObject.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/CharacterDataEditAS.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DOMImplementationAS.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASModel.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DocumentAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASAttributeDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASElementDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASEntityDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASNamedObjectMap.java
*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASDataType.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASContentModel.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DOMASWriter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DocumentEditAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASObjectList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DOMASBuilder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DOMASException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/NodeEditAS.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

/**

```
* Checks if this content model has had its min/maxOccurs values reduced for
* purposes of speeding up UPA. If
so, this content model should not be used
* for any purpose other than checking unique particle attribution
*
* @return a boolean that says whether this content has been compacted for UPA
*/
```

Found in path(s):

```
*/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/models/XSCMValidator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

```
/**
```

```
* DOM Level 3 LS CR - Experimental.
```

```
* Create a new LSParser. The newly constructed parser may
```

```
*
```

then be configured by means of its `DOMConfiguration`

```
* object, and used to parse documents by means of its parse
```

```
* method.
```

```
* @param mode The mode argument is either
```

```
* MODE_SYNCHRONOUS or MODE_ASYNCHRONOUS, if
```

```
* mode is MODE_SYNCHRONOUS then the
```

```
* LSParser that is created will operate in synchronous
```

```
* mode, if it's MODE_ASYNCHRONOUS then the
```

```
* LSParser that is created will operate in asynchronous
```

```
* mode.
```

```
* @param schemaType An absolute URI representing the type of the schema
```

```
* language used during the load of a Document using the
```

```
* newly created LSParser. Note that no lexical checking
```

```
* is done on the absolute URI. In order to create a
```

```
* LSParser for any kind of schema types (i.e. the
```

- * LSParser will be free to use any schema found), use the value
- * `<code>null</code>.`
- * `<p>Note: For W3C XML Schema [XML Schema Part 1\]`
- * , applications must use the value
- * `<code>"http://www.w3.org/2001/XMLSchema"</code>.` For XML DTD [[XML 1.0\],](http://www.w3.org/TR/2000/REC-xml-20001006/)
- * applications must use the value
- * `<code>"http://www.w3.org/TR/REC-xml"</code>.` Other Schema languages
- * are outside the scope of the W3C and therefore should recommend an
- * absolute URI in order to use this method.
- * `@return` The newly created `<code>LSParser</code>` object. This
- * `<code>LSParser</code>` is either synchronous or asynchronous
- * depending on the value of the `<code>mode</code>` argument.
- * `<p>Note: By default, the newly created <code>LSParser</code>`
- * does not contain a `<code>DOMErrorHandler</code>`, i.e. the value of
- * the "[<code>null</code>. However, implementations](http://www.w3.org/TR/2003/WD-DOM-Level-3-Core-20030609/core.html#parameter-error-handler'>error-handler'>)
- * may provide a default error handler at creation time. In that case,
- * the initial value of the `<code>"error-handler"</code>` configuration
- * parameter on the new created `<code>LSParser</code>` contains a
- * reference to the default error handler.
- * `@exception` DOMException
- * NOT_SUPPORTED_ERR: Raised if the requested mode or schema type is
- * not supported.
- */

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CoreDOMImplementationImpl.java

No license file was found, but licenses were detected in source scan.

/*

- * Licensed to the Apache Software Foundation (ASF) under one or more
- * contributor license agreements. See the NOTICE file distributed with
- * this work for additional information regarding copyright ownership.
- * The ASF licenses this file to You under the Apache License, Version 2.0
- * (the "License"); you may not use this file except in compliance with
- * the License. You may obtain a copy of the License at
- * <http://www.apache.org/licenses/LICENSE-2.0>
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDocumentInfo.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDElementTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLErrorHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLFrameElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/XMLEntityDescriptionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/ShadowedSymbolTable.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/util/ObjectListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLImgElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLOptgroupElement.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLInputSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLImgElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeferredCDATASectionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDAbstractIDConstraintTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLTimerElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSParticle.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLWmlElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/AnySimpleDV.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/StringList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLTimerElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/CaseInsensitiveMap.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
```

```

jar/org/apache/xerces/impl/xs/opti/SchemaDOMImplementation.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/opti/DefaultXMLDocumentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeferredElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLAnchorElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/HTMLSerializer.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLHtmlElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/DefaultNamespaceContext.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xinclude/MultipleScopeNamespaceSupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/opti/SchemaParsingConfig.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/XML11NSDTDValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xpointer/XPointerMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLMetaElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLQuoteElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/EncodingMap.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xinclude/XIncludeTextReader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DOMInputImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xpointer/XPointerHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/XMLCatalogResolver.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/TeeXMLDocumentFilterImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLTableSectionElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/models/CMStateSet.java

```

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/Base64BinaryDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DraconianErrorHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/JAXPValidatorComponent.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTitleElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11NonValidatingConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ElementDefinitionImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLElementDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSAttributeGroupDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/AbstractDOMParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLSelectElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLabelElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFieldSetElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLCardElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/ShortListImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/util/Base64.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CDATASectionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/XSGrammarPoolContainer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/CMBuilder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLMetaElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/XSSimpleType.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDelegate.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOMParser.java
*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/RegularExpression.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/ElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/UIEventImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/Method.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EntityReferenceImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/ByteList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBodyElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLNSDTDValidator.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMBinOp.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredAttrImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMUtil.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLIElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/SAXParserFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/ElementSchemePointer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/XMLMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultElement.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/SoftReferenceGrammarPool.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/AbstractXMLSchema.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/AttrNSImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/DurationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTdElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLEntityDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDScanner.java

```

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/SecurityManager.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSModel.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/XMLErrorCode.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/DOMResultAugmentor.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/identity/FieldActivator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/ParentNode.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/util/XIntPool.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLTableCellElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/SchemaSymbols.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/io/UTF16Reader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/TextImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DOMStringListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/NonValidatingConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLImageElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/DecimalDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSModelImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/ShortList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/dtd/ListDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/StAXEventResultBuilder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeferredAttrNSImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/DTDGrammar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeferredEntityReferenceImpl.java

```

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/ObjectList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/XPathMatcher.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLHeadElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/PSVLErrorList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11NMTOKENDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/StartDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XMLSerializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/KeyRef.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSDDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLAttributes.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLHeadElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredEntityImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXDocumentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/Latin1Reader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/LCount.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTPProcessor.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/BooleanDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLEntityResolver.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SchemaGrammar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSInputSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/dv/ValidatedInfo.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/ChildNode.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/util/XSNamedMapImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/Constants.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/events/MouseEventImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/XMLDTDValidatorFilter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/XMLDocumentScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/Util.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xinclude/XInclude11TextReader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/DefaultValidationErrorHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLOptgroupElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/SchemaValidatorConfiguration.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLPostfieldElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/StAXSchemaParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeferredNotationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/CoreDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/XMLNSDocumentScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/ReadOnlyGrammarPool.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DOMErrorImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/XMLAttributesImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDAttributeTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/XMLDocumentParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDComplexTypeTraverser.java

```

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/DatatypeMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLIElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLNoopElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/SecuritySupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/DatatypeException.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/dtd/ENTITYDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLInputElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLTableElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/ElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/SchemaContentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/SoftReferenceSymbolTableConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/BalancedDTDGrammar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xpointer/ShortHandPointer.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/BasicParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLPreElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/SecurityConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/AbstractXMLDocumentParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/validation/ValidationState.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/HTMLdtd.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLDOMImplementation.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/AugmentationsImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

```

```

jar/org/apache/xerces/xs/XSImplementation.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLDocumentScanner.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/SAXLocatorWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/SynchronizedSymbolTable.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSGrammarBucket.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLNoopElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xpointer/XPointerErrorHandler.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLDTDSources.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/ProcessingInstructionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/NamespaceContext.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/XMLSchemaFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLTdElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLDListElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/DayTimeDurationDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLUElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/util/XSNamedMap4Types.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/datatypes/XSDateTime.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/opti/DefaultText.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/models/CMLLeaf.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSTerm.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLComponent.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLSmallElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/DocumentBuilderImpl.java
*

```

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/DatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTextAreaElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/AttributePSVI.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/Token.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredNode.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XML11Serializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAttributeGroupTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/HexBinaryDV.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLGoElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/SimpleLocator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/MessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLErrorReporter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSLoaderImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11NamespaceBinder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/SecuritySupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFormElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLResourceIdentifierImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/XPath.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLMenuElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLCollectionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDocumentFragmentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSComplexTypeDecl.java

```

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/SAXInputSource.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/XPointerParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/datatype/SerializedDuration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/io/UTF8Reader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/InvalidDatatypeValueException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/DOMInputSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSNotationDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLAreaElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLBigElement.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/XMLChar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLPostfieldElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeepNodeListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/EntityReferenceImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/ProcessingInstructionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLPrevElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DOMXSImplementationSourceImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/models/MixedContentModel.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/Augmentations.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/BaseDVFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/XMLVersionDetector.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/grammars/XMLDTDDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/dtd/IDDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

```

```

jar/org/apache/xerces/jaxp/validation/StAXValidatorHelper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSComplexTypeDefinition.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/NotationImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLBElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/identity/UniqueOrKey.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/datatype/DatatypeFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLAnchorElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/DOMSerializerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLIFrameElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/LineSeparator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/XMLLocatorWrapper.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSWildcard.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/StreamValidatorHelper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/StAXLocationWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLDoElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/IntegratedParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/XMLNotationDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/ValidatorHelper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/BaseSchemaDVFactory.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/identity/IdentityConstraint.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/datatypes/XSDouble.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xinclude/SecuritySupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/CommentImpl.java

```

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredProcessingInstructionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/CommentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLSetvarElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ASDOMImplementationImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/NotationDeclarationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SoftReferenceSymbolTable.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/validation/EntityState.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XHTMLSerializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLWmlElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ASModelImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredDocumentTypeImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DOMValidatorHelper.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSAnnotationInfo.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11DTDSscannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/NodeImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLGrammarCachingConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBaseElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerPart.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/QName.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLEmElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarPool.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFormControl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/dom/DeferredTextImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/FloatDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/XML11DocumentScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/ErrorHandlerWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSAttributeGroupDefinition.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/models/CMAny.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/StartElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/DOMSerializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSModelGroupDefinition.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/EndElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/QNameDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLBrElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLScriptElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/XMLStringBuffer.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/events/MutationEventImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDGroupTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/FullDVFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xinclude/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/DTDImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/DOMParserImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLTrElement.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/models/CMUniOp.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DocumentFragmentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLSelectElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDSimpleTypeTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11EntityScanner.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/StringDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/IDREFDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLButtonElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/Field.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/TextImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLOneventElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/util/ByteListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XIncludeParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLStrongElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/CachingParserPool.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ParserConfigurationSettings.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLDocument.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/EmptyXMLSchema.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSObjectList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultNode.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLMapElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11NSDocumentScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLSmallElement.java

```

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/XMLDTDCContentModelHandler.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLStartElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/PSVIDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/DTDGrammarBucket.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/ElementPSVImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/REUtil.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLParseException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/Op.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLDTDCContentModelSource.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/XML11DTDCConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLTemplateElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/SecuritySupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLInputElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/dtd/NMTOKENDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLParagraphElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/OutputFormat.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/dtd/NOTATIONDatatypeValidator.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/DTDParse.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/SymbolHash.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/ListDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLULListElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DOMImplementationSourceImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

```

jar/org/apache/wml/WMLBrElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/CharacterDataImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/RangeImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/SerializerFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XMLSchemaLoader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/XMLScanner.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/XMLGrammarPoolImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/ElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLStrongElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSNotationDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/EncodingInfo.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLMetaElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/models/CMNodeFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLFontElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLTableElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLAppletElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/IDDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/SecuritySupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSObject.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/SchemaDVFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/XMLEntityDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/ErrorHandlerProxy.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/dtd/DTDDVFactoryImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/models/CMNode.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/util/StringListImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLTemplateElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/XML11Configurable.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/InvalidDatatypeFacetException.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/traversers/XSDAbstractParticleTraverser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/StAXStreamResultBuilder.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/datatype/XMLGregorianCalendarImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/util/XInt.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSConstants.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/Serializer.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/SubstitutionGroupHandler.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/TypeValidator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/SAXParserImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/XMLParser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSGroupDecl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/DoubleDV.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/Version.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/IntStack.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/io/ASCIIReader.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSIDCDefinition.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLCardElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/wml/WMLFieldsetElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/AttrImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLAElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/opti/DefaultDocument.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/FilePathToURI.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/ObjectFactory.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLPrevElementImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/util/HexBin.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/datatype/SerializedXMLGregorianCalendar.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/parser/XMLDTDCContentModelFilter.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSModelGroup.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLBaseFontElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/XMLDTDLoader.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeferredElementDefinitionImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSElementDeclHelper.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/parser/XMLComponentManager.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/PrimeNumberSequenceGenerator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLOneventElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/SchemaDVFactoryImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/stax/ImmutableLocation.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/XMLSchema.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSLoader.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/UnionDV.java
 *

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/XNIException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLDocumentSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/grammars/XSGrammar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLBElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/SAXParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/datatypes/XSDecimal.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSWildcardDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DOMConfigurationImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLTableColElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLTrElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLDOMImplementationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/models/XSCMUniOp.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/grammars/XMLGrammarLoader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/validation/ConfigurableValidationState.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/IndentPrinter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/ElementState.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/PSVIDOMImplementationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/models/DFACContentModel.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/AttributeMap.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/EndDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLPElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/datatypes/XSFloat.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/StringDatatypeValidator.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMRepeatingLeaf.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/PSVIAttrNSImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLDocumentFragmentScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/ValidationContext.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/Grammar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLAccessElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/Match.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSMessagesFormatter.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/TextSerializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/NamespaceImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSAttributeDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/JAXPConstants.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLAElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/EntityResolverWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMOutputImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMImplementationImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SecuritySupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/ExternalSubsetResolver.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NodeListCache.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/PSVIElementNSImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XIncludeHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/util/SAXMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeferredCommentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLTableElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLHRElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSNamespaceItemList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/DOMEntityResolverWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/RegexParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/ElementNSImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/AttributeImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/dtd/IDREFDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLUElement.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLHeadElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/models/XSCMLLeaf.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/LocatorProxy.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/identity/Selector.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/dtd/XML11IDDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSElementDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSAnnotationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/LSInputList.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/XPathException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/EntityDeclarationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/AbstractSAXParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLBigElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLLocator.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSTypeDefinition.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/ItemPSVI.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/URI.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLObjectElementImpl.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/AnyAtomicDV.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/NamedNodeMapImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBuilder.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/WeakReferenceXMLSchema.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSQName.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NodeIteratorImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DefaultErrorHandler.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/BMPattern.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DTDCConfiguration.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/SimpleXMLSchema.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLegendElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/YearMonthDurationDV.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDWildcardTraverser.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHeadingElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/XSFacets.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/ElementPSVI.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLRefreshElement.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSGrammarPool.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLResourceIdentifier.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDirectoryElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11Configuration.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/EntityImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/MalformedByteSequenceException.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/UnparsedEntityHandler.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLAccessElement.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLSymbols.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerProcessor.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLSetvarElement.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDTDHandler.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSMultiValueFacet.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSAnnotation.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLinkElementImpl.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/EventImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/DTDDVFactory.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/ValueStore.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/ValidatorHandlerImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMErrorHandlerWrapper.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/XMLEventImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XS10TypeHelper.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDivElementImpl.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSNamespaceItem.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/XML11Char.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLFrameSetElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/XMLNamespaceBinder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/XMLGrammarPreparser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSImplementationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLBRElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/RangeExceptionImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/PSVIProvider.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XMLSchemaException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSNamedMap.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLStyleElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSAttributeUseImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/validation/ValidationManager.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/EntityResolver2Wrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSElementDecl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/DOMParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/XMLAttributeDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLLIElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSParticleDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/models/ContentModelValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/StAXInputSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/XMLContentSpec.java

```

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DocumentTypeImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLOptionElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xinclude/XIncludeMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/AttributePSVImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLSelectElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/XMLString.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/XMLSchemaValidatorComponentManager.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLTableRowElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLLOListElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/opti/SchemaDOM.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/XMLDTDScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLInputElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/PrecisionDecimalDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/DOMDocumentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLPullParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/SecureProcessingConfiguration.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLDocumentFilter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/util/XSObjectListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/NamedNodeMapImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSFacet.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLGoElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

```

jar/org/apache/xerces/impl/xs/traversers/XSDAbstractTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/Printer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/XML11DTDProcessor.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/XMLDTDDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLRefreshElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/ParserForXMLSchema.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DOMNormalizer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/IntegerDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/DocumentBuilderFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLIsIndexElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/models/SimpleContentModel.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeferredDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSSimpleTypeDefinition.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/EmptyLocation.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/SerializerFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/HTTPInputSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/Encodings.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSAttributeUse.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/BaseMarkupSerializer.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/CharactersImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeferredDOMImplementationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/XMLEventFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/JAXPNamespaceContextWrapper.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/Namespacesupport.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/XMLDocumentHandler.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DOMLocatorImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/util/LSInputListImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSDeclarationPool.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/JAXPValidationMessageFormatter.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/models/CMBinOp.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/ExtendedSchemaDVFactoryImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/XML11DTDValidator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/EntityDV.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/SymbolTable.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/AnyURIDV.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XMLEntityScanner.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XMLEntityManager.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSAttributeDecl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xinclude/XIncludeNamespacesupport.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/models/XSEmptyCM.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLOptGroupElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/DVFactoryException.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLDocumentImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/SchemaDateTimeException.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLOptionElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/wml/WMLPElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLOptionElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLParamElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/TreeWalkerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/dtd/XML11DTDDVFactoryImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/ParseException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLDTDFilter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/XMLDTDValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDNotationTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/grammars/XMLSchemaDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/DOMResultBuilder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLAnchorElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLModElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeferredElementNSImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLTableCaptionElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/XMLEntityHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/StandardParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/models/XSAllCM.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/opti/AttrImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLFieldsetElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLDoElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/RangeToken.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DOMASBuilderImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/NameNodeListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLDOMImplementationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/UCSReader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XIncludeAwareParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/RevalidationHandler.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSValue.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NodeImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11IDREFDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLConfigurationException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/AttributesProxy.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/ValidatorImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLGrammarParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLSimpleType.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SchemaNamespaceSupport.java
No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DOMImplementationListImpl.java
No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

/**

* used to check the 3 constraints against each complex type
* (should be each model group):
* Unique Particle

Attribution, Particle Derivation (Restriction),

* Element Declarations Consistent.

*/

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSConstraints.java
No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
The ASF licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/package.html

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

// Unique Particle Attribution

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSDFACM.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/AbstractDateDV.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/YearDV.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDKeyrefTraverser.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DateDV.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DateDV.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDUniqueOrKeyTraverser.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/MonthDV.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DurationDV.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/MonthDayDV.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/TimeDV.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSAttributeChecker.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/YearMonthDV.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSModelGroupImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDecl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDHandler.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DayDV.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XMLSchemaValidator.java

No license file was found, but licenses were detected in source scan.

The ASF licenses this file to You under the Apache License, Version 2.0

(the "License"); you may not use this file except in compliance with

the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XMLSchemaMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/message.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/DOMMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XPointerMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/DatatypeMessages.properties
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/message_fr.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/SAXMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XIncludeMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XMLMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XMLSerializerMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/message_ja.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/JAXPValidationMessages.properties
```

1.102 ganymed-ssh2 262

1.102.1 Available under license :

Copyright (c) 2006 - 2013 Christian Plattner. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- a.) Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- b.) Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- c.) Neither the name of Christian Plattner nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software includes work that was released under the following license:

Copyright (c) 2005 - 2006 Swiss Federal Institute of Technology (ETH Zurich),
Department of Computer Science (<http://www.inf.ethz.ch>),
Christian Plattner. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- a.) Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- b.) Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- c.) Neither the name of ETH Zurich nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The Java implementations of the AES, Blowfish and 3DES ciphers have been taken (and slightly modified) from the cryptography package released by

"The Legion Of The Bouncy Castle".

Their license states the following:

Copyright (c) 2000 - 2004 The Legion Of The Bouncy Castle
(<http://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.103 javax-el 3.0.0

1.103.1 Available under license :

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or `packager/legal/LICENSE.txt`. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at `packager/legal/LICENSE.txt`.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*
*
* This file incorporates
work covered by the following copyright and
* permission notice:
*
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims,

the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made

available

in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no

one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses

that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer

and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to

know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and

that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties

who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions

either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library.

Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.104 jacoco-core 0.8.6

1.104.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'under the terms and conditions of the Eclipse Public License Version 2.0'

Found license 'Eclipse Public License 1.0' in '* This program and the accompanying materials are made available under * the terms of the Eclipse Public License 2.0 which is available at'

1.105 jboss-marshalling 1.4.11.Final

1.105.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#   http://www.apache.org/licenses/LICENSE-2.0
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/Version.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* JBoss, Home of Professional Open Source.
* Copyright 2014 Red Hat, Inc., and individual contributors
* as indicated by the @author tags.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/util/ObjectReadField.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/Externalizer.java

*

/opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/cloner/ObjectClonerSource.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/util/ShortReadField.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/util/ShortFieldPutter.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/AbstractObjectOutput.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/util/ByteReadField.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/ObjectTable.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/util/IdentityIntSet.java

*

/opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/ByteBufferOutput.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/ChainingClassTable.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/ExceptionListener.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/util/ObjectFieldPutter.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/cloner/ClonerConfiguration.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/reflect/SunReflectiveCreator.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/InputStreamByteInput.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/reflect/UnlockedHashMap.java

*

/opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/MarshallerObjectInput.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/BytePipe.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/util/BooleanReadField.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/MarshallerObjectOutput.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/ProviderDescriptor.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/ClassTable.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/SerializabilityChecker.java
 *
 /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/ObjectInputStreamUnmarshaller.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/Pair.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/ObjectOutputStreamMarshaller.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/ByteInputStream.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/util/DoubleReadField.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/util/ByteFieldPutter.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/ByteWriter.java
 *
 /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/util/IdentityIntMap.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/ClassExternalizerFactory.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/util/IntMap.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/ClassResolver.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/SimpleClassResolver.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/util/BooleanFieldPutter.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/MarshallerObjectOutputStream.java
 *
 /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/Marshalling.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/cloner/ObjectCloners.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
 jar/org/jboss/marshalling/Marshaller.java
 * /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-

jar/org/jboss/marshalling/AbstractExternalizer.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/cloner/SerializingCloner.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/SimpleDataOutput.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/OutputStreamByteOutput.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/reflect/package-info.java
*
/opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/ModularClassTable.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/AnnotationClassExternalizerFactory.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/util/IntKeyMap.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/cloner/CloneableCloner.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/Unmarshaller.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/cloner/ObjectCloner.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/util/ReadField.java
*
/opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/AbstractUnmarshaller.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/ObjectResolver.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/cloner/ObjectClonerFactory.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/util/IntFieldPutter.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/util/LongReadField.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/util/FloatReadField.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/FieldSetter.java
*
/opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/MarshallingConfiguration.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/StreamHeader.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/reflect/SerializableClassRegistry.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/package-info.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/ChainingClassExternalizerFactory.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/util/IntReadField.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/ContextClassResolver.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/LimitedByteInput.java

*

/opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/AbstractClassResolver.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/util/DoubleFieldPutter.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/util/Kind.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/LimitedByteOutput.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/util/FlatNavigableSet.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/cloner/CloneTable.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/util/FlatNavigableMap.java

*

/opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/util/CharReadField.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/reflect/PublicReflectiveCreator.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/ChainingObjectResolver.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/AbstractObjectInput.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/reflect/SerializableClass.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/ByteBufferInput.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/ByteOutputStream.java

*

/opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/SimpleByteOutput.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/reflect/SerializableField.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/ModularClassResolver.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/AbstractMarshallerFactory.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-

jar/org/jboss/marshalling/SimpleByteInput.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/ChainingObjectTable.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/MarshallerFactory.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/Creator.java
*
/opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/reflect/ReflectiveCreator.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/util/LongFieldPutter.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/cloner/ClassLoaderClassCloner.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/AbstractMarshaller.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/TraceInformation.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/UTFUtils.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/UnmarshallingObjectInputStream.java
*
/opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/ByteInput.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/ByteOutput.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/cloner/ClassCloner.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/Version.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/MarshallerObjectInputStream.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/util/IntSet.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/SimpleDataInput.java
*
/opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/util/FloatFieldPutter.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/util/FieldPutter.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/Externalize.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/MappingClassExternalizerFactory.java
* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-
jar/org/jboss/marshalling/util/CharFieldPutter.java

* /opt/cola/permits/1257721888_1642997756.31/0/jboss-marshalling-1-4-11-final-sources-jar/org/jboss/marshalling/MarshallingObjectOutputStream.java

1.106 stateless4j 2.5.0

1.106.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 Fabien Renaud.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257784248_1643014186.5/0/stateless4j-2-5-0-sources-jar/com/github/oxo42/stateless4j/delegates/FuncBoolean.java
* /opt/cola/permits/1257784248_1643014186.5/0/stateless4j-2-5-0-sources-jar/com/github/oxo42/stateless4j/OutVar.java
```

1.107 mchange-commons-java 0.2.15

1.107.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* This library is free software; you can redistribute it and/or modify *

1) The GNU Lesser General Public License (LGPL), version 2.1, as * published by the Free Software Foundation * 2) The Eclipse Public License (EPL), version 1.0 * This software is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. * LGPL v2.1:

<http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and

- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"

means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,

each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively

excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by

the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such

Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or

conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward

has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or modify * 1) The GNU Lesser General Public License (LGPL), version 2.1, as * published by the Free Software Foundation * 2) The Eclipse Public License (EPL), version 1.0 * This software is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. * LGPL v2.1:

<http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

/*

* Distributed as part of mchange-commons-java 0.2.11

*

* Copyright (C) 2015 Machinery For Change, Inc.

*

* Author: Steve Waldman <swaldman@mchange.com>

*

* This library is free software; you can redistribute it and/or modify

* it under the terms of EITHER:

*

* 1) The GNU Lesser General Public License (LGPL), version 2.1, as

* published by the Free Software Foundation

*

* OR

*

* 2) The Eclipse Public License (EPL), version 1.0

*

* You may choose which license to accept if you wish to redistribute

* or modify this work. You may offer derivatives of this work

* under the license you have chosen, or you may provide the same
 * choice of license which you have been offered here.
 *
 * This software is distributed in the hope that it will be useful,
 * but WITHOUT ANY WARRANTY; without even the implied warranty of
 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
 *
 * You should have received copies of both LGPL v2.1 and EPL v1.0
 * along with this
 software; see the files LICENSE-EPL and LICENSE-LGPL.
 * If not, the text of these licenses are currently available at
 *
 * LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>
 * EPL v1.0: <http://www.eclipse.org/org/documents/epl-v10.php>
 *
 */

1.108 error_prone_annotations 2.5.1

1.108.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/concurrent/LockMethod.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
*
/opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/NoAllocation.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/CheckReturnValue.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
*
/opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/DoNotCall.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
```

```
jar/com/google/errorprone/annotations/Var.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/IncompatibleModifiers.java
*
/opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/SuppressPackageLocation.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/ForOverride.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/RequiredModifiers.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/Immutable.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/concurrent/LazyInit.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2016 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/MustBeClosed.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/RestrictedApi.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/FormatString.java
*
/opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/DoNotMock.java
* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-
jar/com/google/errorprone/annotations/FormatMethod.java
```

* /opt/cola/permits/1257847059_1643019272.48/0/error-prone-annotations-2-5-1-sources-jar/com/google/errorprone/annotations/CompatibleWith.java

1.109 java-sizeof 0.0.5

1.109.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* This class contains black magic stuff based mostly on proprietary
* APIs and hacks. Use at your own risk.
*/

Found in path(s):

* /opt/cola/permits/1258272178_1643050051.82/0/java-sizeof-0-0-5-sources-jar/com/carrotsearch/sizeof/BlackMagic.java

No license file was found, but licenses were detected in source scan.

/**

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1258272178_1643050051.82/0/java-sizeof-0-0-5-sources-jar/com/carrotsearch/sizeof/Constants.java

*

/opt/cola/permits/1258272178_1643050051.82/0/java-sizeof-0-0-5-sources-jar/com/carrotsearch/sizeof/RamUsageEstimator.java

1.110 annotations 4.1.1.4

1.110.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 The Android Open Source Project
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1258811491_1643111603.33/0/annotations-4-1-1-4-sources-
jar/android/annotation/SuppressLint.java
* /opt/cola/permits/1258811491_1643111603.33/0/annotations-4-1-1-4-sources-
jar/android/annotation/TargetApi.java
```

1.111 jboss-logging 3.4.3.Final

1.111.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.112 jandex 2.4.2.Final

1.112.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * JBoss, Home of Professional Open Source.
 * Copyright 2014 Red Hat, Inc., and individual contributors
 * as indicated by the @author tags.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/IndexReaderV2.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/IndexWriterV2.java
*
/opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/VoidType.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/MethodInfoGenerator.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/MethodParameterTypeTarget.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/FieldInfoGenerator.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/ThrowsTypeTarget.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/ArrayType.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/WildcardType.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/ParameterizedType.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/TypeVariable.java
*
```

```
/opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/TypeParameterTypeTarget.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/GenericSignatureParser.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/MethodInternal.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/IndexWriterImpl.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/TypeTarget.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/IndexReaderImpl.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/ClassExtendsTypeTarget.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/UnresolvedTypeVariable.java
*
/opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/TypeParameterBoundTypeTarget.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/AnnotationTargetFilterCollection.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/PositionBasedTypeTarget.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/Utils.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-
jar/org/jboss/jandex/EmptyTypeTarget.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* JBoss, Home of Professional Open Source.
* Copyright 2020 Red Hat, Inc., and individual contributors
* as indicated by the @author tags.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/Modifiers.java
```

No license file was found, but licenses were detected in source scan.

/*

* JBoss, Home of Professional Open Source.
* Copyright 2021 Red Hat, Inc., and individual contributors
* as indicated by the @author tags.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/ModuleInfo.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/RecordComponentInfo.java
*
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/RecordComponentInternal.java
* /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/RecordComponentInfoGenerator.java

No license file was found, but licenses were detected in source scan.

/*

* JBoss, Home of Professional Open Source.
* Copyright 2013 Red Hat, Inc., and individual contributors
* as indicated by the @author tags.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/MethodInfo.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/DotName.java
- *
- /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/Type.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/FieldInternal.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/UnsupportedVersion.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/AnnotationTarget.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/NameTable.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/JarIndexer.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/AnnotationValue.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/IndexView.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/AnnotationInstance.java
- *
- /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/CompositeIndex.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/Main.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/Result.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/IndexWriter.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/JandexAntTask.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/ClassInfo.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/IndexReader.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/IndexReaderV1.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/ClassType.java
- *
- /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/PackedDataOutputStream.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/Index.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/MethodParameterInfo.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/FieldInfo.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/IndexWriterV1.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/PackedDataInputStream.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/PrimitiveType.java
- * /opt/cola/permits/1258847893_1643112599.64/0/jandex-2-4-2-final-sources-jar/org/jboss/jandex/StrongInternPool.java

1.113 alpn-api 1.1.2.v20150522

1.113.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
// The Eclipse Public License is available at
// The Apache License v2.0 is available at
// You may elect to redistribute this code under either of these licenses.
```

Found in path(s):

```
* /opt/cola/permits/1260754869_1643213319.84/0/alpn-api-1-1-2-v20150522-sources-
jar/org/eclipse/jetty/alpn/ALPN.java
```

1.114 animal-sniffer-annotation 1.18

1.114.1 Available under license :

No license file was found, but licenses were detected in source scan.

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

```
* /opt/cola/permits/1260752746_1643213134.55/0/animal-sniffer-annotations-1-18-sources-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* The MIT License
```

```
*
```

```
* Copyright (c) 2008 Kohsuke Kawaguchi and codehaus.org.
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy
```

```
* of this software and associated documentation files (the "Software"), to deal
```

```
* in the Software without restriction, including without limitation the rights
```

```
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
```

```
* copies of the Software, and to permit persons to whom the Software is
```

```
* furnished to do so, subject to the following conditions:
```

```
*
```

```
* The above copyright notice and this permission notice shall be included in
```

```
* all copies or substantial portions of the Software.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
```

```
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
```

```
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
```

```
* AUTHORS OR COPYRIGHT
```

```
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
```

```
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
```

```
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
```

```
* THE SOFTWARE.
```

```
*
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1260752746_1643213134.55/0/animal-sniffer-annotations-1-18-sources-jar/org/codehaus/mojo/animal_sniffer/IgnoreJRERequirement.java
```

1.115 npn-api 1.1.1.v20141010

1.115.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved. This program and the accompanying materials
```

```
// are made available under the terms of the Eclipse Public License v1.0
```

```
// and Apache License v2.0 which accompanies this distribution.
```

```
// The Eclipse Public License is available at
```

```
// The Apache License v2.0 is available at
```

```
// You may elect to redistribute this code under either of these licenses.
```

Found in path(s):

```
* /opt/cola/permits/1264642352_1643871620.12/0/npn-api-1-1-1-v20141010-sources-  
jar/org/eclipse/jetty/npn/NextProtoNego.java
```

1.116 protobuf-java-util 3.11.0

1.116.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// * Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// * Redistributions in binary form must reproduce the above  
// copyright notice, this list of conditions and the following disclaimer  
// in the documentation and/or other materials provided with the  
// * Neither the name of Google Inc. nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1264659276_1643870736.54/0/protobuf-java-util-3-11-0-sources-  
jar/com/google/protobuf/util/Timestamps.java  
* /opt/cola/permits/1264659276_1643870736.54/0/protobuf-java-util-3-11-0-sources-  
jar/com/google/protobuf/util/TimeUtil.java  
*  
/opt/cola/permits/1264659276_1643870736.54/0/protobuf-java-util-3-11-0-sources-  
jar/com/google/protobuf/util/FieldMaskUtil.java  
* /opt/cola/permits/1264659276_1643870736.54/0/protobuf-java-util-3-11-0-sources-  
jar/com/google/protobuf/util/Durations.java  
* /opt/cola/permits/1264659276_1643870736.54/0/protobuf-java-util-3-11-0-sources-  
jar/com/google/protobuf/util/FieldMaskTree.java  
* /opt/cola/permits/1264659276_1643870736.54/0/protobuf-java-util-3-11-0-sources-  
jar/com/google/protobuf/util/Structs.java  
* /opt/cola/permits/1264659276_1643870736.54/0/protobuf-java-util-3-11-0-sources-  
jar/com/google/protobuf/util/JsonFormat.java  
* /opt/cola/permits/1264659276_1643870736.54/0/protobuf-java-util-3-11-0-sources-  
jar/com/google/protobuf/util/Values.java
```

1.117 Izma-java 1.3

1.117.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2009 Julien Ponge. All rights reserved.
```

*
* <julien.ponge@gmail.com>
* <http://julien.ponge.info/>
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* This work is based on the LZMA SDK by Igor Pavlov.
* The LZMA SDK is placed under the public domain, and can be obtained from
*
* <http://www.7-zip.org/sdk.html>
*
* The LzmaInputStream and LzmaOutputStream classes were inspired
by the
* work of Christopher League, although they are not derivative works.
*
* <http://contrapunctus.net/league/haques/lzmajio/>
*/

Found in path(s):

* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/lzma/sdk/lz/OutWindow.java
* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/lzma/sdk/lzma/Decoder.java
* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/lzma/sdk/lzma/Encoder.java
* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/lzma/sdk/lz/InWindow.java
* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/lzma/sdk/lzma/Base.java
* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/lzma/sdk/lz/BinTree.java
* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/lzma/sdk/CRC.java
* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/lzma/sdk/ICodeProgress.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2010-2011 Julien Ponge. All rights reserved.
*
* Portions Copyright (c) 2011 Tamas Cservenak.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*/

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/lzma/streams/LzmaOutputStream.java
* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/lzma/streams/LzmaInputStream.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2011 Tamas Cservenak. All rights reserved.
*
* <tamas@cservenak.com>
* <http://www.cservenak.com/>
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/org/cservenak/streams/CoderInputStream.java
* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/org/cservenak/streams/CoderOutputStream.java
*
/opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/org/cservenak/streams/Coder.java
* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/lzma/streams/LzmaEncoderWrapper.java
* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/org/cservenak/streams/CoderThread.java
* /opt/cola/permits/1264661858_1643871572.87/0/lzma-java-1-3-sources-jar/lzma/streams/LzmaDecoderWrapper.java

1.118 jboss-modules 1.1.0.Beta1

1.118.1 Available under license :

Found license 'GNU Lesser General Public License' in '~ This is free software; you can redistribute it and/or modify it ~ under the terms of the GNU Lesser General Public License as ~ published by the Free Software Foundation; either version 2.1 of ~ the License, or (at your option) any later version. ~ This software is distributed in the hope that it will be useful, ~ but WITHOUT ANY WARRANTY; without even the implied warranty of ~ MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU ~ Lesser General Public License for more details. ~ You should have received a copy of the GNU Lesser General Public'

Found license 'GNU Lesser General Public License' in '* This is free software; you can redistribute it and/or modify it * under the terms of the GNU Lesser General Public License as * published by the Free Software Foundation; either version 2.1 of * the License, or (at your option) any later version. * This software is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU * Lesser General Public License for more details. * You should have received a copy of the GNU Lesser General Public'

1.119 google-auth-library-credentials 0.18.0

1.119.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016, Google Inc. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:

*

* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

* * Redistributions in binary form must reproduce the above
* copyright notice, this list of conditions and the following disclaimer
* in the documentation and/or other materials provided with the
* distribution.

*

* * Neither the name of Google Inc. nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
* OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/1264667170_1643888893.22/0/google-auth-library-credentials-0-18-0-sources-
jar/com/google/auth/ServiceAccountSigner.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015, Google Inc. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:

*

* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

* * Redistributions in binary form must reproduce the above
* copyright notice, this list of conditions and the following disclaimer
* in the documentation and/or other materials provided with the
* distribution.

*

* * Neither the name of Google Inc. nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
* OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/1264667170_1643888893.22/0/google-auth-library-credentials-0-18-0-sources-
jar/com/google/auth/Credentials.java

* /opt/cola/permits/1264667170_1643888893.22/0/google-auth-library-credentials-0-18-0-sources-

1.120 auto-common 0.10

1.120.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/AnnotationMirrors.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/BasicAnnotationProcessor.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/AnnotationValues.java
*
/opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/MoreTypes.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/SuperficialValidation.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/Visibility.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2016 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
```

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/Overrides.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/GeneratedAnnotations.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/GeneratedAnnotationSpecs.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/SimpleTypeAnnotationValue.java
*
/opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/SimpleAnnotationMirror.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 Google, Inc.
* Copyright (C) 2013 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/MoreElements.java

1.121 javax-annotation-api 1.3.2

1.121.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However,

you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION,

WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of

.commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its

contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under

the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY

COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits

your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but

you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2005-2018 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

* or LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 *
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made subject to such option by the copyright
 * holder.
 */

1.122 slf4j 1.7.36

1.122.1 Available under license :

Copyright (c) 2004-2007 QOS.ch
 All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch Sarl

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF

CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2004-2013 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.123 jul-to-slf4j 1.7.36

1.123.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN
 * NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
* /opt/cola/permits/1281455938_1646319090.87/0/jul-to-slf4j-1-7-36-sources-
```

1.124 log4j-api 2.17.2

1.124.1 Available under license :

Apache Log4j API
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.125 log4j-to-slf4j 2.17.2

1.125.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Log4j to SLF4J Adapter
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.126 javaip 0.17

1.126.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Java IPv6

Copyright 2013 Jan Van Besien

1.127 jacoco-report 0.8.6

1.127.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'under the terms and conditions of the Eclipse Public License Version 2.0'

Found license 'Eclipse Public License 1.0' in 'This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at'

Found license 'Eclipse Public License 1.0' in '* This program and the accompanying materials are made available under * the terms of the Eclipse Public License 2.0 which is available at'

1.128 core-js 2.5.4

1.128.1 Available under license :

Copyright (c) 2014-2018 Denis Pushkarev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.129 mustache 3.0.1

1.129.1 Available under license :

The MIT License

Copyright (c) 2009 Chris Wanstrath (Ruby)

Copyright (c) 2010-2014 Jan Lehnardt (JavaScript)

Copyright (c) 2010-2015 The mustache.js community

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.130 simpleclient-common 0.15.0

1.130.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1301334093_1649241777.51/0/simpleclient-common-0-15-0-sources-jar/META-INF/maven/io.prometheus/simpleclient_common/pom.xml

1.131 javapoet 1.9.0

1.131.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/Util.java

* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/NameAllocator.java

* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/MethodSpec.java

*

/opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/JavaFile.java
* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/ParameterizedTypeName.java
* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/WildcardTypeName.java
* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/TypeVariableName.java
* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/ParameterSpec.java
* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/CodeWriter.java
* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/ArrayTypeName.java
* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/AnnotationSpec.java
* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/TypeName.java
*
/opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/CodeBlock.java
* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/FieldSpec.java
* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/TypeSpec.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-jar/com/squareup/javapoet/LineWrapper.java
No license file was found, but licenses were detected in source scan.

/*

```
* Copyright (C) 2014 Google, Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1311276992_1650419167.38/0/javapoet-1-9-0-sources-2-  
jar/com/squareup/javapoet/ClassName.java
```

1.132 escapevelocity 0.9

1.132.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2018 Google, Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-  
jar/com/google/escapevelocity/EvaluationContext.java  
* /opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-  
jar/com/google/escapevelocity/ParseException.java  
* /opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-  
jar/com/google/escapevelocity/Node.java
```

```
*
/opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-
jar/com/google/escapevelocity/TokenNode.java
* /opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-
jar/com/google/escapevelocity/ConstantExpressionNode.java
* /opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-
jar/com/google/escapevelocity/DirectiveNode.java
* /opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-
jar/com/google/escapevelocity/Macro.java
* /opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-
jar/com/google/escapevelocity/Reparsers.java
* /opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-
jar/com/google/escapevelocity/Parser.java
* /opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-
jar/com/google/escapevelocity/ReferenceNode.java
* /opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-
jar/com/google/escapevelocity/ExpressionNode.java
*
/opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-
jar/com/google/escapevelocity/Template.java
* /opt/cola/permits/1311276667_1650419202.51/0/escapevelocity-0-9-sources-1-
jar/com/google/escapevelocity/EvaluationException.java
```

1.133 xml-apis 1.3.04

1.133.1 Available under license :

xml-commons/java/external/README.dom.txt \$Id: README.dom.txt 477038 2006-11-20 04:40:36Z mrglavas \$

HEAR YE, HEAR YE!

All of the .java software and associated documentation about the DOM in this repository are distributed under the license from the W3C, which is provided herein.

LICENSE.dom-software.txt covers all software from the W3C including the following items in the xml-commons project:

xml-commons/java/external/src/org/w3c
and all subdirectories

(Note: SAC (The Simple API for CSS) has been published under an older version of the W3C license. The original license file is LICENSE.sac.html.)

LICENSE.dom-documentation.txt covers all documentation from the W3C

including the following items in the xml-commons project:

xml-commons/java/external/xdocs/dom
and all subdirectories

The actual DOM Java Language Binding classes in xml-commons came from:

<http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.html>

The specification of DOM Level 3's various parts is at:

<http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/>

<http://www.w3.org/TR/2004/REC-DOM-Level-3-LS-20040407/>

<http://www.w3.org/TR/2004/NOTE-DOM-Level-3-XPath-20040226/>

The specification of DOM Level 2's various parts is at:

<http://www.w3.org/TR/2000/REC-DOM-Level-2-Events-20001113/>

<http://www.w3.org/TR/2000/REC-DOM-Level-2-Style-20001113/>

<http://www.w3.org/TR/2000/REC-DOM-Level-2-Traversal-Range-20001113/>

<http://www.w3.org/TR/2000/REC-DOM-Level-2-Views-20001113/>

The specification of DOM Level 1's various parts is at:

<http://www.w3.org/TR/1998/REC-DOM-Level-1-19981001/level-one-html.html>

Links to all available W3C DOM Java Bindings can be found at:

<http://www.w3.org/DOM/DOMTR>

The actual classes of The Simple API for CSS (SAC) came from:

<http://www.w3.org/Style/CSS/SAC/>

<http://www.w3.org/2002/06/sacjava-1.3.zip>

The actual DOM Java Language Binding

classes for SMIL came from:

<http://dev.w3.org/cvsweb/java/classes/org/w3c/dom/smil/>

(both `ElementTimeControl.java` and `TimeEvent.java` were taken at revision 1.1)

The actual DOM Java Language Binding classes for SVG 1.1 came from:

<http://www.w3.org/TR/SVG11/java.html>

xml-commons/java/external/README.sax.txt \$Id: README.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

HEAR YE, HEAR YE!

All of the .java software and associated documentation about SAX in this repository are distributed freely in the public domain.

LICENSE.sax.txt covers all software and documentation from the

megginson.com including the following in the xml-commons project:

xml-commons/java/external/src/org/xml/sax
and all subdirectories
xml-commons/java/external/xdocs/sax
and all subdirectories

The actual SAX classes in xml-commons came from:

<http://www.megginson.com/Software/index.html>

The original versions are tagged 'SAX-2_0-r2-prerelease'

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache xml-commons xml-apis ==
== distribution. ==
=====
```

Apache XML Commons XML APIs

Copyright 2006 The Apache Software Foundation.

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt 226215 2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-software-20021231>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) \$
xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 226215
2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [Date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright

FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005)
\$

This license came from: <http://www.megginson.com/SAX/copying.html>
However please note future versions of SAX may be covered
under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at
<http://www.saxproject.org/> for more up-to-date
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com
2000-05-05

1.134 mockito 4.5.1

1.134.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

OpenEJB :: Utils :: Mockito

Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.135 ion-java 1.0.2

1.135.1 Available under license :

Amazon Ion Java

Copyright 2007-2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.136 jedis 3.8.0

1.136.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0> Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1340278266_1654666898.687719/0/jedis-3-8-0-sources-jar/redis/clients/jedis/util/MurmurHash.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2009-2010 MBTE Sweden AB. Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0> Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1340278266_1654666898.687719/0/jedis-3-8-0-sources-jar/redis/clients/jedis/util/RedisInputStream.java

1.137 activation-api 1.2.2

1.137.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notices for Jakarta Activation

This content is produced and maintained by Jakarta Activation project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jaf>

Third-party Content

This project leverages the following third party content.

JUnit (4.12)

* License: Eclipse Public License

1.138 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

1.138.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.139 eclipse-jdt-core 3.14.0.v20171206-0802

1.139.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2013, 2015 GK Software AG.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   Stephan Herrmann - initial API and implementation  
***/
```

Found in path(s):

[/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceVariable.java](#)

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2004, 2016 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html
```

*
* Contributors:
* IBM Corporation - initial API and implementation
* Andreas Magnusson <andreas.ch.magnusson@gmail.com>- contribution for bug 151500
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/InternalCompletionProposal.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 360328 - [compiler][null] detect null problems in nested code (local class inside a loop)
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365835 - [compiler][null] inconsistent error reporting.
* bug
365519 - editorial cleanup after bug 186342 and bug 365387
* bug 358903 - Filter practically unimportant resource leak warnings
* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
* bug 370639 - [compiler][resource] restore the default for resource leak warnings
* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
* bug 401030 - [1.8][null] Null analysis support for lambda methods.
* Bug
392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
* Bug 417758 - [1.8][null] Null safety compromise during array creation.
* Bug 427438 - [1.8][compiler] NPE at
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
* Bug 430150 - [1.8][null] stricter checking against type variables
* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression

* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
* Bug 455723 - Nonnull argument not correctly inferred in loop
* Jesper S Moller - Contributions for
* bug
382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ReturnStatement.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocImplicitTypeReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnParameterizedSingleTypeReference.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocQualifiedTypeReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnParameterizedQualifiedTypeReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ElementValuePair.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocSingleTypeReference.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2014, 2015 Mateusz Matela and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
*

- * Contributors:
- * Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly, especially when max line width is set - <https://bugs.eclipse.org/303519>
- * Till Brychcy - Java Code Formatter breaks code if single line comments contain unicode escape - <https://bugs.eclipse.org/471090>

*****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/Token.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
- * Bug 458577 - IClassFile.getWorkingCopy() may lead to NPE in BecomeWorkingCopyOperation

*****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/Util.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2014, 2016 Mateusz Matela and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly, especially when max line width is set - <https://bugs.eclipse.org/303519>

*****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/TokenManager.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/TextEditsBuilder.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2013 Jesper S Moller and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   Jesper S Moller <jesper@selskabet.org> - initial API and implementation  
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ContainerAnnotation.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005, 2008 BEA Systems, Inc.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   tyeung@bea.com - initial API and implementation  
*   IBM Corporation - changed interface to extend IBinding  
*   IBM Corporation - renamed from IResolvedMemberValuePair to IMemberValuePairBinding  
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/IMemberValuePairBinding.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*   Stephan Herrmann - Contribution for  
*     Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables  
*     Bug 429813 - [1.8][dom ast] IMethodBinding#getJavaElement() should return IMethod for lambda  
*/
```

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/TypeBinding.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- *
- * Contributors:
- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
- * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- * Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
- * Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ArrayTypeReference.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2014, 2017 IBM Corporation and others.
- *
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- *
- * Contributors:
- * IBM Corporation - initial API and implementation

*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnReferenceExpression.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Stephan Herrmann - Contributions for
 * Bug 360328 - [compiler][null] detect null problems in nested code (local class inside a loop)
 * Bug 388630 - @NonNull diagnostics at line 0
 * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
 * Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
 * Bug 424727 - [compiler][null] NullPointerException in
 nullAnnotationUnsupportedLocation(ProblemReporter.java:5708)
 * Bug 457210 - [1.8][compiler][null] Wrong Nullness errors given on full build build but not on incremental build?
 * Keigo Imai - Contribution for bug 388903 - Cannot extend inner class as an anonymous class when it extends
 the outer class
 *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
 jar/org/eclipse/jdt/internal/compiler/ast/TypeDeclaration.java
 No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2006, 2016 QNX Software Systems and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>
 *

* Contributors:
 * QNX - Initial API and implementation
 * Andrew Ferguson (Symbian)
 * Markus Schorn (Wind River Systems)
 *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
 jar/org/eclipse/jdt/internal/core/nd/db/IString.java
 * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
 jar/org/eclipse/jdt/internal/core/nd/db/LongString.java
 *

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
 jar/org/eclipse/jdt/internal/core/nd/db/ShortString.java
 No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2005, 2015 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 466308 - [hovering] Javadoc header for parameter is wrong with annotation-based null analysis
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/KeyKind.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2014, 2015 Google Inc and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* John Glassmyer <jogl@google.com> - import group sorting is broken - <https://bugs.eclipse.org/430303>
* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
* Bug 473178
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ConflictIdentifier.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* IBM Corporation - added J2SE 1.5 support
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IType.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2004, 2012 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 */
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ResolvedSourceType.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2016 IBM Corporation.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 */
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/batch/BasicModule.java`
`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ModulePathContainerInitializer.java`
`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ModulePathContainer.java`

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/ModuleReferenceImpl.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2014, 2015 Mateusz Matela and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 */
```

* Contributors:
* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly, especially when max line width is set - <https://bugs.eclipse.org/303519>
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/TokenTraverser.java
No license file was found, but licenses were detected in source scan.

/*****
* Copyright (c) 2015, 2016 GK Software AG.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:
* Stephan Herrmann - initial API and implementation
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/ExternalAnnotationUtil.java
No license file was found, but licenses were detected in source scan.

/*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 415543 - [1.8][compiler] Incorrect bound index in RuntimeInvisibleTypeAnnotations attribute
*****/

Found
in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/TypeParameter.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2006, 2009 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 *   BEA - Patch for bug 172743
 */
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/AbstractAnnotationProcessorManager.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2014 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   Gauthier JACQUES - initial API and implementation
 */
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/batch/BatchCompilerRequestor.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2000, 2013 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 *   Perry James - nullStatus method improvement (165346)
 *   Stephan Herrmann - Contribution for
 *   bug 383368 - [compiler][null] syntactic null analysis for field references
 */
```

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/OperatorExpression.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2011 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/index/JavaIndexer.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/BootstrapMethodsEntry.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IBootstrapMethodsEntry.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/jdtCompilerAdaptersrc/org/eclipse/jdt/core/BuildJarIndex.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/PolymorphicMethodBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IBootstrapMethodsAttribute.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/BootstrapMethodsAttribute.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/index/JarIndexLocation.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IConstantPoolEntry2.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2012 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionScanner.java

No license file was found, but licenses were detected in source scan.

/******

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*
* Contributors:
* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/IncrementalImageBuilder.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/hierarchy/IndexBasedHierarchyBuilder.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/ClassFileMatchLocator.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/MatchingNodeSet.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/RelevanceConstants.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/jdom/CompilationUnit.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/Member.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/Evaluator.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetEnvironment.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/ClasspathMultiDirectory.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/DeltaProcessingState.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/AddJarFileToIndex.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/ISelectionRequestor.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/SuffixConstants.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/SourceElementParser.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SourceTypeCollisionException.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/PackageFragmentRootInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CreateElementInCUOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/Region.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/PackageFragmentInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaModelInfo.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/problem/ProblemSeverities.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JarEntryFile.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/Messages.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ResourceCompilationUnit.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/hierarchy/HierarchyBuilder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/SourceIndexer.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnMessageSend.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IOpenable.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionJavadocParser.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/EvaluationContext.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaProjectElementInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/SourceFile.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/AbstractCommentParser.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnKeyword3.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/IndexManager.java

```

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/parser/JavadocTagConstants.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/CopyResourceElementsOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/SourceField.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/AnnotatableType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/parser/RecoveredInitializer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/batch/FileFinder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/processing/JobManager.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/DeleteElementsOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/CreateTypeMemberOperation.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/hierarchy/RegionBasedTypeHierarchy.java
No license file was found, but licenses were detected in source scan.

```

```

/*****

```

```

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*

```

```

* Contributors:
*   IBM Corporation - initial API and implementation
*   Stephan Herrmann - Contributions for
*     Bug 185682 - Increment/decrement operators mark local variables as read
*     Bug 458396 - NPE in CodeStream.invoke()

```

```

*****/

```

Found in path(s):

```

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/eval/CodeSnippetQualifiedNameReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/eval/CodeSnippetSingleNameReference.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/eval/CodeSnippetFieldReference.java
No license file was found, but licenses were detected in source scan.

```

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 383368 - [compiler][null] syntactic null analysis for field references
* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 417295 - [1.8][null] Massage type
annotated null analysis to gel well with deep encoded type bindings.
* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
* Andy Clement - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
work)

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/InstanceOfExpression.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2004, 2011 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/DefaultCommentMapper.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/FloatUtil.java
No license file was found, but licenses were detected in source scan.

```

* Contributors:
*   IBM Corporation - initial API and implementation
*   IBM Corporation - added support for requesting updates of a particular
*       container for generic container operations.
*   - canUpdateClasspathContainer(IPath, IJavaProject)
*   - requestClasspathContainerUpdate(IPath, IJavaProject, IClasspathContainer)
*   IBM Corporation - allow initializers to provide a readable description
*       of a container reference, ahead of actual resolution.
*   - getDescription(IPath,
IJavaProject)
*****/

```

Found in path(s):

```

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/ClasspathContainerInitializer.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2011 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/flow/InitializationFlowContext.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2006, 2009 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/codegen/CachedIndexEntry.java

```

```

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

```

jar/org/eclipse/jdt/internal/compiler/parser/RecoveryScannerData.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/util/SimpleSetOfCharArray.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/UnresolvedReferenceNameFinder.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2004, 2008 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*/
```

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/SourceAnnotationMethodInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/util/DefaultStackMapFrame.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/AnnotationInfo.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/CompletionRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/ResolvedSourceField.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/ResolvedSourceMethod.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/rewrite/ITrackedNodePosition.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/util/AnnotationComponentValue.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2012 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*/
```

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/MethodReferenceMatch.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnSingleTypeReference.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnQualifiedTypeReference.java
- *
- /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SetClasspathOperation.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/NormalAnnotation.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/index/Index.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/IJavaSearchScope.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Literal.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/diagnose/LexStream.java
- *
- /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/PublicScanner.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocMessageSend.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/SearchRequestor.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2009, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

- *
- * Contributors:
- * IBM Corporation - initial API and implementation

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavadocContents.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Terry Parker <tparker@google.com> - DeltaProcessor misses state changes in archive files, see
https://bugs.eclipse.org/bugs/show_bug.cgi?id=357425
 * Thirumala Reddy Mutchukota <thirumala@google.com> - Avoid optional library classpath entries validation -
https://bugs.eclipse.org/bugs/show_bug.cgi?id=412882
 * Stephan Herrmann - Contribution for
 * Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
 * Bug
 462768 - [null] NPE when using linked folder for external annotations
 * Bug 465296 - precedence of extra attributes on a classpath container
 *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ClasspathEntry.java
 No license file was found, but licenses were detected in source scan.

/*
 * Copyright (c) 2000, 2016 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
 * Bug 320841 - TypeConverters don't set enclosingType
 * Bug 353474 - type converters should include more annotations
 *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/SourceTypeConverter.java
 No license file was found, but licenses were detected in source scan.

/*
 * Copyright (c) 2006, 2013 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnMessageSendName.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/MissingTypesGuesser.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/formatter/IndentManipulation.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2011, 2013 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/index/JavaIndexerApplication.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2004, 2015 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for

* Bug 466279 - [hovering] IAE on hover when annotation-based null analysis is enabled

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/TypeParameter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2000, 2017 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 *   Stephan Herrmann - Contribution for
 *     bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
 *     bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
 *     bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
 *     Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
 *     Bug 415850 - [1.8] Ensure RunJDTCoreTests can
 * cope with null annotations enabled
 *     Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
 *     Bug 427163 - [1.8][null] bogus error "Contradictory null specification" on varargs
 *     Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
 *     Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class
 *     Bug 434600 - Incorrect null analysis error reporting on type parameters
 *     Bug 439516 - [1.8][null] NonNullByDefault wrongly applied to implicit type bound of binary type
 *     Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
 *     Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
 *     Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
 *     Bug 437072 - [compiler][null] Null analysis emits possibly
 * incorrect warning for new int[][] despite @NonNullByDefault
 *     Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
 *     Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
 *       Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
 * work)
 *       Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code
 * generator
 *       Bug 415399 - [1.8][compiler] Type annotations on constructor results dropped by the code
 * generator
 */
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/ast/TypeReference.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2013, 2014 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 */
```

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for

* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/NullTypeBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/VoidTypeBinding.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2014, 2016 Mateusz Matela and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly, especially when max line width is set - <https://bugs.eclipse.org/303519>

* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] IndexOutOfBoundsException in TokenManager - <https://bugs.eclipse.org/462945>

* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Bad line breaking in Eclipse javadoc comments - <https://bugs.eclipse.org/348338>

* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for

* Bug 473178

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/CommentsPreparator.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2014 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

- * Stephan Herrmann - Contributions for
- * bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
- * bug 349326 - [1.7] new warning for missing try-with-resources
- * bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- * bug 383368 - [compiler][null] syntactic null analysis for field references
- * bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/IfStatement.java

No license file was found, but licenses were detected in source scan.

*****/

- * Copyright (c) 2016 Till Brychcy and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * Till Brychcy - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/AnnotationMethodInfoWithTypeAnnotations.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/flow/FieldInitsFakingFlowContext.java

No license file was found, but licenses were detected in source scan.

*****/

- * Copyright (c) 2000, 2015 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
- * bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
- * bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- * bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
- * Bug 415790 - [compiler][resource]Incorrect potential resource leak warning in for loop with close in try/catch

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/DoStatement.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Tal Lev-Ami - added package cache for zip files
- * Stephan Herrmann - Contribution for
- * Bug 440477 - [null] Infrastructure for feeding external annotations into compilation

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/ClasspathJar.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Vladimir Piskarev <pisv@1c.ru> - Building large Java element deltas is really slow - <https://bugs.eclipse.org/443928>

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaElementDeltaBuilder.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0

- * which accompanies this distribution, and is available at
 - * <http://www.eclipse.org/legal/epl-v10.html>
 - *
 - * Contributors:
 - * IBM Corporation - initial API and implementation
 - * Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
 - * Bug 328281 - visibility leaks not detected when analyzing unused field in private class
 - * Bug 300576 - NPE Computing type hierarchy when compliance doesn't match libraries
 - * Bug 354536 - compiling package-info.java still depends on the order of compilation units
 - * Bug 349326 - [1.7] new warning for missing try-with-resources
 - * Bug 358903 - Filter
- practically unimportant resource leak warnings
- * Bug 395977 - [compiler][resource] Resource leak warning behavior possibly incorrect for anonymous inner class
 - * Bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
 - * Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
 - * Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource
 - * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
 - * Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class
 - * Bug 444024 - [1.8][compiler][null] Type mismatch error in annotation generics assignment which happens "sometimes"
 - * Bug 459967 - [null] compiler should know about nullness of special methods like MyEnum.valueOf()
 - * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
 - * Bug 415821 - [1.8][compiler] CLASS_EXTENDS target type annotation missing for anonymous classes
 - * het@google.com - Bug 456986 - Bogus error when annotation processor generates annotation type
 - * Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
 - * Bug 473178

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ClassScope.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2008, 2015 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- *

* Contributors:

- * IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/TypeConverter.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2006, 2012 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* IBM Corporation - initial API and implementation  
* Stephan Herrmann - Contribution for  
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"  
***/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/CombinedBinaryExpression.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* IBM Corporation - initial API and implementation  
* Stephan Herrmann - Contribution for  
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
***/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ArrayQualifiedTypeReference.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2016 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* IBM Corporation - initial API and implementation  
* Stephan Herrmann - Contributions for bug 215139 and bug 295894  
***/
```

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/BasicSearchEngine.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/SearchEngine.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contributions for

* bug 186342 - [compiler][null] Using annotations for null checking

* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

* Bug 417295 - [1.8][null] Massage type annotated null analysis

to gel well with deep encoded type bindings.

* Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.

* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterizedMethodBinding.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2015 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for

* Bug 429813 - [1.8][dom ast] IMethodBinding#getJavaElement() should return IMethod for lambda

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/MethodBinding.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/IMethodBinding.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* IBM Corporation - initial API and implementation  
* Jesper S Moller - Contributions for  
* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335  
* Bug 406982 - [1.8][compiler] Generation of MethodParameters Attribute in classfile  
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for  
* Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas  
*/
```

Found
in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ClassFileConstants.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* IBM Corporation - initial API and implementation  
*  
*/
```

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/ModuleLocator.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2014 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials
```

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for

* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnArgumentName.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2016 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for

* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/State.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ClasspathChange.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contributions for

* bug 335093 - [compiler][null] minimal hook for future null annotation support

* bug 349326 - [1.7] new warning for missing try-with-resources

* bug 186342 - [compiler][null] Using annotations for null checking

- * bug 365983 - [compiler][null] AIOOB with null annotation analysis and varargs
- * bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
- * bug 370930 - NonNull annotation not considered for enhanced for loops
- * bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
- * bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
- * bug 331649 - [compiler][null] consider null annotations for fields
- * bug 383368 - [compiler][null] syntactic null analysis for field references
- * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- * Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- * Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
- * Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- * Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
- * Bug 417758 - [1.8][null] Null safety compromise during array creation.
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- * Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
- * Bug 418537 - [1.8][null] Fix null type annotation analysis for poly conditional expressions
- * Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- * Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException instead of IOException)
- * Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- * Bug 453483 - [compiler][null][loop] Improve null analysis for loops
- * Bug 455723 - Nonnull argument not correctly inferred in loop
- * Andy Clement - Contributions for
 - * Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- *
 - * Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Statement.java

No license file was found, but licenses were detected in source scan.

All rights reserved. This program and the accompanying materials
are made available under the terms of the Eclipse Public License v1.0

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/messages.properties

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/jdtCompilerAdaptersrc/org/eclipse/jdt/internal/antadapter/messages.properties

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/messages.properties

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/problem/messages.properties

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/batch/messages.properties

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/formatter/messages.properties

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/index/messages.properties

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2016, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:
* IBM Corporation - initial API and implementation

*

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredModule.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/PackageVisibilityStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ModuleBinding.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ModuleReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnModuleDeclaration.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnModuleReference.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2015, 2017 IBM Corporation.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:
* IBM Corporation - initial API and implementation

*

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/JRTUtil.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Jesper Steen Moller - Contributions for:
* Bug 412149: [1.8][compiler] Emit repeated annotations into the designated container

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/SingleMemberAnnotation.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 332637 - Dead Code detection removing code that isn't dead
* bug 391517 - java.lang.VerifyError on code that runs correctly in Eclipse 3.7 and eclipse 3.6
* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/flow/ConditionalFlowInfo.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2015 Google Inc and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

- * Contributors:
- * John Glassmyer <jogl@google.com> - import group sorting is broken - <https://bugs.eclipse.org/430303>
- * Lars Vogel <Lars.Vogel@vogella.com> - Contributions for Bug 473178

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ImportEditor.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ImportGroupComparator.java

No license file was found, but licenses were detected in source scan.

Eclipse Public License Version 1.0 ("EPL"). A copy of the EPL is available

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/about.html

No license file was found, but licenses were detected in source scan.

/******

- * Copyright (c) 2000, 2015 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
 - * bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
 - * bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
 - * bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
 - * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
 - * Bug 415291
 - [1.8][null] differentiate type incompatibilities due to null annotations
 - * Bug 415850 - [1.8] Ensure RunJDTCORETests can cope with null annotations enabled
 - * Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
 - * Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
 - * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
 - * Bug 425460 - [1.8] [inference] Type not inferred on stream.toArray
 - * Bug 426792 - [1.8][inference][impl] generify new type inference engine
 - * Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.
 - * Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
 - * Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
 - * Bug 441693 - [1.8][null] Bogus

warning for type argument annotated with @NonNull

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ArrayBinding.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/SourceRangeVerifier.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Benjamin Muskalla - Contribution for bug 239066

* Stephan Herrmann - Contributions for

* bug 236385 - [compiler] Warn for potential programming problem if an object is created but not used

* bug 338303 - Warning about Redundant assignment conflicts with definite assignment

* bug 349326 - [1.7] new warning for missing try-with-resources

* bug 186342 - [compiler][null] Using annotations for null checking

* bug

365519 - editorial cleanup after bug 186342 and bug 365387

* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations

* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults

* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations

* bug 374605 - Unreasonable warning for enum-based switch statements

* bug 382353 - [1.8][compiler] Implementation property modifiers should be accepted on default methods.

* bug 382347 - [1.8][compiler] Compiler accepts incorrect default method inheritance

* bug 388281 - [compiler][null] inheritance of null annotations as an option

- * bug 376053 - [compiler][resource] Strange potential resource leak problems
 - * bug 381443 - [compiler][null] Allow parameter widening from @NonNull to unannotated
 - * bug 393719 - [compiler] inconsistent warnings on iteration variables
 - * bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
 - * bug 388739 - [1.8][compiler] consider default methods when detecting whether a class needs to be declared
- abstract
- * bug 331649 - [compiler][null] consider null annotations for fields
 - * bug 382789 - [compiler][null] warn when syntactically-nonnull expression is compared against null
 - * bug 376590 - Private fields with @Inject are ignored by unused field validation
 - * bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
 - * bug 402028 - [1.8][compiler] null analysis for reference expressions
 - * bug 401796 - [1.8][compiler] don't treat default methods as overriding an independent inherited abstract method
 - * bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super
 - * bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
 - * Bug 392099 -
- [1.8][compiler][null] Apply null annotation on types for null analysis
- * Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
 - * Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
 - * Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
 - * Bug 414380 - [compiler][internal] QualifiedNameReference#indexOfFirstFieldBinding does not point to the first
- field
- * Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
 - * Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
 - * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
 - * Bug 424637 - [1.8][compiler][null] AIOOB in ReferenceExpression.resolveType with a method reference to
- Files::walk
- * Bug 428294 - [1.8][compiler] Type mismatch: cannot convert from List<Object> to Collection<Object[]>
 - * Bug 428366 - [1.8] [compiler] The method valueAt(ObservableList<Object>, int) is ambiguous for the type
- Bindings
- * Bug 416190 - [1.8][null] detect incompatible overrides due to null type annotations
 - * Bug 392245 - [1.8][compiler][null] Define whether / how @NonNullByDefault applies to TYPE_USE locations
 - * Bug 390889 - [1.8][compiler] Evaluate options to support 1.7- projects against 1.8 JRE.
 - * Bug 430150 - [1.8][null] stricter checking against type variables
 - * Bug 434600 - Incorrect null analysis error reporting on type parameters
 - * Bug 439516 - [1.8][null] NonNullByDefault wrongly applied to implicit type bound of binary type
 - * Bug 438467 - [compiler][null] Better error position for "The method _ cannot implement the corresponding method _ due to incompatible nullness constraints"
 - * Bug 439298 - [null] "Missing code implementation in the compiler" when using @NonNullByDefault in package-info.java
 - * Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
 - * Bug 446442 - [1.8] merge null annotations from super methods
 - * Bug 455723 - Nonnull argument not correctly inferred in loop
 - * Bug 458361 - [1.8][null] reconciler throws NPE in ProblemReporter.illegalReturnRedefinition()
 - * Bug 459967 - [null] compiler should know about nullness of special methods like MyEnum.valueOf()
 - * Bug 461878 - [1.7][1.8][compiler][null] ECJ compiler does not allow to use null annotations on annotations
 - * Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.

- * Jesper S Moller <jesper@selskabet.org> - Contributions for
 - * bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
 - * bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
 - * bug 384567 - [1.5][compiler] Compiler accepts illegal modifiers on package declaration
 - * bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
 - * bug 412151 - [1.8][compiler] Check repeating annotation's collection type
 - * bug 419209 - [1.8] Repeating container annotations should be rejected in the presence of annotation it contains
 - * Bug 429384 - [1.8][null] implement conformance rules for null-annotated lower / upper type bounds
 - * Bug 416182 - [1.8][compiler][null] Contradictory null annotations not rejected
 - * Ulrich Grave <ulrich.grave@gmx.de> - Contributions for
 - * bug 386692 - Missing "unused" warning on "autowired" fields
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/problem/ProblemReporter.java

No license file was found, but licenses were detected in source scan.

/******

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Tom Tromey - patch for readTable(String) as described in http://bugs.eclipse.org/bugs/show_bug.cgi?id=32196
- * Stephan Herrmann - Contributions for
- * bug 366003 - CCE in ASTNode.resolveAnnotations(ASTNode.java:639)
- * bug 374605 - Unreasonable warning for enum-based switch statements
- * bug 393719 - [compiler] inconsistent warnings on iteration variables
- * bug 382353 - [1.8][compiler] Implementation property modifiers should be accepted on default methods.
- * bug 383973 - [1.8][compiler] syntax recovery in the presence of default methods
- * bug 401035 - [1.8] A few tests have started failing recently
- * Jesper S Moller - Contributions for
- * bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
- * bug 399695 - [1.8][compiler] [1.8][compiler] migrate parser to other syntax for default methods
- * bug 384567 - [1.5][compiler] Compiler accepts illegal modifiers on package declaration
- * bug 393192 - Incomplete type hierarchy with > 10 annotations
- * Andy Clement - Contributions for
- * Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- * Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
- * Bug 415821 - [1.8][compiler] CLASS_EXTENDS target type annotation missing for anonymous classes

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/Parser.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2006, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*
* Contributors:
* IBM Corporation - initial API and implementation

*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/StackMapFrameCodeStream.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2012, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*
* Contributors:
* IBM Corporation - initial API and implementation
* Jesper S Moller - Contributions for
* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
* Bug 416885 - [1.8][compiler]IncompatibleClassChange error (edit)
* Stephan Herrmann - Contribution for
* bug 401030 - [1.8][null] Null analysis support for lambda methods.
* Bug 392099 - [1.8][compiler][null]

Apply null annotation on types for null analysis
* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
* Bug 425142 - [1.8][compiler] NPE in ConstraintTypeFormula.reduceSubType
* Bug 425153 - [1.8] Having wildcard allows incompatible types in a lambda expression
* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation
* Bug 425798 - [1.8][compiler] Another NPE in ConstraintTypeFormula.reduceSubType
* Bug 425156 - [1.8] Lambda as an argument is flagged with incompatible error
* Bug 424403 - [1.8][compiler] Generic method call with method reference argument fails to resolve properly.

- * Bug 426563 - [1.8] AIOOBE when method with error invoked with lambda expression as argument
 - * Bug 420525 - [1.8] [compiler] Incorrect error "The type Integer does not define sum(Object, Object) that is applicable here"
 - * Bug 427438 - [1.8][compiler] NPE at org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
 - * Bug 428294 - [1.8][compiler] Type mismatch: cannot convert from List<Object> to Collection<Object[]>
 - * Bug 428786 - [1.8][compiler] Inference needs to compute the "ground target type" when reducing a lambda compatibility constraint
 - * Bug 428980 - [1.8][null] simple expression as lambda body doesn't leverage null annotation on argument
 - * Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException instead of IOException)
 - * Bug 432110 - [1.8][compiler] nested lambda type incorrectly inferred vs javac
 - * Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
 - * Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
 - * Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
 - * Bug 453483 - [compiler][null][loop] Improve null analysis for loops
 - * Bug 455723 - Nonnull argument not correctly inferred in loop
 - * Bug 463728 - [1.8][compiler][inference] Ternary operator in lambda derives wrong type
 - * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/LambdaExpression.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IConstantPoolEntry3.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IProvidesInfo.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IRequiresInfo.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IModuleAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IModulePackagesAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ModuleMainClassAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/RequiresInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IPackageVisibilityInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ModuleAttribute.java
*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/ModulePattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ModulePackagesAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IModuleMainClassAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IModule.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JModPackageFragmentRoot.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/PackageVisibilityInfo.java
*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ProvidesInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/ModuleDeclarationMatch.java
No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2006 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnQualifiedSuperReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/VariablesInfo.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JarPackageFragmentInfo.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IGenericMethod.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryNestedType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/AbortIncrementalBuildException.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/ProblemFactory.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/ISourceMethod.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/IJavaElementRequestor.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/CompletionRequestorAdapter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/IPathRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/jdom/ILineStartFinder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnSuperReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IGenericType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/PackageDeclarationLocator.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/INamingRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IGenericField.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/ISourceType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/ISourceField.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/XMLWriter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ILRUCacheable.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/SaveIndex.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/ISearchPattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/IRequestor.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2011, 2013 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 *   Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
 *       Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
 *       work)
 *       Bug 409246 - [1.8][compiler] Type annotations on catch parameters not handled properly
 */
```

Found in path(s):

```
*/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/codegen/MultiCatchExceptionLabel.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2000, 2014 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 *   Stephan Herrmann - Contribution for
 *       bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
 *       Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
 *       Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
 */
```

Found in

path(s):

```
*/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/lookup/BaseTypeBinding.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2004, 2015 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
```

```
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*   Stephan Herrmann - Contribution for Bug 464615 - [dom] ASTParser.createBindings() ignores parameterization
of a method invocation
*****/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/ResolvedBinaryType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/ResolvedBinaryField.java
```

No license file was found, but licenses were detected in source scan.

```
*****
```

```
* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
```

```
* Contributors:
*   IBM Corporation - initial API and implementation
*   Stephan Herrmann - Contribution for
*   Bug 440687 - [compiler][batch][null] improve command line option for external annotations
*****/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/batch/FileSystem.java
```

No license file was found, but licenses were detected in source scan.

```
*****
```

```
* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
```

```
* Contributors:
*   IBM Corporation - initial API and implementation
*   Stephan Herrmann - Contribution for
*   bug 363858 - [dom] early throwing of AbortCompilation causes NPE in CompilationUnitResolver
*   Bug 466279 - [hovering] IAE on hover when annotation-based null analysis is enabled
*****/
```

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/CompilationUnitResolver.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2016 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for

* bug 349326 - [1.7] new warning for missing try-with-resources

* bug 370930 - NonNull annotation not considered for enhanced for loops

* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations

* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

* bug 393719 - [compiler] inconsistent warnings on iteration variables

* Bug 411964 - [1.8][null] leverage null type annotation in foreach statement

* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

* Bug 453483 - [compiler][null][loop] Improve null analysis for loops

* Bug 415790 - [compiler][resource] Incorrect potential resource leak warning in for loop with close in try/catch

* Jesper S Moller - Contribution for

* bug 401853 - Eclipse Java compiler creates invalid bytecode (java.lang.VerifyError)

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ForeachStatement.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Terry Parker <tparker@google.com>

* - Contribution for https://bugs.eclipse.org/bugs/show_bug.cgi?id=372418

* - Another problem with inner classes referenced from jars or class folders: "The type ... cannot be resolved"

* Stephan Herrmann - Contribution for

* Bug 392727 - Cannot compile project when a java file contains \$ in its file name

* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/NameEnvironment.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2007, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/RecoveredVariableBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/ThrownExceptionFinder.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Brock Janiczak - Contribution for bug 150741

* Ray V. (voidstar@gmail.com) - Contribution for bug 282988

* Jesper S Moller - Contribution for bug 402173

* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly, especially when max line width is set - <https://bugs.eclipse.org/303519>

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/formatter/DefaultCodeFormatterConstants.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2011, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ClassFileReader.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - inconsistent initialization of classpath container backed by external class folder, see <https://bugs.eclipse.org/320618>
* Thirumala Reddy Mutchukota <thirumala@google.com> - Contribution to bug: https://bugs.eclipse.org/bugs/show_bug.cgi?id=411423
* Terry Parker <tparker@google.com> - [performance] Low hit rates in JavaModel caches - <https://bugs.eclipse.org/421165>
* Andrey Loskutov <loskutov@gmx.de>
- ExternalFoldersManager.RefreshJob interrupts auto build job - <https://bugs.eclipse.org/476059>
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ExternalFoldersManager.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2004, 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/IExtendedModifier.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/JavaSearchPattern.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/IDocElement.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/rewrite/ASTRewrite.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Jesper S Moller - Contributions for

* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335

* Bug 406973 - [compiler] Parse MethodParameters attribute

* Andy Clement - Contributions for

* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/AttributeNamesConstants.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2005, 2013 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

- * Stephan Herrmann - Contribution for
 - * Bug 425183 - [1.8][inference] make CaptureBinding18 safe
 - * Bug 462025 - [null][test] create tests for manipulating external null annotations
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/KeyToSignature.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2007, 2016 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/util/CharArrayMap.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2014 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
- * bug 186342 - [compiler][null] Using annotations for null checking
- * bug 365519 - editorial cleanup after bug 186342 and bug 365387
- * bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
- * bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
- * bug 385626 - @NonNull fails across loop boundaries
- * bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
- * bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
- * Bug 453483 - [compiler][null][loop] Improve null analysis for loops
- * Bug 455723 - Nonnull argument not correctly inferred in loop
- * Jesper S Moller - Contributions for
- * bug 404657 - [1.8][compiler] Analysis for effectively final variables fails to consider loops

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/flow/FinallyFlowContext.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- *
- * Contributors:
- * IBM Corporation - initial API and implementation
- * Jesper S Moller - Contributions for
- * Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
- * Bug 406982 - [1.8][compiler] Generation of MethodParameters Attribute in classfile
- * Bug 416885 - [1.8][compiler]IncompatibleClassChange error (edit)
- * Bug 412149 - [1.8][compiler] Emit repeated annotations into the designated container
- * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com
- Contributions for
- * Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- * Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code generator
- * Bug 409246 - [1.8][compiler] Type annotations on catch parameters not handled properly
- * Bug 415541 - [1.8][compiler] Type annotations in the body of static initializer get dropped
- * Bug 415399 - [1.8][compiler] Type annotations on constructor results dropped by the code generator
- * Bug 415470 - [1.8][compiler] Type annotations on class declaration go vanishing
- * Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas
- * Bug 434556 - Broken class file generated for incorrect annotation usage
- * Bug 442416
- \$deserializeLambda\$ missing cases for nested lambdas
- * Stephan Herrmann - Contribution for
- * Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- * Olivier Tardieu tardieu@us.ibm.com - Contributions for
- * Bug 442416 - \$deserializeLambda\$ missing cases for nested lambdas

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ClassFile.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetReturnStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetSuperReference.java
No license file was found, but licenses were detected in source scan.

*****/
* Copyright (c) 2000, 2009 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SourceMethodWithChildrenInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SourceConstructorWithChildrenInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SourceFieldWithChildrenInfo.java
*
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/InitializerWithChildrenInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ImportContainerInfo.java
No license file was found, but licenses were detected in source scan.

*****/
* Copyright (c) 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/MethodNameMatchRequestorWrapper.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/MethodDeclarationPattern.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/MethodNameRequestor.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/JavaSearchMethodNameMatch.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/IRestrictedAccessMethodRequestor.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/MethodNameMatchRequestor.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/MethodNameMatch.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/MethodNameRequestorWrapper.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2008, 2013 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ReadManager.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/impl/AssistAnnotation.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/impl/AssistSourceType.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/impl/AssistSourceMethod.java

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/impl/AssistInitializer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/CompletionUnitStructureRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/impl/AssistSourceField.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/impl/AssistImportDeclaration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/impl/AssistPackageDeclaration.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/impl/AssistImportContainer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/impl/AssistTypeParameter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/impl/AssistCompilationUnit.java
No license file was found, but licenses were detected in source scan.
```

```
/*
*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*   Stephan Herrmann - Contribution for
*   Bug 377883 - NPE on open Call Hierarchy
*****/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/matching/MatchLocator.java
No license file was found, but licenses were detected in source scan.
```

```
/*
*****
* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*   Alex Blewitt - alex_blewitt@yahoo.com https://bugs.eclipse.org/bugs/show_bug.cgi?id=171066
*****/
```

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/CompilationUnitSorter.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SortElementsOperation.java

No license file was found, but licenses were detected in source scan.

/*

*/

- * Copyright (c) 2015, 2016 GK Software AG.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * Stephan Herrmann - initial API and implementation
- * Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
- * Bug 473178

/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ExternalAnnotationTracker.java

No license file was found, but licenses were detected in source scan.

/*

*/

- * Copyright (c) 2004, 2016 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation

/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/CompletionProposal.java

No license file was found, but licenses were detected in source scan.

/*

*/

- * Copyright (c) 2009 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/IRestrictedAccessConstructorRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ExtraFlags.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/ConstructorDeclarationPattern.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/ExceptionLabel.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2004, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/NamedMember.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/util/MementoTokenizer.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/core/dom/BindingComparator.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2005, 2009 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/core/search/TypeParameterDeclarationMatch.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnBranchStatementLabel.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/DocumentAdapter.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/ClasspathAttribute.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/core/search/TypeParameterReferenceMatch.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnMemberValueName.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnAnnotationMemberValuePair.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnStringLiteral.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/codeassist/complete/AssistNodeParentAnnotationArrayInitializer.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/core/dom/rewrite/TargetSourceRangeComputer.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2000, 2016 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:
* IBM Corporation - initial API and implementation
* Samrat Dhillon samrat.dhillon@gmail.com - Search for method references is
* returning methods as overridden even if the superclass's method is
* only package-visible - <https://bugs.eclipse.org/357547>
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/MethodLocator.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for bug 295551
* Jesper S Moller - Contributions for
* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/CompilationUnitDeclaration.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365519 - editorial cleanup after bug 186342 and bug 365387
* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/lookup/PackageBinding.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2013, 2014 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 *   Stephan Herrmann - Contribution for
 *     Bug 432977 - [1.8][null] Incorrect 'type is not visible' compiler error
 *     Bug 446434 - [1.8][null] Enable interned captures also when analysing null type annotations
 */
/* Taking the binding of QTR as an example, there could be different annotatable components, but we come in a
with a single binding, e.g:
    @T Z;
        type => Z annotations => [[@T]]
    @T Y.@T Z                type => Z annotations => [[@T][@T]]
    @T X.@T Y.@T Z          type => Z annotations => [[@T][@T][@T]]
    java.lang.@T X.@T Y.@T Z    type => Z annotations => [[[]][@T][@T][@T]]
    in all these cases the incoming type binding is for Z, but annotations are for different levels. We need to align their
    layout for proper attribution.
 */
```

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/AnnotatableTypeSystem.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2000, 2016 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 *   Stephan Herrmann - contribution for bug 337868 - [compiler][model] incomplete support for package-info.java
when using SearchableEnvironment
 */
```

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SearchableEnvironment.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*   Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
*     bug 185682 - Increment/decrement operators mark local variables as read
*     bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
*     bug 331649 - [compiler][null] consider null annotations for fields
*     bug 383368 - [compiler][null] syntactic null analysis for field references
*     bug 392384 - [1.8][compiler][null] Restore nullness info from
type annotations in class files
*     Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
*     Bug 411964 - [1.8][null] leverage null type annotation in foreach statement
*     Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null
*****/

```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/ast/Reference.java
```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*   Stephan Herrmann - Contributions for
*     bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
*     bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields
*     bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred
checking
*     Bug 422796 - [compiler][null] boxed boolean reported as potentially null after null test in lazy
disjunction
*****/

```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
```


* mixing with 12*3 instructions on 3 integers than you can with 3 instructions
* on 1 byte), but shoehorning those bytes into integers efficiently is messy.
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/StreamHasher.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2014, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 458613 - [1.8] lambda not shown in quick type hierarchy

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/LambdaExpression.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE
* bug 292478 - Report potentially null across variable assignment
* bug 335093 - [compiler][null] minimal hook for future null annotation support
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 186342 - [compiler][null] Using annotations for null checking
* bug
358903 - Filter practically unimportant resource leak warnings
* bug 370639 - [compiler][resource] restore the default for resource leak warnings
* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional

- * bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
- * bug 383368 - [compiler][null] syntactic null analysis for field references
- * bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
- * Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- * Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

- * Bug 430150 - [1.8][null] stricter checking against type variables
- * Bug 453483 - [compiler][null][loop] Improve null analysis for loops
- * Jesper S Moller - Contributions for
- * Bug 378674 - "The method can be declared as static" is wrong
- * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- * Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
- * Bug 426616 - [1.8][compiler] Type Annotations, multiple problems

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/LocalDeclaration.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2007, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
- * Bug 429813 - [1.8][dom ast] IMethodBinding#getJavaElement() should return IMethod for lambda

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/RecoveredTypeBinding.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation

- * Patrick Wienands <pwienands@abit.de> - Contribution for bug 393749
- * Stephan Herrmann - Contribution for
- * bug 331649 - [compiler][null] consider null annotations for fields

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Clinit.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2005, 2016 QNX Software Systems and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * QNX - Initial API and implementation
- * Markus Schorn (Wind River Systems)
- * IBM Corporation
- * Sergey Prigogin (Google)

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/Chunk.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2003, 2014 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/QualifiedType.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/WildcardType.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/TypeParameter.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2016 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* IBM Corporation - initial API and implementation  
* Stephan Herrmann - Contributions for  
* bug 366003 - CCE in ASTNode.resolveAnnotations(ASTNode.java:639)  
* bug 383973 - [1.8][compiler] syntax recovery in the presence of default methods  
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-  
jar/org/eclipse/jdt/internal/compiler/parser/RecoveredType.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2013 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* IBM Corporation - initial API and implementation  
* Stephan Herrmann - Contributions for  
* bug 186342 - [compiler][null] Using annotations for null checking  
* bug 331649 - [compiler][null] consider null annotations for fields  
* bug 383368 - [compiler][null] syntactic null analysis for field references  
* bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions  
* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic  
null analysis for fields  
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-  
jar/org/eclipse/jdt/internal/compiler/ast/EqualExpression.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
*/
```

- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- *
- * Contributors:
- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
- * bug 186342 - [compiler][null] Using annotations for null checking
- * bug 387612 - Unreachable catch block...exception is never thrown from the try
- * bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
- * bug 401456 - Code compiles from javac/intellij, but fails from eclipse
- * bug 401271 - StackOverflowError when searching for
- a methods references
- * bug 405706 - Eclipse compiler fails to give compiler error when return type is a inferred generic
- * Bug 408441 - Type mismatch using Arrays.asList with 3 or more implementations of an interface with the interface type as the last parameter
- * Bug 413958 - Function override returning inherited Generic Type
- * Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- * Bug 416183 - [1.8][compiler][null] Overload resolution fails with null annotations
- * Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- * Bug 424710 - [1.8][compiler] CCE in SingleNameReference.localVariableBinding
- * Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation
- * Bug 424415 - [1.8][compiler] Eventual resolution
- of ReferenceExpression is not seen to be happening.
- * Bug 426366 - [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload context
- * Bug 426290 - [1.8][compiler] Inference + overloading => wrong method resolution ?
- * Bug 426589 - [1.8][compiler] Compiler error with generic method/constructor invocation as vargs argument
- * Bug 426590 - [1.8][compiler] Compiler error with ternary operator
- * Bug 426764 - [1.8] Presence of conditional expression as method argument confuses compiler
- * Bug 426998 - [1.8][compiler] method(java.lang.Class, java.lang.String) not applicable for the arguments (java.lang.Class, java.lang.String)
- * Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
- * Bug 427196 - [1.8][compiler] Compiler error for method reference to overloaded method
- * Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved
- * Bug 427728 - [1.8]
- Type Inference rejects calls requiring boxing/unboxing
- * Bug 427218 - [1.8][compiler] Verify error varargs + inference
- * Bug 426836 - [1.8] special handling for return type in references to method getClass()?
- * Bug 427628 - [1.8] regression : The method * is ambiguous for the type *
- * Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- * Bug 428366 - [1.8] [compiler] The method valueAt(ObservableList<Object>, int) is ambiguous for the type
- Bindings
- * Bug 424728 - [1.8][null] Unexpected error: The nullness annotation 'XXXX' is not applicable at this location
- * Bug 428811 - [1.8][compiler] Type witness unnecessarily required
- * Bug 429424 - [1.8][inference] Problem inferring type of method's parameter
- * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- * Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class

- * Bug
 - 434483 - [1.8][compiler][inference] Type inference not picked up with method reference
 - * Bug 441734 - [1.8][inference] Generic method with nested parameterized type argument fails on method reference
 - * Bug 452194 - Code no longer compiles in 4.4.1, but with confusing error
 - * Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
 - * Bug 456236 - [1.8][null] Cannot infer type when constructor argument is annotated with @Nullable
 - * Bug 437072 - [compiler][null] Null analysis emits possibly incorrect warning for new int[][] despite @NonNullByDefault
 - * Bug 462083 - [1.8][inference] Java 8 generic return type mismatch with interface involving type parameter.
 - * Jesper S Moller - Contributions for
 - * Bug 378674 - "The method can be declared as static" is wrong
 - * Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
 - * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com
 - Contributions for
 - * Bug 405104 - [1.8][compiler][codegen] Implement support for serializeable lambdas
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/Scope.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2000, 2017 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- * bug 407191 - [1.8] Binary access support for type annotations
- * Stephan Herrmann - Contribution for
- * Bug 440474 - [null] textual encoding of external null annotations

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryType.java

/* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/hierarchy/HierarchyBinaryType.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2000, 2015 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 458577 - IClassFile.getWorkingCopy() may lead to NPE in BecomeWorkingCopyOperation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/DiscardWorkingCopyOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/BecomeWorkingCopyOperation.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for bug 215139
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/TypeNameMatchRequestorWrapper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 401035 - [1.8] A few tests have started failing recently
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionParser.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2013 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann <stephan@cs.tu-berlin.de> - inconsistent initialization of classpath container backed by external class folder, see <https://bugs.eclipse.org/320618>

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ExternalFolderChange.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2014, 2016 Mateusz Matela and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly, especially when max line width is set - <https://bugs.eclipse.org/303519>

* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for

* Bug 473178

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/linewrap/FieldAligner.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2006, 2014 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveryScanner.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2008, 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/InternalExtendedCompletionContext.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Jesper S Moller - Contributions for
* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
* Bug 406982 - [1.8][compiler] Generation of MethodParameters Attribute in classfile
* Bug 416885 - [1.8][compiler]IncompatibleClassChange error (edit)
* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions
for
* Bug 405104 - [1.8][compiler][codegen] Implement support for serializeable lambdas
* Bug 439889 - [1.8][compiler] [lambda] Deserializing lambda fails with IllegalArgumentException:
"Invalid lambda deserialization"
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/ConstantPool.java

No license file was found, but licenses were detected in source scan.

/******

* Copyright (c) 2000, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for

* Bug 365992 - [builder] [null] Change of nullness for a parameter doesn't trigger a build for the files that call the method

* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation

* Bug 440687 - [compiler][batch][null] improve command line option for external annotations

* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

* bug

407191 - [1.8] Binary access support for type annotations

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ClassFileReader.java

No license file was found, but licenses were detected in source scan.

/******

* Copyright (c) 2016 Google, Inc and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Stefan Xenos (Google) - Initial implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdComplexTypeSignature.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/AbstractTypeFactory.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdTypeParameter.java

*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdTypeAnnotation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/indexer/Indexer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/MemoryStats.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/indexer/IndexTester.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdMethodParameter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/hierarchy/BindingMap.java

*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/indexer/ClassFileToIndexConverter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdWorkspaceLocation.java
No license file was found, but licenses were detected in source scan.

/*****
* Copyright (c) 2010 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/FileASTRequestor.java
No license file was found, but licenses were detected in source scan.

/*****
* Copyright (c) 2004, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for Bug 464615 - [dom] ASTParser.createBindings() ignores parameterization of a method invocation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ResolvedBinaryMethod.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Jesper S Moller - Contributions for
* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
* Stephan Herrmann - Contribution for
* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 416182 - [1.8][compiler][null] Contradictory
null annotations not rejected

*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemReasons.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2013, 2017 GK Software AG.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* Stephan Herrmann - initial API and implementation
* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
* Bug 473178

*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ConstraintExpressionFormula.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2013, 2016 QNX Software Systems and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* Andrew Eidsness - Initial implementation
*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/NdStringSet.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 466308 - [hovering] Javadoc header for parameter is wrong with annotation-based null analysis
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/LocalVariable.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365519 - editorial cleanup after bug 186342 and bug 365387
* bug 358903 - Filter practically unimportant resource leak warnings
* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults

- * bug
- 388281 - [compiler][null] inheritance of null annotations as an option
- * bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
- * bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
- * bug 400421 - [compiler] Null analysis for fields does not take @com.google.inject.Inject into account
- * bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions
- * bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
- * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- * Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
- * Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- * Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
- * Bug 400874 -
- [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- * Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
- * Bug 426792 - [1.8][inference][impl] generify new type inference engine
- * Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.
- * Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource
- * Bug 418743 - [1.8][null] contradictory annotations on invocation of generic method not reported
- * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- * Bug 431581 - Eclipse compiles what it should not
- * Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
- * Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- * Bug 446442 - [1.8] merge null annotations from super methods
- * Bug 456532 - [1.8][null] ReferenceBinding.appendNullAnnotation() includes phantom annotations in error messages
- * Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.
- * Jesper S Moller - Contributions for
- * bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
- * bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- * Ulrich Grave <ulrich.grave@gmx.de> - Contributions for
- * bug 386692 - Missing "unused" warning on "autowired" fields

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ReferenceBinding.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2013 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- *

- * Contributors:
- * IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for
* bug 383368 - [compiler][null] syntactic null analysis for field references
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/NullLiteral.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 427438 - [1.8][compiler] NPE at
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/AbstractVariableDeclaration.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/flow/LabelFlowContext.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/flow/SwitchFlowContext.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2016, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IModuleAwareNameEnvironment.java  
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/ModulePathEntry.java  
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ProvidesStatement.java  
*
```

```
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IModulePathEntry.java  
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IMultiModuleEntry.java  
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/ClasspathJrt.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2015 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*Contributors:  
*   IBM Corporation - initial API and implementation  
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredBlock.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005, 2016 QNX Software Systems and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0
```

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* QNX - Initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/DBStatus.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for Bug 337935 - Test failures when run as an IDE (org.eclipse.sdk.ide)

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ClassFileWorkingCopy.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2007 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/ImportMatchLocatorParser.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocArraySingleTypeReference.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/ILocalVariableReferenceInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/RuntimeInvisibleTypeAnnotationsAttribute.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 429813 - [1.8][dom ast] IMethodBinding#getJavaElement() should return IMethod for lambda
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ITypeBinding.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for

- * bug 400710 - [1.8][compiler] synthetic access to default method generates wrong code
- * Bug 459967 - [null] compiler should know about nullness of special methods like MyEnum.valueOf()
- * Bug 470467 - [null] Nullness of special Enum methods not detected from .class file
- * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- * Bug 405104 - [1.8][compiler][codegen]

Implement support for serializable lambdas

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SyntheticMethodBinding.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2013 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for bug 215139 and bug 295894

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/HierarchyScope.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2010, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
- * Bug 440687 - [compiler][batch][null] improve command line option for external annotations

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/NameEnvironmentWithProgress.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2000, 2013 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 */
```

Found in path(s):

```
*/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/util/ManifestAnalyzer.java
*/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/DocumentElementParser.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2013, 2017 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 */
```

Found in path(s):

```
*/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnReferenceExpressionName.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2005, 2012 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 */
```

Found in path(s):

```
*/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/ast/MarkerAnnotation.java
```

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/CompletionContext.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Luiz-Otavio Zorzella <zorzella at gmail dot com> - Improve CamelCase algorithm
* Gábor Kövesdán - Contribution for Bug 350000 - [content assist] Include non-prefix matches in auto-complete suggestions
* Stefan Xenos <sxenos@gmail.com> (Google) - Bug 501283 - Lots of hash collisions during indexing
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/compiler/CharOperation.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 332637 - Dead Code detection removing code that isn't dead
* bug 358827 - [1.7] exception analysis for t-w-r spoils null analysis
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 359334 - Analysis for resource leak warnings does not consider exceptions as method exit points
* bug 358903 - Filter practically unimportant resource leak warnings
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
* bug 401088 - [compiler][null] Wrong warning "Redundant null check" inside nested try statement
* bug 401092 - [compiler][null] Wrong warning "Redundant null check" in outer catch of nested try
* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
* bug 384380 - False positive on a ?? Potential null pointer access ?? after a continue
* Bug 415790 - [compiler][resource] Incorrect potential resource leak warning in for loop with close in try/catch
* Bug 371614 - [compiler][resource] Wrong "resource leak" problem on return/throw inside while loop
* Bug 444964 - [1.7+][resource] False resource leak warning (try-with-resources for ByteArrayOutputStream -

return inside for loop)

- * Jesper Steen Moller - Contributions for
 - * bug 404146 - [1.7][compiler] nested try-catch-finally-blocks leads to unrunnable Java byte code
- * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
 - * Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

*

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/TryStatement.java

No license file was found, but licenses were detected in source scan.

/*****/

- * Copyright (c) 2000, 2016 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- * Contributors:
 - * IBM Corporation - initial API and implementation
 - * Stephen Herrmann <stephan@cs.tu-berlin.de> - Contributions for
 - * bug 133125 - [compiler][null] need to report the null status of expressions and analyze them simultaneously
 - * bug 292478 - Report potentially null across variable assignment
 - * bug 324178 - [null] ConditionalExpression.nullStatus(..) doesn't take into account the analysis of condition itself
 - * bug 354554 - [null] conditional with redundant condition yields weak

error message

- * bug 349326 - [1.7] new warning for missing try-with-resources
- * bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- * bug 383368 - [compiler][null] syntactic null analysis for field references
- * bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
- * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- * Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- * Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- * Bug 426078 - [1.8] VerifyError when conditional expression passed as an argument
- * Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

- * Bug 418537 - [1.8][null] Fix null type annotation analysis for poly conditional expressions
- * Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- * Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ConditionalExpression.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005, 2007 BEA Systems, Inc.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   tyeung@bea.com - initial API and implementation  
*/
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryAnnotation.java`

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2017 Till Brychcy and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   Till Brychcy - initial API and implementation  
*/
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/AutomaticModuleNameNaming.java`

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2014 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*   Stephan Herrmann - Contributions for  
*     Bug 365662 - [compiler][null] warn on contradictory and redundant null annotations  
*     Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
*     Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations  
*   Keigo Imai - Contribution for bug 388903 - Cannot extend inner class as an anonymous class when it extends
```

the outer

class

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/NestedTypeBinding.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2015 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Harry Terkelsen (het@google.com) - Bug 449262 - Allow the use of third-party Java formatters

* Gábor Kövesdán - Contribution for Bug 350000 - [content assist] Include non-prefix matches in auto-complete suggestions

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaCorePreferenceInitializer.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2005, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contributions for

* Bug 463330 - [dom] DOMFinder doesn't find the VariableBinding corresponding to a method argument

* Bug 464463 - [dom] DOMFinder doesn't find an ITypeParameter

* Bug 429813 - [1.8][dom ast] IMethodBinding#getJavaElement() should return IMethod for lambda

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/DOMFinder.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2005, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   mkaufman@bea.com - initial API as ICompilationParticipant
*   IBM - changed from interface ICompilationParticipant to abstract class CompilationParticipant
*   IBM - rewrote specification
*
*****/

```

Found in path(s):

```

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/compiler/CompilationParticipant.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2007, 2016 Symbian Software Systems and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   Andrew Ferguson (Symbian) - Initial implementation
*****/

```

Found in path(s):

```

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/db/DBProperties.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*   Stephan Herrmann - Contributions for
*     bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
*     bug 349326 - [1.7] new warning for missing try-with-resources
*     bug 265744 - Enum switch should warn about missing default

```

* bug 374605 - Unreasonable warning for enum-based switch statements
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/SwitchStatement.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2014, 2017 GK Software AG.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Stephan Herrmann - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SyntheticFactoryMethodBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/NonNullDefaultAwareTypeAnnotationWalker.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2015, 2017 Google, Inc and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Stefan Xenos (Google) - Initial implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/IndexBasedJavaSearchEnvironment.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2013, 2015 GK Software AG and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Stephan Herrmann - initial API and implementation

* IBM Corporation - bug fixes

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeBound.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2013, 2016 GK Software AG and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Stephan Herrmann - initial API and implementation

* Till Brychcy - Contributions for

* Bug 467482 - TYPE_USE null annotations: Incorrect "Redundant null check"-warning

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/NullAnnotationMatching.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2008 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/compiler/CompilationProgress.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredAnnotation.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2013, 2015 GK Software AG.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   Stephan Herrmann - initial API and implementation  
*   Lars Vogel <Lars.Vogel@vogella.com> - Contributions for  
*     Bug 473178  
*****/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-  
jar/org/eclipse/jdt/internal/compiler/lookup/ConstraintFormula.java  
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-  
jar/org/eclipse/jdt/internal/compiler/lookup/ConstraintExceptionFormula.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*   Tom Tromey - Contribution for bug 125961  
*   Tom Tromey - Contribution for bug 159641  
*   Benjamin Muskalla - Contribution for bug 239066  
*   Stephan Herrmann - Contributions for  
*     bug 236385 - [compiler] Warn for potential programming problem if an object is created but not used  
*     bug 295551 - Add option to automatically promote all warnings to errors  
*     bug 359721 - [options] add command line option for new warning  
token "resource"  
*     bug 365208 - [compiler][batch] command line options for annotation based null analysis  
*     bug 374605 - Unreasonable warning for enum-based switch statements  
*     bug 375366 - ECJ ignores unusedParameterIncludeDocCommentReference unless enableJavadoc option is set  
*     bug 388281 - [compiler][null] inheritance of null annotations as an option  
*     bug 381443 - [compiler][null] Allow parameter widening from @NonNull to unannotated  
*     Bug 440477 - [null] Infrastructure for feeding external annotations into compilation  
*     Bug 440687 - [compiler][batch][null] improve command line option for external annotations  
*     Bug 408815 - [batch][null] Add CLI option for  
COMPILER_PB_SYNTACTIC_NULL_ANALYSIS_FOR_FIELDS
```

- * Jesper S Moller - Contributions for
- * bug 407297 - [1.8][compiler] Control generation of parameter names by option
- * Mat Booth - Contribution for bug 405176

*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/batch/Main.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2008, 2014 Technical University Berlin, Germany and others.

- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Stephan Herrmann - Initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/Sorting.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2016 IBM Corporation and others.

- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MemberTypeBinding.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2014 IBM Corporation and others.

- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for bug 349326 - [1.7] new warning for missing try-with-resources

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemReferenceBinding.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2010 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ISourceReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/IntConstant.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ExternalPackageFragmentRoot.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/FieldLocator.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ImportDeclaration.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocArgumentExpression.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/TypeNameMatch.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IBuffer.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/CharConstant.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/EvaluationResult.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/ByteConstant.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/RemoveFolderFromIndex.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ChangeClasspathOperation.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/AccessRuleSet.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfObject.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IClasspathContainer.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/PackageReferenceLocator.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/TypeReferencePattern.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/AdditionalTypeCollection.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/Constant.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/PackageDeclaration.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IPackageDeclaration.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ILocalVariable.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ImportContainer.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaElementInfo.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnPackageReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnPackageReference.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/BufferChangedEvent.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/TypeNameRequestor.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/ShortConstant.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/PackageReferencePattern.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/FloatConstant.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/BooleanConstant.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SetContainerOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/AnnotatableInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/StringOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/IntersectingPattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/LongConstant.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/StringConstant.java
*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ImportDeclarationElementInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/DoubleConstant.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/GlobalVariable.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/SourceElementRequestorAdapter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/index/EntryResult.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/TypeParameterLocator.java
No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 185682 - Increment/decrement operators mark local variables as read
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365519 - editorial cleanup after bug 186342 and bug 365387
* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
* bug 345305 - [compiler][null] Compiler misidentifies
a case of "variable can only be null"
* Bug 414380 - [compiler][internal] QualifiedNameReference#indexOfFirstFieldBinding does not point to the first
field
* Bug 458396 - NPE in CodeStream.invoke()
* Jesper S Moller - Contributions for
* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment

- * bug 331649 - [compiler][null] consider null annotations for fields
- * bug 383368 - [compiler][null] syntactic null analysis for field references
- * bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
- * Jesper S Moller <jesper@selskabet.org> - Contributions for
- * bug 378674 - "The method can be declared as static" is wrong

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedNameReference.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2013 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ParenthesizedExpression.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CreateImportOperation.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaModelOperation.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/LabeledStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/EmptyStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/flow/InsideSubRoutineFlowContext.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/old/CodeFormatter.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ASTHolderCUInfo.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/Initializer.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ConditionalExpression.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ConstructorInvocation.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/BatchInitializationMonitor.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/NodeFinder.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ArrayAccess.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/NodeInfoStore.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/VariableDeclarationStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ReturnStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/QualifiedName.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/IErrorHandlingPolicy.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/jdom/SiblingEnumeration.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/SimpleName.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/jdom/IDOMNode.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/BodyDeclaration.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/jdom/DOMNode.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/CastExpression.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/TypeDeclaration.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/PathCollector.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/Modifier.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ContinueStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/AssertStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/SynchronizedStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredLocalVariable.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/SuperMethodInvocation.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/dom/rewrite/ListRewriteEvent.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/PackageDeclaration.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/dom/rewrite/RewriteEvent.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/matching/TypeReferenceLocator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/eval/EvaluationContextWrapper.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/DeletePackageFragmentRootOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/Block.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/ForStatement.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/InfixExpression.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/NumberLiteral.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/InternalNamingConventions.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/IVariableBinding.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/ImportDeclaration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/ArrayInitializer.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/InstanceofExpression.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/ThrowStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/PrefixExpression.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/ModelUpdater.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/indexing/IndexAllProject.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnKeyword.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/EnhancedForStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/BooleanLiteral.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/JavaElementRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/jdom/DOMField.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/ExpressionStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnKeyword1.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/BinaryMember.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/JavaSearchScope.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/TypeDeclarationStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/IAnnotation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/SetVariablesOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/util/GenericXMLWriter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnMessageSend.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/MethodInvocation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/Openable.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/IfStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/parser/JavadocParser.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/IAnnotatable.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/FieldDeclaration.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/AnonymousClassDeclaration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/jdom/DOMBuilder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/jdtCompilerAdaptersrc/org/eclipse/jdt/core/JDTCompilerAdapter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/EnumDeclaration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/WhileStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/UserLibraryManager.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/SuperConstructorInvocation.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/compiler/ITerminalSymbols.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Receiver.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/jdom/SimpleDOMBuilder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ThisExpression.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/jdtCompilerAdaptersrc/org/eclipse/jdt/core/CheckDebugAttributes.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CopyElementsOperation.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/LRUCache.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/EnumConstantDeclaration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CreateFieldOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/DefaultErrorHandlingPolicies.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ReconcileWorkingCopyOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/Statement.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ICacheEnumeration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/Expression.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/FieldAccess.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetParser.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/jdom/DOMType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/JavaSearchParticipant.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/BreakStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/MultiOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/CorrectionEngine.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/LineCommentEndOffsets.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/PrimitiveType.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/DoStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/BufferManager.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/SimpleType.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/RewriteEventStore.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/jdom/AbstractDOMBuilder.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IAccessRule.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CreatePackageFragmentOperation.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnKeyword2.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/Javadoc.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/ReferenceContext.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionJavadoc.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/problem/DefaultProblemFactory.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/CompilerStats.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/SuperFieldAccess.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/VariableDeclarationFragment.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/CatchClause.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/UnresolvedAnnotationBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/BufferCache.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/LRUCacheEnumerator.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/OverflowingLRUCache.java

*

```
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/builder/BatchImageBuilder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/Assignment.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/ArrayCreation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/SwitchCase.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/VariableDeclarationExpression.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/TypeLiteral.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/dom/rewrite/SourceModifier.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/CreateMethodOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/PostfixExpression.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/NullLiteral.java
No license file was found, but licenses were detected in source scan.
```

```
/*****
```

```
* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
```

```
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for bug 186342 - [compiler][null] Using annotations for null checking
* Jesper Steen Moeller - Contribution for bug 406973 - [compiler] Parse MethodParameters attribute
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 407191 - [1.8] Binary access support for type annotations
```

```
*****/
```

```
Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/classfmt/MethodInfo.java
No license file was found, but licenses were detected in source scan.
```

```
/*****
```

```
* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
```

* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* Timo Kinnunen - Contributions for bug 377373 - [subwords] known limitations with JDT 3.8
* Bug 420953 - [subwords] Constructors that don't match prefix not found
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Gábor Kövesdán - Contribution for Bug 350000 - [content assist] Include non-prefix matches in auto-complete suggestions
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/CompletionEngine.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2014, 2016 Mateusz Matela and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly, especially when max line width is set - <https://bugs.eclipse.org/303519>
* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] follow up bug for comments - <https://bugs.eclipse.org/458208>
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/linewrap/WrapPreparator.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2015 Google Inc and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* John Glassmyer <jogl@google.com> - import group sorting is broken - <https://bugs.eclipse.org/430303>
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ImportEntry.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/NewImportEntry.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/PackageAndContainingTypeImportComparator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/OnDemandComputer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ReorderingImportAdder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/TypeConflictingSimpleNameFinder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ImportName.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ImportDeclarationWriter.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/RemovedImportCommentReassigner.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/OnDemandReduction.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ImportsDelta.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/OrderPreservingImportAdder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/PackageImportComparator.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ImportRewriteConfiguration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/StaticConflictingSimpleNameFinder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/OriginalImportEntry.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/RewriteSite.java
No license file was found, but licenses were detected in source scan.

/*****

- * Copyright (c) 2012 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- *
* Contributors:
- * IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/IQualifiedTypeResolutionListener.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* Bug 186342 - [compiler][null] Using annotations for null checking
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MostSpecificExceptionMethodBinding.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/AnnotationBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CompilationUnitProblemFinder.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/AnnotationMethodDeclaration.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ClassLiteralAccess.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/parser/RecoveredElement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/impl/AssistParser.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/ASTVisitor.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* IBM Corporation - initial API and implementation  
* Benjamin Muskalla - Contribution for bug 239066  
* Stephan Herrmann - Contributions for  
* bug 236385 - [compiler] Warn for potential programming problem if an object is created but not used  
* bug 295551 - Add option to automatically promote all warnings to errors  
* bug 349326 - [1.7] new warning for missing try-with-resources  
* bug 186342 - [compiler][null] Using annotations for null checking  
* bug 370639  
* - [compiler][resource] restore the default for resource leak warnings  
* bug 366063 - Compiler should not add synthetic @NonNull annotations  
* bug 374605 - Unreasonable warning for enum-based switch statements  
* bug 388281 - [compiler][null] inheritance of null annotations as an option  
* bug 381443 - [compiler][null] Allow parameter widening from @NonNull to unannotated  
* bug 383368 - [compiler][null] syntactic null analysis for field references  
* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations  
* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object),  
Collection#remove(Object) et al.  
* Jesper Steen Moller - Contributions for  
* bug 404146 - [1.7][compiler] nested try-catch-finally-blocks leads to unrunnable Java byte code  
* bug 407297 - [1.8][compiler] Control generation of parameter names by option  
*/
```

Found
in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/impl/CompilerOptions.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2015 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at
```

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* alex.panchenko@gmail.com - Bug 470535 - Bug in UserLibrary.hashCode()

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/UserLibrary.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Nick Teryaev - fix for bug (https://bugs.eclipse.org/bugs/show_bug.cgi?id=40752)

* Stephan Herrmann - Contributions for

* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

* bug 383368 - [compiler][null]

syntactic null analysis for field references

* bug 401017 - [compiler][null] casted reference to @Nullable field lacks a warning

* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic

* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking

* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

* Bug 430150 - [1.8][null] stricter checking against type variables

* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

* Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null

* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

* Bug 415541 - [1.8][compiler] Type annotations in the body of static initializer get dropped

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/CastExpression.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2013, 2017 GK Software AG.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   Stephan Herrmann - initial API and implementation
 */
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/lookup/InferenceSubstitution.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/classfmt/TypeAnnotationWalker.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2016 GoPivotal, Inc. All Rights Reserved.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
 *   Bug 407191 - [1.8] Binary access support for type annotations
 */
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/classfmt/TypeAnnotationInfo.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2000, 2013 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 *   Stephan Herrmann - Contribution for
 *   bug 383368 - [compiler][null] syntactic null analysis for field references
 *   bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields
 */
```

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/UnaryExpression.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2010 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*
* Contributors:
* IBM Corporation - initial API and implementation
* Tim Hanson <thanson@bea.com> - fix for https://bugs.eclipse.org/bugs/show_bug.cgi?id=137634

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/ReferenceCollection.java

No license file was found, but licenses were detected in source scan.

All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0 which accompanies

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/schema/codeFormatter.exsd

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/schema/classpathVariableInitializer.exsd

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/schema/classpathContainerInitializer.exsd

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2006, 2016 Wind River Systems, Inc. and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*
* Contributors:
* Markus Schorn - initial API and implementation
* Andrew Ferguson (Symbian)
* Bryan Wilkinson (QNX)

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/IndexFilter.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephen Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 317046 - Exception during debugging when hover mouse over a field
* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
* Bug
392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
* Bug 424712 - [1.8][compiler] NPE in TypeBinding.isProvablyDistinctTypeArgument
* Bug 426792 - [1.8][inference][impl] generify new type inference engine
* Bug 426764 - [1.8] Presence of conditional expression as method argument confuses compiler
* Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
* Bug 427626 - [1.8] StackOverflow while typing new ArrayList<String>().toArray(and asking for code completion
* Bug
428019 - [1.8][compiler] Type inference failure with nested generic invocation.
* Bug 435962 - [RC2] StackOverFlowError when building
* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
* Bug 446434 - [1.8][null] Enable interned captures also when analysing null type annotations
* Jesper S Moller <jesper@selskabet.org> - Contributions for
* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression

/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeBinding.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2000, 2014 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * IBM Corporation - added J2SE 1.5 support

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IMethod.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2012, 2017 GK Software AG, IBM Corporation and others.

* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * Stephan Herrmann - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ImplicitNullAnnotationVerifier.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2013, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Jesper S Moller - Contributions for
 - * bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
 - * Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
- * Stephan Herrmann - Contribution for
 - * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
 - * Bug 423504 - [1.8] Implement "18.5.3 Functional

Interface Parameterization Inference"

- * Bug 425142 - [1.8][compiler] NPE in ConstraintTypeFormula.reduceSubType

- * Bug 425153 - [1.8] Having wildcard allows incompatible types in a lambda expression
 - * Bug 425156 - [1.8] Lambda as an argument is flagged with incompatible error
 - * Bug 424403 - [1.8][compiler] Generic method call with method reference argument fails to resolve properly.
 - * Bug 427438 - [1.8][compiler] NPE at
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
 - * Bug 428352 - [1.8][compiler] Resolution errors don't always surface
 - * Bug 446442 - [1.8] merge null annotations from super methods
 - * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas
- *****/

Found in path(s):

*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/FunctionalExpression.java
No license file was found, but licenses were detected in source scan.

*****/

- * Copyright (c) 2000, 2014 IBM Corporation and others.
 - * All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
 - * Contributors:
 - * IBM Corporation - initial API and implementation
 - * Stephan Herrmann - Contributions for
* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
 - * Bug 415790 - [compiler][resource]Incorrect
potential resource leak warning in for loop with close in try/catch
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ForStatement.java
No license file was found, but licenses were detected in source scan.

*****/

- * Copyright (c) 2000, 2017 IBM Corporation and others.
 - * All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
- *

* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365519 - editorial cleanup after bug 186342 and bug 365387
* Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/MemberValuePair.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2005, 2010 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ASTRequestor.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/StackMapFrame.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

* IBM Corporation - initial API and implementation

* Kelly Campbell <kellyc@google.com> - Hangs in SourceMapper during java proposals -
https://bugs.eclipse.org/bugs/show_bug.cgi?id=281575

* Stephan Herrmann - Contribution for Bug 380048 - error popup when navigating to source files
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SourceMapper.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2004, 2009 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 */
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SourceConstructorInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IRuntimeVisibleAnnotationsAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/RuntimeVisibleParameterAnnotationsAttribute.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IRuntimeInvisibleAnnotationsAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/ISignatureAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SourceMethodInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IEnclosingMethodAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/ILocalVariableTypeTableAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CancelableProblemFactory.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IRuntimeVisibleParameterAnnotationsAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ParameterAnnotation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/RuntimeInvisibleParameterAnnotationsAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IRuntimeInvisibleParameterAnnotationsAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/AnnotationComponent.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/Annotation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
```

jar/org/eclipse/jdt/internal/core/util/RuntimeInvisibleAnnotationsAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/LocalVariableTypeAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IParameterAnnotation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/RuntimeVisibleAnnotationsAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IAnnotation.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/Comment.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/ILocalVariableTypeTableEntry.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnAnnotationOfType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnNameOfMemberValuePair.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/CompletionRequestorWrapper.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/NodeEventHandler.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/VerificationInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnMarkerAnnotationName.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2010 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*   IBM Corporation - added J2SE 1.5 support  
*/
```

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IImportDeclaration.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2017 IBM Corporation and others.
```

* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* John Glassmyer <jogl@google.com> - import group sorting is broken - <https://bugs.eclipse.org/430303>
* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
* Bug 473178
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/rewrite/ImportRewrite.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2012, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
work)
* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IExtendedAnnotation.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - contributions for
* bug 337868 - [compiler][model] incomplete support for package-info.java when using SearchableEnvironment

* bug 186342 - [compiler][null] Using annotations for null checking

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/Compiler.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 292478 - Report potentially null across variable assignment
* bug 332637 - Dead Code detection removing code that isn't dead
* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
* Bug 411964 - [1.8][null] leverage null type annotation in foreach statement
* Bug 421035 - [resource] False alarm of
resource leak warning when casting a closeable in its assignment

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/flow/FlowInfo.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 440687 - [compiler][batch][null] improve command line option for external annotations
* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
* Bug 473178

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/batch/ClasspathDirectory.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2013 Jesper Steen Moeller and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   Jesper Steen Moeller - initial API and implementation  
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-  
jar/org/eclipse/jdt/internal/core/util/MethodParametersAttribute.java  
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-  
jar/org/eclipse/jdt/core/util/IMethodParametersAttribute.java  
No license file was found, but licenses were detected in source scan.
```

```
/*  
* Copyright (c) 2000, 2016 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*   Terry Parker <tparker@google.com> (Google Inc.) https://bugs.eclipse.org/365499  
*   Stephan Herrmann - Contribution for  
*   Bug 440477 - [null] Infrastructure for feeding external annotations into compilation  
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-  
jar/org/eclipse/jdt/internal/core/JavaModelCache.java  
No license file was found, but licenses were detected in source scan.
```

```
/*  
* Copyright (c) 2000, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:
```

- * IBM Corporation - initial API and implementation
- * IBM Corporation - added the following constants
 - * NonStaticAccessToStaticField
 - * NonStaticAccessToStaticMethod
 - * Task
 - * ExpressionShouldBeAVariable
 - * AssignmentHasNoEffect
- * IBM Corporation - added the following constants
 - * TooManySyntheticArgumentSlots
 - * TooManyArrayDimensions
 - * TooManyBytesForStringConstant
 - * TooManyMethods
 - * TooManyFields
- *
 - NonBlankFinalLocalAssignment
 - * ObjectCannotHaveSuperTypes
 - * MissingSemiColon
 - * InvalidParenthesizedExpression
 - * EnclosingInstanceInConstructorCall
 - * BytecodeExceeds64KLimitForConstructor
 - * IncompatibleReturnTypeForNonInheritedInterfaceMethod
 - * UnusedPrivateMethod
 - * UnusedPrivateConstructor
 - * UnusedPrivateType
 - * UnusedPrivateField
 - * IncompatibleExceptionInThrowsClauseForNonInheritedInterfaceMethod
 - * InvalidExplicitConstructorCall
- * IBM Corporation - added the following constants
 - * PossibleAccidentalBooleanAssignment
 - * SuperfluousSemicolon
 - * IndirectAccessToStaticField
 - * IndirectAccessToStaticMethod
 - * IndirectAccessToStaticType
 - * BooleanMethodThrowingException
 - * UnnecessaryCast
 - * UnnecessaryArgumentCast
 - * UnnecessaryInstanceOf
 - * FinallyMustCompleteNormally
 - * UnusedMethodDeclaredThrownException
 - * UnusedConstructorDeclaredThrownException
 - * InvalidCatchBlockSequence
 - * UnqualifiedFieldAccess
- * IBM Corporation - added the following constants
 - * Javadoc
 - * JavadocUnexpectedTag
 - * JavadocMissingParamTag
 - * JavadocMissingParamName
 - * JavadocDuplicateParamName

- * JavadocInvalidParamName
- * JavadocMissingReturnTag
- * JavadocDuplicateReturnTag
- * JavadocMissingThrowsTag
- * JavadocMissingThrowsClassName
- * JavadocInvalidThrowsClass
- * JavadocDuplicateThrowsClassName
- * JavadocInvalidThrowsClassName
- * JavadocMissingSeeReference
- * JavadocInvalidSeeReference
- * JavadocInvalidSeeHref
- * JavadocInvalidSeeArgs
- * JavadocMissing
- * JavadocInvalidTag
- * JavadocMessagePrefix
- * EmptyControlFlowStatement
- * IBM Corporation - added the following constants
- * IllegalUsageOfQualifiedTypeReference
- * InvalidDigit
- * IBM Corporation - added the following constants
- * ParameterAssignment
- * FallthroughCase
- * IBM Corporation - added the following constants
- * UnusedLabel
- * UnnecessaryNLSTag
- * LocalVariableMayBeNull
- * EnumConstantsCannotBeSurroundedByParenthesis
- * JavadocMissingIdentifier
- * JavadocNonStaticTypeFromStaticInvocation
- * RawTypeReference
- * NoAdditionalBoundAfterTypeVariable
- * UnsafeGenericArrayForVarargs
- * IllegalAccessFromTypeVariable
- * AnnotationValueMustBeArrayInitializer
- * InvalidEncoding
- * CannotReadSource
- * EnumStaticFieldInInInitializerContext
- * ExternalProblemNotFixable
- * ExternalProblemFixable
- * IBM Corporation - added the following constants
- * AnnotationValueMustBeAnEnumConstant
- * OverridingMethodWithoutSuperInvocation
- * MethodMustOverrideOrImplement
- * TypeHidingTypeParameterFromType
- * TypeHidingTypeParameterFromMethod
- * TypeHidingType
- * IBM Corporation - added the following constants
- * NullLocalVariableReference

- * PotentialNullLocalVariableReference
- * RedundantNullCheckOnNullLocalVariable
- * NullLocalVariableComparisonYieldsFalse
- * RedundantLocalVariableNullAssignment
- * NullLocalVariableInstanceofYieldsFalse
- * RedundantNullCheckOnNonNullLocalVariable
- * NonNullLocalVariableComparisonYieldsFalse
- * IBM Corporation - added the following constants
 - * InvalidUsageOfTypeParametersForAnnotationDeclaration
 - * InvalidUsageOfTypeParametersForEnumDeclaration
- * IBM Corporation - added the following constants
 - * RedundantSuperinterface
- * Benjamin Muskalla - added the following constants
 - * MissingSynchronizedModifierInInheritedMethod
- * Stephan Herrmann - added the following constants
 - * UnusedObjectAllocation
 - * PotentiallyUnclosedCloseable
 - * PotentiallyUnclosedCloseableAtExit
 - * UnclosedCloseable
 - * UnclosedCloseableAtExit
 - * ExplicitlyClosedAutoCloseable
 - * RequiredNonNullButProvidedNull
 - * RequiredNonNullButProvidedPotentialNull
 - * RequiredNonNullButProvidedUnknown
 - * NullAnnotationNameMustBeQualified
 - * IllegalReturnNullityRedefinition
 - * IllegalRedefinitionToNonNullParameter
 - * IllegalDefinitionToNonNullParameter
 - * ParameterLackingNonNullAnnotation
 - * ParameterLackingNullableAnnotation
 - * PotentialNullMessageSendReference
 - * RedundantNullCheckOnNonNullMessageSend
 - * CannotImplementIncompatibleNullness
 - * RedundantNullAnnotation
 - * RedundantNullDefaultAnnotation
 - * RedundantNullDefaultAnnotationPackage
 - * RedundantNullDefaultAnnotationType
 - * RedundantNullDefaultAnnotationMethod
 - * ContradictoryNullAnnotations
 - * IllegalAnnotationForBaseType
 - * RedundantNullCheckOnSpecdNonNullLocalVariable
 - * SpecdNonNullLocalVariableComparisonYieldsFalse
 - * RequiredNonNullButProvidedSpecdNullable
 - * MissingDefaultCase
 - * MissingEnumConstantCaseDespiteDefault
 - * UninitializedLocalVariableHintMissingDefault
 - * UninitializedBlankFinalFieldHintMissingDefault
 - * ShouldReturnValueHintMissingDefault

- * IllegalModifierForInterfaceDefaultMethod
- * InheritedDefaultMethodConflictsWithOtherInherited
- * ConflictingNullAnnotations
- * ConflictingInheritedNullAnnotations
- * UnsafeElementTypeConversion
- * ArrayReferencePotentialNullReference
- * DereferencingNullableExpression
- * NullityMismatchingTypeAnnotation
- * NullityMismatchingTypeAnnotationSuperHint
- * NullityUncheckedTypeAnnotationDetail
- * NullityUncheckedTypeAnnotationDetailSuperHint
- * NullableFieldReference
- * UninitializedNonNullField
- * UninitializedNonNullFieldHintMissingDefault
- * NonNullMessageSendComparisonYieldsFalse
- * RedundantNullCheckOnNonNullSpecdField
- * NonNullSpecdFieldComparisonYieldsFalse
- * NonNullExpressionComparisonYieldsFalse
- * RedundantNullCheckOnNonNullExpression
- * ReferenceExpressionParameterNullityMismatch
- * ReferenceExpressionParameterNullityUnchecked
- * ReferenceExpressionReturnNullRedef
- * ReferenceExpressionReturnNullRedefUnchecked
- * DuplicateInheritedDefaultMethods
- * SuperAccessCannotBypassDirectSuper
- * SuperCallCannotBypassOverride
- * ConflictingNullAnnotations
- * ConflictingInheritedNullAnnotations
- * UnsafeElementTypeConversion
- * PotentialNullUnboxing
- * NullUnboxing
- * NullExpressionReference
- * PotentialNullExpressionReference
- * RedundantNullCheckAgainstNonNullType
- * NullAnnotationUnsupportedLocation
- * NullAnnotationUnsupportedLocationAtType
- * NullityMismatchTypeArgument
- * ContradictoryNullAnnotationsOnBound
- * UnsafeNullnessCast
- * ContradictoryNullAnnotationsInferred
- * NonNullDefaultDetailIsNotEvaluated
- * NullNotCompatibleToFreeTypeVariable
- * NullityMismatchAgainstFreeTypeVariable
- * ImplicitObjectBoundNonNullDefault
- * IllegalParameterNullityRedefinition
- * ContradictoryNullAnnotationsInferredFunctionType
- * IllegalReturnNullityRedefinitionFreeTypeVariable
- * UnlikelyCollectionMethodArgumentType

```

*   UnlikelyEqualsArgumentType
*   Jesper S Moller - added the following constants
*   TargetTypeNotAFunctionalInterface
*   OuterLocalMustBeEffectivelyFinal
*   IllegalModifiersForPackage
*   DuplicateAnnotationNotMarkedRepeatable
*   DisallowedTargetForContainerAnnotation
*   RepeatedAnnotationWithContainerAnnotation
*   ContainingAnnotationMustHaveValue
*   ContainingAnnotationHasNonDefaultMembers
*   ContainingAnnotationHasWrongValueType
*   ContainingAnnotationHasShorterRetention
*   RepeatableAnnotationHasTargets
*   RepeatableAnnotationTargetMismatch
*   RepeatableAnnotationIsDocumented
*   RepeatableAnnotationIsInherited
*   RepeatableAnnotationWithRepeatingContainerAnnotation
*****/

```

Found in path(s):

```

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/compiler/IProblem.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2004, 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*   Stephan Herrmann - Contribution for
*   Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
*****/

```

Found in path(s):

```

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnParameterizedQualifiedTypeReference.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2008, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html

```

*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ProcessTaskManager.java
No license file was found, but licenses were detected in source scan.

/******
* Copyright (c) 2008, 2009 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/CompletionElementNotifier.java
No license file was found, but licenses were detected in source scan.

/******
* Copyright (c) 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/IPolyExpression.java
No license file was found, but licenses were detected in source scan.

/******
* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 458577 - IClassFile.getWorkingCopy() may lead to NPE in BecomeWorkingCopyOperation
* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
* Bug 462768 - [null] NPE when using linked folder for external annotations
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ClassFile.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/AbstractClassFile.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2004, 2006 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/IExtendedCompletionRequestor.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/JarEntryResource.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/JavaModelException.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/MemberDeclarationVisitor.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetEvaluator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionNodeDetector.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/ConstructorLocator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/VariablesEvaluator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JarEntryDirectory.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IJavaModelStatusConstants.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/eval/RequestorWrapper.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MissingTypeBinding.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/JavaSearchDocument.java
No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Terry Parker <tparker@google.com> - Bug 418092

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/BinaryMethod.java
No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2015 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
 * bug 185682 - Increment/decrement operators mark local variables as read
 * bug 331649 - [compiler][null] consider null annotations for fields
 * Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
 * Bug 447088 - [null] @Nullable on fully qualified field type is ignored
 * Bug 435805 - [1.8][compiler][null]
 Java 8 compiler does not recognize declaration style null annotations
 * Bug 458396 - NPE in CodeStream.invoke()
 * Bug 446217 - [null] @NonNullByDefault in package-info.java causes bogus "null type safety" warning
 * Till Brychcy - Contribution for
 * bug 467094 - [1.8][null] TYPE_USE NullAnnotations of array contents are applied to field.
 *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/FieldBinding.java

No license file was found, but licenses were detected in source scan.

/******

* Copyright (c) 2000, 2016 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Stephan Herrmann - Contributions for
 * bug 186342 - [compiler][null] Using annotations for null checking
 * bug 367203 - [compiler][null] detect assigning null to nonnull argument
 * bug 365519 - editorial cleanup after bug 186342 and bug 365387
 * bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults
 * bug 382353 - [1.8][compiler] Implementation property modifiers should be
 accepted on default methods.
 * bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
 * bug 388281 - [compiler][null] inheritance of null annotations as an option
 * bug 401030 - [1.8][null] Null analysis support for lambda methods.
 * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
 * Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
 * Bug 403216 - [1.8][null] TypeReference#captureTypeAnnotations treats type annotations as type argument
 annotations

- * Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
 - * Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
 - * Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
 - * Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
 - * Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
- *****/

Found in path(s):

*/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/AbstractMethodDeclaration.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2013 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Tim Hanson (thanson@bea.com) - patch for https://bugs.eclipse.org/bugs/show_bug.cgi?id=126673

*****/

Found in path(s):

*/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/Buffer.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
- * Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
- * Bug 426676 - [1.8][compiler] Wrong generic method type inferred from lambda expression
- * Bug 426542 - [1.8] Most specific method not picked when one method has intersection type as type parameter
- * Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.
- * Andy Clement (GoPivotal,

Inc) aclement@gopivotal.com - Contributions for

- * Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/IntersectionTypeBinding18.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2014, 2016 Mateusz Matela and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly, especially when max line width is set - <https://bugs.eclipse.org/303519>

* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] IndexOutOfBoundsException in TokenManager - <https://bugs.eclipse.org/462945>

* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] follow up bug for comments - <https://bugs.eclipse.org/458208>

/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/SpacePreparator.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2011, 2013 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/index/IndexLocation.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/UnionType.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/index/FileIndexLocation.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/DefaultJavaIndexer.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2002, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/CodeSnippetParsingUtil.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for

* bug 382350 - [1.8][compiler] Unable to invoke inherited default method via I.super.m() syntax

* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super

* Jesper S Moller <jesper@selskabet.org> - Contributions for

* bug 378674 - "The method can be declared as static" is wrong

*****/

Found in

path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedThisReference.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

- * Contributors:
 - * IBM Corporation - initial API and implementation
 - * Stephan Herrmann - Contributions for
 - * bug 186342 - [compiler][null] Using annotations for null checking
 - * bug 365519 - editorial cleanup after bug 186342 and bug 365387
 - * bug 388281 - [compiler][null] inheritance of null annotations as an option
 - * bug 388795 - [compiler] detection of name clash depends on order of super interfaces
 - * bug 388739 - [1.8][compiler] consider default methods when detecting whether a class needs to be declared abstract
 - * bug 390883 - [1.8][compiler] Unable to override default method
 - * bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
 - * bug 401246 - [1.8][compiler] abstract class method should now trump conflicting default methods
 - * bug 401796 - [1.8][compiler] don't treat default methods as overriding an independent inherited abstract method
 - * bug 403867 - [1.8][compiler] Suspect error about duplicate default methods
 - * bug 391376 - [1.8] check interaction of default methods with bridge methods and generics
 - * bug 395681 - [compiler] Improve simulation of javac6 behavior from bug 317719 after fixing bug 388795
 - * bug 409473 - [compiler] JDT cannot compile against JRE 1.8
 - * Bug 420080 - [1.8] Overridden Default method is reported as duplicated
 - * Bug 404690 - [1.8][compiler] revisit bridge generation after VM bug is fixed
 - * Bug 410325
 - [1.7][compiler] Generified method override different between javac and eclipse compiler
 - * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
 - * Bug 390889 - [1.8][compiler] Evaluate options to support 1.7- projects against 1.8 JRE.
 - * Bug 440773 - [1.8][null]DefaultLocation.RETURN_TYPE erroneously affects method parameters in @NonNullByDefault
 - * Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
 - * Bug 446442 - [1.8] merge null annotations from super methods
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MethodVerifier15.java

No license file was found, but licenses were detected in source scan.

*****/

- * Copyright (c) 2000, 2014 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
- * bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
- * Bug 416174 - [1.8][compiler][null] Bogus name clash error with null annotations
- * Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables

- * Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
 - * Bug 425783 - An internal error occurred during: "Requesting Java AST from selection". java.lang.StackOverflowError
 - * Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
 - * Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
- *****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/RawTypeBinding.java
- No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
 - * All rights reserved. This program and the accompanying materials
 - * are made available under the terms of the Eclipse Public License v1.0
 - * which accompanies this distribution, and is available at
 - * <http://www.eclipse.org/legal/epl-v10.html>
 - *
 - * Contributors:
 - * IBM Corporation - initial API and implementation
 - * Stephan Herrmann - Contributions for
 - * bug 349326 - [1.7] new warning for missing try-with-resources
 - * bug 359334 - Analysis for resource leak warnings does not consider exceptions as method exit points
 - * bug 358903 - Filter practically unimportant resource leak warnings
 - * bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
 - * bug 370639 - [compiler][resource] restore the default for resource leak warnings
 - * bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
 - * bug 379784 - [compiler] "Method can be static" is not getting reported
 - * bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
 - * bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super
 - * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
 - * Bug 371614 - [compiler][resource] Wrong "resource leak" problem on return/throw inside while loop
 - * Bug 421035 - [resource] False alarm of resource leak warning when casting a closeable in its assignment
 - * Bug 444964 - [1.7+][resource] False resource leak warning (try-with-resources for ByteArrayOutputStream - return inside for loop)
 - * Bug 396575 - [compiler][resources] Incorrect Errors/Warnings check for potential resource leak when surrounding with try-catch
 - * Jesper S Moller <jesper@selskabet.org> - Contributions for
 - * bug 378674 - "The method can be declared as static" is wrong
 - * Keigo Imai - Contribution for bug 388903 - Cannot extend inner class as an anonymous class when it extends the outer class
- *****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/BlockScope.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2002, 2009 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*/
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/RecordedParsingInformation.java`

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*   Stephan Herrmann - Contribution for  
*     Bug 425183 - [1.8][inference] make CaptureBinding18 safe  
*     Bug 466308 - [hovering] Javadoc header for parameter is wrong with annotation-based null analysis  
*/
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/BindingKeyParser.java`

*

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/BindingKeyResolver.java`

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:
```

- * IBM Corporation - initial API and implementation
 - * Benjamin Muskalla - Contribution for bug 239066
 - * Stephan Herrmann - Contribution for
 - bug 382347 - [1.8][compiler] Compiler accepts incorrect default method inheritance
 - bug 388954 - [1.8][compiler] detect default methods in class files
 - bug 388281 - [compiler][null] inheritance of null annotations as an option
 - bug 388739 - [1.8][compiler] consider default methods when detecting whether a class needs to be declared abstract
 - * bug 390883 - [1.8][compiler] Unable to override default method
 - * bug 401796 - [1.8][compiler] don't treat default methods as overriding an independent inherited abstract method
 - * bug 395681 - [compiler] Improve simulation of javac6 behavior from bug 317719 after fixing bug 388795
 - * bug 406928 - computation of inherited methods seems damaged (affecting @Overrides)
 - * bug 409473 - [compiler] JDT cannot compile against JRE 1.8
 - * Bug 420080 - [1.8] Overridden Default method is reported as duplicated
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MethodVerifier.java

No license file was found, but licenses were detected in source scan.

*****/

- * Copyright (c) 2017 Google, Inc and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * Stefan Xenos (Google) - Initial implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/DynamicProjectReferences.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdMethodAnnotationData.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdZipEntry.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/IndexExceptionBuilder.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/util/MathUtils.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/indexer/WorkspaceSnapshot.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/indexer/FileStateCache.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/NdStruct.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/ChunkWriter.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/INdStruct.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/IndexNamesRegistry.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/RelatedAddress.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/ModificationLog.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/FieldList.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
*/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/ModularClassFileMatchLocator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2017 GK Software AG, and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* Stephan Herrmann - initial API and implementation
*/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IOrdinaryClassFile.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

```
jar/org/eclipse/jdt/internal/compiler/lookup/SplitPackageBinding.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/IModularClassFile.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/builder/ModuleInfoBuilder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/env/IUpdatableModule.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/ModuleUpdater.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/model/BinaryModuleDescriptor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/ModularClassFile.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/model/BinaryModuleFactory.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/env/IBinaryModule.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/lookup/BinaryModuleBinding.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/lookup/SourceModuleBinding.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/builder/ModuleEntryProcessor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/provisional/JavaModelAccess.java
No license file was found, but licenses were detected in source scan.
```

```
/******
```

```
* Copyright (c) 2000, 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
```

```
*
* Contributors:
*   IBM Corporation - initial API and implementation
*   Jesper S Moller - Contributions for
*   Bug 378674 - "The method can be declared as static" is wrong
```

```
*****/
```

```
Found in path(s):
```

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/ast/SuperReference.java
No license file was found, but licenses were detected in source scan.
```

```
/******
```

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Alex Smirnoff (alexsmr@sympatico.ca) - part of the changes to support Java-like extension
* (see https://bugs.eclipse.org/bugs/show_bug.cgi?id=71460)
*
*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CompilationUnit.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2015, 2016 IBM Corporation.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
*
*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JrtPackageFragmentRoot.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2012, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
work)
* Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code
generator
* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
*/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ExtendedAnnotation.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2014 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contributions for

* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

* bug 370639 - [compiler][resource] restore the default for resource leak warnings

* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'

* Bug 417758 - [1.8][null] Null safety compromise during array creation.

* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ArrayInitializer.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2015 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for

* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types

* bug 383368 - [compiler][null] syntactic null analysis for field references

* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ArrayReference.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2010, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/INameEnvironmentWithProgress.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

* Bug 407191 - [1.8] Binary access support for type annotations

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryField.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ModuleBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/IModuleBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnPackageVisibilityReference.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2011, 2016 GK Software AG and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Stephan Herrmann - initial API and implementation

* Nikolay Metchev (nikolaymetchev@gmail.com) - Contributions for

* bug 411098 - [compiler][resource] Invalid Resource Leak Warning using ternary operator inside try-with-resource

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/FakedTrackingVariable.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2013 GK Software AG.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Stephan Herrmann - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/lookup/InferenceFailureException.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/lookup/ReductionResult.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2014 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contributions for

* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

* bug 186342 - [compiler][null] Using annotations for null checking

* bug 361407 - Resource leak warning when resource is assigned to a field outside of constructor

* bug 370639 - [compiler][resource] restore the default for resource leak warnings

* bug 388996 - [compiler][resource] Incorrect 'potential resource

leak'

* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

* Bug 424710 - [1.8][compiler] CCE in SimpleNameReference.localVariableBinding

* Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.

* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation

* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.

* Bug 426366 - [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload context

* Bug 426290 - [1.8][compiler] Inference + overloading => wrong method resolution ?

* Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved

* Bug 427438 - [1.8][compiler] NPE

at org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

* Bug 428352 - [1.8][compiler] Resolution errors don't always surface

* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression

* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

* Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic bridge method

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/ast/ExplicitConstructorCall.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - contribution for bug 337868 - [compiler][model] incomplete support for package-info.java
when using SearchableEnvironment

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/NameLookup.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2006, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/ASTRecoveryPropagator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/batch/ClasspathSourceJar.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/ITypeRoot.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:

* IBM Corporation - initial API and implementation
* Nick Teryaev - fix for bug (https://bugs.eclipse.org/bugs/show_bug.cgi?id=40752)
* Stephan Herrmann - Contributions for
* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

- * bug 349326 - [1.7] new warning for missing try-with-resources
 - * bug 186342 - [compiler][null] Using annotations for null checking
 - * bug 358903 - Filter practically unimportant resource leak warnings
 - * bug 370639 - [compiler][resource]
- restore the default for resource leak warnings
- * bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
 - * bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
 - * bug 379784 - [compiler] "Method can be static" is not getting reported
 - * bug 379834 - Wrong "method can be static" in presence of qualified super and different staticness of nested super class.
- * bug 388281 - [compiler][null] inheritance of null annotations as an option
 - * bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
 - * bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
 - * bug 381445 - [compiler][resource] Can the resource leak check be made aware of Closeables.closeQuietly?
 - * bug 331649 - [compiler][null] consider null annotations for fields
 - * bug 383368 - [compiler][null] syntactic null analysis for field
- references
- * bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions
 - * bug 382350 - [1.8][compiler] Unable to invoke inherited default method via I.super.m() syntax
 - * bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super
 - * bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields
 - * bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
- * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
 - * Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
 - * Bug 405569 - Resource leak check false positive when using DbUtils.closeQuietly
 - * Bug 411964 - [1.8][null] leverage null type annotation in foreach statement
 - * Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well
- with deep encoded type bindings.
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
 - * Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
 - * Bug 424710 - [1.8][compiler] CCE in SingleNameReference.localVariableBinding
 - * Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.
 - * Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation
 - * Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
 - * Bug 426366 - [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload
- context
- * Bug 426290 - [1.8][compiler] Inference + overloading => wrong method resolution ?
 - * Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved
 - * Bug 427438 - [1.8][compiler] NPE at
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
 - * Bug 426996 - [1.8][inference] try to avoid method Expression.unresolve()?
 - * Bug 428352 - [1.8][compiler] Resolution errors don't always surface
 - * Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException instead of IOException)
 - * Bug 441734 - [1.8][inference] Generic method with nested parameterized type argument fails on method reference
 - * Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
 - * Bug 456487 - [1.8][null] @Nullable type variant of @NonNull-constrained type parameter causes grief

- * Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null
- * Bug 472618 - [compiler][null] assertNotNull vs. Assert.assertNotNull
- * Bug 470958 - [1.8] Unable to convert lambda
- * Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.
- * Jesper S Moller - Contributions for
- * Bug 378674 - "The method can be declared as static" is wrong
- * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- * Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- * Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic bridge method

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/MessageSend.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- * Contributors:
- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
- * bug 186342 - [compiler][null] Using annotations for null checking
- * bug 367203 - [compiler][null] detect assigning null to nonnull argument
- * bug 365519 - editorial cleanup after bug 186342 and bug 365387
- * bug 365662 - [compiler][null] warn on contradictory and redundant null annotations
- * bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults
- * bug 388281 - [compiler][null] inheritance of null annotations as an option
- * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- * Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- * Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.
- * Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
- * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- * Bug 438012 - [1.8][null] Bogus Warning: The nullness annotation is redundant with a default that applies to this location
- * Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
- * Bug 443347 - [1.8][null] @NonNullByDefault should not affect constructor arguments of an anonymous instantiation
- * Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

- * Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
 - * Bug 456584 - [1.8][null] Bogus warning for return type variable's @NonNull annotation being 'redundant'
 - * Bug 471611 - Error on hover on call to generic method with null annotation
 - * Jesper Steen Moller - Contributions for
 - * Bug 412150 [1.8] [compiler] Enable reflected parameter names during annotation processing
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MethodBinding.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
 * Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- * Jesper Steen Moeller - Contribution for
 * Bug 406973 - [compiler] Parse MethodParameters attribute

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/Messages.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
 * bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE
 * bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
 * bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
- * Bug 417758 - [1.8][null] Null safety compromise during array creation.

* Bug 427163 - [1.8][null]
bogus error "Contradictory null specification" on varargs
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
work)
* Bug 409247 - [1.8][compiler] Verify error with code allocating multidimensional array
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/ast/ArrayAllocationExpression.java
No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:

* IBM Corporation - initial API and implementation
* IBM Corporation - added J2SE 1.5 support
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/ICompilationUnit.java
No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:

* IBM Corporation - initial API and implementation
* Jesper S Moller - Bug 392671
* NPE with a method with explicit this and a following incomplete parameter
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/parser/RecoveredMethod.java
No license file was found, but licenses were detected in source scan.

* Contributors:

- * IBM Corporation - initial API and implementation
- * IBM Corporation - added J2SE 1.5 support

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IField.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2015 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Gábor Kövesdán - Contribution for Bug 350000 - [content assist] Include non-prefix matches in auto-complete suggestions

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/impl/AssistOptions.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2017 IBM Corporation.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/AbstractModule.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ModuleUtil.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IModuleDescription.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/ClasspathJMod.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SourceModule.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2014 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* IBM Corporation - initial API and implementation  
* Stephan Herrmann - Contributions for  
* bug 349326 - [1.7] new warning for missing try-with-resources  
* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK  
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"  
* bug 383368 - [compiler][null] syntactic null analysis for field references  
* bug 402993 - [null] Follow up of bug 401088: Missing  
warning about redundant null check  
* Bug 440282 - [resource] Resource leak detection false negative with empty finally block  
*/
```

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Block.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005, 2016 BEA Systems, Inc.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* tyeung@bea.com - initial API and implementation  
* IBM Corporation - implemented methods from IBinding  
* IBM Corporation - renamed from ResolvedMemberValuePair to MemberValuePairBinding  
* jgarms@bea.com - Fix for IllegalStateException  
* IBM Corporation - Fix for 223225  
*/
```

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/MemberValuePairBinding.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005, 2009 BEA Systems, Inc.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* tyeung@bea.com - initial API and implementation  
*/
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryElementValuePair.java`

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* IBM Corporation - initial API and implementation  
* Stephan Herrmann - Contributions for  
* bug 349326 - [1.7] new warning for missing try-with-resources  
* bug 186342 - [compiler][null] Using annotations for null checking  
* bug 364890 - BinaryTypeBinding should use char constants from Util  
* bug 365387 - [compiler][null] bug 186342: Issues to follow up post review and verification.  
* bug 358903 - Filter practically unimportant resource leak warnings  
* bug 365531 -  
[compiler][null] investigate alternative strategy for internally encoding nullness defaults  
* bug 388800 - [1.8][compiler] detect default methods in class files  
* bug 388281 - [compiler][null] inheritance of null annotations as an option  
* bug 331649 - [compiler][null] consider null annotations for fields  
* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files  
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis  
* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099  
* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled  
* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.  
* Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource  
* Bug 392245 - [1.8][compiler][null] Define whether / how @NonNullByDefault  
applies to TYPE_USE locations  
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
* Bug 390889 - [1.8][compiler] Evaluate options to support 1.7- projects against 1.8 JRE.
```

- * Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- * Bug 439516 - [1.8][null] NonNullByDefault wrongly applied to implicit type bound of binary type
- * Bug 434602 - Possible error with inferred null annotations leading to contradictory null annotations
- * Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
- * Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
- * Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- * Bug 453475 - [1.8][null] Contradictory null annotations (4.5 M3 edition)
- * Bug 454182 - Internal compiler error when using 1.8 compliance

for simple project

- * Bug 470467 - [null] Nullness of special Enum methods not detected from .class file
- * Bug 447661 - [1.8][null] Incorrect 'expression needs unchecked conversion' warning
- * Jesper Steen Moller - Contributions for
- * Bug 412150 [1.8] [compiler] Enable reflected parameter names during annotation processing
- * Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/BinaryTypeBinding.java

No license file was found, but licenses were detected in source scan.

*****/

- * Copyright (c) 2000, 2014 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/ParserBasicInformation.java

No license file was found, but licenses were detected in source scan.

*****/

- * Copyright (c) 2005, 2016 BEA Systems, Inc.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * tyeung@bea.com - initial API and implementation
- * IBM Corporation - fix for bug 342757
- * Stephan Herrmann - Contribution for bug 186342 - [compiler][null] Using annotations for null checking

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/MethodInfoWithParameterAnnotations.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* IBM Corporation - initial API and implementation

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ModuleModifier.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

* IBM Corporation - initial API and implementation
* daolaf@gmail.com - Contribution for bug 3292227

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/Util.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

* IBM Corporation - initial API and implementation

* Andy Clement - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
* Jesper Steen Moller - Contributions for
* Bug 406973 - [compiler] Parse MethodParameters attribute
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IAttributeNamesConstants.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2013, 2017 GK Software AG, and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* Stephan Herrmann - initial API and implementation
* IBM Corporation - Bug fixes
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceContext18.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/PackageExportImpl.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/Module.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/UsesStatement.java
*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/OpensStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/BinaryContainer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/AddJrtToIndex.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2016, 2017 Google, Inc. and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* Stefan Xenos <sxenos@gmail.com> (Google) - initial API and implementation
***/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ExternalAnnotationDecorator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
* bug 331649 - [compiler][null] consider null annotations for fields
* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
* Bug 427438 - [1.8][compiler] NPE at
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
* Bug 429403 - [1.8][null] null mismatch from type arguments is not reported at field initializer
* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
* Bug 458396 - NPE in CodeStream.invoke()
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
***/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/ast/FieldDeclaration.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 282152 - [1.5][compiler] Generics code rejected by Eclipse but accepted by javac
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 359362 - FUP of bug 349326: Resource leak on non-Closeable resource
* bug 358903 - Filter practically unimportant resource leak warnings
* bug 395002 - Self bound generic class doesn't resolve
bounds properly for wildcards for certain parametrisation.
* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 426792 - [1.8][inference][impl] generify new type inference engine
* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.
* Bug 429384 - [1.8][null] implement conformance rules for null-annotated lower / upper type bounds
* Bug 431269 - [1.8][compiler][null] StackOverflow in nullAnnotatedReadableName
* Bug 431408 - Java 8 (1.8) generics bug
* Bug 435962 - [RC2] StackOverFlowError when building
* Bug 438458 - [1.8][null]
clean up handling of null type annotations wrt type variables
* Bug 438250 - [1.8][null] NPE trying to report bogus null annotation conflict
* Bug 438179 - [1.8][null] 'Contradictory null annotations' error on type variable with explicit null-annotation.
* Bug 440143 - [1.8][null] one more case of contradictory null annotations regarding type variables
* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
* Bug 456497 - [1.8][null] during inference nullness from target type is lost against weaker hint from applicability
analysis
* Bug 456459 - Discrepancy between Eclipse compiler and javac - Enums, interfaces, and generics
* Bug 456487 - [1.8][null] @Nullable type variant of @NonNull-constrained type parameter causes grief
* Bug 462790 - [null] NPE in Expression.computeConversion()
* Bug 456532 - [1.8][null] ReferenceBinding.appendNullAnnotation() includes phantom annotations in error
messages

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeVariableBinding.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2000, 2015 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 *   Stephan Herrmann - Contribution for
 *     bug 331649 - [compiler][null] consider null annotations for fields
 *     Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
 *     Bug 458396 - NPE in CodeStream.invoke()
 */
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/VariableBinding.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2007, 2009 BEA Systems, Inc.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   wharley@bea.com - initial API and implementation
 */
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/ICompilationUnitLocator.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2000, 2017 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 */
```

- * Stephan Herrmann - Contribution for
- * Bug 186342 - [compiler][null] Using annotations for null checking
- * Bug 440474 - [null] textual encoding of external null annotations
- * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- * Bug 407191 - [1.8] Binary access support for type annotations

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetSkeleton.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * IBM Corporation - added `getOption(String, boolean)`, `getOptions(boolean)` and `setOptions(Map)`
- * IBM Corporation - deprecated `getPackageFragmentRoots(IClasspathEntry)` and
- * `added findPackageFragmentRoots(IClasspathEntry)`
- * IBM Corporation - added `isOnClasspath(IResource)`
- * IBM Corporation - added `setOption(String, String)`
- * IBM Corporation - added `forceClasspathReload(IProgressMonitor)`

*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IJavaProject.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Jesper Steen Moller - Contributions for
- * bug 404146 - [1.7][compiler] nested try-catch-finally-blocks leads to unrunnable Java byte code
- * Harry Terkelsen (het@google.com) - Bug 449262 - Allow the use of third-party Java formatters
- * Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly,

especially when max line width is set - <https://bugs.eclipse.org/303519>

- * Mateusz Matela <mateusz.matela@gmail.com>
- [formatter] follow up bug for comments - <https://bugs.eclipse.org/458208>
- * Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
- * Bug 473178

*****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/DefaultCodeFormatter.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2013 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Nikolay Botev - Bug 348507

*****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/JavaWorkspaceScope.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2013, 2014 GK Software AG.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * Stephan Herrmann - initial API and implementation

*****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/CaptureBinding18.java

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Invocation.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- *
- * Contributors:
- * IBM Corporation - initial API and implementation
- * Jesper S Moller - Contributions for
- * bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
- * Bug 384687 - [1.8] Wildcard type arguments should be rejected for lambda and reference expressions
- * Bug 416885 - [1.8][compiler]IncompatibleClassChange error (edit)
- * Stephan Herrmann - Contribution for
- * bug 402028 - [1.8][compiler] null analysis for reference expressions
- * bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super via I.super.m() syntax
- * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- * Bug 415850 - [1.8] Ensure RunJDTCORETests can cope with null annotations enabled
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- * Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
- * Bug 424637 - [1.8][compiler][null] AIOOB in ReferenceExpression.resolveType with a method reference to Files::walk
- * Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
- * Bug 424403 - [1.8][compiler] Generic method call with method reference argument fails to resolve properly.
- * Bug 427196 - [1.8][compiler] Compiler error for method reference to overloaded method
- * Bug 427438 - [1.8][compiler]
- NPE at org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- * Bug 428264 - [1.8] method reference of generic class causes problems (wrong inference result or NPE)
- * Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- * Bug 426537 - [1.8][inference] Eclipse compiler thinks I<? super J> is compatible with I<J<?>> - raw type J involved
- * Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
- * Bug 435689 - [1.8][inference] Type inference not occurring with lambda expression and method reference
- * Bug 438383 - [1.8][null] Bogus warning: Null type safety at method return type
- * Bug 434483 - [1.8][compiler][inference] Type inference not picked up with method reference
- * Bug 441734 - [1.8][inference] Generic method with nested parameterized type argument fails on method reference
- * Bug 438945 - [1.8] NullPointerException
- InferenceContext18.checkExpression in java 8 with generics, primitives, and overloading
- * Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- * Bug 448709 - [1.8][null] ensure we don't infer types that violate null constraints on a type parameter's bound
- * Bug 459967 - [null] compiler should know about nullness of special methods like MyEnum.valueOf()
- * Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
- * Bug 470542 - NullPointerException in ReferenceExpression.isPotentiallyCompatibleWith (962)
- * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contribution for
- * Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ReferenceExpression.java

No license file was found, but licenses were detected in source scan.

/******

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*
* Contributors:
* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IConstantPoolEntry.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/impl/Engine.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JarPackageFragment.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/JavaConventions.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/ASTRewriteFlattener.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/IPackageBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/BinaryType.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/TryStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/IJavaSearchConstants.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/CompilationResult.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/PackageFragmentRoot.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IClassFileReader.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IJavaElement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/PackageBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/PatternLocator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ClassFileInfo.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/ClasspathSourceDirectory.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaElement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ASTSyntaxErrorPropagator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ISourceElementRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/ASTRewriteAnalyzer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IConstantPool.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/INameEnvironment.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/hierarchy/ChangeCollector.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/BindingResolver.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredField.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JarPackageFragmentRoot.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/AbstractIndexer.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/IIndexConstants.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ASTNode.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/SearchPattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionParser.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/PackageFragment.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/ASTRewriteFormatter.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/SourceIndexerRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IClassFile.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/TypeDeclarationLocator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/batch/CompilationUnit.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredUnit.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SelectionRequestor.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/PossibleMatch.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/indexer/HierarchicalASTVisitor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/IBinding.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/HandleFactory.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/CommentRecorderParser.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/SelectionEngine.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/AST.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/DefaultASTVisitor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/ICompilationUnit.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/index/DiskIndex.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/hierarchy/RegionBasedHierarchyBuilder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/SuperTypeNamesCollector.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/ClasspathDirectory.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/CompilationUnit.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ImportReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/NaiveASTFlattener.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/NameEnvironmentAnswer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ASTVisitor.java
*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IPackageFragment.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/BinaryIndexer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/AbstractImageBuilder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedTypeReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ConstantPoolEntry.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/MatchLocatorParser.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/hierarchy/TypeHierarchy.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathLocation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/QualifiedTypeDeclarationPattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/problem/DefaultProblem.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ConstantPoolEntry2.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IMember.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/JavaElementFinder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IConstantPoolConstant.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/BasicCompilationUnit.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ASTMatcher.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/compiler/CategorizedProblem.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ConstantPool.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CompilationUnitStructureRequestor.java
No license file was found, but licenses were detected in source scan.

/*****

- * Copyright (c) 2016, 2017 Google, Inc and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Stefan Xenos (Google) - Initial implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/model/IndexBinaryType.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdTypeId.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2005, 2017 BEA Systems, Inc, IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* tyeung@bea.com - initial API and implementation

* IBM Corporation - implemented methods from IBinding

* IBM Corporation - renamed from ResolvedAnnotation to AnnotationBinding

* IBM Corporation - Fix for 328969

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/AnnotationBinding.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2014, 2017 Mateusz Matela and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly, especially when max line width is set - <https://bugs.eclipse.org/303519>

* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for

* Bug 473178

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/linewrap/CommentWrapExecutor.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2014, 2015 Mateusz Matela and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly,
 *   especially when max line width is set - https://bugs.eclipse.org/303519
 *   Mateusz Matela <mateusz.matela@gmail.com> - [formatter] follow up bug for comments -
 *   https://bugs.eclipse.org/458208
 *   Mateusz Matela <mateusz.matela@gmail.com> - NPE in WrapExecutor during Java text formatting -
 *   https://bugs.eclipse.org/465669
 */
```

Found

in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/formatter/linewrap/WrapExecutor.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2000, 2016 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 *   Stephan Herrmann - Contributions for
 *     bug 325755 - [compiler] wrong initialization state after conditional expression
 *     bug 320170 - [compiler] [null] Whitebox issues in null analysis
 *     bug 292478 - Report potentially null across variable assignment
 *     bug 332637 - Dead Code detection removing code that isn't dead
 *     bug 341499 - [compiler][null] allocate extra bits in all methods of UnconditionalFlowInfo
 *     bug 349326 - [1.7] new warning for missing try-with-resources
 *   bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
 *   bug 386181 - [compiler][null] wrong transition in UnconditionalFlowInfo.mergedWith()
 *   bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
 *   Bug 453483 - [compiler][null][loop] Improve null analysis for loops
 *   Bug 454031 - [compiler][null][loop] bug in null analysis; wrong "dead code" detection
 *   Bug 421035 - [resource] False alarm of resource leak warning when casting a closeable in its assignment
 */
```

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/flow/UnconditionalFlowInfo.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2013, 2017 GK Software AG.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Stephan Herrmann - initial API and implementation
* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
* Bug 473178
* IBM Corporation - Bug fixes

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/BoundSet.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Theodora Yeung (tyeung@bea.com) - ensure that JarPackageFragmentRoot make it into cache
* before its contents
* (see https://bugs.eclipse.org/bugs/show_bug.cgi?id=102422)
* Stephan Herrmann - Contributions for
* Bug 346010 - [model] strange initialization dependency in OptionTests
* Bug 440477 - [null] Infrastructure for feeding
external annotations into compilation
* Terry Parker <tparker@google.com> - DeltaProcessor misses state changes in archive files, see
https://bugs.eclipse.org/bugs/show_bug.cgi?id=357425
* Thirumala Reddy Mutchukota <thirumala@google.com> - Contribution to bug:
https://bugs.eclipse.org/bugs/show_bug.cgi?id=411423
* Terry Parker <tparker@google.com> - [performance] Low hit rates in JavaModel caches -
<https://bugs.eclipse.org/421165>
* Terry Parker <tparker@google.com> - Enable the Java model caches to recover from IO errors -
<https://bugs.eclipse.org/455042>

* Gábor Kövesdán - Contribution for Bug 350000 - [content assist] Include non-prefix matches in auto-complete suggestions

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaModelManager.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contributions for

* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

* bug 349326 - [1.7] new warning for missing try-with-resources

* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

* Bug 415790 - [compiler][resource]Incorrect

potential resource leak warning in for loop with close in try/catch

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/WhileStatement.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2010 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann <stephan@cs.tu-berlin.de> - TypeConverters don't set enclosingType -

https://bugs.eclipse.org/bugs/show_bug.cgi?id=320841

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/BinaryTypeConverter.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 382350 - [1.8][compiler] Unable to invoke inherited default method via I.super.m() syntax
* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super
* bug 404728 - [1.8]NPE on QualifiedSuperReference error

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedSuperReference.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Jesper Steen Moeller - Contribution for bug 406973 - [compiler] Parse MethodParameters attribute

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IModifierConstants.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
 - bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE
 - bug 349326 - [1.7] new warning for missing try-with-resources
- bug 186342 - [compiler][null] Using annotations for null checking
- bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
- bug 370639 - [compiler][resource] restore the default for resource

leak warnings

- * bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- * bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
- * bug 395977 - [compiler][resource] Resource leak warning behavior possibly incorrect for anonymous inner class
- * bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred

checking

- * Bug 415850 - [1.8] Ensure RunJDTCORETests can cope with null annotations enabled
- * Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- * Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
- * Bug 416267 - NPE in QualifiedAllocationExpression.resolveType
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- * Bug 424415 - [1.8][compiler] Eventual resolution

of ReferenceExpression is not seen to be happening.

- * Bug 427438 - [1.8][compiler] NPE at
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

- * Jesper S Moller <jesper@selskabet.org> - Contributions for
 - bug 378674 - "The method can be declared as static" is wrong
- * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
 - Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
 - Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic bridge method
- * Till Brychcy - Contributions for
 - bug 413460 - NonNullByDefault is not inherited to Constructors when accessed via Class File

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedAllocationExpression.java

No license file was found, but licenses were detected in source scan.

/******

- * Copyright (c) 2000, 2016 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for

- * bug 349326 - [1.7] new warning for missing try-with-resources
 - * bug 186342 - [compiler][null] Using annotations for null checking
 - * bug 365519 - editorial cleanup after bug 186342 and bug 365387
 - * bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
 - * bug 382353 - [1.8][compiler] Implementation property modifiers should be accepted on default methods.
 - * bug 383368 - [compiler][null] syntactic null analysis for field references
 - * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
 - * Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
 - * Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
 - * Bug 438012 - [1.8][null] Bogus Warning: The nullness annotation is redundant with a default that applies to this location
 - * Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
 - * Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
 - * Jesper S Moller <jesper@selskabet.org> - Contributions for
 - * bug 378674 - "The method can be declared as static" is wrong
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/MethodDeclaration.java
 No license file was found, but licenses were detected in source scan.

*****/

- * Copyright (c) 2008, 2010 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- * Contributors:
- * IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/compiler/batch/BatchCompiler.java
 No license file was found, but licenses were detected in source scan.

*****/

- * Copyright (c) 2000, 2016 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- * Contributors:
- * IBM Corporation - initial API and implementation

- * Jesper S Moller <jesper@selskabet.org> - Contributions for
 - * bug 378674 - "The method can be declared as static" is wrong
 - * Stephan Herrmann - Contribution for
 - * Bug 424167 - [1.8] Fully integrate type inference with overload resolution
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetScope.java
 No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
 - * Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
 - * Bug 320618 - inconsistent initialization of classpath container backed by external class folder
 - * Bug 346010 - [model] strange initialization dependency in OptionTests
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaProject.java
 No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2014 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/Type.java
 No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2013, 2017 GK Software AG and others.

* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

* Stephan Herrmann - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/flow/TryFlowContext.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

* IBM Corporation - initial API and implementation

* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

* Bug 407191 - [1.8] Binary access support for type annotations

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/FieldInfo.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

* IBM Corporation - initial API and implementation

* IBM Corporation - added J2SE 1.5 support

* Stephan Herrmann - Contribution for

* Bug 463533 - Signature.getSignatureSimpleName() returns different results for resolved and unresolved extends

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/core/Signature.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2013, 2014, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for Bug 378024 - Ordering of comments between imports not preserved
* John Glassmyer <jogl@google.com> - import group sorting is broken - <https://bugs.eclipse.org/430303>
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ImportRewriteAnalyzer.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2003, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/CatchParameterBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ParameterizedType.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2009 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnArgumentName.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/CodeAttribute.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
* Jesper S Moller - Contributions for
* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
*****/

Found
in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/ast/CompoundAssignment.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* IBM Corporation - added the following constants:
* COMPILER_PB_DEPRECATION_IN_DEPRECATED_CODE
* COMPILER_PB_STATIC_ACCESS_RECEIVER
* COMPILER_TASK_TAGS
* CORE_CIRCULAR_CLASSPATH
* CORE_INCOMPLETE_CLASSPATH
* IBM Corporation - added run(IWorkspaceRunnable, IProgressMonitor)
* IBM Corporation
- added exclusion patterns to source classpath entries
* IBM Corporation - added specific output location to source classpath entries
* IBM Corporation - added the following constants:
* CORE_JAVA_BUILD_CLEAN_OUTPUT_FOLDER
* CORE_JAVA_BUILD_RECREATE_MODIFIED_CLASS_FILES_IN_OUTPUT_FOLDER
* CLEAN
* IBM Corporation - added getClasspathContainerInitializer(String)
* IBM Corporation - added the following constants:
* CODEASSIST_ARGUMENT_PREFIXES
* CODEASSIST_ARGUMENT_SUFFIXES
* CODEASSIST_FIELD_PREFIXES
* CODEASSIST_FIELD_SUFFIXES
* CODEASSIST_LOCAL_PREFIXES
* CODEASSIST_LOCAL_SUFFIXES
* CODEASSIST_STATIC_FIELD_PREFIXES
*
CODEASSIST_STATIC_FIELD_SUFFIXES
* COMPILER_PB_CHAR_ARRAY_IN_STRING_CONCATENATION
* IBM Corporation - added the following constants:
* COMPILER_PB_LOCAL_VARIABLE_HIDING
* COMPILER_PB_SPECIAL_PARAMETER_HIDING_FIELD
* COMPILER_PB_FIELD_HIDING
* COMPILER_PB_POSSIBLE_ACCIDENTAL_BOOLEAN_ASSIGNMENT
* CORE_INCOMPATIBLE_JDK_LEVEL
* VERSION_1_5
* COMPILER_PB_EMPTY_STATEMENT
* IBM Corporation - added the following constants:
* COMPILER_PB_INDIRECT_STATIC_ACCESS

* COMPILER_PB_BOOLEAN_METHOD_THROWING_EXCEPTION
 * COMPILER_PB_UNNECESSARY_CAST
 * IBM Corporation - added the following constants:
 *
 COMPILER_PB_INVALID_JAVADOC
 * COMPILER_PB_INVALID_JAVADOC_TAGS
 * COMPILER_PB_INVALID_JAVADOC_TAGS_VISIBILITY
 * COMPILER_PB_MISSING_JAVADOC_TAGS
 * COMPILER_PB_MISSING_JAVADOC_TAGS_VISIBILITY
 * COMPILER_PB_MISSING_JAVADOC_TAGS_OVERRIDING
 * COMPILER_PB_MISSING_JAVADOC_COMMENTS
 * COMPILER_PB_MISSING_JAVADOC_COMMENTS_VISIBILITY
 * COMPILER_PB_MISSING_JAVADOC_COMMENTS_OVERRIDING
 * COMPILER_PB_DEPRECATION_WHEN_OVERRIDING_DEPRECATED_METHOD
 *
 COMPILER_PB_UNUSED_DECLARED_THROWN_EXCEPTION_WHEN_OVERRIDING
 * IBM Corporation - added the following constants:
 * TIMEOUT_FOR_PARAMETER_NAME_FROM_ATTACHED_JAVADOC
 * IBM Corporation
 - added the following constants:
 * COMPILER_PB_FALLTHROUGH_CASE
 * COMPILER_PB_PARAMETER_ASSIGNMENT
 * COMPILER_PB_NULL_REFERENCE
 * IBM Corporation - added the following constants:
 * CODEASSIST_DEPRECATION_CHECK
 * IBM Corporation - added the following constants:
 * COMPILER_PB_POTENTIAL_NULL_REFERENCE
 * COMPILER_PB_REDUNDANT_NULL_CHECK
 * IBM Corporation - added the following constants:
 * COMPILER_PB_UNUSED_PARAMETER_INCLUDE_DOC_COMMENT_REFERENCE
 * IBM Corporation - added the following constants:
 *
 COMPILER_PB_UNUSED_DECLARED_THROWN_EXCEPTION_INCLUDE_DOC_COMMENT_REFEREN
 CE
 * IBM Corporation - added the following constants:
 * COMPILER_PB_MISSING_JAVADOC_TAG_DESCRIPTION
 *
 COMPILER_PB_MISSING_JAVADOC_TAG_DESCRIPTION_NO_TAG
 * COMPILER_PB_MISSING_JAVADOC_TAG_DESCRIPTION_RETURN_TAG
 * COMPILER_PB_MISSING_JAVADOC_TAG_DESCRIPTION_ALL_TAGS
 * IBM Corporation - added the following constants:
 * COMPILER_PB_REDUNDANT_SUPERINTERFACE
 * IBM Corporation - added the following constant:
 *
 COMPILER_PB_UNUSED_DECLARED_THROWN_EXCEPTION_EXEMPT_EXCEPTION_AND_THROWA
 BLE
 * IBM Corporation - added getOptionForConfigurableSeverity(int)
 * Benjamin Muskalla - added COMPILER_PB_MISSING_SYNCHRONIZED_ON_INHERITED_METHOD

- * Stephan Herrmann - added COMPILER_PB_UNUSED_OBJECT_ALLOCATION
- * Stephan Herrmann - added COMPILER_PB_SUPPRESS_OPTIONAL_ERRORS
- * Stephan Herrmann - added the following constants:
 - * COMPILER_PB_UNCLOSED_CLOSEABLE,
 - * COMPILER_PB_POTENTIALLY_UNCLOSED_CLOSEABLE
 - * COMPILER_PB_EXPLICITLY_CLOSED_AUTOCLOSEABLE
 - * COMPILER_ANNOTATION_NULL_ANALYSIS
 - * COMPILER_NULLABLE_ANNOTATION_NAME
 - * COMPILER_NONNULL_ANNOTATION_NAME
 - * COMPILER_PB_NULL_SPECIFICATION_VIOLATION
 - * COMPILER_PB_POTENTIAL_NULL_SPECIFICATION_VIOLATION
 - * COMPILER_PB_NULL_SPECIFICATION_INSUFFICIENT_INFO
 - * COMPILER_PB_MISSING_ENUM_CASE_DESPITE_DEFAULT
 - * COMPILER_PB_SWITCH_MISSING_DEFAULT_CASE
 - * COMPILER_INHERIT_NULL_ANNOTATIONS
 - * COMPILER_PB_NONNULL_PARAMETER_ANNOTATION_DROPPED
 - * COMPILER_PB_SYNTACTIC_NULL_ANALYSIS_FOR_FIELDS
 - * COMPILER_PB_UNLIKELY_COLLECTION_METHOD_ARGUMENT_TYPE
 - * COMPILER_PB_UNLIKELY_EQUALS_ARGUMENT_TYPE
- * Jesper S Moller - Contributions for bug 381345 : [1.8] Take care of the Java 8 major version
 - * - added the following constants:
 - * COMPILER_CODEGEN_METHOD_PARAMETERS_ATTR
- * Harry Terkelsen (het@google.com) - Bug 449262 - Allow the use of third-party Java formatters
- * Gábor Kövesdán - Contribution for Bug 350000 - [content assist] Include non-prefix matches in auto-complete suggestions

*
 *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/JavaCore.java

No license file was found, but licenses were detected in source scan.

/***/

* Copyright (c) 2005, 2016 QNX Software Systems and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * QNX - Initial API and implementation
- * Symbian - Add some non-javadoc implementation notes
- * Markus Schorn (Wind River Systems)
- * IBM Corporation
- * Sergey Prigogin (Google)
- * Stefan Xenos (Google)

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/Database.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
* Jesper Steen Moeller - Contribution for
* Bug 406973 - [compiler] Parse MethodParameters attribute

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/MethodInfo.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for bug 215139

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/NameMatchRequestorWrapper.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Stephan Herrmann - Contributions for
 * bug 358827 - [1.7] exception analysis for t-w-r spoils null analysis
 * bug 186342 - [compiler][null] Using annotations for null checking
 * bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
 * bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
 * bug 345305 - [compiler][null] Compiler misidentifies
 a case of "variable can only be null"
 * bug 383368 - [compiler][null] syntactic null analysis for field references
 * bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
 * bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields
 * bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred
 checking
 * Bug 453483 - [compiler][null][loop] Improve null analysis for loops
 * Bug 455723 - Nonnull argument not correctly inferred in loop
 * Bug 415790 - [compiler][resource] Incorrect potential resource leak warning in for loop with close in try/catch
 * Bug 446691 - [1.8][null][compiler] NullPointerException in SimpleNameReference.analyseCode
 *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
 jar/org/eclipse/jdt/internal/compiler/flow/FlowContext.java

No license file was found, but licenses were detected in source scan.

/***/

* Copyright (c) 2005, 2016 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Stephan Herrmann - Contributions for
 * bug 349326 - [1.7] new warning for missing try-with-resources
 * bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
 * bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
 * bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
 * Bug 392099 - [1.8][compiler][null]
 Apply null annotation on types for null analysis
 * Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
 * Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
 * Bug 412076 - [compiler] @NonNullByDefault doesn't work for varargs parameter when in generic interface

- * Bug 403216 - [1.8][null] TypeReference#captureTypeAnnotations treats type annotations as type argument annotations
 - * Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
 - * Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
 - * Bug 416175 - [1.8][compiler][null] NPE with a code snippet that used null annotations on wildcards
 - * Bug 416174 - [1.8][compiler][null] Bogus name clash error with null annotations
 - * Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
 - * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
 - * Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
 - * Bug 425278 - [1.8][compiler] Suspect error: The target type of this expression is not a well formed parameterized type due to bound(s) mismatch
 - * Bug 425798 - [1.8][compiler] Another NPE in ConstraintTypeFormula.reduceSubType
 - * Bug 425156 - [1.8] Lambda as an argument is flagged with incompatible error
 - * Bug 426563 - [1.8] AIOOBE when method with error invoked with lambda expression as argument
 - * Bug 426792 - [1.8][inference][impl] generify new type inference engine
 - * Bug 428294 - [1.8][compiler] Type mismatch: cannot convert from List<Object> to Collection<Object[]>
 - * Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource
 - * Bug 416182 - [1.8][compiler][null] Contradictory null annotations not rejected
 - * Bug 438458
 - [1.8][null] clean up handling of null type annotations wrt type variables
 - * Bug 438179 - [1.8][null] 'Contradictory null annotations' error on type variable with explicit null-annotation.
 - * Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
 - * Bug 446434 - [1.8][null] Enable interned captures also when analysing null type annotations
 - * Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
 - * Bug 456508 - Unexpected RHS PolyTypeBinding for: <code-snippet>
 - * Bug 390064 - [compiler][resource] Resource leak warning missing when extending parameterized class
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterizedTypeBinding.java

No license file was found, but licenses were detected in source scan.

/******

- * Copyright (c) 2000, 2015 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
- * bug 186342 - [compiler][null] Using annotations for null checking
- * bug 365519 - editorial cleanup after bug 186342 and bug 365387
- * Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
- * Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

- * Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
 - * Bug 438012 - [1.8][null] Bogus Warning: The nullness annotation is redundant with a default that applies to this location
 - * Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
 - * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
 - * Bug 409246 - [1.8][compiler] Type annotations on catch parameters not handled properly
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Argument.java

No license file was found, but licenses were detected in source scan.

/*****

- * Copyright (c) 2000, 2017 IBM Corporation and others.
 - * All rights reserved. This program and the accompanying materials
 - * are made available under the terms of the Eclipse Public License v1.0
 - * which accompanies this distribution, and is available at
 - * <http://www.eclipse.org/legal/epl-v10.html>
 - * Contributors:
 - * IBM Corporation - initial API and implementation
 - * Stephan Herrmann - Contributions for
 - * bug 349326 - [1.7] new warning for missing try-with-resources
 - * bug 358903 - Filter practically unimportant resource leak warnings
 - * bug 381445 - [compiler][resource] Can the resource leak check be made aware of Closeables.closeQuietly?
 - * bug 400421 - [compiler] Null analysis for fields does not take @com.google.inject.Inject into account
 - * bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions
 - * Bug 405569 - Resource leak check false positive when using DbUtils.closeQuietly
 - * Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource
 - * Bug 425183 - [1.8][inference] make CaptureBinding18 safe
 - * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
 - * Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.
 - * Jesper S Moller - Contributions for
 - * Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
 - * Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
 - * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
 - * Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas
 - * Ulrich Grave <ulrich.grave@gmx.de>
 - Contributions for
 - * bug 386692 - Missing "unused" warning on "autowired" fields
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/lookup/TypeConstants.java
No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*   Stephan Herrmann - Contribution for
*     bug 400710 - [1.8][compiler] synthetic access to default method generates wrong code
*     bug 391376 - [1.8] check interaction of default methods with bridge methods and generics
*     bug 421543 - [1.8][compiler] Compiler fails to recognize default method being turned into abstract by subtype
*   Jesper S Moller - Contributions for
*     Bug 405066 - [1.8][compiler][codegen] Implement code generation
    infrastructure for JSR335
*   Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
*     Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
    work)
*     Bug 409247 - [1.8][compiler] Verify error with code allocating multidimensional array
*     Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code
    generator
*     Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
*     Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas
*     Bug 449467 - [1.8][compiler] Invalid lambda deserialization with anonymous class
*   Olivier Tardieu (tardieu@us.ibm.com) - Contributions for
*     Bug 442418 - $deserializeLambda$ off-by-one error when deserializing the captured arguments of
    a
    lambda that also capture this
*****/

```

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/CodeStream.java
No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2005, 2013 BEA Systems, Inc.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   tyeung@bea.com - initial API and implementation

```

- * IBM Corporation - implemented methods from IBinding
- * IBM Corporation - renamed from ResolvedDefaultValuePair to DefaultValuePairBinding
- * IBM Corporation - Fix for 328969

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/DefaultValuePairBinding.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2011, 2014 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
- * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/UnionTypeReference.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - contributions for
- * bug 336428 - [compiler][null] bogus warning "redundant null check" in condition of do { } while() loop
- * bug 186342 - [compiler][null] Using annotations for null checking
- * bug 365519 - editorial cleanup after bug 186342 and bug 365387
- * bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
- * bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
- * bug 385626 - @NonNull fails across loop boundaries
- * bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- * bug 376263 - Bogus "Potential null pointer access" warning
- * bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred

checking

- * bug 406384 - Internal error with I20130413
 - * Bug 415413 - [compiler][null] NullPointerException in Null Analysis caused by interaction of LoopingFlowContext and FinallyFlowContext
 - * Bug 453483 - [compiler][null][loop] Improve null analysis for loops
 - * Bug 455557 - [jdt] NPE LoopingFlowContext.recordNullReference
 - * Bug 455723 - Nonnull argument not correctly inferred in loop
 - * Bug 415790 - [compiler][resource]Incorrect potential resource leak warning in for loop with close in try/catch
 - * Bug 421035 - [resource] False alarm of resource leak warning when casting a closeable in its assignment
 - * Jesper S Moller - contributions for
 - * bug 404657 - [1.8][compiler] Analysis for effectively final variables fails to consider loops
- *****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/flow/LoopingFlowContext.java
- No license file was found, but licenses were detected in source scan.

/*****

- * Copyright (c) 2000, 2014 IBM Corporation and others.
 - * All rights reserved. This program and the accompanying materials
 - * are made available under the terms of the Eclipse Public License v1.0
 - * which accompanies this distribution, and is available at
 - * <http://www.eclipse.org/legal/epl-v10.html>
 - * Contributors:
 - * IBM Corporation - initial API and implementation
 - * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
 - * Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
 - * Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic bridge method
 - * Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
 - * Stephan Herrmann
 - Contribution for
 - * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
 - * Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
 - * Bug 427438 - [1.8][compiler] NPE at org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- *****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetAllocationExpression.java
- No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2005, 2016 QNX Software Systems and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* QNX - Initial API and implementation
* Andrew Ferguson (Symbian) - Provide B-tree deletion routine
* Markus Schorn (Wind River Systems)

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/BTree.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Harry Terkelsen (het@google.com) - Bug 449262 - Allow the use of third-party Java formatters

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ToolFactory.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2007 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/NullBuffer.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2007, 2009 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*/
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/CompletionFlags.java`

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2016, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*/
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/INameEnvironmentExtension.java`

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2012, 2013 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*   Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for  
*       Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's  
work)  
*   Stephan Herrmann - Contribution for  
*   Bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files  
*/
```

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/AnnotationTargetTypeConstants.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
 - * bug 349326 - [1.7] new warning for missing try-with-resources
 - * bug 186342 - [compiler][null] Using annotations for null checking
 - * bug 370639 - [compiler][resource] restore the default for resource leak warnings
 - * bug 265744 - Enum switch should warn about missing default
 - * bug 374605 - Unreasonable warning for enum-based switch statements
 - * bug 381443 - [compiler][null]

Allow parameter widening from @NonNull to unannotated

- * Bug 441208 - [1.8][null] SuppressWarnings("null") does not suppress / marked Unnecessary
- * Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/IrritantSet.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
 - * Bug 458396 - NPE in CodeStream.invoke()

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/problem/ProblemHandler.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2014, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/PolyParameterizedGenericMethodBinding.java

No license file was found, but licenses were detected in source scan.

/*****

* * Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contributions for

* bug 349326 - [1.7] new warning for missing try-with-resources

* bug 374605 - Unreasonable warning for enum-based switch statements

* bug 382353 - [1.8][compiler] Implementation property modifiers should be accepted on default methods.

* bug 382354 - [1.8][compiler] Compiler silent on conflicting modifier

* bug 401030 - [1.8][null] Null analysis support for lambda methods.

* Bug

416176 - [1.8][compiler][null] null type annotations cause grief on type variables

* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

* Jesper S Moller - Contributions for

* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MethodScope.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Javadoc.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2015, 2016 Google, Inc and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* Stefan Xenos (Google) - Initial implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/Pointer.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations
* bug 401030 - [1.8][null] Null analysis support for lambda methods.
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/LocalTypeBinding.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2016, 2017 GK Software AG.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Stephan Herrmann - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ExternalAnnotationSuperimposer.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2004, 2016 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/DocCommentParser.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CancelableNameEnvironment.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2015, 2017 GK Software AG and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*
* Contributors:
* Stephan Herrmann - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/UnlikelyArgumentCheck.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2009 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IExceptionTableEntry.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/InnerClassesAttribute.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/LocalVariableAttribute.java

*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/StackMapTableAttribute.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/ReadWriteMonitor.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IExceptionAttribute.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemPackageBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/index/MemoryIndex.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/jdom/DOMPackage.java

*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/diagnose/RangeUtil.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/ISourceAttribute.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemFieldBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/DefaultWorkingCopyOwner.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/IndexingParser.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IConstantValueAttribute.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IStackMapAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/HashSetOfCharArrayArray.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ClasspathAccessRule.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/RenameResourceElementsOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/MissingSourceFileException.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ICompletionRequestor.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IOpcodeMnemonics.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/ILocalVariableTableEntry.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IMethodInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ExternalJavaProject.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnMethodTypeParameter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnFieldType.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/SearchMatch.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/hierarchy/HierarchyType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ClassFileStruct.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IClassFileDisassembler.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ClassFileAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/EvaluationConstants.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnFieldReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/LongCache.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IAnnotationComponentValue.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/IndexQueryRequestor.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IDependent.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionNodeFound.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ImportBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/TrackedNodePosition.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/BranchStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ExtendedStringLiteral.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnExplicitConstructorCall.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/SubRoutineStatement.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/eval/IEvaluationContext.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CreateCompilationUnitOperation.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/IRestrictedAccessTypeRequestor.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/InnerClassesAttributeEntry.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/StackMapAttribute.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnLocalName.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/InitializerElementInfo.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IBufferChangedListener.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/Annotation.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/NodeRewriteEvent.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/FieldPattern.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/core/search/MethodDeclarationMatch.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/SimpleWordSet.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/dom/rewrite/LineInformation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/StackMapFrame.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/LocalVariableReferenceMatch.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/jdom/DOMImport.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/jdom/DOMInitializer.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SyntheticArgumentBinding.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/SourceRange.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemBinding.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnJavadocParamNameReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/OpcodeStringValue.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/NLSTag.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/SimpleNameVector.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/HashSetOfArray.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnJavadocAllocationExpression.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/CompoundNameVector.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/RenameElementsOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/PrefixExpression.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnImportReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/InnerClassesAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ICodeFormatter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/SimpleDelta.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/SimpleDocument.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/FalseLiteral.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/AccessRule.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/WorkQueue.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/TypeNameRequestorWrapper.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/LocalVariableTableEntry.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnJavadocTag.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/SimpleSet.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/Label.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfLong.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnJavadocFieldReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/jdom/DOMMember.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/InnerEmulationDependency.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CreateTypeHierarchyOperation.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ConstantValueAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/CaseLabel.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfObjectToInt.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/SourceFileAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnFieldType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ASTNodeFinder.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfInt.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnJavadocSingleTypeReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/IDebugRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/jdom/DOMMethod.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnFieldName.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/AddFolderToIndex.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/jdtCompilerAdaptersrc/org/eclipse/jdt/internal/antadapter/AntAdapterMessages.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/InvalidCursorLocation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/NamingConventions.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ElementCache.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/SecondaryTypeDeclarationPattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/problem/ShouldNotImplement.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SingleTypeRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnMethodReturnType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/SignatureAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ClassFormatException.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/StringSet.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SearchableEnvironmentRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/StringLiteralConcatenation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/NodeSearcher.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IAnnotationComponent.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnImportReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfPackage.java

*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/PostfixExpression.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/AccessRestriction.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfIntValues.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ClasspathVariableInitializer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/MoveResourceElementsOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/LocalVariableTypeTableEntry.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/PackageDeclarationMatch.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/JavaSearchTypeNameMatch.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/ILineNumberAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/OperatorIds.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SourceRefElementInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnLocalName.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/InnerClassesAttributeEntry.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/AnnotationHolder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ICompilerRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/ITypeNameRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ClassFileStruct.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/WorkingCopyOwner.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/InstallException.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IStackMapTableAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/ReferenceMatch.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/ClassFormatException.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IAnnotationDefaultAttribute.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/BatchOperation.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/LocalVariableDeclarationMatch.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocArrayQualifiedTypeReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/FieldDeclarationMatch.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/VerboseElementCache.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/jdom/DOMException.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/Message.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/HashtableOfArrayToObject.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnJavadocTypeParamReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SyntheticFieldBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/QualifiedNameSet.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/PackageDeclarationPattern.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnClassLiteralAccess.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/impl/ITypeRequestor.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/IntegerCache.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/ISearchRequestor.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ImportConflictBinding.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IBufferFactory.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnJavadoc.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/DoubleCache.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ITypeHierarchyChangedListener.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/NameSet.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IJarEntryResource.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnMethodName.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/AnnotationDefaultAttribute.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/eval/ICodeSnippetRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/ClassFileBytesDisassembler.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/Substitution.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/MemberValuePair.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/eval/GlobalVariableWrapper.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ToStringSorter.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/MoveElementsOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/IProblemFactory.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/problem/AbortType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocSingleNameReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/CharLiteral.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnJavadocQualifiedTypeReference.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterizedFieldBinding.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IClassFileAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/FloatCache.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ICodeAssist.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionNodeFound.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IFieldInfo.java
*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CommitWorkingCopyOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfObjectToIntArray.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/EnclosingMethodAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ISourceRange.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ICodeCompletionRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ExceptionTableEntry.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnExplicitConstructorCall.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IStackMapFrame.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/ISourceImport.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/DeclarationOfReferencedTypesPattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ISourceManipulation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetTypeDeclaration.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/ObjectCache.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/CharArrayBuffer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/problem/AbortMethod.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/RemoveFromIndex.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/IDocumentElementRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IVerificationTypeInfo.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/LineNumberAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionScanner.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/BinaryField.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ExceptionAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/core/search/IJavaSearchResultCollector.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/BufferFactoryWrapper.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/MemberElementInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/problem/AbortCompilation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/IMemberValuePair.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/ast/JavadocReturnStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/jdom/DOMCompilationUnit.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/util/ILocalVariableAttribute.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/ast/MagicLiteral.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/util/SimpleLookupTable.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/dom/rewrite/TokenScanner.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/parser/RecoveredImport.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/problem/AbortCompilationUnit.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/classfmt/InnerClassInfo.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/eval/CodeSnippetCompiler.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/IProblemRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/ICorrectionRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnJavadocMessageSend.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/search/TypeReferenceMatch.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/search/TypeDeclarationMatch.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/util/ICodeAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/search/TypeNameMatchRequestor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/ast/TrueLiteral.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2013, 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/LambdaExpression.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/MethodReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ExpressionMethodReference.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/SuperMethodReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/CreationReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/NameQualifiedType.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/Dimension.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/TypeMethodReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/IntersectionType.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Vladimir Piskarev <pisv@1c.ru> - Building large Java element deltas is really slow -
<https://bugs.eclipse.org/443928>

* Vladimir Piskarev <pisv@1c.ru> - F_CONTENT sometimes lost when merging deltas -

https://bugs.eclipse.org/520336

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaElementDelta.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2013, 2016 GK Software AG.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

* Stephan Herrmann - initial API and implementation
* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
* Bug 473178

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ConstraintTypeFormula.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

* IBM Corporation - initial API and implementation
* IBM Corporation - specified that a source archive or a source folder can be attached to a binary
* package fragment root.
* IBM Corporation - added root manipulation APIs: copy, delete, move
* IBM Corporation - added DESTINATION_PROJECT_CLASSPATH
* IBM Corporation - added OTHER_REFERRING_PROJECTS_CLASSPATH
* IBM Corporation - added NO_RESOURCE_MODIFICATION
* IBM Corporation - added REPLACE
* IBM Corporation
* - added ORIGINATING_PROJECT_CLASSPATH

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/core/IPackageFragmentRoot.java

No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (c) 2000, 2015 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 *****/
/**
 * Returns the classpath entry that is making a reference to this classpath entry. For entry kinds
 * { @link #CPE_LIBRARY }, the return value is the entry that is representing the JAR that includes
 * <code>this</code> in the MANIFEST.MF file's Class-Path section. For entry kinds other than
 * { @link #CPE_LIBRARY }, this returns <code>null</code>. For those entries that are on
 the raw classpath already,
 * this returns <code>null</code>.
 *
 * <p>
 * It is possible that multiple library entries refer to the same entry
 * via the MANIFEST.MF file. In those cases, this method returns the first classpath entry
 * that appears in the raw classpath. However, this does not mean that the other referencing
 * entries do not relate to their referenced entries.
 * See { @link JavaCore#getReferencedClasspathEntries(IClasspathEntry, IJavaProject) } for
 * more details.
 * </p>
 *
 * @return the classpath entry that is referencing this entry or <code>null</code> if
 * not applicable.
 * @since 3.6
 */

```

Found in path(s):

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IClasspathEntry.java

No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (c) 2016 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * http://www.eclipse.org/legal/epl-v10.html
 *
 * Contributors:
 *   IBM Corporation - initial API and implementation
 *****/

```

*
*****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnKeywordModule2.java
 - * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredOpensStatement.java
 - * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredExportsStatement.java
 - *
 - /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredProvidesStatement.java
 - * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredUsesStatement.java
 - * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnPackageVisibilityReference.java
 - * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnKeywordModuleInfo.java
 - * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredPackageVisibilityStatement.java
 - *
 - /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredRequiresStatement.java
 - * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredModuleStatement.java
- No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2004, 2013 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

- *
- * Contributors:
- * IBM Corporation - initial API and implementation

*****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ChildListPropertyDescriptor.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/Annotation.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/AnnotationTypeDeclaration.java
- *

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/InternalASTRewrite.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/MethodRefParameter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/LineComment.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/SimplePropertyDescriptor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/AnnotationTypeMemberDeclaration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/BlockComment.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ChildPropertyDescriptor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/StructuralPropertyDescriptor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/WeakHashSetOfCharArray.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/MarkerAnnotation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/WeakHashSet.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/TextElement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/rewrite/ListRewrite.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/MemberRef.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/MethodRef.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/NormalAnnotation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/TagElement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/AbstractTypeDeclaration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/SingleMemberAnnotation.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/MemberValuePair.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Brock Janiczak - Contribution for bug 150741
 * Ray V. (voidstar@gmail.com) - Contribution for bug 282988
 * Jesper S Moller - Contribution for bug 402173
 * Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly, especially when max line width is set - <https://bugs.eclipse.org/303519>
 * Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
 * Bug 473178

*****/

Found

in path(s):
 * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/DefaultCodeFormatterOptions.java
 No license file was found, but licenses were detected in source scan.

* Copyright (c) 2005, 2011 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>
 *
 * Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/BindingKey.java
 * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/InternalCompletionContext.java
 No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>
 *
 * Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for
* bug 393719 - [compiler] inconsistent warnings on iteration variables
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ASTConverter.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 342671 - ClassCastException: org.eclipse.jdt.internal.compiler.lookup.SourceTypeBinding cannot be cast to org.eclipse.jdt.internal.compiler.lookup.ArrayBinding
* Bug 429813 - [1.8][dom ast] IMethodBinding#getJavaElement() should return IMethod for lambda
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/DefaultBindingResolver.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2016, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/RequiresDirective.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ModulePackageAccess.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ModuleDirective.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/OpensDirective.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ProvidesDirective.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/UsesDirective.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ModuleDeclaration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ExportsDirective.java
No license file was found, but licenses were detected in source scan.

/*****
* Copyright (c) 2000, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/TerminalTokens.java
No license file was found, but licenses were detected in source scan.

/*****
* Copyright (c) 2012, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IExtendedAnnotationConstants.java
*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/AnnotationContext.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations
* bug 331649 - [compiler][null] consider null annotations for fields
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
* Bug 424728 - [1.8][null] Unexpected error: The nullness annotation 'XXXX' is not applicable at this location
* Bug 392245 - [1.8][compiler][null] Define whether / how @NonNullByDefault applies to TYPE_USE locations
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
* Bug 457210 - [1.8][compiler][null] Wrong Nullness errors given on full build build but not on incremental build?
* Bug 469584 - ClassCastException in Annotation.detectStandardAnnotation (320)
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com
- Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
* Bug 409517 - [1.8][compiler] Type annotation problems on more elaborate array references
* Bug 415397 - [1.8][compiler] Type Annotations on wildcard type argument dropped
* Bug 414384 - [1.8] type annotation on abbreviated inner class is not marked as inner type
* Jesper S Moller <jesper@selskabet.org> - Contributions for
* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
* Bug 412151 - [1.8][compiler] Check repeating annotation's collection type
* Bug 412149 - [1.8][compiler] Emit repeated annotations into the designated container
* Bug 419209 - [1.8] Repeating container annotations should be rejected
in the presence of annotation it contains

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Annotation.java

No license file was found, but licenses were detected in source scan.

/******

* Copyright (c) 2005, 2016 QNX Software Systems and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* QNX - Initial API and implementation
* Markus Schorn (Wind River Systems)

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/IBTreeVisitor.java

No license file was found, but licenses were detected in source scan.

/******

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Stephan Herrmann - contributions for
* bug 337868 - [compiler][model] incomplete support for package-info.java when using SearchableEnvironment
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults
* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* bug 392862 -

[1.8][compiler][null] Evaluate null annotations on array types

* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
* Bug 415850 - [1.8] Ensure RunJDTCORETests can cope with null annotations enabled
* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
* Bug 416183 - [1.8][compiler][null] Overload resolution fails with null annotations
* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
* Bug 416190 - [1.8][null] detect incompatible

overrides due to null type annotations

* Bug 424624 - [1.8][null] if a static-object with annotation @NonNull is used, a warning is shown
* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
* Bug 439516 - [1.8][null] NonNullByDefault wrongly applied to implicit type bound of binary type
* Bug 434602 - Possible error with inferred null annotations leading to contradictory null annotations

- * Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
 - * Bug 453475 - [1.8][null] Contradictory null annotations (4.5 M3 edition)
 - * Bug 457079 - Regression: type inference
 - * Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
 - * Bug 455180 - IllegalStateException in AnnotableTypeSystem.getRawType
 - * Bug 470467 - [null] Nullness of special Enum methods not detected from .class file
- *****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/LookupEnvironment.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- *
- * Contributors:
- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - contribution for Bug 300576 - NPE Computing type hierarchy when compliance doesn't match libraries

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/hierarchy/HierarchyResolver.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- *
- * Contributors:
- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
- * bug 186342 - [compiler][null] Using annotations for null checking
- * bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- * bug 388281 - [compiler][null] inheritance of null annotations as an option
- * Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TagBits.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2014, 2015 Mateusz Matela and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] Formatter does not format Java code correctly, especially when max line width is set - <https://bugs.eclipse.org/303519>

* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] IndexOutOfBoundsException in TokenManager - <https://bugs.eclipse.org/462945>

* Mateusz Matela <mateusz.matela@gmail.com> - [formatter] follow up bug for comments - <https://bugs.eclipse.org/458208>

*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/formatter/LineBreaksPreparator.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2011 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/CaseStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IJavaElementDelta.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionJavadocParser.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetToCuMapper.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/DefaultBytecodeVisitor.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IWorkingCopy.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/DoubleLiteral.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/LongLiteralMinValue.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IBytecodeVisitor.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/IntLiteral.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/LongLiteral.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SourceMethodElementInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/NumberLiteral.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceContext.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ClasspathValidation.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/IntLiteralMinValue.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IJavaModelMarker.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaModelStatus.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IElementChangedListener.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/IndexBinaryFolder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/SourceJavadocParser.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IJavaModel.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/ByteCodeVisitorAdapter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/PatternSearchJob.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ITypeHierarchy.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/ast/FloatLiteral.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/codeassist/select/SelectionJavadoc.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2014 Google Inc and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* John Glassmyer <jogl@google.com> - import group sorting is broken - <https://bugs.eclipse.org/430303>

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ImportComparator.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ConflictingSimpleNameFinder.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ImportAdder.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/dom/rewrite/imports/ImportComment.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2016 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

* Bug 415397 - [1.8][compiler] Type Annotations on wildcard type argument dropped

* Stephan Herrmann - Contribution for

* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.

* Bug 429958 - [1.8][null]

evaluate new DefaultLocation attribute of @NonNullByDefault

* Bug 440462 - [null][compiler]NPE in EJC for erroneous null annotations

* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Wildcard.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 342671 - ClassCastException: org.eclipse.jdt.internal.compiler.lookup.SourceTypeBinding cannot be cast to org.eclipse.jdt.internal.compiler.lookup.ArrayBinding
* Bug 420894 - ClassCastException in DefaultBindingResolver.resolveType(Type)
* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 415043 - [1.8][null] Follow-up re null type annotations after
bug 392099
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
* Bug 434600 - Incorrect null analysis error reporting on type parameters
* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
* Bug 456508 - Unexpected RHS PolyTypeBinding for: <code-snippet>
* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
* Andy Clement - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ParameterizedSingleTypeReference.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2006, 2008 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:

* IBM Corporation - initial API and implementation

*

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/compiler/BuildContext.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2015, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*

*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ModuleDeclaration.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2000, 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for

* bug 384380 - False positive on a "Potential null pointer access" after a continue

* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/InvocationSite.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2000, 2012 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ContinueStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/BreakStatement.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/BinaryLambdaExpression.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/LambdaMethod.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ResolvedLambdaExpression.java
*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/LambdaFactory.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/flow/ExceptionInferenceFlowContext.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/BinaryLambdaMethod.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:

- * IBM Corporation - initial API and implementation
 - * Stephan Herrmann - Contribution for
 - * Bug 429813 - [1.8][dom ast] IMethodBinding#getJavaElement() should return IMethod for lambda
 - * Bug 466308 - [hovering] Javadoc header for parameter is wrong with annotation-based null analysis
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/VariableBinding.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2013, 2014 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
 - * Stephan Herrmann - Contribution for
 - * Bug 427438 - [1.8][compiler] NPE at
- org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ExpressionContext.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
- * bug 186342 - [compiler][null] Using annotations for null checking
- * bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
- * Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- * bug 413958 - Function override returning inherited Generic Type
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- * Bug 424710 - [1.8][compiler] CCE in SimpleNameReference.localVariableBinding
- * Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"

- * Bug 427438 - [1.8][compiler] NPE at org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- * Bug 418743 - [1.8][null] contradictory annotations on invocation of generic method not reported
- * Bug 416182 - [1.8][compiler][null] Contradictory null annotations not rejected
- * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- * Bug 434602 - Possible error with inferred null annotations leading to contradictory null annotations
- * Bug 434483 - [1.8][compiler][inference] Type inference not picked up with method reference
- * Bug 446442 - [1.8] merge null annotations from super methods
- * Bug 457079 - Regression: type inference

*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterizedGenericMethodBinding.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2011 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- * Contributors:
- * IBM Corporation - initial API and implementation
- * Stephan Herrmann <stephan@cs.tu-berlin.de> - Contribution for bug 185682 - Increment/decrement operators mark local variables as read

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocFieldReference.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- * Contributors:
- * IBM Corporation - initial API and implementation
- * Matt McCutchen - partial fix for https://bugs.eclipse.org/bugs/show_bug.cgi?id=122995
- * Karen Moore - fix for https://bugs.eclipse.org/bugs/show_bug.cgi?id=207411
- * Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
- * bug 185682 - Increment/decrement operators mark local variables as read

- * bug 186342 - [compiler][null] Using annotations for null checking
- * bug 365519 - editorial cleanup after bug 186342 and bug 365387
- * bug 374605 - Unreasonable warning for enum-based switch statements
- * bug 384870 - [compiler] @Deprecated annotation not detected if preceded by other annotation
- * bug 393719 - [compiler] inconsistent warnings on iteration variables
- * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- * Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- * Bug 424742 - [1.8] NPE in LambdaExpression.isCompatibleWith
- * Bug 424710 - [1.8][compiler] CCE in SingleNameReference.localVariableBinding
- * Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation
- * Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
- * Bug 426366 - [1.8][compiler]
- Type inference doesn't handle multiple candidate target types in outer overload context
- * Bug 427282 - [1.8][compiler] AIOOB (-1) at org.eclipse.jdt.internal.compiler.ClassFile.traverse(ClassFile.java:6209)
- * Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved
- * Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- * Bug 427163 - [1.8][null] bogus error "Contradictory null specification" on varargs
- * Bug 432348 - [1.8] Internal compiler error (NPE) after upgrade to 1.8
- * Bug 440143 - [1.8][null] one more case of contradictory null annotations regarding type variables
- * Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
- * Bug 434483 - [1.8][compiler][inference] Type inference not picked up with method reference
- * Bug 446442 - [1.8] merge null annotations from super methods
- * Bug 437072 - [compiler][null] Null analysis emits possibly incorrect warning for new int[][] despite @NonNullByDefault
- * Jesper S Moller - Contributions for
- * bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
- * bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- * bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- * bug 412149 - [1.8][compiler] Emit repeated annotations into the designated container
- * bug 419209 - [1.8] Repeating container annotations should be rejected in the presence of annotation it contains
- * Till Brychcy - Contributions for
- * bug 467094 - [1.8][null] TYPE_USE NullAnnotations of array contents are applied to field.

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ASTNode.java

No license file was found, but licenses were detected in source scan.

/******

- * Copyright (c) 2005, 2015 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*
* Contributors:
* IBM Corporation - initial API and implementation
* David Foerster - patch for toUpperCase as described in https://bugs.eclipse.org/bugs/show_bug.cgi?id=153125

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/ScannerHelper.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
* Jesper Steen Moeller - Contributions for:
* Bug 406973 - [compiler] Parse MethodParameters attribute

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/Disassembler.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 359362 - FUP of bug 349326: Resource leak on non-Closeable resource
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 358903 - Filter practically unimportant resource leak warnings
* bug 400421 - [compiler] Null analysis for fields does not take @com.google.inject.Inject into account

- * bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions
 - * Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.
 - * Jesper S Moller <jesper@selskabet.org> - Contributions for
 - * Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
 - * Ulrich Grave <ulrich.grave@gmx.de> - Contributions for
 - * bug 386692 - Missing "unused" warning on "autowired" fields
- *****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeIds.java
 No license file was found, but licenses were detected in source scan.

* Copyright (c) 2005, 2016 BEA Systems, Inc.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * tyeung@bea.com - initial API and implementation
- * olivier_thomann@ca.ibm.com - add hashCode() and equals(..) methods

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/AnnotationInfo.java
 * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ElementValuePairInfo.java
 No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
- * bug 342671 - ClassCastException: org.eclipse.jdt.internal.compiler.lookup.SourceTypeBinding cannot be cast to org.eclipse.jdt.internal.compiler.lookup.ArrayBinding
- * bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- * Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- * Bug 416181 - [1.8][compiler][null] Invalid assignment is not

rejected by the compiler

- * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- * Bug 434600 - Incorrect null analysis error reporting on type parameters
- * Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
- * Bug 456508 - Unexpected RHS PolyTypeBinding for: <code>snippet</code>
- * Bug 466713 - Null Annotations: NullPointerException using <code>int @Nullable []</code> as Type Param
- * Andy Clement - Contributions for
- * Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ParameterizedQualifiedTypeReference.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2013 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- * Contributors:
- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
- * bug 331649 - [compiler][null] consider null annotations for fields
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- * Bug 426996 - [1.8][inference] try to avoid method Expression.unresolve()?
- * Jesper S Moller - Contributions for
- * bug 382721 - [1.8][compiler] Effectively final variables needs special treatment

*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/NameReference.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2012, 2013 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- * Contributors:
- * IBM Corporation - initial API and implementation

* Andy Clement - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/RuntimeVisibleTypeAnnotationsAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/LocalVariableReferenceInfo.java
*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IRuntimeInvisibleTypeAnnotationsAttribute.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/util/IRuntimeVisibleTypeAnnotationsAttribute.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Harry Terkelsen (het@google.com) - Bug 449262 - Allow the use of third-party Java formatters
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/formatter/CodeFormatter.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2012 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/SingleTypeReference.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* IBM Corporation - added constant AccDefault
* IBM Corporation - added constants AccBridge and AccVarargs for J2SE 1.5

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/Flags.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
* Bug 440687 - [compiler][batch][null] improve command line option for external annotations

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJar.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2013 GoPivotal, Inc. All Rights Reserved.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*
* Contributors:
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 407191 - [1.8] Binary access support for type annotations
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryTypeAnnotation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/FieldInfoWithTypeAnnotation.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2014 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/SingleVariableDeclaration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/SearchParticipant.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SourceTypeElementInfo.java
*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ArrayType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/StringLiteral.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/SwitchStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaCorePreferenceModifyListener.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/SourceType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/TypeVector.java
*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/MethodDeclaration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

```

jar/org/eclipse/jdt/core/dom/VariableDeclaration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/parser/diagnose/DiagnoseParser.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/CharacterLiteral.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/matching/OrLocator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/SourceMethod.java
*
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/CompilationUnitElementInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/ast/LabeledStatement.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/search/SearchDocument.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/matching/ConstructorPattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/matching/AndLocator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/ast/StringLiteral.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/matching/SuperTypeReferenceLocator.java
*
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/matching/MethodPattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/ClassInstanceCreation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnQualifiedAllocationExpression.java
No license file was found, but licenses were detected in source scan.

```

```

/*****

```

```

* Copyright (c) 2000, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*   Stephan Herrmann - Contributions for
*     bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE
*     bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
*     bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields
*     bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred
checking

```

*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/AssertStatement.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2012, 2015 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

* Bug 409247 - [1.8][compiler] Verify error with code allocating multidimensional array

* Bug 409517 - [1.8][compiler] Type annotation problems on more elaborate array references

*

Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/TypeAnnotationCodeStream.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2005, 2016 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* mkaufman@bea.com - initial API and implementation

* IBM - renamed from PreReconcileCompilationResult to ReconcileContext

* IBM - rewrote spec

*

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/compiler/ReconcileContext.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2017 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* IBM Corporation - initial API and implementation  
* Nikolay Botev - Bug 348507  
*/
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/IndexSelector.java`

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005, 2016 BEA Systems, Inc.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* tyeung@bea.com - initial API and implementation  
*/
```

Found in path(s):

`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/MethodInfoWithAnnotations.java`
`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/AnnotationMethodInfoWithAnnotations.java`
`/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/AnnotationMethodInfo.java`

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2015, 2017 GK Software AG.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
* Stephan Herrmann - initial API and implementation  
*/
```

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/ITypeAnnotationWalker.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Terry Parker <tparker@google.com> - [performance] Low hit rates in JavaModel caches -
<https://bugs.eclipse.org/421165>

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavaModel.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/JavaBuilder.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 331649 - [compiler][null] consider null annotations for fields
* bug 383368 - [compiler][null] syntactic null analysis for field references
* Jesper S Moller - Contributions for
* Bug 378674 - "The method can be declared as static" is wrong

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ThisReference.java
No license file was found, but licenses were detected in source scan.

/******

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 185682 - Increment/decrement operators mark local variables as read
* bug 331649 - [compiler][null] consider null annotations for fields
* bug 383368 - [compiler][null] syntactic null analysis for field references
* Bug 412203 - [compiler] Internal compiler error: java.lang.IllegalArgumentException: info cannot be null
* Bug 400874 - [1.8][compiler] Inference
infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 458396 - NPE in CodeStream.invoke()
* Jesper S Moller - Contributions for
* Bug 378674 - "The method can be declared as static" is wrong
* Robert Roth <robert.roth.off@gmail.com> - Contributions for
* Bug 361039 - NPE in FieldReference.optimizedBooleanConstant
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/FieldReference.java
No license file was found, but licenses were detected in source scan.

/******

* Copyright (c) 2007, 2016 Wind River Systems, Inc. and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* Markus Schorn - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/ChunkCache.java
No license file was found, but licenses were detected in source scan.

/******

* Copyright (c) 2008, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/SourceElementNotifier.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2013, 2016 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeBindingVisitor.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2013 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for bug 186342 - [compiler][null] Using annotations for null checking

* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

* Bug 407191 - [1.8] Binary access support for type annotations

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryMethod.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 383368 - [compiler][null] syntactic null analysis for field references
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/BinaryExpression.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2012 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/ConflictedParser.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2005, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ClassFilePool.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JavadocConstants.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2005, 2008 BEA Systems, Inc.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* tyeung@bea.com - initial API and implementation
* IBM Corporation - changed interface to extend IBinding
* IBM Corporation - renamed from IResolvedAnnotation to IAnnotationBinding

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/IAnnotationBinding.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 433478 - [compiler][null] NPE in ReferenceBinding.isCompatibleWith

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemMethodBinding.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2013, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

- * Contributors:
- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
- * Bug 434602 - Possible error with inferred null annotations leading to contradictory null annotations
- * Bug 456497 - [1.8][null] during inference nullness from target type is lost against weaker hint from applicability analysis
- * Bug 456487 - [1.8][null] @Nullable type variant of @NonNull-constrained type parameter causes grief
- * Till Brychcy - Contribution for
- * Bug 473713 - [1.8][null]

Type mismatch: cannot convert from @NonNull A1 to @NonNull A1

*****/

/* Cache the derived type, tagging it as a derivative of both the key type and the naked type.

E.g: int @NonNull [] would be tagged as a derived type of both int and int []. This is not needed for correctness, but for annotated object reuse. We provide two alternate ways to annotate a type:

Taking parameterized types as an example, a call to getParamaterizedType can be made with annotations to create @NonNull List<@NonNull String> in one stroke. Or a parameterized type can be created first and then annotated via getAnnotatedType. In the former case, the tables get looked up with List as the key, in the latter with List<String> as the key.

Binary vs source, substitutions, annotation re-attribution from SE7 locations etc trigger these alternate code paths. Unless care is exercised, we will end up with duplicate objects (that share the same TypeBinding.id => correctness is not an issue, but memory wastage is)

*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeSystem.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2013 IBM Corporation and others.
 * All rights reserved. This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License v1.0
 * which accompanies this distribution, and is available at
 * <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

- * IBM Corporation - initial API and implementation
- * Jesper S Moller - Contributions for
- * Bug 378674 - "The method can be declared as static" is wrong
- * Stephan Herrmann - Contribution for
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetThisReference.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 343713 - [compiler] bogus line number in constructor of inner class in 1.5 compliance
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 361407 - Resource leak warning when resource is assigned to a field outside of constructor
* bug 368546 - [compiler][resource] Avoid remaining false

positives found when compiling the Eclipse SDK

* bug 383690 - [compiler] location of error re uninitialized final field should be aligned
* bug 331649 - [compiler][null] consider null annotations for fields
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 400421 - [compiler] Null analysis for fields does not take @com.google.inject.Inject into account
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

* Bug 415399 - [1.8][compiler] Type annotations on constructor results dropped by the code generator

* Ulrich Grave <ulrich.grave@gmx.de> - Contributions for

*

bug 386692 - Missing "unused" warning on "autowired" fields

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ConstructorDeclaration.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2014, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnReferenceExpressionName.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2013 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Andy Clement - Contributions for

* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/FieldInfo.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetClassFile.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2014 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contributions for

* bug 359334 - Analysis for resource leak warnings does not consider exceptions as method exit points

* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

* Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException instead of IOException)

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/ast/ThrowStatement.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Vladimir Piskarev <pisv@1c.ru> - Thread safety of OpenableElementInfo - <https://bugs.eclipse.org/450490>
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/OpenableElementInfo.java
No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 185682 - Increment/decrement operators mark local variables as read
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
* bug 331649 - [compiler][null] consider null annotations
for fields
* Bug 466308 - [hovering] Javadoc header for parameter is wrong with annotation-based null analysis
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/LocalVariableBinding.java
No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2014, 2015 IBM Corporation and others.
*
* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnLambdaExpression.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for bug 186342 - [compiler][null] Using annotations for null checking

* Jesper S Moller -. Contribution for bug 400830: [1.8][formatter] Code formatter for Java 8

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/Scanner.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/ModuleReferenceMatch.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic
bridge method
* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
* Stephan Herrmann - Contribution for
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335
spec)
* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
* Bug 427438 - [1.8][compiler] NPE at
`org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)`
*****/

Found in path(s):

* `/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/eval/CodeSnippetMessageSend.java`

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2004, 2010 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:

* IBM Corporation - initial API and implementation
*****/

Found in path(s):

* `/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/ITypeParameter.java`

* `/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/TypeParameterElementInfo.java`

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for

* Bug 440474 - [null] textual encoding of external null annotations

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SignatureWrapper.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2004, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contribution for

* Bug 458577 - IClassFile.getWorkingCopy() may lead to NPE in BecomeWorkingCopyOperation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/dom/ASTParser.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2008 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/JarPackageFragmentRootInfo.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/BuildNotifier.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/codeassist/impl/Keywords.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/search/PackageReferenceMatch.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CreatePackageDeclarationOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/Initializer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/AndPattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/OrPattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/TypeParameterPattern.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IParent.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/jdom/IDOMInitializer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/compiler/IScanner.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CreateInitializerOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/eval/IGlobalVariable.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnSingleTypeReference.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/BranchLabel.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/SubTypeSearchJob.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/indexing/IndexRequest.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/processing/IJob.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/util/ReferenceInfoAdapter.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/PossibleMatchSet.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/DeleteResourceElementsOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnQualifiedAllocationExpression.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/jdom/IDOMFactory.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/SourceFieldElementInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/MultiTypeDeclarationPattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/CharArrayCache.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/compiler/InvalidInputException.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/LocalVariablePattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IImportContainer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/MovePackageFragmentRootOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnQualifiedTypeReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/HashSetOfInt.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IRegion.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/CreateTypeOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnSingleNameReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/ObjectVector.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/UserLibraryClasspathContainerInitializer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/ImageBuilderInternalException.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/DeclarationOfAccessedFieldsPattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/SuperTypeReferencePattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/jdom/IDOMCompilationUnit.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IJavaModelStatus.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnQualifiedNameReference.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/jdom/IDOMImport.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnQualifiedNameReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/search/AbstractSearchScope.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/jdom/IDOMType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/matching/VariableLocator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/dom/Name.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/ElementChangedEvent.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/AbstractJavaSearchScope.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/jdom/IDOMMethod.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/jdom/DOMFactory.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnMemberAccess.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/CopyPackageFragmentRootOperation.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/SourceRefElement.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/jdom/IDOMField.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/matching/LocalVariableLocator.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/jdom/IDOMMember.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/matching/VariablePattern.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/jdom/IDOMPackage.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/search/FieldReferenceMatch.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/codegen/VerificationTypeInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/codeassist/select/SelectionOnSingleNameReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/NonJavaResource.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/compiler/ast/JavadocAllocationExpression.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/core/IIinitializer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/search/matching/TypeDeclarationPattern.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/DeclarationOfReferencedMethodsPattern.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/UserLibraryClasspathContainer.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright (c) 2005, 2013 BEA Systems, Inc.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* tyeung@bea.com - initial API and implementation

* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

* Bug 407191 - [1.8] Binary access support for type annotations

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/FieldInfoWithAnnotation.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright (c) 2000, 2017 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann - Contributions for

* bug 292478 - Report potentially null across variable assignment

* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types

* bug 331649 - [compiler][null] consider null annotations for fields

* bug 383368 - [compiler][null] syntactic null analysis for field references

* bug

400761 - [compiler][null] null may be return as boolean without a diagnostic

* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check

* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.

* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

- * Bug 426792 - [1.8][inference][impl] generify new type inference engine
- * Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
- * Bug 427438 - [1.8][compiler] NPE at
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- * Bug 426996 - [1.8][inference] try
to avoid method Expression.unresolve()?
- * Bug 428274 - [1.8] [compiler] Cannot cast from Number to double
- * Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- * Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- * Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
Bug 473178

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Expression.java

No license file was found, but licenses were detected in source scan.

/*****

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- * Contributors:
- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
 - * bug 236385 - [compiler] Warn for potential programming problem if an object is created but not used
 - * bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE
 - * bug 349326 - [1.7] new warning for missing try-with-resources
 - * bug 186342 - [compiler][null] Using annotations for null checking
 - * bug 358903 - Filter practically unimportant resource leak warnings
 - * bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
 - * bug 370639 - [compiler][resource] restore the default for resource leak warnings
 - * bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
 - * bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
 - * bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
- * Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- * Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- * Bug 424727 - [compiler][null] NullPointerException in
nullAnnotationUnsupportedLocation(ProblemReporter.java:5708)
- * Bug 424710 - [1.8][compiler]
CCE in SimpleNameReference.localVariableBinding
- * Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.
- * Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation

- * Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
- * Bug 426366 - [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload context
- * Bug 426290 - [1.8][compiler] Inference + overloading => wrong method resolution ?
- * Bug 426764 - [1.8] Presence of conditional expression as method argument confuses compiler
- * Bug 424930 - [1.8][compiler] Regression: "Cannot infer type arguments" error from compiler.
- * Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved
- * Bug 427438 - [1.8][compiler] NPE at
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- * Bug 426996 - [1.8][inference] try to avoid method Expression.unresolve()?
- * Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- * Bug 429203 - [1.8][compiler] NPE in AllocationExpression.binding
- * Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException instead of IOException)
- * Bug 434297 - [1.8] NPE in LamdaExpression.analyseCode with lamda expression nested in a conditional expression
- * Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- * Bug 448709 - [1.8][null] ensure we don't infer types that violate null constraints on a type parameter's bound
- * Jesper S Moller <jesper@selskabet.org> - Contributions for
- * bug 378674 - "The method can be declared as static" is wrong
- * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- * Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- * Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic bridge method
- * Till Brychcy - Contributions for
- * bug 413460 - NonNullByDefault is not inherited to Constructors when accessed via Class File
- * Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
- * Bug 473178

*****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/AllocationExpression.java

No license file was found, but licenses were detected in source scan.

*****/

- * Copyright (c) 2016 GoPivotal, Inc. All Rights Reserved.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- * Bug 407191 - [1.8] Binary access support for type annotations

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/MethodInfoWithTypeAnnotations.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 328281 - visibility leaks not detected when analyzing unused field in private class
* bug 382353 - [1.8][compiler] Implementation property modifiers should be accepted on default methods.
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ExtraCompilerModifiers.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2005, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/core/IClasspathAttribute.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
- * Bug 429813 - [1.8][dom ast] IMethodBinding#getJavaElement() should return IMethod for lambda

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Initializer.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
- * bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults
- * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- * Jesper Steen Moller - Contributions for
- * Bug 412150 [1.8] [compiler] Enable reflected parameter names during annotation processing

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/Binding.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2015 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Genady Beriozkin - added support for reporting assignment with no effect
- * Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
- * bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
- * bug 292478 - Report potentially null across variable assignment
- * bug 335093 - [compiler][null] minimal hook for future null annotation support

- * bug 349326 - [1.7] new warning for missing try-with-resources
- * bug 186342 - [compiler][null] Using annotations for null checking
- * bug 358903 - Filter practically unimportant resource leak warnings
- * bug 370639 - [compiler][resource] restore the default for resource leak warnings
- * bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
- * bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- * bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
- * bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
- * bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
- * bug 331649 - [compiler][null] consider null annotations for fields
- * bug 383368 - [compiler][null] syntactic null analysis for field references
- * bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
- * bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
- * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- * Bug 427438 - [1.8][compiler] NPE at org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- * Bug 453483 - [compiler][null][loop] Improve null analysis for loops
- * Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/Assignment.java
 No license file was found, but licenses were detected in source scan.

/*****

- * Copyright (c) 2013, 2014 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- *

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
- * Bug 428811 - [1.8][compiler] Type witness unnecessarily required

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/PolyTypeBinding.java
 No license file was found, but licenses were detected in source scan.

All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/schema/annotationProcessorManager.exsd
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/schema/compilationParticipant.exsd
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/schema/javaFormatter.exsd

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2016 IBM Corporation and others.
 - * All rights reserved. This program and the accompanying materials
 - * are made available under the terms of the Eclipse Public License v1.0
 - * which accompanies this distribution, and is available at
 - * <http://www.eclipse.org/legal/epl-v10.html>
 - *
 - * Contributors:
 - * IBM Corporation - initial API and implementation
 - * Stephan Herrmann - Contribution for
 - * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
 - * Bug 429384 - [1.8][null] implement conformance rules for null-annotated lower / upper type bounds
 - * Bug 441797 - [1.8] synchronize type annotations on capture and its wildcard
 - * Bug 456497 - [1.8][null] during inference nullness from target type is lost against weaker hint from applicability analysis
 - * Bug 456924 - StackOverflowError during compilation
 - * Bug 462790 - [null] NPE in Expression.computeConversion()
- *****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/CaptureBinding.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2016, 2017 IBM Corporation.
 - * All rights reserved. This program and the accompanying materials
 - * are made available under the terms of the Eclipse Public License v1.0
 - * which accompanies this distribution, and is available at
 - * <http://www.eclipse.org/legal/epl-v10.html>
 - *
 - * Contributors:
 - * IBM Corporation - initial API and implementation
- *****/

Found in path(s):

- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ModuleInfo.java
- * /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/batch/ModuleFinder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/BinaryModule.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ProjectEntry.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ModuleDescriptionInfo.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/ModuleSourcePathManager.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJrt.java
No license file was found, but licenses were detected in source scan.

/*****
* Copyright (c) 2014, 2017 GK Software AG.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* Stephan Herrmann - initial API and implementation
* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
* Bug 473178
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ExternalAnnotationProvider.java
No license file was found, but licenses were detected in source scan.

/*****
* Copyright (c) 2005, 2010 BEA Systems, Inc.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* tyeung@bea.com - initial API and implementation
* olivier_thomann@ca.ibm.com - add hashCode() and equals(..) methods
*****/

Found in path(s):
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/env/EnumConstantSignature.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/compiler/env/ClassSignature.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
* Bug 421035 - [resource] False alarm of resource leak warning when casting a closeable in its assignment
*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/flow/ExceptionHandlerFlowContext.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 292478 - Report potentially null across variable assignment,
* bug 185682 - Increment/decrement operators mark local variables as read
* bug 331649 - [compiler][null] consider null annotations for fields
* bug 383368 - [compiler][null] syntactic null analysis for field references
* Bug 412203 - [compiler] Internal compiler error: java.lang.IllegalArgumentException:
info cannot be null
* Bug 458396 - NPE in CodeStream.invoke()
* Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null
* Jesper S Moller - <jesper@selskabet.org> - Contributions for
* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
* bug 378674 - "The method can be declared as static" is wrong
* bug 404657 - [1.8][compiler] Analysis for effectively final variables fails to consider loops
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/SingleNameReference.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2011, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Carmi Grushko - Bug 465048 - Binding is null for class literals in synchronized blocks

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/SynchronizedStatement.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/matching/JavaSearchNameEnvironment.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/builder/ClasspathLocation.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

* bug 328281 - visibility leaks not detected when analyzing unused field in private class

* bug 349326 - [1.7] new warning for missing try-with-resources

* bug 186342 - [compiler][null] Using annotations for null checking

* bug 365836 - [compiler][null] Incomplete propagation of null defaults.

* bug 365519 - editorial cleanup after bug 186342 and bug 365387

* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations

* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults

* bug 366063 - Compiler should not add synthetic @NonNull annotations

* bug 384663 - Package Based Annotation Compilation Error in JDT 3.8/4.2 (works in 3.7.2)

* bug 386356 - Type mismatch error with annotations and generics

* bug 388281 - [compiler][null] inheritance of null annotations as an option

* bug 331649 - [compiler][null] consider null annotations for fields

* bug 380896 - [compiler][null] Enum constants not recognised as being NonNull.

* bug 391376 - [1.8] check interaction of default methods with bridge methods and generics

* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

* Bug

392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled

* Bug 416172 - [1.8][compiler][null] null type annotation not evaluated on method return type

* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

* Bug 426048 - [1.8] NPE in TypeVariableBinding.internalBoundCheck when parentheses are not balanced

* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

* Bug 432348 - [1.8] Internal compiler error (NPE) after upgrade to 1.8

* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables

* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"

* Bug 441693 - [1.8][null] Bogus warning

for type argument annotated with @NonNull

* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

* Bug 457210 - [1.8][compiler][null] Wrong Nullness errors given on full build build but not on incremental build?

* Bug 461250 - ArrayIndexOutOfBoundsException in SourceTypeBinding.fields

* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param

* Jesper S Moller <jesper@selskabet.org> - Contributions for

* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable

* Till Brychcy - Contributions for

* bug 415269 - NonNullByDefault is not always inherited to nested classes

* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

* Bug 405104 - [1.8][compiler][codegen] Implement support for serializeable lambdas

*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SourceTypeBinding.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2004, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Andrew Ferguson (Symbian)
* Markus Schorn (Wind River Systems)
* Sergey Prigogin (Google)

*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/util/CharArrayUtils.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2000, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Erling Ellingsen - patch for bug 125570
* Stephan Herrmann - Contribution for
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
* Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class

*/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/CompilationUnitScope.java

No license file was found, but licenses were detected in source scan.

/*

*/

* Copyright (c) 2015, 2016 Google, Inc and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Stefan Xenos (Google) - Initial implementation

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/FieldDouble.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/LongArray.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/StructDef.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/indexer/IndexerEvent.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdConstantAnnotation.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdTypeArgument.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdTypeBound.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdAnnotation.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/ITypeFactory.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdConstantString.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/JavaNames.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/indexer/GenericSignatures.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdConstantFloat.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/FieldOneToOne.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/FileFingerprint.java

*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/PrimitiveTypes.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/model/IndexBinaryField.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/Package.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

jar/org/eclipse/jdt/internal/core/nd/field/FieldOneToMany.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/search/UnindexedSearchScope.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/model/BinaryTypeFactory.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdConstantLong.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/NdLinkedList.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/IDestructableField.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdTypeSignature.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/BinaryTypeFormatter.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdMethodException.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/FieldByte.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/RawGrowableArray.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/model/TypeAnnotationBuilder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/FieldFloat.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/model/IndexBinaryTypeAnnotation.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/FieldPointer.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/model/IndexBinaryNestedType.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdConstantShort.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/Nd.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdBinding.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/IBTreeComparator.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdResourceFile.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-

```

jar/org/eclipse/jdt/internal/core/nd/java/NdConstantDouble.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/NdConstantChar.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/field/FieldString.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/field/IRefCountedField.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/model/BinaryTypeDescriptor.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/field/FieldInt.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/JavaIndex.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/model/IndexBinaryMethod.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/model/ITypeAnnotationBuilder.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/NdConstantBoolean.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/field/FieldChar.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/NdMethod.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/NdConstantArray.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/util/PathMap.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/field/FieldSearchKey.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/NdNode.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/model/Package.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/indexer/Messages.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/NdRawLinkedList.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/NdConstantByte.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/DatabaseRef.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/java/NdConstantInt.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-
jar/org/eclipse/jdt/internal/core/nd/field/FieldShort.java

```

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/IField.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/indexer/Package.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/Package.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdTypeInterface.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdConstantEnum.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/IDestructable.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/ClasspathResolver.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/IReader.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/FieldLong.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/EmptyString.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/db/IndexException.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdConstantClass.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdConstant.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/FieldManyToOne.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/TagTreeReader.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/TypeRef.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/NdNodeTypeRegistry.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/FieldSearchIndex.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdAnnotationValuePair.java
*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/field/Field.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/NdVariable.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/core/nd/java/Package.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2011 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*   Stephan Herrmann - Contribution for bug 349326 - [1.7] new warning for missing try-with-resources  
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-  
jar/org/eclipse/jdt/internal/compiler/ast/EmptyStatement.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2011, 2014 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*   Stephan Herrmann - Contribution for  
*     Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
*     Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for  
*     Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code  
generator  
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-  
jar/org/eclipse/jdt/internal/compiler/ast/IntersectionCastTypeReference.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2013 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:
```

* IBM Corporation - initial API and implementation
*
* Jesper S Moller - Contributions for
* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/codegen/Opcodes.java

No license file was found, but licenses were detected in source scan.

*****/

* Copyright (c) 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:

* IBM Corporation - initial API and implementation

*
*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/RequiresStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnExportReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredModuleReference.java

*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfModule.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnKeywordModuleDeclaration.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnProvidesInterfacesSingleTypeReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredTypeReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredExport.java

*
/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ExportsStatement.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnProvidesInterfacesQualifiedTypeReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnUsesSingleTypeReference.java

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnProvidesImplementationsQualifiedTypeReference.java
a
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/ast/ModuleStatement.java
*

/opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnModuleDeclaration.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnProvidesImplementationsSingleTypeReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnUsesQualifiedTypeReference.java
* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/codeassist/complete/CompletionOnModuleReference.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2005, 2017 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:

- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contribution for
 - * bug 349326 - [1.7] new warning for missing try-with-resources
 - * bug 359362 - FUP of bug 349326: Resource leak on non-Closeable resource
 - * bug 358903 - Filter practically unimportant resource leak warnings
 - * Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
 - * Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
 - * Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
 - * Bug 426676 - [1.8][compiler] Wrong generic method type inferred from lambda expression
 - * Bug 427411 - [1.8][generics] JDT reports type mismatch when using method that returns generic type
 - * Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.
 - * Bug 435962 - [RC2] StackOverflowError when building
 - * Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
 - * Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
 - * Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull

*****/

Found in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/WildcardBinding.java

No license file was found, but licenses were detected in source scan.

/*****

- * Copyright (c) 2000, 2017 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>
- *
- * Contributors:
- * IBM Corporation - initial API and implementation
- * Stephan Herrmann - Contributions for
- * bug 349326 - [1.7] new warning for missing try-with-resources
- * bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
- * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- * Bug 467032 - TYPE_USE Null Annotations: IllegalStateException with annotated arrays of Enum when accessed via BinaryTypeBinding

*****/

Found

in path(s):

* /opt/cola/permits/1356793576_1656997118.428415/0/org-eclipse-jdt-core-3-14-0-v20171206-0802-sources-jar/org/eclipse/jdt/internal/compiler/lookup/UnresolvedReferenceBinding.java

1.140 orika-eclipse-tools 1.5.4

1.140.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Orika - simpler, better and faster Java bean mapping
~
~ Copyright (C) 2011-2013 Orika authors
~
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~
~ http://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
~ See the License for the specific language governing permissions and
~ limitations under the License.
-->
```

Found in path(s):

* /opt/cola/permits/1356793444_1656997116.6290448/0/orika-eclipse-tools-1-5-4-sources-jar/formatter-prefs/preferences.xml

No license file was found, but licenses were detected in source scan.

```
/*
 * Orika - simpler, better and faster Java bean mapping
 *
 * Copyright (C) 2011-2013 Orika authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1356793444_1656997116.6290448/0/orika-eclipse-tools-1-5-4-sources-
jar/ma/glasnost/orika/impl/generator/EclipseJdtCompiler.java
* /opt/cola/permits/1356793444_1656997116.6290448/0/orika-eclipse-tools-1-5-4-sources-
jar/ma/glasnost/orika/impl/generator/FilePathUtility.java
*
/opt/cola/permits/1356793444_1656997116.6290448/0/orika-eclipse-tools-1-5-4-sources-
jar/ma/glasnost/orika/impl/generator/ByteClassLoader.java
* /opt/cola/permits/1356793444_1656997116.6290448/0/orika-eclipse-tools-1-5-4-sources-
jar/ma/glasnost/orika/impl/generator/eclipsejdt/NameEnvironment.java
* /opt/cola/permits/1356793444_1656997116.6290448/0/orika-eclipse-tools-1-5-4-sources-
jar/ma/glasnost/orika/impl/generator/eclipsejdt/CompilationUnit.java
* /opt/cola/permits/1356793444_1656997116.6290448/0/orika-eclipse-tools-1-5-4-sources-
jar/ma/glasnost/orika/impl/generator/eclipsejdt/CompilerRequestor.java
```

1.141 mongodb-driver-core 4.6.1

1.141.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008-present MongoDB, Inc.
 * Copyright (c) 2008-2014 Atlassian Pty Ltd
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
```

```
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
*/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/assertions/Assertions.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2008-present MongoDB, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
*/
```

```
/**
 * Returns an array containing all of the elements in this deque, in
 * proper sequence (from first to last element).
 *
 * <p>The returned array will be "safe" in that no references to it are
 * maintained by this deque. (In other words, this method must allocate
 * a new array). The caller is thus free to modify the returned array.
 *
 * <p>This method acts as bridge between array-based and collection-based
 * APIs.
 *
 * @return an array containing all of the elements in this deque
```

*/

Found in path(s):

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ConcurrentLinkedDeque.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2008-present MongoDB, Inc.
* Copyright 2010 The Guava Authors
* Copyright 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/annotations/Beta.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2008-present MongoDB, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-

```
jar/com/mongodb/ServerApi.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/TransactionOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/WriteConcernHelper.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/ServerApiVersion.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/lang/NonNull.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/lang/Nullable.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/ReadConcernAwareNoOpSessionContext.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/ServerVersionHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/ReadPreferenceHedgeOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/ReadConcernHelper.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/async/client/AsyncClientSession.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/lang/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/lang/NonNullApi.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2008-present MongoDB, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original Work: MIT License, Copyright (c) [2015-2020] all contributors
* https://github.com/marianobarrios/tls-channel
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/WouldBlockException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/impl/TlsChannelImpl.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/async/ExtendedAsynchronousByteChannel.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/async/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/TrackingAllocator.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/NeedsReadException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/TlsChannelFlowControlException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/BufferAllocator.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/DirectBufferAllocator.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/spi/dns/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/ServerTlsChannel.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/HeapBufferAllocator.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/TlsChannelBuilder.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/TlsChannelCallbackException.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/util/Util.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/async/AsynchronousTlsChannelGroup.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/async/AsynchronousTlsChannel.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/TlsChannel.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/impl/ByteBufferUtil.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/SniSslContextFactory.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/NeedsTaskException.java
*
```

```
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/ClientTlsChannel.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/impl/TlsExplorer.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/impl/BufferHolder.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/NeedsWriteException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/util/DirectBufferDeallocator.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/tlschannel/impl/ByteBufferSet.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2008-present MongoDB, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original Work: MIT License, Copyright (c) [2015-2018] all contributors
* https://github.com/marianobarrios/tls-channel
*/
```

```
Found in path(s):
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/ExtendedAsynchronousByteChannel.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (c) 2005 Brian Goetz and Tim Peierls
* Released under the Creative Commons Attribution License
* (http://creativecommons.org/licenses/by/2.5)
* Official home: http://www.jcip.net
*
* Any republication or derived work distributed in source code form
```

* must include this copyright and license notice.

*/

Found in path(s):

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/annotations/Immutable.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/annotations/NotThreadSafe.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/annotations/ThreadSafe.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2008-present MongoDB, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/DefaultClusterFactory.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/CollationStrength.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/AbortTransactionOperation.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ByteBufferBsonOutput.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/ServerVersion.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/AsyncExplainableReadOperation.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/AggregateToCollectionOperation.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/BucketOptions.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/Compressor.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/gridfs/codecs/package-info.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/async/AsyncAggregateResponseBatchCursor.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/OperationReadConcernHelper.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ClusterDescriptionHelper.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/inject/SameObjectProvider.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/UpdateManyModel.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/async/AsyncBatchCursor.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/changestream/ChangeStreamDocument.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ReplyHeader.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/AsyncCompletionHandler.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ClusterableServer.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/changestream/TruncatedArray.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/event/ServerListenerMulticaster.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/AggregateOperationImpl.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/ReadConcern.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/Pool.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ReplyMessage.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoNodeIsRecoveringException.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/WriteProtocol.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoServerException.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/SdamServerDescriptionManager.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/CollationMaxVariable.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/netty/NettyByteBuf.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/async/function/RetryState.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/InternalStreamConnection.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/BsonDocumentWrapperHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/async/function/AsyncCallbackFunction.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/AuthenticationMechanism.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/TimeSeriesOptions.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/geojson/Polygon.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/async/client/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/event/EventListenerHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/session/ServerSession.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/ChangeStreamBatchCursor.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/binding/ReadBinding.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/DefaultConnectionFactory.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/binding/AsyncReadBinding.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/bulk/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/geojson/codecs/MultiPointCodec.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/WriteConcern.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/ClusterType.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/CreateCollectionOperation.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ConnectionPoolReadyEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-

jar/com/mongodb/internal/connection/ConnectionFactory.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/FindOneAndReplaceOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ConnectionPoolListener.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/BsonWriterHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/FindOneAndUpdateOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/changestream/OperationTypeCodec.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/changestream/ChangeStreamDocumentCodec.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/geojson/GeometryCollection.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/binding/AbstractReferenceCounted.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/MapReduceAsyncBatchCursor.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/DropCollectionOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ServerClosedEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoGridFSException.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/DefaultDnsSrvRecordMonitor.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/InsertOneModel.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/validator/ReplacingDocumentFieldNameValidator.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/changestream/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/geojson/codecs/MultiPolygonCodec.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/async/SingleResultCallback.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/bulk/InsertRequest.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/CommandResultBaseCallback.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/binding/AsyncConnectionSource.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoCommandException.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/geojson/MultiLineString.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/geojson/codecs/GeometryCodec.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/CreateIndexCommitQuorum.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/SimpleExpression.java
 *
 /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/QueryProtocol.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/ClientSessionOptions.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/DefaultConnectionPool.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/ListDatabasesOperation.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/management/JMXBeanServer.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/binding/ConnectionSource.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ProtocolExecutor.java
 *
 /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/CommitTransactionOperation.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/event/ServerMonitorListenerMulticaster.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/netty/package-info.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ByteBufferBsonDocument.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/AsyncSingleBatchQueryCursor.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ServerListenerAdapter.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/MapReduceHelper.java
 *
 /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/RenameCollectionOperation.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/DocumentToDBRefTransformer.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/MongoWriteConcernWithResponseException.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/QueryBatchCursor.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-

jar/com/mongodb/internal/connection/ClusterClockAdvancingSessionContext.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/ReadConcernLevel.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoExecutionTimeoutException.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ClusterListenerAdapter.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/gejson/codecs/GeoJsonCodecProvider.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/AsyncChangeStreamBatchCursor.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/AggregateResponseBatchCursor.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/BasicDBObjectFactory.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/MongoCredentialWithCache.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/authentication/NativeAuthenticationHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/ServerSettings.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/BaseFindAndModifyOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/bulk/BulkWriteResult.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/FindOneAndDeleteOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/gejson/codecs/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ConnectionPoolCreatedEvent.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/ReadPreference.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/vault/DataKeyOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/OpCode.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/NoOpCommandEventSender.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/ClusterSettings.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/UnixSocketChannelStream.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/vault/EncryptOptions.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/AbstractReferenceCounted.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ConcurrentPool.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/RequestContext.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/IdHoldingBsonWriter.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/DBRefCodecProvider.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/WriteOperation.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/session/SessionContext.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ClusterableServerFactory.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/dns/IndiDnsClient.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/validator/UpdateFieldNameValidator.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/LoadBalancedCluster.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/inject/OptionalProvider.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/session/package-info.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoNotPrimaryException.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ClusterClock.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/AsyncReadOperation.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ConnectionCheckedOutEvent.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/InsertManyOptions.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/Updates.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/DeleteOneModel.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/ServerCursor.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-

jar/com/mongodb/event/ConnectionPoolOpenedEvent.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/DefaultAuthenticator.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/SubjectProvider.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/gejson/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/bulk/WriteRequest.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/ServerTypeHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/gejson/CoordinateReferenceSystem.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/CursorType.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/gridfs/model/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/SocketStreamHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/netty/NettyStreamFactory.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoSecurityException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/gridfs/codecs/GridFSFileCodecProvider.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/netty/NettyBufferProvider.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/CommandResultDocumentCodec.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/gejson/NamedCoordinateReferenceSystem.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/InternalConnectionFactory.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/FindOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/bulk/UpdateRequest.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/ClientEncryptionSettings.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/management/NullMBeanServer.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/diagnostics/logging/package-info.java

```

*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/spi/dns/DnsClientProvider.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/PushOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/AsyncWritableByteChannel.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/InternalConnectionInitializationDescription.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/HexUtils.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/KillCursorProtocol.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/annotations/package-info.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/SyncOperations.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/management/JMXConnectionPoolListener.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoSocketException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/GraphLookupOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/BasicDBObject.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/client/model/changestream/ChangeStreamLevel.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/FindAndModifyHelper.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/ZlibCompressor.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ClusterDescriptionChangedEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/CreateViewOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/DDBObjectCodec.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/ConnectionDescription.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/Authenticator.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoWriteException.java

```

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/ReadOperation.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ExponentiallyWeightedMovingAverage.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/BucketGranularity.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoDriverInformation.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoCursorNotFoundException.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/Filters.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoInterruptedException.java
 *
 /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/DBRefCodec.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/WriteModel.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/AggregateOperation.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/bulk/WriteRequestWithIndex.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/geojson/LineString.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/selector/WritableServerSelector.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/CommandResultCodecProvider.java
 *
 /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/BsonArrayWrapper.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/CountDocumentsOperation.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ProtocolHelper.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/CommandResultArrayCodec.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/Connection.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/QueryResult.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/DBObjectCodecProvider.java
 *
 /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ClientMetadataHelper.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-

```

jar/com/mongodb/spi/dns/DnsException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/BucketAutoOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/selector/ReadPreferenceServerSelector.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/IndexMap.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/CreateCollectionOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/BaseCluster.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/LevelCountingBsonWriter.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/DnsSrvRecordMonitor.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/MessageHeader.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/MapReduceAction.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/bulk/BulkWriteInsert.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/assertions/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/ListCollectionsOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/BaseQueryMessage.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/validator/MappedFieldNameValidator.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoCredential.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ServerDescriptionChangedEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/dns/DnsResolver.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/changestream/FullDocument.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/selector/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/InternalStreamConnectionInitializer.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/geojson/CoordinateReferenceSystemType.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoInternalException.java

```

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/UpdateMessage.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/MapReduceInlineResultsCursor.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ServerOpeningEvent.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/session/ServerSessionPool.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/ExplainableReadOperation.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/CommandReadOperation.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/SocketSettings.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/binding/AsyncClusterBinding.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/OrderBy.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/BulkWriteBatch.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/BSONTimestampCodec.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/IndexOptionDefaults.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/WindowedComputations.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ZstdCompressor.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/AwsAuthenticator.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/event/ConnectionPoolListenerMulticaster.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ResponseBuffers.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ServerMonitorListener.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/geojson/codecs/GeometryDecoderHelper.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/ErrorCategory.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/DeleteMessage.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/client/model/CountOptionsHelper.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-

```

jar/com/mongodb/WriteConcernResult.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/BufferProvider.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/geojson/Point.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/ConnectionPoolSettings.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/async/ErrorHandlingResultCallback.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/DescriptionHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/MultiServerCluster.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/UpdateProtocol.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/BuildersHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/geojson/MultiPolygon.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/FieldTrackingBsonWriter.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/CommandSucceededEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/LegacyMessage.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/async/client/ClientSessionBinding.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/AuthorizationHeader.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/Collation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/geojson/GeoJsonObjectType.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/FutureAsyncCompletionHandler.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ConnectionCheckedInEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/ExplainVerbosity.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/WriteError.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/SslHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ServerHeartbeatStartedEvent.java

```

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/TlsChannelStreamFactoryFactory.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/BatchCursor.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoSocketOpenException.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/DefaultServerConnection.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ElementExtendingBsonWriter.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/validator/NoOpFieldNameValidator.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/DecimalFormatHelper.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoClientSettings.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/AsyncQueryBatchCursor.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/ServerType.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/binding/ReferenceCounted.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/client/model/FindOptions.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/BasicDBObjectBuilder.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/Projections.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/gejson/codecs/LineStringCodec.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/gridfs/model/GridFSFile.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/binding/package-info.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/gejson/codecs/AbstractGeometryCodec.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/DistinctOperation.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/Block.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoSocketWriteException.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/UpdateOperation.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-

jar/com/mongodb/selector/ServerSelector.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/AsynchronousSocketChannelStreamFactoryFactory.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/DBObject.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/CommandStartedEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/SendMessageCallback.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/management/ConnectionPoolStatistics.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoQueryException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/ConnectionId.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ConnectionClosedEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/InternalConnectionInitializer.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/Window.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/Tag.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/binding/ClusterBinding.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/async/function/RetryingSyncSupplier.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/bulk/WriteConcernError.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/binding/AsyncClusterAwareReadWriteBinding.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ConnectionRemovedEvent.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/ReturnDocument.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/geojson/Position.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/PlainAuthenticator.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/gridfs/codecs/GridFSFileCodec.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/IgnoreableRequestContext.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/KerberosSubjectProvider.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/geojson/codecs/GeometryCollectionCodec.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/geojson/codecs/PolygonCodec.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ConnectionPoolClosedEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/gridfs/model/GridFSUploadOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/Function.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/IndexHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ConnectionCheckOutStartedEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/diagnostics/logging/NoOpLogger.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/async/function/LoopState.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/CommandProtocolImpl.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/ValidationLevel.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/SocketStreamFactory.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/client/model/CountStrategy.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/InternalStreamConnectionFactory.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/MapReduceStatistics.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/vault/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/spi/dns/DnsWithResponseCodeException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/InsertProtocol.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/TextSearchOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/TopologyVersion.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/result/InsertOneResult.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoTimeoutException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-

jar/com/mongodb/internal/operation/ListIndexesOperation.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/DBRef.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/InsertOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ConnectionCreatedEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/ResponseCallback.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/CreateIndexOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/ServerAddress.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/geojson/Geometry.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ServerHeartbeatFailedEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/selector/ReadPreferenceWithFallbackServerSelector.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/ServerConnectionState.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/OperationHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/ConnectionGenerationSupplier.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/inject/EmptyProvider.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/CountOperation.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/CommandHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/ServerAddressHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ConnectionCheckOutFailedEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/UnixServerAddress.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/CompositeByteBuf.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/DropDatabaseOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/MixedBulkWriteOperation.java
*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/retry/AttachmentKeys.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/async/function/AsyncCallbackRunnable.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/binding/ClusterAwareReadWriteBinding.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/DeleteProtocol.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/LegacyProtocol.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/Jep395RecordCodecProvider.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ConnectionPoolClearedEvent.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/MapReduceBatchCursor.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/changestream/UpdateDescription.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/LoadBalancedClusterableServerFactory.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ServerListener.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/AsynchronousClusterEventListener.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoCompressor.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/DeleteManyModel.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/Stream.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/GSSAPIAuthenticator.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/WriteConcernException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoServerUnavailableException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/ChangeStreamBatchCursorHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/UpdateOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/DocumentHelper.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ConnectionPool.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-

```

jar/com/mongodb/internal/connection/DefaultServerMonitor.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/session/ClientSession.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/CreateViewOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/SplittablePayload.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/Sorts.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoConfigurationException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoSocketClosedException.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/CommandProtocol.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/ExplainHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/async/function/AsyncCallbackSupplier.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/gejson/codecs/PointCodec.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/binding/AsyncReadWriteBinding.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/Operations.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/BasicDBList.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/EstimatedDocumentCountOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/TopologyVersionHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/event/ClusterListenerMulticaster.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/bulk/BulkWriteError.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoConnectionPoolClearedException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/ScramShaAuthenticator.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/binding/SingleServerBinding.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/dns/DefaultDnsResolver.java

```

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/binding/AsyncWriteBinding.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/CollationCaseFirst.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/CommandFailedEvent.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/AsyncConnection.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/GetMoreProtocol.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoSocketReadException.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ServerHeartbeatSucceededEvent.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoIncompatibleDriverException.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/client/model/AggregationLevel.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/event/CommandListenerMulticaster.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/thread/DaemonThreadFactory.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/DDBObjectFactory.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/Aggregates.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/DropIndexOptions.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/DnsMultiServerCluster.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/result/UpdateResult.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/MapReduceInlineResultsAsyncCursor.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/async/function/AsyncCallbackBiFunction.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/changestream/OperationType.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/UsageTrackingInternalConnection.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/LoggingCommandEventSender.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/AbstractMultiServerCluster.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-

jar/com/mongodb/internal/connection/SingleServerCluster.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/internal/connection/AsynchronousSocketChannelStream.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/TaggableReadPreference.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/internal/binding/ReadWriteBinding.java
 *
 /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/MongoChangeStreamException.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/internal/selector/LatencyMinimizingServerSelector.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/client/model/ValidationOptions.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/client/model/WindowedComputation.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/connection/SslSettings.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/internal/connection/AbstractByteBufferBsonDocument.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/internal/connection/EventHelper.java
 *
 /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/client/model/Indexes.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/client/model/MongoTimeUnit.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/client/model/IndexModel.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/MongoBulkWriteException.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/internal/connection/SpeculativeAuthenticator.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/client/model/Accumulators.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/connection/StreamFactoryFactory.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/internal/connection/RequestMessage.java
 *
 /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/internal/connection/ServerMonitor.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/connection/ClusterConnectionMode.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/internal/capi/MongoCryptHelper.java
 * /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
 jar/com/mongodb/client/model/MergeOptions.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/selector/CompositeServerSelector.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoWriteConcernException.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/NativeAuthenticator.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/Field.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/SocketStream.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/ContextProvider.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/ConnectionString.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/ReplaceOneModel.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/ClusterId.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/CreateIndexesOperation.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/geojson/codecs/GeometryEncoderHelper.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/UpdateOneModel.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/DefaultClusterableServerFactory.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/NoOpSessionContext.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/InternalConnection.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/CommandOperationHelper.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/async/function/RetryingAsyncCallbackSupplier.java

*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/IndexOptions.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/result/DeleteResult.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/DefaultDnsSrvRecordMonitorFactory.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/SplittablePayloadBsonWriter.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/CommandListener.java

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-

jar/com/mongodb/internal/connection/DefaultServer.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/AwsCredential.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/AsynchronousSocketChannelStreamFactory.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/geojson/codecs/MultiLineStringCodec.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/InsertMessage.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoClientException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/diagnostics/logging/SLF4JLogger.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/result/InsertManyResult.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/X509Authenticator.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/ReplaceOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/spi/dns/DnsClient.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/CursorHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/MongoNamespace.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/DefaultSdamServerDescriptionManager.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/ServerDescriptionHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/ServerId.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/KillCursorsMessage.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/AsynchronousChannelStream.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/DuplicateKeyException.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ConnectionPoolListenerAdapter.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/GetMoreMessage.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/management/ConnectionPoolStatisticsMBean.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/CompressedMessage.java

```

* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/DnsSrvRecordInitializer.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/BulkWriteOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/binding/TransactionContext.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/bulk/IndexRequest.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/QueryMessage.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/Facet.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/Windows.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/management/MBeanServerFactory.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/RenameCollectionOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/model/TimeSeriesGranularity.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/async/function/AsyncCallbackLoop.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/TagSet.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/operation/MapReduceWithInlineResultsOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/session/ClientSessionContext.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/connection/ClusterDescription.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ClusterClosedEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/client/result/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/bulk/BulkWriteUpsert.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/event/ConnectionReadyEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/PowerOfTwoBufferPool.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/binding/WriteBinding.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/connection/CommandResultCallback.java
*

```

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/management/MBeanServer.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/geojson/PolygonCoordinates.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/geojson/codecs/NamedCoordinateReferenceSystemCodec.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/CommandEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/DeleteOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ClusterListener.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/Variable.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/FindAndReplaceOperation.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/UnwindOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/Cluster.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/netty/NettyStreamFactoryFactory.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/CountOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/ValidationAction.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/TransactionOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/VisibleForTesting.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/selector/ServerAddressSelector.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/CommandMessage.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/gridfs/model/GridFSDownloadOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/diagnostics/logging/Loggers.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/session/BaseClientSessionImpl.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/ServerDescription.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/MongoSocketReadTimeoutException.java
*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/Timeout.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/FindAndUpdateOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/CollationAlternate.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/ChangeStreamOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/StreamFactory.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/diagnostics/logging/Logger.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/connection/netty/NettyStream.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ConnectionAddedEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/SaslAuthenticator.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/package-info.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/Time.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ClusterOpeningEvent.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/BsonField.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/geojson/MultiPoint.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/authentication/AwsCredentialHelper.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/DropIndexOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/AsyncWriteOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/QueryHelper.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/DeleteOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/selector/PrimaryServerSelector.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/BsonWriterDecorator.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/FindAndDeleteOperation.java
*

/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/SnappyCompressor.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/BulkWriteBatchCombiner.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/client/model/InsertOneOptions.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/CommandEventSender.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/EstimatedDocumentCountOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/MapReduceToCollectionOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/MessageSettings.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/DnsSrvRecordMonitorFactory.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/LoadBalancedServer.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/Server.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/InternalConnectionPoolSettings.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/operation/BaseWriteOperation.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/AutoEncryptionSettings.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/management/package-info.java
*
/opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/CompressedHeader.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/connection/ServerTuple.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/inject/Provider.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/internal/bulk/DeleteRequest.java
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-jar/com/mongodb/event/ServerMonitorListenerAdapter.java
No license file was found, but licenses were detected in source scan.

/*

- * Copyright 2008-present MongoDB, Inc.
- * Copyright 2017 Tom Bentley
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.

```
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793684_1656997111.625937/0/mongodb-driver-core-4-6-1-sources-
jar/com/mongodb/internal/authentication/SaslPrep.java
```

1.142 bson-record-codec 4.6.1

1.142.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2008-present MongoDB, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793478_1656997105.287569/0/bson-record-codec-4-6-1-sources-
jar/org/bson/codecs/record/RecordCodecProvider.java
* /opt/cola/permits/1356793478_1656997105.287569/0/bson-record-codec-4-6-1-sources-
jar/org/bson/codecs/record/annotations/BsonId.java
* /opt/cola/permits/1356793478_1656997105.287569/0/bson-record-codec-4-6-1-sources-
jar/org/bson/codecs/record/annotations/package-info.java
*
* /opt/cola/permits/1356793478_1656997105.287569/0/bson-record-codec-4-6-1-sources-
jar/org/bson/codecs/record/annotations/BsonRepresentation.java
* /opt/cola/permits/1356793478_1656997105.287569/0/bson-record-codec-4-6-1-sources-
```

```
jar/org/bson/codecs/record/package-info.java
* /opt/cola/permits/1356793478_1656997105.287569/0/bson-record-codec-4-6-1-sources-
jar/org/bson/codecs/record/annotations/BsonProperty.java
* /opt/cola/permits/1356793478_1656997105.287569/0/bson-record-codec-4-6-1-sources-
jar/org/bson/codecs/record/RecordCodec.java
```

1.143 mongodb-driver-sync 4.6.1

1.143.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2008-present MongoDB, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/MongoChangeStreamCursor.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/MongoDatabase.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/MongoDatabaseImpl.java
*
/opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/MongoCollectionImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/MapReduceIterable.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/gridfs/GridFSFindIterableImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/Crypts.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/gridfs/GridFSUploadStream.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/MongoClient.java
```

* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/gridfs/package-info.java
*
/opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/ListDatabasesIterable.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/internal/MapReduceIterableImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/gridfs/GridFSDownloadStreamImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/gridfs/GridFSBuckets.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/package-info.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/internal/MongoClientImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/internal/ClientSessionBinding.java
*
/opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/internal/DistinctIterableImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/internal/MongoMappingCursor.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/vault/ClientEncryptions.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/MongoCursor.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/internal/MongoChangeStreamCursorImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/gridfs/GridFSBucket.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/internal/AggregateIterableImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/MongoIterable.java
*
/opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/MongoCollection.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/DistinctIterable.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/gridfs/GridFSFindIterable.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/vault/package-info.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/ListCollectionsIterable.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-jar/com/mongodb/client/internal/ChangeStreamIterableImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-

jar/com/mongodb/client/internal/MongoClientDelegate.java
*
/opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/ListDatabasesIterableImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/ListIndexesIterable.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/MongoIterableImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/CollectionInfoRetriever.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/CommandMarker.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/gridfs/GridFSDownloadStream.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/ListCollectionsIterableImpl.java
*
/opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/MappingIterable.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/ListIndexesIterableImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/FindIterable.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/ClientEncryptionImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/ChangeStreamIterable.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/MongoClients.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/CryptBinding.java
*
/opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/MongoClientFactory.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/vault/ClientEncryption.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/Crypt.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/SynchronousContextProvider.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/gridfs/GridFSUploadStreamImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/gridfs/GridFSBucketImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/CryptConnection.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/KeyRetriever.java

```
*
/opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/OperationExecutor.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/AggregateIterable.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/MongoBatchCursorAdapter.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/FindIterableImpl.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/KeyManagementService.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2008-present MongoDB, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/package-info.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/ClientSessionClock.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/internal/ClientSessionImpl.java
*
/opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/ClientSession.java
* /opt/cola/permits/1356793563_1656997107.082011/0/mongodb-driver-sync-4-6-1-sources-
jar/com/mongodb/client/TransactionBody.java
```

1.144 simpleclient_tracer_otel_agent 0.15.0

1.144.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1362667461_1657728042.0528543/0/simpleclient-tracer-otel-agent-0-15-0-2-jar/META-

INF/maven/io.prometheus/simpleclient_tracer_otel_agent/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1644098835491

Build-Jdk: 11.0.13

Built-By: fabian

Bundle-Description: The Prometheus Java Suite: Client Metrics, Exposition, and Examples

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: Prometheus Java Span Context Supplier - OpenTelemetry Agent

Bundle-SymbolicName: io.prometheus.simpleclient_tracer_otel_agent

Bundle-Version: 0.15.0

Created-By: Apache Maven Bundle Plugin

Export-Package: io.prometheus.client.exemplars.tracer.otel_agent;uses:="

io.prometheus.client.exemplars.tracer.common";version="0.15.0"

Import-Package: io.opentelemetry.api.trace,io.prometheus.client.exemplars.tracer.common;version="[0.15,1)"

Tool: Bnd-2.1.0.20130426-122213

Found in path(s):

* /opt/cola/permits/1362667461_1657728042.0528543/0/simpleclient-tracer-otel-agent-0-15-0-2-jar/META-

INF/MANIFEST.MF

1.145 simpleclient 0.15.0

1.145.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/publicdomain/zero/1.0/>

*

* Source: <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/DoubleAdder.java?revision=1.12>

*/

Found in path(s):

* /opt/cola/permits/1362667164_1657728031.6917062/0/simpleclient-0-15-0-sources-1-

jar/io/prometheus/client/DoubleAdder.java

No license file was found, but licenses were detected in source scan.

/*

Copyright 2012 Andrew Wang (andrew@umbrant.com)

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1362667164_1657728031.6917062/0/simpleclient-0-15-0-sources-1-jar/io/prometheus/client/CKMSQuantiles.java

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1362667164_1657728031.6917062/0/simpleclient-0-15-0-sources-1-jar/META-INF/maven/io.prometheus/simpleclient/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/publicdomain/zero/1.0/>

*

* Source: <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/Striped64.java?revision=1.10>

*/

Found in path(s):

* /opt/cola/permits/1362667164_1657728031.6917062/0/simpleclient-0-15-0-sources-1-jar/io/prometheus/client/Striped64.java

1.146 simpleclient_tracer_otel 0.15.0

1.146.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1362667798_1657728128.698827/0/simpleclient-tracer-otel-0-15-0-sources-1-jar/META-INF/maven/io.prometheus/simpleclient_tracer_otel/pom.xml

1.147 simpleclient_tracer_common 0.15.0

1.147.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1644098817942

Build-Jdk: 11.0.13

Built-By: fabian

Bundle-Description: The Prometheus Java Suite: Client Metrics, Exposition, and Examples

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: Prometheus Java Span Context Supplier - Common

Bundle-SymbolicName: io.prometheus.simpleclient_tracer_common

Bundle-Version: 0.15.0

Created-By: Apache Maven Bundle Plugin

Export-Package: io.prometheus.client.exemplars.tracer.common;version="0.15.0"

Tool: Bnd-2.1.0.20130426-122213

Found in path(s):

* /opt/cola/permits/1362667286_1657728055.6656199/0/simpleclient-tracer-common-0-15-0-2-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1362667286_1657728055.6656199/0/simpleclient-tracer-common-0-15-0-2-jar/META-INF/maven/io.prometheus/simpleclient_tracer_common/pom.xml

1.148 backbone-events-standalone 0.2.7

1.148.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013 Nicolas Perriault

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.149 json-source-map 0.4.0

1.149.1 Available under license :

MIT License

Copyright (c) 2017 Evgeny Poberezkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.150 ngx-color 4.1.1

1.150.1 Available under license :

The MIT License (MIT)

Copyright (c) Scott Cooper

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.151 ngx-infinite-scroll 7.2.0

1.151.1 Available under license :

MIT License

Copyright (c) 2017 Roberto Simonetti

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.152 cglib 3.3.0

1.152.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.153 commons-jxpath 1.3

1.153.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons JXPath

Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.154 protobuf-java 3.11.0

1.154.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// * Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// * Redistributions in binary form must reproduce the above  
// copyright notice, this list of conditions and the following disclaimer  
// in the documentation and/or other materials provided with the  
// * Neither the name of Google Inc. nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-  
jar/com/google/protobuf/RawMessageInfo.java  
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-  
jar/com/google/protobuf/MutabilityOracle.java  
*  
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-  
jar/com/google/protobuf/TextFormatParseInfoTree.java  
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-  
jar/com/google/protobuf/BlockingService.java  
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-  
jar/com/google/protobuf/Schema.java  
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-  
jar/com/google/protobuf/ProtobufArrayList.java  
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-  
jar/com/google/protobuf/UnknownFieldSet.java  
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
```

jar/com/google/protobuf/BufferAllocator.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/LazyFieldLite.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ListFieldSchema.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/UnmodifiableLazyStringList.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/google/protobuf/api.proto
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/FieldSet.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/Descriptors.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ProtocolStringList.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ExtensionRegistryFactory.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ProtobufLists.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/UnknownFieldSetLiteSchema.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/AbstractMessage.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MapFieldLite.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/RopeByteString.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MessageLiteToString.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/SchemaUtil.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MapFieldSchemaLite.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ByteBufferWriter.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MessageSetSchema.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/AbstractProtobufList.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/RepeatedFieldBuilderV3.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MapFieldSchemas.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MapFieldSchemaFull.java

```

* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ServiceException.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/BooleanArrayList.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/RpcCallback.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/Writer.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/DescriptorMessageInfoFactory.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/Protobuf.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ByteOutput.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ExtensionSchemaLite.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/DiscardUnknownFieldsParser.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ProtocolMessageEnum.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/google/protobuf/field_mask.proto
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/LongArrayList.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ExtensionRegistryLite.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ManifestSchemaFactory.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ByteString.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/Extension.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/google/protobuf/type.proto
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MapEntry.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/NewInstanceSchemaLite.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ExtensionLite.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/RpcController.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/IntArrayList.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-

```

```

jar/com/google/protobuf/TextFormatParseLocation.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/LazyField.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ArrayDecoders.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/SchemaFactory.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MessageOrBuilder.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/google/protobuf/descriptor.proto
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/RepeatedFieldBuilder.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ExtensionSchemaFull.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/AbstractParser.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/BinaryReader.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/TextFormatEscaper.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/google/protobuf/empty.proto
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/UnknownFieldSetSchema.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/CodedInputStream.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/FloatArrayList.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/TypeRegistry.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/WireFormat.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/google/protobuf/duration.proto
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/PrimitiveNonBoxingCollection.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/NioByteString.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ExperimentalApi.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/LazyStringList.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/RpcChannel.java

```

```

* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ProtoSyntax.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/OneofInfo.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/Internal.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/DoubleArrayList.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MapFieldSchema.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/GeneratedMessageLite.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/google/protobuf/struct.proto
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/google/protobuf/timestamp.proto
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/TextFormat.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/FieldType.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/SingleFieldBuilder.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/UnsafeUtil.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ExtensionRegistry.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/UnsafeByteOperations.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/NewInstanceSchema.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/NewInstanceSchemaFull.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/BinaryWriter.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/UninitializedMessageException.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/DynamicMessage.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/IterableByteBufferInputStream.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MessageInfo.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MessageInfoFactory.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-

```

jar/com/google/protobuf/BlockingRpcChannel.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/UnknownFieldSetLite.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/CodedOutputStreamWriter.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/Utf8.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/LazyStringArrayList.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/SingleFieldBuilderV3.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/GeneratedMessageInfoFactory.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MessageLiteOrBuilder.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/CodedInputStreamReader.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/FieldInfo.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/google/protobuf/compiler/plugin.proto
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ExtensionSchema.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MessageReflection.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/google/protobuf/wrappers.proto
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/Android.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/SmallSortedMap.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MessageLite.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MessageSchema.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/CodedOutputStream.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/Parser.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/UnknownFieldSchema.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/AllocatedBuffer.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MapField.java
*

```

/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/Reader.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/Service.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/ExtensionSchemas.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/google/protobuf/any.proto
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/MapEntryLite.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/InvalidProtocolBufferException.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/StructuralMessageInfo.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/Message.java
*
/opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/GeneratedMessageV3.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/NewInstanceSchemas.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/RpcUtil.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/AbstractMessageLite.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/JavaType.java
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/google/protobuf/source_context.proto
* /opt/cola/permits/1445009519_1666079683.4386444/0/protobuf-java-3-11-0-sources-2-
jar/com/google/protobuf/GeneratedMessage.java

```

1.155 eclipse-text 3.6.100

1.155.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2013 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/projection/ChildDocument.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2006, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/undo/DocumentUndoManager.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

* Sebastian Davids: sdavids@gmx.de - see bug 25376

* Jeremie Bresson <jbr@bsiag.com> - Allow to specify format for date variable - <https://bugs.eclipse.org/75981>

* Lars Vogel <Lars.Vogel@vogella.com> - Bug 486903, 487327, 487901

*****/

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/templates/GlobalTemplateVariables.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2010 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:
* IBM Corporation - initial API and implementation
* Anton Leherbauer <anton.leherbauer@windriver.com> - [projection] "Backspace" key deleting something else -
<http://bugs.eclipse.org/301023>

Found in path(s):
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/projection/ProjectionDocument.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2006, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:
* IBM Corporation - initial API and implementation

Found in path(s):
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/templates/TemplateVariableType.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2009 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:
* IBM Corporation - initial API and implementation

Found in path(s):
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/ILineTracker.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/Assert.java
No license file was found, but licenses were detected in source scan.

* Copyright (c) 2005, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-

jar/org/eclipse/jface/text/TreeLineTracker.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2006 IBM Corporation and others.

* All rights reserved. This program and the accompanying materials

* are made available under the terms of the Eclipse Public License v1.0

* which accompanies this distribution, and is available at

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-

jar/org/eclipse/text/edits/InsertEdit.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-

jar/org/eclipse/text/edits/CopyingRangeMarker.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-

jar/org/eclipse/text/edits/DeleteEdit.java

*

/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-

jar/org/eclipse/text/edits/MultiTextEdit.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-

jar/org/eclipse/text/edits/ReplaceEdit.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-

jar/org/eclipse/jface/text/Line.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-

jar/org/eclipse/text/edits/TreeIterationInfo.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-

jar/org/eclipse/text/edits/MalformedTreeException.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-

jar/org/eclipse/jface/text/ITextStore.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-

jar/org/eclipse/jface/text/ISynchronizable.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-

jar/org/eclipse/text/edits/RangeMarker.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2006, 2008 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*/
```

Found in path(s):

```
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-  
jar/org/eclipse/text/undo/DocumentUndoEvent.java  
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-  
jar/org/eclipse/text/undo/UndoMessages.java  
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-  
jar/org/eclipse/text/undo/IDocumentUndoListener.java  
*
```

```
/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-  
jar/org/eclipse/jface/text/RewriteSessionEditProcessor.java  
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-  
jar/org/eclipse/text/undo/IDocumentUndoManager.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2011 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at  
* http://www.eclipse.org/legal/epl-v10.html  
*  
* Contributors:  
*   IBM Corporation - initial API and implementation  
*/
```

Found in path(s):

```
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-  
jar/org/eclipse/jface/text/ISlaveDocumentManager.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2000, 2008 IBM Corporation and others.  
* All rights reserved. This program and the accompanying materials  
* are made available under the terms of the Eclipse Public License v1.0  
* which accompanies this distribution, and is available at
```

* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/ListLineTracker.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/projection/Fragment.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/templates/TextTemplateMessages.java

*

/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/projection/Segment.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/projection/ChildDocumentManager.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/projection/FragmentUpdater.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/UndoEdit.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/Position.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/DocumentRewriteSessionType.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/TypedPosition.java

*

/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IDocumentExtension4.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/templates/Template.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/DefaultLineTracker.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/GapTextStore.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/templates/TemplateVariable.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/TypedRegion.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/link/LinkedModeManager.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/TextEditGroup.java

*

/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/ConfigurableLineTracker.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/templates/TemplateBuffer.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IRepairableDocument.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/DocumentEvent.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/EditDocument.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/TextEditMessages.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/UndoCollector.java
*

/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/projection/ProjectionDocumentEvent.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/link/InclusivePositionUpdater.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/Region.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2007, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/source/IAnnotationModelExtension2.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2012 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation
* Cagatay Calli <ccalli@gmail.com> - [find/replace] retain caps when replacing -
https://bugs.eclipse.org/bugs/show_bug.cgi?id=28949

* Cagatay Calli <ccalli@gmail.com> - [find/replace] define & fix behavior of retain caps with other escapes and text before \C - https://bugs.eclipse.org/bugs/show_bug.cgi?id=217061

*****/

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/FindReplaceDocumentAdapter.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2007, 2010 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IRepairableDocumentExtension.java

No license file was found, but licenses were detected in source scan.

All rights reserved. This program and the accompanying materials
are made available under the terms of the Eclipse Public License v1.0

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/undo/UndoMessages.properties

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/templates/TextTemplateMessages.properties

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/Messages.properties

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/TextMessages.properties

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2005, 2012 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* Anton Leherbauer (anton.leherbauer@windriver.com) - initial API and implementation

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/CopyOnWriteTextStore.java

No license file was found, but licenses were detected in source scan.

Eclipse Public License Version 1.0 ("EPL"). A copy of the EPL is available

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/about.html

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2007 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

* Contributors:
* IBM Corporation - initial API and implementation

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/DocumentRewriteSessionEvent.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IDocumentPartitioningListenerExtension2.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/templates/TemplateVariableResolver.java

*
/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IDocumentExtension.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/TextEditCopier.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/DocumentPartitioningChangedEvent.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/TextEditVisitor.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/projection/SegmentUpdater.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/templates/DocumentTemplateContext.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/source/Annotation.java

*

/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/link/LinkPosition.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2005 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation

*****/

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IDocumentInformationMapping.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/projection/IMinimalMapping.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/DocumentRewriteSession.java

*

/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/BadPositionCategoryException.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IPositionUpdater.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/ISourceModifier.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IDocumentPartitioningListener.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IDocumentExtension3.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/BadPartitioningException.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IDocumentPartitioner.java

*

/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/ISlaveDocumentManagerExtension.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/BadLocationException.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IDocumentListener.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IDocumentPartitionerExtension3.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/templates/TemplateException.java

```

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/IDocumentPartitionerExtension.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/ILineTrackerExtension.java
*
/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/templates/TemplateContext.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/source/IAnnotationModelListener.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/templates/SimpleTemplateVariableResolver.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/source/IAnnotationModelListenerExtension.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/IDocumentPartitionerExtension2.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/IDocumentPartitioningListenerExtension.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/link/ILinkedModeListener.java
*
/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/SlaveDocumentEvent.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/IDocumentInformationMappingExtension.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/IRegion.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/IDocumentInformationMappingExtension2.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/ITypedRegion.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/projection/ProjectionTextStore.java
*
/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-
jar/org/eclipse/jface/text/IDocumentRewriteSessionListener.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2016 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*   IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

- * /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/TextUtilities.java
- * /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/AbstractDocument.java
- * /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IDocument.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2010 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation

*****/

Found in path(s):

- * /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/IDocumentExtension2.java
- * /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/DefaultPositionUpdater.java
- * /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/projection/ProjectionMapping.java

*

/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/Document.java

No license file was found, but licenses were detected in source scan.

- * Copyright (c) 2000, 2015 IBM Corporation and others.
- * All rights reserved. This program and the accompanying materials
- * are made available under the terms of the Eclipse Public License v1.0
- * which accompanies this distribution, and is available at
- * <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

- * IBM Corporation - initial API and implementation

*****/

Found in path(s):

- * /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/link/LinkedPositionGroup.java
- * /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/MoveSourceEdit.java

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/TextEditProcessor.java
*
/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/source/AnnotationModelEvent.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/source/IAnnotationMap.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/CopyTargetEdit.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/source/AnnotationMap.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/AbstractLineTracker.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/source/IAnnotationModel.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/undo/DocumentUndoManagerRegistry.java
*
/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/projection/ProjectionDocumentManager.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/SequentialRewriteTextStore.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/templates/TemplateTranslator.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/CopySourceEdit.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/MoveTargetEdit.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/templates/TemplateContextType.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/text/edits/TextEdit.java
*
/opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/source/IAnnotationModelExtension.java
* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/link/LinkedModeModel.java

No license file was found, but licenses were detected in source scan.

/*****

* Copyright (c) 2007, 2008 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>
*

* Contributors:
* IBM Corporation - initial API and implementation

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/TextMessages.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2000, 2015 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* <http://www.eclipse.org/legal/epl-v10.html>

*

* Contributors:

* IBM Corporation - initial API and implementation
* Anton Leherbauer <anton.leherbauer@windriver.com> - [implementation]

AnnotationModel.fModificationStamp leaks annotations - <http://bugs.eclipse.org/345715>

Found in path(s):

* /opt/cola/permits/1445009336_1666079685.0367038/0/org-eclipse-text-3-6-100-sources-1-jar/org/eclipse/jface/text/source/AnnotationModel.java

1.156 apache-commons-text 1.10.0

1.156.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Text

Copyright 2014-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

1.157 spring-retry 1.3.4

1.157.1 Available under license :

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Maven Wrapper Jar

Copyright 2016-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.158 hibernate-validator 6.2.5.Final

1.158.1 Available under license :

Adam Stawicki
Ahmed Al Hafoudh
Alaa Nassef
Andrey Derevyanko
Andrey Rodionov
Asutosh Pandya
Benson Margulies
Brent Douglas
Carlos Vara
Carlo de Wolf
Chris Beckey
Christian Ivan
Dag Hovland
Damir Alibegovic
Dario Seidl
Davide D'Alto
Davide Marchignoli
Denis Tiago
Doug Lea
Emmanuel Bernard
Efthymis Sarbanis
Federico
Federico Mancini
Gavin King
George Gastaldi
Gerhard Petracek
Guillaume Husta
Guillaume Smet
Gunnar Morling
Hardy Ferentschik
Henno Vermeulen
Hillmer Chona
Jan-Willem Willebrands
Jason T. Greene
Jesper Preuss
Jiri Bilek
Julien Furgerot
Julien May
Juraci Krohling
Justin Nauman

Kathryn Killebrew
Kazuki Shimizu
Kevin Pollet
Khalid Alqinyah
Lee KyoungIl
Leonardo Loch Zanivan
Lucas Pouzac
Lukas Niemeier
Mark Hobson
Marko Bekhta
Matthias Kurz
Mert Caliskan
Michal Fotyga
Nicola Ferraro
Nicolas Franois
Paolo Perrotta
Pete Muir
Rob Dickinson
Sanne Grinovero
Sebastian Bayerl
Shahram Goodarzi
Shane Bryzak
Shelly McGowan
Sjaak Derksen
Steve Ebersole
Strong Liu
Tadhg Pearson
Takashi Aoe
Tomaz
Cerar
Tommy Johansen
Victor Rezende dos Santos
Willi Schnborn
Xavier Sosnovsky
Yanming Zhou
Yoann Rodire
Hibernate Validator, declare and validate application constraints

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.159 kotlin 1.6.21

1.159.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"kotlin.js","sources":["wrapper.js","js/arrayUtils.js","js/callableReferenceUtils.js","js/conversions.js","js/core.js","js/long.js","js/markerFunctions.js","js/misc.js","js/polyfills.js","js/rtti.js","runtime/arrayUtils.kt","runtime/Enum.kt","primitiveCompanionObjects.kt","common/src/generated/_Arrays.kt","common/src/generated/_Ranges.kt","unsigned/src/kotlin/UByte.kt","unsigned/src/kotlin/UInt.kt","unsigned/src/kotlin/UShort.kt","builtin-sources/Ranges.kt","src/kotlin/collections/Collections.kt","src/kotlin/collections/Maps.kt","src/kotlin/collections/Sets.kt","src/kotlin/text/StringNumberConversions.kt","src/kotlin/time/Duration.kt","unsigned/src/kotlin/UnsignedUtils.kt","src/kotlin/collections/Iterables.kt","src/kotlin/collections/Sequences.kt","src/kotlin/util/Preconditions.kt","js/src/generated/_ArraysJs.kt","src/kotlin/comparisons/Comparisons.kt","src/kotlin/util/Standard.kt","js/src/generated/_ComparisonsJs.kt","unsigned/src/kotlin/ULong.kt","common/src/generated/_Collections.kt","js/src/kotlin/collections.kt","src/kotlin/collections/Iterators.kt","common/src/generated/_Comparisons.kt","common/src/generated/_Maps.kt","common/src/generated/_OneToManyTitlecaseMappings.kt","js/src/kotlin/text/char.kt","js/src/kotlin/text/string.kt","src/kotlin/text/Char.kt","src/kotlin/CharCode.kt","common/src/generated/_Sequences.kt","common/src/generated/_Sets.kt","common/src/generated/_Strings.kt","src/kotlin/text/Strings.kt","unsigned/src/kotlin/UByteArray.kt","unsigned/src/kotlin/UIntArray.kt","unsigned/src/kotlin/ULongArray.kt","unsigned/src/kotlin/UShortArray.kt","common/src/generated/_UArrays.kt","common/src/generated/_UCollections.kt","common/src/generated/_UComparisons.kt","common/src/generated/_URanges.kt","common/src/generated/_USequences.kt","common/src/kotlin/ExceptionsH.kt","common/src/kotlin/JsAnnotationsH.kt","common/src/kotlin/ioH.kt","builtin-sources/Collections.kt","builtin-sources/Iterators.kt","builtin-sources/ProgressionIterators.kt","builtin-sources/Progressions.kt","builtin-sources/Range.kt","builtin-sources/Unit.kt","builtin-sources/annotation/Annotations.kt","builtin-sources/internal/InternalAnnotations.kt","builtin-sources/internal/progressionUtil.kt","src/kotlin/builtins.kt","src/kotlin/jsTypeOf.kt","src/kotlin/kotlin.kt","src/kotlin/charCode_js-v1.kt","src/kotlin/coroutines/CoroutineImpl.kt","src/kotlin/util/Result.kt","src/kotlin/coroutines/Continuation.kt","src/kotlin/coroutines/intrinsics/IntrinsicsJs.kt","src/kotlin/currentBeMisc.kt","src/kotlin/exceptions.kt","src/kotlin/jsOperators.kt","src/kotlin/math_js-v1.kt","src/kotlin/numbers_js-v1.kt","src/kotlin/reflection_js-v1.kt","src/kotlin/text/numberConversions_js-v1.kt","js/src/generated/_CharCategories.kt","js/src/generated/_CollectionsJs.kt","js/src/generated/_DigitChars.kt","js/src/generated/_LetterChars.kt","js/src/generated/_OtherLowercaseChars.kt","js/src/generated/_OtherUppercaseChars.kt","js/src/generated/_StringsJs.kt","js/src/generated/_TitlecaseMappings.kt","js/src/generated/_UArraysJs.kt","js/src/generated/_WhitespaceChars.kt","js/src/kotlin/Comparator.kt","js/src/kotlin/annotations.kt","js/src/kotlin/annotationsJVM.kt","js/src/kotlin/collections/AbstractMutableCollection.kt","js/src/kotlin/collections/AbstractMutableLis
```

t.kt","js/src/kotlin/collections/AbstractMutableMap.kt","js/src/kotlin/collections/AbstractMutableSet.kt","js/src/kotlin/collections/ArrayList.kt","js/src/kotlin/collections/ArraySorting.kt","js/src/kotlin/collections/ArraysJs.kt","js/src/kotlin/collections/EqualityComparator.kt","js/src/kotlin/collections/HashMap.kt","js/src/kotlin/collections/HashSet.kt","js/src/kotlin/collections/InternalHashCodeMap.kt","js/src/kotlin/collections/InternalMap.kt","js/src/kotlin/collections/InternalStringMap.kt","js/src/kotlin/collections/LinkedHashMap.kt","js/src/kotlin/collections/LinkedHashSet.kt","js/src/kotlin/concurrent.kt","js/src/kotlin/console.kt","js/src/kotlin/coroutines/SafeContinuationJs.kt","js/src/kotlin/coroutines/cancellation/CancellationException.kt","js/src/kotlin/coroutines/js/internal/EmptyContinuation.kt","js/src/kotlin/date.kt","js/src/kotlin/dom/Builders.kt","js/src/kotlin/dom/Classes.kt","js/src/kotlin/dom/Dom.kt","js/src/kotlin/dom/EventListener.kt","js/src/kotlin/dom/ItemArrayLike.kt","js/src/kotlin/dom/Mutations.kt","js/src/kotlin/dynamic.kt","js/src/kotlin/exceptionUtils.kt","js/src/kotlin/grouping.kt","src/kotlin/collections/Grouping.kt","js/src/kotlin/internalAnnotations.kt","js/src/kotlin/json.kt","js/src/kotlin/math.kt","js/src/kotlin/numbers.kt","js/src/kotlin/promise.kt","js/src/kotlin/random/PlatformRandom.kt","js/src/kotlin/reflect/AssociatedObjects.kt","js/src/kotlin/reflect/JsClass.kt","js/src/kotlin/reflect/KClassImpl.kt","js/src/kotlin/reflect/KClassesImpl.kt","js/src/kotlin/reflect/KTypeHelpers.kt","js/src/kotlin/reflect/KTypeImpl.kt","js/src/kotlin/reflect/KTypeParameterImpl.kt","js/src/kotlin/reflect/primitives.kt","js/src/kotlin/reflect/reflection.kt","js/src/kotlin/regexp.kt","js/src/kotlin/sequence.kt","js/src/kotlin/text/CharCategoryJS.kt","js/src/kotlin/text/CharacterCodingExceptionJs.kt","js/src/kotlin/text/StringBuilderJs.kt","js/src/kotlin/text/numberConversions.kt","js/src/kotlin/text/regex.kt","src/kotlin/text/StringBuilder.kt","js/src/kotlin/text/stringsCode.kt","js/src/kotlin/text/utf8Encoding.kt","js/src/kotlin/throwableExtensions.kt","js/src/kotlin/time/DurationJs.kt","js/src/kotlin/time/DurationUnit.kt","js/src/kotlin/time/MonoTimeSource.kt","js/src/kotlinx/dom/Builders.kt","js/src/kotlinx/dom/Classes.kt","src/kotlin/text/regex/RegexExtensions.kt","js/src/kotlinx/dom/Dom.kt","js/src/kotlinx/dom/Mutations.kt","js/src/org.w3c/deprecated.kt","js/src/org.w3c/org.khronos.webgl.kt","js/src/org.w3c/org.w3c.dom.clipboard.kt","js/src/org.w3c/org.w3c.dom.css.kt","js/src/org.w3c/org.w3c.dom.encryptedmedia.kt","js/src/org.w3c/org.w3c.dom.events.kt","js/src/org.w3c/org.w3c.dom.kt","js/src/org.w3c/org.w3c.fetch.kt","js/src/org.w3c/org.w3c.dom.mediacapture.kt","js/src/org.w3c/org.w3c.dom.mediasource.kt","js/src/org.w3c/org.w3c.dom.pointerevents.kt","js/src/org.w3c/org.w3c.dom.svg.kt","js/src/org.w3c/org.w3c.files.kt","js/src/org.w3c/org.w3c.notifications.kt","js/src/org.w3c/org.w3c.workers.kt","js/src/org.w3c/org.w3c.xhr.kt","src/kotlin/annotations/Experimental.kt","src/kotlin/annotations/ExperimentalStdlibApi.kt","src/kotlin/annotations/Inference.kt","src/kotlin/annotations/Multiplatform.kt","src/kotlin/annotations/OptIn.kt","src/kotlin/collections/AbstractCollection.kt","src/kotlin/collections/AbstractIterator.kt","src/kotlin/collections/AbstractList.kt","src/kotlin/collections/AbstractMap.kt","src/kotlin/collections/AbstractSet.kt","src/kotlin/collections/ArrayDeque.kt","src/kotlin/collections/Arrays.kt","src/kotlin/collections/BrittleContainsOptimization.kt","src/kotlin/collections/IndexedValue.kt","src/kotlin/collections/MapAccessors.kt","src/kotlin/collections/MapWithDefault.kt","src/kotlin/collections/MutableCollections.kt","src/kotlin/collections/ReversedViews.kt","src/kotlin/collections/SequenceBuilder.kt","src/kotlin/collections/SlidingWindow.kt","src/kotlin/collections/UArraySorting.kt","src/kotlin/comparisons/compareTo.kt","src/kotlin/contracts/ContractBuilder.kt","src/kotlin/coroutines/ContinuationInterceptor.kt","src/kotlin/coroutines/CoroutineContext.kt","src/kotlin/coroutines/CoroutineContextImpl.kt","src/kotlin/coroutines/intrinsics/Intrinsics.kt","src/kotlin/experimental/bitwiseOperations.kt","src/kotlin/experimental/inferenceMarker.kt","src/kotlin/internal/Annotations.kt","src/kotlin/properties/Delegates.kt","src/kotlin/properties/Interfaces.kt","src/kotlin/properties/ObservableProperty.kt","src/kotlin/properties/PropertyReferenceDelegates.kt","src/kotlin/random/Random.kt","src/kotlin/random/URandom.kt","src/kotlin/random/XorWowRandom.kt","src/kotlin/ranges/Ranges.kt","src/kotlin/reflect/KClasses.kt","src/kotlin/reflect/KTypeProjection.kt","src/kotlin/reflect/KVariance.kt","src/kotlin/reflect/typeOf.kt","src/kotlin/text/Appendable.kt","src/kotlin/text/Indent.kt","src/kotlin/text/Typography.kt","src/kotlin/text/regex/MatchResult.kt","src/kotlin/time/DurationUnit.kt","src/kotlin/time/ExperimentalTime.kt","src/kotlin/time/TimeSource.kt","src/kotlin/time/TimeSources.kt","src/kotlin/time/measureTime.kt","src/kotlin/util/DeepRecursive.kt","src/kotlin/util/FloorDivMod.kt","src/kotlin/util/HashCode.kt","src/kotlin/util/KotlinVersion.kt","src/kotlin/util/Lateinit.kt","src/kotlin/util/Lazy.kt","src/kotlin/util/Numbers.kt","src/kotlin/util/Suspend.kt","src/kotlin/util/Tuples.kt","unsigned/src/kotlin/UIntRange.kt","unsigned/src/kotlin/UIterators.kt","unsigned/src/kotlin/ULongRange.kt","unsigned/src/kotlin/UMath.kt","unsigned/src/kotlin/UNumbers.kt","unsigned/src/kotlin/UProgressionUtil.kt","unsigned/src/kotlin/UStrings.kt","unsigned/src/kotlin/annotations/Unsigned.kt","common/src/kot

```

in/MathH.kt"],"sourcesContent":["(function
  (root, factory) {\n  if (typeof define === 'function' && define.amd) {\n    define('kotlin', ['exports'], factory);\n  }\n  else if (typeof exports === 'object') {\n    factory(module.exports);\n  }\n  else {\n    root.kotlin = {};\n    factory(root.kotlin);\n  }\n}(this, function (Kotlin) {\n  var _ = Kotlin;\n\n  insertContent();\n});\n\n", /*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\nKotlin.isArray = function (a) {\n  return (Array.isArray(a) || a instanceof Int8Array) && a.$type$
=== \"BooleanArray\"\n};\n\nKotlin.isByteArray = function (a) {\n  return a instanceof Int8Array && a.$type$
!== \"BooleanArray\"\n};\n\nKotlin.isShortArray = function (a) {\n  return a instanceof
Int16Array\n};\n\nKotlin.isCharArray = function (a) {\n  return a instanceof Uint16Array
&& a.$type$ === \"CharArray\"\n};\n\nKotlin.isIntArray = function (a) {\n  return a instanceof
Int32Array\n};\n\nKotlin.isFloatArray = function (a) {\n  return a instanceof
Float32Array\n};\n\nKotlin.isDoubleArray = function (a) {\n  return a instanceof
Float64Array\n};\n\nKotlin.isLongArray = function (a) {\n  return Array.isArray(a) && a.$type$ ===
\"LongArray\"\n};\n\nKotlin.isArray = function (a) {\n  return Array.isArray(a) &&
!a.$type$;\n};\n\nKotlin.isArrayish = function (a) {\n  return Array.isArray(a) ||
ArrayBuffer.isView(a)\n};\n\nKotlin.arrayToString = function (a) {\n  if (a === null) return \"null\"\n  var
toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n  return "[" +
Array.prototype.map.call(a, function(e) { return toString(e); }).join(", ") + "]";\n};\n\nKotlin.arrayDeepToString
= function (arr) {\n  return Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals =
function (a, b) {\n
  if (a === b) {\n    return true;\n  }\n  if (a === null || b === null || !Kotlin.isArrayish(b) || a.length !==
b.length) {\n    return false;\n  }\n  for (var i = 0, n = a.length; i < n; i++) {\n    if (!Kotlin.equals(a[i], b[i]))
{\n      return false;\n    }\n  }\n  return true;\n};\n\nKotlin.arrayDeepEquals = function (a, b) {\n  return
Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\n};\n\nKotlin.arrayHashCode = function (arr) {\n  if (arr
=== null) return 0\n  var result = 1;\n  for (var i = 0, n = arr.length; i < n; i++) {\n    result = ((31 * result | 0) +
Kotlin.hashCode(arr[i])) | 0;\n  }\n  return result;\n};\n\nKotlin.arrayDeepHashCode = function (arr) {\n  return
Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\n};\n\nKotlin.primitiveArraySort = function (array) {\n
array.sort(Kotlin.doubleCompareTo)\n};\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors. \n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\nKotlin.getCallableRef = function(name, f) {\n  f.callableName = name;\n  return
f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n  getter.get = getter;\n
getter.set = setter;\n  getter.callableName = name;\n  return getPropertyRefClass(getter, setter,
propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n
obj.$metadata$ = getPropertyRefMetadata(typeof setter === \"function\" ? cache.mutable : cache.immutable);\n
obj.constructor = obj;\n  return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n  {\n    mutable: { value:
null, implementedInterface: function () {\n      return Kotlin.kotlin.reflect.KMutableProperty0 }\n    },\n
immutable: { value: null, implementedInterface: function () {\n      return Kotlin.kotlin.reflect.KProperty0
}\n    }\n  },\n  {\n    mutable: { value: null, implementedInterface: function () {\n      return
Kotlin.kotlin.reflect.KMutableProperty1 }\n    },\n    immutable: { value: null, implementedInterface: function
() {\n      return Kotlin.kotlin.reflect.KProperty1 }\n    }\n  }\n];\n\nfunction getPropertyRefMetadata(cache)
{\n  if (cache.value === null) {\n    cache.value = {\n      interfaces: [cache.implementedInterface()],\n
baseClass: null,\n      functions: {},\n      properties: {},\n      types: {},\n      staticMembers: {}\n
};\n  }\n  return cache.value;\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.toShort = function (a) {\n  return (a & 0xFFFF) << 16 >>
16;\n};\n\nKotlin.toByte = function (a) {\n

```

```

return (a & 0xFF) << 24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n  return a &
0xFFFF;\n};\n\nKotlin.numberToLong = function (a) {\n  return a instanceof Kotlin.Long ? a :
Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a) {\n  return a instanceof Kotlin.Long ?
a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function (a) {\n  return
Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n  return
Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n  return
+a;\n};\n\nKotlin.numberToChar = function (a) {\n  return
Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n  if (a > 2147483647) return
2147483647;\n  if (a < -2147483648) return -2147483648;\n  return a | 0;\n};\n\nKotlin.toBoxedChar = function
(a) {\n  if (a == null) return a;\n  if (a instanceof Kotlin.BoxedChar) return a;\n  return new
Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar
= function(a) {\n  if (a == null) return a;\n  return Kotlin.toChar(a);\n};\n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1, obj2) {\n  if (obj1
== null) {\n    return obj2 == null;\n  }\n  if (obj2 == null) {\n    return false;\n  }\n  if (obj1 !== obj1)
{\n    return obj2 !== obj2;\n  }\n  if (typeof obj1 === "object" && typeof obj1.equals === "function") {\n
  return obj1.equals(obj2);\n  }\n  if (typeof obj1 === "number" && typeof obj2 === "number") {\n
  return obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2)\n  }\n  return obj1 ===
obj2;\n};\n\nKotlin.hashCode = function (obj) {\n  if (obj == null) {\n    return 0;\n  }\n  var objType = typeof
obj;\n  if ("object" === objType) {\n
  return "function" === typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj);\n  }\n  if
("function" === objType) {\n    return getObjectHashCode(obj);\n  }\n  if ("number" === objType) {\n
  return Kotlin.numberHashCode(obj);\n  }\n  if ("boolean" === objType) {\n    return Number(obj)\n  }\n  var
str = String(obj);\n  return getStringHashCode(str);\n};\n\nKotlin.toString = function (o) {\n  if (o == null)
{\n    return "null";\n  }\n  else if (Kotlin.isArrayish(o)) {\n    return "[...]";\n  }\n  else {\n    return
o.toString();\n  }\n};\n\n/** @const */\nvar POW_2_32 = 4294967296;\n// TODO: consider switching to Symbol
type once we are on ES6.\n/** @const */\nvar OBJECT_HASH_CODE_PROPERTY_NAME =
"KotlinHashCodeValue$";\n\nfunction getObjectHashCode(obj) {\n  if
(!(OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n    var hash = (Math.random() * POW_2_32) | 0;\n    //
Make 32-bit signed integer.\n    Object.defineProperty(obj,
OBJECT_HASH_CODE_PROPERTY_NAME, { value: hash, enumerable: false });\n  }\n  return
obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction getStringHashCode(str) {\n  var hash = 0;\n
for (var i = 0; i < str.length; i++) {\n    var code = str.charCodeAt(i);\n    hash = (hash * 31 + code) | 0;\n    // Keep
it 32-bit.\n  }\n  return hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n\n"/*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Copyright 2009 The Closure
Library Authors. All Rights Reserved.\n// Licensed under the Apache License, Version 2.0 (the "License");\n//
you may not use this file except in compliance with the License.\n// You may obtain a copy of the License at\n//
http://www.apache.org/licenses/LICENSE-2.0\n// Unless required by applicable law
or agreed to in writing, software\n// distributed under the License is distributed on an "AS-IS" BASIS,\n//
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n\n/**\n * Constructs a
64-bit two's-complement integer, given its low and high 32-bit\n * values as *signed* integers. See the from*
functions below for more\n * convenient ways of constructing Longs.\n * The internal representation of a long is
the two given signed, 32-bit values.\n * We use 32-bit pieces because these are the size of integers on which\n *
Javascript performs bit-operations. For operations like addition and\n * multiplication, we split each number into
16-bit pieces, which can easily be\n * multiplied within Javascript's floating-point representation without overflow\n *
or change in sign.\n * In the algorithms below, we frequently reduce the negative case to the\n * positive case
by negating the input(s) and then post-processing the result.\n * Note that we must ALWAYS check

```

```

specially whether those values are MIN_VALUE * (-2^63) because -MIN_VALUE == MIN_VALUE (since
2^63 cannot be represented as a positive number, it overflows back into a negative). Not handling this
case would often result in infinite recursion.
@param {number} low The low (signed) 32 bits of the long.
@param {number} high The high (signed) 32 bits of the long.
* @constructor
* @final
* ^\nKotlin.Long =
function(low, high) {
  /**
   * @type {number}
   * @private
   */
  this.low_ = low | 0; // force into 32
  signed bits.
  /**
   * @type {number}
   * @private
   */
  this.high_ = high | 0; // force into 32 signed
  bits.
};
\n\nKotlin.Long.$metadata$ = {
  kind: "class",
  simpleName: "Long",
  interfaces: []
};
\n\n//
NOTE: Common constant values ZERO, ONE, NEG_ONE, etc. are defined below the
// from* methods on which
they depend.
\n\n/**
 * A cache of the Long representations of small integer values.
 * @type {!Object}
 * @private
 */
* ^\nKotlin.Long.IntCache_ = {};
\n\n/**
 * Returns a Long representing the given (32-bit) integer value.
 * @param {number} value The 32-bit integer in question.
 * @return {!Kotlin.Long} The corresponding Long
value.
* ^\nKotlin.Long.fromInt = function(value) {
  if (-128 <= value && value < 128) {
    var cachedObj =
Kotlin.Long.IntCache_[value];
    if (cachedObj) {
      return cachedObj;
    }
  }
  var obj = new
Kotlin.Long(value | 0, value < 0 ? -1 : 0);
  if (-128 <= value && value < 128) {
    Kotlin.Long.IntCache_[value]
= obj;
  }
  return obj;
};
\n\n/**
 * Converts this number value to `Long`.
 * The fractional part, if any, is
rounded down towards zero.
 * Returns zero if this `Double` value is `NaN`, `Long.MIN_VALUE` if it's less than
`Long.MIN_VALUE`,
 * `Long.MAX_VALUE` if it's bigger than `Long.MAX_VALUE`.
 * @param {number}
value The number in question.
 * @return {!Kotlin.Long} The corresponding Long value.
* ^\nKotlin.Long.fromNumber
= function(value) {
  if (isNaN(value)) {
    return Kotlin.Long.ZERO;
  } else if (value <= -
Kotlin.Long.TWO_PWR_63_DBL_) {
    return Kotlin.Long.MIN_VALUE;
  } else if (value + 1 >=
Kotlin.Long.TWO_PWR_63_DBL_) {
    return Kotlin.Long.MAX_VALUE;
  } else if (value < 0) {
    return
Kotlin.Long.fromNumber(-value).negate();
  } else {
    return new Kotlin.Long(
      (value %
Kotlin.Long.TWO_PWR_32_DBL_) | 0,
      (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);
  }
};
\n\n/**
 * Returns a Long representing the 64-bit integer that comes by concatenating
 * the given high and
low bits. Each is assumed to use 32 bits.
 * @param {number} lowBits The low 32-bits.
 * @param {number}
highBits The high 32-bits.
 * @return {!Kotlin.Long} The corresponding Long value.
* ^\nKotlin.Long.fromBits
= function(lowBits, highBits) {
  return new Kotlin.Long(lowBits, highBits);
};
\n\n/**
 * Returns a Long
representation of the given string, written using the given
 *
radix.
 * @param {string} str The textual representation of the Long.
 * @param {number=} opt_radix The radix
in which the text is written.
 * @return {!Kotlin.Long} The corresponding Long value.
* ^\nKotlin.Long.fromString = function(str, opt_radix) {
  if (str.length == 0) {
    throw Error('number format
error: empty string');
  }
  var radix = opt_radix || 10;
  if (radix < 2 || 36 < radix) {
    throw Error('radix out of
range: ' + radix);
  }
  if (str.charAt(0) == '-') {
    return Kotlin.Long.fromString(str.substring(1),
radix).negate();
  } else if (str.indexOf('-') >= 0) {
    throw Error('number format error: interior "-" character: ' +
str);
  }
  // Do several (8) digits each time through the loop, so as to
  // minimize the calls to the very
expensive emulated div.
  var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 8));
  var result =
Kotlin.Long.ZERO;
  for (var i = 0; i < str.length; i += 8) {
    var size = Math.min(8, str.length
- i);
    var value = parseInt(str.substring(i, i + size), radix);
    if (size < 8) {
      var power =
Kotlin.Long.fromNumber(Math.pow(radix, size));
      result =
result.multiply(power).add(Kotlin.Long.fromNumber(value));
    } else {
      result =
result.multiply(radixToPower);
      result = result.add(Kotlin.Long.fromNumber(value));
    }
  }
  return
result;
};
\n\n// NOTE: the compiler should inline these constant values below and then remove
// these
variables, so there should be no runtime penalty for these.
\n\n/**
 * Number used repeated below in calculations.
This must appear before the
 * first call to any from* function below.
 * @type {number}
 * @private
* ^\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;
\n\n/**
 * @type {number}
 * @private
* ^\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;
\n\n/**
 * @type {number}
 * @private

```

```

*^ Kotlin.Long.TWO_PWR_32_DBL_ = Kotlin.Long.TWO_PWR_16_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n
 * @private\n *^ Kotlin.Long.TWO_PWR_31_DBL_ = Kotlin.Long.TWO_PWR_32_DBL_ / 2;\n\n\n/**\n *
 * @type {number}\n * @private\n *^ Kotlin.Long.TWO_PWR_48_DBL_ = Kotlin.Long.TWO_PWR_32_DBL_
 * Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*^ Kotlin.Long.TWO_PWR_64_DBL_ = Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_32_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*^ Kotlin.Long.TWO_PWR_63_DBL_ = Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n\n/** @type
{!Kotlin.Long} *^ Kotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n\n/** @type {!Kotlin.Long}
*^ Kotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n\n/** @type {!Kotlin.Long} *^ Kotlin.Long.NEG_ONE =
Kotlin.Long.fromInt(-1);\n\n\n/** @type {!Kotlin.Long} *^ Kotlin.Long.MAX_VALUE =
Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n\n/** @type {!Kotlin.Long}
*^ Kotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n\n/**\n * @type {!Kotlin.Long}\n *
 * @private\n *^ Kotlin.Long.TWO_PWR_24_
 = Kotlin.Long.fromInt(1 << 24);\n\n\n/** @return {number} The value, assuming it is a 32-bit integer.
*^ Kotlin.Long.prototype.toInt = function() {\n return this.low_;\n};\n\n\n/** @return {number} The closest
floating-point representation to this value. *^ Kotlin.Long.prototype.toNumber = function() {\n return this.high_ *
Kotlin.Long.TWO_PWR_32_DBL_ +\n this.getLowBitsUnsigned();\n};\n\n\n/** @return {number} The 32-bit
hashCode of this value. *^ Kotlin.Long.prototype.hashCode = function() {\n return this.high_ ^
this.low_;\n};\n\n\n/**\n * @param {number=} opt_radix The radix in which the text should be written.\n * @return
{string} The textual representation of this value.\n * @override\n *^ Kotlin.Long.prototype.toString =
function(opt_radix) {\n var radix = opt_radix || 10;\n if (radix < 2 || 36 < radix) {\n throw Error('radix out of
range: ' + radix);\n }\n if (this.isZero()) {\n return '0';\n }\n if (this.isNegative()) {\n if
(this.equalsLong(Kotlin.Long.MIN_VALUE))
{\n // We need to change the Long value before it can be negated, so we remove\n // the bottom-most digit in
this base and then recurse to do the rest.\n var radixLong = Kotlin.Long.fromNumber(radix);\n var div =
this.div(radixLong);\n var rem = div.multiply(radixLong).subtract(this);\n return div.toString(radix) +
rem.toInt().toString(radix);\n } else {\n return '-' + this.negate().toString(radix);\n }\n }\n // Do several (6)
digits each time through the loop, so as to\n // minimize the calls to the very expensive emulated div.\n var
radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 6));\n var rem = this;\n var result = '';\n while (true)
{\n var remDiv = rem.div(radixToPower);\n var intVal =
rem.subtract(remDiv.multiply(radixToPower)).toInt();\n var digits = intVal.toString(radix);\n rem = remDiv;\n
if (rem.isZero()) {\n return digits + result;\n } else {\n while (digits.length
< 6) {\n digits = '0' + digits;\n } result = " + digits + result;\n }\n }\n};\n\n\n/** @return {number}
The high 32-bits as a signed value. *^ Kotlin.Long.prototype.getHighBits = function() {\n return
this.high_;\n};\n\n\n/** @return {number} The low 32-bits as a signed value.
*^ Kotlin.Long.prototype.getLowBits = function() {\n return this.low_;\n};\n\n\n/** @return {number} The low
32-bits as an unsigned value. *^ Kotlin.Long.prototype.getLowBitsUnsigned = function() {\n return (this.low_ >=
0) ?\n this.low_ : Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n\n/**\n * @return {number} Returns
the number of bits needed to represent the absolute\n * value of this Long.\n
*^ Kotlin.Long.prototype.getNumBitsAbs = function() {\n if (this.isNegative()) {\n if
(this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return 64;\n } else {\n return
this.negate().getNumBitsAbs();\n }\n } else {\n var val = this.high_ != 0 ? this.high_
: this.low_;\n for (var bit = 31; bit > 0; bit--) {\n if ((val & (1 << bit)) != 0) {\n break;\n }\n }\n
return this.high_ != 0 ? bit + 33 : bit + 1;\n }\n};\n\n\n/** @return {boolean} Whether this value is zero.
*^ Kotlin.Long.prototype.isZero = function() {\n return this.high_ == 0 && this.low_ == 0;\n};\n\n\n/** @return
{boolean} Whether this value is negative. *^ Kotlin.Long.prototype.isNegative = function() {\n return this.high_ <
0;\n};\n\n\n/** @return {boolean} Whether this value is odd. *^ Kotlin.Long.prototype.isOdd = function() {\n

```

```

return (this.low_ & 1) == 1;\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return
{boolean} Whether this Long equals the other.\n */\nKotlin.Long.prototype.equalsLong = function(other) {\n return
(this.high_ == other.high_) && (this.low_ == other.low_);\n};\n\n/**\n * @param {Kotlin.Long} other Long to
compare against.\n * @return {boolean} Whether this Long does not equal the other.\n
*/\nKotlin.Long.prototype.notEqualsLong = function(other) {\n return (this.high_ != other.high_) || (this.low_ !=
other.low_);\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean}
Whether this Long is less than the other.\n */\nKotlin.Long.prototype.lessThan = function(other) {\n return
this.compare(other) < 0;\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return
{boolean} Whether this Long is less than or equal to the other.\n */\nKotlin.Long.prototype.lessThanOrEqual =
function(other) {\n return this.compare(other) <= 0;\n};\n\n/**\n * @param {Kotlin.Long} other Long to
compare against.\n * @return {boolean} Whether this Long is greater than the other.\n
*/\nKotlin.Long.prototype.greaterThan = function(other) {\n return this.compare(other) > 0;\n};\n\n/**\n *
@param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than or
equal to the other.\n */\nKotlin.Long.prototype.greaterThanOrEqual
= function(other) {\n return this.compare(other) >= 0;\n};\n\n/**\n * Compares this Long with the given one.\n *
@param {Kotlin.Long} other Long to compare against.\n * @return {number} 0 if they are the same, 1 if the this is
greater, and -1\n * if the given one is greater.\n */\nKotlin.Long.prototype.compare = function(other) {\n if
(this.equalsLong(other)) {\n return 0;\n }\n\n var thisNeg = this.isNegative();\n var otherNeg =
other.isNegative();\n if (thisNeg && !otherNeg) {\n return -1;\n }\n if (!thisNeg && otherNeg) {\n return 1;\n
}\n\n // at this point, the signs are the same, so subtraction will not overflow\n if (this.subtract(other).isNegative())
{\n return -1;\n } else {\n return 1;\n }\n};\n\n/**\n * @return {!Kotlin.Long} The negation of this value.
*/\nKotlin.Long.prototype.negate = function() {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return
Kotlin.Long.MIN_VALUE;\n } else {\n return this.not().add(Kotlin.Long.ONE);\n
}\n};\n\n/**\n * Returns the sum of this and the given Long.\n * @param {Kotlin.Long} other Long to add to
this one.\n * @return {!Kotlin.Long} The sum of this and the given Long.\n */\nKotlin.Long.prototype.add =
function(other) {\n // Divide each number into 4 chunks of 16 bits, and then sum the chunks.\n\n var a48 =
this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_ >>> 16;\n var a00 = this.low_ &
0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ & 0xFFFF;\n var b16 = other.low_ >>> 16;\n
var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n c00 += a00 + b00;\n c16 += c00
>>> 16;\n c00 &= 0xFFFF;\n c16 += a16 + b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 + b32;\n
c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 + b48;\n c48 &= 0xFFFF;\n return
Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n/**\n * Returns the difference of this and the
given Long.\n * @param {Kotlin.Long} other Long to subtract from this.\n * @return {!Kotlin.Long} The
difference of this and the given Long.\n */\nKotlin.Long.prototype.subtract = function(other) {\n return
this.add(other.negate());\n};\n\n/**\n * Returns the product of this and the given long.\n * @param {Kotlin.Long}
other Long to multiply with this.\n * @return {!Kotlin.Long} The product of this and the other.\n
*/\nKotlin.Long.prototype.multiply = function(other) {\n if (this.isZero()) {\n return Kotlin.Long.ZERO;\n } else
if (other.isZero()) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n
return other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return this.isOdd() ? Kotlin.Long.MIN_VALUE :
Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n if (other.isNegative()) {\n return
this.negate().multiply(other.negate());\n } else {\n return this.negate().multiply(other).negate();\n
}\n } else if (other.isNegative()) {\n return this.multiply(other.negate()).negate();\n }\n\n // If both longs are
small, use float multiplication\n if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\n
other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n return Kotlin.Long.fromNumber(this.toNumber() *
other.toNumber());\n }\n\n // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n // We can
skip products that would overflow.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 =
this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ &

```

```

0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00
= 0;\n c00 += a00 * b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 * b00;\n c32 += c16 >>> 16;\n
c16 &= 0xFFFF;\n c16 += a00 * b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 +=
a32 * b00;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a16 * b16;\n c48 += c32 >>> 16;\n c32 &=
0xFFFF;\n c32 += a00 * b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 * b00 + a32 * b16 + a16 *
b32 + a00 * b48;\n c48 &= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) |
c32);\n};\n\n/**\n * Returns this Long divided by the given one.\n * @param {Kotlin.Long} other Long by which
to divide.\n * @return {!Kotlin.Long} This Long divided by the given one.\n */\nKotlin.Long.prototype.div =
function(other) {\n if (other.isZero()) {\n throw Error('division by zero');\n } else if (this.isZero()) {\n return
Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n if
(other.equalsLong(Kotlin.Long.ONE)) ||\n other.equalsLong(Kotlin.Long.NEG_ONE)) {\n return
Kotlin.Long.MIN_VALUE; // recall that -MIN_VALUE == MIN_VALUE\n } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.ONE;\n
} else {\n // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n var halfThis =
this.shiftRight(1);\n var approx = halfThis.div(other).shiftLeft(1);\n if
(approx.equalsLong(Kotlin.Long.ZERO)) {\n return other.isNegative() ? Kotlin.Long.ONE :
Kotlin.Long.NEG_ONE;\n } else {\n var rem = this.subtract(other.multiply(approx));\n var result =
approx.add(rem.div(other));\n return result;\n }\n }\n } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n
if (other.isNegative()) {\n return this.negate().div(other.negate());\n } else {\n return
this.negate().div(other.negate());\n }\n } else if (other.isNegative()) {\n return
this.div(other.negate()).negate();\n }\n\n // Repeat the following until the remainder is less than other: find a\n //
floating-point that approximates remainder / other *from below*, add this\n // into
the result, and subtract it from the remainder. It is critical that\n // the approximate value is less than or equal to the
real value so that the\n // remainder never becomes negative.\n var res = Kotlin.Long.ZERO;\n var rem = this;\n
while (rem.greaterThanOrEqual(other)) {\n // Approximate the result of division. This may be a little greater or\n
// smaller than the actual value.\n var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n\n
// We will tweak the approximate result by changing it in the 48-th digit or\n // the smallest non-fractional digit,
whichever is larger.\n var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n var delta = (log2 <= 48) ? 1 :
Math.pow(2, log2 - 48);\n\n // Decrease the approximation until it is smaller than the remainder. Note\n // that if
it is too large, the product overflows and is negative.\n var approxRes = Kotlin.Long.fromNumber(approx);\n
var approxRem = approxRes.multiply(other);\n\n while (approxRem.isNegative() || approxRem.greaterThan(rem)) {\n
approx -= delta;\n approxRes =
Kotlin.Long.fromNumber(approx);\n approxRem = approxRes.multiply(other);\n }\n\n // We know the
answer can't be zero... and actually, zero would cause\n // infinite recursion since we would make no progress.\n
if (approxRes.isZero()) {\n approxRes = Kotlin.Long.ONE;\n }\n\n res = res.add(approxRes);\n rem =
rem.subtract(approxRem);\n }\n return res;\n};\n\n/**\n * Returns this Long modulo the given one.\n * @param
{Kotlin.Long} other Long by which to mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n
*/\nKotlin.Long.prototype.modulo = function(other) {\n return
this.subtract(this.div(other).multiply(other));\n};\n\n/**\n * @return {!Kotlin.Long} The bitwise-NOT of this value.
*/\nKotlin.Long.prototype.not = function() {\n return Kotlin.Long.fromBits(~this.low_, ~this.high_);\n};\n\n/**\n
* Returns the bitwise-AND of this Long and
the given one.\n * @param {Kotlin.Long} other The Long with which to AND.\n * @return {!Kotlin.Long} The
bitwise-AND of this and the other.\n */\nKotlin.Long.prototype.and = function(other) {\n return
Kotlin.Long.fromBits(this.low_ & other.low_,\n this.high_ & other.high_);\n};\n\n/**\n
* Returns the bitwise-OR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to
OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and the other.\n */\nKotlin.Long.prototype.or =
function(other) {\n return Kotlin.Long.fromBits(this.low_ | other.low_,\n this.high_ |

```

```

other.high_);};\n\n/**\n * Returns the bitwise-XOR of this Long and the given one.\n * @param {Kotlin.Long}
other The Long with which to XOR.\n * @return {!Kotlin.Long} The bitwise-XOR of this and the other.\n
*/\nKotlin.Long.prototype.xor = function(other) {\n return Kotlin.Long.fromBits(this.low_ ^ other.low_,\n
this.high_ ^ other.high_);};\n\n/**\n * Returns this Long with bits shifted to the left by the given
amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This
shifted to the left by the given amount.\n */\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n numBits &=
63;\n if (numBits == 0) {\n return this;\n } else {\n var low = this.low_;\n if (numBits < 32) {\n var high =
this.high_;\n return Kotlin.Long.fromBits(\n low << numBits,\n (high << numBits) | (low >>> (32 -
numBits));\n } else {\n return Kotlin.Long.fromBits(0, low << (numBits - 32));\n }\n };\n};\n\n/**\n *
Returns this Long with bits shifted to the right by the given amount.\n * @param {number} numBits The number of
bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount.\n
*/\nKotlin.Long.prototype.shiftRight = function(numBits) {\n numBits &= 63;\n if (numBits
== 0) {\n return this;\n } else {\n var high = this.high_;\n if (numBits < 32) {\n var low = this.low_;\n
return Kotlin.Long.fromBits(\n (low >>> numBits) | (high << (32 - numBits)),\n high >> numBits);\n }
else {\n return Kotlin.Long.fromBits(\n high >> (numBits - 32),\n high >= 0 ? 0 : -1);\n }\n
}\n};\n\n/**\n * Returns this Long with bits shifted to the right by the given amount, with\n * zeros placed into the
new leading bits.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long}
This shifted to the right by the given amount, with\n * zeros placed into the new leading bits.\n
*/\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n
return this;\n } else {\n var high = this.high_;\n if (numBits < 32) {\n var low = this.low_;\n return
Kotlin.Long.fromBits(\n (low >>> numBits) | (high <<
(32 - numBits)),\n high >>> numBits);\n } else if (numBits == 32) {\n return Kotlin.Long.fromBits(high,
0);\n } else {\n return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n }\n };\n};\n\n// Support for
Kotlin\nKotlin.Long.prototype.equals = function (other) {\n return other instanceof Kotlin.Long &&
this.equalsLong(other);};\n\nKotlin.Long.prototype.compareTo_11rb$ =
Kotlin.Long.prototype.compare;\n\nKotlin.Long.prototype.inc = function() {\n return
this.add(Kotlin.Long.ONE);};\n\nKotlin.Long.prototype.dec = function() {\n return
this.add(Kotlin.Long.NEG_ONE);};\n\nKotlin.Long.prototype.valueOf = function() {\n return
this.toNumber();};\n\nKotlin.Long.prototype.unaryPlus = function() {\n return
this;};\n\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\n\nKotlin.Long.prototype.inv =
Kotlin.Long.prototype.not;\n\nKotlin.Long.prototype.rangeTo = function (other) {\n return new
Kotlin.kotlin.ranges.LongRange(this,
other);};\n};\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n/**\n * @param {string} id\n * @param {Object} declaration\n */\nKotlin.defineModule = function (id,
declaration) {\n};\n\nKotlin.defineInlineFunction = function (tag, fun) {\n return fun;\n};\n\nKotlin.wrapFunction
= function (fun) {\n var f = function () {\n f = fun();\n return f.apply(this, arguments);\n };;\n return
function () {\n return f.apply(this, arguments);\n };};\n\nKotlin.isTypeOf = function (type) {\n return
function (object) {\n return typeof object === type;\n };\n};\n\nKotlin.isInstanceOf = function (klass) {\n
return function (object) {\n return Kotlin.isType(object, klass);\n };\n};\n\nKotlin.orNull = function (fn) {\n
return function (object) {\n return object == null || fn(object);\n
}\n};\n\nKotlin.andPredicate = function (a, b) {\n return function (object) {\n return a(object) &&
b(object);\n };\n};\n\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data)
{\n};\n\nKotlin.suspendCall = function (value) {\n return value;\n};\n\nKotlin.coroutineResult = function (qualifier)
{\n throwMarkerError();};\n\nKotlin.coroutineController = function (qualifier) {\n
throwMarkerError();};\n\nKotlin.coroutineReceiver = function (qualifier) {\n
throwMarkerError();};\n\nKotlin.setCoroutineResult = function (value, qualifier) {\n

```

```

throwMarkerError();\n};\n\nKotlin.getReifiedTypeParameterKType = function(typeParameter) {\n
throwMarkerError();\n};\n\nfunction throwMarkerError() {\n  throw new Error(\n    \"This marker function\n    should never be called. \" +\n    \"Looks like compiler did not eliminate it properly. \" +\n    \"Please, report\n    an issue if you caught this exception.\");\n}\n\nKotlin.getFunctionById\n= function(id, defaultValue) {\n  return function() {\n    return defaultValue;\n  };\n};\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.compareTo = function (a, b)\n{\n  var typeA = typeof a;\n  if (typeA === \"number\") {\n    if (typeof b === \"number\") {\n      return\n      Kotlin.doubleCompareTo(a, b);\n    }\n    return Kotlin.primitiveCompareTo(a, b);\n  }\n  if (typeA ===\n  \"string\" || typeA === \"boolean\") {\n    return Kotlin.primitiveCompareTo(a, b);\n  }\n  return\n  a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo = function (a, b) {\n  return a < b ? -1 : a > b ? 1 :\n  0;\n};\n\nKotlin.doubleCompareTo = function (a, b) {\n  if (a < b) return -1;\n  if (a > b) return 1;\n\n  if (a ===\n  b) {\n    if (a !== 0) return 0;\n\n    var ia = 1 / a;\n\n    return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n  }\n\n  return a !== a ? (b !== b ? 0 : 1) : -1;\n};\n\nKotlin.charInc =\nfunction (value) {\n  return Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function (value) {\n  return\n  Kotlin.toChar(value-1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a,\n b) {\n  return ((a & 0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n(function() {\n  var buf = new\n  ArrayBuffer(8);\n  var bufFloat64 = new Float64Array(buf);\n  var bufFloat32 = new Float32Array(buf);\n  var\n  bufInt32 = new Int32Array(buf);\n  var lowIndex = 0;\n  var highIndex = 1;\n\n  bufFloat64[0] = -1; //\n  bff00000_00000000\n  if (bufInt32[lowIndex] !== 0) {\n    lowIndex = 1;\n    highIndex = 0;\n  }\n\n  Kotlin.doubleToBits = function(value) {\n    return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n  };\n\n  Kotlin.doubleToRawBits = function(value) {\n    bufFloat64[0]\n    = value;\n    return Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n  };\n\n  Kotlin.doubleFromBits = function(value) {\n    bufInt32[lowIndex] = value.low_;\n    bufInt32[highIndex] =\n    value.high_;\n    return bufFloat64[0];\n  };\n\n  Kotlin.floatToBits = function(value) {\n    return\n    Kotlin.floatToRawBits(isNaN(value) ? NaN : value);\n  };\n\n  Kotlin.floatToRawBits = function(value) {\n    bufFloat32[0] = value;\n    return bufInt32[0];\n  };\n\n  Kotlin.floatFromBits = function(value) {\n    bufInt32[0] = value;\n    return bufFloat32[0];\n  };\n\n  // returns zero value for number with positive sign bit\n  and non-zero value for number with negative sign bit.\n  Kotlin.doubleSignBit = function(value) {\n    bufFloat64[0] = value;\n    return bufInt32[highIndex] & 0x80000000;\n  };\n\n  Kotlin.numberHashCode =\n  function(obj) {\n    if ((obj | 0) === obj) {\n      return obj | 0;\n    }\n    else {\n      bufFloat64[0] = obj;\n      return (bufInt32[highIndex] * 31 | 0) + bufInt32[lowIndex] |\n      0;\n    }\n  }\n\n  Kotlin.ensureNotNull = function(x) {\n    return x != null ? x :\n    Kotlin.throwNPE();\n  };\n\n  /*\n   * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language\n   * contributors.\n   * Use of this source code is governed by the Apache 2.0 license that can be found in the\n   * license/LICENSE.txt file.\n   */\n\n  if (typeof String.prototype.startsWith === \"undefined\") {\n    Object.defineProperty(String.prototype, \"startsWith\", {\n      value: function (searchString, position) {\n        position = position || 0;\n        return this.lastIndexOf(searchString, position) === position;\n      }\n    });\n\n    if (typeof String.prototype.endsWith === \"undefined\") {\n      Object.defineProperty(String.prototype, \"endsWith\", {\n        value: function (searchString, position) {\n          var subjectString = this.toString();\n\n          if (position === undefined || position > subjectString.length) {\n            position = subjectString.length;\n          }\n\n          position -= searchString.length;\n          var lastIndex = subjectString.indexOf(searchString,\n          position);\n          return lastIndex !== -1 && lastIndex === position;\n        }\n      });\n\n      // ES6 Math polyfills\n      if (typeof Math.sign === \"undefined\") {\n        Math.sign = function(x) {\n          x = +x; // convert to a number\n          if\n          (x === 0 || isNaN(x)) {\n            return Number(x);\n          }\n          return x > 0 ? 1 : -1;\n        };\n      }\n\n      if (typeof\n      Math.trunc === \"undefined\") {\n        Math.trunc = function(x) {\n          if (isNaN(x)) {\n            return NaN;\n          }\n          if (x > 0) {\n            return Math.floor(x);\n          }\n          return Math.ceil(x);\n        };\n      }\n\n      (function() {\n        var epsilon = 2.220446049250313E-16;\n        var taylor_2_bound = Math.sqrt(epsilon);\n        var taylor_n_bound =

```

```

Math.sqrt(taylor_2_bound);\n
var upper_taylor_2_bound = 1/taylor_2_bound;\n var upper_taylor_n_bound = 1/taylor_n_bound;\n\n if
(typeof Math.sinh === \"undefined\") {\n Math.sinh = function(x) {\n if (Math.abs(x) < taylor_n_bound)
{\n var result = x;\n if (Math.abs(x) > taylor_2_bound) {\n result += (x * x * x) / 6;\n
}\n return result;\n } else {\n var y = Math.exp(x);\n var y1 = 1 / y;\n
if (!isFinite(y)) return Math.exp(x - Math.LN2);\n if (!isFinite(y1)) return -Math.exp(-x - Math.LN2);\n
return (y - y1) / 2;\n }\n };\n };\n };\n\n if (typeof Math.cosh === \"undefined\") {\n Math.cosh
= function(x) {\n var y = Math.exp(x);\n var y1 = 1 / y;\n if (!isFinite(y) || !isFinite(y1)) return
Math.exp(Math.abs(x) - Math.LN2);\n return (y + y1) / 2;\n
};\n };\n\n if (typeof Math.tanh === \"undefined\") {\n Math.tanh = function(x){\n if
(Math.abs(x) < taylor_n_bound) {\n var result = x;\n if (Math.abs(x) > taylor_2_bound) {\n
result -= (x * x * x) / 3;\n }\n return result;\n }\n else {\n var a =
Math.exp(+x), b = Math.exp(-x);\n return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n
}\n };\n };\n\n // Inverse hyperbolic function implementations derived from boost special math functions,\n
// Copyright Eric Ford & Hubert Holin 2001.\n\n if (typeof Math.asinh === \"undefined\") {\n var asinh =
function(x) {\n if (x >= +taylor_n_bound)\n {\n if (x > upper_taylor_n_bound)\n
{\n // approximation by laurent series in 1/x at 0+ order from -1 to 0\n
return Math.log(x) + Math.LN2;\n }\n else\n {\n // approximation by laurent series in 1/x at 0+ order
from -1 to 1\n return Math.log(x * 2 + (1 / (x * 2)));\n }\n }\n else\n {\n
return Math.log(x + Math.sqrt(x * x + 1));\n }\n }\n else if (x <= -
taylor_n_bound)\n {\n return -asinh(-x);\n }\n else\n {\n //
approximation by taylor series in x at 0 up to order 2\n var result = x;\n if (Math.abs(x) >=
taylor_2_bound)\n {\n var x3 = x * x * x;\n // approximation by taylor series in x at
0 up to order 4\n result
= x3 / 6;\n }\n return result;\n }\n };\n\n Math.asinh = asinh;\n };\n\n if (typeof
Math.acosh === \"undefined\") {\n Math.acosh = function(x) {\n if (x < 1)\n {\n return
NaN;\n }\n else if (x - 1 >= taylor_n_bound)\n {\n if (x > upper_taylor_2_bound)\n
{\n // approximation by laurent series in 1/x at 0+ order from -1 to 0\n
return
Math.log(x) + Math.LN2;\n }\n else\n {\n return Math.log(x + Math.sqrt(x *
x - 1));\n }\n }\n else\n {\n var y = Math.sqrt(x - 1);\n //
approximation by taylor series in y at 0 up to order 2\n var result = y;\n if (y >=
taylor_2_bound)\n {\n var y3 = y * y *
y;\n // approximation by taylor series in y at 0 up to order 4\n
result -= y3 / 12;\n }\n }\n return Math.sqrt(2) * result;\n }\n };\n };\n\n if (typeof Math.atanh === \"undefined\")
{\n Math.atanh = function(x) {\n if (Math.abs(x) < taylor_n_bound) {\n var result = x;\n
if (Math.abs(x) > taylor_2_bound) {\n result += (x * x * x) / 3;\n }\n return result;\n
}\n return Math.log((1 + x) / (1 - x)) / 2;\n };\n };\n };\n\n if (typeof Math.log1p === \"undefined\") {\n
Math.log1p = function(x) {\n if (Math.abs(x) < taylor_n_bound) {\n var x2 = x * x;\n
var x3 = x2 * x;\n var x4 = x3 * x;\n // approximation by taylor series in x at 0 up to order 4\n
return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\n }\n return Math.log(x + 1);\n };\n };\n };\n\n if (typeof Math.expm1 === \"undefined\") {\n
Math.expm1 = function(x) {\n if (Math.abs(x) < taylor_n_bound) {\n var x2 = x * x;\n var
x3 = x2 * x;\n var x4 = x3 * x;\n // approximation by taylor series in x at 0 up to order 4\n
return (x4 / 24 + x3 / 6 + x2 / 2 + x);\n }\n return Math.exp(x) - 1;\n };\n };\n };\n\n if (typeof
Math.hypot === \"undefined\") {\n Math.hypot = function() {\n var y = 0;\n var length =
arguments.length;\n for (var i = 0; i < length; i++) {\n if (arguments[i] === Infinity || arguments[i] ===
-Infinity) {\n return Infinity;\n }\n y += arguments[i] * arguments[i];\n }\n return

```



```

OBJECT: `object`;
Kotlin.callGetter = function (thisObject, klass, propertyName) {
    var
    propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);
    if (propertyDescriptor != null
    && propertyDescriptor.get != null) {
        return propertyDescriptor.get.call(thisObject);
    }
    propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);
    if (propertyDescriptor !=
    null && `value` in propertyDescriptor) {
        return thisObject[propertyName];
    }
    return
    Kotlin.callGetter(thisObject, Object.getPrototypeOf(klass), propertyName);
};
Kotlin.callSetter = function
(thisObject, klass,
    propertyName, value) {
    var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);
    if (propertyDescriptor != null && propertyDescriptor.set != null) {
        propertyDescriptor.set.call(thisObject,
        value);
        return;
    }
    propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject,
    propertyName);
    if (propertyDescriptor != null && `value` in propertyDescriptor) {
        thisObject[propertyName] = value;
        return;
    }
    Kotlin.callSetter(thisObject,
    Object.getPrototypeOf(klass), propertyName, value);
};
function isInheritanceFromInterface(ctor, iface) {
    (ctor === iface) return true;
    var metadata = ctor.$metadata;
    if (metadata != null) {
        var interfaces =
        metadata.interfaces;
        for (var i = 0; i < interfaces.length; i++) {
            if
            (isInheritanceFromInterface(interfaces[i], iface)) {
                return true;
            }
        }
        var
        superPrototype
        = ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;
        var superConstructor = superPrototype
        != null ? superPrototype.constructor : null;
        return superConstructor != null &&
        isInheritanceFromInterface(superConstructor, iface);
    }
}
/**
 * @param {*} object
 * @param
 {Function|Object} klass
 * @returns {Boolean}
 */
Kotlin.isType = function (object, klass) {
    if (klass ===
    Object) {
        switch (typeof object) {
            case `string`:
            case `number`:
            case
            `boolean`:
            case `function`:
                return true;
            default:
                return object instanceof
                Object;
        }
    }
    if (object == null || klass == null || (typeof object !== `object` &&
    typeof object !==
    `function`)) {
        return false;
    }
    if (typeof klass === `function` && object instanceof klass) {
        return true;
    }
    var proto = Object.getPrototypeOf(klass);
    var constructor = proto != null ? proto.constructor : null;
    if (constructor != null && ` $metadata` in
    constructor) {
        var metadata = constructor.$metadata;
        if (metadata.kind === Kotlin.Kind.OBJECT) {
            return object === klass;
        }
        var classMetadata = klass.$metadata;
        // In WebKit
        (JavaScriptCore) for some interfaces from DOM typeof returns `object`, nevertheless they can be used in RHS of
        instanceof
        if (classMetadata == null) {
            return object instanceof klass;
        }
        if (classMetadata.kind
        === Kotlin.Kind.INTERFACE && object.constructor != null) {
            return
            isInheritanceFromInterface(object.constructor, klass);
        }
        return false;
    }
}
Kotlin.isNumber = function (a)
{
    return typeof a === `number` || a instanceof Kotlin.Long;
};
Kotlin.isChar = function (value) {
    return
    value instanceof Kotlin.BoxedChar;
};
Kotlin.isComparable = function (value) {
    var type = typeof
    value;
    return type === `string` ||
    type === `boolean` ||
    Kotlin.isNumber(value) ||
    Kotlin.isType(value, Kotlin.kotlin.Comparable);
};
Kotlin.isCharSequence = function (value) {
    return
    typeof value === `string` || Kotlin.isType(value, Kotlin.kotlin.CharSequence);
};
/*
 * Copyright 2010-2020
    JetBrains s.r.o. and Kotlin Programming Language contributors.
    Use of this source code is governed by the
    Apache 2.0 license that can be found in the license/LICENSE.txt file.
    a package is omitted to get
    declarations directly under the module
    @PublishedApi
    nexternal internal fun <T> Array(size: Int):
    Array<T>
    @JsName(`newArray`)
    fun <T> newArray(size: Int, initialValue: T) = fillArrayVal(Array<T>(size),
    initialValue)
    @JsName(`newArrayF`)
    inline fun <T> arrayWithFun(size: Int, init: (Int) -> T) =
    fillArrayFun(Array<T>(size), init)
    @JsName(`fillArray`)
    inline fun <T> fillArrayFun(array: Array<T>, init:
    (Int)
    -> T): Array<T> {
        for (i in 0..array.size - 1) {
            array[i] = init(i)
        }
        return
        array
    }
    @JsName(`booleanArray`)
    fun booleanArray(size: Int, init: dynamic): Array<Boolean> {
        val
        result: dynamic = Array<Boolean>(size)
        result.$type$ = `BooleanArray`
        return when (init) {
            null,

```

```

true -> fillArrayVal(result, false)\n    false -> result\n    else -> fillArrayFun<Boolean>(result, init)\n
}\n}\n\n@JsName("booleanArrayF")\ninline fun booleanArrayWithFun(size: Int, init: (Int) -> Boolean):
Array<Boolean> = fillArrayFun(booleanArray(size, false),
init)\n\n@JsName("charArray")\n@Suppress("UNUSED_PARAMETER")\nfun charArray(size: Int, init:
dynamic): Array<Char> {\n    val result = js("new Uint16Array(size)")\n    result.`$type$` = "CharArray"\n
return when (init) {\n    null, true, false -> result // For consistency\n    else -> fillArrayFun<Char>(result,
init)\n    }\n}\n\n@JsName("charArrayF")\ninline fun charArrayWithFun(size:
Int, init: (Int) -> Char): Array<Char> {\n    val array = charArray(size, null)\n    for (i in 0..array.size - 1) {\n
@Suppress("UNUSED_VARIABLE") // used in js block\n    val value = init(i)\n    js("array[i] = value;")\n
}\n    return array\n}\n\n@JsName("untypedCharArrayF")\ninline fun untypedCharArrayWithFun(size: Int, init:
(Int) -> Char): Array<Char> {\n    val array = Array<Char>(size)\n    for (i in 0..array.size - 1) {\n
@Suppress("UNUSED_VARIABLE") // used in js block\n    val value = init(i)\n    js("array[i] = value;")\n
}\n    return array\n}\n\n@JsName("longArray")\nfun longArray(size: Int, init: dynamic): Array<Long> {\n    val
result: dynamic = Array<Long>(size)\n    result.`$type$` = "LongArray"\n    return when (init) {\n    null, true ->
fillArrayVal(result, 0L)\n    false -> result\n    else -> fillArrayFun<Long>(result, init)\n
}\n}\n\n@JsName("longArrayF")\ninline fun longArrayWithFun(size:
Int, init: (Int) -> Long): Array<Long> = fillArrayFun(longArray(size, false), init)\n\nprivate fun <T>
fillArrayVal(array: Array<T>, initialValue: T): Array<T> {\n    for (i in 0..array.size - 1) {\n    array[i] = initialValue\n
}\n    return array\n}", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>>
{\n    @JsName("name$") private var _name: String = ""\n    @JsName("ordinal$") private var _ordinal: Int =
0\n\n    val name: String\n    get() = _name\n\n    val ordinal: Int\n    get() = _ordinal\n\n    override fun
compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\n\n    override fun equals(other: Any?) = this ===
other\n\n    override fun hashCode(): Int = js("Kotlin.identityHashCode")(this)\n\n    override fun
toString() = name\n\n    companion object\n}", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js.internal\n\n@JsName("DoubleCompanionObject")\ninternal object DoubleCompanionObject {\n
@JsName("MIN_VALUE")\n    const val MIN_VALUE: Double = 4.9E-324\n\n
@JsName("MAX_VALUE")\n    const val MAX_VALUE: Double = 1.7976931348623157E308\n\n
@JsName("POSITIVE_INFINITY")\n    @Suppress("DIVISION_BY_ZERO")\n    const val
POSITIVE_INFINITY: Double = 1.0 / 0.0\n\n    @JsName("NEGATIVE_INFINITY")\n
@Suppress("DIVISION_BY_ZERO")\n    const val NEGATIVE_INFINITY: Double = -1.0 / 0.0\n\n
@JsName("NaN")\n    @Suppress("DIVISION_BY_ZERO")\n    const val NaN: Double = -(0.0 / 0.0)\n\n
@JsName("SIZE_BYTES")\n    const val SIZE_BYTES = 8\n\n    @JsName("SIZE_BITS")\n    const val
SIZE_BITS
= 64\n}\n\n@JsName("FloatCompanionObject")\ninternal object FloatCompanionObject {\n
@JsName("MIN_VALUE")\n    const val MIN_VALUE: Float = 1.4E-45F\n\n    @JsName("MAX_VALUE")\n
const val MAX_VALUE: Float = 3.4028235E38F\n\n    @JsName("POSITIVE_INFINITY")\n
@Suppress("DIVISION_BY_ZERO")\n    const val POSITIVE_INFINITY: Float = 1.0F / 0.0F\n\n
@JsName("NEGATIVE_INFINITY")\n    @Suppress("DIVISION_BY_ZERO")\n    const val
NEGATIVE_INFINITY: Float = -1.0F / 0.0F\n\n    @JsName("NaN")\n
@Suppress("DIVISION_BY_ZERO")\n    const val NaN: Float = -(0.0F / 0.0F)\n\n
@JsName("SIZE_BYTES")\n    const val SIZE_BYTES = 4\n\n    @JsName("SIZE_BITS")\n    const val
SIZE_BITS = 32\n}\n\n@JsName("IntCompanionObject")\ninternal object IntCompanionObject {\n
@JsName("MIN_VALUE")\n    val MIN_VALUE: Int = -2147483647 - 1\n\n    @JsName("MAX_VALUE")\n
val MAX_VALUE: Int = 2147483647\n\n    @JsName("SIZE_BYTES")\n    const val SIZE_BYTES = 4\n\n

```

```

@JsName("SIZE_BITS")\n  const val SIZE_BITS = 32\n}\n\n@JsName("LongCompanionObject")\ninternal
object LongCompanionObject {\n  @JsName("MIN_VALUE")\n  val MIN_VALUE: Long =
js("Kotlin.Long.MIN_VALUE")\n\n  @JsName("MAX_VALUE")\n  val MAX_VALUE: Long =
js("Kotlin.Long.MAX_VALUE")\n\n  @JsName("SIZE_BYTES")\n  const val SIZE_BYTES = 8\n}\n\n
@JsName("SIZE_BITS")\n  const val SIZE_BITS = 64\n}\n\n@JsName("ShortCompanionObject")\ninternal
object ShortCompanionObject {\n  @JsName("MIN_VALUE")\n  val MIN_VALUE: Short = -32768\n\n
@JsName("MAX_VALUE")\n  val MAX_VALUE: Short = 32767\n\n  @JsName("SIZE_BYTES")\n  const
val SIZE_BYTES = 2\n\n  @JsName("SIZE_BITS")\n  const val SIZE_BITS =
16\n}\n\n@JsName("ByteCompanionObject")\ninternal  object ByteCompanionObject {\n
@JsName("MIN_VALUE")\n  val MIN_VALUE: Byte = -128\n\n  @JsName("MAX_VALUE")\n  val
MAX_VALUE: Byte = 127\n\n  @JsName("SIZE_BYTES")\n  const
val SIZE_BYTES = 1\n\n  @JsName("SIZE_BITS")\n  const val SIZE_BITS =
8\n}\n\n@JsName("CharCompanionObject")\ninternal  object CharCompanionObject {\n
@JsName("MIN_VALUE")\n  public const val MIN_VALUE: Char = "\u0000"\n\n
@JsName("MAX_VALUE")\n  public const val MAX_VALUE: Char = "\uFFFF"\n\n
@JsName("MIN_HIGH_SURROGATE")\n  public const val MIN_HIGH_SURROGATE: Char = "\uD800"\n\n
@JsName("MAX_HIGH_SURROGATE")\n  public const val MAX_HIGH_SURROGATE: Char =
"\uDBFF"\n\n  @JsName("MIN_LOW_SURROGATE")\n  public const val MIN_LOW_SURROGATE: Char =
"\uDC00"\n\n  @JsName("MAX_LOW_SURROGATE")\n  public const val MAX_LOW_SURROGATE: Char =
"\uDFFF"\n\n  @JsName("MIN_SURROGATE")\n  public const val MIN_SURROGATE: Char =
MIN_HIGH_SURROGATE\n\n  @JsName("MAX_SURROGATE")\n  public const val MAX_SURROGATE:
Char = MAX_LOW_SURROGATE\n\n  @JsName("SIZE_BYTES")\n  const val SIZE_BYTES = 2\n\n
@JsName("SIZE_BITS")\n  const
val SIZE_BITS = 16\n}\n\ninternal  object StringCompanionObject {} \n\ninternal  object
BooleanCompanionObject {} \n\n",/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ArraysKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component1(): T
{\n  return get(0)\n}\n\n/**\n
* Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component1(): Byte {\n  return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component1(): Short {\n  return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component1(): Int {\n  return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size
of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is
unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n
return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1,
throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n  return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n  return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsExcep]
except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component1(): Boolean {\n  return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1():
Char {\n  return get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less
than 2, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n  return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior
is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component2(): Byte {\n  return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2,
throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n  return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int {\n  return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline
operator fun LongArray.component2(): Long {\n  return get(1)\n}\n\n/**\n * Returns 2nd *element* from the
array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n
* where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun
FloatArray.component2(): Float {\n  return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If
the size of this array is less than 2, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2():
Double {\n  return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is
less than 2, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component2(): Boolean {\n
return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2,
throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char {\n  return
get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n  return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component3(): Byte {\n  return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n
* \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where
the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3():
Short {\n  return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less
than 3, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n

```

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws
an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3(): Boolean {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n
* where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun
CharArray.component3(): Char {\n    return get(2)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If
the size of this array is less than 4, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out
T>.component4(): T {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of
this array is less than 4, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is
unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4,
throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic
inline operator fun ShortArray.component4(): Short {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from
the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsExcep] except in
Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun
IntArray.component4(): Int {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the
size of this array is less than 4, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior
is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4,
throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4():
Float {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less
than 4, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n    return
get(3)\n}\n\n/**\n * Returns 5th
*element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsExcep]
except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Array<out T>.component5(): T {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n
* If the size of this array is less than 5, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where

```

the behavior is unspecified.

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5():
Byte {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less
than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short {\n    return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array
is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is
unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n    return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long {\n    return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float {\n    return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsException] except
in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun
DoubleArray.component5(): Double {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n *
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5():
Boolean {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is
less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char {\n    return
get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n
*\npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n    return indexOf(element)
>=
0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n
*\npublic operator fun
ByteArray.contains(element: Byte): Boolean {\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n
*\npublic operator fun
ShortArray.contains(element: Short): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n
*\npublic operator fun
IntArray.contains(element: Int): Boolean {\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n
*\npublic operator fun
LongArray.contains(element: Long): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n
*\n@Deprecated("The
function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'any { it ==
element }' instead to continue using this behavior, or '.asList().contains(element: T)' to get the same search
behavior as in a list.", ReplaceWith("any { it == element }"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.6")\n@Suppress("DEPRECATION_ERROR")\npublic operator fun FloatArray.contains(element:
Float): Boolean {\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n
*\n@Deprecated("The function has unclear behavior when searching for NaN or zero values and will be removed
soon. Use 'any { it == element }' instead to continue using this behavior, or '.asList().contains(element: T)' to get
the same search behavior as in a list.", ReplaceWith("any { it == element
}"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.6")\n@Suppress("DEPRECATION_ERROR")\npublic operator fun DoubleArray.contains(element: Double):
Boolean {\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n
*\npublic operator fun BooleanArray.contains(element: Boolean): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n
*\npublic operator fun
CharArray.contains(element: Char): Boolean {\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns an element
at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n
*\n *
@sample samples.collections.Collections.Elements.elementAt\n
*\npublic expect fun <T> Array<out

```

`T>.elementAt(index: Int): T` Returns an element at the given [index] or throws an `[IndexOutOfBoundsException]` if the [index] is out of bounds of this array.

`ByteArray.elementAt(index: Int): Byte` Returns an element at the given [index] or throws an `[IndexOutOfBoundsException]` if the [index] is out of bounds of this array.

`ShortArray.elementAt(index: Int): Short` Returns an element at the given [index] or throws an `[IndexOutOfBoundsException]` if the [index] is out of bounds of this array.

`IntArray.elementAt(index: Int): Int` Returns an element at the given [index] or throws an `[IndexOutOfBoundsException]` if the [index] is out of bounds of this array.

`LongArray.elementAt(index: Int): Long` Returns an element at the given [index] or throws an `[IndexOutOfBoundsException]` if the [index] is out of bounds of this array.

`FloatArray.elementAt(index: Int): Float` Returns an element at the given [index] or throws an `[IndexOutOfBoundsException]` if the [index] is out of bounds of this array.

`DoubleArray.elementAt(index: Int): Double` Returns an element at the given [index] or throws an `[IndexOutOfBoundsException]` if the [index] is out of bounds of this array.

`BooleanArray.elementAt(index: Int): Boolean` Returns an element at the given [index] or throws an `[IndexOutOfBoundsException]` if the [index] is out of bounds of this array.

`CharArray.elementAt(index: Int): Char` Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

`Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T` Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

`ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte` Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

`ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short` Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

`IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int` Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

`LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long` Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

`FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Float): Float` Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```

*^@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrNull(index: Int): T? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrNull(index: Int): Byte? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrNull(index: Int): Short? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrNull(index: Int): Int? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrNull(index: Int): Long? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrNull(index: Int): Float? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrNull(index: Int): Double? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrNull(index: Int): Boolean? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrNull(index: Int): Char? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.find(predicate: (T) -> Boolean): T? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */

```

```

*@\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.find(predicate: (Short) -> Boolean): Short? {\n
return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {\n  return
firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such
element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.find(predicate: (Long) -> Boolean): Long? {\n  return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *@\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.find(predicate: (Float) -> Boolean): Float? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *@\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n  return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *@\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.find(predicate:
(Boolean) -> Boolean): Boolean? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *@\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.find(predicate: (Char) -> Boolean): Char? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *@\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.findLast(predicate: (T) -> Boolean): T? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element
matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *@\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n  return
lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such
element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n
return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *@\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *@\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n  return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *@\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {\n  return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element

```

```

matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns
first element.\n * @throws [NoSuchElementException] if the array is empty.\n *^\npublic fun <T> Array<out
T>.first(): T {\n  if (isEmpty())\n    throw NoSuchElementException("\nArray is empty.\n")\n  return
this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*^\npublic fun ByteArray.first(): Byte {\n  if (isEmpty())\n    throw NoSuchElementException("\nArray is
empty.\n")\n  return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n *^\npublic fun ShortArray.first(): Short {\n  if (isEmpty())\n    throw
NoSuchElementException("\nArray is empty.\n")\n  return this[0]\n}\n\n/**\n
* Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n *^\npublic fun
IntArray.first(): Int {\n  if (isEmpty())\n    throw NoSuchElementException("\nArray is empty.\n")\n  return
this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*^\npublic fun LongArray.first(): Long {\n  if (isEmpty())\n    throw NoSuchElementException("\nArray is
empty.\n")\n  return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n *^\npublic fun FloatArray.first(): Float {\n  if (isEmpty())\n    throw
NoSuchElementException("\nArray is empty.\n")\n  return this[0]\n}\n\n/**\n * Returns first element.\n *
@throws [NoSuchElementException] if the array is empty.\n *^\npublic fun DoubleArray.first(): Double {\n
if (isEmpty())\n  throw NoSuchElementException("\nArray is empty.\n")\n  return this[0]\n}\n\n/**\n * Returns first
element.\n
* @throws [NoSuchElementException] if the array is empty.\n *^\npublic fun BooleanArray.first(): Boolean {\n
if (isEmpty())\n  throw NoSuchElementException("\nArray is empty.\n")\n  return this[0]\n}\n\n/**\n * Returns
first element.\n * @throws [NoSuchElementException] if the array is empty.\n *^\npublic fun CharArray.first():
Char {\n  if (isEmpty())\n    throw NoSuchElementException("\nArray is empty.\n")\n  return this[0]\n}\n\n/**\n
* Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n *^\npublic inline fun <T> Array<out T>.first(predicate: (T) -> Boolean): T {\n  for (element in
this) if (predicate(element)) return element\n  throw NoSuchElementException("\nArray contains no element
matching the predicate.\n")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n *^\npublic inline fun ByteArray.first(predicate:
(Byte) -> Boolean): Byte {\n  for (element in this) if (predicate(element)) return element\n  throw
NoSuchElementException("\nArray contains no element matching the predicate.\n")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*^\npublic inline fun ShortArray.first(predicate: (Short) -> Boolean): Short {\n  for (element in this) if
(predicate(element)) return element\n  throw NoSuchElementException("\nArray contains no element matching the
predicate.\n")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n *^\npublic inline fun IntArray.first(predicate: (Int) ->
Boolean): Int {\n  for (element in this) if (predicate(element)) return element\n  throw
NoSuchElementException("\nArray contains no element matching the predicate.\n")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n
* @throws [NoSuchElementException] if no such element is found.\n *^\npublic inline fun
LongArray.first(predicate: (Long) -> Boolean): Long {\n  for (element in this) if (predicate(element)) return
element\n  throw NoSuchElementException("\nArray contains no element matching the predicate.\n")\n}\n\n/**\n
* Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n *^\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n  for (element in
this) if (predicate(element)) return element\n  throw NoSuchElementException("\nArray contains no element
matching the predicate.\n")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n *^\npublic inline fun DoubleArray.first(predicate:
(Double) -> Boolean): Double {\n  for (element in this) if (predicate(element)) return element\n  throw

```

```

NoSuchElementException("Array
contains no element matching the predicate.")\n\n/**\n * Returns the first element matching the given
[predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun
BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element))
return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.first(predicate: (Char) ->
Boolean): Char {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
non-null value produced by [transform] function being applied to elements of this array in iteration order,\n * or
throws [NoSuchElementException] if no non-null
value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Array<out
T>.firstNotNullOf(transform: (T) -> R?): R {\n    return firstNotNullOfOrNull(transform) ?: throw
NoSuchElementException("No element of the array was transformed to a non-null value.")\n}\n\n/**\n * Returns
the first non-null value produced by [transform] function being applied to elements of this array in iteration order,\n
* or `null` if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Array<out
T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n    for (element in this) {\n        val result =
transform(element)\n        if (result != null) {\n            return result\n        }\n    }\n    return null\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n */\npublic fun <T> Array<out T>.firstOrNull(): T? {\n    return if
(isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
ByteArray.firstOrNull(): Byte? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or
`null` if the array is empty.\n */\npublic fun ShortArray.firstOrNull(): Short? {\n    return if (isEmpty()) null else
this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun IntArray.firstOrNull():
Int? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is
empty.\n */\npublic fun LongArray.firstOrNull(): Long? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns
the first element, or `null` if the array is empty.\n */\npublic fun FloatArray.firstOrNull(): Float? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
DoubleArray.firstOrNull(): Double? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element,
or `null` if the array is empty.\n */\npublic fun BooleanArray.firstOrNull(): Boolean? {\n    return if (isEmpty())
null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun CharArray.firstOrNull(): Char? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n */\npublic inline fun <T> Array<out T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for
(element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n    for (element in this)
if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\npublic inline fun ShortArray.firstOrNull(predicate: (Short) ->
Boolean): Short? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns
the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n    for (element in this) if (predicate(element)) return
element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element
was not found.\n */\npublic inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {\n    for
(element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element

```

```

matching the given [predicate], or `null` if element was not found.\n */\npublic
inline fun FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n  for (element in this) if
(predicate(element)) return element\n  return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\npublic inline fun DoubleArray.firstOrNull(predicate: (Double) -
> Boolean): Double? {\n  for (element in this) if (predicate(element)) return element\n  return null\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n  for (element in this) if
(predicate(element)) return element\n  return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\npublic inline fun CharArray.firstOrNull(predicate: (Char) ->
Boolean): Char? {\n  for (element in this) if (predicate(element)) return element\n  return
null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the
[index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.getOrNull(index: Int, defaultValue: (Int) -> T): T? {\n  return if (index >= 0 && index <= lastIndex) get(index)
else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun ByteArray.getOrNull(index: Int, defaultValue: (Int) -> Byte): Byte? {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrNull(index: Int, defaultValue: (Int) -> Short):
Short? {\n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns
an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of
this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.getOrNull(index: Int, defaultValue: (Int) ->
Int): Int? {\n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.getOrNull(index: Int,
defaultValue: (Int) -> Long): Long? {\n  return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun FloatArray.getOrNull(index: Int, defaultValue: (Int) -> Float): Float? {\n  return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result
of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrNull(index: Int, defaultValue: (Int) ->
Double): Double? {\n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n
* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.getOrNull(index: Int,
defaultValue: (Int) -> Boolean): Boolean? {\n  return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling
the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun CharArray.getOrNull(index: Int, defaultValue: (Int) -> Char): Char? {\n  return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if
the [index] is out of bounds of this array.\n */\n * @sample samples.collections.Collections.Elements.getOrNull\n
*/\npublic fun <T> Array<out T>.getOrNull(index: Int): T? {\n  return if (index >= 0 && index <= lastIndex)
get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this array.\n */\n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun
ByteArray.getOrNull(index: Int): Byte? {\n  return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds
of this array.\n */\n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun
ShortArray.getOrNull(index: Int): Short? {\n  return if (index >= 0 && index <= lastIndex) get(index) else

```

```

null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n
 * @sample samples.collections.Collections.Elements.getOrNull\n *\n\npublic fun IntArray.getOrNull(index: Int):
Int? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n *\n\npublic fun LongArray.getOrNull(index: Int): Long? {\n
return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n\npublic fun FloatArray.getOrNull(index: Int): Float? {\n    return if (index >= 0 && index <= lastIndex)
get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n *\n\npublic fun
DoubleArray.getOrNull(index: Int): Double? {\n    return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n
 * @sample samples.collections.Collections.Elements.getOrNull\n *\n\npublic fun BooleanArray.getOrNull(index:
Int): Boolean? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n *\n\npublic fun CharArray.getOrNull(index: Int): Char?
{\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of
[element], or -1 if the array does not contain element.\n *\n\npublic fun <@kotlin.internal.OnlyInputTypes T>
Array<out T>.indexOf(element: T): Int {\n    if (element == null) {\n        for (index in indices) {\n            if
(this[index] == null) {\n                return index\n            }\n        }\n    } else {\n        for (index in indices) {\n
if (element == this[index]) {\n                return index\n            }\n        }\n    }\n    return -1\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n *\n\npublic fun ByteArray.indexOf(element:
Byte): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n    }
return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n *\n\npublic fun
ShortArray.indexOf(element:
Short): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n    }
return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n *\n\npublic fun
IntArray.indexOf(element: Int): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n            return
index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain
element.\n *\n\npublic fun LongArray.indexOf(element: Long): Int {\n    for (index in indices) {\n        if (element ==
this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if
the array does not contain element.\n *\n\n@Deprecated("The function has unclear behavior when searching for NaN
or zero values and will be removed soon. Use 'indexOfFirst { it == element }' instead to continue using this
behavior, or '.asList().indexOf(element:
T)' to get the same search behavior as in a list.", ReplaceWith("indexOfFirst { it == element
}"))\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\n\npublic fun
FloatArray.indexOf(element: Float): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n
return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n *\n\n@Deprecated("The function has unclear behavior when searching for NaN or zero values
and will be removed soon. Use 'indexOfFirst { it == element }' instead to continue using this behavior, or
'.asList().indexOf(element: T)' to get the same search behavior as in a list.", ReplaceWith("indexOfFirst { it ==
element }"))\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\n\npublic fun
DoubleArray.indexOf(element: Double): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n
return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n *\n\npublic fun BooleanArray.indexOf(element: Boolean): Int {\n    for (index in indices) {\n
if (element == this[index]) {\n        return index\n    }\n    return -1\n}\n\n/**\n * Returns first index of
[element], or -1 if the array does not contain element.\n *\n\npublic fun CharArray.indexOf(element: Char): Int {\n

```



```

* Returns index of the last element matching the given [predicate], or -1 if the array does not contain such
element.\n */\npublic inline fun DoubleArray.indexOfLast(predicate:
(Double) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return
index\n } } } \n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -
1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfLast(predicate: (Boolean)
-> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n
} } } \n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n */\npublic inline fun CharArray.indexOfLast(predicate: (Char) -> Boolean):
Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n } } } \n
return -1\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n
* \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Array<out T>.last(): T {\n if
(isEmpty())\n throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n *
Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun ByteArray.last(): Byte {\n if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun ShortArray.last(): Short {\n if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun IntArray.last(): Int {\n if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the
array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun LongArray.last():
Long {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is
empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun FloatArray.last(): Float {\n
if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n *
Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun DoubleArray.last(): Double
{\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is
empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun BooleanArray.last():
Boolean {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is
empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun CharArray.last(): Char {\n
if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n *
Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such
element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T>
Array<out T>.last(predicate:
(T) -> Boolean): T {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if
(predicate(element)) return element\n } } \n throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun ByteArray.last(predicate: (Byte) -> Boolean):
Byte {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return
element\n } } \n throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample

```

```

samples.collections.Collections.Elements.last\n *^public inline fun ShortArray.last(predicate:
  (Short) -> Boolean): Short {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
  (predicate(element)) return element\n  }\n  throw NoSuchElementException("Array contains no element
  matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
  NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^public inline fun IntArray.last(predicate: (Int) -> Boolean): Int
  {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if (predicate(element)) return
  element\n  }\n  throw NoSuchElementException("Array contains no element matching the
  predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
  NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^public inline fun LongArray.last(predicate:
  (Long) -> Boolean): Long {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
  (predicate(element)) return element\n  }\n  throw NoSuchElementException("Array contains no element
  matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
  NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^public inline fun FloatArray.last(predicate: (Float) -> Boolean):
  Float {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if (predicate(element))
  return element\n  }\n  throw NoSuchElementException("Array contains no element matching the
  predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
  NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^public inline
  fun DoubleArray.last(predicate: (Double) -> Boolean): Double {\n  for (index in this.indices.reversed()) {\n
  val element = this[index]\n    if (predicate(element)) return element\n  }\n  throw
  NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
  element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n
  * \n * @sample
samples.collections.Collections.Elements.last\n *^public inline fun BooleanArray.last(predicate:
  (Boolean) -> Boolean): Boolean {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
  (predicate(element)) return element\n  }\n  throw NoSuchElementException("Array contains no element
  matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
  NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
  *^public inline fun CharArray.last(predicate: (Char) -> Boolean): Char {\n  for (index in this.indices.reversed())
  {\n    val element = this[index]\n    if (predicate(element)) return element\n  }\n  throw
  NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns last index
  of [element], or -1 if the array does not contain element.\n *^public fun <@kotlin.internal.OnlyInputTypes T>
  Array<out T>.lastIndexOf(element: T): Int {\n  if (element == null) {\n    for (index in indices.reversed()) {\n
  if (this[index] == null) {\n      return index\n    }\n  }\n  } else {\n    for (index in
  indices.reversed()) {\n      if (element == this[index]) {\n        return index\n      }\n    }\n  }\n  }\n
  return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n *^public fun
  ByteArray.lastIndexOf(element: Byte): Int
  {\n  for (index in indices.reversed()) {\n    if (element == this[index]) {\n      return index\n    }\n  }\n
  }\n  return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n *^public fun
  ShortArray.lastIndexOf(element: Short): Int {\n  for (index in indices.reversed()) {\n    if (element ==
  this[index]) {\n      return index\n    }\n  }\n  }\n  return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
  the array does not contain element.\n *^public fun IntArray.lastIndexOf(element: Int): Int {\n  for (index in
  indices.reversed()) {\n    if (element == this[index]) {\n      return index\n    }\n  }\n  }\n  return -1\n}\n\n/**\n
  * Returns last index of [element], or -1 if the array does not contain element.\n *^public fun
  LongArray.lastIndexOf(element: Long): Int {\n  for (index in indices.reversed()) {\n    if (element ==

```

```

this[index]) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n *\n @Deprecated("The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfLast { it == element }' instead to continue using this behavior, or '.asList().lastIndexOf(element: T)' to get the same search behavior as in a list.", ReplaceWith("indexOfLast { it == element }"))\n @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\n public fun\n FloatArray.lastIndexOf(element: Float): Int {\n   for (index in indices.reversed()) {\n     if (element ==\n this[index]) {\n       return index\n     }\n   }\n   return -1\n}\n\n/**\n * Returns last index of [element], or -1 if\n the array does not contain element.\n *\n @Deprecated("The function has unclear behavior when searching for NaN\n or zero values and will be removed soon. Use 'indexOfLast { it == element }'\n instead to continue using this\n behavior, or '.asList().lastIndexOf(element:\n T)' to get the same search behavior as in a list.", ReplaceWith("indexOfLast { it == element\n }"))\n @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\n public fun\n DoubleArray.lastIndexOf(element: Double): Int {\n   for (index in indices.reversed()) {\n     if (element ==\n this[index]) {\n       return index\n     }\n   }\n   return -1\n}\n\n/**\n * Returns last index of [element], or -1 if\n the array does not contain element.\n *\n public fun\n BooleanArray.lastIndexOf(element: Boolean): Int {\n   for\n (index in indices.reversed()) {\n     if (element == this[index]) {\n       return index\n     }\n   }\n   return -\n 1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n *\n public fun\n CharArray.lastIndexOf(element: Char): Int {\n   for (index in indices.reversed()) {\n     if (element == this[index])\n {\n       return index\n     }\n   }\n   return -1\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *\n @sample\n samples.collections.Collections.Elements.last\n *\n public fun <T> Array<out T>.lastOrNull(): T? {\n   return if\n (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *\n @sample\n samples.collections.Collections.Elements.last\n *\n public fun ByteArray.lastOrNull(): Byte? {\n   return\n if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *\n @sample\n samples.collections.Collections.Elements.last\n *\n public fun ShortArray.lastOrNull(): Short? {\n   return\n if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *\n @sample\n samples.collections.Collections.Elements.last\n *\n public fun IntArray.lastOrNull(): Int? {\n   return\n if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the\n array is empty.\n *\n @sample\n samples.collections.Collections.Elements.last\n *\n public fun\n LongArray.lastOrNull(): Long? {\n   return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last\n element, or `null` if the array is empty.\n *\n @sample\n samples.collections.Collections.Elements.last\n *\n public fun\n FloatArray.lastOrNull(): Float? {\n   return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last\n element, or `null` if the array is empty.\n *\n @sample\n samples.collections.Collections.Elements.last\n *\n public fun\n DoubleArray.lastOrNull(): Double? {\n   return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the\n last element, or `null` if the array is empty.\n *\n @sample\n samples.collections.Collections.Elements.last\n *\n public fun\n BooleanArray.lastOrNull(): Boolean? {\n   return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *\n @sample\n samples.collections.Collections.Elements.last\n *\n public fun\n CharArray.lastOrNull(): Char? {\n   return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n *\n @sample\n samples.collections.Collections.Elements.last\n *\n public inline fun <T> Array<out T>.lastOrNull(predicate: (T) ->\n Boolean): T? {\n   for (index in this.indices.reversed()) {\n     val element = this[index]\n     if\n (predicate(element)) return element\n   }\n   return null\n}\n\n/**\n * Returns the last element matching the given\n [predicate], or `null` if no such element was found.\n *\n @sample\n samples.collections.Collections.Elements.last\n *\n public inline fun ByteArray.lastOrNull(predicate: (Byte) ->\n Boolean): Byte? {\n   for (index in this.indices.reversed()) {\n     val element = this[index]\n     if\n (predicate(element)) return element\n   }\n   return null\n}\n\n/**\n * Returns the last element

```

```

    matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun ShortArray.lastOrNull(predicate: (Short) ->
Boolean): Short? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun IntArray.lastOrNull(predicate: (Int) ->
Boolean): Int? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun LongArray.lastOrNull(predicate:
(Long) -> Boolean): Long? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun FloatArray.lastOrNull(predicate: (Float) ->
Boolean): Float? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun DoubleArray.lastOrNull(predicate: (Double) ->
Boolean): Double? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such
element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun
BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n    for (index in this.indices.reversed()) {\n
        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun CharArray.lastOrNull(predicate: (Char) ->
Boolean): Char? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a random element from this array.\n
* \n * @throws NoSuchElementException if this array is empty.\n
*/\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Array<out T>.random(): T {\n    return random(Random)\n}\n\n/**\n * Returns a random element
from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.random(): Byte {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic
inline fun ShortArray.random(): Short {\n    return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.random(): Int {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.random(): Long {\n    return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.random(): Float {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.random(): Double {\n    return random(Random)\n}\n\n/**\n * Returns a random element
from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.random(): Boolean {\n

```

```

return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun CharArray.random(): Char {\n    return random(Random)\n}\n\n/**\n * Returns a random element from
this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is
empty.\n */\n@SinceKotlin("1.3")\npublic fun <T> Array<out T>.random(random: Random): T {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun ByteArray.random(random: Random): Byte {\n    if (isEmpty())\n        throw NoSuchElementException("Array
is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the
specified source of randomness.\n * \n * @throws NoSuchElementException if this array is
empty.\n */\n@SinceKotlin("1.3")\npublic fun ShortArray.random(random: Random): Short {\n    if (isEmpty())\n
        throw NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns
a random element from this array using the specified source of randomness.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun IntArray.random(random:
Random): Int {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun LongArray.random(random: Random): Long {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source
of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin("1.3")\npublic fun FloatArray.random(random: Random): Float {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun DoubleArray.random(random: Random): Double {\n
    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun BooleanArray.random(random: Random): Boolean {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun
CharArray.random(random: Random): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Array is
empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if
this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <T> Array<out T>.randomOrNull(): T? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun ByteArray.randomOrNull(): Byte? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this array, or `null`
if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun ShortArray.randomOrNull(): Short? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun IntArray.randomOrNull(): Int? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random

```

element from this array, or `null` if this array is empty.\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.randomOrNull(): Long? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.randomOrNull():
```

```
Float? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.randomOrNull(): Double? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.randomOrNull(): Boolean? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> Array<out T>.randomOrNull(random: Random): T? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun ByteArray.randomOrNull(random: Random): Byte? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun ShortArray.randomOrNull(random: Random): Short? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun IntArray.randomOrNull(random: Random): Int? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun LongArray.randomOrNull(random: Random): Long? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun FloatArray.randomOrNull(random: Random): Float? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n
```

```
 * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun DoubleArray.randomOrNull(random: Random): Double? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun BooleanArray.randomOrNull(random: Random): Boolean? {\n    if (isEmpty())\n        return null\n    return
```

```

get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharArray.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return
null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the
array is empty or has more than one element.\n *\npublic fun <T> Array<out T>.single(): T {\n    return when (size)
{\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n *\npublic fun ByteArray.single(): Byte
{\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n *\npublic fun
ShortArray.single(): Short {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array
is empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one
element.")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more
than one element.\n *\npublic fun IntArray.single(): Int {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n *\npublic fun LongArray.single(): Long
{\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n *\npublic
fun FloatArray.single(): Float {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is
empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n
    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n *\npublic fun DoubleArray.single(): Double {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n *\npublic fun BooleanArray.single():
Boolean {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 ->
this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n
 * Returns the single element, or throws an exception if the array is empty or has more than one element.\n
*\npublic fun CharArray.single(): Char {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n *\npublic
inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
}\n\n@Suppress("UNCHECKED_CAST")\n    return single as T\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if
there is no or more than one matching element.\n *\npublic inline fun ByteArray.single(predicate: (Byte) ->
Boolean): Byte {\n    var single: Byte? = null\n    var found = false\n    for (element in this) {\n        if
(predicate(element)) {\n            if (found) throw IllegalArgumentException("Array contains more than one
matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw
NoSuchElementException("Array contains no element matching the predicate.")\n
}\n\n@Suppress("UNCHECKED_CAST")\n    return single as Byte\n}\n\n/**\n * Returns the single element matching

```

```

the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun
ShortArray.single(predicate: (Short) -> Boolean): Short {\n    var single: Short? = null\n    var found = false\n
    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Short\n}\n\n/**\n * Returns the single element matching
the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun
IntArray.single(predicate: (Int) -> Boolean): Int {\n    var single: Int? = null\n    var found = false\n    for (element in
this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array contains more
than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw
NoSuchElementException("Array contains no element matching
the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Int\n}\n\n/**\n * Returns the single
element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n    var single: Long? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n
            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element
matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Long\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n    var
single: Float? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Float\n}\n\n/**\n * Returns
the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n    var
single: Double? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Double\n}\n\n/**\n * Returns
the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n    var
single: Boolean? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Boolean\n}\n\n/**\n * Returns
the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char {\n    var
single: Char? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Char\n}\n\n/**\n * Returns
single element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T> Array<out
T>.singleOrNull(): T? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if
the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull(): Byte? {\n    return if
(size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has

```

```

more than one element.\n */\npublic fun ShortArray.singleOrNull(): Short? {\n    return if (size == 1) this[0] else\n    null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic\nfun IntArray.singleOrNull(): Int? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or\n`null` if the array is empty or has more than one element.\n */\npublic fun LongArray.singleOrNull(): Long? {\n\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more\nthan one element.\n */\npublic fun FloatArray.singleOrNull(): Float? {\n    return if (size == 1) this[0] else\n    null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic\nfun DoubleArray.singleOrNull(): Double? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single\n    element, or `null` if the array is empty or has more than one\n    element.\n */\npublic fun BooleanArray.singleOrNull(): Boolean? {\n    return if (size == 1) this[0] else\n    null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic\nfun CharArray.singleOrNull(): Char? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single\n    element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one\n    element was found.\n */\npublic inline fun ByteArray.singleOrNull(predicate:\n    (Byte) -> Boolean): Byte? {\n    var single: Byte? = null\n    var found = false\n    for (element in this) {\n        if\n        (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or\n`null` if element was not found or more than one element was found.\n */\npublic inline fun\n    ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n    var single: Short? = null\n    var found =\n    false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =\n            element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the\n    single element matching the given [predicate], or `null` if element was not found or more than one element was\n    found.\n */\npublic inline fun IntArray.singleOrNull(predicate:\n    (Int) -> Boolean): Int? {\n    var single: Int? = null\n    var found = false\n    for (element in this) {\n        if\n        (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or\n`null` if element was not found or more than one element was found.\n */\npublic inline fun\n    LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n    var single: Long? = null\n    var found =\n    false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =\n            element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the\n    single element matching the given [predicate], or `null` if element was not found or more than one element was\n    found.\n */\npublic inline fun FloatArray.singleOrNull(predicate:\n    (Float) -> Boolean): Float? {\n    var single: Float? = null\n    var found = false\n    for (element in this) {\n        if\n        (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or\n`null` if element was not found or more than one element was found.\n */\npublic inline fun\n    DoubleArray.singleOrNull(predicate: (Double) -> Boolean): Double? {\n    var single: Double? = null\n    var found =\n    false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =\n            element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the\n    single element matching the given [predicate], or `null` if element was not found or more than one element was\n    found.\n */\npublic\n    inline fun BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n    var single: Boolean? =\n    null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n *

```

Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.

```


public inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {
    var single: Char? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single = element
            found = true
        }
    }
    if (!found) return null
    return single
}


```

* Returns a list containing all elements except first [n] elements.

```


@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.drop
public fun <T> Array<out T>.drop(n: Int): List<T> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}


```

* Returns a list containing all elements except first [n] elements.

```


@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.drop
public fun ByteArray.drop(n: Int): List<Byte> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}


```

* Returns a list containing all elements except first [n] elements.

```


@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.drop
public fun ShortArray.drop(n: Int): List<Short> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}


```

* Returns a list containing all elements except first [n] elements.

```


@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.drop
public fun IntArray.drop(n: Int): List<Int> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}


```

* Returns a list containing all elements except first [n] elements.

```


@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.drop
public fun LongArray.drop(n: Int): List<Long> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}


```

* Returns a list containing all elements except first [n] elements.

```


@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.drop
public fun FloatArray.drop(n: Int): List<Float> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}


```

* Returns a list containing all elements except first [n] elements.

```


@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.drop
public fun DoubleArray.drop(n: Int): List<Double> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}


```

* Returns a list containing all elements except first [n] elements.

```


@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.drop
public fun BooleanArray.drop(n: Int): List<Boolean> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}


```

* Returns a list containing all elements except first [n] elements.

```


@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.drop
public fun CharArray.drop(n: Int): List<Char> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}


```

* Returns a list containing all elements except last [n] elements.

```


@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.drop
public fun <T> Array<out T>.dropLast(n: Int): List<T> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return take((size - n).coerceAtLeast(0))
}


```

* Returns a list containing all elements except last [n] elements.

```


@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.drop


```

```

*/\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n    require(n >= 0) { \"Requested element count $n is less
than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except
last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n
    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.dropLast(n: Int): List<Int> {\n
    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list
containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.dropLast(n: Int):
List<Long> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.dropLast(n: Int): List<Float> {\n
    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.dropLast(n:
Int): List<Double> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.dropLast(n: Int):
List<Boolean> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.dropLast(n: Int): List<Char> {\n
    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last
elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out
T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n    for (index in lastIndex downTo 0) {\n        if
(!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns
a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropLastWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n
            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun
ShortArray.dropLastWhile(predicate: (Short) -> Boolean): List<Short> {\n    for (index in lastIndex downTo 0) {\n
        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropLastWhile(predicate:
(Int) -> Boolean): List<Int> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n
            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropLastWhile(predicate:

```

```

(Long) -> Boolean): List<Long> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index]))\n    {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all\n elements except last elements that satisfy the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropLastWhile(predicate:\n (Float) -> Boolean): List<Float> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements\n except last elements that satisfy the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropLastWhile(predicate:\n (Double) -> Boolean): List<Double> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing\n all elements except last elements that satisfy the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n */\npublic inline fun\n BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  for (index in lastIndex\n downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return\n emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given\n [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n */\npublic inline fun\n CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n  var yielding = false\n  val list = ArrayList<T>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if\n (!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list\n containing all elements except first elements that satisfy the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropWhile(predicate:\n (Byte) -> Boolean): List<Byte> {\n  var yielding = false\n  val list = ArrayList<Byte>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding =\n true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the\n given [predicate].\n *\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n */\npublic inline fun\n ShortArray.dropWhile(predicate: (Short) -> Boolean): List<Short> {\n  var yielding = false\n  val list =\n ArrayList<Short>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))\n {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all\n elements except first elements that satisfy the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropWhile(predicate: (Int) ->\n Boolean): List<Int> {\n  var yielding = false\n  val list = ArrayList<Int>()\n  for (item in this)\n    if\n (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except\n first elements that satisfy the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropWhile(predicate:\n (Long) -> Boolean): List<Long> {\n  var yielding = false\n  val list = ArrayList<Long>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding =\n true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the\n given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n */\npublic inline fun\n FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n  var yielding = false\n  val list =\n ArrayList<Float>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))\n {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the\n given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n */\npublic inline fun\n
```

```

* Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropWhile(predicate:
(Double) -> Boolean): List<Double> {\n    var yielding = false\n    val list = ArrayList<Double>()\n    for (item in
this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n
yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic
inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n    var yielding = false\n
val list = ArrayList<Boolean>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if
(!predicate(item)) {\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all elements
except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun CharArray.dropWhile(predicate:
(Char) -> Boolean): List<Char> {\n    var yielding = false\n    val list = ArrayList<Char>()\n    for (item in this)\n
if (yielding)\n        list.add(item)\n    else if (!predicate(item)) {\n        list.add(item)\n        yielding =
true\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n *
@sample samples.collections.Collections.Filtering.filter\n *\npublic inline fun <T> Array<out
T>.filter(predicate: (T) -> Boolean): List<T> {\n    return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns
a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {\n    return
filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n *\npublic inline fun
ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n    return filterTo(ArrayList<Short>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean):
List<Int> {\n    return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements
matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n *\npublic inline
fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n    return filterTo(ArrayList<Long>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun FloatArray.filter(predicate: (Float) ->
Boolean): List<Float> {\n    return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing
only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n    return
filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n *\npublic inline fun
BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n    return filterTo(ArrayList<Boolean>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun CharArray.filter(predicate:
(Char) -> Boolean): List<Char> {\n    return filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list
containing only elements matching the given [predicate].\n * \n * @param [predicate] function that takes the index of an
element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n *\npublic inline fun <T> Array<out
T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n    return filterIndexedTo(ArrayList<T>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n
*\npublic inline fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n    return
filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the

```

given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample

```

samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun ShortArray.filterIndexed(predicate:
(index: Int, Short) -> Boolean): List<Short> {\n    return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun
IntArray.filterIndexed(predicate:
(index: Int, Int) -> Boolean): List<Int> {\n    return filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n *
Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun
LongArray.filterIndexed(predicate: (index: Int, Long) -> Boolean): List<Long> {\n    return
filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun FloatArray.filterIndexed(predicate:
(index: Int, Float) ->
Boolean): List<Float> {\n    return filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list
containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an
element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun DoubleArray.filterIndexed(predicate:
(index: Int, Double) -> Boolean): List<Double> {\n    return filterIndexedTo(ArrayList<Double>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic
inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n
    return filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements
matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element
itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun CharArray.filterIndexed(predicate:
(index: Int, Char) -> Boolean): List<Char> {\n    return filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/**\n *
Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that
takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the
element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C :
MutableCollection<in T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean):
C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n
return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\n
public inline fun <C : MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate:
(index: Int, Byte) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C :
MutableCollection<in Short>> ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))

```

```

destination.add(element)\n } \n return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n *\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {\n  forEachIndexed { index,
element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return destination\n}\n\n/**\n *
Appends all elements
matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an
element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n *\npublic inline fun <C : MutableCollection<in Long>>
LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {\n  forEachIndexed {
index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterIndexedTo(destination:
C, predicate: (index: Int, Float) -> Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index,
element)) destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the
given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and
the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n *\npublic inline fun <C : MutableCollection<in
Double>> DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {\n
forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns
the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n *\npublic inline fun <C : MutableCollection<in
Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int, Boolean) -> Boolean): C {\n
forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate:
(index: Int, Char) -> Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type
parameter R.\n * \n * @sample samples.collections.Collections.Filtering.filterIsInstance\n *\npublic inline fun
<reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n  return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstanceTo\n *\npublic inline fun <reified R, C :
MutableCollection<in R>> Array<*>.filterIsInstanceTo(destination: C): C {\n  for (element in this) if (element is
R) destination.add(element)\n  return destination\n}\n\n/**\n * Returns a list containing all elements not matching
the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n *\npublic inline fun <T>
Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {\n
return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n *\npublic inline fun
ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {\n  return filterNotTo(ArrayList<Byte>()),

```

```

predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun ShortArray.filterNot(predicate: (Short) ->
Boolean): List<Short> {\n    return filterNotTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list
containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun IntArray.filterNot(predicate: (Int) -> Boolean):
List<Int> {\n    return filterNotTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing all elements
not matching
the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun
LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {\n    return filterNotTo(ArrayList<Long>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun FloatArray.filterNot(predicate: (Float) ->
Boolean): List<Float> {\n    return filterNotTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list
containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun DoubleArray.filterNot(predicate: (Double) ->
Boolean): List<Double> {\n    return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list
containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic
inline fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean): List<Boolean> {\n    return
filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun
CharArray.filterNot(predicate: (Char) -> Boolean): List<Char> {\n    return filterNotTo(ArrayList<Char>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNull\n */\npublic fun <T : Any> Array<out T?>.filterNotNull():
List<T> {\n    return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the
given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n */\npublic fun <C
: MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n    for (element in this) if
(element != null) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) ->
Boolean): C {\n    for (element in this) if (!predicate(element)) destination.add(element)\n    return
destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in
Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterNotTo(destination: C, predicate: (Short) -
> Boolean): C {\n    for (element in this) if (!predicate(element)) destination.add(element)\n    return
destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Long>>
LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n    for (element in this) if
(!predicate(element))
destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not matching the given
[predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n

```

```

*^public inline fun <C : MutableCollection<in Float>> FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */^public inline fun <C : MutableCollection<in Double>> DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */^public inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */^public inline fun <C : MutableCollection<in Char>> CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */^public inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */^public inline fun <C : MutableCollection<in Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */^public inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */^public inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */^public inline fun <C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */^public inline fun <C : MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */^public inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */^public inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */^public inline fun <C : MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n * \n */^public fun <T> Array<out T>.slice(indices: IntRange): List<T> {\n

```

```

if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun ByteArray.slice(indices: IntRange): List<Byte> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun ShortArray.slice(indices: IntRange): List<Short> {\n    if
(indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun IntArray.slice(indices: IntRange): List<Int> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun LongArray.slice(indices: IntRange): List<Long> {\n    if
(indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun FloatArray.slice(indices: IntRange): List<Float> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun DoubleArray.slice(indices: IntRange):
List<Double> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun CharArray.slice(indices: IntRange): List<Char> {\n    if
(indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> Array<out
T>.slice(indices: Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0)
return emptyList()\n    val list = ArrayList<T>(size)\n    for (index in indices) {\n
list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic
fun ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Byte>(size)\n    for
(index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun ShortArray.slice(indices: Iterable<Int>): List<Short> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Short>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n
val list = ArrayList<Int>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return
list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun LongArray.slice(indices:
Iterable<Int>): List<Long> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return
emptyList()\n    val list = ArrayList<Long>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n
return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun
FloatArray.slice(indices: Iterable<Int>): List<Float> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size
== 0) return emptyList()\n    val list = ArrayList<Float>(size)\n    for (index in indices) {\n
list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic
fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n    val size
= indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Double>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>): List<Boolean> {\n    val
size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<Boolean>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n */\npublic fun CharArray.slice(indices: Iterable<Int>):

```

```

List<Char> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<Char>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns an array containing elements of this array at specified
[indices].\n */\npublic fun <T> Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n    val result =
arrayOfNulls(this, indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements
of this array at specified [indices].\n */\npublic fun ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n
val result = ByteArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements
of this array at specified [indices].\n */\npublic fun ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n
val result = ShortArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns
an array containing elements of this array at specified [indices].\n */\npublic fun IntArray.sliceArray(indices:
Collection<Int>): IntArray {\n    val result = IntArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in
indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n */\npublic fun LongArray.sliceArray(indices:
Collection<Int>): LongArray {\n    val result = LongArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex
in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n */\npublic fun FloatArray.sliceArray(indices:
Collection<Int>): FloatArray {\n    val result = FloatArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex
in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic
fun DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n    val result = DoubleArray(indices.size)\n
var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n    val result = BooleanArray(indices.size)\n
var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
CharArray.sliceArray(indices: Collection<Int>): CharArray {\n    val result = CharArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing
elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<T>.sliceArray(indices: IntRange):
Array<T> {\n    if (indices.isEmpty()) return copyOfRange(0, 0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n */\npublic fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n    if (indices.isEmpty()) return
ByteArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array
containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.sliceArray(indices:
IntRange): ShortArray {\n    if (indices.isEmpty()) return ShortArray(0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n */\npublic fun IntArray.sliceArray(indices: IntRange): IntArray {\n    if (indices.isEmpty()) return
IntArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array
containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.sliceArray(indices:
IntRange): LongArray {\n    if (indices.isEmpty()) return LongArray(0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n */\npublic fun FloatArray.sliceArray(indices: IntRange): FloatArray {\n    if (indices.isEmpty()) return
FloatArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array
containing elements at indices in the specified [indices] range.\n */\npublic fun DoubleArray.sliceArray(indices:
IntRange): DoubleArray {\n    if (indices.isEmpty()) return DoubleArray(0)\n    return copyOfRange(indices.start,
}

```

```

indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n * \npublic fun BooleanArray.sliceArray(indices: IntRange): BooleanArray {\n  if (indices.isEmpty())
return BooleanArray(0)\n  return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an
array containing elements at indices in the specified [indices] range.\n * \npublic fun CharArray.sliceArray(indices:
IntRange): CharArray {\n  if (indices.isEmpty()) return CharArray(0)\n  return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws
IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \npublic fun <T> Array<out T>.take(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<T>(n)\n  for (item in this) {\n
list.add(item)\n  if (++count == n)\n    break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first
[n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \npublic fun ByteArray.take(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Byte>(n)\n  for
(item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \npublic fun ShortArray.take(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less
than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return
listOf(this[0])\n  var count = 0\n  val list = ArrayList<Short>(n)\n  for (item in this) {\n    list.add(item)\n
if (++count == n)\n    break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n *
@throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \npublic fun IntArray.take(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Int>(n)\n  for
(item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws
IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \npublic fun LongArray.take(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Long>(n)\n  for
(item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \npublic fun FloatArray.take(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n
if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list =
ArrayList<Float>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if
[n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n * \npublic fun
DoubleArray.take(n: Int): List<Double> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n
if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var
count = 0\n  val list = ArrayList<Double>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n
break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws
IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \npublic fun BooleanArray.take(n: Int): List<Boolean>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n

```

```

=> size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Boolean>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n * \npublic fun CharArray.take(n: Int): List<Char>\n{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n\n  >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Char>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n * Returns a list containing\n  last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n * \npublic fun <T> Array<out T>.takeLast(n: Int): List<T>\n{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val\n  size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list =\n  ArrayList<T>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n * Returns\n  a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n * \npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return\n  listOf(this[size - 1])\n  val list = ArrayList<Byte>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n * Returns a list containing last [n] elements.\n * \n * @throws\n  IllegalArgumentException if [n] is negative.\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n * \npublic fun ShortArray.takeLast(n: Int): List<Short> {\n\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size =\n  size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Short>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n * Returns a list containing last\n  [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n * \npublic fun IntArray.takeLast(n: Int): List<Int> {\n\n  require(n >= 0) { \"Requested element count $n is less than\n  zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return\n  listOf(this[size - 1])\n  val list = ArrayList<Int>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n * Returns a list containing last [n] elements.\n * \n * @throws\n  IllegalArgumentException if [n] is negative.\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n * \npublic fun\n  LongArray.takeLast(n: Int): List<Long> {\n\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return\n  listOf(this[size - 1])\n  val list = ArrayList<Long>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n\n  return list\n}\n\n * Returns a list containing last [n] elements.\n * \n * @throws\n  IllegalArgumentException if [n] is negative.\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n * \npublic fun\n  FloatArray.takeLast(n: Int): List<Float> {\n\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return\n  listOf(this[size - 1])\n  val list = ArrayList<Float>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n * Returns a list containing last [n] elements.\n * \n * @throws\n  IllegalArgumentException if [n] is negative.\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n * \npublic fun\n  DoubleArray.takeLast(n: Int): List<Double>\n{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val\n  size = size\n\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Double>(n)\n  for\n  (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n * Returns a list containing last [n]\n  elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample

```

```

samples.collections.Collections.Transformations.take\n *\npublic fun BooleanArray.takeLast(n: Int):
List<Boolean> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return
emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list
= ArrayList<Boolean>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n *\npublic
fun CharArray.takeLast(n: Int): List<Char> {\n  require(n >= 0) { \"Requested element count $n is less than
zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return
listOf(this[size - 1])\n  val list = ArrayList<Char>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic inline fun <T>
Array<out T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n  for (index in lastIndex downTo 0) {\n    if
(!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a
list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ByteArray.takeLastWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun IntArray.takeLastWhile(predicate: (Int)
-> Boolean): List<Int> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return
drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun LongArray.takeLastWhile(predicate:
(Long) -> Boolean): List<Long> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun FloatArray.takeLastWhile(predicate: (Float) -> Boolean): List<Float> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic
inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun
BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun CharArray.takeLastWhile(predicate:
(Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing first elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n  val list = ArrayList<T>()\n  for
(item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ByteArray.takeWhile(predicate: (Byte)

```

```

-> Boolean): List<Byte> {\n  val list = ArrayList<Byte>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n  val list =\n  ArrayList<Short>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeWhile(predicate: (Int) -> Boolean): List<Int> {\n  val list = ArrayList<Int>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n  val list = ArrayList<Long>()\n  for (item\n  in this) {\n    if\n    (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing\n  first elements satisfying the given [predicate].\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeWhile(predicate:\n  (Float) -> Boolean): List<Float> {\n  val list = ArrayList<Float>()\n  for (item in this) {\n    if\n    (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first\n  elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n  val list =\n  ArrayList<Double>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun\n  BooleanArray.takeWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  val list = ArrayList<Boolean>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeWhile(predicate: (Char)\n  -> Boolean): List<Char> {\n  val list = ArrayList<Char>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Reverses elements in the array in-place.\n * \n * @npublic\n  fun <T> Array<T>.reverse(): Unit {\n  val midPoint = (size / 2) - 1\n  if (midPoint < 0) return\n  var\n  reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements in the array in-place.\n * \n * @npublic fun ByteArray.reverse(): Unit {\n  val midPoint = (size / 2) -\n  1\n  if (midPoint < 0) return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp =\n    this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements in the array in-place.\n * \n * @npublic fun ShortArray.reverse(): Unit {\n  val\n  midPoint = (size / 2) - 1\n  if (midPoint < 0) return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint)\n  {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements in the array in-place.\n * \n * @npublic fun IntArray.reverse(): Unit\n  {\n  val midPoint = (size / 2) - 1\n  if (midPoint <\n  0)\n  return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses\n  elements in the array in-place.\n * \n * @npublic fun LongArray.reverse(): Unit {\n  val midPoint = (size / 2) - 1\n  if\n  (midPoint < 0) return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements in the array in-place.\n * \n * @npublic fun FloatArray.reverse(): Unit {\n  val midPoint = (size / 2) -\n  1\n  if (midPoint < 0) return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp =\n    this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements in the array

```

```

in-place.\n */\npublic fun DoubleArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)\n        return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index]\n        = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in\n the array in-place.\n */\npublic fun BooleanArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint\n < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses\n elements in the array in-place.\n */\npublic fun CharArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if\n (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the array in the\n specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param\n toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is\n less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if\n [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun <T> Array<T>.reverse(fromIndex:\n Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val midPoint =\n (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex = toIndex - 1\n    for (index in\n fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements\n of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to\n reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws\n IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws\n IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun\n ByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex,\n toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var\n reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses\n elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to\n reverse.\n * \n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if\n [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws\n IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun\n ShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,\n size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =\n toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =\n this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the\n array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * \n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException\n if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws\n IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun\n IntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,\n size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =\n toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =\n this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the\n array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * \n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if\n [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws\n IllegalArgumentException

```

```

if [fromIndex] is greater than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun LongArray.reverse(fromIndex:
Int, toIndex: Int): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  val midPoint =
(fromIndex + toIndex) / 2\n  if (fromIndex == midPoint) return\n  var reverseIndex = toIndex - 1\n  for (index in
fromIndex until midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements of the array in the specified
range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end
of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun FloatArray.reverse(fromIndex:
Int, toIndex: Int): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  val midPoint =
(fromIndex + toIndex) / 2\n  if (fromIndex == midPoint) return\n  var reverseIndex = toIndex - 1\n  for (index in
fromIndex until midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements of the array in the specified
range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end
of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun DoubleArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n
  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  val midPoint
= (fromIndex + toIndex) / 2\n  if (fromIndex == midPoint) return\n  var reverseIndex = toIndex - 1\n  for (index
in fromIndex until midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements of the array in the specified
range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end
of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun BooleanArray.reverse(fromIndex: Int, toIndex: Int): Unit
{\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  val midPoint = (fromIndex + toIndex) / 2\n  if
(fromIndex == midPoint) return\n  var reverseIndex = toIndex - 1\n  for (index in fromIndex until midPoint) {\n
  val tmp = this[index]\n  this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n  reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified
range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end
of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun CharArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n
  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  val midPoint = (fromIndex + toIndex) / 2\n  if
(fromIndex == midPoint) return\n  var reverseIndex = toIndex - 1\n  for (index in fromIndex until midPoint) {\n
  val tmp = this[index]\n  this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n  reverseIndex--\n }\n}\n\n/**\n * Returns a list with elements in reversed
order.\n *\npublic fun <T> Array<out T>.reversed(): List<T> {\n  if (isEmpty()) return emptyList()\n  val list =
toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*\npublic fun ByteArray.reversed(): List<Byte> {\n  if (isEmpty()) return emptyList()\n  val list =
toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*\npublic fun ShortArray.reversed(): List<Short> {\n  if (isEmpty()) return emptyList()\n  val list =
toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*\npublic fun IntArray.reversed(): List<Int> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n
list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements
in reversed order.\n *\npublic fun LongArray.reversed(): List<Long> {\n  if (isEmpty()) return emptyList()\n
val list = toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements in reversed
order.\n *\npublic fun FloatArray.reversed(): List<Float> {\n  if (isEmpty()) return emptyList()\n  val list =

```

```

toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n *\npublic fun DoubleArray.reversed(): List<Double> {\n if (isEmpty()) return emptyList()\n val list =
toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n *\npublic fun BooleanArray.reversed(): List<Boolean> {\n if (isEmpty()) return emptyList()\n val list =
toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n *\npublic fun CharArray.reversed(): List<Char> {\n if (isEmpty()) return
emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns an array with
elements of this array in reversed order.\n *\npublic fun <T> Array<T>.reversedArray(): Array<T> {\n if
(isEmpty()) return this\n val result = arrayOfNulls(this, size)\n val lastIndex = lastIndex\n for (i in
0..lastIndex)\n result[lastIndex - i] = this[i]\n return result\n}\n\n/**\n * Returns an array with elements of this
array in reversed order.\n *\npublic fun ByteArray.reversedArray(): ByteArray {\n if (isEmpty()) return this\n
val result = ByteArray(size)\n val lastIndex = lastIndex\n for (i in 0..lastIndex)\n result[lastIndex - i] =
this[i]\n return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n *\npublic fun
ShortArray.reversedArray(): ShortArray {\n if (isEmpty()) return this\n val result = ShortArray(size)\n val
lastIndex = lastIndex\n for (i in 0..lastIndex)\n
result[lastIndex - i] = this[i]\n return result\n}\n\n/**\n * Returns an array with elements of this array in
reversed order.\n *\npublic fun IntArray.reversedArray(): IntArray {\n if (isEmpty()) return this\n val result =
IntArray(size)\n val lastIndex = lastIndex\n for (i in 0..lastIndex)\n result[lastIndex - i] = this[i]\n return
result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n *\npublic fun
LongArray.reversedArray(): LongArray {\n if (isEmpty()) return this\n val result = LongArray(size)\n val
lastIndex = lastIndex\n for (i in 0..lastIndex)\n result[lastIndex - i] = this[i]\n return result\n}\n\n/**\n *
Returns an array with elements of this array in reversed order.\n *\npublic fun FloatArray.reversedArray():
FloatArray {\n if (isEmpty()) return this\n val result = FloatArray(size)\n val lastIndex = lastIndex\n for (i in
0..lastIndex)\n result[lastIndex - i] = this[i]\n
return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n *\npublic fun
DoubleArray.reversedArray(): DoubleArray {\n if (isEmpty()) return this\n val result = DoubleArray(size)\n
val lastIndex = lastIndex\n for (i in 0..lastIndex)\n result[lastIndex - i] = this[i]\n return result\n}\n\n/**\n *
Returns an array with elements of this array in reversed order.\n *\npublic fun BooleanArray.reversedArray():
BooleanArray {\n if (isEmpty()) return this\n val result = BooleanArray(size)\n val lastIndex = lastIndex\n
for (i in 0..lastIndex)\n result[lastIndex - i] = this[i]\n return result\n}\n\n/**\n * Returns an array with
elements of this array in reversed order.\n *\npublic fun CharArray.reversedArray(): CharArray {\n if (isEmpty())
return this\n val result = CharArray(size)\n val lastIndex = lastIndex\n for (i in 0..lastIndex)\n
result[lastIndex - i] = this[i]\n return result\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n *\n@SinceKotlin("1.4")\npublic fun <T>
Array<T>.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n *\n@SinceKotlin("1.4")\npublic fun ByteArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly
shuffles elements in this array in-place.\n *\n@SinceKotlin("1.4")\npublic fun ShortArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n *\n@SinceKotlin("1.4")\npublic fun IntArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly
shuffles elements in this array in-place.\n *\n@SinceKotlin("1.4")\npublic fun LongArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n *\n@SinceKotlin("1.4")\npublic fun FloatArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly
shuffles elements in this array in-place.\n *\n@SinceKotlin("1.4")\npublic
fun DoubleArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-
place.\n *\n@SinceKotlin("1.4")\npublic fun BooleanArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n *
Randomly shuffles elements in this array in-place.\n *\n@SinceKotlin("1.4")\npublic fun CharArray.shuffle():
Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified
[random] instance as the source of randomness.\n * \n * See:

```

https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```
*\n@SinceKotlin("1.4")\npublic fun <T> Array<T>.shuffle(random: Random): Unit {\n    for (i in lastIndex\n        downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\n * source of randomness.\n */
```

See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```
*\n@SinceKotlin("1.4")\npublic fun ByteArray.shuffle(random: Random): Unit {\n    for (i in lastIndex\n        downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\n * source of randomness.\n */ See:
```

https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```
*\n@SinceKotlin("1.4")\npublic fun ShortArray.shuffle(random: Random): Unit {\n    for (i in lastIndex\n        downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\n * source of randomness.\n */ See:
```

https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```
*\n@SinceKotlin("1.4")\npublic fun IntArray.shuffle(random: Random): Unit {\n    for (i in lastIndex\n        downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\n * source of randomness.\n */ See:
```

https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```
*\n@SinceKotlin("1.4")\npublic fun LongArray.shuffle(random: Random): Unit {\n    for (i in lastIndex\n        downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\n * source of randomness.\n */ See:
```

https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```
*\n@SinceKotlin("1.4")\npublic fun\nFloatArray.shuffle(random: Random): Unit {\n    for (i in lastIndex\n        downTo 1) {\n        val j = random.nextInt(i +\n            1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements\n * in this array in-place using the specified [random] instance as the source of randomness.\n */ See:
```

https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.shuffle(random: Random): Unit {\n    for (i in lastIndex\n        downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\n * source of randomness.\n */ See:
```

https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```
*\n@SinceKotlin("1.4")\npublic fun BooleanArray.shuffle(random: Random): Unit {\n    for (i in\n        lastIndex\n        downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random]\n * instance as the source of randomness.\n */ See:
```

https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```
*\n@SinceKotlin("1.4")\npublic fun CharArray.shuffle(random: Random): Unit {\n    for (i in lastIndex\n        downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Sorts elements in the array in-place according to natural sort order of the value returned by specified\n * [selector] function.\n */ See: The sort is _stable_. It means that equal elements preserve their order relative to each\n * other after sorting.\n\n*\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T)\n    > R?): Unit {\n    if (size >
```

1) `sortWith(compareBy(selector))` sorts elements in the array in-place descending according to natural sort order of the value returned by specified `[selector]` function. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public inline fun <T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {
    if (size > 1)
        sortWith(compareByDescending(selector))
}

```

`sortWith(compareByDescending(selector))` sorts elements in the array in-place descending according to their natural sort order. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {
    if (size > 1)
        sortWith(reverseOrder())
}

```

`sortWith(reverseOrder())` sorts elements in the array in-place descending according to their natural sort order.

```

public fun ByteArray.sortDescending(): Unit {
    if (size > 1)
        sortDescending()
}

```

`ByteArray.sortDescending()` sorts elements in the array in-place descending according to their natural sort order.

```

public fun ShortArray.sortDescending(): Unit {
    if (size > 1)
        sortDescending()
        reverse()
}

```

`ShortArray.sortDescending()` sorts elements in the array in-place descending according to their natural sort order.

```

public fun IntArray.sortDescending(): Unit {
    if (size > 1)
        sortDescending()
        reverse()
}

```

`IntArray.sortDescending()` sorts elements in the array in-place descending according to their natural sort order.

```

public fun LongArray.sortDescending(): Unit {
    if (size > 1)
        sortDescending()
        reverse()
}

```

`LongArray.sortDescending()` sorts elements in the array in-place descending according to their natural sort order.

```

public fun FloatArray.sortDescending(): Unit {
    if (size > 1)
        sortDescending()
        reverse()
}

```

`FloatArray.sortDescending()` sorts elements in the array in-place descending according to their natural sort order.

```

public fun DoubleArray.sortDescending(): Unit {
    if (size > 1)
        sortDescending()
        reverse()
}

```

`DoubleArray.sortDescending()` sorts elements in the array in-place descending according to their natural sort order.

```

public fun CharArray.sortDescending(): Unit {
    if (size > 1)
        sortDescending()
        reverse()
}

```

`CharArray.sortDescending()` returns a list of all elements sorted according to their natural sort order. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T : Comparable<T>> Array<out T>.sorted(): List<T> {
    return sortedArray().asList()
}

```

`sorted()` returns a list of all elements sorted according to their natural sort order.

```

public fun ByteArray.sorted(): List<Byte> {
    return toTypedArray().apply {
        sort()
    }.asList()
}

```

`ByteArray.sorted()` returns a list of all elements sorted according to their natural sort order.

```

public fun ShortArray.sorted(): List<Short> {
    return toTypedArray().apply {
        sort()
    }.asList()
}

```

`ShortArray.sorted()` returns a list of all elements sorted according to their natural sort order.

```

public fun IntArray.sorted(): List<Int> {
    return toTypedArray().apply {
        sort()
    }.asList()
}

```

`IntArray.sorted()` returns a list of all elements sorted according to their natural sort order.

```

public fun LongArray.sorted(): List<Long> {
    return toTypedArray().apply {
        sort()
    }.asList()
}

```

`LongArray.sorted()` returns a list of all elements sorted according to their natural sort order.

```

public fun FloatArray.sorted(): List<Float> {
    return toTypedArray().apply {
        sort()
    }.asList()
}

```

`FloatArray.sorted()` returns a list of all elements sorted according to their natural sort order.

```

public fun DoubleArray.sorted(): List<Double> {
    return toTypedArray().apply {
        sort()
    }.asList()
}

```

`DoubleArray.sorted()` returns a list of all elements sorted according to their natural sort order.

```

public fun CharArray.sorted(): List<Char> {
    return toTypedArray().apply {
        sort()
    }.asList()
}

```

`CharArray.sorted()` returns an array with all elements of this array sorted according to their natural sort order. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {
    if (isEmpty()) return this
    return this.copyOf().apply {
        sort()
    }
}

```

`sortedArray()` returns an array with all elements of this array sorted according to their natural sort order.

```

public fun ByteArray.sortedArray(): ByteArray {
    if (isEmpty()) return this
    return this.copyOf().apply {
        sort()
    }
}

```

`ByteArray.sortedArray()` returns an array with all elements of this array sorted according to their natural sort order.

```

public fun ShortArray.sortedArray(): ShortArray {
    if (isEmpty()) return this
    return this.copyOf().apply {
        sort()
    }
}

```

`ShortArray.sortedArray()` returns an array with all elements of this array sorted according to their natural sort order.

```

public fun IntArray.sortedArray(): IntArray {
    if (isEmpty()) return this
    return this.copyOf().apply {
        sort()
    }
}

```

`IntArray.sortedArray()` returns an array with all elements of this array sorted according to their natural sort order.

```

public fun LongArray.sortedArray(): LongArray {
    if (isEmpty()) return this
    return this.copyOf().apply {
        sort()
    }
}

```

`LongArray.sortedArray()` returns an array with all elements of this array sorted according to their natural sort order.

with all elements of this array sorted according to their natural sort order.

```

public fun FloatArray.sortedArray():
FloatArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

```

* Returns an array with all elements of this array sorted according to their natural sort order.

```

public fun
DoubleArray.sortedArray(): DoubleArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort()
}
}

```

* Returns an array with all elements of this array sorted according to their natural sort order.

```

public fun CharArray.sortedArray(): CharArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

```

* Returns an array with all elements of this array sorted descending according to their natural sort order.

* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T : Comparable<T>>
Array<T>.sortedArrayDescending(): Array<T> {
    if (isEmpty()) return this
    return this.copyOf().apply {
    sortWith(reverseOrder()) }
}

```

* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

public fun ByteArray.sortedArrayDescending(): ByteArray {
    if
(isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}

```

* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

public fun
ShortArray.sortedArrayDescending(): ShortArray {
    if (isEmpty()) return this
    return this.copyOf().apply {
    sortDescending() }
}

```

* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

public fun IntArray.sortedArrayDescending(): IntArray {
    if (isEmpty()) return this
    return
this.copyOf().apply { sortDescending() }
}

```

* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

public fun LongArray.sortedArrayDescending(): LongArray
{
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}

```

* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

public fun FloatArray.sortedArrayDescending(): FloatArray {
    if (isEmpty()) return this
    return this.copyOf().apply {
    sortDescending() }
}

```

* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

public fun DoubleArray.sortedArrayDescending(): DoubleArray {
    if
(isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}

```

* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

public fun
CharArray.sortedArrayDescending(): CharArray {
    if (isEmpty()) return this
    return this.copyOf().apply {
    sortDescending() }
}

```

* Returns an array with all elements of this array sorted according the specified [comparator].

* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T>
{
    if (isEmpty()) return this
    return this.copyOf().apply { sortWith(comparator) }
}

```

* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

* @sample samples.collections.Collections.Sorting.sortedBy

```

public inline fun <T, R :
Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {
    return
sortedWith(compareBy(selector))
}

```

* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

* @sample samples.collections.Collections.Sorting.sortedBy

```

public inline fun <R : Comparable<R>>
ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {
    return
sortedWith(compareBy(selector))
}

```

* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

* @sample samples.collections.Collections.Sorting.sortedBy

```

public inline fun <R : Comparable<R>>
ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {
    return
sortedWith(compareBy(selector))
}

```

* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

* @sample samples.collections.Collections.Sorting.sortedBy

```

public inline fun <R : Comparable<R>>
IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {
    return

```

sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample

```
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample
```

```
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
FloatArray.sortedBy(crossinline selector: (Float) -> R?):
List<Float> {\n    return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample
```

```
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample
```

```
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample
```

```
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char>
{\n    return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>>
FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to
```

natural sort order of the value returned by specified [selector] function.

```

public inline fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {
    return sortedWith(compareByDescending(selector))
}

Returns a list of all elements sorted descending according to their natural sort order. The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.

public fun <T : Comparable<T>> Array<out T>.sortedDescending(): List<T> {
    return sortedWith(reverseOrder())
}

Returns a list of all elements sorted descending according to their natural sort order.

public fun ByteArray.sortedDescending(): List<Byte> {
    return copyOf().apply { sort() }.reversed()
}

Returns a list of all elements sorted descending according to their natural sort order.

public fun ShortArray.sortedDescending(): List<Short> {
    return copyOf().apply { sort() }.reversed()
}

Returns a list of all elements sorted descending according to their natural sort order.

public fun IntArray.sortedDescending(): List<Int> {
    return copyOf().apply { sort() }.reversed()
}

Returns a list of all elements sorted descending according to their natural sort order.

public fun LongArray.sortedDescending(): List<Long> {
    return copyOf().apply { sort() }.reversed()
}

Returns a list of all elements sorted descending according to their natural sort order.

public fun FloatArray.sortedDescending(): List<Float> {
    return copyOf().apply { sort() }.reversed()
}

Returns a list of all elements sorted descending according to their natural sort order.

public fun DoubleArray.sortedDescending(): List<Double> {
    return copyOf().apply { sort() }.reversed()
}

Returns a list of all elements sorted descending according to their natural sort order.

public fun CharArray.sortedDescending(): List<Char> {
    return copyOf().apply { sort() }.reversed()
}

Returns a list of all elements sorted according to the specified [comparator]. The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.

public fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {
    return sortedArrayWith(comparator).asList()
}

Returns a list of all elements sorted according to the specified [comparator].

public fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

Returns a list of all elements sorted according to the specified [comparator].

public fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

Returns a list of all elements sorted according to the specified [comparator].

public fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

Returns a list of all elements sorted according to the specified [comparator].

public fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

Returns a list of all elements sorted according to the specified [comparator].

public fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

Returns a list of all elements sorted according to the specified [comparator].

public fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

Returns a list of all elements sorted according to the specified [comparator].

public fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

Returns a list of all elements sorted according to the specified [comparator].

public fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

Returns a [List] that wraps the original array.

public expect fun <T> Array<out T>.asList(): List<T> {
    return toTypedArray().asList()
}

Returns a [List] that wraps the original array.

public expect fun ByteArray.asList(): List<Byte> {
    return toTypedArray().asList()
}

Returns a [List] that wraps the original array.

public expect fun ShortArray.asList(): List<Short> {
    return toTypedArray().asList()
}

Returns a [List] that wraps the original array.

public expect fun IntArray.asList(): List<Int> {
    return toTypedArray().asList()
}

Returns a [List] that wraps the original array.

public expect fun LongArray.asList(): List<Long> {
    return toTypedArray().asList()
}

Returns a [List] that wraps the original array.

```

that wraps the original array.
`public expect fun FloatArray.asList(): List<Float>`
Returns a [List] that wraps the original array.
`public expect fun DoubleArray.asList(): List<Double>`
Returns a [List] that wraps the original array.
`public expect fun BooleanArray.asList(): List<Boolean>`
Returns a [List] that wraps the original array.
`public expect fun CharArray.asList(): List<Char>`
Returns `true` if the two specified arrays are *deeply* equal to one another, i.e. contain the same number of the same elements in the same order.
If two corresponding elements are nested arrays, they are also compared deeply.
If any of arrays contains itself on any nesting level the behavior is undefined.
The elements of other types are compared for equality with the `[equals][Any.equals]` function.
For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.1")`
`@kotlin.internal.LowPriorityInOverloadResolution`
`public`

`expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean`
Returns `true` if the two specified arrays are *deeply* equal to one another, i.e. contain the same number of the same elements in the same order.
The specified arrays are also considered deeply equal if both are `null`.
If two corresponding elements are nested arrays, they are also compared deeply.
If any of arrays contains itself on any nesting level the behavior is undefined.
The elements of other types are compared for equality with the `[equals][Any.equals]` function.
For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`
`public expect infix fun <T> Array<out T>?.contentDeepEquals(other: Array<out T>?): Boolean`
Returns a hash code based on the contents of this array as if it is [List].
Nested

arrays are treated as lists too.
If any of arrays contains itself on any nesting level the behavior is undefined.
`@SinceKotlin("1.1")`
`@kotlin.internal.LowPriorityInOverloadResolution`
`public expect fun <T> Array<out T>.contentDeepHashCode(): Int`
Returns a hash code based on the contents of this array as if it is [List].
Nested arrays are treated as lists too.
If any of arrays contains itself on any nesting level the behavior is undefined.
`@SinceKotlin("1.4")`
`public expect fun <T> Array<out T>?.contentDeepHashCode(): Int`
Returns a string representation of the contents of this array as if it is a [List].
Nested arrays are treated as lists too.
If any of arrays contains itself on any nesting level that reference is rendered as `"[...]"` to prevent recursion.
`@sample`
`samples.collections.Arrays.ContentOperations.contentDeepToString`

`@SinceKotlin("1.1")`
`@kotlin.internal.LowPriorityInOverloadResolution`
`public`

`expect fun <T> Array<out T>.contentDeepToString(): String`
Returns a string representation of the contents of this array as if it is a [List].
Nested arrays are treated as lists too.
If any of arrays contains itself on any nesting level that reference is rendered as `"[...]"` to prevent recursion.
`@sample`
`samples.collections.Arrays.ContentOperations.contentDeepToString`
`@SinceKotlin("1.4")`
`public expect fun <T> Array<out T>?.contentDeepToString(): String`
Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
The elements are compared for equality with the `[equals][Any.equals]` function.
For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`
`@SinceKotlin("1.1")`
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`
`public expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean`

Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
The elements are compared for equality with the `[equals][Any.equals]` function.
For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`
`@SinceKotlin("1.1")`
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`
`public expect infix fun ByteArray.contentEquals(other: ByteArray): Boolean`
Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
The elements are compared for equality with the `[equals][Any.equals]` function.
For floating point numbers it means that `NaN`

is equal to itself and `-0.0` is not equal to `0.0`.
`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`
`@SinceKotlin("1.1")`
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`
`public expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean`
`n/n/**` `n * Returns true if the two specified arrays are`
`*structurally* equal to one another,`
`n * i.e. contain the same number of the same elements in the same order.`
`n *`
`* The elements are compared for equality with the [equals][Any.equals] function.`
`n * For floating point numbers it means that NaN is equal to itself and -0.0 is not equal to 0.0.`
`n *`
`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`
`@SinceKotlin("1.1")`
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`
`public expect infix fun IntArray.contentEquals(other: IntArray): Boolean`
`n/n/**` `n * Returns true if the two specified`
`arrays are *structurally* equal to one another,`
`n * i.e. contain the same number of the same`
`elements in the same order.`
`n *`
`* The elements are compared for equality with the [equals][Any.equals] function.`
`n * For floating point numbers it means that NaN is equal to itself and -0.0 is not equal to 0.0.`
`n *`
`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`
`@SinceKotlin("1.1")`
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`
`public expect infix fun LongArray.contentEquals(other: LongArray): Boolean`
`n/n/**` `n * Returns true if the two specified arrays are`
`*structurally* equal to one another,`
`n * i.e. contain the same number of the same elements in the same order.`
`n *`
`* The elements are compared for equality with the [equals][Any.equals] function.`
`n * For floating point numbers it means that NaN is equal to itself and -0.0 is not equal to 0.0.`
`n *`
`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`
`@SinceKotlin("1.1")`
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`
`public expect infix fun FloatArray.contentEquals(other: FloatArray): Boolean`
`n/n/**` `n * Returns true if the two specified arrays are *structurally* equal to one another,`
`* i.e. contain the same number of the same elements in the same order.`
`n *`
`* The elements are compared for equality with the [equals][Any.equals] function.`
`n * For floating point numbers it means that NaN is equal to itself and -0.0 is not equal to 0.0.`
`n *`
`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`
`@SinceKotlin("1.1")`
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`
`public expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean`
`n/n/**` `n * Returns true if the two specified arrays are`
`*structurally* equal to one another,`
`n * i.e. contain the same number of the same elements in the same order.`
`n *`
`* The elements are compared for equality with the [equals][Any.equals] function.`
`n * For floating point numbers it means that NaN is equal to itself and -0.0 is not equal to 0.0.`
`n *`
`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`
`@SinceKotlin("1.1")`
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`
`public expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean`
`n/n/**` `n * Returns true if the two specified arrays are`
`*structurally* equal to one another,`
`n * i.e. contain the same number of the same elements in the same order.`
`n *`
`* The elements are compared for equality with the [equals][Any.equals] function.`
`n * For floating point numbers it means that NaN is equal to itself and -0.0 is not equal to 0.0.`
`n *`
`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`
`@SinceKotlin("1.1")`
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`
`public expect infix fun CharArray.contentEquals(other: CharArray): Boolean`
`n/n/**` `n * Returns true if the two specified arrays are`
`*structurally* equal to one another,`
`n * i.e. contain the same number of the same elements in the same order.`
`n *`
`* The elements are compared for equality with the [equals][Any.equals] function.`
`n * For floating point numbers it means that NaN is equal to itself and -0.0 is not equal to 0.0.`
`n *`
`@SinceKotlin("1.4")`
`public expect infix fun <T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean`
`n/n/**` `n * Returns true if the two specified arrays are`
`*structurally* equal to one another,`
`n * i.e. contain the same number of the same elements in the same order.`
`n *`
`* The elements are compared for equality with the [equals][Any.equals] function.`
`n * For floating point numbers it means that NaN is equal to itself and -0.0 is not equal to 0.0.`
`n *`
`@SinceKotlin("1.4")`
`public expect infix fun ByteArray?.contentEquals(other: ByteArray?): Boolean`
`n/n/**` `n * Returns true if the two specified arrays are`
`*structurally* equal to one another,`
`n * i.e. contain the same number of the same elements in the same order.`
`n *`
`* The elements are compared for equality with the [equals][Any.equals] function.`
`n * For floating`

point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n

`*\n@SinceKotlin("1.4")\npublic expect infix fun ShortArray?.contentEquals(other: ShortArray?):`
`Boolean\n\n/**\n * Returns `true` if the two specified arrays are structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.4")\npublic expect infix fun IntArray?.contentEquals(other: IntArray?):`
`Boolean\n\n/**\n * Returns `true` if the two specified arrays are structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.4")\npublic expect infix fun LongArray?.contentEquals(other: LongArray?):`
`Boolean\n\n/**\n * Returns `true` if the two specified arrays are structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.4")\npublic expect infix fun FloatArray?.contentEquals(other: FloatArray?):`
`Boolean\n\n/**\n * Returns `true` if the two specified arrays are structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.4")\npublic expect infix fun DoubleArray?.contentEquals(other: DoubleArray?):`
`Boolean\n\n/**\n * Returns `true` if the two specified arrays are structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.4")\npublic expect infix fun BooleanArray?.contentEquals(other: BooleanArray?):`
`Boolean\n\n/**\n * Returns `true` if the two specified arrays are structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.4")\npublic expect infix fun CharArray?.contentEquals(other: CharArray?):`
`Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun <T> Array<out T>.contentHashCode():`
`Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun ByteArray.contentHashCode():`
`Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun ShortArray.contentHashCode():`
`Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun IntArray.contentHashCode():`
`Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun LongArray.contentHashCode():`
`Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun FloatArray.contentHashCode():`
`Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun DoubleArray.contentHashCode():`


```

specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun
BooleanArray.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun
CharArray.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified array
as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun <T> Array<out T>?.contentToString(): String\n\n**\n * Returns a
string representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun ByteArray?.contentToString(): String\n\n**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.4")\npublic expect fun
ShortArray?.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun IntArray?.contentToString(): String\n\n**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.4")\npublic expect fun
LongArray?.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n
 * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun FloatArray?.contentToString(): String\n\n**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.4")\npublic expect fun
DoubleArray?.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun BooleanArray?.contentToString(): String\n\n**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.4")\npublic expect fun
CharArray?.contentToString(): String\n\n**\n * Copies this array or its subrange
into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and
even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to
copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param
startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive)
of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
 * \n * @return the [destination] array.\n *\n@SinceKotlin("1.3")\npublic expect
fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int
= size): Array<T>\n\n**\n * Copies this array or its subrange into the [destination] array and returns that array.\n
 * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n

```

@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n * \n * @since Kotlin("1.3")\npublic expect fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray \n \n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n * \n * @since Kotlin("1.3")\npublic expect fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray \n \n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n * \n * @since Kotlin("1.3")\npublic expect fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray \n \n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n * \n * @since Kotlin("1.3")\npublic expect fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray \n \n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n * \n * @since Kotlin("1.3")\npublic expect fun

```

FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int
= size): FloatArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n
*\n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with
the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in
the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to
copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n
*\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out
of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return
the [destination] array.\n */\n\n@SinceKotlin("1.3")\npublic expect fun DoubleArray.copyInto(destination:
DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray\n\n/**\n * Copies
this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same
array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n *
@param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to
copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n *
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange
doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out
of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n\n@SinceKotlin("1.3")\npublic
expect fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0,
endIndex: Int = size): BooleanArray\n\n/**\n * Copies this array or its subrange into the [destination] array and
returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so
that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param
destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the
beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the
subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException
or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when
`startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the
[destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination]
array indices range.\n * \n * @return the [destination] array.\n */\n\n@SinceKotlin("1.3")\npublic expect fun
CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
CharArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*/\n\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.copyOf():
Array<T>\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n */\n\npublic expect fun ByteArray.copyOf():
ByteArray\n\n/**\n * Returns
new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n */\n\npublic expect fun ShortArray.copyOf():
ShortArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n */\n\npublic expect fun IntArray.copyOf(): IntArray\n\n/**\n
* Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n */\n\npublic expect fun LongArray.copyOf():
LongArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n */\n\npublic expect fun FloatArray.copyOf():
FloatArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample

```

samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun DoubleArray.copyOf():
 DoubleArray\n\n/**\n * Returns new array which is a copy of the original
 array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun
 BooleanArray.copyOf(): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n *
 @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun CharArray.copyOf():
 CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n *
 The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the
 size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of
 the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample
 samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun
 ByteArray.copyOf(newSize: Int): ByteArray\n\n/**\n * Returns new array which is a copy of the original array,
 resized to the given [newSize].\n
 * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than
 the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size
 of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample
 samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun
 ShortArray.copyOf(newSize: Int): ShortArray\n\n/**\n * Returns new array which is a copy of the original array,
 resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n
 * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If
 [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero
 values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n
 */\npublic expect fun IntArray.copyOf(newSize: Int): IntArray\n\n/**\n * Returns new array which is a copy of the
 original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values
 if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
 [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
 filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n
 */\npublic expect fun LongArray.copyOf(newSize: Int): LongArray\n\n/**\n * Returns new array which is a copy of
 the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero
 values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
 [newSize].\n * - If [newSize] is greater than the size
 of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample
 samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun
 FloatArray.copyOf(newSize: Int): FloatArray\n\n/**\n * Returns new array which is a copy of the original array,
 resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n
 * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If
 [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero
 values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic
 expect fun DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/**\n * Returns new array which is a copy of the
 original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false`
 values
 if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
 [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
 filled with `false` values.\n * \n * @sample
 samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun
 BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/**\n * Returns new array which is a copy of the original
 array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\u0000`)
 values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
 [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are

filled with null char (`    `) values.
`samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf`
`CharArray.copyOf(newSize: Int): CharArray`
Returns new array which is a copy of the original array, resized to the given [newSize].
The copy is either truncated or padded at the end with `    ` values if necessary.
- If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
- If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `    ` values.
`samples.collections.Arrays.CopyOfOperations.resizingCopyOf`
`Array<T?>.copyOf(newSize: Int): Array<T?>`
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive) to copy.
@param toIndex the end of the range (exclusive) to copy.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
`Array<T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>`
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive) to copy.
@param toIndex the end of the range (exclusive) to copy.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
`ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray`
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive) to copy.
@param toIndex the end of the range (exclusive) to copy.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
`ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray`
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive) to copy.
@param toIndex the end of the range (exclusive) to copy.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
`IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray`
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive) to copy.
@param toIndex the end of the range (exclusive) to copy.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
`LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray`
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive) to copy.
@param toIndex the end of the range (exclusive) to copy.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
`FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray`
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive) to copy.
@param toIndex the end of the range (exclusive) to copy.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
`DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray`
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive) to copy.
@param toIndex the end of the range (exclusive) to copy.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the

size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n *\n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n *\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n *\n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n *\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\npublic expect fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n *\n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n *\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\npublic expect fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n *\n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n *\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\npublic expect fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n *\n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n *\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\npublic expect fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n *\n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n *\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\npublic expect fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n *\n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n *\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\npublic expect fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n *\n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n *\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\npublic expect fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n *\n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n *\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\npublic

```

expect fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this
array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive)
to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\npublic expect fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size):
Unit\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic val <T> Array<out T>.indices:
IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic
val ByteArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the
range of valid indices for the array.\n *\npublic val ShortArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic val IntArray.indices: IntRange\n
get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic val
LongArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the
array.\n *\npublic val FloatArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range
of valid indices for the array.\n *\npublic val DoubleArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic val BooleanArray.indices:
IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic
val CharArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns `true`
if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean
{\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n
* Returns `true` if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty():
Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n
* Returns `true` if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty():
Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is
empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isEmpty(): Boolean {\n    return size ==
0\n}\n\n/**\n * Returns `true` if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is not empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic inline
fun ByteArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic inline
fun FloatArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic inline
fun BooleanArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns the last valid index for the array.\n *\npublic val <T> Array<out
T>.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n *\npublic val
ByteArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n *\npublic val

```

ShortArray.lastIndex: Int\n get() = size - 1\n\n**\n * Returns the last valid index for the array.\n */\npublic val

IntArray.lastIndex: Int\n get() = size - 1\n\n**\n * Returns the last valid index for the array.\n */\npublic val

LongArray.lastIndex: Int\n get() = size - 1\n\n**\n * Returns the last valid index for the array.\n */\npublic val

FloatArray.lastIndex: Int\n get() = size - 1\n\n**\n * Returns the last valid index for the array.\n */\npublic val

DoubleArray.lastIndex: Int\n get() = size - 1\n\n**\n * Returns the last valid index for the array.\n */\npublic val

BooleanArray.lastIndex: Int\n get() = size - 1\n\n**\n * Returns the last valid index for the array.\n */\npublic val

CharArray.lastIndex: Int\n get() = size

- 1\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n

*\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(element: T):

Array<T>\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n

*\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n**\n * Returns an array containing all

elements of the original array and then the given [element].\n */\npublic expect operator fun

ShortArray.plus(element: Short): ShortArray\n\n**\n * Returns an array containing all elements of the original

array and then the given [element].\n */\npublic expect operator fun IntArray.plus(element: Int): IntArray\n\n**\n *

Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect

operator fun LongArray.plus(element: Long): LongArray\n\n**\n * Returns an array containing all elements of the

original array

and then the given [element].\n */\npublic expect operator fun FloatArray.plus(element: Float): FloatArray\n\n**\n

* Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect

operator fun DoubleArray.plus(element: Double): DoubleArray\n\n**\n * Returns an array containing all elements

of the original array and then the given [element].\n */\npublic expect operator fun BooleanArray.plus(element:

Boolean): BooleanArray\n\n**\n * Returns an array containing all elements of the original array and then the given

[element].\n */\npublic expect operator fun CharArray.plus(element: Char): CharArray\n\n**\n * Returns an array

containing all elements of the original array and then all elements of the given [elements] collection.\n

*\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(elements:

Collection<T>): Array<T>\n\n**\n * Returns an array containing all elements of the original array and then all

elements of the given [elements] collection.\n */\npublic expect operator fun ByteArray.plus(elements:

Collection<Byte>): ByteArray\n\n**\n * Returns an array containing all elements of the original array and then all

elements of the given [elements] collection.\n */\npublic expect operator fun ShortArray.plus(elements:

Collection<Short>): ShortArray\n\n**\n * Returns an array containing all elements of the original array and then all

elements of the given [elements] collection.\n */\npublic expect operator fun IntArray.plus(elements:

Collection<Int>): IntArray\n\n**\n * Returns an array containing all elements of the original array and then all

elements of the given [elements] collection.\n */\npublic expect operator fun LongArray.plus(elements:

Collection<Long>): LongArray\n\n**\n * Returns an array containing all elements of the original array and then all

elements of the given [elements] collection.\n */\npublic expect operator fun FloatArray.plus(elements:

Collection<Float>:

FloatArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the

given [elements] collection.\n */\npublic expect operator fun DoubleArray.plus(elements: Collection<Double>):

DoubleArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the

given [elements] collection.\n */\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>):

BooleanArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the

given [elements] collection.\n */\npublic expect operator fun CharArray.plus(elements: Collection<Char>):

CharArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the

given [elements] array.\n */\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T>

Array<T>.plus(elements: Array<out T>): Array<T>\n\n**\n * Returns an array containing all elements of the

original

array and then all elements of the given [elements] array.\n */\npublic expect operator fun ByteArray.plus(elements:

ByteArray): ByteArray\n\n**\n * Returns an array containing all elements of the original array and then all

elements of the given [elements] array.\n */\npublic expect operator fun ShortArray.plus(elements: ShortArray): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.plusElement(element: T): Array<T>\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun IntArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun LongArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun ByteArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun ShortArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun DoubleArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun FloatArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun CharArray.sort(): Unit\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic expect fun <T : Comparable<T>> Array<out T>.sort(): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable\n */\n@SinceKotlin("1.4")\npublic expect fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin("1.4")\npublic expect fun ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin("1.4")\npublic expect fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin("1.4")\npublic expect fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin("1.4")\npublic expect fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit

range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^\n@SinceKotlin("1.4")\npublic fun IntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^\n@SinceKotlin("1.4")\npublic fun LongArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^\n@SinceKotlin("1.4")\npublic fun FloatArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^\n@SinceKotlin("1.4")\npublic fun DoubleArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^\n@SinceKotlin("1.4")\npublic fun CharArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n * \n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n *^\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n\n/**\n * Sorts a range in the array in-place with the given [comparator].\n * \n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Returns an array of Boolean containing all of the elements of this generic array.\n *^\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n return BooleanArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this generic array.\n *^\npublic fun Array<out Byte>.toByteArray(): ByteArray {\n return ByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Char containing all of the elements of this generic array.\n *^\npublic fun Array<out Char>.toCharArray(): CharArray {\n return CharArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Double containing all of the elements of this generic array.\n *^\npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n return DoubleArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Float containing all of the elements of this generic array.\n *^\npublic fun Array<out Float>.toFloatArray(): FloatArray {\n return FloatArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Int containing all of the elements of this generic array.\n

```

*^/npublic fun Array<out Int>.toIntArray(): IntArray {^/n  return IntArray(size) { index -> this[index] }^/n}^/n/n/**^/n
* Returns an array of Long containing all of the elements of this generic array.^/n ^/npublic fun
Array<out Long>.toLongArray(): LongArray {^/n  return LongArray(size) { index -> this[index] }^/n}^/n/n/**^/n *
Returns an array of Short containing all of the elements of this generic array.^/n ^/npublic fun Array<out
Short>.toShortArray(): ShortArray {^/n  return ShortArray(size) { index -> this[index] }^/n}^/n/n/**^/n * Returns a
*typed* object array containing all of the elements of this primitive array.^/n ^/npublic expect fun
ByteArray.toTypedArray(): Array<Byte>^/n/n/**^/n * Returns a *typed* object array containing all of the elements of
this primitive array.^/n ^/npublic expect fun ShortArray.toTypedArray(): Array<Short>^/n/n/**^/n * Returns a
*typed* object array containing all of the elements of this primitive array.^/n ^/npublic expect fun
IntArray.toTypedArray(): Array<Int>^/n/n/**^/n * Returns a *typed* object array containing all of the elements of
this primitive array.^/n ^/npublic expect fun LongArray.toTypedArray(): Array<Long>^/n/n/**^/n * Returns a *typed*
object array containing
all of the elements of this primitive array.^/n ^/npublic expect fun FloatArray.toTypedArray():
Array<Float>^/n/n/**^/n * Returns a *typed* object array containing all of the elements of this primitive array.^/n
^/npublic expect fun DoubleArray.toTypedArray(): Array<Double>^/n/n/**^/n * Returns a *typed* object array
containing all of the elements of this primitive array.^/n ^/npublic expect fun BooleanArray.toTypedArray():
Array<Boolean>^/n/n/**^/n * Returns a *typed* object array containing all of the elements of this primitive array.^/n
^/npublic expect fun CharArray.toTypedArray(): Array<Char>^/n/n/**^/n * Returns a [Map] containing key-value
pairs provided by [transform] function^/n * applied to elements of the given array.^/n * ^/n * If any of two pairs would
have the same key the last one gets added to the map.^/n * ^/n * The returned map preserves the entry iteration order
of the original array.^/n * ^/n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives^/n
^/npublic
inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {^/n  val capacity =
mapCapacity(size).coerceAtLeast(16)^/n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)^/n}^/n/n/**^/n * Returns a [Map] containing key-value pairs provided by [transform] function^/n * applied to
elements of the given array.^/n * ^/n * If any of two pairs would have the same key the last one gets added to the
map.^/n * ^/n * The returned map preserves the entry iteration order of the original array.^/n * ^/n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives^/n ^/npublic inline fun <K, V>
ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {^/n  val capacity =
mapCapacity(size).coerceAtLeast(16)^/n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)^/n}^/n/n/**^/n * Returns a [Map] containing key-value pairs provided by [transform] function^/n * applied to
elements of the given array.^/n * ^/n * If any of two pairs would have
the same key the last one gets added to the map.^/n * ^/n * The returned map preserves the entry iteration order of the
original array.^/n * ^/n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives^/n
^/npublic inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {^/n  val
capacity = mapCapacity(size).coerceAtLeast(16)^/n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)^/n}^/n/n/**^/n * Returns a [Map] containing key-value pairs provided by [transform] function^/n * applied to
elements of the given array.^/n * ^/n * If any of two pairs would have the same key the last one gets added to the
map.^/n * ^/n * The returned map preserves the entry iteration order of the original array.^/n * ^/n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives^/n ^/npublic inline fun <K, V>
IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {^/n  val capacity =
mapCapacity(size).coerceAtLeast(16)^/n  return
associateTo(LinkedHashMap<K, V>(capacity), transform)^/n}^/n/n/**^/n * Returns a [Map] containing key-value
pairs provided by [transform] function^/n * applied to elements of the given array.^/n * ^/n * If any of two pairs would
have the same key the last one gets added to the map.^/n * ^/n * The returned map preserves the entry iteration order
of the original array.^/n * ^/n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives^/n
^/npublic inline fun <K, V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {^/n  val capacity
= mapCapacity(size).coerceAtLeast(16)^/n  return associateTo(LinkedHashMap<K, V>(capacity),

```

```

transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n
*/\npublic inline fun <K, V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n    val
capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n
*/\npublic inline fun <K, V>
DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n *
applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added
to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n
*/\npublic inline fun <K, V>
BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n
*/\npublic inline fun <K, V>
CharArray.associate(transform: (Char) -> Pair<K,
V>): Map<K, V> {\n    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return
associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements
from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If
any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n *
The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n
*/\npublic inline fun <T, K>
Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, T>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n
*/\npublic inline fun <K>
ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Byte>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n
*/\npublic inline fun <K>
ShortArray.associateBy(keySelector: (Short) ->
K): Map<K, Short> {\n    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return
associateByTo(LinkedHashMap<K, Short>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
elements from the given array indexed by the key\n * returned from [keySelector] function applied to each
element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to

```

the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * ^\npublic inline fun <K>
IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n val capacity =
mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Int>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements
would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * ^\npublic inline fun <K>
LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n val capacity =
mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Long>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * ^\npublic inline fun <K>
FloatArray.associateBy(keySelector:
(Float) -> K): Map<K, Float> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return
associateByTo(LinkedHashMap<K, Float>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
elements from the given array indexed by the key\n * returned from [keySelector] function applied to each
element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to
the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * ^\npublic inline fun <K>
DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n val capacity =
mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Double>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n *
* \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
* \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * ^\npublic inline fun <K>
BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n val capacity =
mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Boolean>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * ^\npublic inline fun <K>
CharArray.associateBy(keySelector:
(Char) -> K): Map<K, Char> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return
associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given
array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n * ^\npublic inline
fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n val
capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]

and indexed by [keySelector] functions applied to elements of the given array.

* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

* The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform
*/public inline
fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, V>(capacity),
        keySelector, valueTransform)
}

```

* Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.

* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

* The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform
*/public inline
fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, V>(capacity),
        keySelector, valueTransform)
}

```

* Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.

* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

* The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform
*/public inline
fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)
}

```

* Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.

* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

* The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform
*/public inline
fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)
}

```

* Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.

* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

* The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform
*/public inline
fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, V>(capacity),
        keySelector, valueTransform)
}

```

* Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.

* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

* The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform
*/public inline
fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)
}

```

* Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.

* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

* The returned map preserves the entry iteration order of the original array.

@sample

```

*public inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) ->
V): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return
    associateByTo(LinkedHashMap<K,
    V>(capacity), keySelector, valueTransform)
}

* Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.
* If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.
* The
returned map preserves the entry iteration order of the original array.
* @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform

*public inline
fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {
    val
    capacity = mapCapacity(size).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, V>(capacity),
    keySelector, valueTransform)
}

* Populates and returns the [destination] mutable map with key-value
pairs,
* where key is provided by the [keySelector] function applied to each element of the given array
* and
value is the element itself.
*
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
* @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

*public inline
fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M
{
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return
    destination
}

* Populates and returns the [destination] mutable map with key-value pairs,
* where key is
provided by the [keySelector] function applied to each element of the given array
* and value is the element
itself.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the
map.
* @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

*public
inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte)
-> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return
    destination
}

* Populates and returns the [destination] mutable map with key-value pairs,
* where key is
provided by the [keySelector] function applied to each element of the given array
* and value is the element
itself.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the
map.
* @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

*public
inline fun <K, M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) ->
K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return
    destination
}

* Populates and returns the [destination] mutable map with key-value pairs,
* where key is
provided by the [keySelector] function applied to each element of the given array
* and value is the element
itself.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the
map.
* @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

*public inline fun <K, M :
MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {
    for (element
in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}

* Populates
and returns the [destination] mutable map with key-value pairs,
* where key is provided by the [keySelector]
function applied to each element of the given array
* and value is the element itself.
* If any two elements
would have the same key returned by [keySelector] the last one gets added to the map.
* @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

*public inline fun <K, M :
MutableMap<in K, in Long>> LongArray.associateByTo(destination:
M, keySelector: (Long) -> K): M {
    for (element in this) {
        destination.put(keySelector(element),
element)
    }
    return destination
}

* Populates and returns the [destination] mutable map with key-
value pairs,
* where key is provided by the [keySelector] function applied to each element of the given array
* and
value is the element itself.
* If any two elements would have the same key returned by [keySelector] the
last one gets added to the map.
* @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

*public inline fun <K, M :
MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {
    for

```

```

(element in this) {\n    destination.put(keySelector(element), element)\n } \n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element
of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned
by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n *\npublic inline fun <K, M :
MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n
for (element in this) {\n    destination.put(keySelector(element), element)\n } \n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any
two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n *
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n *\npublic inline fun <K,
M : MutableMap<in K, in
Boolean>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K): M {\n
for (element in
this) {\n    destination.put(keySelector(element), element)\n } \n return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function
applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n *\npublic inline fun <K, M :
MutableMap<in K, in
Char>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M {\n
for (element in
this) {\n    destination.put(keySelector(element), element)\n } \n return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the
given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added
to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic
inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -
> K, valueTransform: (T) -> V): M {\n
for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n } \n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the
map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic
inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) ->
K, valueTransform: (Byte) -> V): M {\n
for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n } \n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic
inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) ->
K, valueTransform: (Short) -> V): M {\n
for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n } \n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic

```

```

inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K,
valueTransform: (Int) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with
key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the
[valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same
key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) ->
K, valueTransform: (Long) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned
by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) ->
K, valueTransform: (Float) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination:
M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector]
function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M,
keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the
given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added
to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector: (Char) ->
K, valueTransform: (Char) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If
any of two pairs would have the same key the last one gets added
to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic
inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform:
(T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key

```

the last one gets added to the map.

```

@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
*/public inline fun <K, V, M :
MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {
for (element in this) {
destination += transform(element)
}
return destination
}
*/
Populates and returns the [destination] mutable map with key-value
pairs
*/ provided by [transform] function applied to each element of the given array.
*/
If any of two pairs would have the same key the last one gets added to the map.
*/
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
*/public inline fun <K, V, M :
MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {
for (element in this) {
destination += transform(element)
}
return destination
}
*/
Populates and returns the [destination] mutable map with key-value pairs
*/ provided by [transform] function applied to each
element of the given array.
*/
If any of two pairs would have the same key the last one gets added to the
map.
*/
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
*/public
inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K,
V>): M {
for
(element in this) {
destination += transform(element)
}
return destination
}
*/
Populates and
returns the [destination] mutable map with key-value pairs
*/ provided by [transform] function applied to each
element of the given array.
*/
If any of two pairs would have the same key the last one gets added to the
map.
*/
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
*/public
inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) ->
Pair<K, V>): M {
for (element in this) {
destination += transform(element)
}
return
destination
}
}
*/
Populates and returns the [destination] mutable map with key-value pairs
*/ provided by
[transform] function applied to each element of the given array.
*/
If any of two pairs would have the same key
the last one gets added to the map.
*/
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
*/
*/public inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform:
(Float) -> Pair<K, V>): M {
for (element in this) {
destination += transform(element)
}
return
destination
}
}
*/
Populates and returns the [destination] mutable map with key-value pairs
*/ provided by
[transform] function applied to each element of the given array.
*/
If any of two pairs would have the same key
the last one gets added to the map.
*/
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
*/public inline fun <K, V, M :
MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) -> Pair<K, V>): M {
for (element in this) {
destination += transform(element)
}
return destination
}
}
*/
Populates
and returns the [destination] mutable map with key-value pairs
*/ provided by [transform] function applied to each
element
of the given array.
*/
If any of two pairs would have the same key the last one gets added to the map.
*/
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
*/public inline fun <K, V,
M : MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {
for (element in this) {
destination += transform(element)
}
return destination
}
}
*/
Populates and returns the [destination] mutable map with key-value pairs
*/ provided by [transform] function
applied to each element of the given array.
*/
If any of two pairs would have the same key the last one gets
added to the map.
*/
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
*/public inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform:
(Char) -> Pair<K, V>): M {
for (element in this) {
destination += transform(element)
}
return destination
}
}
*/
Returns a [Map] where keys are elements from the given array and values
are
*/ produced by the [valueSelector] function applied to each element.
*/
If any two elements are equal, the
last one gets added to the map.
*/
The returned map preserves the entry iteration order of the original array.
*/
@sample
samples.collections.Collections.Transformations.associateWith
*/@SinceKotlin("1.4")
*/public

```

```

inline fun <K, V> Array<out K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n    val result =
LinkedHashMap<K, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n
* @sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ByteArray.associateWith(valueSelector: (Byte) -> V): Map<Byte, V> {\n    val result = LinkedHashMap<Byte,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ShortArray.associateWith(valueSelector: (Short) -> V): Map<Short, V> {\n    val result = LinkedHashMap<Short,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n
* @sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
IntArray.associateWith(valueSelector: (Int) -> V): Map<Int, V> {\n    val result = LinkedHashMap<Int,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order
of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
LongArray.associateWith(valueSelector: (Long) -> V): Map<Long, V> {\n    val result = LinkedHashMap<Long,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
FloatArray.associateWith(valueSelector: (Float) -> V): Map<Float, V> {\n    val result = LinkedHashMap<Float,
V>(mapCapacity(size).coerceAtLeast(16))\n
return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the
given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two
elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order
of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
DoubleArray.associateWith(valueSelector: (Double) -> V): Map<Double, V> {\n    val result =
LinkedHashMap<Double, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned

```

```

map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
BooleanArray.associateWith(valueSelector: (Boolean) -> V): Map<Boolean, V> {\n  val result =
LinkedHashMap<Boolean, V>(mapCapacity(size).coerceAtLeast(16))\n  return associateWithTo(result,
valueSelector)\n}\n\n**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
CharArray.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n  val result
= LinkedHashMap<Char, V>(mapCapacity(size).coerceAtMost(128)).coerceAtLeast(16))\n  return
associateWithTo(result, valueSelector)\n}\n\n**\n * Populates and returns the [destination] mutable map with key-
value pairs for each element of the given array,\n * where key is the element itself and value is provided by the
[valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the
former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Array<out
K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by
the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the
former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Byte, in V>>
ByteArray.associateWithTo(destination: M, valueSelector: (Byte) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic
inline fun <V, M : MutableMap<in Short, in V>> ShortArray.associateWithTo(destination: M, valueSelector:
(Short) -> V): M {\n  for (element in this) {\n    destination.put(element, valueSelector(element))\n  }\n  return
destination\n}\n\n**\n * Populates and returns the [destination] mutable map with key-value pairs for each element
of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied
to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n *
@sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Int, in V>>
IntArray.associateWithTo(destination: M, valueSelector: (Int) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n**\n * Populates and returns the
[destination]
mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value
is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one
overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Long, in V>>
LongArray.associateWithTo(destination: M, valueSelector: (Long) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n**\n * Populates and returns the

```

[destination] mutable map with key-value pairs for each element of the given array, where key is the element itself and value is provided by the [valueSelector] function applied to that key. If any two elements are equal, the last one overwrites the former value in the map.

```

@sample samples.collections.Collections.Transformations.associateWithTo
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Float, in V>>
FloatArray.associateWithTo(destination: M, valueSelector: (Float) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array, where key is the element
itself and value is provided by the [valueSelector] function applied to that key. If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Double, in V>>
DoubleArray.associateWithTo(destination: M, valueSelector: (Double) -> V): M {\n  for (element
in this) {\n    destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs for each element of the given array, where
key is the element itself and value is provided by the [valueSelector] function applied to that key. If any two
elements are equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Boolean, in
V>> BooleanArray.associateWithTo(destination: M, valueSelector: (Boolean) -> V): M {\n  for (element in this)
{\n    destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs for each element of the given array, where key is the
element itself and value is provided
by the [valueSelector] function applied to that key. If any two elements are equal, the last one overwrites
the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Char, in V>>
CharArray.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Appends all elements to
the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Array<out
T>.toCollection(destination: C): C {\n  for (item in this) {\n    destination.add(item)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C :
MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {\n  for (item in this) {\n
destination.add(item)\n  }\n  return destination\n}\n\n/**\n * Appends all elements to the given [destination]
collection.\n */\npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination: C): C {\n
for (item in this) {\n    destination.add(item)\n  }\n  return destination\n}\n\n/**\n * Appends all elements to
the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Int>> IntArray.toCollection(destination: C): C {\n
for (item in this) {\n    destination.add(item)\n  }\n  return destination\n}\n\n/**\n * Appends all elements to
the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Long>>
LongArray.toCollection(destination: C): C {\n  for (item in this) {\n    destination.add(item)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C :
MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {\n  for (item
in this) {\n    destination.add(item)\n  }\n  return destination\n}\n\n/**\n * Appends all elements to the given
[destination] collection.\n */\npublic fun <C : MutableCollection<in Double>>
DoubleArray.toCollection(destination: C): C {\n  for (item in this) {\n    destination.add(item)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C :
MutableCollection<in Boolean>> BooleanArray.toCollection(destination: C): C {\n  for (item in this) {\n
destination.add(item)\n  }\n  return destination\n}\n\n/**\n * Appends all elements to the given [destination]

```

```

collection.\n *\npublic fun <C : MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n  for
(item in this) {\n    destination.add(item)\n  }\n  return destination\n}\n\n/**\n * Returns a new [HashSet] of all
elements.\n *\npublic fun <T> Array<out T>.toHashSet(): HashSet<T> {\n  return
toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\npublic fun
ByteArray.toHashSet(): HashSet<Byte> {\n  return
toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\npublic fun
ShortArray.toHashSet(): HashSet<Short> {\n  return
toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\npublic fun
IntArray.toHashSet(): HashSet<Int> {\n  return
toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\npublic fun
LongArray.toHashSet(): HashSet<Long> {\n  return
toCollection(HashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\npublic fun
FloatArray.toHashSet(): HashSet<Float> {\n  return
toCollection(HashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\npublic fun
DoubleArray.toHashSet(): HashSet<Double> {\n  return
toCollection(HashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all
elements.\n *\npublic fun BooleanArray.toHashSet(): HashSet<Boolean> {\n  return
toCollection(HashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\npublic fun
CharArray.toHashSet(): HashSet<Char> {\n  return
toCollection(HashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n}\n\n/**\n * Returns a [List] containing all
elements.\n *\npublic fun <T> Array<out T>.toList(): List<T> {\n  return when (size) {\n    0 -> emptyList()\n    1 ->
listOf(this[0])\n    else -> this.toMutableList()\n  }\n}\n\n/**\n * Returns a [List] containing all
elements.\n *\npublic fun ByteArray.toList(): List<Byte> {\n  return when (size) {\n    0 -> emptyList()\n    1 ->
listOf(this[0])\n    else -> this.toMutableList()\n  }\n}\n\n/**\n * Returns a [List] containing all elements.\n *\npublic fun
ShortArray.toList(): List<Short> {\n  return when (size) {\n    0 -> emptyList()\n    1 -> listOf(this[0])\n    else ->
this.toMutableList()\n  }\n}\n\n/**\n * Returns a [List] containing all elements.\n *\npublic fun IntArray.toList(): List<Int> {\n  return
when (size) {\n    0 -> emptyList()\n    1 -> listOf(this[0])\n    else -> this.toMutableList()\n  }\n}\n\n/**\n * Returns a [List] containing all elements.\n *\npublic fun LongArray.toList(): List<Long> {\n  return when (size) {\n    0 -> emptyList()\n    1 -> listOf(this[0])\n    else -> this.toMutableList()\n  }\n}\n\n/**\n * Returns a
[List] containing all elements.\n *\npublic fun FloatArray.toList(): List<Float> {\n  return when (size) {\n    0 ->
emptyList()\n    1 -> listOf(this[0])\n    else -> this.toMutableList()\n  }\n}\n\n/**\n * Returns a [List]
containing all elements.\n *\npublic fun DoubleArray.toList(): List<Double> {\n  return when (size) {\n    0 ->
emptyList()\n    1 -> listOf(this[0])\n    else -> this.toMutableList()\n  }\n}\n\n/**\n * Returns a [List] containing all
elements.\n *\npublic fun BooleanArray.toList(): List<Boolean> {\n  return when (size) {\n    0 -> emptyList()\n    1 ->
listOf(this[0])\n    else -> this.toMutableList()\n  }\n}\n\n/**\n * Returns a [List] containing all elements.\n *\npublic fun
CharArray.toList(): List<Char> {\n  return when (size) {\n    0 -> emptyList()\n    1 -> listOf(this[0])\n    else ->
this.toMutableList()\n  }\n}\n\n/**\n * Returns a new [MutableList] filled with all
elements of this array.\n *\npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n  return
ArrayList(this.asCollection())\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n *\npublic fun
ByteArray.toMutableList(): MutableList<Byte> {\n  val list = ArrayList<Byte>(size)\n  for (item
in this) list.add(item)\n  return list\n}\n\n/**\n * Returns a new [MutableList]
filled with all elements of this array.\n *\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n  val list =
ArrayList<Short>(size)\n  for (item in this) list.add(item)\n  return list\n}\n\n/**\n * Returns a new
[MutableList] filled with all elements of this array.\n *\npublic fun IntArray.toMutableList(): MutableList<Int> {\n  val list =
ArrayList<Int>(size)\n  for (item in this) list.add(item)\n  return list\n}\n\n/**\n * Returns a new
[MutableList] filled with all elements of this array.\n *\npublic fun LongArray.toMutableList():

```

```

MutableList<Long> {\n  val list = ArrayList<Long>(size)\n  for (item in this) list.add(item)\n  return
list}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun
FloatArray.toMutableList(): MutableList<Float> {\n  val list = ArrayList<Float>(size)\n  for (item in this)
list.add(item)\n  return list}\n\n/**\n * Returns a new [MutableList] filled with all elements of
this array.\n */\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n  val list =
ArrayList<Double>(size)\n  for (item in this) list.add(item)\n  return list}\n\n/**\n * Returns a new
[MutableList] filled with all elements of this array.\n */\npublic fun BooleanArray.toMutableList():
MutableList<Boolean> {\n  val list = ArrayList<Boolean>(size)\n  for (item in this) list.add(item)\n  return
list}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun
CharArray.toMutableList(): MutableList<Char> {\n  val list = ArrayList<Char>(size)\n  for (item in this)
list.add(item)\n  return list}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toSet(): Set<T> {\n  return when
(size) {\n    0 -> emptySet()\n    1 -> setOf(this[0])\n    else ->
toCollection(LinkedHashSet<T>(mapCapacity(size)))\n  }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic fun ByteArray.toSet(): Set<Byte> {\n  return when (size) {\n    0 -> emptySet()\n
    1 -> setOf(this[0])\n    else -> toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n  }\n}\n\n/**\n *
Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n
*/\npublic fun ShortArray.toSet(): Set<Short> {\n  return when (size) {\n    0 -> emptySet()\n    1 ->
setOf(this[0])\n    else -> toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n  }\n}\n\n/**\n * Returns a
[Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n
*/\npublic fun IntArray.toSet(): Set<Int> {\n  return when (size) {\n    0 -> emptySet()\n    1 -> setOf(this[0])\n
    else -> toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n  }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic fun LongArray.toSet(): Set<Long> {\n  return when (size) {\n    0 ->
emptySet()\n    1 -> setOf(this[0])\n    else -> toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n  }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the
original array.\n */\npublic fun FloatArray.toSet(): Set<Float> {\n  return when (size) {\n    0 -> emptySet()\n
    1 -> setOf(this[0])\n    else -> toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n  }\n}\n\n/**\n *
Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n
*/\npublic fun DoubleArray.toSet(): Set<Double> {\n  return when (size) {\n    0 -> emptySet()\n    1 ->
setOf(this[0])\n    else -> toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n  }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic fun BooleanArray.toSet(): Set<Boolean> {\n  return when (size) {\n    0 ->
emptySet()\n    1 -> setOf(this[0])\n    else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n  }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the
original array.\n */\npublic fun CharArray.toSet(): Set<Char> {\n  return when (size) {\n    0 -> emptySet()\n
    1 -> setOf(this[0])\n    else -> toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n  }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on
each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*/\npublic inline fun <T,
R> Array<out T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*/\npublic inline fun <R> ByteArray.flatMap(transform:
(Byte) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n
*/\n * @sample samples.collections.Collections.Transformations.flatMap\n
*/\npublic inline fun <R>

```

```

ShortArray.flatMap(transform: (Short) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> IntArray.flatMap(transform:
(Int) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
LongArray.flatMap(transform: (Long) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> FloatArray.flatMap(transform:
(Float) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform]
function being invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> CharArray.flatMap(transform:
(Char) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of
original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <T, R> Array<out
T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun
<T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
\n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.flatMapIndexed(transform: (index: Int, Byte) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
\n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ShortArray.flatMapIndexed(transform: (index: Int, Short) -> Iterable<R>): List<R> {\n  return

```

```

flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> IntArray.flatMapIndexed(transform: (index: Int, Int) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n
* and its index in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> LongArray.flatMapIndexed(transform: (index: Int, Long) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> FloatArray.flatMapIndexed(transform: (index: Int, Float) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> DoubleArray.flatMapIndexed(transform: (index: Int, Double) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the
original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> BooleanArray.flatMapIndexed(transform: (index: Int, Boolean) -> Iterable<R>): List<R> {\n
return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded
from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharArray.flatMapIndexed(transform: (index: Int, Char)
-> Iterable<R>): List<R> {\n return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a
single list of all elements yielded from results of [transform] function being invoked on each element\n * and its
index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli

```

c

```
inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform: (index: Int, T) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element * and its index in the original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapIndexedTo(destination: C, transform: (index: Int, Byte) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element * and its index in the original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapIndexedTo(destination: C, transform: (index: Int, Short) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element * and its index in the original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> IntArray.flatMapIndexedTo(destination: C, transform: (index: Int, Int) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element * and its index in the original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> LongArray.flatMapIndexedTo(destination: C, transform: (index: Int, Long) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element * and its index in the original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapIndexedTo(destination: C, transform: (index: Int, Float) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element * and its index in the original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapIndexedTo(destination: C, transform: (index: Int, Double) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element * and its index in the original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapIndexedTo(destination: C, transform: (index: Int, Double) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element * and its index in the original array, to the given [destination].\n
```

results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>>
```

```
R>> BooleanArray.flatMapIndexedTo(destination: C, transform: (index: Int, Boolean) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> CharArray.flatMapIndexedTo(destination: C, transform: (index: Int, Char) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform: (index: Int, T) -> Sequence<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n *\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n
```

```
*\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n *\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n *\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n
```

```
*\npublic inline fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n *\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n *\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n
```

```
*\npublic inline fun <R, C : MutableCollection<in R>> LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n *\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n
```

```
*\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n *\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n
```

```
*\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C, transform: (Double) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n
```

```

[transform] function being invoked on each element of original array, to the given [destination].\n *\npublic inline
fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) ->
Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n
        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n *\npublic inline
fun <R, C : MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C
{\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n
        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Groups elements of the original array by the
key returned by the given [keySelector] function\n * applied to each element and returns a map where each group
key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order
of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <T, K> Array<out
T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <K>
ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<Byte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic
inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated
with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\npublic inline fun <K> IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original
array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where
each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <K>
LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <K>
FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n    return groupByTo(LinkedHashMap<K,

```

```

MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> DoubleArray.groupBy(keySelector:
(Double) -> K): Map<K, List<Double>> {\n    return groupByTo(LinkedHashMap<K, MutableList<Double>>(),
keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun
<K> BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration
order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied
to each element of the original array\n * by the key returned by the given [keySelector] function applied to the
element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The
returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V>
Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the
key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key
is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned
map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is

```

associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <K, V>
LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n } \n \n /**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map
where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <K, V>
FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n } \n \n /**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <K, V>
DoubleArray.groupBy(keySelector:
(Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K,
MutableList<V>>(), keySelector, valueTransform)\n } \n \n /**\n * Groups values returned by the [valueTransform]
function applied to each element of the original array\n * by the key returned by the given [keySelector] function
applied to the element\n * and returns a map where each group key is associated with a list of corresponding
values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n
* \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun
<K, V> BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>>>
{\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n } \n \n /**\n *
Groups values returned by the [valueTransform] function applied to each element of the original array\n
* by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each
group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration
order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <K, V>
CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n } \n \n /**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n * \n public inline
fun <T, K, M : MutableMap<in K, MutableList<T>>>>
Array<out T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return
destination\n } \n \n /**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and puts to the [destination] map each group key associated with a list of
corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n * \n public inline fun <K, M : MutableMap<in K,
MutableList<Byte>>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in
this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Byte>() }\n list.add(element)\n }\n return destination\n } \n \n /**\n * Groups elements of the original array by the
key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each
group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n *

```

```

@sample samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <K, M : MutableMap<in
K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K): M {\n for (element
in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Short>() }\n
list.add(element)\n }\n return destination\n}\n\n**\n * Groups elements of the original array by the key
returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each
group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <K,
M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K): M {\n
for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<Int>() }\n list.add(element)\n }\n return destination\n}\n\n**\n * Groups elements of the original
array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic inline
fun <K, M : MutableMap<in K, MutableList<Long>>> LongArray.groupByTo(destination: M, keySelector: (Long)
-> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<Long>() }\n list.add(element)\n }\n return destination\n}\n\n**\n *
Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic inline
fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M, keySelector: (Float)
-> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<Float>() }\n list.add(element)\n }\n return destination\n}\n\n**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\npublic inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination:
M, keySelector: (Double) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<Double>() }\n list.add(element)\n }\n return
destination\n}\n\n**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and puts to the [destination] map each group key associated with a list of
corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <K, M : MutableMap<in K,
MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K): M {\n for
(element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<Boolean>() }\n list.add(element)\n
}\n return destination\n}\n\n**\n * Groups elements of the original array by the key returned by the given
[keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with
a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <K, M : MutableMap<in K,
MutableList<Char>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in
this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Char>() }\n
list.add(element)\n }\n return destination\n}\n\n**\n * Groups values returned by the [valueTransform] function
applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to
the element\n * and puts to the [destination] map each group key associated with a list of corresponding
values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n *\npublic inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K,

```

```

valueTransform: (T) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>>
ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n  for
(element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) {
ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return destination}\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group
key
associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K,
valueTransform: (Short) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key)
{ ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return destination}\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group
key
associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K,
valueTransform: (Int) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each
element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n *
and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return
The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K,
valueTransform: (Long) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding
values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K,
valueTransform: (Float) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>>
DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n  for
(element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) {

```


`CharArray.map(transform: (Char) -> R): List<R> {`
`return mapTo(ArrayList<R>(size), transform)}`
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {
return mapIndexedTo(ArrayList<R>(size), transform)}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R>
ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {
return mapIndexedTo(ArrayList<R>(size), transform)}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {
return mapIndexedTo(ArrayList<R>(size), transform)}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {
return mapIndexedTo(ArrayList<R>(size), transform)}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {
return mapIndexedTo(ArrayList<R>(size), transform)}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {
return mapIndexedTo(ArrayList<R>(size), transform)}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {
return mapIndexedTo(ArrayList<R>(size), transform)}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R>
BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {
return mapIndexedTo(ArrayList<R>(size), transform)}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R>
CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {
return mapIndexedTo(ArrayList<R>(size), transform)}
Returns a list containing only the non-null results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <T, R : Any> Array<out T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {
return mapIndexedNotNullTo(ArrayList<R>(), transform)}
Applies the given [transform] function to each element and its index in the original array and appends only the non-null results to the given [destination].
@param [transform] function that takes the index of an element and the element itself

```

* and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C :
MutableCollection<in R>> Array<out T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?):
C {\n  forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n
* and appends the results to the given [destination].\n * @param [transform] function that takes
the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*/\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapIndexedTo(destination: C, transform:
(index: Int, T) -> R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n
return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original
array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of
an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic
inline fun <R, C : MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte)
-> R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return
destination\n}\n\n/**\n * Applies the given [transform] function
to each element and its index in the original array\n * and appends the results to the given [destination].\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {\n  var index = 0\n
for (item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the
given [transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic
inline fun <R, C : MutableCollection<in R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int,
Float) -> R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n
* and appends the results to the given [destination].\n * @param [transform] function that takes the index of an
element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline
fun <R, C : MutableCollection<in R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double)
-> R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n
* and appends the results to the given [destination].\n * @param [transform]
function that takes the index of an element and the element itself\n * and returns the result of the transform applied
to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination:
C, transform: (index: Int, Boolean) -> R): C {\n  var index = 0\n  for (item in this)\n
destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given [transform]
function to each element and its index in the original array\n * and appends the results to the given [destination].\n
* @param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>

```

```

CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(index++, item))
    return destination
}

Returns a list containing only the non-null results of applying the given [transform] function to each element in the original array.

@sample samples.collections.Collections.Transformations.mapNotNull

public inline fun <T, R : Any> Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {
    return mapNotNullTo(ArrayList<R>(), transform)
}

Applies the given [transform] function to each element in the original array and appends only the non-null results to the given [destination].

public inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {
    forEach { element -> transform(element)?.let { destination.add(it) } }
    return destination
}

Applies the given [transform] function to each element of the original array and appends the results to the given [destination].

public inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

Applies the given [transform] function to each element of the original array and appends the results to the given [destination].

public inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C, transform: (Byte) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

Applies the given [transform] function to each element of the original array and appends the results to the given [destination].

public inline fun <R, C : MutableCollection<in R>> ShortArray.mapTo(destination: C, transform: (Short) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

Applies the given [transform] function to each element of the original array and appends the results to the given [destination].

public inline fun <R, C : MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

Applies the given [transform] function to each element of the original array and appends the results to the given [destination].

public inline fun <R, C : MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

Applies the given [transform] function to each element of the original array and appends the results to the given [destination].

public inline fun <R, C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

Applies the given [transform] function to each element of the original array and appends the results to the given [destination].

public inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

Applies the given [transform] function to each element of the original array and appends the results to the given [destination].

public inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

Applies the given [transform] function to each element of the original array and appends the results to the given [destination].

public inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C, transform: (Char) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

Returns a lazy [Iterable] that wraps each element of the original array into an [IndexedValue] containing the index of that element and the element itself.

public fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {
    return IndexingIterable { iterator() }
}

Returns a lazy [Iterable] that wraps each element of the original array into an [IndexedValue] containing the index of that element and the element itself.

public fun ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {
    return IndexingIterable { iterator() }
}

Returns a lazy [Iterable] that wraps each element of the original array into an [IndexedValue] containing the index of that element and the element itself.

public fun ShortArray.withIndex(): Iterable<IndexedValue<Short>> {
    return IndexingIterable { iterator() }
}

Returns a lazy [Iterable]

```

that wraps each element of the original array into an [IndexedValue] containing the index of that element and the element itself.

```
public fun IntArray.withIndex(): Iterable<IndexedValue<Int>> {
    return IndexingIterable { iterator() }
}

Returns a lazy [Iterable] that wraps each element of the original array into an [IndexedValue] containing the index of that element and the element itself.

public fun LongArray.withIndex(): Iterable<IndexedValue<Long>> {
    return IndexingIterable { iterator() }
}

Returns a lazy [Iterable] that wraps each element of the original array into an [IndexedValue] containing the index of that element and the element itself.

public fun FloatArray.withIndex(): Iterable<IndexedValue<Float>> {
    return IndexingIterable { iterator() }
}

Returns a lazy [Iterable] that wraps each element of the original array into an [IndexedValue] containing the index of that element and the element itself.

public fun DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {
    return IndexingIterable { iterator() }
}

Returns a lazy [Iterable] that wraps each element of the original array into an [IndexedValue] containing the index of that element and the element itself.

public fun BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {
    return IndexingIterable { iterator() }
}

Returns a lazy [Iterable] that wraps each element of the original array into an [IndexedValue] containing the index of that element and the element itself.

public fun CharArray.withIndex(): Iterable<IndexedValue<Char>> {
    return IndexingIterable { iterator() }
}

Returns a list containing only distinct elements from the given array. Among equal elements of the given array, only the first one will be present in the resulting list. The elements in the resulting list are in the same order as they were in the source array.

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy

public fun <T> Array<out T>.distinct(): List<T> {
    return this.toMutableSet().toList()
}

Returns a list containing only distinct elements from the given array. The elements in the resulting list are in the same order as they were in the source array.

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy

public fun ByteArray.distinct(): List<Byte> {
    return this.toMutableSet().toList()
}

Returns a list containing only distinct elements from the given array. The elements in the resulting list are in the same order as they were in the source array.

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy

public fun ShortArray.distinct(): List<Short> {
    return this.toMutableSet().toList()
}

Returns a list containing only distinct elements from the given array. The elements in the resulting list are in the same order as they were in the source array.

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy

public fun IntArray.distinct(): List<Int> {
    return this.toMutableSet().toList()
}

Returns a list containing only distinct elements from the given array. The elements in the resulting list are in the same order as they were in the source array.

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy

public fun LongArray.distinct(): List<Long> {
    return this.toMutableSet().toList()
}

Returns a list containing only distinct elements from the given array. The elements in the resulting list are in the same order as they were in the source array.

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy

public fun FloatArray.distinct(): List<Float> {
    return this.toMutableSet().toList()
}

Returns a list containing only distinct elements from the given array. The elements in the resulting list are in the same order as they were in the source array.

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy

public fun DoubleArray.distinct(): List<Double> {
    return this.toMutableSet().toList()
}

Returns a list containing only distinct elements from the given array. The elements in the resulting list are in the same order as they were in the source array.

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy

public fun BooleanArray.distinct(): List<Boolean> {
    return this.toMutableSet().toList()
}

Returns a list containing only distinct elements from the given array. The elements in the resulting list are in the same order as they were in the source array.

@sample
```

```

samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic fun CharArray.distinct():
List<Char> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns
a list containing only elements from the given array\n * having distinct keys returned by the given [selector]
function.\n * \n * Among elements of the given array with equal keys, only the first one will be present in the
resulting list.\n * The elements in the resulting list are in the same order as they were in the source array.\n * \n *
@sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <T, K>
Array<out T>.distinctBy(selector: (T) -> K): List<T> {\n    val set = HashSet<K>()\n    val list = ArrayList<T>()\n
for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given
[selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source
array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n    val set = HashSet<K>()\n
val list = ArrayList<Byte>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n
list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having
distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same
order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Short>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having
distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same
order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n    val set = HashSet<K>()\n    val list = ArrayList<Int>()\n
for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given
[selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source
array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline
fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Long>()\n
for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return
list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by
the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the
source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic
inline fun <K> FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Float>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Double>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n
}\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Boolean>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n
}\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample

```

```

}\n  return list\n}\n\n/**\n * Returns
a list containing only elements from the given array\n * having distinct keys returned by the given [selector]
function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n *
@sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n  val set = HashSet<K>()\n  val list =
ArrayList<Char>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set
containing all elements that are contained at least in one of these collections use [union].\n *^\npublic infix fun <T>
Array<out T>.intersect(other: Iterable<T>): Set<T> {\n  val set
= this.toMutableSet()\n  set.retainAll(other)\n  return set\n}\n\n/**\n * Returns a set containing all elements that
are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration
order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these
collections use [union].\n *^\npublic infix fun ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n  val set =
this.toMutableSet()\n  set.retainAll(other)\n  return set\n}\n\n/**\n * Returns a set containing all elements that are
contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration
order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these
collections use [union].\n *^\npublic infix fun ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n  val set
= this.toMutableSet()\n  set.retainAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the
specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To
get a set containing all elements that are contained at least in one of these collections use [union].\n *^\npublic infix
fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n  val set = this.toMutableSet()\n  set.retainAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set
containing all elements that are contained at least in one of these collections use [union].\n *^\npublic infix fun
LongArray.intersect(other: Iterable<Long>): Set<Long> {\n  val set = this.toMutableSet()\n  set.retainAll(other)\n
return set\n}\n\n/**\n * Returns
a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned
set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are
contained at least in one of these collections use [union].\n *^\npublic infix fun FloatArray.intersect(other:
Iterable<Float>): Set<Float> {\n  val set = this.toMutableSet()\n  set.retainAll(other)\n  return set\n}\n\n/**\n *
Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The
returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements
that are contained at least in one of these collections use [union].\n *^\npublic infix fun DoubleArray.intersect(other:
Iterable<Double>): Set<Double> {\n  val set = this.toMutableSet()\n  set.retainAll(other)\n  return
set\n}\n\n/**\n * Returns a set containing all elements that
are contained by both this array and the specified collection.\n * \n * The returned set preserves the element
iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of
these collections use [union].\n *^\npublic infix fun BooleanArray.intersect(other: Iterable<Boolean>):
Set<Boolean> {\n  val set = this.toMutableSet()\n  set.retainAll(other)\n  return set\n}\n\n/**\n * Returns a set
containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set
preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are
contained at least in one of these collections use [union].\n *^\npublic infix fun CharArray.intersect(other:
Iterable<Char>): Set<Char> {\n  val set = this.toMutableSet()\n  set.retainAll(other)\n  return set\n}\n\n/**\n *
Returns a set containing all elements that are contained by this array and not
contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original
array.\n *^\npublic infix fun <T> Array<out T>.subtract(other: Iterable<T>): Set<T> {\n  val set =

```

```

this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that
are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic infix fun ByteArray.subtract(other: Iterable<Byte>):
Set<Byte> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set
containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The
returned set preserves the element iteration order of the original array.\n */\npublic infix fun
ShortArray.subtract(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n
set.removeAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by
the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n
*/\npublic infix fun IntArray.subtract(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n
set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this
array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic infix fun LongArray.subtract(other: Iterable<Long>): Set<Long> {\n val set =
this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that
are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic infix fun FloatArray.subtract(other: Iterable<Float>):
Set<Float> {\n val set = this.toMutableSet()\n
set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this
array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {\n val set
= this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that
are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>):
Set<Boolean> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set
containing all elements that are contained by this array
and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the
original array.\n */\npublic infix fun CharArray.subtract(other: Iterable<Char>): Set<Char> {\n val set =
this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a new [MutableSet] containing all
distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original
array.\n */\npublic fun <T> Array<out T>.toMutableSet(): MutableSet<T> {\n return
toCollection(LinkedHashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all
distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original
array.\n */\npublic fun ByteArray.toMutableSet(): MutableSet<Byte> {\n return
toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all
distinct elements from the given
array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
ShortArray.toMutableSet(): MutableSet<Short> {\n return
toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all
distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original
array.\n */\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n return
toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all
distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original
array.\n */\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n return
toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all
distinct elements from the given array.\n * \n * The returned set preserves the element iteration order
of the original array.\n */\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n return
toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all

```

distinct elements from the given array.

```

    * The returned set preserves the element iteration order of the original
    * array.
    * ^\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {
    *   return
    *   toCollection(LinkedHashSet<Double>(mapCapacity(size)))
    * }
    * Returns a new [MutableSet] containing
    * all distinct elements from the given array.
    * The returned set preserves the element iteration order of the
    * original array.
    * ^\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {
    *   return
    *   toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))
    * }
    * Returns a new [MutableSet] containing
    * all distinct elements from the given array.
    * The returned set preserves the element iteration order of the
    * original array.
    * ^\npublic fun CharArray.toMutableSet():
    *   MutableSet<Char> {
    *   return
    *   toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))
    * }
    * Returns a set containing
    * all distinct elements from both collections.
    * The returned set preserves the element iteration order of the
    * original array.
    * Those elements of the [other] collection that are unique are iterated in the end
    * in the order of
    * the [other] collection.
    * To get a set containing all elements that are contained in both collections use
    * [intersect].
    * ^\npublic infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {
    *   val set =
    *   this.toMutableSet()
    *   set.addAll(other)
    *   return set
    * }
    * Returns a set containing all distinct elements
    * from both collections.
    * The returned set preserves the element iteration order of the original array.
    * Those
    * elements of the [other] collection that are unique are iterated in the end
    * in the order of the [other] collection.
    * To get a set containing
    * all elements that are contained in both collections use [intersect].
    * ^\npublic infix fun ByteArray.union(other:
    *   Iterable<Byte>): Set<Byte> {
    *   val set = this.toMutableSet()
    *   set.addAll(other)
    *   return set
    * }
    * Returns a set containing all distinct elements from both collections.
    * The returned set preserves the element
    * iteration order of the original array.
    * Those elements of the [other] collection that are unique are iterated in the
    * end
    * in the order of the [other] collection.
    * To get a set containing all elements that are contained in both
    * collections use [intersect].
    * ^\npublic infix fun ShortArray.union(other: Iterable<Short>): Set<Short> {
    *   val set
    *   = this.toMutableSet()
    *   set.addAll(other)
    *   return set
    * }
    * Returns a set containing all distinct elements
    * from both collections.
    * The returned set preserves the element iteration order of the original array.
    * Those
    * elements of the [other] collection that are
    * unique are iterated in the end
    * in the order of the [other] collection.
    * To get a set containing all elements
    * that are contained in both collections use [intersect].
    * ^\npublic infix fun IntArray.union(other: Iterable<Int>):
    *   Set<Int> {
    *   val set = this.toMutableSet()
    *   set.addAll(other)
    *   return set
    * }
    * Returns a set
    * containing all distinct elements from both collections.
    * The returned set preserves the element iteration order
    * of the original array.
    * Those elements of the [other] collection that are unique are iterated in the
    * end
    * in the
    * order of the [other] collection.
    * To get a set containing all elements that are contained in both collections use
    * [intersect].
    * ^\npublic infix fun LongArray.union(other: Iterable<Long>): Set<Long> {
    *   val set =
    *   this.toMutableSet()
    *   set.addAll(other)
    *   return set
    * }
    * Returns a set containing all distinct elements
    * from both collections.
    * The returned set preserves the
    * element iteration order of the original array.
    * Those elements of the [other] collection that are unique are iterated
    * in the end
    * in the order of the [other] collection.
    * To get a set containing all elements that are contained in
    * both collections use [intersect].
    * ^\npublic infix fun FloatArray.union(other: Iterable<Float>): Set<Float> {
    *   val
    *   set = this.toMutableSet()
    *   set.addAll(other)
    *   return set
    * }
    * Returns a set containing all distinct
    * elements from both collections.
    * The returned set preserves the element iteration order of the original array.
    * Those
    * elements of the [other] collection that are unique are iterated in the end
    * in the order of the [other]
    * collection.
    * To get a set containing all elements that are contained in both collections use [intersect].
    * ^\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {
    *   val
    *   set = this.toMutableSet()
    *   set.addAll(other)
    *   return set
    * }
    * Returns a set containing all distinct elements from both collections.
    * The returned set preserves the element
    * iteration order of the original array.
    * Those elements of the [other] collection that are unique are iterated in the
    * end
    * in the order of the [other] collection.
    * To get a set containing all elements that are contained in both

```

```

collections use [intersect].\n *\npublic infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n
val set = this.toMutableSet()\n set.addAll(other)\n return set}\n\n/**\n * Returns a set containing all distinct
elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n
* Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other]
collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n
*\npublic infix fun CharArray.union(other: Iterable<Char>):
Set<Char> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set}\n\n/**\n * Returns `true` if all
elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *\npublic
inline fun <T> Array<out T>.all(predicate: (T) -> Boolean): Boolean {\n for (element in this) if
(!predicate(element)) return false\n return true}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *\npublic inline fun
ByteArray.all(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true}\n\n/**\n
* Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\npublic inline fun IntArray.all(predicate: (Int) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true}\n\n/**\n * Returns `true` if
all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*\npublic inline fun LongArray.all(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if
(!predicate(element)) return false\n return true}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *\npublic inline fun
FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*\npublic inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if
(!predicate(element)) return false\n return true}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *\npublic inline fun
BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (!predicate(element))
return false\n return true}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\npublic inline fun CharArray.all(predicate: (Char) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true}\n\n/**\n * Returns `true` if
array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n *\npublic fun
<T> Array<out T>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n
* Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic fun ByteArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic fun ShortArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic fun IntArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic fun LongArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic fun FloatArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns
`true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\npublic fun DoubleArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least
one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n *\npublic fun

```

```

BooleanArray.any(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\n\npublic fun CharArray.any(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n\npublic inline fun <T> Array<out T>.any(predicate: (T) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n\npublic inline fun ByteArray.any(predicate: (Byte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n\npublic inline fun ShortArray.any(predicate: (Short) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n\npublic inline fun IntArray.any(predicate: (Int) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n\npublic inline fun LongArray.any(predicate: (Long) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n\npublic inline fun FloatArray.any(predicate: (Float) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n\npublic inline fun DoubleArray.any(predicate: (Double) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n\npublic inline fun BooleanArray.any(predicate: (Boolean) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n\npublic inline fun CharArray.any(predicate: (Char) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return false\n}\n}\n\n/**\n * Returns the number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\n */\n\npublic inline fun <T> Array<out T>.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\n */\n\npublic inline fun ByteArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\n */\n\npublic inline fun ShortArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\n */\n\npublic inline fun IntArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\n */\n\npublic inline fun LongArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\n */\n\npublic inline fun FloatArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\n */\n\npublic inline fun DoubleArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\n */\n\npublic inline fun BooleanArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\n */\n\npublic inline fun CharArray.count(): Int {\n  return size\n}\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n * \n * @kotlin.internal.InlineOnly\n */\n\npublic inline fun <T> Array<out T>.count(predicate: (T) -> Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n * \n * @kotlin.internal.InlineOnly\n */\n\npublic inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given

```

```

[predicate].\n *\npublic inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\npublic inline fun IntArray.count(predicate: (Int) -> Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\npublic inline fun LongArray.count(predicate: (Long) -> Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\npublic inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\npublic inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\npublic inline fun BooleanArray.count(predicate: (Boolean) -> Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\npublic inline fun CharArray.count(predicate: (Char) -> Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n *\npublic inline fun <T, R> Array<out T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n  var accumulator = initial\n  for (element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n *\npublic inline fun <R> ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n  var accumulator = initial\n  for (element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n *\npublic inline fun <R> ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {\n  var accumulator = initial\n  for (element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n *\npublic inline fun <R> IntArray.fold(initial: R, operation: (acc: R, Int) -> R): R {\n  var accumulator = initial\n  for (element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n *\npublic inline fun <R> LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {\n  var accumulator = initial\n  for (element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n *\npublic inline fun <R> FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {\n  var accumulator = initial\n  for (element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n *

```

the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n

```

* to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified
[initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates
the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldIndexed(initial: R, operation: (index: Int,
acc: R, Double) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator =
operation(index++, accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself, and
calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation:
(index: Int, acc: R, Boolean) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this)
accumulator = operation(index++, accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value
if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and
current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out
T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n
while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R):
R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator =
operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element and current
accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation]
function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\n
public inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n    var index =
lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(get(index--),
accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified
[initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current
accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator =
initial\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to

```

```

left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n */\npublic inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {\n
var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator =
operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element
and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param
[operation] function that takes an element and current accumulator value, and calculates the next accumulator
value.\n */\npublic inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {\n
var index
= lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--),
accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified
[initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current
accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {\n
var index = lastIndex\n
var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from
right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if
the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and
calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation:
(Boolean, acc: R) -> R): R {\n
var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator
value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates
the next accumulator value.\n */\npublic inline fun <R> CharArray.foldRight(initial: R, operation: (Char, acc: R) ->
R): R {\n
var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator =
operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param
[operation] function that takes the index of an element, the element itself\n * and current accumulator value, and
calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R,
operation: (index: Int, T, acc: R) -> R): R {\n
var index = lastIndex\n var
accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n
--index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n
\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator
value.\n */\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R):
R {\n
var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator =
operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from
right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns
the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
\n */\npublic inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n
var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index,
get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with

```

[initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns the specified [initial] value if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <R> IntArray.foldRightIndexed(initial: R, operation: (index: Int, Int, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns the specified [initial] value if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns the specified [initial] value if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns the specified [initial] value if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <R> DoubleArray.foldRightIndexed(initial: R, operation: (index: Int, Double, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns the specified [initial] value if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <R> BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns the specified [initial] value if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <R> CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Performs the given [action] on each element.

```

public inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {
    for (element in this) action(element)
}

```

Performs the given [action] on each element.

```

public inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {
    for (element in this) action(element)
}

```

Performs the given [action] on each element.

```

public inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {
    for (element in this) action(element)
}

```

Performs the given [action] on each element.

```

public inline fun IntArray.forEach(action: (Int) -> Unit): Unit {
    for (element in this) action(element)
}

```

Performs the given [action] on each element.

```

public inline fun LongArray.forEach(action: (Long) -> Unit): Unit {
    for

```

```

(element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun
FloatArray.forEach(action: (Float) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs
the given [action] on each element.\n */\npublic inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {\n
    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline
fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element.\n */\npublic inline fun CharArray.forEach(action: (Char) -> Unit):
Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing
sequential index with the element.\n * @param [action] function that takes the index of an element and the element
itself\n * and performs the action on the element.\n */\npublic
inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n    var index = 0\n    for (item
in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index
with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and
performs the action on the element.\n */\npublic inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) ->
Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action]
on each element, providing sequential index with the element.\n * @param [action] function that takes the index of
an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun
ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {\n    var index = 0\n    for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing
sequential index with the element.\n * @param [action] function that takes the index of an element and the element
itself\n * and performs the action on the element.\n */\npublic inline fun IntArray.forEachIndexed(action: (index:
Int, Int) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the
given [action] on each element, providing sequential index with the element.\n * @param [action] function that
takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline
fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {\n    var index = 0\n    for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\npublic inline fun FloatArray.forEachIndexed(action:
(index: Int, Float) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n *
Performs the given [action] on each element, providing sequential index with the element.\n * @param [action]
function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n
public inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {\n    var index = 0\n
for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing
sequential index with the element.\n * @param [action] function that takes the index of an element and the element
itself\n * and performs the action on the element.\n */\npublic inline fun BooleanArray.forEachIndexed(action:
(index: Int, Boolean) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n *
Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and
performs the action on the element.\n */\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) ->
Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n@Deprecated("Use maxOrNull
instead.")\n@DeprecatedSinceKotlin("1.4")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Double>.max(): Double? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Float>.max(): Float? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince

```

```

= \"1.6\")\npublic fun <T : Comparable<T>> Array<out T>.max(): T? {\n    return
maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\",
ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun ByteArray.max(): Byte? {\n    return maxOrNull()\n}\n\n@Deprecated(\"Use
maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ShortArray.max(): Short? {\n    return
maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\",
ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun IntArray.max(): Int? {\n    return maxOrNull()\n}\n\n@Deprecated(\"Use
maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun LongArray.max():
Long? {\n    return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\",
ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun FloatArray.max(): Float? {\n    return maxOrNull()\n}\n\n@Deprecated(\"Use
maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun DoubleArray.max(): Double? {\n    return
maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\",
ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun CharArray.max(): Char? {\n    return maxOrNull()\n}\n\n@Deprecated(\"Use
maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince =
\"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxBy(selector:
(T) -> R): T? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ByteArray.maxBy(selector: (Byte) -> R):
Byte? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ShortArray.maxBy(selector: (Short) -> R):
Short? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> IntArray.maxBy(selector: (Int) -> R): Int?
{\n    return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull
instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> LongArray.maxBy(selector:
(Long) -> R): Long? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> FloatArray.maxBy(selector: (Float) -> R):
Float? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> DoubleArray.maxBy(selector: (Double) ->
R): Double? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince
= \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>>
BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> CharArray.maxBy(selector: (Char) -> R):
Char? {\n    return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the

```

```

given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n @SinceKotlin("1.4")\n public inline fun <T, R :
Comparable<R>> Array<out T>.maxByOrNull(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var
maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxVale =
selector(maxElem)\n
for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxVale < v) {\n maxElem
= e\n maxVale = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the
largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n @SinceKotlin("1.4")\n public inline fun <R :
Comparable<R>> ByteArray.maxByOrNull(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var
maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxVale =
selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxVale < v)
{\n maxElem = e\n maxVale = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function
or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
* \n @SinceKotlin("1.4")\n public inline fun <R : Comparable<R>> ShortArray.maxByOrNull(selector: (Short) ->
R): Short? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if
(lastIndex == 0) return maxElem\n var maxVale = selector(maxElem)\n for (i in 1..lastIndex) {\n val e =
this[i]\n val v = selector(e)\n if (maxVale < v) {\n maxElem = e\n maxVale = v\n }\n }\n
return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
* \n @SinceKotlin("1.4")\n public inline fun <R : Comparable<R>> IntArray.maxByOrNull(selector: (Int) ->
R): Int? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex
= this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxVale = selector(maxElem)\n for (i in
1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxVale < v) {\n maxElem = e\n
maxVale = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value
of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n @SinceKotlin("1.4")\n public inline fun <R :
Comparable<R>> LongArray.maxByOrNull(selector: (Long) -> R): Long? {\n if (isEmpty()) return null\n var
maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxVale =
selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxVale < v)
{\n maxElem = e\n maxVale = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the
largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n @SinceKotlin("1.4")\n public inline fun
<R : Comparable<R>> FloatArray.maxByOrNull(selector: (Float) -> R): Float? {\n if (isEmpty()) return null\n
var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxVale =
selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxVale < v)
{\n maxElem = e\n maxVale = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n @SinceKotlin("1.4")\n public inline fun <R :
Comparable<R>> DoubleArray.maxByOrNull(selector: (Double)
-> R): Double? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if
(lastIndex == 0) return maxElem\n var maxVale = selector(maxElem)\n for (i in 1..lastIndex) {\n val e =
this[i]\n val v = selector(e)\n if (maxVale < v) {\n maxElem = e\n maxVale = v\n }\n }\n
return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
* \n @SinceKotlin("1.4")\n public inline fun <R : Comparable<R>> BooleanArray.maxByOrNull(selector:
(Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex =

```

```

this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue = selector(maxElem)\n  for (i in
1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue
< v) {\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the
first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> CharArray.maxByOrNull(selector: (Char) -> R): Char? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the largest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOf(selector: (T) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline
fun ByteArray.maxOf(selector: (Byte) -> Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n
var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue =
maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue,
v)\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`,
the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Double):
Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector:
(Float) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOf(selector:
(T) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOf(selector: (Byte) -> Float):
Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i
in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return

```

```

maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException
if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Float):
Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) ->
Float):
Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector: (Float) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i
in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the
largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i
in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array
is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i
in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) -> Float):
Float {\n    if
(isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n *

```

```

@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxOf(selector: (T) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied
to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.maxOf(selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.maxOf(selector:
(Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n
return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.maxOf(selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.maxOf(selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline
fun <R : Comparable<R>> FloatArray.maxOf(selector: (Float) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.maxOf(selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return

```

```

maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.maxOf(selector: (Boolean) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> CharArray.maxOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOfOrNull(selector:
(T) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in
1..lastIndex) {\n
        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOfOrNull(selector: (Byte) ->
Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOfOrNull(selector: (Short) -
> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex)
{\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOfOrNull(selector: (Int) ->
Double): Double?
{\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the
largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOrNull(selector: (Long) -
> Double): Double? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex)
{\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOrNull(selector: (Float) -
> Double): Double? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex)
{\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.maxOrNull(selector: (Double) -> Double): Double? {\n  if (isEmpty()) return null\n
var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue =
maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOrNull(selector:
(Boolean) -> Double): Double? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue,
v)\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n
* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOrNull(selector: (Char) ->
Double): Double? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n
val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOrNull(selector:
(T) -> Float): Float? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex)
{\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOrNull(selector: (Byte) ->
Float): Float? {\n  if (isEmpty()) return null\n  var maxValue
= selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue,
v)\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n
* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/

```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOrNull(selector: (Short) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOrNull(selector: (Int) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun\nLongArray.maxOrNull(selector: (Long) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOrNull(selector: (Float) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest
```

```
value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOrNull(selector: (Double) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic\ninline fun BooleanArray.maxOrNull(selector: (Boolean) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOrNull(selector: (Char) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val\n        v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
```

there are no elements.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out\nT>.maxOrNull(selector: (T) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic\ninline fun <R : Comparable<R>> ByteArray.maxOrNull(selector: (Byte) -> R): R? {\n    if (isEmpty()) return\nnull\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n(maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value\n among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no\n elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nShortArray.maxOrNull(selector: (Short) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =\nselector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n           \nmaxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nIntArray.maxOrNull(selector: (Int) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =\nselector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n           \nmaxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic\ninline fun <R : Comparable<R>> LongArray.maxOrNull(selector: (Long) -> R): R? {\n    if (isEmpty()) return\nnull\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n(maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value\n among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no\n elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nFloatArray.maxOrNull(selector: (Float) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =\nselector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n           \nmaxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among\n all values produced by [selector] function\n * applied to each element in the array or `null` if there are no\n elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nDoubleArray.maxOrNull(selector: (Double) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =\nselector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n           \nmaxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.maxOfOrNull(selector:
    (Boolean) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex)
{\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.maxOfOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.maxOfWith(comparator: Comparator<in R>, selector: (Byte) -> R): R {\n    if
(isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.maxOfWith(comparator:
Comparator<in R>, selector: (Short) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n
            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.maxOfWith(comparator:
Comparator<in R>, selector: (Int) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue
= selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according
to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.maxOfWith(comparator:

```


Returns the largest value according to the provided [comparator] * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.

```

*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
ShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\/n if (isEmpty())
return null\/n var maxV = selector(this[0])\/n for (i in 1..lastIndex) {\/n val v = selector(this[i])\/n if
(comparator.compare(maxV, v) < 0) {\/n maxV = v\/n }\/n }\/n return maxV\/n}\/n\/n**\/n *
Returns the largest
value according to the provided [comparator] * among all values produced by [selector] function applied to each
element in the array or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
IntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\/n if (isEmpty()) return
null\/n var maxV = selector(this[0])\/n for (i in 1..lastIndex) {\/n val v = selector(this[i])\/n if
(comparator.compare(maxV, v) < 0) {\/n maxV = v\/n }\/n }\/n return maxV\/n}\/n\/n**\/n *
Returns the largest value according to the provided [comparator] * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@kotlin.internal.InlineOnly\/npublic
inline fun <R> LongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\/n if
(isEmpty()) return null\/n var maxV = selector(this[0])\/n for (i in 1..lastIndex) {\/n val v =
selector(this[i])\/n if (comparator.compare(maxV, v) < 0) {\/n maxV = v\/n }\/n }\/n return
maxV\/n}\/n\/n**\/n * Returns the largest value according to the provided [comparator] * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
FloatArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {\/n if (isEmpty())
return null\/n var maxV = selector(this[0])\/n for (i in 1..lastIndex) {\/n val
v = selector(this[i])\/n if (comparator.compare(maxV, v) < 0) {\/n maxV = v\/n }\/n }\/n
return maxV\/n}\/n\/n**\/n * Returns the largest value according to the provided [comparator] * among all
values produced by [selector] function applied to each element in the array or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
DoubleArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\/n if (isEmpty())
return null\/n var maxV = selector(this[0])\/n for (i in 1..lastIndex) {\/n val v = selector(this[i])\/n if
(comparator.compare(maxV, v) < 0) {\/n maxV = v\/n }\/n }\/n return maxV\/n}\/n\/n**\/n *
Returns the largest value according to the provided [comparator] * among all values produced by [selector]
function
applied to each element in the array or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
BooleanArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\/n if (isEmpty())
return null\/n var maxV = selector(this[0])\/n for (i in 1..lastIndex) {\/n val v = selector(this[i])\/n if
(comparator.compare(maxV, v) < 0) {\/n maxV = v\/n }\/n }\/n return maxV\/n}\/n\/n**\/n *
Returns the largest value according to the provided [comparator] * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>

```



```

e\n } \n return max\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n *\n@SinceKotlin("1.4")\npublic fun
CharArray.maxWithOrNull(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var max
= this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n } \n
return max\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Double>.min(): Double? {\n return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Float>.min(): Float? {\n return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun <T : Comparable<T>> Array<out T>.min(): T?
{\n return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun ByteArray.min(): Byte? {\n return minOrNull()\n}\n\n@Deprecated("Use
minOrNull instead.", ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic fun ShortArray.min(): Short? {\n return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun IntArray.min(): Int? {\n return minOrNull()\n}\n\n@Deprecated("Use
minOrNull instead.", ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince
= "1.6")\npublic fun LongArray.min(): Long? {\n return minOrNull()\n}\n\n@Deprecated("Use minOrNull
instead.", ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic fun FloatArray.min(): Float? {\n return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun DoubleArray.min(): Double? {\n return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun CharArray.min(): Char? {\n return minOrNull()\n}\n\n@Deprecated("Use
minByOrNull instead.", ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <T,
R : Comparable<R>> Array<out T>.minBy(selector: (T) -> R): T? {\n return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> ByteArray.minBy(selector: (Byte) ->
R):
Byte? {\n return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) ->
R):
Short? {\n return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> IntArray.minBy(selector: (Int) ->
R): Int?
{\n return minByOrNull(selector)\n}\n\n@Deprecated("Use
minByOrNull instead.", ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>
LongArray.minBy(selector: (Long) -> R): Long? {\n return minByOrNull(selector)\n}\n\n@Deprecated("Use

```

```

minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\")\n\n@DeprecatedSinceKotlin(warningSince =
\"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>>
FloatArray.minBy(selector: (Float) -> R): Float? {\n    return minByOrNull(selector)\n}\n\n@Deprecated(\"Use
minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\")\n\n@DeprecatedSinceKotlin(warningSince =
\"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>>
DoubleArray.minBy(selector: (Double) -> R): Double? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\",
ReplaceWith(\"this.minByOrNull(selector)\")\n\n@DeprecatedSinceKotlin(warningSince
= \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>>
BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\",
ReplaceWith(\"this.minByOrNull(selector)\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> CharArray.minBy(selector: (Char) -> R):
Char? {\n    return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin(\"1.4\")\npublic inline fun <T, R :
Comparable<R>> Array<out T>.minByOrNull(selector: (T) -> R): T? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex
== 0) return minElem\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n
val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> ByteArray.minByOrNull(selector: (Byte) ->
R): Byte? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if
(lastIndex == 0) return minElem\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first element
yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin(\"1.4\")\npublic inline fun <R :
Comparable<R>> ShortArray.minByOrNull(selector: (Short) -> R): Short? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin(\"1.4\")\npublic inline fun <R :
Comparable<R>> IntArray.minByOrNull(selector: (Int) -> R): Int? {\n    if (isEmpty()) return
null\n    var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var
minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin(\"1.4\")\npublic inline fun
<R : Comparable<R>> LongArray.minByOrNull(selector: (Long) -> R): Long? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue
= v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin(\"1.4\")\npublic inline fun <R :

```

```

Comparable<R>> FloatArray.minByOrNull(selector: (Float) -> R): Float? {\n  if (isEmpty()) return null\n  var\n  minElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n  var minValue =\n  selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v)\n    {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the first\n element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample\n samples.collections.Collections.Aggregates.minByOrNull\n */\n\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>>
DoubleArray.minByOrNull(selector: (Double) -> R): Double? {\n  if (isEmpty()) return null\n  var minElem =\n  this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n  var minValue =\n  selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v)\n    {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the first\n element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample\n samples.collections.Collections.Aggregates.minByOrNull\n */\n\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> BooleanArray.minByOrNull(selector: (Boolean) -> R): Boolean? {\n  if (isEmpty()) return\n  null\n  var minElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n  var\n  minValue = selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v) {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if\n there are no elements.\n * \n * @sample\n samples.collections.Collections.Aggregates.minByOrNull\n */\n\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> CharArray.minByOrNull(selector: (Char) ->\n R): Char? {\n  if (isEmpty()) return null\n  var minElem = this[0]\n  val lastIndex = this.lastIndex\n  if\n  (lastIndex == 0) return minElem\n  var minValue = selector(minElem)\n  for (i in 1..lastIndex) {\n    val e =\n  this[i]\n    val v = selector(e)\n    if (minValue > v) {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values\n produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException\n if the array is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOf(selector: (T) ->\n Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for\n  (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return\n  minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to\n each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic\ninline fun ByteArray.minOf(selector: (Byte) -> Double): Double {\n  if (isEmpty()) throw\n  NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =\n  selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest\n value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of\n values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws\n NoSuchElementException if the array is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) ->\n Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for\n  (i in 1..lastIndex) {\n    val\n  v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the\n smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If

```

any of values produced by [selector] function is `NaN`, the returned result is `NaN`. \n * \n * @throws

NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Double):
```

```
Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
```

```
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
```

```
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
```

```
each element in the array.\n * \n * If any of values produced
```

```
by [selector] function is `NaN`, the returned result is `NaN`. \n * \n * @throws NoSuchElementException if the
```

```
array is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOf(selector: (Long) ->
```

```
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
```

```
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
```

```
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
```

```
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
```

```
`NaN`. \n * \n * @throws NoSuchElementException if the array is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOf(selector: (Float) -> Double): Double {\n    if (isEmpty()) throw
```

```
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
```

```
selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
```

```
values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by
```

```
[selector] function is `NaN`, the returned result is `NaN`. \n * \n * @throws NoSuchElementException if the array is
```

```
empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) ->
```

```
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
```

```
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
```

```
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
```

```
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
```

```
`NaN`. \n * \n * @throws NoSuchElementException if the array is empty.\n\n
```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Array<out T>.minOf(selector: (T) -> Float): Float {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOf(selector: (Byte) -> Float):
Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n
minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is
empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) ->
Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Float):
Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.minOf(selector: (Long) -> Float): Float {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOf(selector: (Float) -> Float):
Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    minValue =
minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) ->
Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in

```

```

1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n } \n return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun CharArray.minOf(selector: (Char) -> Float): Float {\n    if (isEmpty()) throw
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minOf(selector: (T) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.minOf(selector: (Byte) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue
= selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> ShortArray.minOf(selector: (Short) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.minOf(selector: (Int) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is
empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.minOf(selector: (Long) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
    minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> FloatArray.minOf(selector: (Float) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.minOf(selector: (Double) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n
    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.minOf(selector: (Boolean) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
    minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> CharArray.minOf(selector: (Char) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOfOrNull(selector:
(T) -> Double): Double? {\n  if (isEmpty()) return
null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue
= minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOfOrNull(selector: (Byte) ->
Double): Double? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n
    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns
the smallest value among all values produced by [selector] function\n * applied to each element

```

in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOfOrNull(selector: (Short) -
> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns
the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.minOfOrNull(selector: (Int) -> Double): Double? {\n    if (isEmpty()) return null\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue =
minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOfOrNull(selector: (Long) -
> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOfOrNull(selector: (Float) ->
Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.minOfOrNull(selector: (Double) -> Double): Double? {\n    if (isEmpty()) return null\n
var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue =
minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOfOrNull(selector:
(Boolean) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n
for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOfOrNull(selector: (Char) ->
Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n *
Returns

```

the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n

* \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOrNull(selector:\n(T) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex)\n    {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array\n * or `null` if there are no elements.\n * \n * If any of values produced by [selector] function\n * is `NaN`, the returned\n * result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOrNull(selector:\n(Byte) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in\n1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return\nminValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to\n * each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function\n * is `NaN`, the returned\n * result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOrNull(selector: (Short) -\n> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n    val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the\n * smallest value among\n
```

all values produced by [selector] function\n * applied to each element in the array or `null` if there are no\n * elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOrNull(selector: (Int) ->\nFloat): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n    val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the\n * smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if\n * there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n * `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic\ninline fun LongArray.minOrNull(selector: (Long) -> Float): Float? {\n    if (isEmpty()) return null\n    var\nminValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue =\nminOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of\n * values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOrNull(selector: (Float) ->\nFloat): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n    val v = selector(this[i])\n\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all\n * values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOrNull(selector:\n(Double) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in
```

```

1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n } return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOfOrNull(selector:
(Boolean) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOfOrNull(selector: (Char) ->
Float): Float? {\n    if (isEmpty())
return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n
minValue = minOf(minValue, v)\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minOfOrNull(selector: (T) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n
return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.minOfOrNull(selector: (Byte) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n        }\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.minOfOrNull(selector: (Short) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex)
{\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.minOfOrNull(selector: (Int) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n        }\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> LongArray.minOfOrNull(selector: (Long) -> R): R? {\n    if (isEmpty()) return
null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no

```

elements.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
```

```
FloatArray.minOfOrNull(selector: (Float) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =  
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values
```

```
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
```

```
DoubleArray.minOfOrNull(selector: (Double) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =  
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
```

```
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
```

```
inline fun <R : Comparable<R>> BooleanArray.minOfOrNull(selector: (Boolean) -> R): R? {\n    if (isEmpty())  
return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
```

```
(minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value
```

```
among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
```

```
elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
```

```
CharArray.minOfOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =  
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
```

```
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
```

```
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if  
the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
```

```
T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    if (isEmpty()) throw  
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
```

```
selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return
```

```
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
```

```
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if  
the array
```

```
is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.minOfWith(comparator:
```

```
Comparator<in R>, selector: (Byte) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var  
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
```

```
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
```

```
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.minOfWith(comparator:
```

```
Comparator<in
```

```

R>, selector: (Short) -> R): R { \n  if (isEmpty()) throw NoSuchElementException()\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (comparator.compare(minValue,
v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value
according to the provided [comparator]\n * among all values produced by [selector] function applied to each
element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.minOfWith(comparator:
Comparator<in R>, selector: (Int) -> R): R { \n  if (isEmpty()) throw NoSuchElementException()\n  var minValue
= selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (comparator.compare(minValue,
v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value according
to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.minOfWith(comparator:
Comparator<in R>, selector: (Long) -> R): R { \n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.minOfWith(comparator:
Comparator<in R>, selector: (Float) -> R): R { \n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> DoubleArray.minOfWith(comparator: Comparator<in R>, selector: (Double) -> R): R { \n  if
(isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n
val v = selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n
return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.minOfWith(comparator:
Comparator<in R>, selector: (Boolean) -> R): R { \n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n
val v = selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n
return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.minOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R { \n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if

```

```

(comparator.compare(minValue, v) > 0) {\n        minValue = v\n    }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out T>.minOfOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.minOfOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.minOfOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.minOfOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.minOfOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.minOfOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
DoubleArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n  if (isEmpty())
return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
BooleanArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n  if (isEmpty())
return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n  if
(isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is
`NaN` returns `NaN`.\n */\n\n@SinceKotlin("1.4")\npublic fun Array<out Double>.minOrNull(): Double? {\n  if
(isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    min = minOf(min,
e)\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any
of elements is `NaN` returns `NaN`.\n */\n\n@SinceKotlin("1.4")\npublic fun Array<out
Float>.minOrNull(): Float? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    min = minOf(min, e)\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n */\n\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>> Array<out T>.minOrNull():
T? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min
> e) min = e\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/\n\n@SinceKotlin("1.4")\npublic fun ByteArray.minOrNull(): Byte? {\n  if (isEmpty()) return null\n  var min =
this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min = e\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n\n@SinceKotlin("1.4")\npublic fun
ShortArray.minOrNull(): Short? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (min > e) min = e\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n */\n\n@SinceKotlin("1.4")\npublic fun IntArray.minOrNull(): Int? {\n  if (isEmpty()) return null\n  var min =
this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min = e\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n\n@SinceKotlin("1.4")\npublic fun
LongArray.minOrNull(): Long? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (min > e) min = e\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n\n@SinceKotlin("1.4")\npublic fun
FloatArray.minOrNull(): Float? {\n  if
(isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    min =
minOf(min, e)\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n\n@SinceKotlin("1.4")\npublic fun DoubleArray.minOrNull():
Double? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n
min = minOf(min, e)\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n */\n\n@SinceKotlin("1.4")\npublic fun CharArray.minOrNull(): Char? {\n  if (isEmpty()) return null\n
var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min = e\n  }\n  return

```



```

smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun FloatArray.minWithOrNull(comparator: Comparator<in Float>): Float? {\n
    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.minWithOrNull(comparator: Comparator<in Double>):
Double? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun BooleanArray.minWithOrNull(comparator: Comparator<in Boolean>):
Boolean? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun CharArray.minWithOrNull(comparator: Comparator<in Char>): Char? {\n
    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the array has no
elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun <T> Array<out
T>.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n *\npublic fun ByteArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n
*\npublic fun ShortArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no
elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun IntArray.none():
Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun LongArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun FloatArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun DoubleArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun BooleanArray.none():
Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun CharArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <T> Array<out
T>.none(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun ByteArray.none(predicate:
(Byte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\npublic inline fun ShortArray.none(predicate: (Short) -> Boolean): Boolean {\n    for (element in this) if
(predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun
IntArray.none(predicate: (Int) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n
return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun LongArray.none(predicate:
(Long) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n

```

```

true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun FloatArray.none(predicate:
(Float)
-> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n *
Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun DoubleArray.none(predicate:
(Double) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun
BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element))
return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate:
(Char) -> Boolean): Boolean {\n    for (element in this)
if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each element and
returns the array itself afterwards.\n * \n * @SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Array<out T>.onEach(action: (T) -> Unit): Array<out T> {\n    return apply { for (element in this) action(element)
}\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n * \n *
@SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.onEach(action: (Byte) ->
Unit): ByteArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n * \n *
@SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.onEach(action: (Short) ->
Unit): ShortArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns
the array itself afterwards.\n * \n *
@SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.onEach(action: (Int) -> Unit): IntArray {\n    return apply { for (element in this) action(element)
}\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n * \n *
@SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.onEach(action: (Long) ->
Unit): LongArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n * \n *
@SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.onEach(action: (Float) ->
Unit): FloatArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n * \n *
@SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.onEach(action:
(Double) -> Unit): DoubleArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs
the given [action] on each element and returns the array itself afterwards.\n * \n *
@SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.onEach(action: (Boolean)
-> Unit): BooleanArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n * \n *
@SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.onEach(action: (Char) ->
Unit): CharArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n *
@param [action] function that takes the index of an element and the element itself\n * and performs the action on
the element.\n * \n *
@SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Array<out T>.onEachIndexed(action: (index: Int, T) -> Unit): Array<out T> {\n    return apply {
forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index
with the element,\n * and returns the array itself afterwards.\n * \n *
@param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n * \n *
@SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.onEachIndexed(action:

```


* Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n

* Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n

Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n

* Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n

* Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in

```

1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n } \n return
accumulator\n}\n\n/**\n
* Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is
empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the
element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun <S, T : S>
Array<out T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {\n if (isEmpty())\n return
null\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n    accumulator = operation(index,
accumulator, this[index])\n } \n return accumulator\n}\n\n/**\n * Accumulates value starting with the first
element and applying [operation] from left to right\n * to current accumulator value and each element with its index
in the
original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n * @SinceKotlin("1.4")\npublic inline fun ByteArray.reduceIndexedOrNull(operation: (index: Int, acc: Byte,
Byte) -> Byte): Byte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n } \n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if
the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value and the element
itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun
ShortArray.reduceIndexedOrNull(operation: (index: Int, acc: Short, Short) -> Short): Short? {\n if (isEmpty())\n
return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n    accumulator = operation(index,
accumulator, this[index])\n } \n return accumulator\n}\n\n/**\n * Accumulates value starting with the first
element and applying [operation] from left to right\n * to current accumulator value and each element with its index
in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n * @SinceKotlin("1.4")\npublic
inline fun IntArray.reduceIndexedOrNull(operation: (index: Int, acc: Int, Int) -> Int): Int? {\n if (isEmpty())\n
return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n    accumulator = operation(index,
accumulator, this[index])\n } \n return accumulator\n}\n\n/**\n * Accumulates value starting with the first
element and applying [operation] from left to right\n * to current accumulator value and each element with its index
in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n * @SinceKotlin("1.4")\npublic inline fun LongArray.reduceIndexedOrNull(operation: (index: Int, acc: Long,
Long) -> Long): Long? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n } \n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if
the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun
FloatArray.reduceIndexedOrNull(operation: (index: Int, acc: Float, Float) -> Float): Float? {\n if (isEmpty())\n

```

```

return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index,
accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
the first element and applying [operation] from left to right\n * to current accumulator value and each element with
its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value and the element itself,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n\n@SinceKotlin("1.4")\npublic inline fun DoubleArray.reduceIndexedOrNull(operation: (index: Int, acc:
Double, Double) -> Double): Double? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for
(index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns
`null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n\n@SinceKotlin("1.4")\npublic inline fun
BooleanArray.reduceIndexedOrNull(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean? {\n    if
(isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator =
operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with the first element and applying [operation] from left to right\n * to current accumulator value and each element
with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value and the element itself,\n *
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n\n@SinceKotlin("1.4")\npublic inline fun
CharArray.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {\n    if (isEmpty())\n
return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index,
accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first
element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n *
Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and
an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Array<out T>.reduceOrNull(operation:
(acc: S, T) -> S): S? {\n    if (isEmpty())\n        return null\n    var accumulator: S = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n
* Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation]
function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n
* @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
ByteArray.reduceOrNull(operation: (acc: Byte, Byte) -> Byte): Byte? {\n    if (isEmpty())\n        return null\n    var
accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n
    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from
left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n *
\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
ShortArray.reduceOrNull(operation: (acc: Short, Short) -> Short): Short? {\n    if (isEmpty())\n        return null\n
var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n
    }\n

```

```

    }
    return accumulator
}

/** Accumulates value starting with the first element and applying [operation]
from left to right * to current accumulator value and each element.
 * Returns `null` if the array
is empty.
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduceOrNull
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun
IntArray.reduceOrNull(operation: (acc: Int, Int) -> Int): Int? {
    if (isEmpty())
        return null
    var
accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

/** Accumulates value starting with the first element and applying [operation]
from left to right * to current accumulator value and each element.
 * Returns `null` if the array is empty.
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates the next
accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduceOrNull
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public
inline fun LongArray.reduceOrNull(operation: (acc: Long, Long) -> Long): Long? {
    if (isEmpty())
        return
null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator,
this[index])
    }
    return accumulator
}

/** Accumulates value starting with the first element and
applying [operation] from left to right * to current accumulator value and each element.
 * Returns `null` if
the array is empty.
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates the next accumulator value.
 * @sample
samples.collections.Collections.Aggregates.reduceOrNull
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun
FloatArray.reduceOrNull(operation: (acc: Float, Float) -> Float): Float? {
    if (isEmpty())
        return null
    var
accumulator
= this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return
accumulator
}

/** Accumulates value starting with the first element and applying [operation] from left to
right * to current accumulator value and each element.
 * Returns `null` if the array is empty.
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates the next
accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduceOrNull
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun
DoubleArray.reduceOrNull(operation: (acc: Double, Double) -> Double): Double? {
    if (isEmpty())
        return
null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator,
this[index])
    }
    return accumulator
}

/** Accumulates value starting with the first element and
applying
[operation] from left to right * to current accumulator value and each element.
 * Returns `null` if the array
is empty.
 * @param [operation] function that takes current accumulator value and an element,
 * and
calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduceOrNull
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun
BooleanArray.reduceOrNull(operation: (acc: Boolean, Boolean) -> Boolean): Boolean? {
    if (isEmpty())
        return
null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator =
operation(accumulator, this[index])
    }
    return accumulator
}

/** Accumulates value starting with the
first element and applying [operation] from left to right * to current accumulator value and each element.
 * Returns `null` if the array is empty.
 * @param [operation] function that takes current accumulator value and
an element,
 * and calculates the next accumulator value.
 * @sample
samples.collections.Collections.Aggregates.reduceOrNull
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun
CharArray.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {
    if (isEmpty())
        return null
    var
accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

/** Accumulates value starting with the last element and applying [operation]
from right to left * to each element and current accumulator value.
 * Throws an exception if this array is

```

empty. If the array can be empty in an expected way, please use `[reduceRightOrNull]` instead. It returns ``null`` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```
samples.collections.Collections.Aggregates.reduceRight
```

```
*\npublic inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use `[reduceRightOrNull]` instead. It returns ``null`` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```
samples.collections.Collections.Aggregates.reduceRight
```

```
*\npublic inline fun
ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {
    var index = lastIndex
    if (index < 0)
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use `[reduceRightOrNull]` instead. It returns ``null`` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```
samples.collections.Collections.Aggregates.reduceRight
```

```
*\npublic inline fun ShortArray.reduceRight(operation:
(Short, acc: Short) -> Short): Short {
    var
    index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use `[reduceRightOrNull]` instead. It returns ``null`` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```
samples.collections.Collections.Aggregates.reduceRight
```

```
*\npublic inline fun IntArray.reduceRight(operation:
(Int, acc: Int) -> Int): Int {
    var index = lastIndex
    if (index < 0) throw
    UnsupportedOperationException("Empty array
    can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator =
        operation(get(index--), accumulator)
    }
    return accumulator
}
```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use `[reduceRightOrNull]` instead. It returns ``null`` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```
samples.collections.Collections.Aggregates.reduceRight
```

```
*\npublic inline fun LongArray.reduceRight(operation:
(Long, acc: Long) -> Long): Long {
    var index = lastIndex
    if (index < 0) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >=
    0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use `[reduceRightOrNull]` instead. It returns ``null`` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next

```

accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n * \npublic inline
fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float): Float {\n  var index = lastIndex\n  if (index <
0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from
right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty.
If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n * \npublic inline fun DoubleArray.reduceRight(operation:
(Double, acc: Double) -> Double): Double {\n  var index = lastIndex\n  if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n  while
(index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the
last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *
Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that
takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n * \npublic inline fun
BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {\n  var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each
element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be
empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n
* \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n * \npublic inline
fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n  var index = lastIndex\n  if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n
* \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n * \npublic
inline fun <S, T : S> Array<out T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator: S = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original
array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty
in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is
empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current
accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n * \npublic inline fun
ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {\n  var index = lastIndex\n

```

```

if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each
element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array
is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It
returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element,
the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator
value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please
use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic
inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n
  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
the last element and applying [operation] from right to left\n * to each element with its index in the original array
and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element
and applying [operation] from right to left\n * to each element
with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns
`null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the
element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n
  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n *
Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the

```

```

next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n * \n\npublic
inline fun DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {\n
var index = lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n
var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index,
get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with
the last element and applying [operation] from right to left\n * to each element with its index in the original array
and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n * \n\npublic inline fun
BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n var
index = lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n
var accumulator = get(index--)\n
while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n * \n\npublic
inline fun CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index =
lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n
var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index),
accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes the index of an element, the element itself and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n * \n\n@SinceKotlin("1.4")\n\npublic inline fun <S, T : S> Array<out T>.reduceRightIndexedOrNull(operation:
(index: Int, T, acc: S) -> S): S? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator: S =
get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n
--index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n
*\n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element,
the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n * \n\n@SinceKotlin("1.4")\n\npublic inline fun
ByteArray.reduceRightIndexedOrNull(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte? {\n var index =
lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right
to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null`
if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n * \n\n@SinceKotlin("1.4")\n\npublic inline fun
ShortArray.reduceRightIndexedOrNull(operation: (index: Int, Short, acc: Short) -> Short): Short? {\n var index =
lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n *

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull
^
@SinceKotlin("1.4")
public inline fun
IntArray.reduceRightIndexedOrNull(operation: (index: Int, Int, acc: Int) -> Int): Int? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator =
        operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull
^
@SinceKotlin("1.4")
public inline fun
LongArray.reduceRightIndexedOrNull(operation: (index: Int, Long, acc: Long) -> Long): Long? {
    var index =
    lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull
^
@SinceKotlin("1.4")
public
inline fun FloatArray.reduceRightIndexedOrNull(operation: (index: Int, Float, acc: Float) -> Float): Float? {
    var
    index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull
^
@SinceKotlin("1.4")
public inline fun
DoubleArray.reduceRightIndexedOrNull(operation: (index: Int, Double, acc: Double) -> Double):
    Double? {
        var index = lastIndex
        if (index < 0) return null
        var accumulator = get(index--)
        while
        (index >= 0) {
            accumulator = operation(index, get(index), accumulator)
            --index
        }
        return
        accumulator
    }

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull
^
@SinceKotlin("1.4")
public inline fun
BooleanArray.reduceRightIndexedOrNull(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean? {
    var
    index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index
    >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return
    accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull
^
@SinceKotlin("1.4")
public inline fun
CharArray.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {
    var index =
    lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

```

* Accumulates value starting with the last element and applying [operation] from right to left\n * to each element
and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function
that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public inline fun <S, T : S>
Array<out T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n   var index = lastIndex\n   if (index < 0)
return null\n   var accumulator: S = get(index--)\n   while (index >= 0) {\n     accumulator = operation(get(index--),
accumulator)\n   }\n   return accumulator\n }\n\n/**\n * Accumulates value starting with the last element and
applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if
the array is empty.\n
* \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public inline fun
ByteArray.reduceRightOrNull(operation: (Byte, acc: Byte) -> Byte): Byte? {\n   var index = lastIndex\n   if (index
< 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n     accumulator =
operation(get(index--), accumulator)\n   }\n   return accumulator\n }\n\n/**\n * Accumulates value starting with the
last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *
Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current
accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public inline fun
ShortArray.reduceRightOrNull(operation: (Short, acc: Short) -> Short): Short? {\n   var index = lastIndex\n   if
(index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n     accumulator =
operation(get(index--), accumulator)\n   }\n   return accumulator\n }\n\n/**\n * Accumulates value starting with the
last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *
Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current
accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public inline fun
IntArray.reduceRightOrNull(operation: (Int, acc: Int) -> Int): Int? {\n   var
index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n }\n\n/**\n * Accumulates value
starting with the last element and applying [operation] from right to left\n * to each element and current accumulator
value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public inline fun
LongArray.reduceRightOrNull(operation: (Long, acc: Long) -> Long): Long? {\n   var index = lastIndex\n   if
(index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n     accumulator =
operation(get(index--), accumulator)\n   }\n   return accumulator\n }\n\n/**\n * Accumulates value starting with the
last element and applying [operation] from right to left\n * to each element
and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function
that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public inline fun
FloatArray.reduceRightOrNull(operation: (Float, acc: Float) -> Float): Float? {\n   var index = lastIndex\n   if
(index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n     accumulator =
operation(get(index--), accumulator)\n   }\n   return accumulator\n }\n\n/**\n * Accumulates value starting with the

```

last element and applying [operation] from right to left to each element and current accumulator value.

Returns `null` if the array is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

@sample

```
samples.collections.Collections.Aggregates.reduceRightOrNull
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun DoubleArray.reduceRightOrNull(operation: (Double, acc: Double) -> Double): Double? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}
```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Returns `null` if the array is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

@sample

```
samples.collections.Collections.Aggregates.reduceRightOrNull
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun BooleanArray.reduceRightOrNull(operation: (Boolean, acc: Boolean) -> Boolean): Boolean? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}
```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Returns `null` if the array is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

@sample

```
samples.collections.Collections.Aggregates.reduceRightOrNull
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun CharArray.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample

```
samples.collections.Collections.Aggregates.runningFold
```

```
*\n@SinceKotlin("1.4")\npublic inline fun <T, R> Array<out T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample

```
samples.collections.Collections.Aggregates.runningFold
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.runningFold(initial: R, operation: (acc: R, Byte) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next

```

accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.runningFold(initial: R,
operation: (acc: R, Short) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val
  result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n
accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.runningFold(initial: R,
operation: (acc: R, Int) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n
  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n
accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.runningFold(initial: R,
operation: (acc: R, Long) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n
  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n
accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.runningFold(initial: R,
operation: (acc: R, Float) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n
  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n
accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.runningFold(initial: R,
operation: (acc: R, Double) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n
  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n
accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.runningFold(initial:
R, operation: (acc: R, Boolean) -> R): List<R> {\n  if (isEmpty())

```

```

return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\nfor (element in this) {\n    accumulator = operation(accumulator, element)\n    result.add(accumulator)\n }\nreturn result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the\n previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an\n element, and calculates the next accumulator value.\n * \n * @sample\n samples.collections.Collections.Aggregates.runningFold\n\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.runningFold(initial: R,\noperation: (acc: R, Char) -> R): List<R> {\n    if (isEmpty())\n        return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\nfor (element in this) {\n    accumulator = operation(accumulator, element)\n    result.add(accumulator)\n }\nreturn result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element, its index in the original array and current accumulator value that\n starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the\n index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator\n value.\n * \n * @sample\n samples.collections.Collections.Aggregates.runningFold\n\n*\n@SinceKotlin("1.4")\npublic inline fun <T, R> Array<out T>.runningFoldIndexed(initial: R,\noperation: (index: Int, acc: R, T) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result =\n        ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\nfor (index in indices) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n }\nreturn\n    result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from\n left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial]\n value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would\n affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element,\n current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample\n samples.collections.Collections.Aggregates.runningFold\n\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic\n    inline fun <R> ByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n        if (isEmpty()) return listOf(initial)\n        val result = ArrayList<R>(size + 1).apply { add(initial) }\n        var accumulator\n            = initial\nfor (index in indices) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n }\nreturn result\n}\n\n/**\n * Returns a list containing successive accumulation\n values generated by applying [operation] from left to right\n * to each element, its index in the original array and\n current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function\n should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]\n function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the\n next accumulator\n value.\n * \n * @sample\n samples.collections.Collections.Aggregates.runningFold\n\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n    if (isEmpty())\n        return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\nfor (index in indices) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n }\nreturn result\n}\n\n/**\n * Returns a list containing successive accumulation\n values generated by applying [operation] from left to right\n * to each element, its index in the original array and\n current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function\n should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]\n function that takes the

```

index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.runningFold
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <R>
IntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {n if (isEmpty()) return
listOf(initial)n val result = ArrayList<R>(size + 1).apply { add(initial) }n var accumulator = initialn for
(index in indices) {n accumulator = operation(index, accumulator, this[index])n result.add(accumulator)n
}n return resultn}n/n/**n * Returns a list containing successive accumulation values generated by applying
[operation] from left to rightn * to each element, its index in the original array and current accumulator value that
starts with [initial] value.n * n * Note that `acc` value passed to [operation] function should not be mutated;n *
otherwise
it would affect the previous value in resulting list.n * n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself, and calculates the next accumulator value.n * n *
@sample samples.collections.Collections.Aggregates.runningFold
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <R>
LongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {n if (isEmpty())
return listOf(initial)n val result = ArrayList<R>(size + 1).apply { add(initial) }n var accumulator = initialn
for (index in indices) {n accumulator = operation(index, accumulator, this[index])n
result.add(accumulator)n }n return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to rightn * to each element, its index in the original array and
current accumulator value that starts with [initial] value.n
* n * Note that `acc` value passed to [operation] function should not be mutated;n * otherwise it would affect the
previous value in resulting list.n * n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself, and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.runningFold
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <R>
FloatArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {n if (isEmpty())
return listOf(initial)n val result = ArrayList<R>(size + 1).apply { add(initial) }n var accumulator = initialn
for (index in indices) {n accumulator = operation(index, accumulator, this[index])n
result.add(accumulator)n }n return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to rightn *
to each element, its index in the original array and current accumulator value that starts with [initial] value.n * n *
Note that `acc` value passed to [operation] function should not be mutated;n * otherwise it would affect the
previous value in resulting list.n * n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself, and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.runningFold
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <R>
DoubleArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {n if
(isEmpty()) return listOf(initial)n val result = ArrayList<R>(size + 1).apply { add(initial) }n var accumulator =
initialn for (index in indices) {n accumulator = operation(index, accumulator, this[index])n
result.add(accumulator)n }n return resultn}n/n/**n * Returns
a list containing successive accumulation values generated by applying [operation] from left to rightn * to each
element, its index in the original array and current accumulator value that starts with [initial] value.n * n * Note
that `acc` value passed to [operation] function should not be mutated;n * otherwise it would affect the previous
value in resulting list.n * n * @param [operation] function that takes the index of an element, current accumulator
value and the element itself, and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.runningFold
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <R>
BooleanArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {n if

```

```

(isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator =
initial\n    for (index in indices) {\n        accumulator = operation(index,
accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element,
its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc`
value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n *
and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R>
CharArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n    if (isEmpty())
return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial)
}\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator,
this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each element and current
accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes current accumulator value and the element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Array<out T>.runningReduce(operation: (acc: S, T) -> S): List<S> {\n    if (isEmpty()) return emptyList()\n    var
accumulator: S = this[0]\n    val result = ArrayList<S>(size).apply { add(accumulator) }\n    for (index in 1 until
size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.runningReduce(operation:
(acc: Byte, Byte) -> Byte): List<Byte> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val
result = ArrayList<Byte>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n
        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.runningReduce(operation:
(acc: Short, Short) -> Short): List<Short> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n
val result = ArrayList<Short>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator =
operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element and current accumulator value that starts with the first element of this array.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.runningReduce(operation: (acc:
Int, Int) -> Int): List<Int> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result =
ArrayList<Int>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator =
operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each

```

element and current accumulator value that starts with the first element of this array.

`@param [operation]` function that takes current accumulator value and an element, and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.runningReduce`

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.runningReduce(operation:
(acc: Long, Long) -> Long): List<Long> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Long>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =
operation(accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element
and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function
that
takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.runningReduce(operation:
(acc: Float, Float) -> Float): List<Float> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val
result = ArrayList<Float>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =
operation(accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element
and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function
that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.runningReduce(operation:
(acc: Double, Double) -> Double): List<Double> {\n  if (isEmpty()) return emptyList()\n  var accumulator =
this[0]\n  val result = ArrayList<Double>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n
accumulator = operation(accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element and current accumulator value that starts with the first element of this array.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline
fun BooleanArray.runningReduce(operation: (acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Boolean>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(accumulator, this[index])\n
result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.runningReduce(operation:
(acc: Char, Char) -> Char): List<Char> {\n  if (isEmpty()) return
emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Char>(size).apply { add(accumulator) }\n  for
(index in 1 until size) {\n    accumulator = operation(accumulator, this[index])\n    result.add(accumulator)\n
}\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element, its index in the original array and current accumulator value that
starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function
that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\npublic inline fun <S, T : S> Array<out T>.runningReduceIndexed(operation:
```

```

(index: Int, acc: S, T) -> S): List<S> {\n  if (isEmpty()) return emptyList()\n  var accumulator: S = this[0]\n  val result = ArrayList<S>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun  

ByteArray.runningReduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): List<Byte> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Byte>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun  

ShortArray.runningReduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): List<Short> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Short>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun  

IntArray.runningReduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): List<Int> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Int>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun  

LongArray.runningReduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): List<Long> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Long>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

FloatArray.runningReduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): List<Float> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Float>(size).apply { add(accumulator) }
    for (index in 1 until size) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with the first element of this array.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

@sample
samples.collections.Collections.Aggregates.runningReduce

*Since Kotlin("1.4")@kotlin.internal.InlineOnly public inline fun
DoubleArray.runningReduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): List<Double> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Double>(size).apply { add(accumulator) }
    for (index in 1 until size) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with the first element of this array.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

@sample
samples.collections.Collections.Aggregates.runningReduce

*Since Kotlin("1.4")@kotlin.internal.InlineOnly public inline fun
BooleanArray.runningReduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): List<Boolean> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Boolean>(size).apply { add(accumulator) }
    for (index in 1 until size) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with the first element of this array.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

@sample
samples.collections.Collections.Aggregates.runningReduce

*Since Kotlin("1.4")@kotlin.internal.InlineOnly public inline fun
CharArray.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Char>(size).apply { add(accumulator) }
    for (index in 1 until size) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample
samples.collections.Collections.Aggregates.scan

*Since Kotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class) public inline fun <T, R>
Array<out T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {
    return runningFold(initial, operation)
}

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample
samples.collections.Collections.Aggregates.scan

*Since Kotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)@kotlin.internal.InlineOnly public

```

```

c inline fun <R> ByteArray.scan(initial: R, operation: (acc: R, Byte) -> R): List<R> {
    return runningFold(initial, operation)
}

```

`scan` Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

```

*
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R> ShortArray.scan(initial: R, operation: (acc: R, Short) -> R): List<R> {
    return runningFold(initial, operation)
}

```

`scan` Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

```

*
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R> IntArray.scan(initial: R, operation: (acc: R, Int) -> R): List<R> {
    return runningFold(initial, operation)
}

```

`scan` Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

```

*
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R> LongArray.scan(initial: R, operation: (acc: R, Long) -> R): List<R> {
    return runningFold(initial, operation)
}

```

`scan` Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

```

*
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R> FloatArray.scan(initial: R, operation: (acc: R, Float) -> R): List<R> {
    return runningFold(initial, operation)
}

```

`scan` Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

```

*
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R> DoubleArray.scan(initial: R, operation: (acc: R, Double) -> R): List<R> {
    return runningFold(initial, operation)
}

```

`scan` Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

```

*
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R> BooleanArray.scan(initial: R, operation: (acc: R, Boolean) -> R): List<R> {
    return

```

runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates

the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R> Array<out T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.scanIndexed(initial:
```

```
R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n
```

```
* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
```

```
from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```

@sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n * generated by applying [operation] from left to right\n * to each element, its index in the original array and current\n * accumulator\n * value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be\n * mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that\n * takes the index of an element, current accumulator value\n * and the element itself, and calculates the next\n * accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n * generated by applying [operation] from left to right\n * to each element, its index in the original array and current\n * accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function\n * should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param\n * [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and\n * calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n * generated by applying [operation] from left to right\n * to each element, its index in the original array and current\n * accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should\n * not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element\n * itself, and calculates the next accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n * generated by applying [operation] from left to right\n * to each element, its index in the original array and current\n * accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should\n * not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * \n * @param [operation]\n * function that takes the index of an element, current accumulator value\n * and the element\n * itself, and calculates the next accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n * applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.")\n * ReplaceWith("this.sumOf(selector)")\n * @DeprecatedSinceKotlin(warningSince = "1.5")\n * public inline fun <T>\n * Array<out T>.sumBy(selector: (T) -> Int): Int {\n *     var sum: Int = 0\n *     for (element in this) {\n *         sum +=\n *         selector(element)\n *     }\n *     return sum\n * }\n\n/**\n * Returns the sum of all values produced by [selector] function\n * applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.")\n * ReplaceWith("this.sumOf(selector)")\n * @DeprecatedSinceKotlin(warningSince\n * = "1.5")\n * public inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {\n *     var sum: Int = 0\n *     for (element in\n * this) {\n *         sum += selector(element)\n *     }\n *     return sum\n * }\n\n/**\n * Returns the sum of all values produced by\n * [selector] function applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.")

```

```

ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
ShortArray.sumBy(selector: (Short) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
IntArray.sumBy(selector: (Int) -> Int): Int {\n  var sum: Int = 0\n  for
(element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
LongArray.sumBy(selector: (Long) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
FloatArray.sumBy(selector: (Float) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied
to each element in the array.\n */\n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
DoubleArray.sumBy(selector: (Double) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic
inline fun CharArray.sumBy(selector: (Char) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum
+= selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun <T>
Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in this)
{\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
ShortArray.sumByDouble(selector: (Short) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
IntArray.sumByDouble(selector: (Int) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun

```

```

LongArray.sumByDouble(selector: (Long) -> Double): Double {
    var sum: Double = 0.0
    for (element in this)
    {
        sum += selector(element)
    }
    return sum
}
/**
 * Returns the sum of all values produced by
 [selector] function applied to each element in the array.
 */
@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun
FloatArray.sumByDouble(selector: (Float) -> Double): Double {
    var sum: Double = 0.0
    for (element in this)
    {
        sum += selector(element)
    }
    return sum
}
/**
 * Returns the sum of all values produced by
 [selector] function applied to each element in the array.
 */
@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince
= "1.5")
public inline fun DoubleArray.sumByDouble(selector: (Double) -> Double): Double {
    var sum:
Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
/**
 * Returns
the sum of all values produced by [selector] function applied to each element in the array.
 */
@Deprecated("Use
sumOf instead.", ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince =
"1.5")
public inline fun BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {
    var sum:
Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
/**
 * Returns
the sum of all values produced by [selector] function applied to each element in the array.
 */
@Deprecated("Use
sumOf instead.", ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince =
"1.5")
public inline fun CharArray.sumByDouble(selector: (Char) -> Double): Double {
    var
sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
/**
 * Returns the sum of all values produced by [selector] function applied to each element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfDouble")
@kotlin.internal.InlineOnly
public inline fun
<T> Array<out T>.sumOf(selector: (T) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element
in this) {
        sum += selector(element)
    }
    return sum
}
/**
 * Returns the sum of all values produced
by [selector] function applied to each element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfDouble")
@kotlin.internal.InlineOnly
public inline fun
ByteArray.sumOf(selector: (Byte) -> Double): Double
{
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return
sum
}
/**
 * Returns the sum of all values produced by [selector] function applied to each element in the
array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfDouble")
@kotlin.internal.InlineOnly
public inline fun
ShortArray.sumOf(selector: (Short) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in
this) {
        sum += selector(element)
    }
    return sum
}
/**
 * Returns the sum of all values produced by
[selector] function applied to each element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfDouble")
@kotlin.internal.InlineOnly
public inline fun
IntArray.sumOf(selector: (Int) -> Double):
Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return
sum
}
/**
 * Returns the sum of all values produced by [selector] function applied to each element in
the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfDouble")
@kotlin.internal.InlineOnly
public inline fun
LongArray.sumOf(selector: (Long) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in
this) {
        sum += selector(element)
    }
    return sum
}
/**
 * Returns the sum of all values produced by
[selector] function applied to each element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfDouble")
@kotlin.internal.InlineOnly
public inline fun

```

```

FloatArray.sumOf(selector: (Float)
-> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sumOf(selector: (Double) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element
in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.sumOf(selector:
(Boolean) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sumOf(selector: (Char) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in
this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Array<out T>.sumOf(selector: (T) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.sumOf(selector: (Byte) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sumOf(selector:
(Short) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.sumOf(selector: (Int) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sumOf(selector: (Long) -> Int):
Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sumOf(selector: (Float) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sumOf(selector: (Double) -> Int): Int {\n
    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.sumOf(selector: (Boolean) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n
sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sumOf(selector: (Char) -> Int): Int {\n    var sum: Int
= 0.toInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the
sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.sumOf(selector: (T) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.sumOf(selector: (Byte) -> Long): Long {\n    var sum: Long = 0.toLong()\n
    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sumOf(selector: (Short) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n
sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.sumOf(selector: (Int) -> Long): Long {\n    var sum: Long = 0.toLong()\n
    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sumOf(selector: (Long) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n
sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sumOf(selector: (Float) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element

```

```

in this) {\n    sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sumOf(selector: (Double) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.sumOf(selector: (Boolean) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element
in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sumOf(selector: (Char) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n
sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> UInt): UInt
{\n    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> UInt): UInt {\n    var
sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic
inline fun ShortArray.sumOf(selector: (Short) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> UInt): UInt {\n    var
sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.sumOf(selector: (Long) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> UInt): UInt {\n    var

```

```

sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType\ns::class)\n@kotlin.internal.InlineOnly\npublic\n  inline fun DoubleArray.sumOf(selector: (Double) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element\nin this) {\n      sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced\nby [selector] function applied to each element in the array.\n */\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType\ns::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> UInt): UInt\n{\n  var sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return\nsum\n}\n\n/**\n * Returns the sum of all values\nproduced by [selector] function applied to each element in the array.\n */\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType\ns::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> UInt): UInt {\n  var\nsum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy\npes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> ULong):\nULong {\n  var sum: ULong = 0.toULong()\n  for (element in this)\n  {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by\n[selector] function applied to each element in the array.\n */\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy\npes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> ULong): ULong\n{\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return\nsum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the\narray.\n */\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy\npes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector:\n(Short) -> ULong): ULong {\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum +=\nselector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\napplied to each element in the array.\n */\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy\npes::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> ULong): ULong {\n  var\nsum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return\nsum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the\narray.\n */\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy\npes::class)\n@kotlin.internal.InlineOnly\npublic\n  inline fun LongArray.sumOf(selector: (Long) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for\n(element in this) {\n      sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values

```

```

produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum}\n}\n/>\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.sumOf(selector: (Double) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for
(element in this) {\n        sum += selector(element)\n    }\n    return sum}\n}\n/>\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> ULong):
ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n
return sum}\n}\n/>\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum}\n}\n/>\n * Returns an original collection containing all the non-`null` elements, throwing an
[IllegalArgumentException] if there are any `null` elements.\n *\npublic fun <T : Any>
Array<T?>.requireNotNulls(): Array<T> {\n    for (element in this) {\n        if (element == null) {\n            throw
IllegalArgumentException("null element found in $this.")\n        }\n    }\n}\n
@\Suppress("UNCHECKED_CAST")\n    return this as Array<T>}\n}\n/>\n * Splits the original array into pair
of lists,\n *
where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements
for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n *\npublic inline fun <T> Array<out
T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n    val first = ArrayList<T>()\n    val second =
ArrayList<T>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n
            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n}\n/>\n * Splits the original array into pair
of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains
elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n *\npublic inline fun
ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>,
List<Byte>> {\n    val first = ArrayList<Byte>()\n    val second = ArrayList<Byte>()\n    for (element in this) {\n
if (predicate(element)) {\n        first.add(element)\n    } else {\n        second.add(element)\n    }\n}\n}\n
return Pair(first, second)\n}\n}\n/>\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate]
yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n
*\npublic inline fun ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n    val
first = ArrayList<Short>()\n    val second = ArrayList<Short>()\n    for (element in this) {\n        if
(predicate(element)) {\n        first.add(element)\n    } else {\n        second.add(element)\n    }\n}\n}\n
return Pair(first, second)\n}\n}\n/>\n * Splits the

```

```

original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n *
while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {\n    val first = ArrayList<Int>()\n    val
second = ArrayList<Int>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n
        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original
array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while
*second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
LongArray.partition(predicate:
(Long) -> Boolean): Pair<List<Long>, List<Long>> {\n    val first = ArrayList<Long>()\n    val second =
ArrayList<Long>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n
        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into
pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {\n    val first =
ArrayList<Float>()\n    val second = ArrayList<Float>()\n    for (element in this) {\n        if (predicate(element)) {\n
            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return
Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements
for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded
`false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline
fun DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {\n    val first =
ArrayList<Double>()\n    val second = ArrayList<Double>()\n    for (element in this) {\n        if (predicate(element))
{\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n
*/\npublic inline fun BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>,
List<Boolean>> {\n    val first = ArrayList<Boolean>()\n    val second = ArrayList<Boolean>()\n    for (element in
this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n
        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list
contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which
[predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n    val first =
ArrayList<Char>()\n    val second = ArrayList<Char>()\n    for (element in this) {\n        if (predicate(element)) {\n
            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Returns a list of
pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic
infix fun <T, R> Array<out T>.zip(other: Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to
t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Array<out R>):
List<Pair<Byte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned

```

```

list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> ShortArray.zip(other: Array<out R>): List<Pair<Short, R>> {\n  return zip(other) { t1, t2
-> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> IntArray.zip(other: Array<out R>):
List<Pair<Int, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R>
LongArray.zip(other: Array<out R>): List<Pair<Long, R>> {\n  return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> FloatArray.zip(other: Array<out
R>): List<Pair<Float, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R>
DoubleArray.zip(other: Array<out R>): List<Pair<Double, R>> {\n  return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n  return zip(other) {
t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array
with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> CharArray.zip(other: Array<out R>):
List<Pair<Char, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] array with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <T, R, V> Array<out
T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V):
List<V> {\n  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V>
ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n
}\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V>
ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n
}\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V>
IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {\n  val size = minOf(size, other.size)\n
val list = ArrayList<V>(size)\n  for (i in 0 until

```

```

size) {\n    list.add(transform(this[i], other[i]))\n } \n return list\n}\n\n/**\n * Returns a list of values built
from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]
function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V> FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {\n
val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n } \n return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns
a list of values built from the elements of `this` array and the [other] array with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline
fun <R, V> BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {\n    val size =
minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n } \n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the
[other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n *
The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
CharArray.zip(other:
Array<out R>, transform: (a: Char, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list =
ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n } \n return
list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <T, R> Array<out T>.zip(other:
Iterable<R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n    return zip(other) { t1,
t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with
the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> ShortArray.zip(other: Iterable<R>):
List<Pair<Short, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n

```



```

transform: (a: Long, b: R) -> V): List<V> {\n  val arraySize = size\n  val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n
if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline
fun <R, V> FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n  val arraySize =
size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element
in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other]
collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n  val arraySize = size\n  val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other)
{\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n *
Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline
fun <R, V> BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n  val arraySize =
size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element
in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n  val arraySize = size\n  val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10),
arraySize))\n  var i = 0\n  for (element in other) {\n    if (i >= arraySize) break\n
list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
ByteArray.zip(other: ByteArray): List<Pair<Byte, Byte>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ShortArray.zip(other: ShortArray):
List<Pair<Short, Short>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
IntArray.zip(other: IntArray): List<Pair<Int, Int>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns
a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list
has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n  return zip(other) { t1, t2 -> t1
to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun FloatArray.zip(other:

```

```

FloatArray): List<Pair<Float, Float>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic
infix fun DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n    return zip(other) { t1, t2 -> t1
to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun BooleanArray.zip(other: BooleanArray):
List<Pair<Boolean, Boolean>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned
list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n    return zip(other) { t1, t2 -> t1
to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {\n    val
size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun
<V> ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> IntArray.zip(other:
IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list =
ArrayList<V>(size)\n
    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
@sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n

```

```

* Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using
the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun
<V> BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n    val size =
minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the
[other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n *
The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
CharArray.zip(other:
CharArray, transform: (a: Char, b: Char) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list =
ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return
list\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix]
and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in
which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to
`"...`").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A :
Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = ``, ``, prefix: CharSequence = ``, postfix:
CharSequence = ``, limit: Int = -1, truncated: CharSequence = `"...`", transform: ((T) -> CharSequence)? = null): A
{\n    buffer.append(prefix)\n    var count = 0\n    for
(element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n
buffer.appendElement(element, transform)\n        } else break\n    }\n    if (limit >= 0 && count > limit)
buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection
could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will
be appended, followed by the [truncated] string (which defaults to `"...`").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>
ByteArray.joinTo(buffer: A, separator: CharSequence = ``, ``, prefix: CharSequence = ``, postfix: CharSequence =
``, limit: Int = -1, truncated: CharSequence = `"...`", transform: ((Byte) -> CharSequence)? = null): A {\n
    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n
buffer.append(transform(element))\n        } else\n            buffer.append(element.toString())\n        } else break\n
}\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to `"...`").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A :
Appendable> ShortArray.joinTo(buffer: A, separator: CharSequence = ``, ``, prefix:
CharSequence = ``, postfix: CharSequence = ``, limit: Int = -1, truncated: CharSequence = `"...`", transform:
((Short) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n
if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform !=
null)\n            buffer.append(transform(element))\n        } else\n            buffer.append(element.toString())\n        }
else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to `"...`").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> IntArray.joinTo(buffer:
A, separator: CharSequence = ``, ``, prefix: CharSequence = ``, postfix: CharSequence = ``, limit: Int = -1,

```


could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

.samples.collections.Collections.Transformations.joinTo
*/public fun <A : Appendable>
CharArray.joinTo(buffer: A, separator: CharSequence = ",", prefix: CharSequence = "", postfix: CharSequence = "",
limit: Int = -1, truncated: CharSequence = "...", transform: ((Char) -> CharSequence)? = null): A {
buffer.append(prefix)
var count = 0
for (element in this) {
if (++count > 1) buffer.append(separator)
if (limit < 0 || count <= limit) {
if (transform != null)
buffer.append(transform(element))
else
buffer.append(element)
} else break
}
if (limit >= 0 && count > limit)
buffer.append(truncated)
buffer.append(postfix)
return buffer
}

```

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

.samples.collections.Collections.Transformations.joinToString
*/public
fun <T> Array<out T>.joinToString(separator: CharSequence = ",", prefix: CharSequence = "", postfix:
CharSequence = "", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null):
String {
return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated,
transform).toString()
}

```

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

.samples.collections.Collections.Transformations.joinToString
*/public fun ByteArray.joinToString(separator: CharSequence = ",", prefix: CharSequence = "", postfix:
CharSequence = "", limit: Int = -1, truncated: CharSequence = "...", transform: ((Byte) -> CharSequence)? =
null): String {
return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated,
transform).toString()
}

```

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

.samples.collections.Collections.Transformations.joinToString
*/public fun ShortArray.joinToString(separator: CharSequence = ",", prefix: CharSequence = "", postfix:
CharSequence = "", limit: Int = -1, truncated: CharSequence = "...", transform: ((Short) -> CharSequence)? =
null): String {
return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated,
transform).toString()
}

```

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

.samples.collections.Collections.Transformations.joinToString
*/public fun IntArray.joinToString(separator: CharSequence = ",", prefix: CharSequence = "", postfix:
CharSequence = "", limit: Int = -1, truncated: CharSequence = "...", transform: ((Int) -> CharSequence)? =
null): String {
return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated,
transform).toString()
}

```

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

.samples.collections.Collections.Transformations.joinToString
*/public fun LongArray.joinToString(separator:
CharSequence = ",", prefix: CharSequence = "", postfix: CharSequence = "", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Long) -> CharSequence)? = null): String {
return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()
}

```

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be

appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample

```

samples.collections.Collections.Transformations.joinToString\n *^public fun FloatArray.joinToString(separator:
CharSequence = "\", \"\", prefix: CharSequence
= \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) ->
CharSequence)? = null): String {\n    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated,
transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the
given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value
of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string
(which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n
*^public fun DoubleArray.joinToString(separator: CharSequence = "\", \"\", prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? =
null): String {\n    return joinTo(StringBuilder(), separator, prefix, postfix,
limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using
[separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can
specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed
by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *^public fun
BooleanArray.joinToString(separator: CharSequence = "\", \"\", prefix: CharSequence = \"\", postfix: CharSequence =
\"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): String {\n
return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates
a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n
* If the collection could
be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *^public fun
CharArray.joinToString(separator:
CharSequence = "\", \"\", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that
wraps the original array returning its elements when being iterated.\n * ^public fun <T> Array<out T>.asIterable():
Iterable<T> {\n    if (isEmpty()) return emptyList()\n    return Iterable { this.iterator() }\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.\n * ^public
fun ByteArray.asIterable(): Iterable<Byte> {\n    if (isEmpty()) return emptyList()\n    return Iterable { this.iterator()
}\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being
iterated.\n * ^public fun ShortArray.asIterable(): Iterable<Short> {\n    if (isEmpty()) return emptyList()\n    return
Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its
elements when being iterated.\n * ^public fun IntArray.asIterable(): Iterable<Int> {\n    if (isEmpty()) return
emptyList()\n    return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n * ^public fun LongArray.asIterable(): Iterable<Long> {\n    if
(isEmpty()) return emptyList()\n    return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that
wraps the original array returning its elements
when being iterated.\n * ^public fun FloatArray.asIterable(): Iterable<Float> {\n    if (isEmpty()) return
emptyList()\n    return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n * ^public fun DoubleArray.asIterable(): Iterable<Double> {\n
if (isEmpty()) return emptyList()\n    return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance
that wraps the original array returning its elements when being iterated.\n * ^public fun BooleanArray.asIterable():
Iterable<Boolean> {\n    if (isEmpty()) return emptyList()\n    return Iterable { this.iterator() }\n}\n\n/**\n * Creates
an [Iterable] instance that wraps the original array returning its elements when being iterated.\n * ^public fun
CharArray.asIterable(): Iterable<Char> {\n    if (isEmpty()) return emptyList()\n    return Iterable { this.iterator()
}

```

```

}\n}\n\n/**\n * Creates a [Sequence] instance that wraps the
original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n *^\npublic fun <T> Array<out T>.asSequence():
Sequence<T> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^\npublic fun ByteArray.asSequence():
Sequence<Byte> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^\npublic fun ShortArray.asSequence():
Sequence<Short> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps
the original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n *^\npublic fun IntArray.asSequence():
Sequence<Int> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^\npublic fun LongArray.asSequence():
Sequence<Long> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^\npublic fun FloatArray.asSequence():
Sequence<Float> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that
wraps the original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n *^\npublic fun DoubleArray.asSequence():
Sequence<Double> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^\npublic fun
BooleanArray.asSequence(): Sequence<Boolean> {\n if (isEmpty()) return emptySequence()\n return Sequence
{ this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements
when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n *^\npublic
fun CharArray.asSequence(): Sequence<Char> {\n if (isEmpty()) return emptySequence()\n return Sequence {
this.iterator() }\n}\n\n/**\n * Returns an average value
of elements in the array.\n *^\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Array<out Byte>.average():
Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n *^\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Array<out Short>.average():
Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n *^\n@kotlin.jvm.JvmName("averageOfInt")\npublic fun Array<out Int>.average(): Double
{\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n
}\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n *^\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun
Array<out Long>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n *
Returns an average value of elements in the array.\n *^\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun
Array<out Float>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n *
Returns an average value of elements in the array.\n *^\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun
Array<out Double>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this)

```

```

{\n    sum += element\n    ++count\n } \n    return if (count == 0) Double.NaN
else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun
ByteArray.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        ++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the array.\n */\npublic fun ShortArray.average(): Double {\n    var sum: Double =
0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        ++count\n    }\n    return if (count
== 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic
fun IntArray.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        ++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the array.\n */\npublic fun LongArray.average():
Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\npublic fun FloatArray.average(): Double {\n    var sum: Double = 0.0\n    var count: Int
= 0\n    for (element in this) {\n        sum += element\n        ++count\n    }\n    return if (count == 0) Double.NaN
else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun
DoubleArray.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        ++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Array<out
Byte>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Array<out Short>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the
array.\n */\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Array<out Int>.sum(): Int {\n    var sum: Int = 0\n
for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in
the array.\n */\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun Array<out Long>.sum(): Long {\n    var sum:
Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Array<out Float>.sum(): Float
{\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Array<out Double>.sum(): Double {\n    var sum:
Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\npublic fun ByteArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun
ShortArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun IntArray.sum(): Int {\n    var sum:
Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
elements in the array.\n */\npublic fun LongArray.sum(): Long {\n    var sum: Long = 0L\n    for (element
in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\npublic fun FloatArray.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum +=
element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun
DoubleArray.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
*/\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage
kotlin.ranges\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns a
random

```

```

element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.random(): Int {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws
IllegalArgumentException if this range is empty.\n * \n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun LongRange.random(): Long {\n    return random(Random)\n}\n\n/**\n * Returns a random element from
this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.random(): Char {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\npublic fun IntRange.random(random: Random): Int {\n    try {\n        return
random.nextInt(this)\n    } catch(e: IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws
IllegalArgumentException if this range is empty.\n * \n@SinceKotlin("1.3")\npublic fun
LongRange.random(random: Random): Long {\n    try {\n        return random.nextLong(this)\n    } catch(e:
IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a
random element from this range using the specified source of randomness.\n * \n * @throws
IllegalArgumentException if this range is empty.\n * \n@SinceKotlin("1.3")\npublic fun
CharRange.random(random: Random): Char {\n    try {\n        return random.nextInt(first.code, last.code +
1).toChar()\n    } catch(e: IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range, or `null` if
this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun IntRange.randomOrNull(): Int? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this range, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun LongRange.randomOrNull(): Long? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this range, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun CharRange.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this range using the specified source of randomness, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
IntRange.randomOrNull(random:
Random): Int? {\n    if (isEmpty())\n        return null\n    return random.nextInt(this)\n}\n\n/**\n * Returns a random
element from this range using the specified source of randomness, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
LongRange.randomOrNull(random: Random): Long? {\n    if (isEmpty())\n        return null\n    return
random.nextLong(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharRange.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return
random.nextInt(first.code, last.code + 1).toChar()\n}\n\n/**\n * Returns `true` if this range contains the specified
[element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline operator fun IntRange.contains(element: Int?): Boolean {\n    return element != null &&
contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns
`false` if the [element] is `null`.\n * \n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator
fun LongRange.contains(element: Long?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n *

```

Returns `true` if this range contains the specified [element].
 Always returns `false` if the [element] is `null`.

`CharRange.contains(element: Char?): Boolean` {
 return element != null && contains(element)}

Checks if the specified [value] belongs to this range.

`ClosedRange<Int>.contains(value: Byte): Boolean` {
 return contains(value.toInt())}

Checks if the specified [value] belongs to this range.

`ClosedRange<Long>.contains(value: Byte): Boolean` {
 return contains(value.toLong())}

Checks if the specified [value] belongs to this range.

`ClosedRange<Short>.contains(value: Byte): Boolean` {
 return contains(value.toShort())}

Checks if the specified [value] belongs to this range.

This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.

`ClosedRange<Double>.contains(value: Byte): Boolean` {
 return contains(value.toDouble())}

Checks if the specified [value] belongs to this range.

This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.

`ClosedRange<Float>.contains(value: Byte): Boolean` {
 return contains(value.toFloat())}

Checks if the specified [value] belongs to this range.

This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.

`ClosedRange<Int>.contains(value: Double): Boolean` {
 return value.toIntExactOrNull().let { if (it != null) contains(it) else false }}

Checks if the specified [value] belongs to this range.

This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.

`ClosedRange<Long>.contains(value: Double): Boolean` {
 return value.toLongExactOrNull().let { if (it != null) contains(it) else false }}

Checks if the specified [value] belongs to this range.

This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.

`ClosedRange<Byte>.contains(value: Double): Boolean` {
 return value.toByteExactOrNull().let { if (it != null) contains(it) else false }}

Checks if the specified [value] belongs to this range.

This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.

`ClosedRange<Byte>.contains(value: Double): Boolean` {
 return value.toByteExactOrNull().let { if (it != null) contains(it) else false }}

Checks if the specified [value] belongs to this range.

This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.

`ClosedRange<Short>.contains(value: Double): Boolean` {
 return value.toShortExactOrNull().let { if (it != null) contains(it) else false }}

Checks if the specified [value] belongs to this range.

This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.

`ClosedRange<Float>.contains(value: Double): Boolean` {
 return contains(value.toFloat())}

Checks if the specified [value] belongs to this range.

This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.

`ClosedRange<Int>.contains(value: Float): Boolean` {
 return value.toIntExactOrNull().let { if (it != null) contains(it) else false }}

Checks if the specified [value] belongs to this range.

```

*^@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.")@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince
= "1.5")@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun
ClosedRange<Long>.contains(value: Float): Boolean {\n    return value.toLongExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*^@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.")@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince
= "1.5")@kotlin.jvm.JvmName("byteRangeContains")\npublic
operator fun ClosedRange<Byte>.contains(value: Float): Boolean {\n    return value.toByteExactOrNull().let { if (it
!= null) contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*^@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.")@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince
= "1.5")@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun
ClosedRange<Short>.contains(value: Float): Boolean {\n    return value.toShortExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*^@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun ClosedRange<Double>.contains(value:
Float): Boolean {\n    return contains(value.toDouble())\n}\n\n**\n * Checks if the specified [value] belongs to this
range.\n
*^@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value: Int):
Boolean {\n    return contains(value.toLong())\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*^@kotlin.jvm.JvmName("byteRangeContains")\npublic operator fun ClosedRange<Byte>.contains(value: Int):
Boolean {\n    return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n**\n * Checks if
the specified [value] belongs to this range.\n
*^@kotlin.jvm.JvmName("shortRangeContains")\npublic operator
fun ClosedRange<Short>.contains(value: Int): Boolean {\n    return value.toShortExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*^@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.")@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince
= "1.5")@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun
ClosedRange<Double>.contains(value: Int): Boolean {\n    return contains(value.toDouble())\n}\n\n**\n * Checks
if the specified [value] belongs to this range.\n
*^@Deprecated("This `contains` operation mixing integer and
floating point arguments has ambiguous semantics and is going to be
removed.")@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince =
"1.5")@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun ClosedRange<Float>.contains(value:
Int): Boolean {\n    return contains(value.toFloat())\n}\n\n**\n * Checks if the specified [value] belongs to this
range.\n
*^@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value:
Long): Boolean {\n    return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n**\n *
Checks if the specified [value] belongs to this range.\n
*^@kotlin.jvm.JvmName("byteRangeContains")\npublic
operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n    return value.toByteExactOrNull().let { if (it
!= null) contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*^@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun ClosedRange<Short>.contains(value:
Long): Boolean {\n    return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n**\n *
Checks if the specified [value] belongs to this range.\n
*^@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince =
"1.5")@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun
ClosedRange<Double>.contains(value: Long): Boolean {\n    return contains(value.toDouble())\n}\n\n**\n *
Checks if the specified [value] belongs to this range.\n

```

```

*^@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.")@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince
= "1.5")@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun
ClosedRange<Float>.contains(value: Long): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n *^@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun
ClosedRange<Int>.contains(value: Short): Boolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n *^@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun
ClosedRange<Long>.contains(value: Short): Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n *^@kotlin.jvm.JvmName("byteRangeContains")\npublic operator
fun ClosedRange<Byte>.contains(value:
Short): Boolean {\n    return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n *^@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince =
"1.5")@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun
ClosedRange<Double>.contains(value: Short): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n *^@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince =
"1.5")@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun ClosedRange<Float>.contains(value:
Short): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n * Returns a progression from this value down to
the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n *
If the [to] value is greater than `this` value the returned progression is empty.\n *^@public infix fun Int.downTo(to: Byte):
IntProgression {\n    return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression
from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal
to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n *^@public infix
fun Long.downTo(to: Byte): LongProgression {\n    return LongProgression.fromClosedRange(this, to.toLong(), -
1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n *
The [to] value should be less than or equal to `this`
value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n *^@public infix fun
Byte.downTo(to: Byte): IntProgression {\n    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -
1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The
[to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned
progression is empty.\n *^@public infix fun Short.downTo(to: Byte): IntProgression {\n    return
IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value
down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this`
value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n *^@public infix fun
Char.downTo(to: Char): CharProgression {\n    return CharProgression.fromClosedRange(this, to,
-1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n *
The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the
returned progression is empty.\n *^@public infix fun Int.downTo(to: Int): IntProgression {\n    return
IntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the
specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to]
value is greater than `this` value the returned progression is empty.\n *^@public infix fun Long.downTo(to: Int):
LongProgression {\n    return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a
progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less
than or equal to `this` value.\n * If the [to] value is greater than `this` value the

```

returned progression is empty.

```

public infix fun Byte.downTo(to: Int): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to, -1)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Short.downTo(to: Int): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to, -1)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Int.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Long.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this, to, -1L)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Byte.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Short.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Int.downTo(to: Short): IntProgression {
    return IntProgression.fromClosedRange(this, to.toInt(), -1)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Long.downTo(to: Short): LongProgression {
    return LongProgression.fromClosedRange(this, to.toLong(), -1L)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Byte.downTo(to: Short): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Short.downTo(to: Short): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)
}

```

* Returns a progression that goes over the same range in the opposite direction with the same step.

```

public fun IntProgression.reversed(): IntProgression {
    return IntProgression.fromClosedRange(last, first, -step)
}

```

* Returns a progression that goes over the same range in the opposite direction with the same step.

```

public fun LongProgression.reversed(): LongProgression {
    return LongProgression.fromClosedRange(last, first, -step)
}

```

* Returns a progression that goes over the same range in the opposite direction with the same step.

```

public fun CharProgression.reversed(): CharProgression {
    return CharProgression.fromClosedRange(last, first, -step)
}

```

* Returns a progression that goes over the same range with the given step.

```

public infix fun IntProgression.step(step: Int): IntProgression {
    checkStepIsPositive(step > 0, step)
    return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)
}

```

* Returns a progression that goes over the same range with the given step.

```

public infix fun LongProgression.step(step: Long): LongProgression {
    checkStepIsPositive(step > 0, step)
    return LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)
}

```

* Returns a progression that goes over the same range with the given step.

```

public infix fun CharProgression.step(step: Int): CharProgression {
    checkStepIsPositive(step > 0, step)
    return CharProgression.fromClosedRange(first,

```

```

last, if (this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByteArray() else null\n}\n\ninternal fun
Long.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByteArray() else null\n}\n\ninternal fun
Short.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByteArray() else null\n}\n\ninternal fun
Double.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toInt().toByte() else null\n}\n\ninternal fun
Float.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat())
    this.toInt().toByte() else null\n}\n\ninternal fun Long.toIntExactOrNull(): Int? {\n    return if (this in
Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong()) this.toInt() else null\n}\n\ninternal fun
Double.toIntExactOrNull(): Int? {\n    return if (this in
Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun
Float.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat())
this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun
Float.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun
Int.toShortExactOrNull(): Short? {\n    return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt())
this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull():
Short? {\n    return if (this in Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else
null\n}\n\ninternal fun Double.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toInt().toShort() else null\n}\n\ninternal fun
Float.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toInt().toShort() else null\n}\n\n/**\n * Returns
a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to
`this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Byte): IntRange {\n    return this ..
(to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n *
\n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun
Long.until(to: Byte): LongRange {\n    return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the
specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*/\npublic infix fun Byte.until(to: Byte): IntRange {\n    return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n *
Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or
equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Byte): IntRange {\n
return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the
specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*/\npublic infix fun Char.until(to: Char): CharRange {\n    if (to <= '\u0000') return CharRange.EMPTY\n    return
this .. (to - 1).toChar()\n}\n\n/**\n * Returns
a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to
`this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Int): IntRange {\n    if (to <=
Int.MIN_VALUE) return IntRange.EMPTY\n    return this .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this
value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value,
then the returned range is empty.\n */\npublic infix fun Long.until(to: Int): LongRange {\n    return this .. (to.toLong() -
1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If
the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to:
Int): IntRange {\n    if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n    return this.toInt() .. (to -

```

1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Int): IntRange {\n if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Short): IntRange {\n return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Short): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Byte.coerceAtLeast(minimumValue: Byte): Byte {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Short.coerceAtLeast(minimumValue: Short): Short {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Long.coerceAtLeast(minimumValue: Long): Long {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]

```

or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n
*\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {\n    return if (this < minimumValue)
minimumValue else this}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun
Double.coerceAtLeast(minimumValue: Double): Double {\n    return if (this < minimumValue) minimumValue else
this}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostComparable\n */\npublic fun <T : Comparable<T>>
T.coerceAtMost(maximumValue: T): T {\n    return if (this > maximumValue)
maximumValue else this}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n
*\n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n
*\n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun
Byte.coerceAtMost(maximumValue: Byte): Byte {\n    return if (this > maximumValue) maximumValue else
this}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Short.coerceAtMost(maximumValue: Short):
Short {\n    return if (this > maximumValue) maximumValue else this}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n
*\n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun
Int.coerceAtMost(maximumValue: Int): Int {\n    return if (this > maximumValue) maximumValue else
this}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Long.coerceAtMost(maximumValue: Long):
Long {\n    return if (this > maximumValue) maximumValue else this}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Float.coerceAtMost(maximumValue: Float):
Float {\n    return if (this > maximumValue) maximumValue else this}\n\n/**\n * Ensures that this value is
not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Double.coerceAtMost(maximumValue:
Double): Double {\n    return if (this > maximumValue) maximumValue else this}\n\n/**\n * Ensures that this
value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range,
or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun
<T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n    if (minimumValue !== null
&& maximumValue !== null) {\n        if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n        if (this < minimumValue) return minimumValue\n        if (this > maximumValue) return maximumValue\n
}\n    else {\n        if (minimumValue !== null && this < minimumValue) return minimumValue\n        if
(maximumValue !== null && this > maximumValue) return maximumValue\n    }\n    return this}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if
it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is
greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun
Byte.coerceIn(minimumValue: Byte, maximumValue: Byte): Byte {\n    if (minimumValue > maximumValue)

```

```

throw IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue)
return maximumValue\n
return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n
* \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Short.coerceIn(minimumValue: Short,
maximumValue: Short): Short {\n if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue)
return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n
* \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(minimumValue: Int,
maximumValue: Int): Int {\n if (minimumValue > maximumValue) throw IllegalArgumentException("Cannot
coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.")\n if (this <
minimumValue) return minimumValue\n if (this > maximumValue) return maximumValue\n return
this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n *
@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(minimumValue: Long,
maximumValue: Long): Long {\n if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n
if (this < minimumValue) return minimumValue\n if (this > maximumValue) return maximumValue\n return
this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n *
@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Float.coerceIn(minimumValue: Float,
maximumValue: Float): Float {\n if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue)
return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this
value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n *
@sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Double.coerceIn(minimumValue:
Double, maximumValue: Double): Double {\n if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue)
return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInFloatingPointRange\n */\n@SinceKotlin("1.1")\npublic fun <T :
Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n if (range.isEmpty())
throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n return when {\n //
this < start equiv to this <= start && !(this >= start)\n range.lessThanOrEqualTo(this, range.start) &&
!range.lessThanOrEqualTo(range.start, this) -> range.start\n // this > end equiv to this >= end && !(this <= end)\n
range.lessThanOrEqualTo(range.endInclusive, this) && !range.lessThanOrEqualTo(this, range.endInclusive) ->

```

```

range.endInclusive\n    else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInComparable\n *\npublic fun <T : Comparable<T>>
T.coerceIn(range: ClosedRange<T>): T {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<T>(range)\n
    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n
    return when {\n        this < range.start -> range.start\n        this > range.endInclusive -> range.endInclusive\n
    } else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's
in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater
than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n *\npublic fun
Int.coerceIn(range: ClosedRange<Int>): Int {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<Int>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to
an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this > range.endInclusive -
> range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start`
if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n
* @sample samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Long.coerceIn(range:
ClosedRange<Long>): Long {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<Long>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value
to an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n"/**\n * Copyright 2010-2022 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT
EDIT!\n\npackage
kotlin\n\nimport kotlin.experimental.*\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class UByte @PublishedApi internal constructor(@PublishedApi internal val data: Byte) :
Comparable<UByte> {\n\n    companion object {\n        /**\n         * A constant holding the minimum value an
instance of UByte can have.\n         *\n         * public const val MIN_VALUE: UByte = UByte(0)\n         */\n        /**\n         * A constant holding the maximum value an instance of UByte can have.\n         *\n         * public const val
MAX_VALUE: UByte = UByte(-1)\n         */\n        /**\n         * The number of bytes used to represent an instance of
UByte in a binary form.\n         *\n         * public const val SIZE_BYTES: Int = 1\n         */\n        /**\n         * The number of
bits used to represent an instance of UByte in a binary form.\n         *\n         * public const val SIZE_BITS: Int = 8\n         */\n        /**\n         * Compares this value with the
specified value for order.\n         * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n         * or a positive number if it's greater than other.\n         */\n        @kotlin.internal.InlineOnly\n        @Suppress("OVERRIDE_BY_INLINE")\n        public override inline operator fun compareTo(other: UByte): Int =
this.toInt().compareTo(other.toInt())\n        /**\n         * Compares this value with the specified value for order.\n         *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n         * or a
positive number if it's greater than other.\n         */\n        @kotlin.internal.InlineOnly\n        public inline operator fun
compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n        /**\n         * Compares this value with the
specified value for order.\n         * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n         * or a positive number if it's greater than other.\n         */\n        @kotlin.internal.InlineOnly\n        public inline operator fun
compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n        /**\n         * Compares this value with the
specified value for order.\n         * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n         * or a positive number if it's greater than other.\n         */\n        @kotlin.internal.InlineOnly\n

```

```

public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n /** Adds the
other value to this value. *\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): UInt =
this.toUInt().plus(other.toUInt())\n /** Adds the other value to this value. *\n @kotlin.internal.InlineOnly\n
public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n /** Adds the other value
to this value. *\n @kotlin.internal.InlineOnly\n public
inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n /** Adds the other value to this value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun plus(other: ULong): ULong =
this.toULong().plus(other)\n\n /** Subtracts the other value from this value. *\n @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the
other value from this value. *\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UShort):
UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n
/** Subtracts the other value from this value. *\n @kotlin.internal.InlineOnly\n public inline operator fun
minus(other: ULong): ULong = this.toULong().minus(other)\n\n /** Multiplies this value by
the other value. *\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte): UInt =
this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt =
this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n
/** Multiplies this value by the other value. *\n @kotlin.internal.InlineOnly\n public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. *\n @kotlin.internal.InlineOnly\n public inline operator
fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value,
truncating the result to an integer
that is closer to zero. *\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UShort): UInt =
this.toUInt().div(other.toUInt())\n /** Divides this value by the other value, truncating the result to an integer that
is closer to zero. *\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): UInt =
this.toUInt().div(other)\n /** Divides this value by the other value, truncating the result to an integer that is closer
to zero. *\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n *\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n /**\n * Calculates the
remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n *\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n /**\n * Calculates the
remainder of truncating division of this value by the other value.\n * \n * The result is always less than the
divisor.\n *\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt =
this.toUInt().rem(other)\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n *\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /**\n * Divides this value by
the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types,
the results of flooring division and truncating division are
the same.\n *\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UByte): UInt =
this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an
integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and
truncating division are the same.\n *\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other:
UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring
the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring

```

```

division and truncating division are the same.\n    */\n    @kotlin.internal.InlineOnly\n    public inline fun
floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n    /**\n     * Divides this value by the other value,
flooring the result to an integer that is closer to negative infinity.\n
     *\n     * For unsigned types, the results of flooring division and truncating division are the same.\n    */\n
    @kotlin.internal.InlineOnly\n    public inline fun floorDiv(other: ULong): ULong =
this.toULong().floorDiv(other)\n\n    /**\n     * Calculates the remainder of flooring division of this value by the
other value.\n     *\n     * The result is always less than the divisor.\n     *\n     * For unsigned types, the remainders
of flooring division and truncating division are the same.\n    */\n    @kotlin.internal.InlineOnly\n    public inline
fun mod(other: UByte): UByte = this.toUInt().mod(other.toUInt()).toUByte()\n    /**\n     * Calculates the remainder
of flooring division of this value by the other value.\n     *\n     * The result is always less than the divisor.\n     *\n
     * For unsigned types, the remainders of flooring division and truncating division are the same.\n    */\n
    @kotlin.internal.InlineOnly\n    public inline fun mod(other: UShort):
UShort = this.toUInt().mod(other.toUInt()).toUShort()\n    /**\n     * Calculates the remainder of flooring division
of this value by the other value.\n     *\n     * The result is always less than the divisor.\n     *\n     * For unsigned
types, the remainders of flooring division and truncating division are the same.\n    */\n
    @kotlin.internal.InlineOnly\n    public inline fun mod(other: UInt): UInt = this.toUInt().mod(other)\n    /**\n     *
Calculates the remainder of flooring division of this value by the other value.\n     *\n     * The result is always less
than the divisor.\n     *\n     * For unsigned types, the remainders of flooring division and truncating division are the
same.\n    */\n    @kotlin.internal.InlineOnly\n    public inline fun mod(other: ULong): ULong =
this.toULong().mod(other)\n\n    /**\n     * Returns this value incremented by one.\n     *\n     * @sample
samples.misc.Builtins.inc\n    */\n    @kotlin.internal.InlineOnly\n    public inline operator
fun inc(): UByte = UByte(data.inc())\n\n    /**\n     * Returns this value decremented by one.\n     *\n     * @sample
samples.misc.Builtins.dec\n    */\n    @kotlin.internal.InlineOnly\n    public inline operator fun dec(): UByte =
UByte(data.dec())\n\n    /**\n     * Creates a range from this value to the specified [other] value.\n    */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun rangeTo(other: UByte): UIntRange =
UIntRange(this.toUInt(), other.toUInt())\n\n    /**\n     * Performs a bitwise AND operation between the two values.\n    */\n
    @kotlin.internal.InlineOnly\n    public inline infix fun and(other: UByte): UByte = UByte(this.data and other.data)\n
    /**\n     * Performs a bitwise OR operation between the two values.\n    */\n    @kotlin.internal.InlineOnly\n    public inline
infix fun or(other: UByte): UByte = UByte(this.data or other.data)\n    /**\n     * Performs a bitwise XOR operation
between the two values.\n    */\n    @kotlin.internal.InlineOnly\n    public inline infix fun xor(other: UByte):
UByte = UByte(this.data xor other.data)\n\n    /**\n     * Inverts the bits in this value.\n    */\n    @kotlin.internal.InlineOnly\n
public inline fun inv(): UByte = UByte(data.inv())\n\n    /**\n     * Converts this [UByte] value to [Byte].\n     *\n
     * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n     * the same
numerical value as this `UByte`. Otherwise the result is negative.\n     *\n     * The resulting `Byte` value has the
same binary representation as this `UByte` value.\n    */\n    @kotlin.internal.InlineOnly\n    public inline fun
toByte(): Byte = data\n    /**\n     * Converts this [UByte] value to [Short].\n     *\n     * The resulting `Short` value
represents the same numerical value as this `UByte`. \n     *\n     * The least significant 8 bits of the resulting `Short`
value are the same as the bits of this `UByte` value,\n     * whereas the most significant 8 bits are filled with zeros.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline fun toShort(): Short = data.toShort() and 0xFF\n    /**\n     * Converts this [UByte] value to [Int].\n
     *\n     * The resulting `Int` value represents the same numerical value as this `UByte`. \n     *\n     * The least
significant 8 bits of the resulting `Int` value are the same as the bits of this `UByte` value,\n     * whereas the most
significant 24 bits are filled with zeros.\n    */\n    @kotlin.internal.InlineOnly\n    public inline fun toInt(): Int =
data.toInt() and 0xFF\n    /**\n     * Converts this [UByte] value to [Long].\n     *\n     * The resulting `Long` value
represents the same numerical value as this `UByte`. \n     *\n     * The least significant 8 bits of the resulting `Long`
value are the same as the bits of this `UByte` value,\n     * whereas the most significant 56 bits are filled with
zeros.\n    */\n    @kotlin.internal.InlineOnly\n    public inline fun toLong(): Long = data.toLong() and 0xFF\n\n
    /**\n     * Returns this value.\n    */\n

```

```

    @kotlin.internal.InlineOnly\n    public inline fun toUByte(): UByte = this\n    /**\n     * Converts this [UByte] value to [UShort].\n     *\n     * The resulting `UShort` value represents the same numerical value as this `UByte`.\n     *\n     * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `UByte` value,\n     * whereas the most significant 8 bits are filled with zeros.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toUShort(): UShort = UShort(data.toShort() and 0xFF)\n    /**\n     * Converts this [UByte] value to [UInt].\n     *\n     * The resulting `UInt` value represents the same numerical value as this `UByte`.\n     *\n     * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `UByte` value,\n     * whereas the most significant 24 bits are filled with zeros.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFF)\n    /**\n     * Converts this [UByte] value to [ULong].\n     *\n     * The resulting `ULong` value represents the same numerical value as this `UByte`.\n     *\n     * The least significant 8 bits of the resulting `ULong` value are the same as the bits of this `UByte` value,\n     * whereas the most significant 56 bits are filled with zeros.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)\n    /**\n     * Converts this [UByte] value to [Float].\n     *\n     * The resulting `Float` value represents the same numerical value as this `UByte`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toFloat(): Float = this.toInt().toFloat()\n    /**\n     * Converts this [UByte] value to [Double].\n     *\n     * The resulting `Double` value represents the same numerical value as this `UByte`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toDouble(): Double = this.toInt().toDouble()\n    public override fun toString(): String = toInt().toString()\n    /**\n     * Converts this [Byte] value to [UByte].\n     *\n     * If this value is positive, the resulting `UByte` value represents the same numerical value as this `Byte`.\n     *\n     * The resulting `UByte` value has the same binary representation as this `Byte` value.\n     */\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @kotlin.internal.InlineOnly\n    public inline fun Byte.toUByte(): UByte = UByte(this)\n    /**\n     * Converts this [Short] value to [UByte].\n     *\n     * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n     * the same numerical value as this `Short`.\n     *\n     * The resulting `UByte` value is represented by the least significant 8 bits of this `Short` value.\n     */\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @kotlin.internal.InlineOnly\n    public inline fun Short.toUByte(): UByte = UByte(this.toByte())\n    /**\n     * Converts this [Int] value to [UByte].\n     *\n     * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n     * the same numerical value as this `Int`.\n     *\n     * The resulting `UByte` value is represented by the least significant 8 bits of this `Int` value.\n     */\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @kotlin.internal.InlineOnly\n    public inline fun Int.toUByte(): UByte = UByte(this.toByte())\n    /**\n     * Converts this [Long] value to [UByte].\n     *\n     * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n     * the same numerical value as this `Long`.\n     *\n     * The resulting `UByte` value is represented by the least significant 8 bits of this `Long` value.\n     */\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @kotlin.internal.InlineOnly\n    public inline fun Long.toUByte(): UByte = UByte(this.toByte())\n    /**\n     * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n    // Auto-generated file. DO NOT EDIT!\n    package kotlin\n    import kotlin.experimental.*\n    import kotlin.jvm.*\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @JvmInline\n    public value class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Int) : Comparable<UInt> {\n        companion object {\n            /**\n             * A constant holding the minimum value an instance of UInt can have.\n             */\n            public const val MIN_VALUE: UInt = UInt(0)\n            /**\n             * A constant holding the maximum value an instance of UInt can have.\n             */\n            public const val MAX_VALUE: UInt = UInt(-1)\n            /**\n             * The number of bytes used to represent an instance of UInt in a binary form.\n             */\n
```

```

    ^\n    public const val SIZE_BYTES: Int = 4\n\n
    /**\n    * The number of bits used to represent an instance of UInt in a binary form.\n    ^\n    public const
val SIZE_BITS: Int = 32\n    }\n\n    /**\n    * Compares this value with the specified value for order.\n    * Returns
zero if this value is equal to the specified other value, a negative number if it's less than other,\n    * or a positive
number if it's greater than other.\n    ^\n    @kotlin.internal.InlineOnly\n    public inline operator fun
compareTo(other: UByte): Int = this.compareTo(other.toUInt())\n\n    /**\n    * Compares this value with the
specified value for order.\n    * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n    * or a positive number if it's greater than other.\n    ^\n    @kotlin.internal.InlineOnly\n
public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n\n    /**\n    *
Compares this value with the specified value for order.\n
    * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n    * or
a positive number if it's greater than other.\n    ^\n    @kotlin.internal.InlineOnly\n
@Suppress("OVERRIDE_BY_INLINE")\n    public override inline operator fun compareTo(other: UInt): Int =
uintCompare(this.data, other.data)\n\n    /**\n    * Compares this value with the specified value for order.\n    *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n    * or a
positive number if it's greater than other.\n    ^\n    @kotlin.internal.InlineOnly\n    public inline operator fun
compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n    /** Adds the other value to this value. *\n    ^\n
    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt = this.plus(other.toUInt())\n
    /** Adds the other value to this value. *\n    ^\n    @kotlin.internal.InlineOnly\n
    public inline operator fun plus(other: UShort): UInt = this.plus(other.toUInt())\n    /** Adds the other value to this
value. *\n    ^\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt =
UInt(this.data.plus(other.data))\n    /** Adds the other value to this value. *\n    ^\n    @kotlin.internal.InlineOnly\n
    public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n    /** Subtracts the other
value from this value. *\n    ^\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): UInt =
this.minus(other.toUInt())\n    /** Subtracts the other value from this value. *\n    ^\n    @kotlin.internal.InlineOnly\n
    public inline operator fun minus(other: UShort): UInt = this.minus(other.toUInt())\n    /** Subtracts the other value
from this value. *\n    ^\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): UInt =
UInt(this.data.minus(other.data))\n    /** Subtracts the other value from
    this value. *\n    ^\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: ULong): ULong =
this.toULong().minus(other)\n\n    /** Multiplies this value by the other value. *\n    ^\n    @kotlin.internal.InlineOnly\n
    public inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\n    /** Multiplies this value by the
other value. *\n    ^\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): UInt =
this.times(other.toUInt())\n    /** Multiplies this value by the other value. *\n    ^\n    @kotlin.internal.InlineOnly\n
    public inline operator fun times(other: UInt): UInt = UInt(this.data.times(other.data))\n    /** Multiplies this value
by the other value. *\n    ^\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: ULong): ULong =
this.toULong().times(other)\n\n    /** Divides this value by the other value, truncating the result to an integer that is
closer to zero. *\n    ^\n    @kotlin.internal.InlineOnly\n    public
    inline operator fun div(other: UByte): UInt = this.div(other.toUInt())\n    /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. *\n    ^\n    @kotlin.internal.InlineOnly\n    public inline operator
fun div(other: UShort): UInt = this.div(other.toUInt())\n    /** Divides this value by the other value, truncating the
result to an integer that is closer to zero. *\n    ^\n    @kotlin.internal.InlineOnly\n    public inline operator fun
div(other: UInt): UInt = uintDivide(this, other)\n    /** Divides this value by the other value, truncating the result to an
integer that is closer to zero. *\n    ^\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n\n    /**\n    * Calculates the remainder of truncating division of this value by the other
value.\n    *\n    * The result is always less than the divisor.\n    ^\n    @kotlin.internal.InlineOnly\n    public
    inline operator fun rem(other:
    UByte): UInt = this.rem(other.toUInt())\n    /**\n    * Calculates the remainder of truncating division of this value
by the other value.\n    *\n    * The result is always less than the divisor.\n    ^\n    @kotlin.internal.InlineOnly\n

```

```

public inline operator fun rem(other: UShort): UInt = this.rem(other.toUInt())\n /**\n * Calculates the
remainder of truncating division of this value by the other value.\n * \n * The result is always less than the
divisor.\n * \n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt =
uintRemainder(this, other)\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n * \n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /**\n * Divides this value by
the other value, flooring the result to an integer that is
closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division
are the same.\n * \n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UByte): UInt =
this.floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an integer that
is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division
are the same.\n * \n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UShort): UInt =
this.floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an integer that
is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division
are the same.\n * \n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UInt): UInt = div(other)\n
/**\n * Divides this value
by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned
types, the results of flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: ULong): ULong = this.toULong().floorDiv(other)\n\n /**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is always less than the
divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n
*\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte =
this.mod(other.toUInt()).toUByte()\n /**\n * Calculates the remainder of flooring division of this value by the
other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders
of flooring division and truncating division are the same.\n
*\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UShort): UShort =
this.mod(other.toUInt()).toUShort()\n /**\n * Calculates the remainder of flooring division of this value by the
other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders
of flooring division and truncating division are the same.\n
*\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt = rem(other)\n /**\n * Calculates the remainder of flooring division of this value by
the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n
public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n\n /**\n * Returns this value
incremented by one.\n * \n * @sample samples.misc.Builtins.inc\n * \n
@\kotlin.internal.InlineOnly\n public inline operator fun inc(): UInt = UInt(data.inc())\n\n /**\n * Returns
this value decremented by one.\n * \n * @sample samples.misc.Builtins.dec\n * \n
@\kotlin.internal.InlineOnly\n public inline operator fun dec(): UInt = UInt(data.dec())\n\n /**\n * Creates a range
from this value to the specified [other] value. *\n @kotlin.internal.InlineOnly\n public inline operator fun
rangeTo(other: UInt): UIntRange = UIntRange(this, other)\n\n /**\n * Shifts this value left by the [bitCount]
number of bits.\n * \n * Note that only the five lowest-order bits of the [bitCount] are used as the shift
distance.\n * \n * The shift distance actually used is therefore always in the range `0..31`.\n * \n
@\kotlin.internal.InlineOnly\n public inline infix fun shl(bitCount: Int): UInt = UInt(data shl bitCount)\n\n /**\n
* Shifts this value right by the [bitCount] number of bits, filling the leftmost bits
with zeros.\n * \n * Note that only the five lowest-order bits of the [bitCount] are used as the shift distance.\n
*\n * The shift distance actually used is therefore always in the range `0..31`.\n * \n @kotlin.internal.InlineOnly\n
public inline infix fun shr(bitCount: Int): UInt = UInt(data ushr bitCount)\n\n /**\n * Performs a bitwise AND
operation between the two values. *\n @kotlin.internal.InlineOnly\n public inline infix fun and(other: UInt):
UInt = UInt(this.data and other.data)\n\n /**\n * Performs a bitwise OR operation between the two values. *\n

```



```

significant 16 bits are filled with the sign bit of this value.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
npublic
inline fun Short.toInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Int] value to [UInt].\n *\n * If this value
is positive, the resulting `UInt` value represents the same numerical value as this `Int`. \n *\n * The resulting `UInt`
value has the same binary representation as this `Int` value.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
npublic inline fun Int.toInt(): UInt = UInt(this)\n/**\n * Converts this [Long] value to [UInt].\n *\n * If this value
is positive and less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\n * the same
numerical value as this `Long`. \n *\n * The resulting `UInt` value is represented by the least significant 32 bits of
this `Long` value.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
npublic inline fun Long.toInt(): UInt =
    UInt(this.toInt())\n/**\n * Converts this [Float] value to [UInt].\n *\n * The fractional part, if any, is rounded
down towards zero.\n * Returns zero if this `Float` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger
than `UInt.MAX_VALUE`. \n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
npublic inline fun Float.toInt(): UInt = doubleToUInt(this.toDouble())\n/**\n * Converts this [Double] value to
[UInt].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is
negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`. \n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
npublic inline fun Double.toInt(): UInt = doubleToUInt(this)\n", "/*\n * Copyright 2010-2022 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\nimport kotlin.experimental.*\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npu
blic value class UShort @PublishedApi internal constructor(@PublishedApi internal val data: Short) :
Comparable<UShort> {\n\n    companion object {\n        /**\n         * A constant holding the minimum value an
instance of UShort can have.\n         *\n         * public const val MIN_VALUE: UShort = UShort(0)\n\n         */\n
        /**\n         * A constant holding the maximum value an instance of UShort can have.\n         *\n         * public const val
MAX_VALUE: UShort = UShort(-1)\n\n         */\n        /**\n         * The number of bytes used to represent an instance of
UShort in a binary form.\n         *\n         * public const val SIZE_BYTES: Int = 2\n\n         */\n        /**\n         * The number of
bits used to represent an instance of UShort in a binary form.\n         *\n         * public const val SIZE_BITS: Int = 16\n        }\n\n        /**\n         * Compares this value with the specified
value for order.\n         * Returns zero if this value is equal to the specified other value, a negative number if it's less
than other,\n         * or a positive number if it's greater than other.\n         *\n         * @kotlin.internal.InlineOnly\n         public
inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n         /**\n         * Compares
this value with the specified value for order.\n         * Returns zero if this value is equal to the specified other value, a
negative number if it's less than other,\n         * or a positive number if it's greater than other.\n         *\n         */\n
        @kotlin.internal.InlineOnly\n         @Suppress("OVERRIDE_BY_INLINE")\n         public override inline operator fun
compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n         /**\n         * Compares this value with the
specified value for order.\n         * Returns zero if
this value is equal to the specified other value, a negative number if it's less than other,\n         * or a positive number
if it's greater than other.\n         *\n         * @kotlin.internal.InlineOnly\n         public inline operator fun compareTo(other:
UInt): Int = this.toUInt().compareTo(other)\n\n         /**\n         * Compares this value with the specified value for order.\n
         * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n         * or a
positive number if it's greater than other.\n         *\n         * @kotlin.internal.InlineOnly\n         public inline operator fun
compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n         /**\n         * Adds the other value to this value. *\n

```

```

    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt =
this.toUInt().plus(other.toUInt())\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\npublic inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other:
UInt): UInt = this.toUInt().plus(other)\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: ULong): ULong =
this.toULong().plus(other)\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\npublic inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n    /** Subtracts the
other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UShort):
UInt = this.toUInt().minus(other.toUInt())\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): UInt =
this.toUInt().minus(other)\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n    /** Multiplies this value by
the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte): UInt =
this.toUInt().times(other.toUInt())\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): UInt =
this.toUInt().times(other.toUInt())\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UInt): UInt =
this.toUInt().times(other)\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n    /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */\n    @kotlin.internal.InlineOnly\n    public inline operator
fun div(other: UByte): UInt =
    this.toUInt().div(other.toUInt())\n    /** Divides this value by the other value, truncating the result to an integer that
is closer to zero. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UShort): UInt =
this.toUInt().div(other.toUInt())\n    /** Divides this value by the other value, truncating the result to an integer that
is closer to zero. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UInt): UInt =
this.toUInt().div(other)\n    /** Divides this value by the other value, truncating the result to an integer that is closer
to zero. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n    /**\n     * Calculates the remainder of truncating division of this value by the other
value.\n     * \n     * The result is always less than the divisor.\n     */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n    /**\n     * Calculates the remainder of truncating division of this value by the other value.\n     * \n     * The result
is always less than the divisor.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other:
UShort): UInt = this.toUInt().rem(other.toUInt())\n    /**\n     * Calculates the remainder of truncating division of
this value by the other value.\n     * \n     * The result is always less than the divisor.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UInt): UInt =
this.toUInt().rem(other)\n    /**\n     * Calculates the remainder of truncating division of this value by the other value.\n     * \n     * The result is always
less than the divisor.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: ULong):
ULong = this.toULong().rem(other)\n    /**\n     * Divides this value by the other value, flooring the result to an
integer that is closer to negative
infinity.\n     * \n     * For unsigned types, the results of flooring division and truncating division are the same.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun floorDiv(other: UByte): UInt =
this.toUInt().floorDiv(other.toUInt())\n    /**\n     * Divides this value by the other value, flooring the result to an
integer that is closer to negative infinity.\n     * \n     * For unsigned types, the results of flooring division and
truncating division are the same.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun floorDiv(other:
UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n    /**\n     * Divides this value by the other value, flooring
the result to an integer that is closer to negative infinity.\n     * \n     * For unsigned types, the results of flooring
division and truncating division are the same.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun

```

```

floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n /**\n
    * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n    *\n
    * For unsigned types, the results of flooring division and truncating division are the same.\n    */\n
@kotlin.internal.InlineOnly\n public inline fun floorDiv(other: ULong): ULong =
this.toULong().floorDiv(other)\n\n /**\n    * Calculates the remainder of flooring division of this value by the
other value.\n    *\n    * The result is always less than the divisor.\n    *\n    * For unsigned types, the remainders
of flooring division and truncating division are the same.\n    */\n @kotlin.internal.InlineOnly\n public inline
fun mod(other: UByte): UByte = this.toUInt().mod(other.toUInt()).toUByte()\n /**\n    * Calculates the remainder
of flooring division of this value by the other value.\n    *\n    * The result is always less than the divisor.\n    *\n
    * For unsigned types, the remainders of flooring division and truncating
division are the same.\n    */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UShort): UShort =
this.toUInt().mod(other.toUInt()).toUShort()\n /**\n    * Calculates the remainder of flooring division of this
value by the other value.\n    *\n    * The result is always less than the divisor.\n    *\n    * For unsigned types, the
remainders of flooring division and truncating division are the same.\n    */\n @kotlin.internal.InlineOnly\n
public inline fun mod(other: UInt): UInt = this.toUInt().mod(other)\n /**\n    * Calculates the remainder of
flooring division of this value by the other value.\n    *\n    * The result is always less than the divisor.\n    *\n
    * For unsigned types, the remainders of flooring division and truncating division are the same.\n    */\n
@kotlin.internal.InlineOnly\n public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n\n\n /**\n
    * Returns this value incremented by one.\n    */\n
    *\n    * @sample samples.misc.Builtins.inc\n    */\n @kotlin.internal.InlineOnly\n public inline operator fun
inc(): UShort = UShort(data.inc())\n\n\n /**\n    * Returns this value decremented by one.\n    *\n    * @sample
samples.misc.Builtins.dec\n    */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): UShort =
UShort(data.dec())\n\n\n /**\n    * Creates a range from this value to the specified [other] value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UShort): UIntRange =
UIntRange(this.toUInt(), other.toUInt())\n\n\n /**\n    * Performs a bitwise AND operation between the two values. *\n
@kotlin.internal.InlineOnly\n public inline infix fun and(other: UShort): UShort = UShort(this.data and
other.data)\n\n\n /**\n    * Performs a bitwise OR operation between the two values. *\n @kotlin.internal.InlineOnly\n
public inline infix fun or(other: UShort): UShort = UShort(this.data or other.data)\n\n\n /**\n    * Performs a
bitwise XOR operation between the two values. *\n @kotlin.internal.InlineOnly\n public inline infix fun
xor(other: UShort): UShort = UShort(this.data xor other.data)\n\n\n /**\n    * Inverts the bits in this value. *\n
@kotlin.internal.InlineOnly\n public inline fun inv(): UShort = UShort(data.inv())\n\n\n /**\n    * Converts this
[UShort] value to [Byte].\n    *\n    * If this value is less than or equals to [Byte.MAX_VALUE], the resulting
`Byte` value represents\n    * the same numerical value as this `UShort`.\n    *\n    * The resulting `Byte` value is
represented by the least significant 8 bits of this `UShort` value.\n    * Note that the resulting `Byte` value may be
negative.\n    */\n @kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n\n\n /**\n
    * Converts this [UShort] value to [Short].\n    *\n    * If this value is less than or equals to [Short.MAX_VALUE],
the resulting `Short` value represents\n    * the same numerical
value as this `UShort`. Otherwise the result is negative.\n    *\n    * The resulting `Short` value has the same binary
representation as this `UShort` value.\n    */\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short =
data\n\n\n /**\n    * Converts this [UShort] value to [Int].\n    *\n    * The resulting `Int` value represents the same
numerical value as this `UShort`.\n    *\n    * The least significant 16 bits of the resulting `Int` value are the same as
the bits of this `UShort` value,\n    * whereas the most significant 16 bits are filled with zeros.\n    */\n
@kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data.toInt() and 0xFFFF\n\n\n /**\n    * Converts this
[UShort] value to [Long].\n    *\n    * The resulting `Long` value represents the same numerical value as this
`UShort`.\n    *\n    * The least significant 16 bits of the resulting `Long` value are the same as the bits of this
`UShort` value,\n    * whereas the most
significant 48 bits are filled with zeros.\n    */\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long
= data.toLong() and 0xFFFF\n\n\n /**\n    * Converts this [UShort] value to [UByte].\n    *\n    * If this value is

```

```

less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents
 * the same numerical
value as this `UShort`.
 * The resulting `UByte` value is represented by the least significant 8 bits of this
`UShort` value.
 *
@kotlin.internal.InlineOnly
 public inline fun toUByte(): UByte = data.toUByte()
/** Returns this value. */
@kotlin.internal.InlineOnly
 public inline fun toUShort(): UShort = this
/**
 * Converts this [UShort] value to [UInt].
 * The resulting `UInt` value represents the same numerical
value as this `UShort`.
 * The least significant 16 bits of the resulting `UInt` value are the same as the bits
of this `UShort` value,
 * whereas
the most significant 16 bits are filled with zeros.
 *
@kotlin.internal.InlineOnly
 public inline fun
toUInt(): UInt = UInt(data.toInt() and 0xFFFF)
/**
 * Converts this [UShort] value to [ULong].
 * The resulting `ULong` value represents the same numerical value as this `UShort`.
 * The least significant
16 bits of the resulting `ULong` value are the same as the bits of this `UShort` value,
 * whereas the most
significant 48 bits are filled with zeros.
 *
@kotlin.internal.InlineOnly
 public inline fun toULong():
ULong = ULong(data.toLong() and 0xFFFF)
/**
 * Converts this [UShort] value to [Float].
 * The resulting `Float` value represents the same numerical value as this `UShort`.
 *
@kotlin.internal.InlineOnly
 public inline fun toFloat(): Float = this.toInt().toFloat()
/**
 * Converts this
[UShort] value to [Double].
 * The resulting `Double` value
represents the same numerical value as this `UShort`.
 *
@kotlin.internal.InlineOnly
 public inline fun
toDouble(): Double = this.toInt().toDouble()
 public override fun toString(): String =
toInt().toString()
}
}
/**
 * Converts this [Byte] value to [UShort].
 * If this value is positive, the
resulting `UShort` value represents the same numerical value as this `Byte`.
 * The least significant 8 bits of the
resulting `UShort` value are the same as the bits of this `Byte` value,
 * whereas the most significant 8 bits are
filled with the sign bit of this value.
 *
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
npublic inline fun Byte.toUShort(): UShort = UShort(this.toShort())
/**
 * Converts this [Short] value to
[UShort].
 * If this value is positive, the resulting `UShort` value represents the same numerical value as this
`Short`.
 * The resulting `UShort` value has the same binary
representation as this `Short` value.
 *
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
npublic inline fun Short.toUShort(): UShort = UShort(this)
/**
 * Converts this [Int] value to [UShort].
 * If
this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents
 * the same numerical value as this `Int`.
 * The resulting `UShort` value is represented by the least significant 16
bits of this `Int` value.
 *
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
npublic inline fun Int.toUShort(): UShort = UShort(this.toShort())
/**
 * Converts this [Long] value to
[UShort].
 * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort`
value represents
 * the same numerical value as this `Long`.
 * The resulting `UShort` value is represented by
the least significant 16
bits of this `Long` value.
 *
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
npublic inline fun Long.toUShort(): UShort = UShort(this.toShort())
", /*
 * Copyright 2010-2022 JetBrains s.r.o.
and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.
 */
// Auto-generated file. DO NOT EDIT!
npackage
kotlin.ranges
/**
 * A range of values of type `Char`.
 */
npublic class CharRange(start: Char, endInclusive:
Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {
 override val start: Char get() = first
n override val endInclusive: Char get() = last
n override fun contains(value: Char): Boolean = first <= value &&
value <= last
n /**
 * Checks whether the range is empty.
 * The range is empty if its start value is
greater than the end value.
 */
n override fun

```

```

isEmpty(): Boolean = first > last\n\n override fun equals(other: Any?): Boolean =\n    other is CharRange &&
(isEmpty() && other.isEmpty()) ||\n    first == other.first && last == other.last)\n\n override fun hashCode(): Int
=\n    if (isEmpty()) -1 else (31 * first.code + last.code)\n\n override fun toString(): String = \"$first..$last"\n\n
companion object {\n    /** An empty range of values of type Char. */\n    public val EMPTY: CharRange =
CharRange(1.toChar(), 0.toChar())\n    }\n}\n\n/**\n * A range of values of type `Int`.\n */\npublic class
IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive, 1), ClosedRange<Int> {\n    override val
start: Int get() = first\n    override val endInclusive: Int get() = last\n\n    override fun contains(value: Int): Boolean =
first <= value && value <= last\n\n    /**\n     * Checks whether the range is empty.\n     */\n    * The range is empty
if its start value is greater than the end value.\n\n    */\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n    other is IntRange && (isEmpty() && other.isEmpty()) ||\n    first == other.first && last == other.last)\n\n    override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * first + last)\n\n    override fun toString(): String =
\"$first..$last"\n\n    companion object {\n        /** An empty range of values of type Int. */\n        public val
EMPTY: IntRange = IntRange(1, 0)\n    }\n}\n\n/**\n * A range of values of type `Long`.\n */\npublic class
LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long> {\n    override val
start: Long get() = first\n    override val endInclusive: Long get() = last\n\n    override fun
contains(value: Long): Boolean = first <= value && value <= last\n\n    /**\n     * Checks whether the range is
empty.\n     */\n    * The range is empty if its start value is greater than
the end value.\n\n    */\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?):
Boolean =\n    other is LongRange && (isEmpty() && other.isEmpty()) ||\n    first == other.first && last ==
other.last)\n\n    override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor
(last ushr 32))).toInt()\n\n    override fun toString(): String = \"$first..$last"\n\n    companion object {\n        /** An
empty range of values of type Long. */\n        public val EMPTY: LongRange = LongRange(1, 0)\n    }\n}\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n@file:OptIn(kotlin.exper
imental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\nimport
kotlin.random.Random\n\ninternal object EmptyIterator : ListIterator<Nothing> {\n    override fun hasNext():
Boolean = false\n    override fun hasPrevious(): Boolean = false\n    override fun nextIndex(): Int = 0\n    override
fun previousIndex(): Int = -1\n    override fun next(): Nothing = throw NoSuchElementException()\n    override fun
previous(): Nothing = throw NoSuchElementException()\n}\n\ninternal object EmptyList : List<Nothing>,
Serializable, RandomAccess {\n    private const val serialVersionUID: Long = -7390468764508069838L\n\n    override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()\n    override fun hashCode(): Int
= 1\n    override fun toString(): String = "[]"\n\n    override val size: Int get() = 0\n    override fun isEmpty():
Boolean = true\n    override fun contains(element: Nothing): Boolean = false\n    override fun containsAll(elements:
Collection<Nothing>): Boolean = elements.isEmpty()\n\n    override fun get(index:
Int): Nothing = throw IndexOutOfBoundsException("Empty list doesn't contain element at index $index.")\n\n    override fun indexOf(element: Nothing): Int = -1\n    override fun lastIndexOf(element: Nothing): Int = -1\n\n    override fun iterator(): Iterator<Nothing> = EmptyIterator\n    override fun listIterator(): ListIterator<Nothing> =
EmptyIterator\n    override fun listIterator(index: Int): ListIterator<Nothing> {\n        if (index != 0) throw
IndexOutOfBoundsException("Index: $index")\n        return EmptyIterator\n    }\n\n    override fun
subList(fromIndex: Int, toIndex: Int): List<Nothing> {\n        if (fromIndex == 0 && toIndex == 0) return this\n        throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex")\n    }\n\n    private fun
readResolve(): Any = EmptyList\n}\n\ninternal fun <T> Array<out T>.asCollection(): Collection<T> =
ArrayAsCollection(this, isVarargs = false)\n\nprivate class ArrayAsCollection<T>(val values: Array<out T>, val
isVarargs:
Boolean) : Collection<T> {\n    override val size: Int get() = values.size\n    override fun isEmpty(): Boolean =
values.isEmpty()\n    override fun contains(element: T): Boolean = values.contains(element)\n    override fun

```

```

containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }
override fun iterator():
Iterator<T> = values.iterator()
// override hidden toArray implementation to prevent copying of values array
public fun toArray(): Array<out Any?> = values.copyToArrayOfAny(isVarargs)
}
}
/**
 * Returns an empty read-only list. The returned list is serializable (JVM).
 */
@sample
samples.collections.Collections.Lists.emptyReadOnlyList
*/
public fun <T> emptyList(): List<T> =
EmptyList
}
/**
 * Returns a new read-only list of given elements. The returned list is serializable (JVM).
 */
@sample
samples.collections.Collections.Lists.readOnlyList
*/
public fun <T> listOf(vararg elements: T):
List<T> = if (elements.size > 0) elements.asList()
else emptyList()
}
/**
 * Returns an empty read-only list. The returned list is serializable (JVM).
 */
@sample
samples.collections.Collections.Lists.emptyReadOnlyList
*/
@kotlin.internal.InlineOnly
public inline fun <T>
listOf(): List<T> = emptyList()
}
/**
 * Returns an empty new [MutableList].
 */
@sample
samples.collections.Collections.Lists.emptyMutableList
*/
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public inline fun <T> mutableListOf(): MutableList<T> =
ArrayList()
}
/**
 * Returns an empty new [ArrayList].
 */
@sample
samples.collections.Collections.Lists.emptyArrayList
*/
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public inline fun <T> arrayListOf(): ArrayList<T> =
ArrayList()
}
/**
 * Returns a new [MutableList] with the given elements.
 */
@sample
samples.collections.Collections.Lists.mutableList
*/
public fun <T> mutableListOf(vararg elements: T):
MutableList<T> = if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements,
isVarargs = true))
}
/**
 * Returns a new [ArrayList] with the given elements.
 */
@sample
samples.collections.Collections.Lists.arrayList
*/
public fun <T> arrayListOf(vararg elements: T): ArrayList<T>
= if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))
}
/**
 * Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The
returned list is serializable (JVM).
 */
@sample
samples.collections.Collections.Lists.listOfNotNull
*/
public fun
<T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()
}
/**
 * Returns a new read-only list only of those given elements, that are not null. The returned list is serializable
(JVM).
 */
@sample
samples.collections.Collections.Lists.listOfNotNull
*/
public fun <T : Any>
listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()
}
/**
 * Creates
a new read-only list with the specified [size], where each element is calculated by calling the specified
[init]
function.
 */
* The function [init] is called for each list element sequentially starting from the first one.
 */
* It
should return the value for a list element given its index.
 */
@sample
samples.collections.Collections.Lists.readOnlyListFromInitializer
*/
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public inline fun <T> List(size: Int, init: (index: Int) -> T):
List<T> = MutableList(size, init)
}
/**
 * Creates a new mutable list with the specified [size], where each element
is calculated by calling the specified
[init] function.
 */
* The function [init] is called for each list element
sequentially starting from the first one.
 */
* It should return the value for a list element given its index.
 */
@sample
samples.collections.Collections.Lists.mutableListFromInitializer
*/
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public inline
fun <T> MutableList(size: Int, init: (index: Int) -> T): MutableList<T> {
val list = ArrayList<T>(size)
repeat(size) { index -> list.add(init(index)) }
return list
}
}
/**
 * Builds a new read-only [List] by
populating a [MutableList] using the given [builderAction]
 */
* and returning a read-only list with the same
elements.
 */
* The list passed as a receiver to the [builderAction] is valid only inside that function.
 */
* Using it
outside of the function produces an unspecified behavior.
 */
* The returned list is serializable (JVM).
 */
@sample
samples.collections.Builders.Lists.buildListSample
*/
@SinceKotlin("1.6")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public
inline fun <E> buildList(@BuilderInference builderAction: MutableList<E>.() -> Unit): List<E> {
contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }
return
buildListInternal(builderAction)
}
}
@PublishedApi
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
ninter

```

nal

```
expect inline fun <E> buildListInternal(builderAction: MutableList<E>().() -> Unit): List<E>\n\n/**\n * Builds a new read-only [List] by populating a [MutableList] using the given [builderAction]\n * and returning a read-only list with the same elements.\n * The list passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n * The returned list is serializable (JVM).\n * [capacity] is used to hint the expected number of elements added in the [builderAction].\n * @throws IllegalArgumentException if the given [capacity] is negative.\n * @sample samples.collections.Builders.Lists.buildListSampleWithCapacity\n */\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildList(capacity: Int, @BuilderInference builderAction: MutableList<E>().() -> Unit): List<E> {\n    contract\n    { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return buildListInternal(capacity, builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>().() -> Unit): List<E>\n\n/**\n * Returns an [IntRange] of the valid indices for this collection.\n * @sample samples.collections.Collections.Collections.indicesOfCollection\n */\npublic val Collection<*>.indices: IntRange\n    get() = 0..size - 1\n\n/**\n * Returns the index of the last item in the list or -1 if the list is empty.\n * @sample samples.collections.Collections.Lists.lastIndexOfList\n */\npublic val <T> List<T>.lastIndex: Int\n    get() = this.size - 1\n\n/**\n * Returns `true` if the collection is not empty.\n * @sample samples.collections.Collections.Collections.collectionIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable collection is either null or empty.\n * @sample samples.collections.Collections.Collections.collectionOrNullEmpty\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.isNullOrEmpty(): Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n    return this == null || this.isEmpty()\n}\n\n/**\n * Returns this Collection if it's not `null` and the empty list otherwise.\n * @sample samples.collections.Collections.Collections.collectionOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.orElse(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and the empty list otherwise.\n * @sample samples.collections.Collections.Lists.listOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>?.orElse(): List<T> = this ?: emptyList()\n\n/**\n * Returns this collection if it's not empty\n * or the result of calling [defaultValue] function if the collection is empty.\n * @sample samples.collections.Collections.Collections.collectionIfEmpty\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Collection<*>, C : R =\n    if (isEmpty()) defaultValue() else this\n\n/**\n * Checks if all elements in the specified collection are contained in this collection.\n * Allows to overcome type-safety restriction of `containsAll` that requires to pass a collection of type `Collection<E>`.\n * @sample samples.collections.Collections.Collections.collectionContainsAll\n */\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\n/**\n * Returns a new list with the elements of this list randomly shuffled\n * using the specified [random] instance as the source of randomness.\n */\n@SinceKotlin("1.3")\npublic fun <T> Iterable<T>.shuffled(random: Random): List<T> =\n    toMutableList().apply { shuffle(random) }\n\ninternal fun <T> List<T>.optimizeReadOnlyList() = when (size) {\n    0 -> emptyList()\n    1 -> listOf(this[0])\n    else -> this\n}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\n * otherwise the result is undefined.\n * If the list contains
```



```

point `(-insertion point - 1)`.\n * The insertion point is defined as the index
at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n
* @sample samples.collections.Collections.Lists.binarySearchWithComparisonFunction\n * \npublic fun <T>
List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {\n    rangeCheck(size,
fromIndex, toIndex)\n\n    var low = fromIndex\n    var high = toIndex - 1\n\n    while (low <= high) {\n        val mid
= (low + high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp = comparison(midVal)\n\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n            return
mid // key found\n    }\n    return -(low + 1) // key not found\n}\n\n/**\n * Checks that `from` and `to` are in\n * the range of [0..size] and throws an appropriate exception, if they aren't.\n */\nprivate fun rangeCheck(size: Int,
fromIndex: Int, toIndex: Int) {\n    when {\n        fromIndex > toIndex -> throw IllegalArgumentException("\nfromIndex ($fromIndex) is greater than toIndex
($toIndex).")\n        fromIndex < 0 -> throw IndexOutOfBoundsException("\nfromIndex ($fromIndex) is less than
zero.")\n        toIndex > size -> throw IndexOutOfBoundsException("\ntoIndex ($toIndex) is greater than size
($size).")\n    }\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal expect fun checkIndexOverflow(index:
Int): Int\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal expect fun checkCountOverflow(count: Int):
Int\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun throwIndexOverflow() { throw
ArithmeticException("\nIndex overflow has happened.") }\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun
throwCountOverflow() { throw ArithmeticException("\nCount overflow has happened.") }\n\n"/**\n * Copyright
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can
be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\nMapsKt")\n@file:OptIn(kotlin.experiment
al.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\nprivate object
EmptyMap : Map<Any?, Nothing>, Serializable {\n    private const val serialVersionUID: Long =
8246714829545688274\n\n    override fun equals(other: Any?): Boolean = other is Map<*, *> &&
other.isEmpty()\n    override fun hashCode(): Int = 0\n    override fun toString(): String = "{}"\n\n    override val
size: Int get() = 0\n    override fun isEmpty(): Boolean = true\n\n    override fun containsKey(key: Any?): Boolean =
false\n    override fun containsValue(value: Nothing): Boolean = false\n    override fun get(key: Any?): Nothing? =
null\n    override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet\n    override val keys: Set<Any?>
get() = EmptySet\n    override val values: Collection<Nothing> get() = EmptyList\n\n    private fun readResolve(): Any = EmptyMap\n}\n\n/**\n * Returns an empty read-only map of specified type.\n
*\n * The returned map is serializable (JVM).\n */\n@sample
samples.collections.Maps.Instantiation.emptyReadOnlyMap\n * \npublic fun <K, V> emptyMap(): Map<K, V> =
@Suppress("\nUNCHECKED_CAST") (EmptyMap as Map<K, V>)\n\n/**\n * Returns a new read-only map with
the specified contents, given as a list of pairs\n * where the first value is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * The returned map is serializable (JVM).\n
*\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n * \npublic fun <K, V> mapOf(vararg pairs:
Pair<K, V>): Map<K, V> =\n    if (pairs.size > 0) pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else
emptyMap()\n\n/**\n * Returns an empty read-only map.\n
*\n * The returned map is serializable (JVM).\n */\n@sample
samples.collections.Maps.Instantiation.emptyReadOnlyMap\n * \n@kotlin.internal.InlineOnly\npublic inline fun
<K, V> mapOf(): Map<K, V> = emptyMap()\n\n/**\n * Returns an empty new [MutableMap].\n *\n * The returned
map preserves the entry iteration order.\n */\n@sample samples.collections.Maps.Instantiation.emptyMutableMap\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mutableMapOf():
MutableMap<K, V> = LinkedHashMap()\n\n/**\n * Returns a new [MutableMap] with the specified contents, given
as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have
the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are

```

```

iterated in the order they were specified.\n * \n * @sample
samples.collections.Maps.Instantiation.mutableMapFromPairs\n * @sample
samples.collections.Maps.Instantiation.emptyMutableMap\n
 * \n\npublic fun <K, V> mutableMapOf(vararg pairs: Pair<K, V>): MutableMap<K, V> =\n  LinkedHashMap<K,
V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [HashMap].\n * \n * @sample
samples.collections.Maps.Instantiation.emptyHashMap\n
 * \n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> hashMapOf(): HashMap<K, V>
= HashMap<K, V>()\n\n/**\n * Returns a new [HashMap] with the specified contents, given as a list of pairs\n *
where the first component is the key and the second is the value.\n * \n * @sample
samples.collections.Maps.Instantiation.hashMapFromPairs\n * \n\npublic fun <K, V> hashMapOf(vararg pairs:
Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n *
Returns an empty new [LinkedHashMap].\n * \n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline
fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()\n\n/**\n * Returns a new
[LinkedHashMap]
with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the
value.\n * \n * If multiple pairs have the same key, the resulting map will contain the value from the last of those
pairs.\n * \n * Entries of the map are iterated in the order they were specified.\n * \n * @sample
samples.collections.Maps.Instantiation.linkedMapFromPairs\n * \n\npublic fun <K, V> linkedMapOf(vararg pairs:
Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n\n/**\n * Builds
a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only
map with the same key-value pairs.\n * \n * The map passed as a receiver to the [builderAction] is valid only inside
that function.\n * Using it outside of the function produces an unspecified behavior.\n * \n * Entries of the map are
iterated in the order they were added by the [builderAction].\n * \n * The returned map is serializable
(JVM).\n * \n * @sample samples.collections.Builders.Maps.buildMapSample\n
 * \n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <K, V> buildMap(@BuilderInference builderAction: MutableMap<K, V>().->Unit): Map<K, V> {\n
contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n  return
buildMapInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal
expect inline fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>().->Unit): Map<K,
V>{\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and
returning a read-only map with the same key-value pairs.\n * \n * The map passed as a receiver to the
[builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified
behavior.\n * \n * [capacity] is used to hint the expected number of pairs added in the
[builderAction].\n * \n * Entries of the map are iterated in the order they were added by the [builderAction].\n * \n
* The returned map is serializable (JVM).\n * \n * @throws IllegalArgumentException if the given [capacity] is
negative.\n * \n * @sample samples.collections.Builders.Maps.buildMapSample\n
 * \n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <K, V> buildMap(capacity: Int, @BuilderInference builderAction: MutableMap<K, V>().->Unit):
Map<K, V> {\n  contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n  return
buildMapInternal(capacity,
builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline
fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>().->Unit): Map<K, V>{\n\n/**\n *
Calculate the initial capacity of a map.\n * \n\n@PublishedApi\ninternal expect fun mapCapacity(expectedSize: Int):
Int{\n\n/**\n * Returns
`true` if this map is not empty.\n * \n * @sample samples.collections.Maps.Usage.mapIsNotEmpty\n
 * \n\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.isEmpty(): Boolean =
!isEmpty()\n\n/**\n * Returns `true` if this nullable map is either null or empty.\n * \n * @sample
samples.collections.Maps.Usage.mapIsNullOrEmpty\n

```

```

*^@SinceKotlin("1.3")@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>?.isEmpty(): Boolean {\n    contract {\n        returns(false) implies (this@isEmpty != null)\n    }\n    return this == null || isEmpty()\n}\n/**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n *\n * @sample samples.collections.Maps.Usage.mapOrEmpty\n */^@kotlin.internal.InlineOnly\npublic inline fun
<K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?: emptyMap()\n/**\n * Returns this map if it's not empty\n *
or the result of calling [defaultValue] function if the map is empty.\n *\n * @sample
samples.collections.Maps.Usage.mapIfEmpty\n
*/^@SinceKotlin("1.3")@kotlin.internal.InlineOnly\npublic inline fun <M, R> M.isEmpty(defaultValue: () ->
R): R where M : Map<*, *>, M : R =\n    if (isEmpty()) defaultValue() else this\n/**\n * Checks if the map
contains the given key.\n *\n * This method allows to use the `x` in map` syntax for checking whether an object is
contained in the map.\n *\n * @sample samples.collections.Maps.Usage.containsKey\n
*/^@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K,
V>.contains(key: K): Boolean = containsKey(key)\n/**\n * Returns the value corresponding to the given [key], or
`null` if such a key is not present in the map.\n */^@kotlin.internal.InlineOnly\npublic inline operator fun
<@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.get(key: K): V? =\n    @Suppress("UNCHECKED_CAST") (this as Map<K, V>).get(key)\n/**\n * Allows to use the index operator
for storing values in a mutable map.\n */^@kotlin.internal.InlineOnly\npublic
inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {\n    put(key, value)\n}\n/**\n *
Returns `true` if the map contains the specified [key].\n *\n * Allows to overcome type-safety restriction of
`containsKey` that requires to pass a key of type `K`.\n */^@kotlin.internal.InlineOnly\npublic inline fun
<@kotlin.internal.OnlyInputTypes K> Map<out K, *>.containsKey(key: K): Boolean =\n    @Suppress("UNCHECKED_CAST") (this as Map<K, *>).containsKey(key)\n/**\n * Returns `true` if the map
maps one or more keys to the specified [value].\n *\n * Allows to overcome type-safety restriction of
`containsValue` that requires to pass a value of type `V`.\n *\n * @sample
samples.collections.Maps.Usage.containsValue\n */^@Suppress("EXTENSION_SHADOWED_BY_MEMBER")
// false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <K,
@kotlin.internal.OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean
= this.containsValue(value)\n/**\n * Removes the specified key and its corresponding value from this map.\n
*\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n *\n
Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.\n
*/^@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K,
V>.remove(key: K): V? =\n    @Suppress("UNCHECKED_CAST") (this as MutableMap<K,
V>).remove(key)\n/**\n * Returns the key component of the map entry.\n *\n * This method allows to use
destructuring declarations when working with maps, for example:\n *\n * ```\n * for ((key, value) in map) {\n *     // do
something with the key and the value\n * }\n * ```\n */^@kotlin.internal.InlineOnly\npublic inline operator fun <K,
V> Map.Entry<K, V>.component1(): K = key\n/**\n * Returns the value component of the map entry.\n *\n *
This method allows to use destructuring
declarations when working with maps, for example:\n *\n * ```\n * for ((key, value) in map) {\n *     // do something
with the key and the value\n * }\n * ```\n */^@kotlin.internal.InlineOnly\npublic inline operator fun <K, V>
Map.Entry<K, V>.component2(): V = value\n/**\n * Converts entry to [Pair] with key being first component and
value being second.\n */^@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map.Entry<K, V>.toPair():
Pair<K, V> = Pair(key, value)\n/**\n * Returns the value for the given key, or the result of the [defaultValue]
function if there was no entry for the given key.\n *\n * @sample samples.collections.Maps.Usage.getOrElse\n
*/^@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V
= get(key) ?: defaultValue()\n\ninternal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: ()
-> V): V {\n    val value = get(key)\n    if (value == null && !containsKey(key)) {\n        return defaultValue()\n
    } else {\n        @Suppress("UNCHECKED_CAST")\n        return value as V\n    }\n}\n/**\n * Returns the
value for the given [key] or throws an exception if there is no such key in the map.\n *\n * If the map was created by

```

[withDefault], resorts to its `defaultValue` provider function instead of throwing an exception. @throws NoSuchElementException when the map doesn't contain a value for the specified key and no implicit default value was provided for that map.

```

@SinceKotlin("1.1")
public fun <K, V> Map<K, V>.getValue(key: K): V
= getOrImplicitDefault(key)
Returns the value for the given key. If the key is not found in the map, calls the [defaultValue] function, puts its result into the map under the given key and returns it. Note that the operation is not guaranteed to be atomic if the map is being modified concurrently.
@sample
samples.collections.Maps.Usage.getOrPut
public inline fun <K, V> MutableMap<K, V>.getOrPut(key:
K, defaultValue: () -> V): V {
    val value = get(key)
    return if (value == null) {
        val answer =
defaultValue()
        put(key, answer)
        answer
    } else {
        value
    }
}
Returns an [Iterator] over the entries in the [Map].
@sample
samples.collections.Maps.Usage.forOverEntries
@kotlin.internal.InlineOnly
public inline operator fun <K, V> Map<out K, V>.iterator():
Iterator<Map.Entry<K, V>> = entries.iterator()
Returns a [MutableIterator] over the mutable entries in the [MutableMap].
@kotlin.jvm.JvmName("mutableIterator")
@kotlin.internal.InlineOnly
public inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> =
entries.iterator()
Populates the given [destination] map with entries having the keys of this map and the values obtained by applying the [transform] function to each entry in this [Map].
public inline fun <K,
V, R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>)
-> R): M {
    return entries.associateByTo(destination, { it.key }, transform)
}
Populates the given [destination] map with entries having the keys obtained by applying the [transform] function to each entry in this [Map] and the values of this map. In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite the value associated with the former one.
public inline fun <K, V, R, M :
MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M
{
    return entries.associateByTo(destination, transform, { it.value })
}
Puts all the given [pairs] into this [MutableMap] with the first component in the pair being the key and the second the value.
public fun <K,
V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {
    for ((key, value) in
pairs) {
        put(key, value)
    }
}
Puts all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.
public fun <K, V>
MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}
Puts all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.
public fun <K, V> MutableMap<in K, in
V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}
Returns a new map with entries having the keys of this map and the values obtained by applying the [transform] function to each entry in this [Map]. The returned map preserves the entry iteration order of the original map.
@sample
samples.collections.Maps.Transformations.mapValues
public inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {
    return
mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()
Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this [Map] and the values of this map. In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite the value associated with the former one. The returned map preserves the entry iteration order of the original map.
@sample
samples.collections.Maps.Transformations.mapKeys
public inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {
    return
mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()
Returns a map containing all key-value pairs with keys matching the given [predicate]. The returned map preserves
the entry iteration order of the original map.
@sample
samples.collections.Maps.Filtering.filterKeys
public inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {
    val result =
LinkedHashMap<K, V>()
    for (entry in this) {
        if (predicate(entry.key)) {
            result.put(entry.key,
entry.value)
        }
    }
    return result
}
Returns a map containing all key-value pairs with values

```

```

matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n @sample samples.collections.Maps.Filtering.filterValues\n */\npublic inline fun <K, V> Map<out K, V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {\n    val result = LinkedHashMap<K, V>()\n    for (entry in this) {\n        if (predicate(entry.value)) {\n            result.put(entry.key, entry.value)\n        }\n    }\n    return result\n}\n\n/>\n *\n * Appends all entries matching the given [predicate] into the mutable map given as [destination] parameter.\n *\n @return the destination map.\n *\n @sample samples.collections.Maps.Filtering.filterTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n    for (element in this) {\n        if (predicate(element)) {\n            destination.put(element.key, element.value)\n        }\n    }\n    return destination\n}\n\n/>\n *\n * Returns a new map containing all key-value pairs matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n @sample samples.collections.Maps.Filtering.filter\n */\npublic inline fun <K, V> Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n    return filterTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/>\n *\n * Appends all entries not matching the given [predicate] into the given [destination].\n *\n @return the destination map.\n *\n @sample samples.collections.Maps.Filtering.filterNotTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n    for (element in this) {\n        if (!predicate(element)) {\n            destination.put(element.key, element.value)\n        }\n    }\n    return destination\n}\n\n/>\n *\n * Returns a new map containing all key-value pairs not matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n @sample samples.collections.Maps.Filtering.filterNot\n */\npublic inline fun <K, V> Map<out K, V>.filterNot(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n    return filterNotTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/>\n *\n * Returns a new map containing all key-value pairs from the given collection of pairs.\n *\n * The returned map preserves the entry iteration order of the original collection.\n *\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V> {\n    if (this is Collection) {\n        return when (size) {\n            0 -> emptyMap()\n            1 -> mapOf(if (this is List) this[0] else iterator().next())\n            else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n        }\n    }\n    return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n}\n\n/>\n *\n * Populates and returns the [destination] mutable map with key-value pairs from the given collection of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =\n    destination.apply { putAll(this@toMap) }\n\n/>\n *\n * Returns a new map containing all key-value pairs from the given array of pairs.\n *\n * The returned map preserves the entry iteration order of the original array.\n *\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K, V> =\n    when (size) {\n        0 -> emptyMap()\n        1 -> mapOf(this[0])\n        else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n    }\n\n/>\n *\n * Populates and returns the [destination] mutable map with key-value pairs from the given array of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K, V>>.toMap(destination: M): M =\n    destination.apply { putAll(this@toMap) }\n\n/>\n *\n * Returns a new map containing all key-value pairs from the given sequence of pairs.\n *\n * The returned map preserves the entry iteration order of the original sequence.\n *\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> =\n    toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n\n/>\n *\n * Populates and returns the [destination] mutable map with key-value pairs from the given sequence of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K, V>>.toMap(destination: M): M =\n    destination.apply {\n        putAll(this@toMap)\n    }\n\n/>\n *\n * Returns a new read-only map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin("1.1")\npublic fun <K, V> Map<out K, V>.toMap(): Map<K, V> =\n    when (size) {\n        0 -> emptyMap()\n        1 -> toSingletonMap()\n        else -> toMutableMap()\n    }\n\n/>\n *\n * Returns a new mutable map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry iteration order of

```

the original map.

```

    * @SinceKotlin("1.1") public fun <K, V> Map<out K, V>.toMutableMap():
    MutableMap<K, V> = LinkedHashMap(this) n/n/** n * Populates and returns the [destination] mutable map with
    key-value pairs from the given map. n/n/** n * @SinceKotlin("1.1") public fun <K, V, M : MutableMap<in K, in V>>
    Map<out K, V>.toMap(destination: M): M = n destination.apply { putAll(this@toMap) } n/n/** n * Creates a new
    read-only map by replacing or adding an
    entry to this map from a given key-value [pair]. n/n * The returned map preserves the entry iteration order of the
    original map. n/n * The [pair] is iterated in the end if it has a unique key. n/n public operator fun <K, V> Map<out
    K, V>.plus(pair: Pair<K, V>): Map<K, V> = n if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply {
    put(pair.first, pair.second) } n/n/** n * Creates a new read-only map by replacing or adding entries to this map from
    a given collection of key-value [pairs]. n/n * The returned map preserves the entry iteration order of the original
    map. n/n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection. n/n public
    operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> = n if (this.isEmpty())
    pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) } n/n/** n * Creates a new read-only map by
    replacing or adding entries to this map from a given array of key-value [pairs]. n/n * The
    returned map preserves the entry iteration order of the original map. n/n * Those [pairs] with unique keys are iterated
    in the end in the order of [pairs] array. n/n public operator fun <K, V> Map<out K, V>.plus(pairs: Array<out
    Pair<K, V>>): Map<K, V> = n if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs)
    } } n/n/** n * Creates a new read-only map by replacing or adding entries to this map from a given sequence of key-
    value [pairs]. n/n * The returned map preserves the entry iteration order of the original map. n/n * Those [pairs] with
    unique keys are iterated in the end in the order of [pairs] sequence. n/n public operator fun <K, V> Map<out K,
    V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> = n LinkedHashMap(this).apply { putAll(pairs)
    } } optimizeReadOnlyMap() n/n/** n * Creates a new read-only map by replacing or adding entries to this map from
    another [map]. n/n * The returned map preserves the entry iteration order of the original map. n/n * Those
    entries of another [map] that are missing in this map are iterated in the end in the order of that [map]. n/n public
    operator fun <K, V> Map<out K, V>.plus(map: Map<out K, V>): Map<K, V> = n LinkedHashMap(this).apply {
    putAll(map) } n/n/** n * Appends or replaces the given [pair] in this mutable map. n
    * @kotlin.internal.InlineOnly public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair:
    Pair<K, V>) { n put(pair.first, pair.second) n} n/n/** n * Appends or replaces all pairs from the given collection
    of [pairs] in this mutable map. n/n @kotlin.internal.InlineOnly public inline operator fun <K, V>
    MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) { n putAll(pairs) n} n/n/** n * Appends or
    replaces all pairs from the given array of [pairs] in this mutable map. n/n @kotlin.internal.InlineOnly public
    inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Array<out Pair<K, V>>) { n
    putAll(pairs) n} n/n/** n * Appends or
    replaces all pairs from the given sequence of [pairs] in this mutable map. n/n @kotlin.internal.InlineOnly public
    inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) { n
    putAll(pairs) n} n/n/** n * Appends or replaces all entries from the given [map] in this mutable map. n
    * @kotlin.internal.InlineOnly public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(map:
    Map<K, V>) { n putAll(map) n} n/n/** n * Returns a map containing all entries of the original map except the
    entry with the given [key]. n/n * The returned map preserves the entry iteration order of the original map. n
    * @SinceKotlin("1.1") public operator fun <K, V> Map<out K, V>.minus(key: K): Map<K, V> = n
    this.toMutableMap().apply { minusAssign(key) } optimizeReadOnlyMap() n/n/** n * Returns a map containing all
    entries of the original map except those entries n/n * the keys of which are contained in the given [keys] collection. n
    * n * The returned map preserves
    the entry iteration order of the original map. n/n @SinceKotlin("1.1") public operator fun <K, V> Map<out K,
    V>.minus(keys: Iterable<K>): Map<K, V> = n this.toMutableMap().apply { minusAssign(keys)
    } } optimizeReadOnlyMap() n/n/** n * Returns a map containing all entries of the original map except those entries
    n/n * the keys of which are contained in the given [keys] array. n/n * The returned map preserves the entry iteration
    order of the original map. n/n @SinceKotlin("1.1") public operator fun <K, V> Map<out K, V>.minus(keys:

```



```

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T>
= LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.linkedHashSet\n
*/\npublic fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns a new read-only set either
with single given element, if it is not null, or empty set if the element is null.\n * The returned set is serializable
(JVM).\n * @sample samples.collections.Collections.Sets.setOfNotNull\n
*/\n@SinceKotlin("1.4")\npublic fun <T : Any> setOfNotNull(element: T?): Set<T> = if (element != null)
setOf(element) else emptySet()\n\n/**\n * Returns a new read-only set only with those given elements, that are not
null.\n * Elements of the set are iterated in the order they were specified.\n * The returned set is serializable
(JVM).\n * @sample samples.collections.Collections.Sets.setOfNotNull\n
*/\n@SinceKotlin("1.4")\npublic fun <T
: Any> setOfNotNull(vararg elements: T?): Set<T> {\n    return
elements.filterNotNullTo(LinkedHashSet())\n}\n\n/**\n * Builds a new read-only [Set] by populating a
[MutableSet] using the given [builderAction]\n * and returning a read-only set with the same elements.\n * The
set passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function
produces an unspecified behavior.\n * Elements of the set are iterated in the order they were added by the
[builderAction].\n * The
returned set is serializable (JVM).\n * @sample samples.collections.Builders.Sets.buildSetSample\n
*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <E> buildSet(@BuilderInference builderAction: MutableSet<E>().->Unit): Set<E> {\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return
buildSetInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal
expect inline fun <E> buildSetInternal(builderAction: MutableSet<E>().->Unit): Set<E>\n\n/**\n * Builds a
new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-only set
with the same elements.\n * The set passed as a receiver to the [builderAction] is valid only inside that
function.\n * Using it outside of the function produces an unspecified behavior.\n * [capacity] is used to hint the
expected number of elements added in the
[builderAction].\n * Elements of the set are iterated in the order they were added by the [builderAction].\n * The
returned set is serializable (JVM).\n * @throws IllegalArgumentException if the given [capacity] is
negative.\n * @sample samples.collections.Builders.Sets.buildSetSample\n
*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <E> buildSet(capacity: Int, @BuilderInference builderAction: MutableSet<E>().->Unit): Set<E> {\n
contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return buildSetInternal(capacity,
builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline
fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>().->Unit): Set<E>\n\n/**\n * Returns this Set
if it's not `null` and the empty set otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Set<T>?.orEmpty(): Set<T> = this
?.emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\n    0 -> emptySet()\n    1 ->
setOf(iterator().next())\n    else -> this\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n@file:Suppress("PLATFORM
M_CLASS_MAPPED_TO_KOTLIN")\n\npackage kotlin.text\n\n/**\n * Parses the string as a signed [Byte]
number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n@SinceKotlin("1.1")\npublic fun String.toByteArrayOrNull(): Byte? = toByteOrNull(radix = 10)\n\n/**\n * Parses
the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for

```

```

string to number conversion.\n *^@SinceKotlin("1.1")\npublic fun String.toByteArrayOrNull(radix: Int): Byte? {\n
val int = this.toIntOrNull(radix) ?: return null\n if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return
null\n return int.toByteArray()\n}\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if
the string is not a valid representation of a number.\n *^@SinceKotlin("1.1")\npublic fun String.toShortOrNull():
Short? = toShortOrNull(radix = 10)\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or
`null` if the string is not a valid representation of a number.\n *^n * @throws IllegalArgumentException when
[radix] is not a valid radix for string to number conversion.\n *^@SinceKotlin("1.1")\npublic fun
String.toShortOrNull(radix: Int): Short? {\n val int = this.toIntOrNull(radix) ?: return null\n if (int <
Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n return int.toShort()\n}\n\n/**\n *
Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n *^@SinceKotlin("1.1")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n/**\n *
Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n *^n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n *^@SinceKotlin("1.1")\npublic fun String.toIntOrNull(radix: Int): Int? {\n checkRadix(radix)\n\n
val length = this.length\n if (length == 0) return null\n\n val start: Int\n val isNegative: Boolean\n val limit:
Int\n\n val firstChar = this[0]\n if (firstChar < '0') { // Possible leading sign\n if (length == 1) return null //
non-digit (possible sign) only, no digits after\n\n start = 1\n if (firstChar == '-') {\n isNegative =
true\n limit = Int.MIN_VALUE\n } else if (firstChar == '+') {\n isNegative = false\n limit = -Int.MAX_VALUE\n } else\n
return null\n } else {\n start = 0\n isNegative = false\n limit = -Int.MAX_VALUE\n }\n\n\n val
limitForMaxRadix = (-Int.MAX_VALUE) / 36\n\n var limitBeforeMul = limitForMaxRadix\n var result = 0\n
for (i in start until length) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result <
limitBeforeMul) {\n if (limitBeforeMul == limitForMaxRadix) {\n limitBeforeMul = limit /
radix\n\n if (result < limitBeforeMul) {\n return null\n }\n } else {\n
return null\n }\n }\n\n result *= radix\n\n if (result < limit + digit) return null\n\n result -=
digit\n }\n\n return if (isNegative) result else -result\n}\n\n/**\n * Parses
the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n *^@SinceKotlin("1.1")\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix =
10)\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid
representation of a number.\n *^n * @throws IllegalArgumentException when [radix] is not a valid radix for string
to number conversion.\n *^@SinceKotlin("1.1")\npublic fun String.toLongOrNull(radix: Int): Long? {\n
checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val start: Int\n val isNegative:
Boolean\n val limit: Long\n\n val firstChar = this[0]\n if (firstChar < '0') { // Possible leading sign\n if
(length == 1) return null // non-digit (possible sign) only, no digits after\n\n start = 1\n if (firstChar == '-')
{\n isNegative = true\n limit = Long.MIN_VALUE\n } else if (firstChar == '+') {\n isNegative = false\n limit = -Long.MAX_VALUE\n } else\n
return null\n } else {\n start = 0\n isNegative = false\n limit = -Long.MAX_VALUE\n }\n\n\n val
limitForMaxRadix = (-Long.MAX_VALUE) / 36\n\n var limitBeforeMul = limitForMaxRadix\n var result =
0L\n for (i in start until length) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if
(result < limitBeforeMul) {\n if (limitBeforeMul == limitForMaxRadix) {\n limitBeforeMul = limit
/ radix\n\n if (result < limitBeforeMul) {\n return null\n }\n } else {\n
return null\n }\n }\n\n result *= radix\n\n if (result < limit + digit) return null\n\n result -=
digit\n }\n\n return if (isNegative) result else -result\n}\n\ninternal
fun numberFormatError(input: String): Nothing = throw NumberFormatException("Invalid number format:
'$input')\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n *^npackage kotlin.time\nimport kotlin.contracts.*\nimport kotlin.jvm.JvmInline\nimport kotlin.math.*\n\n/**\n *
Represents the amount of time one instant of time is away from another instant.\n *^n * A negative duration is

```



```

number of milliseconds.\n      *\n      * Depending on its magnitude, the value is rounded to an integer number of
nanoseconds or milliseconds.\n      *\n      * @throws IllegalArgumentException if this [Double] value is
`NaN`.\n      *\n      @kotlin.internal.InlineOnly\n      public inline val Double.milliseconds get() =
toDuration(DurationUnit.MILLISECONDS)\n\n\n
    /** Returns a [Duration] equal to this [Int] number of seconds. *\n      @kotlin.internal.InlineOnly\n
public inline val Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n      /** Returns a [Duration] equal to
this [Long] number of seconds. *\n      @kotlin.internal.InlineOnly\n      public inline val Long.seconds get() =
toDuration(DurationUnit.SECONDS)\n\n      /**\n      * Returns a [Duration] equal to this [Double] number of
seconds.\n      *\n      * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or
milliseconds.\n      *\n      * @throws IllegalArgumentException if this [Double] value is `NaN`.\n      *\n
    @kotlin.internal.InlineOnly\n      public inline val Double.seconds get() =
toDuration(DurationUnit.SECONDS)\n\n\n      /** Returns a [Duration] equal to this [Int] number of minutes. *\n
    @kotlin.internal.InlineOnly\n      public inline
val Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n      /** Returns a [Duration] equal to this [Long]
number of minutes. *\n      @kotlin.internal.InlineOnly\n      public inline val Long.minutes get() =
toDuration(DurationUnit.MINUTES)\n\n      /**\n      * Returns a [Duration] equal to this [Double] number of
minutes.\n      *\n      * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or
milliseconds.\n      *\n      * @throws IllegalArgumentException if this [Double] value is `NaN`.\n      *\n
    @kotlin.internal.InlineOnly\n      public inline val Double.minutes get() =
toDuration(DurationUnit.MINUTES)\n\n\n      /** Returns a [Duration] equal to this [Int] number of hours. *\n
    @kotlin.internal.InlineOnly\n      public inline val Int.hours get() = toDuration(DurationUnit.HOURS)\n\n      /**
Returns a [Duration] equal to this [Long] number of hours. *\n      @kotlin.internal.InlineOnly\n
    public inline val Long.hours get() = toDuration(DurationUnit.HOURS)\n\n      /**\n      * Returns a
[Duration] equal to this [Double] number of hours.\n      *\n      * Depending on its magnitude, the value is
rounded to an integer number of nanoseconds or milliseconds.\n      *\n      * @throws IllegalArgumentException
if this [Double] value is `NaN`.\n      *\n      @kotlin.internal.InlineOnly\n      public inline val Double.hours
get() = toDuration(DurationUnit.HOURS)\n\n\n      /** Returns a [Duration] equal to this [Int] number of days. *\n
    @kotlin.internal.InlineOnly\n      public inline val Int.days get() = toDuration(DurationUnit.DAYS)\n\n      /**
Returns a [Duration] equal to this [Long] number of days. *\n      @kotlin.internal.InlineOnly\n      public inline
val Long.days get() = toDuration(DurationUnit.DAYS)\n\n      /**\n      * Returns a [Duration] equal to this
[Double] number of days.\n      *\n      * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n
      *\n      * @throws IllegalArgumentException if this [Double] value is `NaN`.\n      *\n
    @kotlin.internal.InlineOnly\n      public inline val Double.days get() = toDuration(DurationUnit.DAYS)\n\n\n
// deprecated static factory functions\n\n      /** Returns a [Duration] representing the specified [value] number of
nanoseconds. *\n      @SinceKotlin("1.5")\n      @ExperimentalTime\n      @Deprecated("Use
'Int.nanoseconds' extension property from Duration.Companion instead.", ReplaceWith("value.nanoseconds",
"kotlin.time.Duration.Companion.nanoseconds"))\n      @DeprecatedSinceKotlin(warningSince = "1.6")\n
public fun nanoseconds(value: Int): Duration = value.toDuration(DurationUnit.NANOSECONDS)\n\n      /**
Returns a [Duration] representing the specified [value] number of nanoseconds. *\n      @SinceKotlin("1.5")\n
    @ExperimentalTime\n      @Deprecated("Use 'Long.nanoseconds' extension property from Duration.Companion
instead.", ReplaceWith("value.nanoseconds", "kotlin.time.Duration.Companion.nanoseconds"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n      public fun nanoseconds(value: Long): Duration =
value.toDuration(DurationUnit.NANOSECONDS)\n\n      /**\n      * Returns a [Duration] representing the
specified [value] number of nanoseconds.\n      *\n      * @throws IllegalArgumentException if the provided
`Double` [value] is `NaN`.\n      *\n      @SinceKotlin("1.5")\n      @ExperimentalTime\n
    @Deprecated("Use 'Double.nanoseconds' extension property from Duration.Companion instead.",
ReplaceWith("value.nanoseconds", "kotlin.time.Duration.Companion.nanoseconds"))\n

```

```

@DeprecatedSinceKotlin(warningSince = `1.6`)\n    public fun nanoseconds(value: Double): Duration =
value.toDuration(DurationUnit.NANOSECONDS)\n\n    /**
Returns a [Duration] representing the specified [value] number of microseconds. */\n    @SinceKotlin(`1.5`)\n    @ExperimentalTime\n    @Deprecated(`Use 'Int.microseconds' extension property from Duration.Companion
instead.`\n, ReplaceWith(`value.microseconds`\n, `kotlin.time.Duration.Companion.microseconds`))\n    @DeprecatedSinceKotlin(warningSince = `1.6`)\n    public fun microseconds(value: Int): Duration =
value.toDuration(DurationUnit.MICROSECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of microseconds. */\n    @SinceKotlin(`1.5`)\n    @ExperimentalTime\n    @Deprecated(`Use 'Long.microseconds' extension property from Duration.Companion instead.`\n,
ReplaceWith(`value.microseconds`\n, `kotlin.time.Duration.Companion.microseconds`))\n    @DeprecatedSinceKotlin(warningSince = `1.6`)\n    public fun microseconds(value: Long): Duration =
value.toDuration(DurationUnit.MICROSECONDS)\n\n    /**\n    * Returns a [Duration] representing the specified [value] number of microseconds.\n    * */\n    * @throws
IllegalArgumentException if the provided `Double` [value] is `NaN`.\n    */\n    @SinceKotlin(`1.5`)\n    @ExperimentalTime\n    @Deprecated(`Use 'Double.microseconds' extension property from
Duration.Companion instead.`\n, ReplaceWith(`value.microseconds`\n,
`kotlin.time.Duration.Companion.microseconds`))\n    @DeprecatedSinceKotlin(warningSince = `1.6`)\n    public fun microseconds(value: Double): Duration = value.toDuration(DurationUnit.MICROSECONDS)\n\n    /** Returns a [Duration] representing the specified [value] number of milliseconds. */\n    @SinceKotlin(`1.5`)\n    @ExperimentalTime\n    @Deprecated(`Use 'Int.milliseconds' extension property
from Duration.Companion instead.`\n, ReplaceWith(`value.milliseconds`\n,
`kotlin.time.Duration.Companion.milliseconds`))\n    @DeprecatedSinceKotlin(warningSince
= `1.6`)\n    public fun milliseconds(value: Int): Duration =
value.toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of milliseconds. */\n    @SinceKotlin(`1.5`)\n    @ExperimentalTime\n    @Deprecated(`Use 'Long.milliseconds' extension property from Duration.Companion instead.`\n,
ReplaceWith(`value.milliseconds`\n, `kotlin.time.Duration.Companion.milliseconds`))\n    @DeprecatedSinceKotlin(warningSince = `1.6`)\n    public fun milliseconds(value: Long): Duration =
value.toDuration(DurationUnit.MILLISECONDS)\n\n    /**\n    * Returns a [Duration] representing the
specified [value] number of milliseconds.\n    * */\n    * @throws IllegalArgumentException if the provided
`Double` [value] is `NaN`.\n    */\n    @SinceKotlin(`1.5`)\n    @ExperimentalTime\n    @Deprecated(`Use 'Double.milliseconds' extension property from Duration.Companion instead.`\n,
ReplaceWith(`value.milliseconds`\n, `kotlin.time.Duration.Companion.milliseconds`))\n    @DeprecatedSinceKotlin(warningSince = `1.6`)\n    public fun milliseconds(value: Double): Duration =
value.toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of seconds. */\n    @SinceKotlin(`1.5`)\n    @ExperimentalTime\n    @Deprecated(`Use
'Int.seconds' extension property from Duration.Companion instead.`\n, ReplaceWith(`value.seconds`\n,
`kotlin.time.Duration.Companion.seconds`))\n    @DeprecatedSinceKotlin(warningSince = `1.6`)\n    public
fun seconds(value: Int): Duration = value.toDuration(DurationUnit.SECONDS)\n\n    /** Returns a [Duration]
representing the specified [value] number of seconds. */\n    @SinceKotlin(`1.5`)\n    @ExperimentalTime\n    @Deprecated(`Use 'Long.seconds' extension property from Duration.Companion instead.`\n,
ReplaceWith(`value.seconds`\n, `kotlin.time.Duration.Companion.seconds`))\n    @DeprecatedSinceKotlin(warningSince = `1.6`)\n    public fun seconds(value: Long): Duration =
value.toDuration(DurationUnit.SECONDS)\n\n    /**\n    * Returns a [Duration] representing the specified
[value] number of seconds.\n    * */\n    * @throws IllegalArgumentException if the provided `Double` [value] is
`NaN`.\n    */\n    @SinceKotlin(`1.5`)\n    @ExperimentalTime\n    @Deprecated(`Use
'Double.seconds' extension property from Duration.Companion instead.`\n, ReplaceWith(`value.seconds`\n,
`kotlin.time.Duration.Companion.seconds`))\n    @DeprecatedSinceKotlin(warningSince = `1.6`)\n    public

```

```

fun seconds(value: Double): Duration = value.toDuration(DurationUnit.SECONDS)\n\n    /** Returns a
[Duration] representing the specified [value] number of minutes. *\n    @SinceKotlin("1.5")\n
@ExperimentalTime\n    @Deprecated("Use 'Int.minutes' extension property
from Duration.Companion instead.", ReplaceWith("value.minutes",
"kotlin.time.Duration.Companion.minutes"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun minutes(value: Int): Duration = value.toDuration(DurationUnit.MINUTES)\n\n    /** Returns a [Duration]
representing the specified [value] number of minutes. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n
    @Deprecated("Use 'Long.minutes' extension property from Duration.Companion instead.",
ReplaceWith("value.minutes", "kotlin.time.Duration.Companion.minutes"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun minutes(value: Long): Duration =
value.toDuration(DurationUnit.MINUTES)\n\n    /**\n    * Returns a [Duration] representing the specified
[value] number of minutes.\n    *\n    * @throws IllegalArgumentException if the provided `Double` [value] is
`NaN`.\n    *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n
    @Deprecated("Use 'Double.minutes' extension property from Duration.Companion instead.",
ReplaceWith("value.minutes", "kotlin.time.Duration.Companion.minutes"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun minutes(value: Double): Duration =
value.toDuration(DurationUnit.MINUTES)\n\n\n    /** Returns a [Duration] representing the specified [value]
number of hours. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Int.hours'
extension property from Duration.Companion instead.", ReplaceWith("value.hours",
"kotlin.time.Duration.Companion.hours"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun hours(value: Int): Duration = value.toDuration(DurationUnit.HOURS)\n\n    /** Returns a [Duration]
representing the specified [value] number of hours. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n
    @Deprecated("Use 'Long.hours' extension property from
Duration.Companion instead.", ReplaceWith("value.hours", "kotlin.time.Duration.Companion.hours"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun hours(value: Long): Duration =
value.toDuration(DurationUnit.HOURS)\n\n    /**\n    * Returns a [Duration] representing the specified
[value] number of hours.\n    *\n    * @throws IllegalArgumentException if the provided `Double` [value] is
`NaN`.\n    *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Double.hours'
extension property from Duration.Companion instead.", ReplaceWith("value.hours",
"kotlin.time.Duration.Companion.hours"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun hours(value: Double): Duration = value.toDuration(DurationUnit.HOURS)\n\n\n    /** Returns a [Duration]
representing the specified [value] number of days. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n
    @Deprecated("Use
'Int.days' extension property from Duration.Companion instead.", ReplaceWith("value.days",
"kotlin.time.Duration.Companion.days"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun days(value: Int): Duration = value.toDuration(DurationUnit.DAYS)\n\n    /** Returns a [Duration]
representing the specified [value] number of days. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n
    @Deprecated("Use 'Long.days' extension property from Duration.Companion instead.",
ReplaceWith("value.days", "kotlin.time.Duration.Companion.days"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun days(value: Long): Duration =
value.toDuration(DurationUnit.DAYS)\n\n    /**\n    * Returns a [Duration] representing the specified [value]
number of days.\n    *\n    * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n
    *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n
    @Deprecated("Use 'Double.days' extension property from Duration.Companion instead.",
ReplaceWith("value.days", "kotlin.time.Duration.Companion.days"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun days(value: Double): Duration =
value.toDuration(DurationUnit.DAYS)\n\n\n    /** Parses a string that represents a duration and returns the
parsed [Duration] value.\n    *\n    * The following formats are accepted:\n    *\n    * - ISO-8601

```

```

Duration format, e.g. `P1DT2H3M4.058S`, see [toIsoString] and [parseIsoString].
    * - The format of string returned by the default [Duration.toString] and `toString` in a specific unit,
    * e.g. `10s`, `1h 30m` or `-(1h 30m)`.
    * @throws IllegalArgumentException if the string doesn't represent a duration in any of the supported formats.
    * @sample samples.time.Durations.parse
    */
    public fun parse(value: String): Duration = try {
        parseDuration(value, strictIso = false)
    } catch (e: IllegalArgumentException) {
        throw IllegalArgumentException("Invalid duration string format: '$value'.", e)
    }
    /**
     * Parses a string that represents a duration in ISO-8601 format and returns the parsed [Duration] value.
     * @throws IllegalArgumentException if the string doesn't represent a duration in ISO-8601 format.
     * @sample samples.time.Durations.parseIsoString
     */
    public fun parseIsoString(value: String): Duration = try {
        parseDuration(value, strictIso = true)
    } catch (e: IllegalArgumentException) {
        throw IllegalArgumentException("Invalid ISO duration string format: '$value'.", e)
    }
    /**
     * Parses a string that represents a duration and returns the parsed [Duration] value,
     * or `null` if the string doesn't represent a duration in any of the supported formats.
     * The following formats are accepted:
     * - ISO-8601 Duration format, e.g. `P1DT2H3M4.058S`, see [toIsoString] and [parseIsoString].
     * - The format of string returned by the default [Duration.toString] and `toString` in a specific unit,
     * e.g. `10s`, `1h 30m` or `-(1h 30m)`.
     * @sample samples.time.Durations.parseOrNull
     */
    public fun parseOrNull(value: String): Duration? = try {
        parseDuration(value, strictIso = false)
    } catch (e: IllegalArgumentException) {
        null
    }
    /**
     * Parses a string that represents a duration in ISO-8601 format and returns the parsed [Duration] value,
     * or `null` if the string doesn't represent a duration in ISO-8601 format.
     * @sample samples.time.Durations.parseIsoStringOrNull
     */
    public fun parseIsoStringOrNull(value: String): Duration? = try {
        parseDuration(value, strictIso = true)
    } catch (e: IllegalArgumentException) {
        null
    }
    /**
     * Returns the negative of this value.
     */
    public operator fun unaryMinus(): Duration = durationOf(-value, unitDiscriminator)
    /**
     * Returns a duration whose value is the sum of this and [other] duration values.
     * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,
     * e.g. when adding infinite durations of different sign.
     */
    public operator fun plus(other: Duration): Duration {
        when {
            this.isInfinite() -> if (other.isFinite() || (this.rawValue xor other.rawValue >= 0))
                return this
            else
                throw IllegalArgumentException("Summing infinite durations of different signs yields an undefined result.")
        }
        other.isInfinite() -> return other
        return when {
            this.unitDiscriminator == other.unitDiscriminator -> {
                val result = this.value + other.value // never overflows long, but can overflow long63
                when {
                    isInNanos() -> durationOfNanosNormalized(result)
                    else -> durationOfMillisNormalized(result)
                }
            }
            this.isInMillis() -> addValuesMixedRanges(this.value, other.value)
            else -> addValuesMixedRanges(other.value, this.value)
        }
    }
    private fun addValuesMixedRanges(thisMillis: Long, otherNanos: Long): Duration {
        val otherMillis = nanosToMillis(otherNanos)
        val resultMillis = thisMillis + otherMillis
        return if (resultMillis in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {
            val otherNanoRemainder = otherNanos - millisToNanos(otherMillis)
            durationOfNanos(millisToNanos(resultMillis) + otherNanoRemainder)
        } else {
            durationOfMillis(resultMillis.coerceIn(-MAX_MILLIS, MAX_MILLIS))
        }
    }
    /**
     * Returns a duration whose value is the difference between this and [other] duration values.
     * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,
     * e.g. when subtracting infinite durations of the same sign.
     */
    public operator fun minus(other: Duration): Duration = this + (-other)
    /**
     * Returns a duration whose value is this duration value multiplied by the given [scale] number.
     * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,
     * e.g. when multiplying an infinite duration by

```

```

zero.\n  */\n  public operator fun times(scale: Int): Duration {\n    if (isInfinite())\n    {\n      return when {\n        scale == 0 -> throw IllegalArgumentException("Multiplying infinite duration\n        by zero yields an undefined result.")\n        scale > 0 -> this\n        else -> -this\n      }\n    }\n    if\n    (scale == 0) return ZERO\n    val value = value\n    val result = value * scale\n    return if (isInNanos()) {\n      if (value in (MAX_NANOS / Int.MIN_VALUE)..(-MAX_NANOS / Int.MIN_VALUE)) {\n        // can't\n        overflow nanos range for any scale\n        durationOfNanos(result)\n      } else {\n        if (result / scale\n        == value) {\n          durationOfNanosNormalized(result)\n        } else {\n          val millis =\n          nanosToMillis(value)\n          val remNanos = value - millisToNanos(millis)\n          val resultMillis =\n          millis * scale\n          val totalMillis = resultMillis + nanosToMillis(remNanos * scale)\n          if (resultMillis / scale == millis && totalMillis xor resultMillis >= 0) {\n            durationOfMillis(totalMillis.coerceIn(-MAX_MILLIS..MAX_MILLIS))\n          } else {\n            if\n            (value.sign * scale.sign > 0) INFINITE else NEG_INFINITE\n          }\n        }\n      }\n    } else {\n      if (result / scale == value) {\n        durationOfMillis(result.coerceIn(-\n        MAX_MILLIS..MAX_MILLIS))\n      } else {\n        if (value.sign * scale.sign > 0) INFINITE else\n        NEG_INFINITE\n      }\n    }\n  }\n  /**\n   * Returns a duration whose value is this duration value\n   multiplied by the given [scale] number.\n   *\n   * The operation may involve rounding when the result cannot be\n   represented exactly with a [Double] number.\n   *\n   * @throws IllegalArgumentException if the operation\n   results in an undefined value for the given arguments,\n   * e.g. when\n   multiplying an infinite duration by zero.\n   */\n  public operator fun times(scale: Double): Duration {\n    val\n    intScale = scale.roundToInt()\n    if (intScale.toDouble() == scale) {\n      return times(intScale)\n    }\n    val\n    unit = storageUnit\n    val result = toDouble(unit) * scale\n    return result.toDuration(unit)\n  }\n  /**\n   * Returns a duration whose value is this duration value divided by the given [scale] number.\n   *\n   * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n   * e.g. when dividing zero duration by zero.\n   */\n  public operator fun div(scale: Int): Duration {\n    if (scale ==\n    0) {\n      return when {\n        isPositive() -> INFINITE\n        isNegative() -> NEG_INFINITE\n        else -> throw IllegalArgumentException("Dividing zero duration by zero yields an undefined result.")\n      }\n    }\n    if (isInNanos()) {\n      return durationOfNanos(value / scale)\n    } else {\n      if (isInfinite())\n      return this * scale.sign\n      val result = value / scale\n      if (result in -\n      MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n        val rem = millisToNanos(value - (result * scale)) / scale\n        return durationOfNanos(millisToNanos(result) + rem)\n      }\n      return\n      durationOfMillis(result)\n    }\n  }\n  /**\n   * Returns a duration whose value is this duration value divided\n   by the given [scale] number.\n   *\n   * @throws IllegalArgumentException if the operation results in an\n   undefined value for the given arguments,\n   * e.g. when dividing an infinite duration by infinity or zero duration\n   by zero.\n   */\n  public operator fun div(scale: Double): Duration {\n    val intScale = scale.roundToInt()\n    if (intScale.toDouble() == scale && intScale != 0) {\n      return div(intScale)\n    }\n    val\n    unit = storageUnit\n    val result = toDouble(unit) / scale\n    return result.toDuration(unit)\n  }\n  /** Returns a number that is the ratio of this and [other] duration values.\n   */\n  */\n  public operator fun div(other: Duration): Double {\n    val coarserUnit = maxOf(this.storageUnit,\n    other.storageUnit)\n    return this.toDouble(coarserUnit) / other.toDouble(coarserUnit)\n  }\n  /** Returns\n   true, if the duration value is less than zero.\n   */\n  public fun isNegative(): Boolean = rawValue < 0\n  /** Returns\n   true, if the duration value is greater than zero.\n   */\n  public fun isPositive(): Boolean = rawValue > 0\n  /**\n   Returns true, if the duration value is infinite.\n   */\n  public fun isInfinite(): Boolean = rawValue ==\n  INFINITE.rawValue || rawValue == NEG_INFINITE.rawValue\n  /** Returns true, if the duration value is finite.\n   */\n  public fun isFinite(): Boolean = !isInfinite()\n\n  Returns the absolute value of this value. The returned value is always non-negative.\n  */\n  public val absoluteValue:\n  Duration get() = if (isNegative()) -this else this\n\n  override fun compareTo(other: Duration): Int {\n    val\n    compareBits = this.rawValue xor other.rawValue\n    if (compareBits < 0 || compareBits.toInt() and 1 == 0) //

```

```

different signs or same sign/same range\n      return this.rawValue.compareTo(other.rawValue)\n      // same
sign/different ranges\n      val r = this.unitDiscriminator - other.unitDiscriminator // compare ranges\n      return if
(isNegative()) -r else r\n    }\n\n    // splitting to components\n    /**\n     * Splits this duration into days, hours,
minutes, seconds, and nanoseconds and executes the given [action] with these components.\n     * The result of
[action] is returned as the result of this function.\n     *\n     * - `nanoseconds` represents the whole number of
nanoseconds in this duration, and its absolute value
is less than 1_000_000_000;\n     * - `seconds` represents the whole number of seconds in this duration, and its
absolute value is less than 60;\n     * - `minutes` represents the whole number of minutes in this duration, and its
absolute value is less than 60;\n     * - `hours` represents the whole number of hours in this duration, and its absolute
value is less than 24;\n     * - `days` represents the whole number of days in this duration.\n     *\n     * Infinite
durations are represented as either [Long.MAX_VALUE] days, or [Long.MIN_VALUE] days (depending on the
sign of infinity),\n     * and zeroes in the lower components.\n     */\n    public inline fun <T> toComponents(action:
(days: Long, hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T {\n      contract { callsInPlace(action,
InvocationKind.EXACTLY_ONCE) }\n      return action(inWholeDays, hoursComponent, minutesComponent,
secondsComponent, nanosecondsComponent)\n    }\n\n    /**\n     * Splits this
duration into hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.\n     *
The result of [action] is returned as the result of this function.\n     *\n     * - `nanoseconds` represents the whole
number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n     * - `seconds`
represents the whole number of seconds in this duration, and its absolute value is less than 60;\n     * - `minutes`
represents the whole number of minutes in this duration, and its absolute value is less than 60;\n     * - `hours`
represents the whole number of hours in this duration.\n     *\n     * Infinite durations are represented as either
[Long.MAX_VALUE] hours, or [Long.MIN_VALUE] hours (depending on the sign of infinity),\n     * and zeroes
in the lower components.\n     */\n    public inline fun <T> toComponents(action: (hours: Long, minutes: Int,
seconds: Int, nanoseconds: Int) -> T): T {\n      contract { callsInPlace(action,
InvocationKind.EXACTLY_ONCE) }\n      return action(inWholeHours, minutesComponent, secondsComponent,
nanosecondsComponent)\n    }\n\n    /**\n     * Splits this duration into minutes, seconds, and nanoseconds and
executes the given [action] with these components.\n     * The result of [action] is returned as the result of this
function.\n     *\n     * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute
value is less than 1_000_000_000;\n     * - `seconds` represents the whole number of seconds in this duration, and its
absolute value is less than 60;\n     * - `minutes` represents the whole number of minutes in this duration.\n     *\n     *
Infinite durations are represented as either [Long.MAX_VALUE] minutes, or [Long.MIN_VALUE] minutes
(dependent on the sign of infinity),\n     * and zeroes in the lower components.\n     */\n    public inline fun <T>
toComponents(action: (minutes: Long, seconds: Int, nanoseconds: Int) -> T): T {\n      contract { callsInPlace(action,
InvocationKind.EXACTLY_ONCE) }\n      return action(inWholeMinutes,
secondsComponent, nanosecondsComponent)\n    }\n\n    /**\n     * Splits this duration into seconds, and
nanoseconds and executes the given [action] with these components.\n     * The result of [action] is returned as the
result of this function.\n     *\n     * - `nanoseconds` represents the whole number of nanoseconds in this duration,
and its absolute value is less than 1_000_000_000;\n     * - `seconds` represents the whole number of seconds in this
duration.\n     *\n     * Infinite durations are represented as either [Long.MAX_VALUE] seconds, or
[Long.MIN_VALUE] seconds (depending on the sign of infinity),\n     * and zero nanoseconds.\n     */\n    public
inline fun <T> toComponents(action: (seconds: Long, nanoseconds: Int) -> T): T {\n      contract {
callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n      return action(inWholeSeconds,
nanosecondsComponent)\n    }\n\n    }\n\n    @PublishedApi\n    internal val hoursComponent: Int\n      get() = if (isInfinite()) 0 else (inWholeHours
% 24).toInt()\n\n    @PublishedApi\n    internal val minutesComponent: Int\n      get() = if (isInfinite()) 0 else
(inWholeMinutes % 60).toInt()\n\n    @PublishedApi\n    internal val secondsComponent: Int\n      get() = if
(isInfinite()) 0 else (inWholeSeconds % 60).toInt()\n\n    @PublishedApi\n    internal val nanosecondsComponent:
Int\n      get() = when {\n        isInfinite() -> 0\n        isInMillis() -> millisToNanos(value % 1_000).toInt()\n

```

```

    else -> (value % 1_000_000_000).toInt()\n    }\n\n    // conversion to units\n\n    /**\n     * Returns the value
of this duration expressed as a [Double] number of the specified [unit].\n     *\n     * The operation may involve
rounding when the result cannot be represented exactly with a [Double] number.\n     *\n     * An infinite duration
value is converted either to [Double.POSITIVE_INFINITY]
or [Double.NEGATIVE_INFINITY] depending on its sign.\n     */\n    public fun toDouble(unit: DurationUnit):
Double {\n        return when (rawValue) {\n            INFINITE.rawValue -> Double.POSITIVE_INFINITY\n
NEG_INFINITE.rawValue -> Double.NEGATIVE_INFINITY\n            else -> {\n                // TODO: whether it's
ok to convert to Double before scaling\n                convertDurationUnit(value.toDouble(), storageUnit, unit)\n
            }\n        }\n    }\n\n    /**\n     * Returns the value of this duration expressed as a [Long] number of the specified
[unit].\n     *\n     * If the result doesn't fit in the range of [Long] type, it is coerced into that range:\n     * -
[Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n     * - [Long.MAX_VALUE] is returned if
it's greater than `Long.MAX_VALUE`.\n     *\n     * An infinite duration value is converted either to
[Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n     */\n    public fun
toLong(unit: DurationUnit): Long {\n        return when (rawValue) {\n            INFINITE.rawValue ->
Long.MAX_VALUE\n            NEG_INFINITE.rawValue -> Long.MIN_VALUE\n            else ->
convertDurationUnit(value, storageUnit, unit)\n        }\n    }\n\n    /**\n     * Returns the value of this duration
expressed as an [Int] number of the specified [unit].\n     *\n     * If the result doesn't fit in the range of [Int] type, it
is coerced into that range:\n     * - [Int.MIN_VALUE] is returned if it's less than `Int.MIN_VALUE`,\n     * -
[Int.MAX_VALUE] is returned if it's greater than `Int.MAX_VALUE`.\n     *\n     * An infinite duration value is
converted either to [Int.MAX_VALUE] or [Int.MIN_VALUE] depending on its sign.\n     */\n    public fun
toInt(unit: DurationUnit): Int =\n        toLong(unit).coerceIn(Int.MIN_VALUE.toInt(),
Int.MAX_VALUE.toInt()).toInt()\n\n    /** The value of this duration expressed as a [Double] number of days.
*/\n    @ExperimentalTime\n    @Deprecated("Use
inWholeDays property instead or convert toDouble(DAYS) if a double value is required."),
    ReplaceWith("toDouble(DurationUnit.DAYS)")\n    public val inDays: Double get() =
toDouble(DurationUnit.DAYS)\n\n    /** The value of this duration expressed as a [Double] number of hours. */\n
    @ExperimentalTime\n    @Deprecated("Use inWholeHours property instead or convert toDouble(HOURS) if a
double value is required.", ReplaceWith("toDouble(DurationUnit.HOURS)")\n    public val inHours: Double
get() = toDouble(DurationUnit.HOURS)\n\n    /** The value of this duration expressed as a [Double] number of
minutes. */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMinutes property instead or convert
toDouble(MINUTES) if a double value is required.", ReplaceWith("toDouble(DurationUnit.MINUTES)")\n    public
val inMinutes: Double get() = toDouble(DurationUnit.MINUTES)\n\n    /** The value of this duration
expressed as a [Double] number of seconds. */\n    @ExperimentalTime\n
    @Deprecated("Use inWholeSeconds property instead or convert toDouble(SECONDS) if a double value is
required.", ReplaceWith("toDouble(DurationUnit.SECONDS)")\n    public val inSeconds: Double get() =
toDouble(DurationUnit.SECONDS)\n\n    /** The value of this duration expressed as a [Double] number of
milliseconds. */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMilliseconds property instead or convert
toDouble(MILLISECONDS) if a double value is required.",
    ReplaceWith("toDouble(DurationUnit.MILLISECONDS)")\n    public val inMilliseconds: Double get() =
toDouble(DurationUnit.MILLISECONDS)\n\n    /** The value of this duration expressed as a [Double] number of
microseconds. */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMicroseconds property instead or
convert toDouble(MICROSECONDS) if a double value is required.",
    ReplaceWith("toDouble(DurationUnit.MICROSECONDS)")\n    public val inMicroseconds: Double get() =
toDouble(DurationUnit.MICROSECONDS)\n\n    /** The value of this duration expressed as a [Double] number of
nanoseconds. */\n    @ExperimentalTime\n
    @Deprecated("Use inWholeNanoseconds property instead or convert toDouble(NANOSECONDS) if a double
value is required.", ReplaceWith("toDouble(DurationUnit.NANOSECONDS)")\n    public val inNanoseconds:
Double get() = toDouble(DurationUnit.NANOSECONDS)\n\n    /**\n     * The value of this duration expressed as

```

```

a [Long] number of days.\n    *\n    * An infinite duration value is converted either to [Long.MAX_VALUE] or
[Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeDays: Long\n        get() =
toLong(DurationUnit.DAYS)\n\n    /**\n    * The value of this duration expressed as a [Long] number of hours.\n    *\n    * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending
on its sign.\n    */\n    public val inWholeHours: Long\n        get() = toLong(DurationUnit.HOURS)\n\n    /**\n    *
The value of this
duration expressed as a [Long] number of minutes.\n    *\n    * An infinite duration value is converted either to
[Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeMinutes:
Long\n        get() = toLong(DurationUnit.MINUTES)\n\n    /**\n    * The value of this duration expressed as a
[Long] number of seconds.\n    *\n    * An infinite duration value is converted either to [Long.MAX_VALUE] or
[Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeSeconds: Long\n        get() =
toLong(DurationUnit.SECONDS)\n\n    /**\n    * The value of this duration expressed as a [Long] number of
milliseconds.\n    *\n    * An infinite duration value is converted either to [Long.MAX_VALUE] or
[Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeMilliseconds: Long\n        get() {\n
return if (isInMillis() && isFinite()) value else toLong(DurationUnit.MILLISECONDS)\n        }\n\n    /**\n    *
The value of this
duration expressed as a [Long] number of microseconds.\n    *\n    * If the result doesn't fit in the range of [Long]
type, it is coerced into that range:\n    * - [Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n
* - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n    *\n    * An infinite duration
value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n    */\n    public
val inWholeMicroseconds: Long\n        get() = toLong(DurationUnit.MICROSECONDS)\n\n    /**\n    * The value
of this duration expressed as a [Long] number of nanoseconds.\n    *\n    * If the result doesn't fit in the range of
[Long] type, it is coerced into that range:\n    * - [Long.MIN_VALUE] is returned if it's less than
`Long.MIN_VALUE`,\n    * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n    *\n    *
An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending
on its sign.\n    */\n    public val inWholeNanoseconds: Long\n        get() {\n            val value = value\n
return when {\n                isInNanos() -> value\n                value > Long.MAX_VALUE / NANOS_IN_MILLIS ->
Long.MAX_VALUE\n                value < Long.MIN_VALUE / NANOS_IN_MILLIS -> Long.MIN_VALUE\n                else ->
millisToNanos(value)\n            }\n        }\n\n    // shortcuts\n\n    /**\n    * Returns the value of this
duration expressed as a [Long] number of nanoseconds.\n    *\n    * If the value doesn't fit in the range of [Long]
type, it is coerced into that range, see the conversion [Double.toLong] for details.\n    *\n    * The range of
durations that can be expressed as a `Long` number of nanoseconds is approximately \u00b1292 years.\n    */\n    @ExperimentalTime\n    @Deprecated("Use inWholeNanoseconds property instead.")
ReplaceWith("this.inWholeNanoseconds")\n    public fun toLongNanoseconds(): Long =
inWholeNanoseconds\n\n    /**\n    * Returns the value of this duration expressed as a [Long] number of milliseconds.\n
*\n    * The value
is coerced to the range of [Long] type, if it doesn't fit in that range, see the conversion [Double.toLong] for details.\n
*\n    * The range of durations that can be expressed as a `Long` number of milliseconds is approximately
\u00b11292 million years.\n    */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMilliseconds property
instead.", ReplaceWith("this.inWholeMilliseconds"))\n    public fun toLongMilliseconds(): Long =
inWholeMilliseconds\n\n    /**\n    * Returns a string representation of this duration value\n    * expressed as a
combination of numeric components, each in its own unit.\n    *\n    * Each component is a number followed by the
unit abbreviated name: `d`, `h`, `m`, `s`:\n    * `5h`, `1d 12h`, `1h 0m 30.340s`.\n    * The last component, usually
seconds, can be a number with a fractional part.\n    *\n    * If the duration
is less than a second, it is represented as a single number\n    * with one of sub-second units: `ms` (milliseconds),
`us` (microseconds), or `ns` (nanoseconds):\n    * `140.884ms`, `500us`, `24ns`.\n    *\n    * A negative duration is
prefixed with `-` sign and, if it consists of multiple components, surrounded with parentheses:\n    * `-12m` and
`-(1h 30m)`.\n    *\n    * Special cases:\n    * - an infinite duration is formatted as `"Infinity"` or `"-Infinity"`

```

```

without a unit.\n * It's recommended to use [toISOString] that uses more strict ISO-8601 format instead of
this `toString`\n * when you want to convert a duration to a string in cases of serialization, interchange, etc.\n
*\n * @sample samples.time.Durations.toStringDefault\n *^/\n override fun toString(): String = when
(rawValue) {\n 0L -> \"0s\"\n INFINITE.rawValue -> \"Infinity\"\n NEG_INFINITE.rawValue -> \"-
Infinity\"\n else -> {\n val isNegative
= isNegative()\n buildString {\n if (isNegative) append('-')\n absoluteValue.toComponents
{ days, hours, minutes, seconds, nanoseconds ->\n val hasDays = days != 0L\n val hasHours
= hours != 0\n val hasMinutes = minutes != 0\n val hasSeconds = seconds != 0 ||
nanoseconds != 0\n var components = 0\n if (hasDays) {\n
append(days).append('d')\n components++\n }\n if (hasHours || (hasDays &&
(hasMinutes || hasSeconds))) {\n if (components++ > 0) append(' ')\n
append(hours).append('h')\n }\n if (hasMinutes || (hasSeconds && (hasHours || hasDays)))
{\n if (components++ > 0) append(' ')\n append(minutes).append('m')\n
}\n if (hasSeconds) {\n if (components++ > 0) append(' ')\n when
{\n seconds != 0 || hasDays || hasHours || hasMinutes ->\n
appendFractional(seconds, nanoseconds, 9, \"s\", isoZeroes = false)\n nanoseconds >= 1_000_000 -
->\n appendFractional(nanoseconds / 1_000_000, nanoseconds % 1_000_000, 6, \"ms\",
isoZeroes = false)\n nanoseconds >= 1_000 ->\n appendFractional(nanoseconds
/ 1_000, nanoseconds % 1_000, 3, \"us\", isoZeroes = false)\n else ->\n
append(nanoseconds).append(\"ns\")\n }\n }\n if (isNegative && components
> 1) insert(1, '.')\n }\n }\n }\n }\n private fun
StringBuilder.appendFractional(whole:
Int, fractional: Int, fractionalSize: Int, unit: String, isoZeroes: Boolean) {\n append(whole)\n if (fractional
!= 0) {\n append('.')\n val fracString = fractional.toString().padStart(fractionalSize, '0')\n val
nonZeroDigits = fracString.indexOfLast { it != '0' } + 1\n when {\n !isoZeroes && nonZeroDigits <
3 -> appendRange(fracString, 0, nonZeroDigits)\n else -> appendRange(fracString, 0, ((nonZeroDigits + 2)
/ 3) * 3)\n }\n }\n append(unit)\n }\n\n /**\n * Returns a string representation of this duration
value expressed in the given [unit]\n * and formatted with the specified [decimals] number of digits after decimal
point.\n *\n * Special cases:\n * - an infinite duration is formatted as `\"Infinity\"` or `\"-Infinity\"` without a
unit.\n *\n * @param decimals the number of digits after decimal point
to show. The value must be non-negative.\n * No more than 12 decimals will be shown, even if a larger number
is requested.\n *\n * @return the value of duration in the specified [unit] followed by that unit abbreviated
name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\n *\n * @throws IllegalArgumentException if [decimals] is less than
zero.\n *\n * @sample samples.time.Durations.toStringDecimals\n *^/\n public fun toString(unit:
DurationUnit, decimals: Int = 0): String {\n require(decimals >= 0) { \"decimals must be not negative, but was
$decimals\" }\n val number = toDouble(unit)\n if (number.isInfinite()) return number.toString()\n
return formatToExactDecimals(number, decimals.coerceAtMost(12)) + unit.shortName()\n }\n\n /**\n *
Returns an ISO-8601 based string representation of this duration.\n *\n * The returned value is presented in the
format `PTm>s.fS`, where `h`, `m`, `s` are the integer components
of this duration (see [toComponents])\n * and `f` is a fractional part of second. Depending on the roundness of
the value the fractional part can be formatted with either\n * 0, 3, 6, or 9 decimal digits.\n *\n * The infinite
duration is represented as `\"PT99999999999999H\"` which is larger than any possible finite duration in Kotlin.\n
*\n * Negative durations are indicated with the sign `-` in the beginning of the returned string, for example, `\"-
PT5M30S\"`.\n *\n * @sample samples.time.Durations.toIsoString\n *^/\n public fun toIsoString(): String =
buildString {\n if (isNegative()) append('-')\n append(\"PT\")\n
this@Duration.absoluteValue.toComponents { hours, minutes, seconds, nanoseconds ->\n
@Suppress(\"NAME_SHADOWING\")\n var hours = hours\n if (isInfinite()) {\n // use large
enough value instead of Long.MAX_VALUE\n hours = 9_999_999_999_999\n

```



```

this [Double] number of microseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is
`NaN`.\n *\n @SinceKotlin("1.3")\n @ExperimentalTime\n @Deprecated("Use 'Double.microseconds' extension
property from Duration.Companion
instead.", ReplaceWith("this.microseconds"),
"\kotlin.time.Duration.Companion.microseconds"))\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public val
Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to
this [Int] number of milliseconds. *\n @SinceKotlin("1.3")\n @ExperimentalTime\n @Deprecated("Use
'Int.milliseconds' extension property from Duration.Companion instead.", ReplaceWith("this.milliseconds"),
"\kotlin.time.Duration.Companion.milliseconds"))\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public val
Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this
[Long] number of milliseconds. *\n @SinceKotlin("1.3")\n @ExperimentalTime\n @Deprecated("Use
'Long.milliseconds' extension property from Duration.Companion instead.", ReplaceWith("this.milliseconds"),
"\kotlin.time.Duration.Companion.milliseconds"))\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public
val Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to
this [Double] number of milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n @SinceKotlin("1.3")\n @ExperimentalTime\n @Deprecated("Use 'Double.milliseconds' extension property
from Duration.Companion instead.", ReplaceWith("this.milliseconds"),
"\kotlin.time.Duration.Companion.milliseconds"))\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public val
Double.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this
[Int] number of seconds. *\n @SinceKotlin("1.3")\n @ExperimentalTime\n @Deprecated("Use 'Int.seconds'
extension property from Duration.Companion instead.", ReplaceWith("this.seconds"),
"\kotlin.time.Duration.Companion.seconds"))\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public val
Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal
to this [Long] number of seconds. *\n @SinceKotlin("1.3")\n @ExperimentalTime\n @Deprecated("Use
'Long.seconds' extension property from Duration.Companion instead.", ReplaceWith("this.seconds"),
"\kotlin.time.Duration.Companion.seconds"))\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public val
Long.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Double]
number of seconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n @SinceKotlin("1.3")\n @ExperimentalTime\n @Deprecated("Use 'Double.seconds' extension property from
Duration.Companion instead.", ReplaceWith("this.seconds"),
"\kotlin.time.Duration.Companion.seconds"))\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public val
Double.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Int]
number of minutes. *\n @SinceKotlin("1.3")\n @ExperimentalTime\n @Deprecated("Use 'Int.minutes' extension
property
from Duration.Companion instead.", ReplaceWith("this.minutes"),
"\kotlin.time.Duration.Companion.minutes"))\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public val
Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Long] number of
minutes. *\n @SinceKotlin("1.3")\n @ExperimentalTime\n @Deprecated("Use 'Long.minutes' extension property
from Duration.Companion instead.", ReplaceWith("this.minutes"),
"\kotlin.time.Duration.Companion.minutes"))\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public val
Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Double]
number of minutes.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n @SinceKotlin("1.3")\n @ExperimentalTime\n @Deprecated("Use 'Double.minutes' extension property from
Duration.Companion instead.", ReplaceWith("this.minutes"),
"\kotlin.time.Duration.Companion.minutes"))\n @DeprecatedSinceKotlin(warningSince
= "1.5")\n public val Double.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration]
equal to this [Int] number of hours. *\n @SinceKotlin("1.3")\n @ExperimentalTime\n @Deprecated("Use
'Int.hours' extension property from Duration.Companion instead.", ReplaceWith("this.hours"),

```

```

\"kotlin.time.Duration.Companion.hours\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Long] number of
hours. *\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.hours' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.hours\"),
\"kotlin.time.Duration.Companion.hours\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Double]
number of hours.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use
'Double.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"this.hours\"),
\"kotlin.time.Duration.Companion.hours\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Int] number of
days. *\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.days' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.days\"),
\"kotlin.time.Duration.Companion.days\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.days
get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Long] number of days.
*\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.days' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.days\"),
\"kotlin.time.Duration.Companion.days\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic
val Long.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Double]
number of days.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.days' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.days\"),
\"kotlin.time.Duration.Companion.days\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a duration whose value is the specified
[duration] value multiplied by this number.
*\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic
inline operator fun Int.times(duration: Duration): Duration = duration * this\n\n/** Returns a duration whose
value is the specified [duration] value multiplied by this number.\n *\n * The operation may involve rounding when
the result cannot be represented exactly with
a [Double] number.\n *\n * @throws IllegalArgumentException if the operation results in a `NaN` value.\n
*\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic
inline operator fun Double.times(duration: Duration): Duration = duration * this\n\n\nprivate fun
parseDuration(value: String, strictIso: Boolean): Duration {\n    var length = value.length\n    if (length == 0) throw
IllegalArgumentException(\"The string is empty\")\n    var index = 0\n    var result = Duration.ZERO\n    val
infinityString = \"Infinity\"\n    when (value[index]) {\n        '+', '-' -> index++\n    }\n    val hasSign = index > 0\n    val
isNegative = hasSign && value.startsWith('-')\n    when {\n        length <= index ->\n            throw
IllegalArgumentException(\"No components\")\n        value[index] == 'P' -> {\n            if (++index == length) throw
IllegalArgumentException()\n            val nonDigitSymbols = \"+-.\", var isTimeComponent
= false\n            var prevUnit: DurationUnit? = null\n            while (index < length) {\n                if (value[index] ==
'T') {\n                    if (isTimeComponent || ++index == length) throw IllegalArgumentException()\n                    isTimeComponent = true\n                    continue\n                }\n                val component =
value.substringWhile(index) { it in '0'..'9' || it in nonDigitSymbols }\n                if (component.isEmpty()) throw
IllegalArgumentException()\n                index += component.length\n                val unitChar =
value.getOrElse(index) { throw IllegalArgumentException(\"Missing unit for value $component\") }\n                index++\n                val unit = durationUnitByIsoChar(unitChar, isTimeComponent)\n                if (prevUnit != null
&& prevUnit <= unit) throw IllegalArgumentException(\"Unexpected order of duration components\")\n                prevUnit = unit\n                val dotIndex = component.indexOf('.')\n

```

```

        if (unit == DurationUnit.SECONDS && dotIndex > 0) {\n            val whole =
component.substring(0, dotIndex)\n            result += parseOverLongIsoComponent(whole).toDuration(unit)\n
        result += component.substring(dotIndex).toDouble().toDuration(unit)\n        } else {\n
result += parseOverLongIsoComponent(component).toDuration(unit)\n        }\n    }\n    strictIso
->\n        throw IllegalArgumentException()\n        value.regionMatches(index, infinityString, 0, length =
maxOf(length - index, infinityString.length), ignoreCase = true) -> {\n            result = Duration.INFINITE\n        }\n
        else -> {\n            // parse default string format\n            var prevUnit: DurationUnit? = null\n            var
afterFirst = false\n            var allowSpaces = !hasSign\n            if (hasSign && value[index] == '(' && value.last()
== ')') {\n                allowSpaces
= true\n                if (++index == --length) throw IllegalArgumentException("No components")\n            }\n
while (index < length) {\n                if (afterFirst && allowSpaces) {\n                    index = value.skipWhile(index) {\n
it == ' ' }\n                }\n                afterFirst = true\n                val component = value.substringWhile(index) {\n
it in '0'..'9' || it == '.' }\n                if (component.isEmpty()) throw IllegalArgumentException()\n                index +=
component.length\n                val unitName = value.substringWhile(index) {\n
it in 'a'..'z' }\n                index +=
unitName.length\n                val unit = durationUnitByShortName(unitName)\n                if (prevUnit != null &&
prevUnit <= unit) throw IllegalArgumentException("Unexpected order of duration components")\n
prevUnit = unit\n                val dotIndex = component.indexOf('.')\n                if (dotIndex > 0) {\n
                    val whole = component.substring(0, dotIndex)\n                    result += whole.toLong().toDuration(unit)\n
                    result += component.substring(dotIndex).toDouble().toDuration(unit)\n                    if (index < length) throw
IllegalArgumentException("Fractional component must be last")\n                } else {\n                    result +=
component.toLong().toDuration(unit)\n                }\n            }\n        }\n        return if (isNegative) -result else
result\n    }\n\nprivate fun parseOverLongIsoComponent(value: String): Long {\n    val length = value.length\n    var
startIndex = 0\n    if (length > 0 && value[0] in "+-") startIndex++\n    if ((length - startIndex) > 16 &&
(startIndex..value.lastIndex).all { value[it] in '0'..'9' }) {\n        // all chars are digits, but more than
ceiling(log10(MAX_MILLIS / 1000)) of them\n        return if (value[0] == '-') Long.MIN_VALUE else
Long.MAX_VALUE\n    }\n    // TODO: replace with just toLong after
min JDK becomes 8\n    return if (value.startsWith("+")) value.drop(1).toLong() else
value.toLong()\n}\n\nprivate inline fun String.substringWhile(startIndex: Int, predicate: (Char) -> Boolean):
String =\n    substring(startIndex, skipWhile(startIndex, predicate))\n\nprivate inline fun
String.skipWhile(startIndex: Int, predicate: (Char) -> Boolean): Int {\n    var i = startIndex\n    while (i < length &&
predicate(this[i])) i++\n    return i\n}\n\n// The ranges are chosen so that they are:\n// - symmetric relative to
zero: this greatly simplifies operations with sign, e.g. unaryMinus and minus.\n// - non-overlapping, but adjacent:
the first value that doesn't fit in nanos range, can be exactly represented in millis.\n\ninternal const val
NANOS_IN_MILLIS = 1_000_000\n// maximum number duration can store in nanosecond range\ninternal const
val MAX_NANOS = Long.MAX_VALUE / 2 / NANOS_IN_MILLIS * NANOS_IN_MILLIS - 1 // ends in
..._999_999\n// maximum number duration can store
in millisecond range, also encodes an infinite value\ninternal const val MAX_MILLIS = Long.MAX_VALUE /
2\n// MAX_NANOS expressed in milliseconds\nprivate const val MAX_NANOS_IN_MILLIS = MAX_NANOS /
NANOS_IN_MILLIS\n\nprivate fun nanosToMillis(nanos: Long): Long = nanos / NANOS_IN_MILLIS\nprivate
fun millisToNanos(millis: Long): Long = millis * NANOS_IN_MILLIS\n\nprivate fun
durationOfNanos(normalNanos: Long) = Duration(normalNanos shl 1)\nprivate fun durationOfMillis(normalMillis:
Long) = Duration((normalMillis shl 1) + 1)\nprivate fun durationOf(normalValue: Long, unitDiscriminator: Int) =
Duration((normalValue shl 1) + unitDiscriminator)\nprivate fun durationOfNanosNormalized(nanos: Long) =\n    if
(nanos in -MAX_NANOS..MAX_NANOS) {\n        durationOfNanos(nanos)\n    } else {\n
durationOfMillis(nanosToMillis(nanos))\n    }\n\nprivate fun durationOfMillisNormalized(millis: Long) =\n    if
(millis in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n
durationOfNanos(millisToNanos(millis))\n    }\n}

```

```

    } else {\n        durationOfMillis(millis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n    }\n\ninternal expect val
durationAssertionsEnabled: Boolean\n\ninternal expect fun formatToExactDecimals(value: Double, decimals: Int):
String\n\ninternal expect fun formatUpToDecimals(value: Double, decimals: Int): String", "/*\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmName("UnsignedKt")\n\npackage kotlin\n\n\n@PublishedApi\n\ninternal fun uintCompare(v1:
Int, v2: Int): Int = (v1 xor Int.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)\n\n@PublishedApi\n\ninternal fun
ulongCompare(v1: Long, v2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor
Long.MIN_VALUE)\n\n\n@PublishedApi\n\ninternal fun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() /
v2.toLong()).toUInt()\n\n@PublishedApi\n\ninternal fun uintRemainder(v1:
UInt, v2: UInt): UInt = (v1.toLong() % v2.toLong()).toUInt()\n\n\n// Division and remainder are based on Guava's
UnsignedLongs implementation\n\n// Copyright 2011 The Guava Authors\n\n\n@PublishedApi\n\ninternal fun
ulongDivide(v1: ULong, v2: ULong): ULong {\n    val dividend = v1.toLong()\n    val divisor = v2.toLong()\n    if
(divisor < 0) { // i.e., divisor >= 2^63:\n        return if (v1 < v2) ULong(0) else ULong(1)\n    }\n\n    // Optimization
- use signed division if both dividend and divisor < 2^63\n    if (dividend >= 0) {\n        return ULong(dividend /
divisor)\n    }\n\n    // Otherwise, approximate the quotient, check, and correct if necessary.\n    val quotient =
((dividend ushr 1) / divisor) shl 1\n    val rem = dividend - quotient * divisor\n    return ULong(quotient + if
(ULong(rem) >= ULong(divisor)) 1 else 0)\n}\n\n\n@PublishedApi\n\ninternal fun ulongRemainder(v1: ULong, v2:
ULong): ULong {\n    val dividend = v1.toLong()\n    val divisor = v2.toLong()\n    if (divisor < 0)
{ // i.e., divisor >= 2^63:\n        return if (v1 < v2) {\n            v1 // dividend < divisor\n        } else {\n
            v1 - v2
// dividend >= divisor\n        }\n    }\n\n    // Optimization - use signed modulus if both dividend and divisor < 2^63\n
if (dividend >= 0) {\n        return ULong(dividend % divisor)\n    }\n\n    // Otherwise, approximate the quotient,
check, and correct if necessary.\n    val quotient = ((dividend ushr 1) / divisor) shl 1\n    val rem = dividend -
quotient * divisor\n    return ULong(rem - if (ULong(rem) >= ULong(divisor)) divisor else
0)\n}\n\n\n@PublishedApi\n\ninternal fun doubleToUInt(v: Double): UInt = when {\n    v.isNaN() -> 0u\n    v <=
UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\n    v >= UInt.MAX_VALUE.toDouble() ->
UInt.MAX_VALUE\n    v <= Int.MAX_VALUE -> v.toInt().toUInt()\n    else -> (v -
Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt() // Int.MAX_VALUE < v <
UInt.MAX_VALUE\n}\n\n\n@PublishedApi\n\ninternal fun doubleToULong(v:
Double): ULong = when {\n    v.isNaN() -> 0u\n    v <= ULong.MIN_VALUE.toDouble() ->
ULong.MIN_VALUE\n    v >= ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n    v <
Long.MAX_VALUE -> v.toLong().toULong()\n\n    // Real values from Long.MAX_VALUE to
(Long.MAX_VALUE + 1) are not representable in Double, so don't handle them.\n    else -> (v -
9223372036854775808.0).toLong().toULong() + 9223372036854775808uL // Long.MAX_VALUE + 1 < v <
ULong.MAX_VALUE\n}\n\n\n\n@PublishedApi\n\ninternal fun uintToDouble(v: Int): Double = (v and
Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\n\n\n@PublishedApi\n\ninternal fun
ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\n\n\n\ninternal fun
ulongToString(v: Long): String = ulongToString(v, 10)\n\n\ninternal fun ulongToString(v: Long, base: Int): String {\n
if (v >= 0) return v.toString(base)\n\n    var quotient = ((v ushr 1) / base) shl 1\n    var rem = v - quotient * base\n
if (rem >= base) {\n        rem
-= base\n        quotient += 1\n    }\n    return quotient.toString(base) + rem.toString(base)\n}\n\n\n", "/*\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\n\npackage
kotlin.collections\n\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through
the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n
*\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T>
= object : Iterable<T> {\n    override fun iterator(): Iterator<T> = iterator()\n}\n\n\n/**\n * A wrapper over another

```

```

[Iterable] (or any other object that can produce an [Iterator]) that returns
 * an indexing iterator.
 * internal class
IndexingIterable<out
T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {
    override fun iterator():
Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())
}
 * Returns the size of this iterable if
it is known, or `null` otherwise.
 * @PublishedApi
internal fun <T> Iterable<T>.collectionSizeOrNull(): Int? =
if (this is Collection<*>) this.size else null
 * Returns the size of this iterable if it is known, or the specified
[default] value otherwise.
 * @PublishedApi
internal fun <T> Iterable<T>.collectionSizeOrDefault(default:
Int): Int = if (this is Collection<*>) this.size else default
 * Returns a single list of all elements from all
collections in the given collection.
 * @sample samples.collections.Iterables.Operations.flattenIterable
 * public
fun <T> Iterable<Iterable<T>>.flatten(): List<T> {
    val result = ArrayList<T>()
    for (element in this) {
        result.addAll(element)
    }
    return
result
}
 * Returns a pair of lists, where
 * first* list is built from the first values of each pair from this
collection,
 * second* list is built from the second values of each pair from this collection.
 * @sample
samples.collections.Iterables.Operations.unzipIterable
 * public fun <T, R> Iterable<Pair<T, R>>.unzip():
Pair<List<T>, List<R>> {
    val expectedSize = collectionSizeOrDefault(10)
    val listT =
ArrayList<T>(expectedSize)
    val listR = ArrayList<R>(expectedSize)
    for (pair in this) {
        listT.add(pair.first)
        listR.add(pair.second)
    }
    return listT to listR
}
 * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.
 * @file:kotlin.jvm.JvmMultifileClass
 * @file:kotlin.jvm.JvmName("SequencesKt")
 * package
kotlin.sequences
 * import kotlin.random.Random
 * Given an [iterator] function constructs a [Sequence] that returns values through the [Iterator]
 * provided by that
function.
 * The values are evaluated lazily, and the sequence is potentially infinite.
 * @sample
samples.collections.Sequences.Building.sequenceFromIterator
 * @kotlin.internal.InlineOnly
 * public inline fun
<T> Sequence(crossinline iterator: () -> Iterator<T>): Sequence<T> = object : Sequence<T> {
    override fun
iterator(): Iterator<T> = iterator()
}
 * Creates a sequence that returns all elements from this iterator. The
sequence is constrained to be iterated only once.
 * @sample
samples.collections.Sequences.Building.sequenceFromIterator
 * public fun <T> Iterator<T>.asSequence():
Sequence<T> = Sequence { this }.constrainOnce()
 * Creates a sequence that returns the specified values.
 * @sample samples.collections.Sequences.Building.sequenceOfValues
 * public fun <T> sequenceOf(vararg
elements: T): Sequence<T> = if (elements.isEmpty())
emptySequence() else elements.asSequence()
 * Returns an empty sequence.
 * public fun <T>
emptySequence(): Sequence<T> = EmptySequence
 * private object EmptySequence : Sequence<Nothing>,
DropTakeSequence<Nothing> {
    override fun iterator(): Iterator<Nothing> = EmptyIterator
    override fun
drop(n: Int) = EmptySequence
    override fun take(n: Int) = EmptySequence
}
 * Returns this sequence if
it's not `null` and the empty sequence otherwise.
 * @sample
samples.collections.Sequences.Usage.sequenceOrEmpty
 * @SinceKotlin("1.3")
 * @kotlin.internal.InlineOnly
 * public inline fun <T> Sequence<T>?.orEmpty():
Sequence<T> = this ?. emptySequence()
 * Returns a sequence that iterates through the elements either of
this sequence
 * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.
 * @sample samples.collections.Sequences.Usage.sequenceIfEmpty
 * @SinceKotlin("1.3")
 * public fun
<T>
Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {
    val iterator =
this@ifEmpty.iterator()
    if (iterator.hasNext()) {
        yieldAll(iterator)
    } else {
        yieldAll(defaultValue())
    }
}
 * Returns a sequence of all elements from all sequences in this
sequence.
 * The operation is _intermediate_ and _stateless_.
 * @sample
samples.collections.Sequences.Transformations.flattenSequenceOfSequences
 * public fun <T>
Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }
 * Returns a sequence of all

```

elements from all iterables in this sequence. The operation is `_intermediate_` and `_stateless_`.

```

@sample samples.collections.Sequences.Transformations.flattenSequenceOfLists()
*/
@kotlin.jvm.JvmName("flattenSequenceOfIterable")
public fun <T> Sequence<Iterable<T>>.flatten():
Sequence<T> = flatten { it.iterator() }
private fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>):
Sequence<R> {
    if (this is TransformingSequence<*, *>) {
        return (this as TransformingSequence<*,
T>).flatten(iterator)
    }
    return FlatteningSequence(this, { it }, iterator)
}
*/
Returns a pair of lists,
where first list is built from the first values of each pair from this sequence, second list is built from the
second values of each pair from this sequence. The operation is _terminal_.


```

@sample
samples.collections.Sequences.Transformations.unzip()
*/
public fun <T, R> Sequence<Pair<T, R>>.unzip():
Pair<List<T>, List<R>> {
 val listT = ArrayList<T>()
 val listR = ArrayList<R>()
 for (pair in this) {
 listT.add(pair.first)
 listR.add(pair.second)
 }
 return listT to listR
}
*/
Returns a sequence that
yields elements of this sequence randomly shuffled. Note that every iteration of the sequence returns
elements in a different order. The operation is _intermediate_
and _stateful_.
```



```

@SinceKotlin("1.4")
public fun <T> Sequence<T>.shuffled(): Sequence<T> =
shuffled(Random)
*/
Returns a sequence that yields elements of this sequence randomly shuffled using
the specified [random] instance as the source of randomness. Note that every iteration of the sequence
returns elements in a different order. The operation is _intermediate_ and _stateful_.
```



```

@SinceKotlin("1.4")
public fun <T> Sequence<T>.shuffled(random: Random): Sequence<T> =
sequence<T> {
 val buffer = toMutableList()
 while (buffer.isNotEmpty()) {
 val j =
random.nextInt(buffer.size)
 val last = buffer.removeLast()
 val value = if (j < buffer.size) buffer.set(j,
last) else last
 yield(value)
 }
}
*/
A sequence that returns the values from the underlying
[sequence] that either match or do not match the specified [predicate]. @param sendWhen If true,
values for which the predicate returns true are returned. Otherwise, values for which the predicate returns false are returned.
*/
internal class
FilteringSequence<T> {
 private val sequence: Sequence<T>,
 private val sendWhen: Boolean = true,
 private val predicate: (T) -> Boolean
} : Sequence<T> {
 override fun iterator(): Iterator<T> = object :
Iterator<T> {
 val iterator = sequence.iterator()
 var nextState: Int = -1 // -1 for unknown, 0 for done, 1
for continue
 var nextItem: T? = null
 private fun calcNext() {
 while (iterator.hasNext()) {
 val item = iterator.next()
 if (predicate(item) == sendWhen) {
 nextItem = item
 nextState = 1
 return
 }
 }
 nextState = 0
 }
 override fun
next(): T {
 if (nextState == -1) {
 calcNext()
 if (nextState == 0) {
 throw NoSuchElementException()
 }
 val result = nextItem
 nextItem = null
 nextState = -
1
 @SuppressWarnings("UNCHECKED_CAST")
 return result as T
 }
 override fun
hasNext(): Boolean {
 if (nextState == -1) {
 calcNext()
 return nextState == 1
 }
 }
}
}
*/
A sequence which returns the results of applying the given [transformer] function to the values in the underlying
[sequence].
*/
internal class TransformingSequence<T, R> {
 constructor(private val
sequence: Sequence<T>, private val transformer: (T) -> R) : Sequence<R> {
 override fun iterator(): Iterator<R> = object : Iterator<R> {
 val iterator = sequence.iterator()
 override fun next(): R {
 return
transformer(iterator.next())
 }
 override fun hasNext(): Boolean {
 return iterator.hasNext()
 }
 }
 internal fun <E>
flatten(iterator: (R) -> Iterator<E>): Sequence<E> {
 return FlatteningSequence<T, R, E>(sequence,
transformer, iterator)
 }
}
*/
A sequence which returns the results of applying the given [transformer]
function to the values in the underlying [sequence], where the transformer function takes the index of the value
in the underlying sequence along with the value itself.
*/
internal class TransformingIndexedSequence<T,
R> {
 constructor(private val sequence: Sequence<T>, private val transformer: (Int, T) -> R) : Sequence<R> {
 override fun iterator(): Iterator<R> = object : Iterator<R> {
 val iterator = sequence.iterator()
 var index =
0
 override fun next(): R {
 return transformer(checkIndexOverflow(index++), iterator.next())
 }
 override fun hasNext(): Boolean {
 return iterator.hasNext()
 }
 }
}
*/
A

```


```

```

sequence which combines values from the underlying [sequence] with
their indices and returns them as \n * [IndexedValue] objects.\n */\ninternal class
IndexingSequence<T>\nconstructor(private val sequence: Sequence<T>) : Sequence<IndexedValue<T>> {\n
override fun iterator(): Iterator<IndexedValue<T>> = object : Iterator<IndexedValue<T>> {\n    val iterator =
sequence.iterator()\n    var index = 0\n    override fun next(): IndexedValue<T> {\n        return
IndexedValue(checkIndexOverflow(index++), iterator.next())\n    }\n\n    override fun hasNext(): Boolean {\n
return iterator.hasNext()\n    }\n}\n}\n\n/**\n * A sequence which takes the values from two parallel
underlying sequences, passes them to the given\n * [transform] function and returns the values returned by that
function. The sequence stops returning\n * values as soon as one of the underlying sequences stops returning
values.\n */\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n    private val sequence1:
Sequence<T1>,\n    private val
sequence2: Sequence<T2>,\n    private val transform: (T1, T2) -> V\n) : Sequence<V> {\n    override fun iterator():
Iterator<V> = object : Iterator<V> {\n        val iterator1 = sequence1.iterator()\n        val iterator2 =
sequence2.iterator()\n        override fun next(): V {\n            return transform(iterator1.next(), iterator2.next())\n
}\n\n        override fun hasNext(): Boolean {\n            return iterator1.hasNext() && iterator2.hasNext()\n        }\n
}\n}\n\ninternal class FlatteningSequence<T, R, E>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val transformer: (T) -> R,\n    private val iterator: (R) -> Iterator<E>\n) : Sequence<E> {\n    override fun
iterator(): Iterator<E> = object : Iterator<E> {\n        val iterator = sequence.iterator()\n        var itemIterator:
Iterator<E>? = null\n\n        override fun next(): E {\n            if (!ensureItemIterator())\n                throw
NoSuchElementException()\n            return itemIterator!!.next()\n        }\n\n        override fun hasNext(): Boolean {\n
return ensureItemIterator()\n        }\n\n        private fun
ensureItemIterator(): Boolean {\n            if (itemIterator?.hasNext() == false)\n                itemIterator = null\n\n            while (itemIterator == null) {\n                if (!iterator.hasNext()) {\n                    return false\n                } else {\n                    val element = iterator.next()\n                    val nextItemIterator = iterator(transformer(element))\n                }\n                if (nextItemIterator.hasNext()) {\n                    itemIterator = nextItemIterator\n                    return true\n                }\n            }\n            return true\n        }\n    }\n}\n\ninternal fun <T, C, R> flatMapIndexed(source:
Sequence<T>, transform: (Int, T) -> C, iterator: (C) -> Iterator<R>): Sequence<R> =\n    sequence {\n        var
index = 0\n        for (element in source) {\n            val result = transform(checkIndexOverflow(index++), element)\n            yieldAll(iterator(result))\n        }\n    }\n\n/**\n * A sequence that supports drop(n) and take(n) operations\n */\ninternal interface
DropTakeSequence<T> : Sequence<T> {\n    fun drop(n: Int): Sequence<T>\n    fun take(n: Int):
Sequence<T>\n}\n\n/**\n * A sequence that skips [startIndex] values from the underlying [sequence]\n * and stops
returning values right before [endIndex], i.e. stops at `endIndex - 1`\n */\ninternal class SubSequence<T>(\n    private val sequence: Sequence<T>,\n    private val startIndex: Int,\n    private val endIndex: Int\n) : Sequence<T>,\nDropTakeSequence<T> {\n    init {\n        require(startIndex >= 0) { "\"startIndex should be non-negative, but is $startIndex\""}\n        require(endIndex >= 0) { "\"endIndex should be non-negative, but is $endIndex\""}\n        require(endIndex >= startIndex) { "\"endIndex should be not less than startIndex, but was $endIndex < $startIndex\""}\n    }\n\n    private val count: Int get() = endIndex - startIndex\n\n    override fun drop(n: Int): Sequence<T> = if
(n >= count) emptySequence() else SubSequence(sequence, startIndex + n, endIndex)\n\n    override fun take(n: Int):
Sequence<T> = if (n >= count) this else SubSequence(sequence, startIndex, startIndex + n)\n\n    override fun
iterator() = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var position = 0\n\n        //
Shouldn't be called from constructor to avoid premature iteration\n        private fun drop() {\n            while (position
< startIndex && iterator.hasNext()) {\n                iterator.next()\n                position++\n            }\n        }\n\n        override fun hasNext(): Boolean {\n            drop()\n            return (position < endIndex) && iterator.hasNext()\n        }\n\n        override fun next(): T {\n            drop()\n            if (position >= endIndex)\n                throw
NoSuchElementException()\n            position++\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * A sequence that returns at most [count]
values from the underlying [sequence], and stops returning values\n * as soon as that count is reached.\n */\ninternal

```



```

HashSet<K>()\n    override fun computeNext() {\n        while (source.hasNext()) {\n            val next =
source.next()\n            val key = keySelector(next)\n            if (observed.add(key))\n                {\n                    setNext(next)\n                    return\n                }\n            }\n        }\n        done()\n    }\n}\n\nprivate class
GeneratorSequence<T : Any>(private val getInitialValue: () -> T?, private val getNextValue: (T) -> T?) :
Sequence<T> {\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        var nextItem: T? = null\n        var nextState: Int = -2 // -2 for initial unknown, -1 for next unknown, 0 for done, 1 for continue\n        private fun
calcNext() {\n            nextItem = if (nextState == -2) getInitialValue() else getNextValue(nextItem!!)\n            nextState = if (nextItem == null) 0 else 1\n        }\n        override fun next(): T {\n            if (nextState < 0)\n                calcNext()\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val result =
nextItem as T\n            // Do not clean nextItem (to avoid keeping reference on yielded instance) -- need to keep
state for
getNextValue\n            nextState = -1\n            return result\n        }\n        override fun hasNext(): Boolean {\n            if (nextState < 0)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * Returns a
wrapper sequence that provides values of this sequence, but ensures it can be iterated only one time.\n * The
operation is _intermediate_ and _stateless_.  

 * [IllegalStateException] is thrown on iterating the returned
sequence for the second time and the following times.\n *  

 * public fun <T> Sequence<T>.constrainOnce():
Sequence<T> {\n    // as? does not work in js\n    //return this as? ConstrainedOnceSequence<T> ?:\n    ConstrainedOnceSequence(this)\n    return if (this is ConstrainedOnceSequence<T>) this else
ConstrainedOnceSequence(this)\n}\n\n/**\n * Returns a sequence which invokes the function to calculate the next
value on each iteration until the function returns `null`.  

 * The returned sequence is constrained
to be iterated only once.  

 * @see constrainOnce\n * @see kotlin.sequences.sequence\n * @sample
samples.collections.Sequences.Building.generateSequence\n *  

 * public fun <T : Any>
generateSequence(nextFunction: () -> T?): Sequence<T> {\n    return GeneratorSequence(nextFunction, {\n
nextFunction() }).constrainOnce()\n}\n\n/**\n * Returns a sequence defined by the starting value [seed] and the
function [nextFunction],\n * which is invoked to calculate the next value based on the previous one on each
iteration.  

 * The sequence produces values until it encounters first `null` value.  

 * If [seed] is `null`, an empty
sequence is produced.  

 * The sequence can be iterated multiple times, each time starting with [seed].  

 * @see kotlin.sequences.sequence\n * @sample
samples.collections.Sequences.Building.generateSequenceWithSeed\n *  

 * public fun <T : Any> generateSequence(seed: T?,
nextFunction: (T) -> T?): Sequence<T>\n    =\n    if (seed == null)\n        EmptySequence\n    else\n        GeneratorSequence({ seed }, nextFunction)\n}\n\n/**\n * Returns a sequence defined by the function [seedFunction], which is invoked to produce the starting value,\n * and
the [nextFunction], which is invoked to calculate the next value based on the previous one on each iteration.  

 * The sequence produces values until it encounters first `null` value.  

 * If [seedFunction] returns `null`, an empty
sequence is produced.  

 * The sequence can be iterated multiple times.  

 * @see
kotlin.sequences.sequence\n * @sample
samples.collections.Sequences.Building.generateSequenceWithLazySeed\n *  

 * public fun <T : Any>
generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n    GeneratorSequence(seedFunction, nextFunction)\n}\n\n"/>\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n\n*/\n\npackage
kotlin\n\nimport kotlin.contracts.contract\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is false.  

 * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n *  

 * public inline fun require(value: Boolean): Unit {\n    contract {\n        returns() implies value\n    }\n    require(value) {\n        "Failed requirement." }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling
[LazyMessage] if the [value] is false.  

 * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n

```

```

*\/n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n
contract {\n    returns() implies value\n } \n if (!value) {\n    val message = lazyMessage()\n    throw
IllegalArgumentExcepTion(message.toString())\n } \n}\n\n/**\n
* Throws an [IllegalArgumentExcepTion] if the [value] is null. Otherwise returns the not null value.\n
*\/n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?): T {\n    contract {\n
returns() implies (value != null)\n } \n    return requireNotNull(value) { "Required value was null." } \n}\n\n/**\n
* Throws an [IllegalArgumentExcepTion] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n
* returns the not null value.\n * \n * @sample samples.misc.Preconditions.failRequireNotNullWithLazyMessage\n
*\/n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T\n
{\n    contract {\n    returns() implies (value != null)\n } \n\n    if (value == null) {\n    val message =
lazyMessage()\n    throw IllegalArgumentExcepTion(message.toString())\n } else {\n    return value\n
}\n}\n\n/**\n * Throws an [IllegalStateExcepTion] if the [value] is false.\n * \n * \n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n
*\/n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean): Unit {\n    contract {\n    returns()
implies value\n } \n    check(value) { "Check failed." } \n}\n\n/**\n * Throws an [IllegalStateExcepTion] with the result of calling [lazyMessage] if the [value] is false.\n * \n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n
*\/n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n
contract {\n    returns() implies value\n } \n    if (!value) {\n    val message = lazyMessage()\n    throw
IllegalStateExcepTion(message.toString())\n } \n}\n\n/**\n * Throws an [IllegalStateExcepTion] if the [value] is
null. Otherwise\n * returns the not null value.\n * \n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n
*\/n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?): T {\n    contract {\n
returns() implies (value != null)\n } \n    return checkNotNull(value) { "Required value was null." } \n}\n\n/**\n
* Throws an [IllegalStateExcepTion] with the result of calling [lazyMessage] if the [value] is null.
Otherwise\n * returns the not null value.\n * \n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n
*\/n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n
contract {\n    returns() implies (value != null)\n } \n\n    if (value == null) {\n    val message =
lazyMessage()\n    throw IllegalStateExcepTion(message.toString())\n } else {\n    return value\n } \n}\n\n/**\n
* Throws an [IllegalStateExcepTion] with the given [message].\n * \n * @sample samples.misc.Preconditions.failWithError\n
*\/n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw
IllegalStateExcepTion(message.toString())\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *\/n\npackage kotlin.collections\n\n/\n// NOTE: THIS FILE IS
AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport kotlin.js.*\nimport
primitiveArrayConcat\nimport withType\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n
* Returns an element at the given [index] or throws an [IndexOutOfBoundsExcepTion] if the [index] is out of bounds
of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n *\/n\npublic actual fun <T>
Array<out T>.elementAt(index: Int): T {\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsExcepTion("index: $index, size: $size}") } \n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsExcepTion] if the [index] is out of bounds of this array.\n
* \n * @sample samples.collections.Collections.Elements.elementAt\n *\/n\npublic actual fun
ByteArray.elementAt(index: Int): Byte {\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsExcepTion("index: $index, size: $size}") } \n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsExcepTion] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n *\/n\npublic actual fun ShortArray.elementAt(index: Int): Short\n
{\n    return elementAtOrElse(index) { throw IndexOutOfBoundsExcepTion("index: $index, size: $size}") } \n}

```

```

}
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public actual fun IntArray.elementAt(index: Int): Int {
    return elementAtOrElse(index) { throw
        IndexOutOfBoundsException("index: $index, size: $size") }
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of
bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public actual fun LongArray.elementAt(index: Int): Long {
    return elementAtOrElse(index) { throw
        IndexOutOfBoundsException("index: $index, size: $size") }
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public actual fun FloatArray.elementAt(index: Int): Float {
    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public actual fun DoubleArray.elementAt(index:
    Int): Double {
    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size:
        $size") }
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the
[index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public actual fun BooleanArray.elementAt(index: Int): Boolean {
    return elementAtOrElse(index) { throw
        IndexOutOfBoundsException("index: $index, size: $size") }
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public actual fun CharArray.elementAt(index: Int): Char {
    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }
}

Returns a [List] that wraps the original array.
public actual fun <T> Array<out T>.asList():
    List<T> {
    return ArrayList<T>(this.unsafeCast<Array<Any?>>())
}

Returns a [List] that wraps the
original array.
@kotlin.internal.InlineOnly
public actual inline fun ByteArray.asList(): List<Byte> {
    return this.unsafeCast<Array<Byte>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun ShortArray.asList(): List<Short> {
    return this.unsafeCast<Array<Short>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun IntArray.asList(): List<Int> {
    return this.unsafeCast<Array<Int>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun LongArray.asList(): List<Long> {
    return this.unsafeCast<Array<Long>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public
    actual inline fun FloatArray.asList(): List<Float> {
    return this.unsafeCast<Array<Float>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun
    DoubleArray.asList(): List<Double> {
    return this.unsafeCast<Array<Double>>().asList()
}

Returns
a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun
    BooleanArray.asList(): List<Boolean> {
    return this.unsafeCast<Array<Boolean>>().asList()
}

Returns a [List] that wraps the original array.
public actual fun CharArray.asList(): List<Char> {
    return
        object : AbstractList<Char>(), RandomAccess {
        override val size: Int get() = this@asList.size
        override
            fun isEmpty(): Boolean = this@asList.isEmpty()
        override fun contains(element: Char): Boolean =
            this@asList.contains(element)
        override fun get(index: Int): Char {
            AbstractList.checkElementIndex(index,
                size)
            return this@asList[index]
        }
        override fun indexOf(element: Char): Int {
            @Suppress("USELESS_CAST")
            if ((element as Any?) !is Char) return -1
            return
                this@asList.indexOf(element)
        }
        override fun lastIndexOf(element: Char): Int {
            @Suppress("USELESS_CAST")
            if ((element as Any?) !is Char) return -1
            return
                this@asList.lastIndexOf(element)
        }
    }
}

Returns `true` if the two specified arrays are *deeply*

```

equal to one another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * If two corresponding elements are nested arrays, they are also compared deeply. \n * If any of arrays contains itself on any nesting level the behavior is undefined. \n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function. \n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`. \n

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual infix fun <T>  
Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n    return  
this.contentDeepEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one  
another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * The specified arrays are  
also considered deeply equal if both are `null`. \n * \n * If two corresponding elements are nested arrays, they are  
also compared deeply. \n * If any of arrays contains itself on any nesting level the behavior is undefined. \n * \n * The  
elements of other types are compared for equality with the [equals][Any.equals] function. \n * For floating point  
numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`. \n
```

```
*\n@SinceKotlin("1.4")\n@library("arrayDeepEquals")\npublic actual infix fun <T> Array<out  
T>?.contentDeepEquals(other:  
Array<out T>?): Boolean {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this  
array as if it is [List]. \n * Nested arrays are treated as lists too. \n * \n * If any of arrays contains itself on any nesting  
level the behavior is undefined. \n
```

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out  
T>.contentDeepHashCode(): Int {\n    return this.contentDeepHashCode()\n}\n\n/**\n * Returns a hash code based  
on the contents of this array as if it is [List]. \n * Nested arrays are treated as lists too. \n * \n * If any of arrays  
contains itself on any nesting level the behavior is undefined. \n
```

```
*\n@SinceKotlin("1.4")\n@library("arrayDeepHashCode")\npublic actual fun <T> Array<out  
T>?.contentDeepHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the  
contents of this array as if it is a [List]. \n * Nested arrays are treated as lists too. \n * \n * \n *  
* If any of arrays contains itself on any nesting level that reference \n * is rendered as `"[...]"` to prevent  
recursion. \n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n
```

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out  
T>.contentDeepToString(): String {\n    return this.contentDeepToString()\n}\n\n/**\n * Returns a string  
representation of the contents of this array as if it is a [List]. \n * Nested arrays are treated as lists too. \n * \n * \n * If any  
of arrays contains itself on any nesting level that reference \n * is rendered as `"[...]"` to prevent recursion. \n * \n * \n *  
@sample samples.collections.Arrays.ContentOperations.contentDeepToString\n
```

```
*\n@SinceKotlin("1.4")\n@library("arrayDeepToString")\npublic actual fun <T> Array<out  
T>?.contentDeepToString(): String {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays  
are *structurally* equal to one another, \n *  
* i.e. contain the same number of the same elements in the same order. \n * \n * The elements are compared for  
equality with the [equals][Any.equals] function. \n * For floating point numbers it means that `NaN` is equal to itself  
and `-0.0` is not equal to `0.0`. \n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation  
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun <T>  
Array<out T>.contentEquals(other: Array<out T>): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one  
another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * The elements are compared for  
equality with the [equals][Any.equals] function. \n * For floating point numbers it means that `NaN` is equal to itself  
and `-0.0` is not equal to `0.0`. \n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation  
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince  
= "1.4")\npublic actual infix fun ByteArray.contentEquals(other: ByteArray): Boolean {\n    return  
this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one  
another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * The elements are
```

compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun ShortArray.contentEquals(other: ShortArray): Boolean {\n return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun IntArray.contentEquals(other: IntArray): Boolean {\n return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun LongArray.contentEquals(other: LongArray): Boolean {\n return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun FloatArray.contentEquals(other: FloatArray): Boolean {\n return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean {\n return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {\n return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun <T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */

```

*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun ByteArray?.contentEquals(other:
ByteArray?): Boolean {\n  definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
* The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic
actual infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean {\n  definedExternally\n}\n\n/**\n *
Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of
the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun IntArray?.contentEquals(other:
IntArray?): Boolean {\n  definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
* The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN` is equal to itself and `-0.0` is not equal
to `0.0`.\n *\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun
LongArray?.contentEquals(other: LongArray?): Boolean {\n  definedExternally\n}\n\n/**\n * Returns `true` if the
two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements
in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For
floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun FloatArray?.contentEquals(other:
FloatArray?): Boolean {\n  definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
* The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN`
is equal to itself and `-0.0` is not equal to `0.0`.\n *\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic
actual infix fun DoubleArray?.contentEquals(other: DoubleArray?): Boolean {\n  definedExternally\n}\n\n/**\n *
Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of
the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun BooleanArray?.contentEquals(other:
BooleanArray?): Boolean {\n  definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
* The elements are compared for equality with the [equals][Any.equals] function.\n
* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun CharArray?.contentEquals(other:
CharArray?): Boolean {\n  definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array
as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun <T>
Array<out T>.contentHashCode(): Int {\n  return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based
on the contents of this array as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
ByteArray.contentHashCode(): Int {\n  return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on
the contents of this array as
if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
ShortArray.contentHashCode(): Int {\n  return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation

```

```

warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
IntArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
LongArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n */\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
FloatArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
DoubleArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based
on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
BooleanArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based
on the contents of this array as if it is [List].\n */\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
CharArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual
fun <T> Array<out T>?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual
fun ByteArray?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun
ShortArray?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic
actual fun IntArray?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual
fun LongArray?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun
FloatArray?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun
DoubleArray?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun
BooleanArray?.contentHashCode(): Int
{\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*/\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun CharArray?.contentHashCode(): Int
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n */\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun <T>
Array<out T>.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n */\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince
= "1.4")\npublic actual fun ByteArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n *
Returns a string representation of the contents of the specified array as if it is [List].\n */\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to

```

```

avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun ShortArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun IntArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the
contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun LongArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun FloatArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
DoubleArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun BooleanArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun CharArray.contentToString():
String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string representation of the
specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun <T> Array<out T>?.contentToString():
String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun ByteArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun ShortArray?.contentToString():
String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun IntArray?.contentToString(): String {\n
definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun LongArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun FloatArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n

```

```

* Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun DoubleArray?.contentToString(): String
{\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun BooleanArray?.contentToString():
String {\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun CharArray?.contentToString(): String
{\n  definedExternally\n}\n\n/**\n * Copies this array or
its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the
[destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param
destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by
default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param
endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange
doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the
[destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic
actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0,
endIndex: Int = size): Array<T> {\n  arrayCopy(this, destination, destinationOffset, startIndex, endIndex)\n
return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n
*\n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with
the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in
the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to
copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n
*\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]
or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws
IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the
[destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): ByteArray {\n  arrayCopy(this.unsafeCast<Array<Byte>>(),
destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n  return destination\n}\n\n/**\n
* Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the
same array in the [destination] and even specify the subrange so that it overlaps with the destination
range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n
*\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int =

```

```

0, startIndex: Int =
0, endIndex: Int = size): ShortArray {
    arrayCopy(this.unsafeCast<Array<Short>>(),
destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n
* Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the
same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n *
@param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to
copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n *
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange
doesn't
fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the
[destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): IntArray {
    arrayCopy(this.unsafeCast<Array<Int>>(),
destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n
* Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the
same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n *
@param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to
copy to, 0 by default.\n
* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end
(exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
*\n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): LongArray {
    arrayCopy(this.unsafeCast<Array<Long>>(),
destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex,
endIndex)\n    return destination\n}\n\n/**\n
* Copies this array or its subrange into the [destination] array and
returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so
that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param
destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the
beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the
subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
*\n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): FloatArray {
    arrayCopy(this.unsafeCast<Array<Float>>(),
destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n
* Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the
same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n *
@param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to

```

copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray {\n    arrayCopy(this.unsafeCast<Array<Double>>(), destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n *\n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n *\n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n *\n * @return the [destination] array.\n
```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n    arrayCopy(this.unsafeCast<Array<Boolean>>(), destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n *\n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n *\n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n *\n * @return the [destination] array.\n
```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n    arrayCopy(this.unsafeCast<Array<Char>>(), destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n *\n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n *\n * @Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n *\n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
```

```

*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun ByteArray.copyOf(): ByteArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n *\n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n *\n * @Suppress("NOTHING_TO_INLINE")\npublic actual inline fun ShortArray.copyOf(): ShortArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new

```

```

array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n * \n * @Suppress(\\"NOTHING_TO_INLINE\\")\npublic
actual inline fun IntArray.copyOfOf(): IntArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
* \n * @Suppress(\\"NOTHING_TO_INLINE\\")\npublic actual inline fun LongArray.copyOfOf(): LongArray {\n    return withType(\\"LongArray\\",
this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n * \n * @Suppress(\\"NOTHING_TO_INLINE\\")\npublic
actual inline fun FloatArray.copyOfOf(): FloatArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new
array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n * \n * @Suppress(\\"NOTHING_TO_INLINE\\")\npublic
actual inline fun DoubleArray.copyOfOf(): DoubleArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns
new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n * \n * @Suppress(\\"NOTHING_TO_INLINE\\")\npublic actual fun BooleanArray.copyOfOf():
BooleanArray {\n    return withType(\\"BooleanArray\\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array
which is a copy
of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n * \n * @Suppress(\\"NOTHING_TO_INLINE\\")\npublic actual
fun CharArray.copyOfOf(): CharArray {\n    return withType(\\"CharArray\\", this.asDynamic().slice())\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n * @Suppress(\\"NOTHING_TO_INLINE\\")\npublic actual fun
ByteArray.copyOfOf(newSize: Int): ByteArray {\n    require(newSize >= 0) { \\"Invalid new array size: $newSize.\\"}\n    return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original
array, resized to the
given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If
[newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize]
is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n *
@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n * @Suppress(\\"NOTHING_TO_INLINE\\")\npublic actual fun
ShortArray.copyOfOf(newSize: Int): ShortArray {\n    require(newSize >= 0) { \\"Invalid new array size: $newSize.\\"}\n    return fillFrom(this, ShortArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if
necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra
elements in the copy array are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n * @Suppress(\\"NOTHING_TO_INLINE\\")\npublic actual fun
IntArray.copyOfOf(newSize: Int): IntArray {\n    require(newSize >= 0) { \\"Invalid new array size: $newSize.\\"}\n    return fillFrom(this, IntArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array,
resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n
* \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If
[newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero
values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n * @Suppress(\\"NOTHING_TO_INLINE\\")\npublic actual
fun LongArray.copyOfOf(newSize: Int): LongArray {\n    require(newSize >= 0) { \\"Invalid new array size:
$newSize.\\"}\n    return withType(\\"LongArray\\",
arrayCopyResize(this, newSize, 0L))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized
to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * -
If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize]
is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n *

```

```

@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun
FloatArray.copyOf(newSize: Int): FloatArray {\n  require(newSize >= 0) { \"Invalid new array size: $newSize.\"
}\n  return fillFrom(this, FloatArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if
necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun
DoubleArray.copyOf(newSize: Int): DoubleArray {\n  require(newSize >= 0) { \"Invalid new array size:
$newSize.\" }\n  return fillFrom(this, DoubleArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of
the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false`
values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with `false` values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic
actual fun BooleanArray.copyOf(newSize: Int): BooleanArray {\n  require(newSize >= 0) { \"Invalid new array
size: $newSize.\" }\n  return withType(\"BooleanArray\", arrayCopyResize(this, newSize, false))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with null char (`\u0000`) values if necessary.\n * \n * - If [newSize] is less than the
size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of
the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun
CharArray.copyOf(newSize: Int): CharArray {\n  require(newSize >= 0) { \"Invalid new array size: $newSize.\"
}\n  return withType(\"CharArray\", fillFrom(this, CharArray(newSize)))\n}\n\n/**\n * Returns
new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or
padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the
copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra
elements in the copy array are filled with `null` values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n
*\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int):
Array<T?> {\n  require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n  return arrayCopyResize(this,
newSize, null)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n
*\n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive)
to copy.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out
T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n  AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n  return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a
copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to
copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\npublic actual fun
ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n
return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n *
@param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if

```

[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
 IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun
 ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {\n
 AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex,
 toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
 @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
 copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
 or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
 than [toIndex].\n */\npublic actual fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n
 AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex,
 toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
 @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
 copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
 size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic
 actual fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {\n
 AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType("LongArray",
 this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the
 start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n *
 @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
 array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun
 FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {\n
 AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex,
 toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
 @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
 copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
 size of this array.\n *
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun
 DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {\n
 AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex,
 toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
 @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
 copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
 size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic
 actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n
 AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType("BooleanArray",
 this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which
 is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to
 copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException
 if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
 IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun
 CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n
 AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType("CharArray",
 this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified
 [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param
 toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
 IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size

```

of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun ByteArray.fill(element: Byte, fromIndex:
Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n
this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param
toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param
toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater

```

than [toIndex].\n

```
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n
 * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the
range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n
 * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to
fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or
[toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n
 * Returns an array containing all elements of the original array and then the given [element].\n
*\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline operator
fun <T> Array<out T>.plus(element: T): Array<T> {\n  return
this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n
 * Returns an array containing all elements of the original
array and then the given [element].\n *\n@Suppress("NOTHING_TO_INLINE")\npublic
actual inline operator fun ByteArray.plus(element: Byte): ByteArray {\n  return
plus(byteArrayOf(element))\n}\n\n/**\n
 * Returns an array containing all elements of the original array and then the
given [element].\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun
ShortArray.plus(element: Short): ShortArray {\n  return plus(shortArrayOf(element))\n}\n\n/**\n
 * Returns an
array containing all elements of the original array and then the given [element].\n
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun IntArray.plus(element: Int):
IntArray {\n  return plus(intArrayOf(element))\n}\n\n/**\n
 * Returns an array containing all elements of the
original array and then the given [element].\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline
operator fun LongArray.plus(element: Long): LongArray {\n  return plus(longArrayOf(element))\n}\n\n/**\n
 * Returns an array containing all elements of the original array and then the given
[element].\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun
FloatArray.plus(element: Float): FloatArray {\n  return plus(floatArrayOf(element))\n}\n\n/**\n
 * Returns an array
containing all elements of the original array and then the given [element].\n
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(element:
Double): DoubleArray {\n  return plus(doubleArrayOf(element))\n}\n\n/**\n
 * Returns an array containing all
elements of the original array and then the given [element].\n *\n@Suppress("NOTHING_TO_INLINE")\npublic
actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n  return
plus(booleanArrayOf(element))\n}\n\n/**\n
 * Returns an array containing all elements of the original array and then
the given [element].\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun
CharArray.plus(element: Char): CharArray {\n  return plus(charArrayOf(element))\n}\n\n/**\n
 * Returns
an array containing all elements of the original array and then all elements of the given [elements] collection.\n
*\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual operator fun <T> Array<out T>.plus(elements:
```

Collection<T>): Array<T> {\n return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {\n return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {\n return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun CharArray.plus(elements: Collection<Char>): CharArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>): Array<T> {\n return this.asDynamic().concat(elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ByteArray.plus(elements: ByteArray): ByteArray {\n return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ShortArray.plus(elements: ShortArray): ShortArray {\n return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun IntArray.plus(elements: IntArray): IntArray {\n return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun LongArray.plus(elements: LongArray): LongArray {\n return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun FloatArray.plus(elements: FloatArray): FloatArray {\n return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray {\n return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray {\n return primitiveArrayConcat(this,

```

elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the
given [elements] array.\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun
CharArray.plus(elements: CharArray): CharArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n
*/\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline fun <T>
Array<out T>.plusElement(element: T): Array<T> {\n    return
this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Sorts the array in-place.\n */\n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\n@library("primitiveArraySort")\npublic actual fun
IntArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\npublic actual fun
LongArray.sort(): Unit {\n    @Suppress("DEPRECATION")\n    if (size > 1) sort { a: Long, b: Long ->
a.compareTo(b) }\n}\n\n/**\n * Sorts the array in-place.\n */\n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\n@library("primitiveArraySort")\npublic actual fun
ByteArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\n@library("primitiveArraySort")\npublic actual fun
ShortArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\n@library("primitiveArraySort")\npublic actual fun
DoubleArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\n@library("primitiveArraySort")\npublic
actual fun FloatArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\n@library("primitiveArraySort")\npublic actual fun
CharArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order
of its elements.\n */\n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic actual fun
<T : Comparable<T>> Array<out T>.sort(): Unit {\n    if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-
place according to the order specified by the given [comparison] function.\n */\n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic actual fun
<T : Comparable<T>> Array<out T>.sort(comparison: (a: T, b: T) -> Int): Unit {\n    if (size > 1)
sortArrayWith(this, comparison)\n}\n\n/**\n * Sorts a range in the array in-place.\n */\n * @param fromIndex the
start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size
of this array by default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n */\n * @sample samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable\n
*/\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size):
Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArrayWith(this, fromIndex, toIndex,
naturalOrder())\n}\n\n/**\n * Sorts a range in the array in-place.\n */\n * @param fromIndex the start of the range
(inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by
default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*/\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ByteArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts a
range

```



```

samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<CharArray>\n    subarray.sort()\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n
*\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.sort(noinline comparison: (a: Byte, b: Byte) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n
*\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince
= "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int):
Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by
the given [comparison] function.\n *\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sort(noinline comparison: (a: Long, b: Long) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the
order specified by the given [comparison] function.\n *\n@Deprecated("Use other sorting functions from the
Standard Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline
fun DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparator].\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n *\npublic actual fun <T> Array<out T>.sortWith(comparator:
Comparator<in T>): Unit {\n    if (size > 1) sortArrayWith(this, comparator)\n}\n\n/**\n * Sorts a range in the array
in-place with the given [comparator].\n *\n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n *\n * @param fromIndex the start of the range (inclusive) to sort, 0 by
default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size):
Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArrayWith(this, fromIndex, toIndex,
comparator)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
*\npublic actual fun
ByteArray.toTypedArray(): Array<Byte> {\n    return js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed*

```

```

object array containing all of the elements of this primitive array.\n */\npublic actual fun
ShortArray.toArray(): Array<Short> {\n    return js("[\"]).slice.call(this)\n}\n\n/**\n * Returns a *typed*
object array containing all of the elements of this primitive array.\n */\npublic actual fun IntArray.toArray():
Array<Int> {\n    return js("[\"]).slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the
elements of this primitive array.\n */\npublic actual fun LongArray.toArray(): Array<Long> {\n    return
js("[\"]).slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n */\npublic actual fun FloatArray.toArray(): Array<Float> {\n    return
js("[\"]).slice.call(this)\n}\n\n/**\n
 * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun
DoubleArray.toArray(): Array<Double> {\n    return js("[\"]).slice.call(this)\n}\n\n/**\n * Returns a *typed*
object array containing all of the elements of this primitive array.\n */\npublic actual fun
BooleanArray.toArray(): Array<Boolean> {\n    return js("[\"]).slice.call(this)\n}\n\n/**\n * Returns a
*typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun
CharArray.toArray(): Array<Char> {\n    return Array(size) { index -> this[index] }\n}\n\n"/\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n@file:kotlin.jvm.JvmName("\u0027ComparisonsKt\u0027")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.comparisons\n\n/**\n * Compares
two values using the specified functions [selectors] to calculate the result of the comparison.\n * The functions are
called sequentially, receive the given values [a] and [b] and return [Comparable]\n * objects. As soon as the
[Comparable] instances returned by a function for [a] and [b] values do not\n * compare as equal, the result of that
comparison is returned.\n * \n * @sample samples.comparisons.Comparisons.compareValuesByWithSelectors\n
*/\npublic fun <T> compareValuesBy(a: T, b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n
    require(selectors.size > 0)\n    return compareValuesByImpl(a, b, selectors)\n}\n\nprivate fun <T>
compareValuesByImpl(a: T, b: T, selectors: Array<out (T) -> Comparable<*>?): Int {\n    for (fn in selectors) {\n
        val v1 = fn(a)\n        val v2 = fn(b)\n        val diff = compareValues(v1, v2)\n        if (diff != 0) return diff\n    }\n
    return 0\n}\n\n/**\n * Compares two values using the specified [selector] function to calculate the
result of the comparison.\n * The function is applied to the given values [a] and [b] and return [Comparable]
objects.\n * The result of comparison of these [Comparable] instances is returned.\n * \n * @sample
samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) -> Comparable<*>?): Int {\n    return
compareValues(selector(a), selector(b))\n}\n\n/**\n * Compares two values using the specified [selector] function to
calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return objects
of type K which are then being\n * compared with the given [comparator].\n * \n * @sample
samples.comparisons.Comparisons.compareValuesByWithComparator\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in K>, selector: (T) -> K): Int {\n    return
comparator.compare(selector(a), selector(b))\n}\n\n///
Not so useful without type inference for receiver of expression\n/// compareValuesWith(v1, v2, compareBy {
it.prop1 } thenByDescending { it.prop2 })\n\n/**\n * Compares two values using the specified [comparator].\n//
*/\n@Suppress("\u0027NOTHING_TO_INLINE\u0027")\npublic inline fun <T> compareValuesWith(a: T, b: T, comparator:
Comparator<T>): Int = comparator.compare(a, b)\n\n/**\n * Compares two nullable [Comparable] values. Null
is considered less than any value.\n * \n * @sample samples.comparisons.Comparisons.compareValues\n
*/\npublic fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {\n    if (a === b) return 0\n    if (a == null) return -1\n
    if (b == null) return 1\n    @Suppress("\u0027UNCHECKED_CAST\u0027")\n    return (a as
Comparable<Any>).compareTo(b)\n}\n\n/**\n * Creates a comparator using the sequence of functions to calculate a
result of comparison.\n * The functions are called sequentially, receive the given values `a` and `b` and return
[Comparable]\n

```

* objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do not compare as equal, the result of that comparison is returned from the [Comparator].

```

samples.comparisons.Comparisons.compareByWithSelectors
public fun <T> compareBy(vararg selectors: (T) -> Comparable<*>?): Comparator<T> {
    require(selectors.size > 0)
    return Comparator { a, b ->
        compareValuesByImpl(a, b, selectors) }
}

```

* Creates a comparator using the function to transform value to a [Comparable] instance for comparison.

```

samples.comparisons.Comparisons.compareByWithSingleSelector
@kotlin.internal.InlineOnly
public inline fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =
    Comparator { a, b ->
        compareValuesBy(a, b, selector) }
}

```

* Creates a comparator using the [selector] function to transform values being compared and then applying the specified [comparator] to compare transformed values.

```

samples.comparisons.Comparisons.compareByWithComparator
@kotlin.internal.InlineOnly
public inline fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =
    Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }
}

```

* Creates a descending comparator using the function to transform value to a [Comparable] instance for comparison.

```

samples.comparisons.Comparisons.compareByDescendingWithSingleSelector
@kotlin.internal.InlineOnly
public inline fun <T> compareByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =
    Comparator { a, b -> compareValuesBy(b, a, selector) }
}

```

* Creates a descending comparator using the [selector] function to transform values being compared and then applying the specified [comparator] to compare transformed values. Note that an order of [comparator] is reversed by this wrapper.

```

samples.comparisons.Comparisons.compareByDescendingWithComparator
@kotlin.internal.InlineOnly
public inline fun <T, K> compareByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =
    Comparator { a, b -> compareValuesBy(b, a, comparator, selector) }
}

```

* Creates a comparator comparing values after the primary comparator defined them equal. It uses the function to transform value to a [Comparable] instance for comparison.

```

samples.comparisons.Comparisons.thenBy
@kotlin.internal.InlineOnly
public inline fun <T> Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =
    Comparator { a, b ->
        val previousCompare = this@thenBy.compare(a, b)
        if (previousCompare != 0) previousCompare else
        compareValuesBy(a, b, selector) }
}

```

* Creates a comparator comparing values after the primary comparator defined them equal. It uses the [selector] function to transform values and then compares them with the given [comparator].

```

samples.comparisons.Comparisons.thenByWithComparator
@kotlin.internal.InlineOnly
public inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =
    Comparator { a, b ->
        val previousCompare = this@thenBy.compare(a, b)
        if (previousCompare != 0)
            previousCompare else compareValuesBy(a, b, comparator, selector) }
}

```

* Creates a descending comparator using the primary comparator and the function to transform value to a [Comparable] instance for comparison.

```

samples.comparisons.Comparisons.thenByDescending
@kotlin.internal.InlineOnly
public inline fun <T> Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =
    Comparator { a, b ->
        val previousCompare =
            this@thenByDescending.compare(a, b)
        if (previousCompare != 0) previousCompare else
        compareValuesBy(b,
            a, selector) }
}

```

* Creates a descending comparator comparing values after the primary comparator defined them equal. It uses the [selector] function to transform values and then compares them with the given [comparator].

```

samples.comparisons.Comparisons.thenByDescendingWithComparator
@kotlin.internal.InlineOnly
public inline fun <T, K> Comparator<T>.thenByDescending(comparator:
    Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =
    Comparator { a, b ->
        val
            previousCompare = this@thenByDescending.compare(a, b)
        if (previousCompare != 0) previousCompare else
        compareValuesBy(b, a, comparator, selector) }
}

```

* Creates a comparator using the primary comparator

```

and function to calculate a result of comparison.\n *\n * @sample
samples.comparisons.Comparisons.thenComparator\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int):
Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenComparator.compare(a, b)\n
    if (previousCompare != 0) previousCompare else comparison(a, b)\n    }\n\n/**\n * Combines this comparator and
the given [comparison] such that the latter is applied only\n * when the former considered values equal.\n *\n *
@sample samples.comparisons.Comparisons.then\n *\npublic infix fun <T> Comparator<T>.then(comparator:
Comparator<in T>): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare =
this@then.compare(a, b)\n        if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n
    }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the
former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.thenDescending\n *\npublic
infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n
Comparator<T> { a, b ->\n
    val previousCompare = this@thenDescending.compare(a, b)\n        if (previousCompare != 0) previousCompare
else comparator.compare(b, a)\n    }\n\n// Not so useful without type inference for receiver of expression\n\n/**\n *
Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null`
value less than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> -1\n            b == null -> 1\n            else -> comparator.compare(a, b)\n        }\n
    }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other
value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsFirst():
Comparator<T?> = nullsFirst(naturalOrder())\n\n/**\n * Extends the given [comparator] of non-nullable values to a
comparator of nullable values\n * considering `null` value greater than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> 1\n            b == null -> -1\n            else -> comparator.compare(a, b)\n        }\n
    }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any
other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> =
nullsLast(naturalOrder())\n\n/**\n * Returns a comparator that compares [Comparable] objects in natural order.\n *\n
*\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n
*\npublic fun <T : Comparable<T>> naturalOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")
(NaturalOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that compares [Comparable] objects
in reversed natural order.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n
*\npublic fun <T : Comparable<T>> reverseOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")
(ReverseOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that imposes the reverse ordering
of this comparator.\n *\n * @sample samples.comparisons.Comparisons.reversed\n
*\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")\npublic fun <T> Comparator<T>.reversed():
Comparator<T> = when (this) {\n    is ReversedComparator -> this.comparator\n    NaturalOrderComparator ->
@Suppress("UNCHECKED_CAST") (ReverseOrderComparator as Comparator<T>)\n
    ReverseOrderComparator -> @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as
    Comparator<T>)\n
    else -> ReversedComparator(this)\n}\n\nprivate class ReversedComparator<T>(public val comparator:
Comparator<T>) : Comparator<T> {\n    override fun compare(a: T, b: T): Int = comparator.compare(b, a)\n
    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<T> = comparator\n}\n\nprivate
object NaturalOrderComparator : Comparator<Comparable<Any>> {\n    override fun compare(a:

```

```

Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n
@Suppress(\\"VIRTUAL_MEMBER_HIDDEN\\")\n fun reversed(): Comparator<Comparable<Any>> =
ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n
override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n
@Suppress(\\"VIRTUAL_MEMBER_HIDDEN\\")\n fun reversed(): Comparator<Comparable<Any>> =
NaturalOrderComparator\n}\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\\"StandardKt\\")\npackage kotlin\n\nimport
kotlin.contracts.*\n\n/**\n * An exception is thrown to indicate that a method body remains to be implemented.\n
*\n\npublic class NotImplementedError(message: String = \\"An operation is not implemented.\") :
Error(message)\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n *
Always throws [NotImplementedError] stating that operation is not implemented.\n * \n * @param reason a string
explaining why the implementation is missing.\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason:
String): Nothing = throw NotImplementedError(\\"An operation is not implemented: $reason\\")\n\n\n/**\n * Calls
the specified function [block] and returns its result.\n
*\n * For detailed usage information see the documentation for [scope
functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R): R {\n contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block()\n}\n\n/**\n * Calls the specified
function [block] with `this` value as its receiver and returns its result.\n * \n * For detailed usage information see the
documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block()\n}\n\n/**\n * Calls the specified
function [block] with the given [receiver] as its receiver and returns its result.\n * \n * For detailed usage information
see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#with).\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return receiver.block()\n}\n\n/**\n * Calls the
specified function [block] with `this` value as its receiver and returns `this` value.\n * \n * For detailed usage
information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-
functions.html#apply).\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n
contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n block()\n return
this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\n * \n
*\n * For detailed usage information see the documentation for [scope
functions](https://kotlinlang.org/docs/reference/scope-functions.html#also).\n
*\n\n@kotlin.internal.InlineOnly\n@SinceKotlin(\\"1.1\\")\npublic
inline fun <T> T.also(block: (T) -> Unit): T {\n contract {\n callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n }\n block(this)\n return this\n}\n\n/**\n * Calls the specified function
[block] with `this` value as its argument and returns its result.\n * \n * For detailed usage information see the
documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#let).\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.let(block: (T) -> R): R {\n contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block(this)\n}\n\n/**\n * Returns `this`
value if it satisfies the given [predicate] or `null`, if it doesn't.\n * \n * For detailed usage information see the
documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-
takeunless).\n * \n\n@kotlin.internal.InlineOnly\n@SinceKotlin(\\"1.1\\")\npublic inline fun
<T> T.takeIf(predicate: (T) -> Boolean): T? {\n contract {\n callsInPlace(predicate,
InvocationKind.EXACTLY_ONCE)\n }\n return if (predicate(this)) this else null\n}\n\n\n/**\n * Returns `this`

```

value if it `_does not_` satisfy the given [predicate] or ``null``, if it does.

```

    * For detailed usage information see the
    documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-
    takeunless).
    * @kotlin.internal.InlineOnly
    * @SinceKotlin("1.1")
    * public inline fun <T>
    T.takeUnless(predicate: (T) -> Boolean): T? {
    contract {
    callsInPlace(predicate,
    InvocationKind.EXACTLY_ONCE)
    }
    return if (!predicate(this)) this else null
    }
    * Executes the
    given function [action] specified number of [times].
    * A zero-based index of current iteration is passed as a
    parameter to [action].
    * @sample samples.misc.ControlFlow.repeat
    * @kotlin.internal.InlineOnly
    * public
    inline fun repeat(times: Int, action:
    (Int) -> Unit) {
    contract {
    callsInPlace(action)
    }
    for (index in 0 until times) {
    action(index)
    }
    }
    * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
    * Use of
    this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
    * @npackage kotlin.comparisons
    * @n/n/
    * NOTE: THIS FILE IS AUTO-GENERATED by the
    GenerateStandardLib.kt
    * See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
    * @nimport
    kotlin.js.
    * Returns the greater of two values.
    * If values are equal, returns the first one.
    * @SinceKotlin("1.1")
    * public actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {
    return if (a >= b) a
    else b
    }
    * Returns the greater of two values.
    * @SinceKotlin("1.1")
    * @kotlin.internal.InlineOnly
    * public actual inline fun maxOf(a: Byte, b: Byte): Byte {
    return maxOf(a.toInt(), b.toInt()).unsafeCast<Byte>()
    }
    * Returns the greater of two values.
    * @SinceKotlin("1.1")
    * @kotlin.internal.InlineOnly
    * public actual inline
    fun maxOf(a: Short, b: Short): Short {
    return maxOf(a.toInt(), b.toInt()).unsafeCast<Short>()
    }
    * Returns the greater of two values.
    * @SinceKotlin("1.1")
    * @kotlin.internal.InlineOnly
    * public actual inline
    fun maxOf(a: Int, b: Int): Int {
    return JsMath.max(a, b)
    }
    * Returns the greater of two values.
    * @SinceKotlin("1.1")
    * @Suppress("NOTHING_TO_INLINE")
    * public actual inline fun maxOf(a: Long, b:
    Long): Long {
    return if (a >= b) a else b
    }
    * Returns the greater of two values.
    * If either value
    is `NaN`, returns `NaN`.
    * @SinceKotlin("1.1")
    * @kotlin.internal.InlineOnly
    * public actual inline fun
    maxOf(a: Float, b: Float): Float {
    return JsMath.max(a, b)
    }
    * Returns the greater of two values.
    * If either value is `NaN`, returns `NaN`.
    * @SinceKotlin("1.1")
    * @kotlin.internal.InlineOnly
    * public
    actual inline fun maxOf(a: Double, b: Double): Double {
    return JsMath.max(a, b)
    }
    * Returns the
    greater of three values.
    * If there are multiple equal maximal values, returns the first of them.
    * @SinceKotlin("1.1")
    * public actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {
    return
    maxOf(a, maxOf(b, c))
    }
    * Returns the greater of three values.
    * @SinceKotlin("1.1")
    * @kotlin.internal.InlineOnly
    * public actual inline fun maxOf(a: Byte, b: Byte, c: Byte):
    Byte {
    return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()
    }
    * Returns the greater of
    three values.
    * @SinceKotlin("1.1")
    * @kotlin.internal.InlineOnly
    * public actual inline fun maxOf(a: Short, b:
    Short, c: Short): Short {
    return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()
    }
    * Returns the greater of three values.
    * @SinceKotlin("1.1")
    * @kotlin.internal.InlineOnly
    * public actual
    inline fun maxOf(a: Int, b: Int, c: Int): Int {
    return JsMath.max(a, b, c)
    }
    * Returns the greater of three
    values.
    * @SinceKotlin("1.1")
    * @kotlin.internal.InlineOnly
    * public actual inline fun maxOf(a: Long, b: Long,
    c: Long): Long {
    return maxOf(a, maxOf(b, c))
    }
    * Returns the greater of three values.
    * If any
    value is `NaN`, returns `NaN`.
    * @SinceKotlin("1.1")
    * @kotlin.internal.InlineOnly
    * public actual inline fun
    maxOf(a: Float, b: Float, c: Float): Float {
    return JsMath.max(a, b, c)
    }
    * Returns the greater of three
    values.
    * If any value is `NaN`, returns `NaN`.
    * @SinceKotlin("1.1")
    * @kotlin.internal.InlineOnly
    * public actual inline fun maxOf(a: Double, b: Double, c:
    Double): Double {
    return JsMath.max(a, b, c)
    }
    * Returns the greater of the given values.
    * If
    there are multiple equal maximal values, returns the first of them.
    * @SinceKotlin("1.4")
    * public actual fun <T
    : Comparable<T>>
    maxOf(a: T, vararg other: T): T {
    var max = a
    for (e in other) max = maxOf(max, e)
    return
    max
    }
    * Returns the greater of the given values.
    * @SinceKotlin("1.4")
    * public actual fun maxOf(a:

```

```

Byte, vararg other: Byte): Byte {
    var max = a
    for (e in other) max = maxOf(max, e)
    return max
}

Returns the greater of the given values.

@SinceKotlin("1.4")
public actual fun maxOf(a: Short, vararg other: Short): Short {
    var max = a
    for (e in other) max = maxOf(max, e)
    return max
}

Returns the greater of the given values.

@SinceKotlin("1.4")
public actual fun maxOf(a: Int, vararg other: Int): Int {
    var max = a
    for (e in other) max = maxOf(max, e)
    return max
}

Returns the greater of the given values.

@SinceKotlin("1.4")
public actual fun maxOf(a: Long, vararg other: Long): Long {
    var max = a
    for (e in other) max = maxOf(max, e)
    return max
}

Returns the greater of the given values.

* If any value is `NaN`, returns `NaN`.

@SinceKotlin("1.4")
public actual fun maxOf(a: Float, vararg other: Float): Float {
    var max = a
    for (e in other) max = maxOf(max, e)
    return max
}

Returns the greater of the given values.

* If any value is `NaN`, returns `NaN`.

@SinceKotlin("1.4")
public actual fun maxOf(a: Double, vararg other: Double): Double {
    var max = a
    for (e in other) max = maxOf(max, e)
    return max
}

Returns the smaller of two values.

* If values are equal, returns the first one.

@SinceKotlin("1.1")
public actual fun <T : Comparable<T>> minOf(a: T, b: T): T {
    return if (a <= b) a else b
}

Returns the smaller of two values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Byte, b: Byte): Byte {
    return minOf(a.toInt(), b.toInt()).unsafeCast<Byte>()
}

Returns the smaller of two values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Short, b: Short): Short {
    return minOf(a.toInt(), b.toInt()).unsafeCast<Short>()
}

Returns the smaller of two values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Int, b: Int): Int {
    return JsMath.min(a, b)
}

Returns the smaller of two values.

@SinceKotlin("1.1")
@Suppress("NOTHING_TO_INLINE")
public actual inline fun minOf(a: Long, b: Long): Long {
    return if (a <= b) a else b
}

Returns the smaller of two values.

* If either value is `NaN`, returns `NaN`.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Float, b: Float): Float {
    return JsMath.min(a, b)
}

Returns the smaller of two values.

* If either value is `NaN`, returns `NaN`.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Double, b: Double): Double {
    return JsMath.min(a, b)
}

Returns the smaller of two values.

* If there are multiple equal minimal values, returns the first of them.

@SinceKotlin("1.1")
public actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {
    return minOf(a, minOf(b, c))
}

Returns the smaller of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {
    return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()
}

Returns the smaller of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Short, b: Short, c: Short): Short {
    return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()
}

Returns the smaller of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Int, b: Int, c: Int): Int {
    return JsMath.min(a, b, c)
}

Returns the smaller of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Long, b: Long, c: Long): Long {
    return minOf(a, minOf(b, c))
}

Returns the smaller of three values.

* If any value is `NaN`, returns `NaN`.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Float, b: Float, c: Float): Float {
    return JsMath.min(a, b, c)
}

Returns the smaller of three values.

* If any value is `NaN`, returns `NaN`.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Double, b: Double, c: Double): Double {
    return JsMath.min(a, b, c)
}

Returns the smaller of the given values.

* If there are multiple equal minimal values, returns the first of them.

@SinceKotlin("1.4")
public actual fun <T : Comparable<T>> minOf(a: T, vararg other: T): T {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

@SinceKotlin("1.4")
public actual fun minOf(a: Byte, vararg other: Byte): Byte {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

@SinceKotlin("1.4")
public actual fun minOf(a: Short, vararg

```

```

other: Short): Short {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

/**
 * Returns the smaller of the given values.
 */
@SinceKotlin("1.4")
public actual fun minOf(a: Int, vararg other: Int): Int {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

/**
 * Returns the smaller of the given values.
 */
@SinceKotlin("1.4")
public actual fun minOf(a: Long, vararg other: Long): Long {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

/**
 * Returns the smaller of the given values.
 */
 * If any value is `NaN`, returns `NaN`.
}

@SinceKotlin("1.4")
public actual fun minOf(a: Float, vararg other: Float): Float {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

/**
 * Returns the smaller of the given values.
 */
 * If any value is `NaN`, returns `NaN`.
}

@SinceKotlin("1.4")
public actual fun minOf(a: Double, vararg other: Double): Double {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

"/

* Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
// Auto-generated file. DO NOT EDIT!

package kotlin
import kotlin.experimental.*
import kotlin.jvm.*

@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@JvmInline
public value class ULong @PublishedApi

internal constructor(@PublishedApi internal val data: Long) : Comparable<ULong> {
    companion object {
        /**
         * A constant holding the minimum value an instance of ULong can have.
         */
        public const val MIN_VALUE: ULong = ULong(0)

        /**
         * A constant holding the maximum value an instance of ULong can have.
         */
        public const val MAX_VALUE: ULong = ULong(-1)

        /**
         * The number of bytes used to represent an instance of ULong in a binary form.
         */
        public const val SIZE_BYTES: Int = 8

        /**
         * The number of bits used to represent an instance of ULong in a binary form.
         */
        public const val SIZE_BITS: Int = 64
    }

    /**
     * Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toULong())

    /**
     * Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toULong())

    /**
     * Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun compareTo(other: UInt): Int = this.compareTo(other.toULong())

    /**
     * Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    public override inline operator fun compareTo(other: ULong): Int = ulongCompare(this.data, other.data)

    /**
     * Adds the other value to this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: UByte): ULong = this.plus(other.toULong())

    /**
     * Adds the other value to this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: UShort): ULong = this.plus(other.toULong())

    /**
     * Adds the other value to this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: UInt): ULong = this.plus(other.toULong())

    /**
     * Adds the other value to this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: ULong): ULong = ULong(this.data.plus(other.data))

    /**
     * Subtracts the other value from this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun minus(other: UByte): ULong = this.minus(other.toULong())

    /**
     * Subtracts the other value from this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun minus(other: UShort): ULong = this.minus(other.toULong())

    /**
     * Subtracts the other value from this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun minus(other: UInt): ULong =

```

```

this.minus(other.toULong())\n  /** Subtracts the other value from this value. */\n  @kotlin.internal.InlineOnly\npublic inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\n\n  /** Multiplies this value by the other value. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun times(other: UByte): ULong = this.times(other.toULong())\n  /** Multiplies this value by the other value. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun times(other: UShort): ULong = this.times(other.toULong())\n  /** Multiplies this value by the other value. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun times(other: UInt): ULong = this.times(other.toULong())\n  /** Multiplies this value by the other value. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun times(other: ULong): ULong = ULong(this.data.times(other.data))\n  /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: UByte): ULong = this.div(other.toULong())\n  /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: UShort): ULong = this.div(other.toULong())\n  /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: UInt): ULong = this.div(other.toULong())\n  /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: ULong): ULong = ulongDivide(this, other)\n  /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun rem(other: UByte): ULong = this.rem(other.toULong())\n  /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun rem(other: UShort): ULong = this.rem(other.toULong())\n  /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun rem(other: UInt): ULong = this.rem(other.toULong())\n  /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun rem(other: ULong): ULong = ulongRemainder(this, other)\n  /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun floorDiv(other: UByte): ULong = this.floorDiv(other.toULong())\n  /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun floorDiv(other: UShort): ULong = this.floorDiv(other.toULong())\n  /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun floorDiv(other: UInt): ULong = this.floorDiv(other.toULong())\n  /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun floorDiv(other: ULong): ULong = div(other)\n  /**\n   * Calculates the remainder of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders of flooring division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun mod(other: UByte): UByte = this.mod(other.toULong()).toUByte()\n  /**\n   * Calculates the remainder of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders of flooring division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun mod(other: UShort): UShort = this.mod(other.toULong()).toUShort()\n  /**\n   * Calculates the remainder of

```

```

flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n
* For unsigned types, the remainders of flooring division
and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt):
UInt = this.mod(other.toULong()).toUInt()\n /**\n * Calculates the remainder of flooring division of this value
by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n
public inline fun mod(other: ULong): ULong = rem(other)\n\n /**\n * Returns this value incremented by one.\n
*\n * @sample samples.misc.Builtins.inc\n * \n @kotlin.internal.InlineOnly\n public inline operator fun
inc(): ULong = ULong(data.inc())\n\n /**\n * Returns this value decremented by one.\n * \n * @sample
samples.misc.Builtins.dec\n * \n @kotlin.internal.InlineOnly\n public inline operator fun dec(): ULong =
ULong(data.dec())\n\n /**\n * Creates a range from
this value to the specified [other] value. * \n @kotlin.internal.InlineOnly\n public inline operator fun
rangeTo(other: ULong): ULongRange = ULongRange(this, other)\n\n /**\n * Shifts this value left by the
[bitCount] number of bits.\n * \n * Note that only the six lowest-order bits of the [bitCount] are used as the shift
distance.\n * \n * The shift distance actually used is therefore always in the range `0..63`.\n * \n
@\kotlin.internal.InlineOnly\n public inline infix fun shl(bitCount: Int): ULong = ULong(data shl bitCount)\n\n
/**\n * Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros.\n * \n *
Note that only the six lowest-order bits of the [bitCount] are used as the shift distance.\n * \n * The shift distance
actually used is therefore always in the range `0..63`.\n * \n @kotlin.internal.InlineOnly\n public inline infix
fun shr(bitCount: Int): ULong = ULong(data ushr bitCount)\n\n /**
Performs a bitwise AND operation between the two values. * \n @kotlin.internal.InlineOnly\n public inline
infix fun and(other: ULong): ULong = ULong(this.data and other.data)\n\n /**\n * Performs a bitwise OR operation
between the two values. * \n @kotlin.internal.InlineOnly\n public inline infix fun or(other: ULong): ULong =
ULong(this.data or other.data)\n\n /**\n * Performs a bitwise XOR operation between the two values. * \n
@\kotlin.internal.InlineOnly\n public inline infix fun xor(other: ULong): ULong = ULong(this.data xor
other.data)\n\n /**\n * Inverts the bits in this value. * \n @kotlin.internal.InlineOnly\n public inline fun inv():
ULong = ULong(data.inv())\n\n /**\n * Converts this [ULong] value to [Byte].\n * \n * If this value is less
than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this
`ULong`.\n * \n * The resulting `Byte` value is represented by the least significant 8 bits
of this `ULong` value.\n * \n * Note that the resulting `Byte` value may be negative.\n * \n
@\kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n\n /**\n * Converts this [ULong]
value to [Short].\n * \n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value
represents\n * the same numerical value as this `ULong`.\n * \n * The resulting `Short` value is represented
by the least significant 16 bits of this `ULong` value.\n * \n * Note that the resulting `Short` value may be negative.\n
*\n * \n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort()\n\n /**\n * Converts this
[ULong] value to [Int].\n * \n * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int`
value represents\n * the same numerical value as this `ULong`.\n * \n * The resulting `Int` value is
represented by the least significant 32 bits of this `ULong`
value.\n * \n * Note that the resulting `Int` value may be negative.\n * \n @kotlin.internal.InlineOnly\n public
inline fun toInt(): Int = data.toInt()\n\n /**\n * Converts this [ULong] value to [Long].\n * \n * If this value is
less than or equals to [Long.MAX_VALUE], the resulting `Long` value represents\n * the same numerical value
as this `ULong`. Otherwise the result is negative.\n * \n * The resulting `Long` value has the same binary
representation as this `ULong` value.\n * \n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long =
data\n\n /**\n * Converts this [ULong] value to [UByte].\n * \n * If this value is less than or equals to
[UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `ULong`.\n
*\n * The resulting `UByte` value is represented by the least significant 8 bits of this `ULong` value.\n * \n
@\kotlin.internal.InlineOnly\n public inline

```



```

* \n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the list.\n * \n *
Throws an [IndexOutOfBoundsException] if the size of this list is less than 1.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component1(): T {\n    return
get(0)\n}\n\n/**\n * Returns 2nd *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the
size of this list is less than 2.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
List<T>.component2(): T {\n    return get(1)\n}\n\n/**\n * Returns 3rd *element* from the list.\n * \n * Throws an
[IndexOutOfBoundsException] if the size of this list is less than 3.\n *\n@kotlin.internal.InlineOnly\npublic
inline operator fun <T> List<T>.component3(): T {\n    return get(2)\n}\n\n/**\n * Returns 4th *element* from the
list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 4.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component4(): T {\n    return
get(3)\n}\n\n/**\n * Returns 5th *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the
size of this list is less than 5.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
List<T>.component5(): T {\n    return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n
*\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {\n    if
(this is Collection)\n        return contains(element)\n        return indexOf(element) >= 0\n}\n\n/**\n * Returns an
element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this
collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n *\npublic fun <T> Iterable<T>.elementAt(index: Int): T {\n
if (this is List)\n    return get(index)\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsException("Collection doesn't contain element at index $index.") }\n}\n\n/**\n * Returns an
element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this list.\n
*\n * @sample samples.collections.Collections.Elements.elementAt\n *\n@kotlin.internal.InlineOnly\npublic
inline fun <T> List<T>.elementAt(index: Int): T {\n    return get(index)\n}\n\n/**\n * Returns an element at the
given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this collection.\n
*\n * @sample samples.collections.Collections.Elements.elementAtOrElse\n *\npublic fun <T>
Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    if (this is List)\n        return
this.getOrElse(index,
defaultValue)\n        if (index < 0)\n            return defaultValue(index)\n        val iterator = iterator()\n        var count = 0\n
while (iterator.hasNext()) {\n            val element = iterator.next()\n            if (index == count++)\n                return
element\n        }\n        return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this list.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n *\n@kotlin.internal.InlineOnly\npublic inline fun
<T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *\npublic fun <T>
Iterable<T>.elementAtOrNull(index: Int): T? {\n    if (this
is List)\n        return this.getOrNull(index)\n        if (index < 0)\n            return null\n        val iterator = iterator()\n        var
count = 0\n        while (iterator.hasNext()) {\n            val element = iterator.next()\n            if (index == count++)\n
return element\n        }\n        return null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is
out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrNull(index: Int): T? {\n    return
this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such
element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.find(predicate: (T) -> Boolean): T? {\n    return

```

```

firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate],
or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.findLast(predicate: (T) -> Boolean): T? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.findLast(predicate: (T) -> Boolean): T? {\n
return
lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the collection
is empty.\n * \npublic fun <T> Iterable<T>.first(): T {\n
when (this) {\n
is List -> return this.first()\n
else
-> {\n
val iterator = iterator()\n
if (!iterator.hasNext())\n
throw
NoSuchElementException("Collection is empty.")\n
return iterator.next()\n
}\n
}\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the list is empty.\n * \npublic fun <T>
List<T>.first(): T {\n
if (isEmpty())\n
throw NoSuchElementException("List is empty.")\n
return
this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n * \npublic inline fun <T> Iterable<T>.first(predicate: (T)
-> Boolean): T {\n
for (element in this) if (predicate(element)) return element\n
throw
NoSuchElementException("Collection contains no element matching the predicate.")\n}\n\n/**\n * Returns the
first non-null value produced by [transform] function being applied to elements of this collection in iteration order,\n
* or throws [NoSuchElementException] if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any>
Iterable<T>.firstNotNullOf(transform:
(T) -> R?): R {\n
return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException("No element of the
collection was transformed to a non-null value.")\n}\n\n/**\n * Returns the first non-null value produced by
[transform] function being applied to elements of this collection in iteration order,\n * or `null` if no non-null value
was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any>
Iterable<T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n
for (element in this) {\n
val result =
transform(element)\n
if (result != null) {\n
return result\n
}\n
}\n
return null\n}\n\n/**\n * Returns the first element, or `null` if the collection is empty.\n * \npublic fun <T> Iterable<T>.firstOrNull(): T? {\n
when (this) {\n
is List -> {\n
if (isEmpty())\n
return null\n
else\n
return this[0]\n
}\n
else -> {\n
val iterator = iterator()\n
if (!iterator.hasNext())\n
return null\n
return iterator.next()\n
}\n
}\n}\n\n/**\n * Returns the
first element, or `null` if the list is empty.\n * \npublic fun <T> List<T>.firstOrNull(): T? {\n
return if (isEmpty())
null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not
found.\n * \npublic inline fun <T> Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n
for (element in this)
if (predicate(element)) return element\n
return null\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.getOrElse(index: Int, defaultValue: (Int) -> T): T
{\n
return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if
the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*/\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n
return if (index >= 0 && index <= lastIndex) get(index)
else null\n}\n\n/**\n * Returns first index of [element], or -1 if the collection does not contain element.\n * \npublic
fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T): Int {\n
if (this is List) return
this.indexOf(element)\n
var index = 0\n
for (item in this) {\n
checkIndexOverflow(index)\n
if (element
== item)\n
return index\n
index++\n
}\n
return -1\n}\n\n/**\n * Returns first index of [element], or -1
if the list does not contain element.\n * \n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes

```

```

T> List<T>.indexOf(element: T): Int {
    return indexOf(element)
}
/**
 * Returns index of the first element
matching the given [predicate], or -1 if the collection does not contain such element.
*/
public inline fun <T>
Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {
    var index = 0
    for (item in this) {
        checkIndexOverflow(index)
        if (predicate(item))
            return index
        index++
    }
    return -1
}
/**
 * Returns index of the first element matching the given [predicate], or -1 if the list does not contain
such element.
*/
public inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {
    var index = 0
    for (item in this) {
        if (predicate(item))
            return index
        index++
    }
    return -1
}
/**
 * Returns index of the last element matching the given [predicate], or -1 if the collection does not contain such
element.
*/
public inline fun
<T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {
    var lastIndex = -1
    var index = 0
    for (item
in this) {
        checkIndexOverflow(index)
        if (predicate(item))
            lastIndex = index
        index++
    }
    return lastIndex
}
/**
 * Returns index of the last element matching the given [predicate], or -1 if the list
does not contain such element.
*/
public inline fun <T> List<T>.indexOfLast(predicate: (T) -> Boolean): Int {
    val iterator = this.listIterator(size)
    while (iterator.hasPrevious()) {
        if (predicate(iterator.previous())) {
            return iterator.nextIndex()
        }
    }
    return -1
}
/**
 * Returns the last element.
 */
@throws
NoSuchElementException if the collection is empty.
@sample
samples.collections.Collections.Elements.last
public fun <T> Iterable<T>.last(): T {
    when (this) {
        is
List -> return this.last()
        else -> {
            val iterator
= iterator()
            if (!iterator.hasNext())
                throw NoSuchElementException("Collection is empty.")
            var last = iterator.next()
            while (iterator.hasNext())
                last = iterator.next()
            return
last
        }
    }
}
/**
 * Returns the last element.
 */
@throws NoSuchElementException if the list is
empty.
@sample
samples.collections.Collections.Elements.last
public fun <T> List<T>.last(): T {
    if (isEmpty())
        throw NoSuchElementException("List is empty.")
    return this[lastIndex]
}
/**
 * Returns the last element matching the given [predicate].
 */
@throws NoSuchElementException if no such
element is found.
@sample
samples.collections.Collections.Elements.last
public inline fun <T>
Iterable<T>.last(predicate: (T) -> Boolean): T {
    var last: T? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            last = element
            found = true
        }
    }
    if (!found) throw
NoSuchElementException("Collection contains no element matching the predicate.")
    @Suppress("UNCHECKED_CAST")
    return last as T
}
/**
 * Returns the last element matching the
given [predicate].
 */
@throws NoSuchElementException if no such element is found.
@sample
samples.collections.Collections.Elements.last
public inline fun <T> List<T>.last(predicate: (T) -> Boolean): T {
    val iterator = this.listIterator(size)
    while (iterator.hasPrevious()) {
        val element = iterator.previous()
        if (predicate(element)) return element
    }
    throw NoSuchElementException("List contains no element
matching the predicate.")
}
/**
 * Returns last index of [element], or -1 if the collection does not contain
element.
*/
public fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {
    if
(this is List) return this.lastIndexOf(element)
    var lastIndex = -1
    var index = 0
    for (item in this) {
        checkIndexOverflow(index)
        if (element
== item)
            lastIndex = index
        index++
    }
    return lastIndex
}
/**
 * Returns last index of
[element], or -1 if the list does not contain element.
*/
@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases
public fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {
    return
lastIndexOf(element)
}
/**
 * Returns the last element, or `null` if the collection is empty.
 */
@sample
samples.collections.Collections.Elements.last
public fun <T> Iterable<T>.lastOrNull(): T? {
    when (this)
{
        is List -> return if (isEmpty()) null else this[size - 1]
        else -> {
            val iterator = iterator()
            if (!iterator.hasNext())
                return null
            var last = iterator.next()
            while (iterator.hasNext())
                last = iterator.next()
            return last
        }
    }
}
/**
 * Returns the last element, or `null` if the list is empty.
 */
@sample

```

```

samples.collections.Collections.Elements.last\n *\npublic fun <T> List<T>.lastOrNull(): T? {\n    return if
(isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if
no such element was found.\n *\n * @sample samples.collections.Collections.Elements.last\n *\npublic inline fun
<T> Iterable<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    var last: T? = null\n    for (element in this) {\n
if (predicate(element)) {\n        last = element\n    }\n    } return last\n}\n\n/**\n * Returns the last element
matching the given [predicate], or `null` if no such element was found.\n *\n * @sample
samples.collections.Collections.Elements.last\n *\npublic inline fun <T> List<T>.lastOrNull(predicate: (T)
-> Boolean): T? {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        val element =
iterator.previous()\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a random
element from this collection.\n *\n * @throws NoSuchElementException if this collection is empty.\n
*\n * @SinceKotlin("1.3")\n * @kotlin.internal.InlineOnly\n * public inline fun <T> Collection<T>.random(): T {\n
return random(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of
randomness.\n *\n * @throws NoSuchElementException if this collection is empty.\n
*\n * @SinceKotlin("1.3")\n * public fun <T> Collection<T>.random(random: Random): T {\n    if (isEmpty())\n    throw NoSuchElementException("Collection is empty.")\n    return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this collection, or `null` if this collection is empty.\n
*\n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n * @kotlin.internal.InlineOnly\n * publi
c
inline fun <T> Collection<T>.randomOrNull(): T? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this collection using the specified source of randomness, or `null` if this collection is empty.\n
*\n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n * public fun <T>
Collection<T>.randomOrNull(random: Random): T? {\n    if (isEmpty())\n    return null\n    return
elementAt(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the collection is
empty or has more than one element.\n *\n * public fun <T> Iterable<T>.single(): T {\n    when (this) {\n        is List -
> return this.single()\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n            throw NoSuchElementException("Collection is empty.")\n            val single = iterator.next()\n            if
(iterator.hasNext())\n                throw IllegalArgumentException("Collection has more than one element.")\n            return single\n
}\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the list is empty or has more than one
element.\n *\n * public fun <T> List<T>.single(): T {\n    return when (size) {\n        0 -> throw
NoSuchElementException("List is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("List has more than one element.")\n    }\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n *\n * public
inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Collection contains more than one matching element.")\n            single = element\n
found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Collection contains no element matching the
predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as T\n}\n\n/**\n * Returns single element,
or `null` if the collection is empty or has more than one element.\n *\n * public fun <T> Iterable<T>.singleOrNull():
T? {\n    when (this) {\n        is List -> return if (size == 1) this[0] else null\n        else -> {\n            val iterator =
iterator()\n            if (!iterator.hasNext())\n                return null\n            val single = iterator.next()\n            if
(iterator.hasNext())\n                return null\n            return single\n        }\n    }\n}\n\n/**\n * Returns single element,
or `null` if the list is empty or has more than one element.\n *\n * public fun <T> List<T>.singleOrNull(): T? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or
`null` if element was
not found or more than one element was found.\n *\n * public inline fun <T> Iterable<T>.singleOrNull(predicate: (T)
-> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if

```

```

(predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns a list containing all elements except first [n]\n * elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n * samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Iterable<T>.drop(n: Int): List<T> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return toList()\n  val list:\n  ArrayList<T>\n  if (this is Collection<*>) {\n    val resultSize = size - n\n    if (resultSize <= 0)\n      return\n    emptyList()\n    if (resultSize == 1)\n      return listOf(last())\n    list = ArrayList<T>(resultSize)\n    if (this is List<T>) {\n      if (this is RandomAccess) {\n        for\n        (index in n until size)\n          list.add(this[index])\n      } else {\n        for (item in listIterator(n))\n          list.add(item)\n      }\n    }\n    return list\n  }\n  }\n  }\n  else {\n    list = ArrayList<T>()\n  }\n  var\n  count = 0\n  for (item in this) {\n    if (count >= n) list.add(item) else ++count\n  }\n  return\n  list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n * samples.collections.Collections.Transformations.drop\n */\npublic fun <T> List<T>.dropLast(n: Int): List<T> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -\n  n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements\n * except last elements that satisfy the given [predicate].\n * \n * @sample\n * samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T>\nList<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n  if (!isEmpty()) {\n    val iterator =\n    listIterator(size)\n    while (iterator.hasPrevious()) {\n      if (!predicate(iterator.previous()))\n        return\n      take(iterator.nextIndex() + 1)\n    }\n  }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing\n * all elements except first elements that satisfy the given [predicate].\n * \n * @sample\n * samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Iterable<T>.dropWhile(predicate:\n(T) -> Boolean): List<T> {\n  var yielding = false\n  val list = ArrayList<T>()\n  for (item in this)\n    if\n    (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  }\n  return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample\n * samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Iterable<T>.filter(predicate: (T) ->\nBoolean): List<T> {\n  return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only\n * elements matching the given [predicate].\n * \n * @param [predicate] function that takes the index of an element and the\n * element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample\n * samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun <T>\nIterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n  return\n  filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to\n * the given [destination].\n * \n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate\n * evaluation on the element.\n * \n * @sample\n * samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -\n> Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))\n      destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Returns a list containing all elements that are\n * instances of specified type parameter R.\n * \n * @sample\n * samples.collections.Collections.Filtering.filterIsInstance\n */\npublic inline fun <reified R>\nIterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n  return\n  filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type\n * parameter R to the given [destination].\n * \n * @sample\n * samples.collections.Collections.Filtering.filterIsInstanceTo\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination:

```

```

C): C { \n for (element in this) if (element is R) destination.add(element)\n return destination\n}\n\n/**\n *
Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) ->
Boolean): List<T> { \n return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all
elements that are not `null`.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNull\n */\npublic
fun <T : Any> Iterable<T?>.filterNotNull(): List<T> { \n return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n *
Appends all elements that are not `null` to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNullTo\n */\npublic fun <C : MutableCollection<in T>, T : Any>
Iterable<T?>.filterNotNullTo(destination: C): C { \n for (element in this) if (element != null)
destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given
[destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C :
MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C { \n for (element
in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C : MutableCollection<in T>>
Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C { \n for (element in this) if (predicate(element))
destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the
specified [indices] range.\n */\npublic fun <T> List<T>.slice(indices: IntRange): List<T> { \n if
(indices.isEmpty()) return
listOf()\n return this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n * Returns a list
containing elements at specified [indices].\n */\npublic fun <T> List<T>.slice(indices: Iterable<Int>): List<T> { \n
val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<T>(size)\n for (index in indices) { \n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun <T> Iterable<T>.take(n: Int): List<T> { \n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (this
is Collection<T>) { \n if (n >= size) return toList()\n if (n == 1) return listOf(first())\n }\n var count = 0\n
val list = ArrayList<T>(n)\n for (item in this)
{ \n list.add(item)\n if (++count == n)\n break\n }\n return
list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun <T> List<T>.takeLast(n: Int): List<T> { \n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =
size\n if (n >= size) return toList()\n if (n == 1) return listOf(last())\n val list = ArrayList<T>(n)\n if (this
is RandomAccess) { \n for (index in size - n until size)\n list.add(this[index])\n } else { \n for (item in
listIterator(size - n))\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic
inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> { \n if (isEmpty())\n return
emptyList()\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) { \n if
(!predicate(iterator.previous())) { \n iterator.next()\n val expectedSize = size - iterator.nextIndex()\n
if (expectedSize == 0) return emptyList()\n return ArrayList<T>(expectedSize).apply { \n while
(iterator.hasNext())\n add(iterator.next())\n }\n }\n }\n return toList()\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Iterable<T>.takeWhile(predicate:
(T) -> Boolean): List<T> { \n val list = ArrayList<T>()\n for (item in this) { \n if (!predicate(item))\n
break\n list.add(item)\n }\n return list\n}\n\n/**\n

```

* Reverses elements in the list in-place.\n */\npublic expect fun <T> MutableList<T>.reverse(): Unit\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Iterable<T>.reversed(): List<T> {\n if (this is Collection && size <= 1) return toList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Randomly shuffles elements in this list in-place using the specified [random] instance as the source of randomness.\n */\n * See: https://en.wikipedia.org/wiki/Fisher%20%80%93Yates_shuffle#The_modern_algorithm\n\n*/\n@SinceKotlin("1.3")\npublic fun <T> MutableList<T>.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n this[j] = this.set(i, this[j])\n }\n}\n\n/**\n * Sorts elements in the list in-place according to natural sort order of the value returned by specified [selector] function.\n */\n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n if (size > 1) sortBy(compareBy(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to natural sort order of the value returned by specified [selector] function.\n */\n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n if (size > 1) sortByDescending(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to their natural sort order.\n */\n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n sortByDescending(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T> {\n if (this is Collection) {\n if (size <= 1) return this.toList()\n @Suppress("UNCHECKED_CAST")\n return (toArray<Comparable<T>>() as Array<T>).apply { sort() }.asList()\n }\n return toMutableList().apply { sort() }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n */\n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sortedDescending(): List<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T> {\n if (this is Collection) {\n if (size <= 1) return this.toList()\n @Suppress("UNCHECKED_CAST")\n return (toArray<Any?>() as Array<T>).apply { sortByDescending(comparator) }.asList()\n }\n return toMutableList().apply { sortByDescending(comparator) }\n}\n\n/**\n * Returns an array of Boolean containing all of the elements of this collection.\n */\npublic fun Collection<Boolean>.toBooleanArray(): BooleanArray {\n val result = BooleanArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this collection.\n */\npublic fun Collection<Byte>.toByteArray(): ByteArray {\n val result = ByteArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Char containing all of the elements of this

```

collection.\n *\npublic fun Collection<Char>.toCharArray(): CharArray {\n  val result = CharArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this collection.\n *\npublic fun Collection<Double>.toDoubleArray(): DoubleArray {\n  val result = DoubleArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns an array of Float containing all of the elements of this collection.\n *\npublic fun Collection<Float>.toFloatArray(): FloatArray {\n  val result = FloatArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this collection.\n *\npublic fun Collection<Int>.toIntArray(): IntArray {\n  val result = IntArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns an array of Long containing all of the elements of this collection.\n *\npublic fun Collection<Long>.toLongArray(): LongArray {\n  val result = LongArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this collection.\n *\npublic fun Collection<Short>.toShortArray(): ShortArray {\n  val result = ShortArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given collection.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associate\n *\npublic inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n  val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given collection indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateBy\n *\npublic inline fun <T, K> Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n  val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given collection.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateByWithValueTransform\n *\npublic inline fun <T, K, V> Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given collection\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Collections.Transformations.associateByTo\n *\npublic inline fun <T, K, M : MutableMap<in K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n  for (element in this) {\n    destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * value is provided by the [valueTransform] function applied to elements of the given collection.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Collections.Transformations.associateByToWithValueTransform\n *\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T)

```

```

-> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

Populates and returns the [destination] mutable map with key-value pairs
provided by [transform] function applied to each element of the given collection.
If any of two pairs would have the same key the last one gets added to the map.
@sample
samples.collections.Collections.Transformations.associateTo

public inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateTo(
    destination: M, transform: (T) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

Returns a [Map] where keys are elements from the given collection and values are
produced by the [valueSelector] function applied to each element.
If any two elements are equal, the last one gets added to the map.
The returned map preserves the entry iteration order of the original collection.
@sample
samples.collections.Collections.Transformations.associateWith

@SinceKotlin("1.3")
public inline fun <K, V> Iterable<K>.associateWith(
    valueSelector: (K) -> V): Map<K, V> {
    val result = LinkedHashMap<K, V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}

Populates and returns the [destination] mutable map with key-value pairs for each
element of the given collection, where key is the element itself and value is provided by the [valueSelector]
function applied to that key.
If any two elements are equal, the last one overwrites the former value in the map.
@sample
samples.collections.Collections.Transformations.associateWithTo

@SinceKotlin("1.3")
public inline fun <K, V, M : MutableMap<in K, in V>> Iterable<K>.associateWithTo(
    destination: M, valueSelector: (K) -> V): M {
    for (element in this) {
        destination.put(element, valueSelector(element))
    }
    return destination
}

Appends all elements to the given [destination] collection.
public fun <T, C : MutableCollection<in T>> Iterable<T>.toCollection(
    destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}

Returns a new [HashSet] of all elements.
public fun <T> Iterable<T>.toHashSet(): HashSet<T> {
    return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))
}

Returns a [List] containing all elements.
public fun <T> Iterable<T>.toList(): List<T> {
    if (this is Collection) {
        return when (size) {
            0 -> emptyList()
            1 -> listOf(if (this is List) get(0) else iterator().next())
            else -> this.toMutableList()
        }
    }
    return this.toMutableList().optimizeReadOnlyList()
}

Returns a new [MutableList] filled with all elements of this
collection.
public fun <T> Iterable<T>.toMutableList(): MutableList<T> {
    if (this is Collection<T>) {
        return this.toMutableList()
    }
    return toCollection(ArrayList<T>())
}

Returns a new [MutableList] filled with all elements of this collection.
public fun <T> Collection<T>.toMutableList(): MutableList<T> {
    return ArrayList(this)
}

Returns a [Set] of all elements.
The returned set preserves the element iteration order of the original collection.
public fun <T> Iterable<T>.toSet(): Set<T> {
    if (this is Collection) {
        return when (size) {
            0 -> emptySet()
            1 -> setOf(if (this is List) this[0] else iterator().next())
            else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))
        }
    }
    return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()
}

Returns a single list of all elements yielded from results of [transform] function being invoked on
each element of original collection.
@sample
samples.collections.Collections.Transformations.flatMap

public inline fun <T, R> Iterable<T>.flatMap(
    transform: (T) -> Iterable<R>): List<R> {
    return flatMapTo(ArrayList<R>(), transform)
}

Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original collection.
@sample
samples.collections.Collections.Transformations.flatMap

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.jvm.JvmName("flatMapSequence")
public inline fun <T, R> Iterable<T>.flatMap(
    transform: (T) -> Sequence<R>): List<R> {
    return flatMapTo(ArrayList<R>(), transform)
}

Returns a single list of all elements yielded from results of [transform] function being

```

```

invoked on each element\n * and its index in the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original collection.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original collection, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list =
transform(checkIndexOverflow(index++), element)\n destination.addAll(list)\n }\n return
destination}\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original collection, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npu
blic
inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Sequence<R>): C {\n var index = 0\n for (element in this) {\n val list =
transform(checkIndexOverflow(index++), element)\n destination.addAll(list)\n }\n return
destination}\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original collection, to the given [destination].\n *\npublic inline fun <T, R, C : MutableCollection<in
R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for (element in this) {\n val
list = transform(element)\n destination.addAll(list)\n }\n return destination}\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on
each element of original collection, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination}\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic inline
fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K,
List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original collection\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n *\npublic inline fun <T, K, V>

```

```

Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original collection by the key returned by the given [keySelector] function\n * applied to each element and
puts to the [destination] map each group key associated with a list
of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K,
MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n  for (element in this) {\n
    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<T>() }\n
list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function
applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied
to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n
*\n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination:
M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n  for (element in this) {\n    val key =
keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Creates a [Grouping] source from a
collection to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to
extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin("1.1")\npublic inline fun <T, K> Iterable<T>.groupingBy(crossinline keySelector: (T) -> K):
Grouping<T, K> {\n  return object : Grouping<T, K> {\n    override fun sourceIterator(): Iterator<T> =
this@\n    override fun keyOf(element: T): K = keySelector(element)\n  }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original
collection.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R>
Iterable<T>.map(transform: (T) -> R): List<R> {\n  return mapTo(ArrayList<R>(collectionSizeOrDefault(10)),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element and its index in the original collection.\n * @param [transform] function that takes the index of an element
and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T,
R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n  return
mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only
the non-null results of applying the given [transform] function\n * to each element and its index in the original
collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns
the result
of the transform applied to the element.\n */\npublic inline fun <T, R : Any>
Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n  return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n
*\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>>
Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n  forEachIndexed {
index, element -> transform(index, element)?.let { destination.add(it) } }\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends the
results to the given [destination].\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>>
Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(checkIndexOverflow(index++), item))\n  return destination\n}\n\n/**\n *

```

Returns a list containing only the non-null results of applying the given [transform] function to each element in the original collection.

```

@sample samples.collections.Collections.Transformations.mapNotNull
public inline fun <T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {
    return mapNotNullTo(ArrayList<R>(), transform)
}

```

Applies the given [transform] function to each element in the original collection and appends only the non-null results to the given [destination].

```

public inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {
    for (element in this) {
        destination.add(transform(element))
    }
    return destination
}

```

Applies the given [transform] function to each element of the original collection and appends the results to the given [destination].

```

public inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {
    for (item in this) {
        destination.add(transform(item))
    }
    return destination
}

```

Returns a lazy [Iterable] that wraps each element of the original collection into an [IndexedValue] containing the index of that element and the element itself.

```

public fun <T> Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {
    return IndexingIterable { iterator() }
}

```

Returns a list containing only distinct elements from the given collection. Among equal elements of the given collection, only the first one will be present in the resulting list. The elements in the resulting list are in the same order as they were in the source collection.

```

@sample samples.collections.Collections.Transformations.distinctAndDistinctBy
public fun <T> Iterable<T>.distinct(): List<T> {
    return this.toMutableSet().toList()
}

```

Returns a list containing only elements from the given collection having distinct keys returned by the given [selector] function. Among elements of the given collection with equal keys, only the first one will be present in the resulting list. The elements in the resulting list are in the same order as they were in the source collection.

```

@sample samples.collections.Collections.Transformations.distinctAndDistinctBy
public inline fun <T, K> Iterable<T>.distinctBy(selector: (T) -> K): List<T> {
    val set = HashSet<K>()
    val list = ArrayList<T>()
    for (e in this) {
        val key = selector(e)
        if (set.add(key)) {
            list.add(e)
        }
    }
    return list
}

```

Returns a set containing all elements that are contained by both this collection and the specified collection. The returned set preserves the element iteration order of the original collection. To get a set containing all elements that are contained at least in one of these collections use [union].

```

public infix fun <T> Iterable<T>.intersect(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

Returns a set containing all elements that are contained by this collection and not contained by the specified collection. The returned set preserves the element iteration order of the original collection.

```

public infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

Returns a new [MutableSet] containing all distinct elements from the given collection. The returned set preserves the element iteration order of the original collection.

```

public fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {
    return when (this) {
        is Collection<T> -> LinkedHashSet(this)
        else -> toCollection(LinkedHashSet<T>())
    }
}

```

Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original collection. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection.

```

public infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

Returns `true` if all elements match the given [predicate].

```

@sample samples.collections.Collections.Aggregates.all
public inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {
    if (this is Collection && isEmpty()) return true
    for (element in this) if (!predicate(element)) return false
    return true
}

```

Returns `true` if collection has at least one element.

```

@sample samples.collections.Collections.Aggregates.any
public fun <T> Iterable<T>.any(): Boolean {
    if (this is

```

```

Collection) return isEmpty()\n    return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element
matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\npublic inline fun <T> Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection &&
isEmpty()) return false\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n *
Returns the number of elements in this collection.\n */\npublic fun <T> Iterable<T>.count():
Int {\n    if (this is Collection) return size\n    var count = 0\n    for (element in this)
checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Returns the number of elements in this collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.count(): Int {\n    return size\n}\n\n/**\n *
Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T>
Iterable<T>.count(predicate: (T) -> Boolean): Int {\n    if (this is Collection && isEmpty()) return 0\n    var count =
0\n    for (element in this) if (predicate(element)) checkCountOverflow(++count)\n    return count\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator
value and each element.\n * \n * Returns the specified [initial] value if the collection is empty.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n
*/\npublic inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n    var accumulator =
initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator
value and each element with its index in the original collection.\n * \n * Returns the specified [initial] value if the
collection is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R>
Iterable<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator,
element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *
Returns the specified [initial] value if the list is empty.\n * \n * @param [operation] function that takes an element
and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R>
List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n    var accumulator = initial\n    if (!isEmpty()) {\n
val iterator = listIterator(size)\n    while (iterator.hasPrevious()) {\n        accumulator =
operation(iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the
original list and current accumulator value.\n * \n * Returns the specified [initial] value if the list is empty.\n * \n *
@param [operation] function that takes the index of an element, the
element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun
<T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n    var accumulator =
initial\n    if (!isEmpty()) {\n        val iterator = listIterator(size)\n        while (iterator.hasPrevious()) {\n
val index = iterator.previousIndex()\n        accumulator = operation(index, iterator.previous(), accumulator)\n    }\n
return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n
*/\n@kotlin.internal.HidesMembers\npublic inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {\n    for
(element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential
index with the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n *
and performs the action on the element.\n */\npublic inline fun <T> Iterable<T>.forEachIndexed(action:
(index: Int, T) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(checkIndexOverflow(index++),
item)\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Iterable<Double>.max(): Double? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",

```

```

hiddenSince = `1.6`)@SinceKotlin("1.1")public fun Iterable<Float>.max(): Float? {
    return
    maxOrNull()
}
@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`)public fun <T : Comparable<T>> Iterable<T>.max(): T? {
    return
    maxOrNull()
}
@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))@DeprecatedSinceKotlin(warningSince
= `1.4`, errorSince = `1.5`, hiddenSince = `1.6`)public inline fun <T, R : Comparable<R>>
Iterable<T>.maxBy(selector: (T) -> R): T? {
    return maxByOrNull(selector)
}
/**
 * Returns the first
 * element yielding the largest value of the given function or `null` if there are no elements.
 * @sample
 * samples.collections.Collections.Aggregates.maxByOrNull
 */
@SinceKotlin("1.4")public inline fun <T, R :
Comparable<R>> Iterable<T>.maxByOrNull(selector: (T) -> R): T? {
    val iterator = iterator()
    if
    (!iterator.hasNext()) return null
    var maxElem = iterator.next()
    if (!iterator.hasNext()) return maxElem
    var
    maxV = selector(maxElem)
    do {
        val e = iterator.next()
        val v = selector(e)
        if (maxV <
v) {
            maxElem = e
            maxV = v
        }
    } while (iterator.hasNext())
    return
    maxElem
}
/**
 * Returns the largest value
 * among all values produced by [selector] function
 * applied to each element in the collection.
 * If any of
 * values produced by [selector] function is `NaN`, the returned result is `NaN`.
 * @throws
 * NoSuchElementException if the collection is empty.
 */
@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnlypublic inline fun <T> Iterable<T>.maxOf(selector: (T) ->
Double): Double {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var
    maxV = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        maxV = maxOf(maxV, v)
    }
    return maxV
}
/**
 * Returns the largest value among all
 * values produced by [selector] function
 * applied to each element in the collection.
 * If any of values
 * produced by [selector] function is `NaN`, the returned result
 * is `NaN`.
 * @throws NoSuchElementException if the collection is empty.
 */
@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnlypublic inline fun <T> Iterable<T>.maxOf(selector: (T) ->
Float): Float {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var
    maxV = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        maxV = maxOf(maxV, v)
    }
    return maxV
}
/**
 * Returns the largest value among all
 * values produced by [selector] function
 * applied to each element in the collection.
 * @throws
 * NoSuchElementException if the collection is empty.
 */
@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnlypublic inline fun <T, R : Comparable<R>>
Iterable<T>.maxOf(selector:
(T) -> R): R {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var
    maxV = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if
        (maxV < v) {
            maxV = v
        }
    }
    return maxV
}
/**
 * Returns the largest value
 * among all values produced by [selector] function
 * applied to each element in the collection or `null` if there are
 * no elements.
 * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
 */
@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnlypublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)
-> Double): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxV =
    selector(iterator.next())
    while (iterator.hasNext())
    {
        val v = selector(iterator.next())
        maxV = maxOf(maxV, v)
    }
    return
    maxV
}
/**
 * Returns the largest value among all values produced by [selector] function
 * applied to
 * each element in the collection or `null` if there are no elements.
 * If any of values produced by [selector]
 */

```

function is `NaN`, the returned result is `NaN`.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)\n-> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        max =\n        maxOf(max, v)\n    }\n    return max\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each\n * element in the collection or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>\nIterable<T>.maxOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return\n    null\n    var max = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =\n        selector(iterator.next())\n        if (max < v) {\n            max = v\n        }\n    }\n    return\n    max\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values\n * produced by [selector] function applied to each element in the collection.\n * @throws\n * NoSuchElementException if the collection is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic\ninline fun <T, R> Iterable<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator =\n    iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var max =\n    selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if\n        (comparator.compare(max, v) < 0) {\n            max = v\n        }\n    }\n    return max\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]\n * function applied to each element in the collection or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>\nIterable<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n    val iterator =\n    iterator()\n    if (!iterator.hasNext()) return null\n    var\n    max = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if\n        (comparator.compare(max, v) < 0) {\n            max = v\n        }\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * * If any of elements is `NaN` returns `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\npublic fun Iterable<Double>.maxOrNull(): Double? {\n    val iterator = iterator()\n    if\n    (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e =\n        iterator.next()\n        max = maxOf(max, e)\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if\n * there are no elements.\n * * If any of elements is `NaN` returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic fun\nIterable<Float>.maxOrNull(): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max =\n    iterator.next()\n    while (iterator.hasNext())\n
```

```
{\n    val e = iterator.next()\n    max = maxOf(max, e)\n}\n    return max\n}\n\n/**\n * Returns the largest\n * element or `null` if there are no elements.\n *\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>>\n
```

```
Iterable<T>.maxOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max =\n    iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (max < e) max = e\n    }\n    return max\n}\n\n@Deprecated("Use maxWithOrNull instead.")\n
```

```
ReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =\n"1.5", hiddenSince = "1.6")\npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n    return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the\n * provided [comparator] or `null` if there are no elements.\n *\n@SinceKotlin("1.4")\npublic fun <T>\n
```

```
Iterable<T>.maxWithOrNull(comparator:\n
```

```

Comparator<in T>(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}
@Deprecated("Use minOrNull instead.")
ReplaceWith("this.minOrNull()")
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
@SinceKotlin("1.1")
public fun Iterable<Double>.min(): Double? {
    return minOrNull()
}
@Deprecated("Use minOrNull instead.")
ReplaceWith("this.minOrNull()")
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
@SinceKotlin("1.1")
public fun Iterable<Float>.min(): Float? {
    return minOrNull()
}
@Deprecated("Use minOrNull instead.")
ReplaceWith("this.minOrNull()")
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun <T : Comparable<T>> Iterable<T>.min(): T? {
    return minOrNull()
}
@Deprecated("Use minByOrNull instead.")
ReplaceWith("this.minByOrNull(selector)")
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R): T? {
    return minByOrNull(selector)
}
/**
 * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
 */
@sample
samples.collections.Collections.Aggregates.minByOrNull
*/
@SinceKotlin("1.4")
public inline fun <T, R : Comparable<R>> Iterable<T>.minByOrNull(selector: (T) -> R): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minElem = iterator.next()
    if (!iterator.hasNext()) return minElem
    var minValue = selector(minElem)
    do {
        val e = iterator.next()
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    } while (iterator.hasNext())
    return minElem
}
/**
 * Returns the smallest value among all values produced by [selector] function applied to each element in the collection.
 * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
 */
@throws NoSuchElementException if the collection is empty.
*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Iterable<T>.minOf(selector: (T) -> Double): Double {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue = minOf(minValue, v)
    }
    return minValue
}
/**
 * Returns the smallest value among all values produced by [selector] function applied to each element in the collection.
 * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
 */
@throws NoSuchElementException if the collection is empty.
*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Iterable<T>.minOf(selector: (T) -> Float): Float {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue = minOf(minValue, v)
    }
    return minValue
}
/**
 * Returns the smallest value among all values produced by [selector] function applied to each element in the collection.
 * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
 */
@throws NoSuchElementException if the collection is empty.
*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R : Comparable<R>> Iterable<T>.minOf(selector: (T) -> R): R {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}
/**
 * Returns the smallest value among all values produced by [selector] function applied to each element in the collection or `null` if there are no elements.
 * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
 */

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Double): Double?
    {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n
while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n
return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue =
minOf(minValue,
v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the collection or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.minOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =
selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Iterable<T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator
= iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the collection or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Iterable<T>.minOfWithOrNull(comparator:
Comparator<in R>, selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun Iterable<Double>.minOrNull(): Double? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun
Iterable<Float>.minOrNull():
Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun <T :
Comparable<T>> Iterable<T>.minOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min = e\n
}

```

```

}
return min
}
@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull(comparator)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")
public fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {
return minOrNull(comparator)
}
Returns the first element having the smallest
value according to the provided [comparator] or `null` if there are no elements.
@SinceKotlin("1.4")
public fun <T> Iterable<T>.minOrNull(comparator: Comparator<in T>): T? {
val iterator = iterator()
if (!iterator.hasNext()) return null
var min = iterator.next()
while (iterator.hasNext()) {
val e =
iterator.next()
if (comparator.compare(min, e) > 0) min = e
}
return min
}
Returns `true` if
the collection has no elements.
@sample samples.collections.Collections.Aggregates.none
public fun
<T> Iterable<T>.none(): Boolean {
if (this is Collection) return isEmpty()
return
!iterator().hasNext()
}
Returns `true` if no elements match the given [predicate].
@sample
samples.collections.Collections.Aggregates.noneWithPredicate
public inline fun <T>
Iterable<T>.none(predicate: (T) -> Boolean): Boolean {
if (this is Collection && isEmpty()) return true
for
(element
in this) if (predicate(element)) return false
return true
}
Performs the given [action] on each element
and returns the collection itself afterwards.
@SinceKotlin("1.1")
public inline fun <T, C : Iterable<T>>
C.onEach(action: (T) -> Unit): C {
return apply { for (element in this) action(element) }
}
Performs
the given [action] on each element, providing sequential index with the element,
and returns the collection itself
afterwards.
@param [action] function that takes the index of an element and the element itself
and performs
the action on the element.
@SinceKotlin("1.4")
public inline fun <T, C : Iterable<T>>
C.onEachIndexed(action: (index: Int, T) -> Unit): C {
return apply { forEachIndexed(action) }
}
Accumulates value starting with the first element and applying [operation] from left to right
to current
accumulator value and each element.
Throws an exception if this collection is empty.
If the collection can be empty in an expected way, please use [reduceOrNull] instead.
It returns `null` when its
receiver is empty.
@param [operation] function that takes current accumulator value and an element,
and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.reduce
public inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S {
val iterator = this.iterator()
if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't be reduced.")
var
accumulator: S = iterator.next()
while (iterator.hasNext()) {
accumulator = operation(accumulator,
iterator.next())
}
return accumulator
}
Accumulates value starting with the first element and
applying [operation] from left to right
to current accumulator value and each element with its index in the
original collection.
Throws an exception if this collection is empty.
If the collection can be empty in an expected way, please use [reduceIndexedOrNull] instead.
It returns `null`
when its receiver is empty.
@param [operation] function that takes the index of an element, current
accumulator value and the element itself,
and calculates the next accumulator value.
@sample
samples.collections.Collections.Aggregates.reduce
public inline fun <S, T : S>
Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {
val iterator = this.iterator()
if
(!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't be reduced.")
var index =
1
var accumulator: S = iterator.next()
while (iterator.hasNext()) {
accumulator =
operation(checkIndexOverflow(index++), accumulator, iterator.next())
}
return accumulator
}
Accumulates value starting with the first element and applying [operation] from left to right
to current
accumulator value and each element
with its index in the original collection.
Returns `null` if the collection is empty.
@param
[operation] function that takes the index of an element, current accumulator value and the element itself,
and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.reduceOrNull
@SinceKotlin("1.4")
public inline fun <S, T : S> Iterable<T>.reduceIndexedOrNull(operation: (index: Int,
acc: S, T) -> S): S? {
val iterator = this.iterator()
if (!iterator.hasNext()) return null
var index = 1
var
accumulator: S = iterator.next()
while (iterator.hasNext()) {
accumulator =

```


* Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold

```

*\n@SinceKotlin("1.4")\npublic inline fun <T, R> Iterable<T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {\n    val estimatedSize = collectionSizeOrDefault(9)\n    if (estimatedSize == 0) return listOf(initial)\n    val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original collection and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFoldIndexed

```

```

*\n@SinceKotlin("1.4")\npublic inline fun <T, R> Iterable<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n    val estimatedSize = collectionSizeOrDefault(9)\n    if (estimatedSize == 0) return listOf(initial)\n    val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n    var index = 0\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(index++, accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this collection.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce

```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Iterable<T>.runningReduce(operation: (acc: S, T) -> S): List<S> {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) return emptyList()\n    var accumulator: S = iterator.next()\n    val result = ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n    while (iterator.hasNext()) {\n        accumulator = operation(accumulator, iterator.next())\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original collection and current accumulator value that starts with the first element of this collection.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduceIndexed

```

```

*\n@SinceKotlin("1.4")\npublic inline fun <S, T : S> Iterable<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) return emptyList()\n    var accumulator: S = iterator.next()\n    val result = ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n    var index = 1\n    while (iterator.hasNext()) {\n        accumulator = operation(index++, accumulator, iterator.next())\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan

```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>

```

```

Iterable<T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n  return runningFold(initial,
operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element,
its index in the original collection and current accumulator value that starts with [initial] value.\n * \n * Note that
`acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n *
and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Iterable<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n  return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.\n * \n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun <T>
Iterable<T>.sumBy(selector: (T) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.\n * \n@Deprecated("Use sumOf instead."),
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun <T>
Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the collection.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Iterable<T>.sumOf(selector: (T) -> Double): Double {\n  var
sum: Double = 0.toDouble()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
collection.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.sumOf(selector: (T) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Iterable<T>.sumOf(selector: (T) -> Long): Long {\n
var sum: Long = 0.toLong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
collection.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> UInt): UInt {\n
var sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
collection.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Iterable<T>.sumOf(selector: (T) -> ULong): ULong {\n  var sum: ULong = 0.toULong()\n  for
(element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns an original collection

```

containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.

```

*^public fun <T : Any> Iterable<T?>.requireNoNulls(): Iterable<T> {
    for (element in this) {
        if (element == null) {
            throw IllegalArgumentException("null element found in $this.")
        }
    }
    @Suppress("UNCHECKED_CAST")
    return this as Iterable<T>
}

```

Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.

```

*^public fun <T : Any> List<T?>.requireNoNulls(): List<T> {
    for (element in this) {
        if (element == null) {
            throw IllegalArgumentException("null element found in $this.")
        }
    }
    @Suppress("UNCHECKED_CAST")
    return this as List<T>
}

```

Splits this collection into a list of lists each not exceeding the given [size].

The last list in the resulting list may have fewer elements than the given [size].

@param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.

```

@sample samples.collections.Collections.Transformations.chunked
*^@SinceKotlin("1.2")
public fun <T> Iterable<T>.chunked(size: Int): List<List<T>> {
    return windowed(size, size, partialWindows = true)
}

```

Splits this collection into several lists each not exceeding the given [size] and applies the given [transform] function to an each.

@return list of results of the [transform] applied to an each list.

Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.

You should not store it or allow it to escape in some way, unless you made a snapshot of it.

The last list may have fewer elements than the given [size].

@param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.

```

@sample samples.text.Strings.chunkedTransform
*^@SinceKotlin("1.2")
public fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R> {
    return windowed(size, size, partialWindows = true, transform = transform)
}

```

Returns a list containing all elements of the original collection without the first occurrence of the given [element].

```

*^public operator fun <T> Iterable<T>.minus(element: T): List<T> {
    val result = ArrayList<T>(collectionSizeOrDefault(10))
    var removed = false
    return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }
}

```

Returns a list containing all elements of the original collection except the elements contained in the given [elements] array.

Before Kotlin 1.6, the [elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.

```

*^public operator fun <T> Iterable<T>.minus(elements: Array<out T>): List<T> {
    if (elements.isEmpty()) return this.toList()
    val other = elements.convertToSetForSetOperation()
    return this.filterNot { it in other }
}

```

Returns a list containing all elements of the original collection except the elements contained in the given [elements] collection.

Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.

```

*^public operator fun <T> Iterable<T>.minus(elements: Iterable<T>): List<T> {
    val other = elements.convertToSetForSetOperationWith(this)
    if (other.isEmpty()) return this.toList()
    return this.filterNot { it in other }
}

```

Returns a list containing all elements of the original collection except the elements contained in the given [elements] sequence.

Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.

```

*^public operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {
    val other = elements.convertToSetForSetOperation()
    if (other.isEmpty()) return this.toList()
    return this.filterNot {

```



```

= false): List<List<T>> {\n  checkWindowSizeStep(size, step)\n  if (this is RandomAccess && this is List) {\n
  val thisSize = this.size\n  val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n  val result
= ArrayList<List<T>>(resultCapacity)\n  var index = 0\n  while (index in 0 until thisSize) {\n  val
windowSize = size.coerceAtMost(thisSize - index)\n  if (windowSize < size && !partialWindows)
break\n  result.add(List(windowSize) { this[it + index] })\n  index += step\n  }\n  return result\n
}\n  val result = ArrayList<List<T>>()\n  windowedIterator(iterator(), size, step, partialWindows, reuseBuffer =
false).forEach {\n  result.add(it)\n  }\n  return result\n}\n\n/n/**\n * Returns a list of results of applying the
given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding
along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral
and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made
a snapshot of it.\n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step]
must be positive and can be greater than the number of elements in this collection.\n * @param size the number of
elements to take in each
window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n *
@param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false`
which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.averageWindows\n * \n @SinceKotlin("1.2")\n public fun <T, R>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R):
List<R> {\n  checkWindowSizeStep(size, step)\n  if (this is RandomAccess && this is List) {\n  val thisSize =
this.size\n  val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n  val result =
ArrayList<R>(resultCapacity)\n  val window = MovingSubList(this)\n  var index = 0\n  while (index in 0
until thisSize) {\n  val windowSize = size.coerceAtMost(thisSize - index)\n  if (!partialWindows &&
windowSize < size) break\n
window.move(index, index + windowSize)\n  result.add(transform(window))\n  index += step\n
}\n  return result\n }\n  val result = ArrayList<R>()\n  windowedIterator(iterator(), size, step,
partialWindows, reuseBuffer = true).forEach {\n  result.add(transform(it))\n  }\n  return result\n}\n\n/n/**\n *
Returns a list of pairs built from the elements of `this` collection and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <T, R> Iterable<T>.zip(other: Array<out
R>): List<Pair<T, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/n/**\n * Returns a list of values built from
the elements of `this` collection and the [other] array with the same index\n * using the provided [transform]
function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n
* \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n public inline fun <T, R,
V> Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n  val arraySize = other.size\n
val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in this) {\n
if (i >= arraySize) break\n  list.add(transform(element, other[i++]))\n  }\n  return list\n}\n\n/n/**\n * Returns a
list of pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned
list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
* \n public infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n  return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection
with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n
* \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n public inline fun <T, R, V>
Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n  val first = iterator()\n  val second
= other.iterator()\n  val list = ArrayList<V>(minOf(collectionSizeOrDefault(10),
other.collectionSizeOrDefault(10)))\n  while (first.hasNext() && second.hasNext()) {\n
list.add(transform(first.next(), second.next()))\n  }\n  return list\n}\n\n/n/**\n * Returns a list of pairs of each two
adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two

```

```

elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n
*\n@SinceKotlin("1.2")\npublic fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n    return zipWithNext\n
{ a, b -> a to b }\n}\n\n/**\n
 * Returns a list containing the results of applying the given [transform] function\n
 * to an each pair of two adjacent\n
 * elements in this collection.\n
 * \n * The returned list is empty if this collection contains less than two elements.\n
 * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n
*\n@SinceKotlin("1.2")\npublic inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R):\n
List<R> {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return emptyList()\n    val result =\n
mutableListOf<R>()\n    var current = iterator.next()\n    while (iterator.hasNext()) {\n        val next =\n
iterator.next()\n        result.add(transform(current, next))\n        current = next\n    }\n    return result\n}\n\n/**\n
 * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if\n
 * supplied.\n
 * \n * If the collection could be huge, you can specify a non-negative value of [limit],\n
 * in which case only the first [limit]\n
 * elements will be appended, followed by the [truncated] string (which defaults\n
 * to "...").\n
 * \n * @sample samples.collections.Collections.Transformations.joinTo\n
*\n@SinceKotlin("1.2")\npublic fun <T, A : Appendable> Iterable<T>.joinTo(buffer: A, separator: CharSequence = "\n",\n
prefix: CharSequence = "\n", postfix:\n
CharSequence = "\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A\n
{\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)\n
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n
        }\n        else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n
return buffer\n}\n\n/**\n
 * Creates a string from all the elements separated using [separator] and using the given\n
 * [prefix] and [postfix] if supplied.\n
 * \n * If the collection could be\n
 * huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n
 * elements will be\n
 * appended, followed by the [truncated] string (which defaults to "...").\n
 * \n * @sample\n
 * samples.collections.Collections.Transformations.joinToString\n
*\n@SinceKotlin("1.2")\npublic fun <T>\n
Iterable<T>.joinToString(separator: CharSequence = "\n",\n
prefix: CharSequence = "\n", postfix: CharSequence =\n
"\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n    return\n
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n
 * Returns this\n
 * collection as an [Iterable].\n
 * \n * @kotlin.internal.InlineOnly\n
*\n@SinceKotlin("1.2")\npublic inline fun <T> Iterable<T>.asIterable():\n
Iterable<T> {\n    return this\n}\n\n/**\n
 * Creates a [Sequence] instance that wraps the original collection returning\n
 * its elements when being iterated.\n
 * \n * @sample\n
 * samples.collections.Sequences.Building.sequenceFromCollection\n
*\n@SinceKotlin("1.2")\npublic fun\n
<T> Iterable<T>.asSequence(): Sequence<T> {\n    return Sequence { this.iterator() }\n}\n\n/**\n
 * Returns an\n
 * average value of elements in the collection.\n
 * \n * @kotlin.jvm.JvmName("averageOfByte")\n
*\n@SinceKotlin("1.2")\npublic fun\n
Iterable<Byte>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n\n
sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /\n
count\n}\n\n/**\n
 * Returns an average value of elements in the collection.\n
 * \n * @kotlin.jvm.JvmName("averageOfShort")\n
*\n@SinceKotlin("1.2")\npublic fun Iterable<Short>.average(): Double {\n    var sum:\n
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n
 * Returns\n
 * an average value of elements in the collection.\n
 * \n * @kotlin.jvm.JvmName("averageOfInt")\n
*\n@SinceKotlin("1.2")\npublic fun\n
Iterable<Int>.average(): Double {\n    var sum: Double\n
= 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n
 * Returns\n
 * an average value of elements in the collection.\n
 * \n * @kotlin.jvm.JvmName("averageOfLong")\n
*\n@SinceKotlin("1.2")\npublic fun\n
Iterable<Long>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n\n
sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /\n
count\n}\n\n/**\n
 * Returns an average value of elements in the collection.\n
 * \n * @kotlin.jvm.JvmName("averageOfFloat")\n
*\n@SinceKotlin("1.2")\npublic fun Iterable<Float>.average(): Double {\n    var sum:

```

```

Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    checkCountOverflow(++count)\n } \n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Iterable<Double>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Iterable<Byte>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Iterable<Short>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Iterable<Int>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun Iterable<Long>.sum(): Long {\n    var sum: Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Iterable<Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Iterable<Double>.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n}\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage\n\nkotlin.collections\n\nimport kotlin.comparisons.naturalOrder\nimport kotlin.random.Random\n\n/**\n * Returns the array if it's not `null`, or an empty array otherwise.\n */\n@sample\nsamples.collections.Arrays.Usage.arrayOrEmpty\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Array<out T>?.orEmpty(): Array<out T> = this ?: emptyArray<T>()\n\n/**\n * Returns a *typed* array containing all of the elements of this collection.\n */\n\n/**\n * Allocates an array of runtime type `T` having its size equal to the size of this collection\n */\n * and populates the array with the elements of this collection.\n */\n@sample\nsamples.collections.Collections.Collections.collectionToTypedArray\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Collection<T>.toArray(): Array<T> =\n    copyToArray(this)\n\n@JsName("copyToArray")\n@PublishedApi\ninternal fun <T> copyToArray(collection: Collection<T>): Array<T> {\n    return if (collection.asDynamic().toArray !== undefined)\n        collection.asDynamic().toArray().unsafeCast<Array<T>>()\n    else\n        copyToArrayImpl(collection).unsafeCast<Array<T>>()\n}\n\n@JsName("copyToArrayImpl")\ninternal actual fun copyToArrayImpl(collection: Collection<*>): Array<Any?> {\n    val array = emptyArray<Any?>()\n    val iterator = collection.iterator()\n    while (iterator.hasNext())\n        array.asDynamic().push(iterator.next())\n    return array\n}\n\n@JsName("copyToExistingArrayImpl")\ninternal actual fun <T> copyToArrayImpl(collection: Collection<*>, array: Array<T>): Array<T> {\n    if (array.size < collection.size)\n        return copyToArrayImpl(collection).unsafeCast<Array<T>>()\n    val iterator = collection.iterator()\n    var index = 0\n    while (iterator.hasNext()) {\n        array[index++] = iterator.next().unsafeCast<T>()\n    }\n    if (index < array.size)\n        array[index] = null.unsafeCast<T>()\n    return array\n}\n\n/**\n * Returns an immutable list containing only the specified object [element].\n */\n\npublic fun <T> listOf(element: T): List<T> =\n    arrayOf(element)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <E> buildListInternal(builderAction: MutableList<E>().->Unit): List<E> {\n    return\n        ArrayList<E>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>().->Unit): List<E> {\n    checkBuilderCapacity(capacity)\n    return

```

```

ArrayList<E>(capacity).apply(builderAction).build()\n\n\n/**\n * Returns an immutable set containing only the
specified object [element].\n */\npublic fun <T> setOf(element: T): Set<T> =
hashSetOf(element)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline
fun <E> buildSetInternal(builderAction: MutableSet<E>().->Unit): Set<E> {\n    return
LinkedHashSet<E>().apply(builderAction).build()\n\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.
InlineOnly\ninternal
    actual inline fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>().->Unit): Set<E> {\n    return
LinkedHashSet<E>(capacity).apply(builderAction).build()\n\n\n/**\n * Returns an immutable map, mapping
only the specified key to the\n * specified value.\n */\npublic fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> =
hashMapOf(pair)\n\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline
fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>().->Unit): Map<K, V> {\n    return
LinkedHashMap<K,
V>().apply(builderAction).build()\n\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninte
rnal actual inline fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>().->Unit):
Map<K, V> {\n    return LinkedHashMap<K, V>(capacity).apply(builderAction).build()\n\n\n/**\n * Fills the
list with the provided [value].\n */\n *
Each element in the list gets replaced with the [value].\n */\n@SinceKotlin("1.2")\npublic actual fun <T>
MutableList<T>.fill(value: T): Unit {\n    for (index in 0..lastIndex) {\n        this[index] = value\n    }\n\n\n/**\n *
Randomly shuffles elements in this list.\n */\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*/\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\n\n\n/**\n *
Returns a new list with the elements of this list randomly shuffled.\n */\n@SinceKotlin("1.2")\npublic actual fun
<T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n\n/**\n * Sorts elements in the list in-
place according to their natural sort order.\n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n * @sample samples.collections.Collections.Sorting.sortMutableList\n
*/\npublic actual fun <T : Comparable<T>> MutableList<T>.sort():
Unit {\n    collectionsSort(this, naturalOrder())\n\n\n/**\n * Sorts elements in the list in-place according to the
order specified with [comparator].\n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n * @sample samples.collections.Collections.Sorting.sortMutableListWith\n
*/\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n
collectionsSort(this, comparator)\n\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator:
Comparator<in T>) {\n    if (list.size <= 1) return\n    val array = copyToArray(list)\n    sortArrayWith(array,
comparator)\n    for (i in 0 until array.size) {\n        list[i] = array[i]\n    }\n\n\ninternal actual fun <T>
arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\n    return
arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n\n\n@SinceKotlin("1.3")\n@PublishedApi\n@JsName("arrayCopy")\ninternal fun <T> arrayCopy(source:
Array<out T>, destination: Array<in T>, destinationOffset: Int, startIndex: Int, endIndex: Int) {\n
AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\n    val rangeSize = endIndex - startIndex\n
AbstractList.checkRangeIndexes(destinationOffset, destinationOffset + rangeSize, destination.size)\n    if
(js("ArrayBuffer").isView(destination) && js("ArrayBuffer").isView(source)) {\n        val subrange =
source.asDynamic().subarray(startIndex, endIndex)\n        destination.asDynamic().set(subrange,
destinationOffset)\n    } else {\n        if (source !== destination || destinationOffset <= startIndex) {\n            for
(index in 0 until rangeSize) {\n                destination[destinationOffset + index] = source[startIndex + index]\n
            }\n        } else {\n            for (index in rangeSize - 1 downTo 0) {\n                destination[destinationOffset + index] =
source[startIndex + index]\n            }\n        }\n    }\n\n\n// no singleton
map implementation in js, return map as is\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun
<K, V> Map<K, V>.toSingletonMapOrSelf(): Map<K, V> =
this\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun <K, V> Map<out K,

```

```

V>.toSingletonMap(): Map<K, V> = this.toMutableMap()\n\n\n@Suppress("NOTHING_TO_INLINE")\ninternal
actual inline fun <T> Array<out T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n if
(isVarargs)\n // no need to copy vararg array in JS\n this\n else\n
this.copyOfOf()\n\n\n\n@PublishedApi\ninternal actual fun checkIndexOverflow(index: Int): Int {\n if (index < 0)
{\n throwIndexOverflow()\n }\n return index\n}\n\n\n@PublishedApi\ninternal actual fun
checkCountOverflow(count: Int): Int {\n if (count < 0) {\n throwCountOverflow()\n }\n return
count\n}\n\n\n/**\n * JS map and set implementations do not make use of capacities or load factors.\n
*\n*\n@PublishedApi\ninternal actual fun mapCapacity(expectedSize:
Int) = expectedSize\n\n\n/**\n * Checks a collection builder function capacity argument.\n * In JS no validation is
made in Map/Set constructor yet.\n *\n*\n@SinceKotlin("1.3")\n@PublishedApi\ninternal fun
checkBuilderCapacity(capacity: Int) {\n require(capacity >= 0) { "capacity must be non-negative.\n"
}\n}\n\n\ninternal actual fun brittleContainsOptimizationEnabled(): Boolean = false","/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\n\npackage
kotlin.collections\n\n\n/**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for`
loop.\n * @sample samples.collections.Iterators.iterator\n *\n*\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Iterator<T>.iterator(): Iterator<T> =
this\n\n\n/**\n * Returns an [Iterator] that wraps each element produced by the original iterator\n * into an
[IndexValue] containing the index of that element and the element itself.\n *\n*\n@sample
samples.collections.Iterators.withIndexIterator\n *\n*\npublic fun <T> Iterator<T>.withIndex():
Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n\n/**\n * Performs the given [operation] on each element of
this [Iterator].\n * @sample samples.collections.Iterators.forEachIterator\n *\n*\npublic inline fun <T>
Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n for (element in this) operation(element)\n}\n\n\n/**\n *
Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\n *\n*\ninternal class
IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n private var index =
0\n final override fun hasNext(): Boolean = iterator.hasNext()\n final override fun next(): IndexedValue<T> =
IndexedValue(checkIndexOverflow(index++),
iterator.next())\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ComparisonsKt")\n\n\npackage
kotlin.comparisons\n\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\n\n\n/**\n * Returns the
greater of two values.\n * \n * If values are equal, returns the first one.\n *\n*\n@SinceKotlin("1.1")\npublic expect
fun <T : Comparable<T>> maxOf(a: T, b: T): T\n\n\n/**\n * Returns the greater of two values.\n
*\n*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte):
Byte\n\n\n/**\n * Returns the greater of two values.\n *\n*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Short, b: Short): Short\n\n\n/**\n * Returns the greater of two values.\n
*\n*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n\n
*\n * Returns the greater of two values.\n *\n*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline
fun maxOf(a: Long, b: Long): Long\n\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`,
returns `NaN`.\n *\n*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float,
b: Float): Float\n\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n
*\n*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double):
Double\n\n\n/**\n * Returns the greater of three values.\n * \n * If there are multiple equal maximal values, returns the
first of them.\n *\n*\n@SinceKotlin("1.1")\npublic expect fun <T : Comparable<T>> maxOf(a: T,

```

b: T, c: T): T\n\n/**\n * Returns the greater of three values.\n

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte\n\n/**\n * Returns the greater of three values.\n

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the greater of three values.\n

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the greater of three values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the greater of three values.\n *\n * If any value is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the greater of three values.\n *\n * If any value is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the given [comparator].\n *\n * If there are multiple equal maximal values, returns the first of them.\n

*\n@SinceKotlin("1.1")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values according to the order specified by the given [comparator].\n *\n * If values are equal, returns the first one.\n

*\n@SinceKotlin("1.1")\npublic fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n return if (comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns the greater of the given values.\n *\n * If there are multiple equal maximal values, returns the first of them.\n *\n@SinceKotlin("1.4")\npublic expect fun <T : Comparable<T>>

maxOf(a: T, vararg other: T): T\n\n/**\n * Returns the greater of the given values.\n

*\n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Byte, vararg other: Byte): Byte\n\n/**\n * Returns the greater of the given values.\n *\n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Short, vararg other: Short): Short\n\n/**\n * Returns the greater of the given values.\n *\n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Int, vararg other: Int): Int\n\n/**\n * Returns the greater of the given values.\n *\n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Long, vararg other: Long): Long\n\n/**\n * Returns the greater of the given values.\n *\n * If any value is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Float, vararg other: Float): Float\n\n/**\n * Returns the greater of the given values.\n *\n * If any value is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Double, vararg other: Double): Double\n\n/**\n * Returns the greater of the given values according to the order specified by the given [comparator].\n *\n * If there are multiple equal maximal values, returns the first of them.\n *\n@SinceKotlin("1.4")\npublic fun <T> maxOf(a: T, vararg other: T, comparator: Comparator<in T>): T {\n var max = a\n for (e in other) if (comparator.compare(max, e) < 0) max = e\n return max\n}\n\n/**\n * Returns the smaller of two values.\n *\n * If values are equal, returns the first one.\n *\n@SinceKotlin("1.1")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T): T\n\n/**\n * Returns the smaller of two values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the smaller of two values.\n

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short): Short\n\n/**\n * Returns the smaller of two values.\n

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int): Int\n\n/**\n * Returns the smaller of two values.\n

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, returns `NaN`.\n

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float): Float\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, returns `NaN`.\n

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double): Double\n\n/**\n * Returns the smaller of three values.\n *\n * If there are multiple equal minimal values, returns the

```

first of them.
@SinceKotlin("1.1")
public expect fun <T : Comparable<T>> minOf(a: T, b: T, c: T):
T
/**
 * Returns the smaller of three values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Byte, b:
Byte, c: Byte): Byte
/**
 * Returns the smaller of three values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Short, b: Short, c:
Short): Short
/**
 * Returns the smaller of three values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Int, b: Int, c: Int):
Int
/**
 * Returns the smaller of three values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Long, b: Long, c: Long): Long
/**
 * Returns the smaller of three values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Float, b: Float, c: Float): Float
/**
 * Returns the smaller of three values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Double, b: Double, c: Double): Double
/**
 * Returns the
smaller of three values according to the order specified by the given [comparator].
 */
@SinceKotlin("1.1")
public fun <T> minOf(a: T, b: T, c: T,
comparator: Comparator<in T>): T {
    return minOf(a, minOf(b, c, comparator), comparator)
}
/**
 * Returns the smaller of two values according to the order specified by the given [comparator].
 */
@SinceKotlin("1.1")
public fun <T> minOf(a: T, b: T, comparator:
Comparator<in T>): T {
    return if (comparator.compare(a, b) <= 0) a else b
}
/**
 * Returns the smaller of
the given values.
 */
@SinceKotlin("1.4")
public expect fun <T : Comparable<T>> minOf(a: T, vararg other: T): T
/**
 * Returns the smaller of the given values.
 */
@SinceKotlin("1.4")
public expect fun minOf(a: Byte, vararg
other:
Byte): Byte
/**
 * Returns the smaller of the given values.
 */
@SinceKotlin("1.4")
public expect fun minOf(a: Short, vararg other: Short): Short
/**
 * Returns the smaller of
the given values.
 */
@SinceKotlin("1.4")
public expect fun minOf(a: Int, vararg other: Int): Int
/**
 * Returns the smaller of
the given values.
 */
@SinceKotlin("1.4")
public expect fun minOf(a: Long, vararg other: Long):
Long
/**
 * Returns the smaller of the given values.
 */
@SinceKotlin("1.4")
public expect fun minOf(a: Float, vararg other: Float): Float
/**
 * Returns the
smaller of the given values.
 */
@SinceKotlin("1.4")
public expect fun minOf(a: Double, vararg other: Double): Double
/**
 * Returns the smaller of the given values
according to the order specified by the given [comparator].
 */
@SinceKotlin("1.4")
public fun <T> minOf(a: T, vararg other: T, comparator: Comparator<in
T>): T {
    var min = a
    for (e in other) if (comparator.compare(min, e) > 0) min = e
    return
min
}
/**
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use
of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("MapsKt")
package
kotlin.collections
// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
import kotlin.random.*
import
kotlin.ranges.contains
import kotlin.ranges.reversed
/**
 * Returns the first non-null value produced by
[transform] function being applied to entries of this map in iteration order,
 */
or throws
[NoSuchElementException] if no non-null value was produced.
 */
@sample samples.collections.Collections.Transformations.firstNotNullOf
@SinceKotlin("1.5")
@kotlin.internal.InlineOnly
public inline fun <K, V, R : Any> Map<out K,
V>.firstNotNullOf(transform: (Map.Entry<K, V>) -> R?): R {
    return firstNotNullOfOrNull(transform) ?: throw
NoSuchElementException("No element of the map was transformed to a non-null value.")
}
/**
 * Returns
the first non-null value produced by [transform] function being applied to entries of this map in iteration order,
 */

```

```

or `null` if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K,
V>.firstNotNullOfOrNull(transform: (Map.Entry<K, V>) -> R?): R? {\n for (element in this) {\n val result =
transform(element)\n if (result != null) {\n return result\n }\n }\n return null\n}\n\n/**\n *
Returns a [List]
containing all key-value pairs.\n *\npublic fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n if (size
== 0)\n return emptyList()\n val iterator = entries.iterator()\n if (!iterator.hasNext())\n return
emptyList()\n val first = iterator.next()\n if (!iterator.hasNext())\n return listOf(first.toPair())\n val result =
ArrayList<Pair<K, V>>(size)\n result.add(first.toPair())\n do {\n result.add(iterator.next().toPair())\n }
while (iterator.hasNext())\n return result\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each entry of original map.\n * \n * @sample
samples.collections.Maps.Transformations.flatMap\n *\npublic inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function
being invoked on each entry of original map.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Sequence<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
entry of original map, to the given [destination].\n *\npublic inline fun <K, V, R, C : MutableCollection<in R>>
Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {\n for (element in
this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n *
Appends all elements yielded from results of [transform] function being invoked on each entry of original
map, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <K, V, R, C :
MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) ->
Sequence<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n
}\n return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform]
function\n * to each entry in the original map.\n * \n * @sample
samples.collections.Maps.Transformations.mapToList\n *\npublic inline fun <K, V, R> Map<out K,
V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform]
function\n * to each entry in the original map.\n * \n * @sample
samples.collections.Maps.Transformations.mapNotNull\n *\npublic inline fun <K, V, R : Any> Map<out K,
V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each entry in the original map\n * and appends
only the non-null results to the given [destination].\n *\npublic inline fun <K, V, R : Any, C : MutableCollection<in
R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {\n forEach {
element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given
[transform] function to each entry of the original map\n * and appends the results to the given [destination].\n
*\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform:
(Map.Entry<K, V>) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return
destination\n}\n\n/**\n *
Returns `true` if all entries match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\npublic inline fun <K, V> Map<out K, V>.all(predicate:

```

```

(Map.Entry<K, V>) -> Boolean): Boolean {
    if (isEmpty()) return true
    for (element in this) if
    (!predicate(element)) return false
    return true
}

Returns `true` if map has at least one entry.

@sample samples.collections.Collections.Aggregates.any
public fun <K, V> Map<out K, V>.any(): Boolean
{
    return !isEmpty()
}

Returns `true` if at least one entry matches the given [predicate].

@sample samples.collections.Collections.Aggregates.anyWithPredicate
public inline fun <K, V> Map<out K,
V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {
    if (isEmpty()) return false
    for (element in
this) if (predicate(element)) return true
    return false
}

Returns the number of entries in this map.

@kotlin.internal.InlineOnly
public
inline fun <K, V> Map<out K, V>.count(): Int {
    return size
}

Returns the number of entries
matching the given [predicate].

public inline fun <K, V> Map<out K, V>.count(predicate: (Map.Entry<K, V>)
-> Boolean): Int {
    if (isEmpty()) return 0
    var count = 0
    for (element in this) if (predicate(element))
    ++count
    return count
}

Performs the given [action] on each entry.

@kotlin.internal.HidesMembers
public inline fun <K, V> Map<out K, V>.forEach(action: (Map.Entry<K, V>)
-> Unit): Unit {
    for (element in this) action(element)
}

@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")
@kotlin.internal.InlineOnly
public inline fun <K, V, R : Comparable<R>>
Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {
    return
maxByOrNull(selector)
}

Returns the first entry yielding the largest value of the given function or `null` if there are no entries.

@sample samples.collections.Collections.Aggregates.maxByOrNull
@kotlin.SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <K, V, R : Comparable<R>> Map<out
K, V>.maxByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {
    return
entries.maxByOrNull(selector)
}

Returns the largest value among all values produced by [selector]
function
* applied to each entry in the map.
* If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.
* @throws NoSuchElementException if the map is empty.

@kotlin.SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <K, V> Map<out K, V>.maxOf(selector:
(Map.Entry<K, V>) -> Double): Double {
    return entries.maxOf(selector)
}

Returns
the largest value among all values produced by [selector] function
* applied to each entry in the map.
* If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
* @throws
NoSuchElementException if the map is empty.

@kotlin.SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <K, V> Map<out K, V>.maxOf(selector:
(Map.Entry<K, V>) -> Float): Float {
    return entries.maxOf(selector)
}

Returns the largest value
among all values produced by [selector] function
* applied to each entry in the map.
* @throws
NoSuchElementException if the map is empty.

@kotlin.SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <K, V, R : Comparable<R>> Map<out K,
V>.maxOf(selector: (Map.Entry<K, V>) -> R):
R {
    return entries.maxOf(selector)
}

Returns the largest value among all values produced by
[selector] function
* applied to each entry in the map or `null` if there are no entries.
* If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.

@kotlin.SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <K, V> Map<out K,
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {
    return
entries.maxOfOrNull(selector)
}

Returns the largest value among all values produced by [selector]
function
* applied to each entry in the map or `null` if there are no entries.
* If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V> Map<out K, V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n return
entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n return entries.maxOfOrNull(selector)\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V, R> Map<out K, V>.maxOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) ->
R): R {\n return entries.maxOfWith(comparator, selector)\n}\n\n/**\n * Returns the largest value according to the
provided [comparator]\n * among all values produced by [selector] function applied to each entry in the map or
`null` if there are no entries.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n return
entries.maxOfWithOrNull(comparator, selector)\n}\n\n@Deprecated("Use maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxWith(comparator:
Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return maxWithOrNull(comparator)\n}\n\n/**\n *
Returns the first entry having the largest value according to the provided [comparator] or `null` if there are no
entries.\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxWithOrNull(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return
entries.maxWithOrNull(comparator)\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.minBy(selector:
(Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return minByOrNull(selector)\n}\n\n/**\n * Returns the first
entry yielding the smallest value of the given function or `null` if there are no entries.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out
K, V>.minByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return
entries.minByOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector:
(Map.Entry<K, V>) -> Double): Double {\n return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values
produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector:
(Map.Entry<K, V>) -> Float): Float {\n return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * @throws

```

NoSuchElementException if the map is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,\nV>.minOf(selector: (Map.Entry<K, V>) -> R): R {\n    return entries.minOf(selector)\n}\n\n/**\n * Returns the\n smallest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if\n there are no entries.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,\nV>.minOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n    return\n entries.minOfOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]\n function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by\n [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,\nV>.minOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n    return\n entries.minOfOrNull(selector)\n}\n\n/**\n * Returns\n the smallest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if\n there are no entries.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,\nV>.minOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n    return entries.minOfOrNull(selector)\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]\n function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,\nV>.minOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n    return\n entries.minOfWith(comparator,\n selector)\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values\n produced by [selector] function applied to each entry in the map or `null` if there are no entries.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,\nV>.minOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n    return\n entries.minOfWithOrNull(comparator, selector)\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince\n = "1.5", hiddenSince = "1.6")\npublic fun <K, V> Map<out K, V>.minWith(comparator: Comparator<in\nMap.Entry<K, V>>): Map.Entry<K, V>? {\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first\n entry having the smallest value according to the provided [comparator]\n or `null` if there are no entries.\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>\nMap<out K, V>.minWithOrNull(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n    return\n entries.minWithOrNull(comparator)\n}\n\n/**\n * Returns `true` if the map has no entries.\n * \n * @sample\n samples.collections.Collections.Aggregates.none\n *\n@public fun <K, V> Map<out K, V>.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n * \n * @sample\n samples.collections.Collections.Aggregates.noneWithPredicate\n *\n@public inline fun <K, V> Map<out K,\nV>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n    if (isEmpty()) return true\n    for (element in\n this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each entry and\n returns the map itself afterwards.\n *\n@SinceKotlin("1.1")\n@public inline fun <K, V, M : Map<out K, V>>\nM.onEach(action:\n
```


greater than one.\n * For example, ``\uFB00'.uppercase()` returns ``\u0046\u0046``,\n * where ``\uFB00`` is the LATIN SMALL LIGATURE FF character (``\ufb00``).\n * If this character has no upper case mapping, the result of ``toString()` of this char is returned.\n * \n * @sample samples.text.Chars.uppercase\n

```

*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.uppercase(): String = toString().asDynamic().toUpperCase().unsafeCast<String>()\n\n**\n * Converts this character to title case using Unicode mapping rules of the invariant locale.\n * \n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [titlecase] function.\n * If this character has no mapping equivalent, the result of calling [uppercaseChar] is returned.\n * \n * @sample samples.text.Chars.titlecase\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.titlecaseChar(): Char = titlecaseCharImpl()\n\n**\n * Returns `true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\n * \n\npublic actual fun Char.isHighSurrogate(): Boolean = this in Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n**\n * Returns `true` if this character is a Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n * \n\npublic actual fun Char.isLowSurrogate(): Boolean = this in Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n\n**\n * Returns the Unicode general category of this character.\n * \n\n@SinceKotlin("1.5")\npublic actual val Char.category: CharCategory\n get() = CharCategory.valueOf(getCategoryValue())\n\n**\n * Returns `true` if this character (Unicode code point) is defined in Unicode.\n * \n * A character is considered to be defined in Unicode if its [category] is not [CharCategory.UNASSIGNED].\n * \n\n@SinceKotlin("1.5")\npublic actual fun Char.isDefined(): Boolean {\n if (this < "\u0080") {\n return true\n }\n return getCategoryValue() != CharCategory.UNASSIGNED.value\n}\n\n**\n * Returns `true` if this character is a letter.\n * \n * A character is considered to be a letter if its [category] is [CharCategory.UPPERCASE_LETTER],\n * [CharCategory.LOWERCASE_LETTER], [CharCategory.TITLECASE_LETTER], [CharCategory.MODIFIER_LETTER], or [CharCategory.OTHER_LETTER].\n * \n * @sample samples.text.Chars.isLetter\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.isLetter(): Boolean {\n if (this in 'a..'z' || this in 'A..'Z') {\n return true\n }\n if (this < "\u0080") {\n return false\n }\n return isLetterImpl()\n}\n\n**\n * Returns `true` if this character is a letter or digit.\n * \n * @see isLetter\n * @see isDigit\n * \n * @sample samples.text.Chars.isLetterOrDigit\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.isLetterOrDigit(): Boolean {\n if (this in 'a..'z' || this in 'A..'Z' || this in '0..'9') {\n return true\n }\n if (this < "\u0080") {\n return false\n }\n\n return isDigitImpl() || isLetterImpl()\n}\n\n**\n * Returns `true` if this character is a digit.\n * \n * A character is considered to be a digit if its [category] is [CharCategory.DECIMAL_DIGIT_NUMBER].\n * \n * @sample samples.text.Chars.isDigit\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.isDigit(): Boolean {\n if (this in '0..'9') {\n return true\n }\n if (this < "\u0080") {\n return false\n }\n\n return isDigitImpl()\n}\n\n**\n * Returns `true` if this character is upper case.\n * \n * A character is considered to be an upper case character if its [category] is [CharCategory.UPPERCASE_LETTER],\n * or it has contributory property `Other_Uppercase` as defined by the Unicode Standard.\n * \n * @sample samples.text.Chars.isUpperCase\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.isUpperCase(): Boolean {\n if (this in 'A..'Z') {\n return true\n }\n if (this < "\u0080") {\n return false\n }\n\n return isUpperCaseImpl()\n}\n\n**\n * Returns `true` if this character is lower case.\n * \n * A character is considered to be a lower case character if its [category] is [CharCategory.LOWERCASE_LETTER],\n * or it has contributory property `Other_Lowercase` as defined by the Unicode Standard.\n * \n * @sample samples.text.Chars.isLowerCase\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.isLowerCase(): Boolean {\n if (this in 'a..'z') {\n return true\n }\n if (this < "\u0080") {\n return false\n }\n\n return isLowerCaseImpl()\n}\n\n**\n * Returns `true` if this character is a title case letter.\n * \n * A character is considered to be a title case letter if its [category] is [CharCategory.TITLECASE_LETTER].\n * \n * @sample samples.text.Chars.isTitleCase\n

```

```

*\n@SinceKotlin("1.5")\npublic actual fun Char.isTitleCase(): Boolean {\n    if (this < "\u0080') {\n        return false\n    }\n    return getCategoryValue() == CharCategory.TITLECASE_LETTER.value\n}\n\n/**\n * Returns `true` if this character is an ISO control character.\n * \n * A character is considered to be an ISO control character if its [category] is [CharCategory.CONTROL],\n * meaning the Char is in the range ``\u0000'..\u001F`` or in the range ``\u007F'..\u009F``.\n * \n * @sample samples.text.Chars.isISOControl\n */\n\n*\n@SinceKotlin("1.5")\npublic actual fun Char.isISOControl(): Boolean {\n    return this <= "\u001F" || this in "\u007F'..\u009F'\n}\n\n/**\n * Determines whether a character is whitespace according to the Unicode standard.\n * \n * Returns `true` if the character is whitespace.\n * \n * @sample samples.text.Chars.isWhitespace\n */\n\npublic actual fun Char.isWhitespace(): Boolean = isWhitespaceImpl()\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Converts the characters in the specified array to a string.\n */\n\n@SinceKotlin("1.2")\n@Deprecated("Use CharArray.concatToString() instead", ReplaceWith("chars.concatToString()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5")\npublic actual fun String(chars: CharArray): String {\n    var result = ""\n    for (char in chars) {\n        result += char\n    }\n    return result\n}\n\n/**\n * Converts the characters from a portion of the specified array to a string.\n * \n * @throws IndexOutOfBoundsException if either [offset] or [length] are less than zero\n * or `offset + length` is out of [chars] array bounds.\n */\n\n@SinceKotlin("1.2")\n@Deprecated("Use CharArray.concatToString(startIndex, endIndex) instead", ReplaceWith("chars.concatToString(offset, offset + length)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5")\npublic actual fun String(chars: CharArray, offset: Int, length: Int): String {\n    if (offset < 0 || length < 0 || chars.size - offset < length)\n        throw IndexOutOfBoundsException("size: ${chars.size}; offset: $offset; length: $length")\n    var result = ""\n    for (index in offset until offset + length) {\n        result += chars[index]\n    }\n    return result\n}\n\n/**\n * Concatenates characters in this [CharArray] into a String.\n */\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun CharArray.concatToString(): String {\n    var result = ""\n    for (char in this) {\n        result += char\n    }\n    return result\n}\n\n/**\n * Concatenates characters in this [CharArray] or its subrange into a String.\n * \n * @param startIndex the beginning (inclusive) of the subrange of characters, 0 by default.\n * @param endIndex the end (exclusive) of the subrange of characters, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n */\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun CharArray.concatToString(startIndex: Int = 0, endIndex: Int = this.size): String {\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n    var result = ""\n    for (index in startIndex until endIndex) {\n        result += this[index]\n    }\n    return result\n}\n\n/**\n * Returns a [CharArray] containing characters of this string.\n */\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun String.toCharArray(): CharArray {\n    return CharArray(length) { get(it) }\n}\n\n/**\n * Returns a [CharArray] containing characters of this string or its substring.\n * \n * @param startIndex the beginning (inclusive) of the substring, 0 by default.\n * @param endIndex the end (exclusive) of the substring, length of this string by default.\n * \n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n */\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun String.toCharArray(startIndex: Int = 0, endIndex: Int = this.length): CharArray {\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n    return CharArray(endIndex - startIndex) { get(startIndex + it) }\n}\n\n/**\n * Decodes a string from the bytes in UTF-8 encoding in this array.\n * \n * Malformed byte sequences are replaced by the replacement char ``\uFFFD``.\n */\n
```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
ByteArray.decodeToString(): String {\n    return decodeUtf8(this, 0, size, false)\n}\n\n/**\n * Decodes a string from
the bytes in UTF-8 encoding in this array or its subrange.\n * \n * @param startIndex the beginning (inclusive) of the
subrange to decode, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to decode, size of this
array by default.\n * @param throwOnInvalidSequence
specifies whether to throw an exception on malformed byte sequence or replace it by the replacement char
'\uFFFFD'.\n * \n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater
than the size of this array.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n *
@throws CharacterCodingException if the byte array contains malformed UTF-8 byte sequence and
[throwOnInvalidSequence] is true.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun ByteArray.decodeToString(\n    startIndex: Int = 0,\n    endIndex: Int = this.size,\n    throwOnInvalidSequence: Boolean = false\n): String {\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n    return decodeUtf8(this, startIndex, endIndex,
throwOnInvalidSequence)\n}\n\n/**\n * Encodes this string to an array of bytes in UTF-8 encoding.\n * \n *
Any malformed char sequence is replaced by the replacement byte sequence.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
String.encodeToByteArray(): ByteArray {\n    return encodeUtf8(this, 0, length, false)\n}\n\n/**\n * Encodes this
string or its substring to an array of bytes in UTF-8 encoding.\n * \n * @param startIndex the beginning (inclusive)
of the substring to encode, 0 by default.\n * @param endIndex the end (exclusive) of the substring to encode, length
of this string by default.\n * @param throwOnInvalidSequence specifies whether to throw an exception on
malformed char sequence or replace.\n * \n * @throws IndexOutOfBoundsException if [startIndex] is less than zero
or [endIndex] is greater than the length of this string.\n * @throws IllegalArgumentException if [startIndex] is
greater than [endIndex].\n * @throws CharacterCodingException if this string contains malformed char sequence
and [throwOnInvalidSequence] is true.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun String.encodeToByteArray(\n    startIndex: Int = 0,\n    endIndex: Int = this.length,\n    throwOnInvalidSequence: Boolean = false\n): ByteArray {\n    AbstractList.checkBoundsIndexes(
startIndex,
endIndex, length)\n    return encodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)\n}\n\n/**\n * Returns
a copy of this string converted to upper case using the rules of the default locale.\n * \n *\n@Deprecated("Use
uppercase() instead.", ReplaceWith("uppercase()"))\n@DeprecatedSinceKotlin(warningSince =
"1.5")\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toUpperCase(): String =
asDynamic().toUpperCase()\n\n/**\n * Returns a copy of this string converted to upper case using Unicode mapping
rules of the invariant locale.\n * \n * This function supports one-to-many and many-to-one character mapping,\n *
thus the length of the
returned string can be different from the length of the original string.\n * \n * @sample
samples.text.Strings.uppercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
actual inline fun String.uppercase(): String = asDynamic().toUpperCase()\n\n/**\n * Returns a copy of this string
converted to lower case using the rules of the default locale.\n * \n *\n@Deprecated("Use lowercase() instead.",
ReplaceWith("lowercase()"))\n@DeprecatedSinceKotlin(warningSince =
"1.5")\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toLowerCase(): String =
asDynamic().toLowerCase()\n\n/**\n * Returns a copy of this string converted to lower case using Unicode
mapping rules of the invariant locale.\n * \n * This function supports one-to-many and many-to-one character
mapping,\n * thus the length of the returned string can be different from the length of the original string.\n * \n *
@sample samples.text.Strings.lowercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic

```

c

```
actual inline fun String.lowercase(): String = asDynamic().toLowerCase()\n\n@kotlin.internal.InlineOnly\n\ninternal\nactual inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str,\nfromIndex)\n\n@kotlin.internal.InlineOnly\n\ninternal\nactual inline fun String.nativeLastIndexOf(str: String,\nfromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\n\ninternal\ninline fun\nString.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s,\nposition)\n\n@kotlin.internal.InlineOnly\n\ninternal\ninline fun String.nativeEndsWith(s: String): Boolean =\nasDynamic().endsWith(s)\n\n@kotlin.internal.InlineOnly\n\npublic\nactual inline fun String.substring(startIndex: Int):\nString = asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\n\npublic\nactual inline fun\nString.substring(startIndex: Int, endIndex: Int):\nString = asDynamic().substring(startIndex, endIndex)\n\n@Deprecated(\"Use String.plus() instead\",  
ReplaceWith(\"this + str\"))\n\n@DeprecatedSinceKotlin(warningSince =\n\"1.6\")\n\n@kotlin.internal.InlineOnly\n\npublic\ninline fun String.concat(str: String): String =\nasDynamic().concat(str)\n\n@Deprecated(\"Use Regex.findAll() instead or invoke matches() on String dynamically:\nthis.asDynamic().match(regex)\")\n\n@DeprecatedSinceKotlin(warningSince =\n\"1.6\")\n\n@kotlin.internal.InlineOnly\n\npublic\ninline fun String.match(regex: String): Array<String>? =\nasDynamic().match(regex)\n\n//native\npublic fun String.trim(): String\n\n//TODO: String.replace to implement\neffective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\n\ninternal\ninline fun\nString.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern,\nreplacement)\n\n@kotlin.internal.InlineOnly\n\ninternal\ninline fun\nString.compareTo(other: String, ignoreCase: Boolean = false): Int {\n    if (ignoreCase) {\n        val n1 =\nthis.length\n        val n2 = other.length\n        val min = minOf(n1, n2)\n        if (min == 0) return n1 - n2\n        for\n(index in 0 until min) {\n            var thisChar = this[index]\n            var otherChar = other[index]\n            if\n(thisChar != otherChar) {\n                thisChar = thisChar.uppercaseChar()\n                otherChar =\notherChar.uppercaseChar()\n                if (thisChar != otherChar) {\n                    thisChar =\nthisChar.lowercaseChar()\n                    otherChar = otherChar.lowercaseChar()\n                }\n                if (thisChar !=\notherChar) {\n                    return thisChar.compareTo(otherChar)\n                }\n            }\n        }\n        return n1 - n2\n    } else {\n        return compareTo(other)\n    }\n}\n\n/**\n * Returns `true` if the\ncontents of this char sequence are equal to the contents of the specified [other],\n * i.e. both char sequences contain\nthe same number of the same characters in the same order.\n */\n * @sample samples.text.Strings.contentEquals\n */\n\n@SinceKotlin(\"1.5\")\n\npublic\nactual infix fun CharSequence?.contentEquals(other: CharSequence?): Boolean =\ncontentEqualsImpl(other)\n\n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of\nthe specified [other], optionally ignoring case difference.\n */\n * @param ignoreCase `true` to ignore character case\nwhen comparing contents.\n */\n * @sample samples.text.Strings.contentEquals\n */\n\n@SinceKotlin(\"1.5\")\n\npublic\nactual fun CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean {\n    return if\n(ignoreCase)\n        this.contentEqualsIgnoreCaseImpl(other)\n    else\n        this.contentEqualsImpl(other)\n}\n\nprivate val STRING_CASE_INSENSITIVE_ORDER =\nComparator<String> { a, b -> a.compareTo(b, ignoreCase = true) }\n\n@SinceKotlin(\"1.2\")\n\npublic\nactual val\nString.Companion.CASE_INSENSITIVE_ORDER: Comparator<String>\n    get() =\nSTRING_CASE_INSENSITIVE_ORDER\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming\nLanguage contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\nlicense/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName(\"CharsKt\")\n\npackage kotlin.text\n\n/**\n * Returns the numeric value of the decimal digit that this Char represents.\n * Throws an exception if this Char is\nnot a valid decimal digit.\n */\n * A Char is considered to represent a decimal digit if [isDigit] is true for the Char.\n */
```

```

* In this case, the Unicode decimal digit value of the character is returned.
samples.text.Chars.digitToInt

@SinceKotlin("1.5")
WasExperimental(ExperimentalStdlibApi::class)
public fun Char.digitToInt(): Int {
    return digitOf(this, 10).also {
        if (it < 0) throw
IllegalArgumentExcepti
on("Char $this is not a decimal digit")
    }
}

* Returns the numeric value of the digit that this Char represents in the specified [radix].
* Throws an exception if the [radix] is not in the range `2..36` or if this Char is not a valid digit in the specified [radix].
* A Char is considered to represent a digit in the specified [radix] if at least one of the following is true:
* - [isDigit] is `true` for the Char and the Unicode decimal digit value of the character is less than the specified [radix]. In this case the decimal digit value is returned.
* - The Char is one of the uppercase Latin letters 'A' through 'Z' and its [code] is less than `radix + 'A'.code - 10`. In this case, `this.code - 'A'.code + 10` is returned.
* - The Char is one of the lowercase Latin letters 'a' through 'z' and its [code] is less than `radix + 'a'.code - 10`. In this case, `this.code - 'a'.code + 10` is returned.
* - The Char is one of the fullwidth Latin capital letters "\uFF21" through "\uFF3A" and its [code] is less than `radix + 0xFF21 - 10`. In this case, `this.code - 0xFF21 + 10` is returned.
* - The Char is one of the fullwidth Latin small letters "\uFF41" through "\uFF5A" and its [code] is less than `radix + 0xFF41 - 10`. In this case, `this.code - 0xFF41 + 10` is returned.
samples.text.Chars.digitToInt

@SinceKotlin("1.5")
WasExperimental(ExperimentalStdlibApi::class)
public fun Char.digitToInt(radix: Int): Int {
    return digitToIntOrNull(radix) ?: throw IllegalArgumentExcepti
on("Char $this is not a digit in the given radix=$radix")
}

* Returns the numeric value of the decimal digit that this Char represents, or `null` if this Char is not a valid decimal digit.
* A Char is considered to represent a decimal digit if [isDigit] is true for the Char.
* In this case, the Unicode decimal digit value of the character is returned.
samples.text.Chars.digitToIntOrNull

@SinceKotlin("1.5")
WasExperimental(ExperimentalStdlibApi::class)
public fun Char.digitToIntOrNull(): Int? {
    return digitOf(this, 10).takeIf { it >= 0 }
}

* Returns the numeric value of the digit that this Char represents in the specified [radix], or `null` if this Char is not a valid digit in the specified [radix].
* Throws an exception if the [radix] is not in the range `2..36`.
* A Char is considered to represent a digit in the specified [radix] if at least one of the following is true:
* - [isDigit] is `true` for the Char and the Unicode decimal digit value of the character is less than the specified [radix]. In this case the decimal digit value is returned.
* - The Char is one of the uppercase Latin letters 'A' through 'Z' and its [code] is less than `radix + 'A'.code - 10`. In this case, `this.code - 'A'.code + 10` is returned.
* - The Char is one of the lowercase Latin letters 'a' through 'z' and its [code] is less than `radix + 'a'.code - 10`. In this case, `this.code - 'a'.code + 10` is returned.
* - The Char is one of the fullwidth Latin capital letters "\uFF21" through "\uFF3A" and its [code] is less than `radix + 0xFF21 - 10`. In this case, `this.code - 0xFF21 + 10` is returned.
* - The Char is one of the fullwidth Latin small letters "\uFF41" through "\uFF5A" and its [code] is less than `radix + 0xFF41 - 10`. In this case, `this.code - 0xFF41 + 10` is returned.
samples.text.Chars.digitToIntOrNull

@SinceKotlin("1.5")
WasExperimental(ExperimentalStdlibApi::class)
public fun Char.digitToIntOrNull(radix: Int): Int? {
    checkRadix(radix)
    return digitOf(this, radix).takeIf { it >= 0 }
}

* Returns the Char that represents this decimal digit.
* Throws an exception if this value is not in the range `0..9`.
* If this value is in `0..9`, the decimal digit Char with code `0'.code + this` is returned.
samples.text.Chars.digitToChar

@SinceKotlin("1.5")
WasExperimental(ExperimentalStdlibApi::class)
public fun Int.digitToChar(): Char {
    if (this in 0..9) {
        return '0' + this
    }
    throw IllegalArgumentExcepti
on("Int $this is not a decimal digit")
}

* Returns the Char that represents this numeric digit value in the specified [radix].
* Throws an exception if the [radix] is not in the range `2..36` or if this value is not in the range `0` until radix`.
* If this value is less than `10`, the decimal digit Char with code `0'.code + this` is returned.
* Otherwise, the uppercase

```

```

Latin letter with code `A'.code + this - 10` is returned.\n *\n * @sample samples.text.Chars.digitToChar\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Int.digitToChar(radix:\n
Int): Char {\n    if (radix\n
    !in 2..36) {\n        throw IllegalArgumentException("Invalid radix: $radix. Valid radix values are in range 2..36")\n
    }\n    if (this < 0 || this >= radix) {\n        throw IllegalArgumentException("Digit $this does not represent a valid\n
digit in radix $radix")\n    }\n    return if (this < 10) {\n        '0' + this\n    } else {\n        'A' + this - 10\n
    }\n}\n\n/>\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n
*\n@Deprecated("Use lowercaseChar() instead.",\n
ReplaceWith("lowercaseChar()"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic expect fun\n
Char.toLowerCase(): Char\n\n/>\n * Converts this character to lower case using Unicode mapping rules of the\n
invariant locale.\n *\n * This function performs one-to-one character mapping.\n *\n * To support one-to-many\n
character mapping use the [lowercase] function.\n *\n * If this character has no mapping equivalent, the character itself\n
is returned.\n *\n * @sample samples.text.Chars.lowercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun\n
Char.lowercaseChar(): Char\n\n/>\n * Converts this character to lower case using Unicode mapping rules of the\n
invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned\n
string can be greater than one.\n *\n * For example, ``\u0130.lowercase()`` returns ``\u0069\u0307``,\n *\n * where\n
``\u0130`` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character (``\ufffd\ufffd``).\n *\n * If this character\n
has no lower case mapping, the result of `toString()` of this char is returned.\n *\n * @sample\n
samples.text.Chars.lowercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun\n
Char.lowercase(): String\n\n/>\n * Converts this character to upper case using Unicode mapping rules of the\n
invariant locale.\n *\n@Deprecated("Use uppercaseChar() instead.",\n
ReplaceWith("uppercaseChar()"))\n@DeprecatedSinceKotlin(warningSince\n
= "1.5")\npublic expect fun Char.toUpperCase(): Char\n\n/>\n * Converts this character to upper case using\n
Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n *\n * To\n
support one-to-many character mapping use the [uppercase] function.\n *\n * If this character has no mapping\n
equivalent, the character itself is returned.\n *\n * @sample samples.text.Chars.uppercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun\n
Char.uppercaseChar(): Char\n\n/>\n * Converts this character to upper case using Unicode mapping rules of the\n
invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned\n
string can be greater than one.\n *\n * For example, ``\uFB00.uppercase()`` returns ``\u0046\u0046``,\n *\n * where\n
``\uFB00`` is the LATIN SMALL LIGATURE FF character (``\ufffd\ufffd\ufffd``).\n *\n * If this character has no upper\n
case mapping,\n
the result of `toString()` of this char is returned.\n *\n * @sample samples.text.Chars.uppercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun\n
Char.uppercase(): String\n\n/>\n * Converts this character to title case using Unicode mapping rules of the\n
invariant locale.\n *\n * This function performs one-to-one character mapping.\n *\n * To support one-to-many\n
character mapping use the [titlecase] function.\n *\n * If this character has no mapping equivalent, the result of calling\n
[uppercaseChar] is returned.\n *\n * @sample samples.text.Chars.titlecase\n
*\n@SinceKotlin("1.5")\npublic\n
expect fun Char.titlecaseChar(): Char\n\n/>\n * Converts this character to title case using Unicode mapping rules of\n
the invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned\n
string can be greater than one.\n *\n * For example, ``\uFB00.titlecase()`` returns ``\u0046\u0066``,\n *\n * where\n
``\uFB00``\n
is the LATIN SMALL LIGATURE FF character (``\ufffd\ufffd\ufffd``).\n *\n * If this character has no title case\n
mapping, the result of [uppercase] is returned instead.\n *\n * @sample samples.text.Chars.titlecase\n
*\n@SinceKotlin("1.5")\npublic fun Char.titlecase(): String = titlecaseImpl()\n\n/>\n * Concatenates this Char\n
and a String.\n *\n * @sample samples.text.Chars.plus\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun

```

```

Char.plus(other: String): String = this.toString() + other\n\n/**\n * Returns `true` if this character is equal to the
[other] character, optionally ignoring character case.\n *\n * Two characters are considered equal ignoring case if
`Char.uppercaseChar().lowercaseChar()` on each character produces the same result.\n *\n * @param ignoreCase
`true` to ignore character case when comparing characters. By default `false`.\n *\n * @sample
samples.text.Chars.equals\n *\n\npublic fun Char.equals(other: Char, ignoreCase: Boolean = false): Boolean {\n    if
(this ==
    other) return true\n    if (!ignoreCase) return false\n\n    val thisUpper = this.uppercaseChar()\n    val otherUpper =
other.uppercaseChar()\n\n    return thisUpper == otherUpper || thisUpper.lowercaseChar() ==
otherUpper.lowercaseChar()\n}\n\n/**\n * Returns `true` if this character is a Unicode surrogate code unit.\n
*\n\npublic fun Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE\n\n/**\n
* Returns the Unicode general category of this character.\n *\n\n@SinceKotlin("1.5")\n\npublic expect val
Char.category: CharCategory\n\n/**\n * Returns `true` if this character (Unicode code point) is defined in
Unicode.\n *\n * A character is considered to be defined in Unicode if its [category] is not
[CharCategory.UNASSIGNED].\n *\n\n@SinceKotlin("1.5")\n\npublic expect fun Char.isDefined():
Boolean\n\n/**\n * Returns `true` if this character is a letter.\n *\n * A character is considered to be a letter if its
[category] is [CharCategory.UPPERCASE_LETTER],\n *\n [CharCategory.LOWERCASE_LETTER],
[CharCategory.TITLECASE_LETTER], [CharCategory.MODIFIER_LETTER], or
[CharCategory.OTHER_LETTER].\n *\n *\n * @sample samples.text.Chars.isLetter\n
*\n\n@SinceKotlin("1.5")\n\npublic expect fun Char.isLetter(): Boolean\n\n/**\n * Returns `true` if this character is a
letter or digit.\n *\n *\n * @see isLetter\n *\n * @see isDigit\n *\n *\n * @sample samples.text.Chars.isLetterOrDigit\n
*\n\n@SinceKotlin("1.5")\n\npublic expect fun Char.isLetterOrDigit(): Boolean\n\n/**\n * Returns `true` if this
character is a digit.\n *\n * A character is considered to be a digit if its [category] is
[CharCategory.DECIMAL_DIGIT_NUMBER].\n *\n *\n * @sample samples.text.Chars.isDigit\n
*\n\n@SinceKotlin("1.5")\n\npublic expect fun Char.isDigit(): Boolean\n\n/**\n * Returns `true` if this character is
upper case.\n *\n * A character is considered to be an upper case character if its [category] is
[CharCategory.UPPERCASE_LETTER],\n *\n * or it has contributory property `Other_Uppercase` as defined by the
Unicode Standard.\n *\n *\n * @sample samples.text.Chars.isUpperCase\n *\n\n@SinceKotlin("1.5")\n\npublic expect
fun Char.isUpperCase(): Boolean\n\n/**\n * Returns `true` if this character is lower case.\n *\n * A character is
considered to be a lower case character if its [category] is [CharCategory.LOWERCASE_LETTER],\n *\n * or it has
contributory property `Other_Lowercase` as defined by the Unicode Standard.\n *\n *\n * @sample
samples.text.Chars.isLowerCase\n *\n\n@SinceKotlin("1.5")\n\npublic expect fun Char.isLowerCase():
Boolean\n\n/**\n * Returns `true` if this character is a title case letter.\n *\n * A character is considered to be a title
case letter if its [category] is [CharCategory.TITLECASE_LETTER].\n *\n *\n * @sample
samples.text.Chars.isTitleCase\n *\n\n@SinceKotlin("1.5")\n\npublic expect fun Char.isTitleCase(): Boolean\n\n/**\n
* Returns `true` if this character is an ISO control character.\n *\n * A character is considered to be an ISO control
character if its [category] is [CharCategory.CONTROL],\n
*\n *\n * meaning the Char is in the range ``\u0000'..' \u001F`` or in the range ``\u007F'..' \u009F``.\n *\n *\n * @sample
samples.text.Chars.isISOControl\n *\n\n@SinceKotlin("1.5")\n\npublic expect fun Char.isISOControl():
Boolean\n\n/**\n * Determines whether a character is whitespace according to the Unicode standard.\n *\n * Returns
`true` if the character is whitespace.\n *\n *\n * @sample samples.text.Chars.isWhitespace\n *\n\npublic expect fun
Char.isWhitespace(): Boolean\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin\n\n/**\n * Creates a Char with the specified [code], or throws an
exception if the [code] is out of `Char.MIN_VALUE.code..Char.MAX_VALUE.code`.\n *\n *\n * If the program that
calls this function is written in a way that only valid [code] is passed as the argument,\n *\n * using the overload
that takes a [UShort] argument is preferable (`Char(intValue.toUShort())`).\n *\n * That overload doesn't check validity
of the argument, and may improve program performance when the function is called routinely inside a loop.\n *\n *\n * @sample samples.text.Chars.charFromCode\n

```

```

*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Char(code: Int): Char {\n    if (code < Char.MIN_VALUE.code || code > Char.MAX_VALUE.code) {\n        throw IllegalArgumentException("Invalid Char code: $code")\n    }\n    return code.toChar()\n}\n\nCreates a Char with the specified [code].\n*\n * @sample samples.text.Chars.charFromCode\n*\n\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun Char(code: UShort): Char\n\nReturns the code of this Char.\n*\n * Code of a Char is the value it was constructed with, and the UTF-16 code unit corresponding to this Char.\n*\n * @sample samples.text.Chars.code\n*\n\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION")\npublic inline val Char.code: Int get() = this.toInt()\n\nCopyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n*\n\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage kotlin.sequences\n\nNOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\nReturns `true` if [element] is found in the sequence.\n*\n * The operation is _terminal_.\n\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n    return indexOf(element) >= 0\n}\n\nReturns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this sequence.\n*\n * The operation is _terminal_.\n*\n * @sample samples.collections.Collections.Elements.elementAt\n\npublic fun <T> Sequence<T>.elementAt(index: Int): T {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("Sequence doesn't contain element at index $index.") }\n}\n\nReturns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this sequence.\n*\n * The operation is _terminal_.\n*\n * @sample samples.collections.Collections.Elements.elementAtOrElse\n\npublic fun <T> Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    if (index < 0)\n        return defaultValue(index)\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element = iterator.next()\n        if (index == count++)\n            return element\n    }\n    return defaultValue(index)\n}\n\nReturns an element at the given [index] or `null` if the [index] is out of bounds of this sequence.\n*\n * The operation is _terminal_.\n*\n * @sample samples.collections.Collections.Elements.elementAtOrNull\n\npublic fun <T> Sequence<T>.elementOrNull(index: Int): T? {\n    if (index < 0)\n        return null\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element = iterator.next()\n        if (index == count++)\n            return element\n    }\n    return null\n}\n\nReturns the first element matching the given [predicate], or `null` if no such element was found.\n*\n * The operation is _terminal_.\n*\n * @sample samples.collections.Collections.Elements.find\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.find(predicate: (T) -> Boolean): T? {\n    return firstOrNull(predicate)\n}\n\nReturns the last element matching the given [predicate], or `null` if no such element was found.\n*\n * The operation is _terminal_.\n*\n * @sample samples.collections.Collections.Elements.find\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.findLast(predicate: (T) -> Boolean): T? {\n    return lastOrNull(predicate)\n}\n\nReturns first element.\n * @throws [NoSuchElementException] if the sequence is empty.\n*\n * The operation is _terminal_.\n\npublic fun <T> Sequence<T>.first(): T {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        throw NoSuchElementException("Sequence is empty.")\n    return iterator.next()\n}\n\nReturns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n*\n * The operation is _terminal_.\n\npublic inline fun <T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n    for (element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Sequence

```

contains no element matching the predicate.`\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this sequence in iteration order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n *\n * The operation is _terminal_.\n *\n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n *\n */\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Sequence<T>.firstNotNullOf(transform: (T) -> R?): R {\n return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException("No element of the sequence was transformed to a non-null value.")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this sequence in iteration order,\n * or `null` if no non-null value was produced.\n *\n * The operation is _terminal_.\n *\n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n *\n */\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Sequence<T>.firstNotNullOfOrNull(transform: (T) -> R?): R {\n for (element in this) {\n val result = transform(element)\n if (result != null) {\n return result\n }\n }\n return null\n}\n\n/**\n * Returns the first element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n *\n */\npublic fun <T> Sequence<T>.firstOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n *\n * The operation is _terminal_.\n *\n */\npublic inline fun <T> Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns first index of [element], or -1 if the sequence does not contain element.\n *\n * The operation is _terminal_.\n *\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n *\n */\npublic inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (predicate(item))\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n *\n */\npublic inline fun <T> Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (predicate(item))\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns the last element.\n *\n * The operation is _terminal_.\n *\n * @throws NoSuchElementException if the sequence is empty.\n *\n * @sample samples.collections.Collections.Elements.last\n *\n */\npublic fun <T> Sequence<T>.last(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException("Sequence is empty.")\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n}\n\n/**\n * Returns the last element matching the given [predicate].\n *\n * The operation is _terminal_.\n *\n * @throws NoSuchElementException if no such element is found.\n *\n * @sample samples.collections.Collections.Elements.last\n *\n */\npublic inline fun <T> Sequence<T>.last(predicate: (T) -> Boolean): T {\n var last: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n last = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException("Sequence contains no element matching the predicate.")\n @Suppress("UNCHECKED_CAST")\n return last as T\n}\n\n/**\n * Returns last index of [element], or -1 if the sequence does not contain element.\n *\n * The operation is _terminal_.\n *\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n *\n * @sample samples.collections.Collections.Elements.last\n *\n */\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n`

```

    val iterator = iterator()\n    if (!iterator.hasNext())\n        return null\n    var last = iterator.next()\n    while
(iterator.hasNext())\n        last = iterator.next()\n    return last\n}\n\n/**\n * Returns the last element matching the
given [predicate], or `null` if no such element was found.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Sequence<T>.lastOrNull(predicate: (T) ->
Boolean): T? {\n    var last: T? = null\n    for (element in this) {\n        if (predicate(element)) {\n            last =
element\n        }\n    }\n    return last\n}\n\n/**\n * Returns the single element, or throws an exception if the
sequence is empty or has more than one element.\n * \n * The operation is _terminal_.\n */\npublic fun <T>
Sequence<T>.single(): T {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        throw
NoSuchElementException("Sequence is empty.")\n    val single = iterator.next()\n    if (iterator.hasNext())\n        throw
IllegalArgumentException("Sequence has more than one element.")\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is
no or more than one matching element.\n * \n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element
in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Sequence contains
more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found)
throw NoSuchElementException("Sequence contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as T\n}\n\n/**\n * Returns single element, or `null` if the
sequence is empty or has more than one element.\n * \n * The operation is _terminal_.\n */\npublic
fun <T> Sequence<T>.singleOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        return
null\n    val single = iterator.next()\n    if (iterator.hasNext())\n        return null\n    return single\n}\n\n/**\n *
Returns the single element matching the given [predicate], or `null` if element was not found or more than one
element was found.\n * \n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for
(element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n
found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a sequence containing
all elements except first [n] elements.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.drop(n: Int): Sequence<T> {\n    require(n >= 0) { "Requested element count $n
is less than zero." }\n    return when {\n        n == 0 -> this\n        this is DropTakeSequence -> this.drop(n)\n
    else -> DropSequence(this, n)\n    }\n}\n\n/**\n * Returns a sequence containing all elements except first elements
that satisfy the given [predicate].\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.dropWhile(predicate: (T)
-> Boolean): Sequence<T> {\n    return DropWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence
containing only elements matching the given [predicate].\n * \n * The operation is _intermediate_ and _stateless_.\n *
\n * @sample samples.collections.Collections.Filtering.filter\n */\npublic fun <T> Sequence<T>.filter(predicate:
(T) -> Boolean): Sequence<T> {\n    return
FilteringSequence(this, true, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the
given [predicate].\n * \n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * The operation is _intermediate_ and _stateless_.\n *
\n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic fun <T>
Sequence<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): Sequence<T> {\n    // TODO: Rewrite with
generalized MapFilterIndexingSequence\n    return
TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), { it.value
})\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * The operation is _terminal_.\n

```

```

* \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n * \n public inline fun <T, C :
MutableCollection<in T>> Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C
{\n   forEachIndexed { index, element ->\n     if (predicate(index, element)) destination.add(element)\n   }\n}
return destination\n}\n\n/**\n * Returns a sequence containing all elements that are instances of specified type
parameter R.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstance\n * \n public inline fun <reified R>
Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {\n
@Suppress(\\"UNCHECKED_CAST\\")\n   return filter { it is R } as Sequence<R>\n}\n\n/**\n * Appends all
elements that are instances of specified type parameter R to the given [destination].\n * \n * The operation is
_terminal_.\n * \n * @sample samples.collections.Collections.Filtering.filterIsInstanceTo\n
* \n public inline fun <reified R, C : MutableCollection<in T>> Sequence<*>.filterIsInstanceTo(destination: C): C
{\n   for (element in this) if (element is R) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a
sequence containing all elements not matching the given [predicate].\n * \n * The operation is _intermediate_ and
_stateless_.\n * \n * @sample samples.collections.Collections.Filtering.filter\n * \n public fun <T>
Sequence<T>.filterNot(predicate: (T) -> Boolean): Sequence<T> {\n   return FilteringSequence(this, false,
predicate)\n}\n\n/**\n * Returns a sequence containing all elements that are not `null`.\n * \n * The operation is
_intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNull\n
* \n public fun <T : Any> Sequence<T?>.filterNotNull(): Sequence<T> {\n
@Suppress(\\"UNCHECKED_CAST\\")\n   return filterNot { it == null } as Sequence<T>\n}\n\n/**\n * Appends all
elements that are not `null`
to the given [destination].\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNullTo\n * \n public fun <C : MutableCollection<in T>, T : Any>
Sequence<T?>.filterNotNullTo(destination: C): C {\n   for (element in this) if (element != null)
destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given
[predicate] to the given [destination].\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n * \n public inline fun <T, C : MutableCollection<in T>>
Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if
(!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n * \n public inline fun
<T, C : MutableCollection<in T>> Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n   for
(element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a
sequence containing first [n] elements.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n public fun <T> Sequence<T>.take(n: Int): Sequence<T>
{\n   require(n >= 0) { \\"Requested element count $n is less than zero.\" }\n   return when {\n     n == 0 ->
emptySequence()\n     this is DropTakeSequence -> this.take(n)\n     else -> TakeSequence(this, n)\n   }\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given [predicate].\n * \n * The operation
is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.take\n
* \n public fun <T> Sequence<T>.takeWhile(predicate:
(T) -> Boolean): Sequence<T> {\n   return TakeWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence
that yields elements of this sequence sorted according to their natural sort order.\n * \n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting.\n * \n * The operation is
_intermediate_ and _stateful_.\n * \n public fun <T : Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n
return object : Sequence<T> {\n   override fun iterator(): Iterator<T> {\n     val sortedList =
this@sorted.toList()\n     sortedList.sort()\n     return sortedList.iterator()\n   }\n}\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to natural sort order of the value
returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their

```

order relative to each other after sorting.\n *\n * The operation is

```

_intermediate_ and _stateful_.\n *\n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic
inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n
return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted descending according to natural sort order of the value returned by specified [selector] function.\n *\n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The
operation is _intermediate_ and _stateful_.\n */\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted descending according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements
preserve their order relative
to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T :
Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n return
sortedWith(reverseOrder())\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according
to the specified [comparator].\n *\n * The sort is _stable_. It means that equal elements preserve their order relative
to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T>
Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n return object : Sequence<T> {\n
override fun iterator(): Iterator<T> {\n val sortedList = this@sortedWith.toMutableList()\n
sortedList.sortWith(comparator)\n return sortedList.iterator()\n }\n }\n}\n\n/**\n * Returns a [Map]
containing key-value pairs provided by [transform] function\n * applied to elements of the given sequence.\n *\n * \n *
If any
of two pairs would have the same key the last one gets added to the map.\n *\n * The returned map preserves the
entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.associate\n */\npublic inline fun <T, K, V>
Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n return associateTo(LinkedHashMap<K,
V>(), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given sequence indexed by the
key\n * returned from [keySelector] function applied to each element.\n *\n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n *\n * The returned map preserves the entry
iteration order of the original sequence.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.associateBy\n */\npublic inline fun <T, K>
Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n
return associateByTo(LinkedHashMap<K, T>(), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given
sequence.\n *\n * If any two elements would have the same key returned by [keySelector] the last one gets added to
the map.\n *\n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The
operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.associateByWithValueTransform\n */\npublic inline fun <T, K, V>
Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n return
associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to
each element of the given sequence\n * and value is the element itself.\n *\n * If any
two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *\n * The
operation is _terminal_.\n *\n * @sample samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M,
keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n
return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where
key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function
applied to elements of the given sequence.\n *\n * If any two elements would have the same key returned by

```

[keySelector] the last one gets added to the map.
 * The operation is `_terminal_`.
 * @sample
 samples.collections.Collections.Transformations.associateByToWithValueTransform
 *
 public inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {
 for (element in this) {
 destination.put(keySelector(element), valueTransform(element))
 }
 return destination
 }
 * Populates and returns the [destination] mutable map with key-value pairs * provided by [transform] function applied to each element of the given sequence.
 * If any of two pairs would have the same key the last one gets added to the map.
 * The operation is `_terminal_`.
 * @sample
 samples.collections.Collections.Transformations.associateTo
 *
 public inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
 for (element in this) {
 destination += transform(element)
 }
 return destination
 }
 * Returns a [Map] where keys are elements from the given sequence and values are * produced by the [valueSelector] function applied to each element.
 * If any two elements are equal, the last one gets added to the map.
 * The returned map preserves the entry iteration order of the original sequence.
 * The operation is `_terminal_`.
 * @sample
 samples.collections.Collections.Transformations.associateWith
 *
 @SinceKotlin("1.3")
 public inline fun <K, V> Sequence<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {
 val result = LinkedHashMap<K, V>()
 return associateWithTo(result, valueSelector)
 }
 * Populates and returns the [destination] mutable map with key-value pairs for each element of the given sequence, * where key is the element itself and value is provided by the [valueSelector] function applied to that key.
 * If any two elements are equal, the last one overwrites the former value in the map.
 * The operation is `_terminal_`.
 * @sample
 samples.collections.Collections.Transformations.associateWithTo
 *
 @SinceKotlin("1.3")
 public inline fun <K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {
 for (element in this) {
 destination.put(element, valueSelector(element))
 }
 return destination
 }
 * Appends all elements to the given [destination] collection.
 * The operation is `_terminal_`.
 *
 public fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {
 for (item in this) {
 destination.add(item)
 }
 return destination
 }
 * Returns a new [HashSet] of all elements.
 * The operation is `_terminal_`.
 *
 public fun <T> Sequence<T>.toHashSet(): HashSet<T> {
 return toCollection(HashSet<T>())
 }
 * Returns a [List] containing all elements.
 * The operation is `_terminal_`.
 *
 public fun <T> Sequence<T>.toList(): List<T> {
 return this.toMutableList().optimizeReadOnlyList()
 }
 * Returns a new [MutableList] filled with all elements of this sequence.
 * The operation is `_terminal_`.
 *
 public fun <T> Sequence<T>.toMutableList(): MutableList<T> {
 return toCollection(ArrayList<T>())
 }
 * Returns a [Set] of all elements.
 * The returned set preserves the element iteration order of the original sequence.
 * The operation is `_terminal_`.
 *
 public fun <T> Sequence<T>.toSet(): Set<T> {
 return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()
 }
 * Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.
 * The operation is `_intermediate_` and `_stateless_`.
 * @sample
 samples.collections.Collections.Transformations.flatMap
 *
 @SinceKotlin("1.4")
 @OptIn(kotlin.experimental.ExperimentalTypeInference::class)
 @OverloadResolutionByLambdaReturnType
 @kotlin.jvm.JvmName("flatMapIterable")
 public fun <T, R> Sequence<T>.flatMap(transform: (T) -> Iterable<R>): Sequence<R> {
 return FlatteningSequence(this, transform, Iterable<R>::iterator)
 }
 * Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.
 * The operation is `_intermediate_` and `_stateless_`.
 * @sample
 samples.collections.Collections.Transformations.flatMap
 *
 public fun <T, R> Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {
 return FlatteningSequence(this, transform, Sequence<R>::iterator)
 }
 * Returns a single sequence of all elements yielded from results of [transform] function being invoked on each element * and its index in the original sequence.
 * The operation is `_intermediate_` and `_stateless_`.
 * @sample

returned map preserves the entry iteration order of the keys produced from the original sequence.

`operation is _terminal_`

`@sample`

```

samples.collections.Collections.Transformations.groupByKeyAndValues
public inline fun <T, K, V>
Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {
    return
    groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)
}

```

`Groups elements of the original sequence by the key returned by the given [keySelector] function applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.`

`@return The [destination] map.`

`The operation is _terminal_`

`@sample`

```

samples.collections.Collections.Transformations.groupBy
public inline fun <T, K, M : MutableMap<in K, MutableList<T>>>
Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<T>() }
        list.add(element)
    }
    return destination
}

```

`Groups values returned by the [valueTransform] function applied to each element of the original sequence by the key returned by the given [keySelector] function applied to the element and puts to the [destination] map each group key associated with a list of corresponding values.`

`@return The [destination] map.`

`The operation is _terminal_`

`@sample`

```

samples.collections.Collections.Transformations.groupByKeyAndValues
public inline fun <T, K, V, M :
MutableMap<in
K, MutableList<V>>>
Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V):
M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) {
            ArrayList<V>()
        }
        list.add(valueTransform(element))
    }
    return destination
}

```

`Creates a [Grouping] source from a sequence to be used later with one of group-and-fold operations using the specified [keySelector] function to extract a key from each element.`

`The operation is _intermediate_ and _stateless_`

`@sample`

```

samples.collections.Grouping.groupingByEachCount
@SinceKotlin("1.1")
public inline
fun <T, K>
Sequence<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {
    return object :
    Grouping<T, K> {
        override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()
        override fun
        keyOf(element: T): K = keySelector(element)
    }
}

```

`Returns a sequence containing the results of applying the given [transform] function to each element in the original sequence.`

`The operation is _intermediate_ and _stateless_`

`@sample`

```

samples.collections.Collections.Transformations.map
public fun <T, R>
Sequence<T>.map(transform: (T) ->
R): Sequence<R> {
    return TransformingSequence(this, transform)
}

```

`Returns a sequence containing the results of applying the given [transform] function to each element and its index in the original sequence.`

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

`The operation is _intermediate_ and _stateless_`

```

public fun <T,
R>
Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {
    return
    TransformingIndexedSequence(this, transform)
}

```

`Returns a sequence containing only the non-null results of applying the given [transform] function`

`to each element and its index in the original sequence.`

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

`The operation is _intermediate_ and _stateless_`

```

public fun <T, R : Any>
Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {
    return
    TransformingIndexedSequence(this, transform).filterNotNull()
}

```

`Applies the given [transform] function to each element and its index in the original sequence and appends only the non-null results to the given [destination].`

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

`The operation is _terminal_`

```

public inline fun
<T, R : Any, C : MutableCollection<in R>>
Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index:
Int, T) -> R?): C {
    forEachIndexed
    { index, element -> transform(index, element)?.let { destination.add(it) } }
    return destination
}

```

`Applies the given [transform] function to each element and its index in the original sequence and appends the`


```

<T> Sequence<T>.count(): Int {
    var count = 0
    for (element in this) checkCountOverflow(++count)
    return count
}

Returns the number of elements matching the given [predicate].

The operation is _terminal_.

public inline fun <T> Sequence<T>.count(predicate: (T) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) checkCountOverflow(++count)
    return count
}

Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator value and each element.

Returns the specified [initial] value if the sequence is empty.

@param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.

The operation is _terminal_.

public inline fun <T, R> Sequence<T>.fold(initial: R, operation:
(acc: R, T) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator,
    element)
    return accumulator
}

Accumulates value starting with [initial] value and applying
[operation] from left to right
to current accumulator value and each element with its index in the original
sequence.

Returns the specified [initial] value if the sequence is empty.

@param [operation]
function that takes the index of an element, current accumulator value
and the element itself, and calculates the
next accumulator value.

The operation is _terminal_.

public inline fun <T, R>
Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {
    var index = 0
    var
    accumulator = initial
    for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator,
    element)
    return accumulator
}

Performs the given [action] on each element.

The operation is _terminal_.

public inline fun <T> Sequence<T>.forEach(action: (T) -> Unit): Unit {
    for
    (element in this) action(element)
}

Performs the given [action] on each element, providing sequential
index with the element.

@param [action] function that takes the index of an element and the element itself
and performs the action on the element.

The operation is _terminal_.

public inline fun <T>
Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {
    var index = 0
    for (item in this)
    action(checkIndexOverflow(index++), item)
}

@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")
@SinceKotlin("1.1")
public fun Sequence<Double>.max(): Double? {
    return
    maxOrNull()
}

@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")
@SinceKotlin("1.1")
public fun Sequence<Float>.max(): Float? {
    return
    maxOrNull()
}

@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")
public fun <T : Comparable<T>> Sequence<T>.max(): T? {
    return
    maxOrNull()
}

@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")
public inline fun <T, R : Comparable<R>> Sequence<T>.maxBy(selector: (T) ->
R): T? {
    return maxByOrNull(selector)
}

Returns the first element yielding the largest value of the
given function or `null` if there are no elements.

The operation is _terminal_.

@sample
samples.collections.Collections.Aggregates.maxByOrNull
@SinceKotlin("1.4")
public inline fun <T, R :
Comparable<R>> Sequence<T>.maxByOrNull(selector: (T) -> R): T? {
    val iterator = iterator()
    if
    (!iterator.hasNext()) return
    null
    var maxElem = iterator.next()
    if (!iterator.hasNext()) return maxElem
    var maxValue =
    selector(maxElem)
    do {
        val e = iterator.next()
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    } while (iterator.hasNext())
    return maxElem
}

Returns the largest value among all values produced by [selector] function
applied to each element in the
sequence.

If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@throws NoSuchElementException if the sequence is empty.

The operation is _terminal_.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.maxOf(selector: (T) ->
Double): Double {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
}

```

```

    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n * \n * The operation is _terminal_.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) -> Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the sequence.\n * \n * @throws NoSuchElementException if the sequence is empty.\n * \n * The operation is _terminal_.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * The operation is _terminal_.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOfOrNull(selector: (T) -> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * The operation is _terminal_.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOfOrNull(selector: (T) -> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * The operation is _terminal_.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the sequence.\n * \n * @throws NoSuchElementException if the sequence is empty.\n * \n * The operation is _terminal_.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Sequence<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while

```



```

    val v = selector(e)\n    if (minValue > v) {\n        minElem = e\n        minValue = v\n    }\n } while
(iterator.hasNext())\n return minElem\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the
sequence is empty.\n * \n * The operation is _terminal_.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values
produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n * \n * The
operation is _terminal_.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * @throws
NoSuchElementException if the sequence is empty.\n * \n * The operation is _terminal_.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R : Comparable<R>> Sequence<T>.minOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) throw NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n
        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * The operation is _terminal_.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOfOrNull(selector:
(T) -> Double): Double? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n
return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * The operation is _terminal_.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOfOrNull(selector:
(T) -> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue
= minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n *
*\n * The operation is _terminal_.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.minOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =

```

```

selector(iterator.next())\n    if (minValue > v) {\n        minValue = v\n    }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the sequence.\n * \n * @throws
NoSuchElementException
if the sequence is empty.\n *\n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Sequence<T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) throw NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(minValue, v) > 0) {\n
            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the
provided [comparator]\n * among all values produced by [selector] function applied to each element in the sequence
or `null` if there are no elements.\n *\n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Sequence<T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n
    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n
    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(minValue, v) > 0) {\n
            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are
no elements.\n *\n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\npublic fun Sequence<Double>.minOrNull(): Double? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest
element or `null` if there are no elements.\n *\n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation
is _terminal_.\n *\n@SinceKotlin("1.4")\npublic fun Sequence<Float>.minOrNull(): Float? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n
        val e = iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest
element or `null` if there are no elements.\n *\n * The operation is _terminal_.\n *\n@SinceKotlin("1.4")\npublic fun <T :
Comparable<T>> Sequence<T>.minOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min
= e\n    }\n    return min\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun <T> Sequence<T>.minWith(comparator:
Comparator<in T>): T? {\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is
_terminal_.\n *\n@SinceKotlin("1.4")\npublic fun <T> Sequence<T>.minWithOrNull(comparator:
Comparator<in T>): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min =
iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (comparator.compare(min, e) >
0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the sequence has no elements.\n *\n * The operation is
_terminal_.\n *\n * @sample samples.collections.Collections.Aggregates.none\n *\n@public fun <T>
Sequence<T>.none(): Boolean {\n    return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the
given [predicate].\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\n@public inline fun <T>
Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of the
original sequence as they pass through it.\n *\n * The operation is _intermediate_ and _stateless_.\n
*\n@SinceKotlin("1.1")\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {\n    return

```

```

map { \n      action(it)\n      it\n    }\n\n/**\n * Returns a sequence which performs the given [action] on each
element of the original sequence as they pass through it.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n * \n * The operation is _intermediate_
and _stateless_.\n * \n */\n@SinceKotlin("1.4")\npublic
fun <T> Sequence<T>.onEachIndexed(action: (index: Int, T) -> Unit): Sequence<T> { \n      return mapIndexed {
index, element ->\n      action(index, element)\n      element\n    }\n\n/**\n * Accumulates value starting with
the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Throws an exception if this sequence is empty. If the sequence can be empty in an expected way,\n * please use
[reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * The operation is
_terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S>
Sequence<T>.reduce(operation: (acc: S, T) -> S): S { \n      val iterator = this.iterator()\n      if (!iterator.hasNext())
throw UnsupportedOperationException("Empty sequence can't be reduced.")\n
      var accumulator: S = iterator.next()\n      while (iterator.hasNext()) { \n          accumulator = operation(accumulator,
iterator.next())\n      }\n      return accumulator\n    }\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original sequence.\n * \n * Throws an exception if this sequence is empty. If the sequence can be empty in an
expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value and the element itself,\n *
and calculates the next accumulator value.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S>
Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S { \n      val iterator = this.iterator()\n      if
(!iterator.hasNext())
throw UnsupportedOperationException("Empty sequence can't be reduced.")\n      var index = 1\n      var
accumulator: S = iterator.next()\n      while (iterator.hasNext()) { \n          accumulator =
operation(checkIndexOverflow(index++), accumulator, iterator.next())\n      }\n      return accumulator\n    }\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original sequence.\n * \n * Returns `null` if the sequence is
empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the
element itself,\n * and calculates the next accumulator value.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <S, T : S>
Sequence<T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? { \n      val iterator = this.iterator()\n
      if (!iterator.hasNext()) return null\n      var index = 1\n      var accumulator: S = iterator.next()\n      while
(iterator.hasNext()) { \n          accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n
      }\n      return accumulator\n    }\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the sequence is
empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates
the next accumulator value.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Sequence<T>.reduceOrNull(operation: (acc: S, T) -> S): S? { \n      val iterator = this.iterator()\n      if
(!iterator.hasNext()) return null\n      var accumulator: S = iterator.next()\n
      while (iterator.hasNext()) { \n          accumulator = operation(accumulator, iterator.next())\n      }\n      return
accumulator\n    }\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n *
Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n *
as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation]

```

function that takes current accumulator value and an element, and calculates the next accumulator value. The operation is `_intermediate_ and _stateless_`. The operation is `@sample`

```

samples.collections.Collections.Aggregates.runningFold
*/@SinceKotlin("1.4")
public fun <T, R>
Sequence<T>.runningFold(initial:
R, operation: (acc: R, T) -> R): Sequence<R> {
return sequence {
yield(initial)
var accumulator =
initial
for (element in this@runningFold) {
accumulator = operation(accumulator, element)
yield(accumulator)
}
}
}
*/
*/ Returns a sequence containing successive accumulation values
generated by applying [operation] from left to right to each element, its index in the original sequence and
current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function
should not be mutated; otherwise it would affect the previous value in resulting sequence. The [initial] value
should also be immutable (or should not be mutated) as it may be passed to [operation] function later because of
sequence's lazy nature.
@param [operation] function that takes the index of an element, current accumulator
value and the element itself, and calculates
the next accumulator value. The operation is _intermediate_ and _stateless_. The operation is @sample
samples.collections.Collections.Aggregates.runningFold
*/@SinceKotlin("1.4")
public fun <T, R>
Sequence<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {
return
sequence {
yield(initial)
var index = 0
var accumulator = initial
for (element in
this@runningFoldIndexed) {
accumulator = operation(checkIndexOverflow(index++), accumulator,
element)
yield(accumulator)
}
}
}
*/
*/ Returns a sequence containing successive
accumulation values generated by applying [operation] from left to right to each element and current
accumulator value that starts with the first element of this sequence. Note that `acc` value passed to
[operation] function should not be mutated; otherwise it would affect the previous value in resulting sequence.
*/
*/
*/ @param [operation] function that takes current accumulator value and the element, and calculates the next
accumulator value. The operation is _intermediate_ and _stateless_. The operation is @sample
samples.collections.Collections.Aggregates.runningReduce
*/@SinceKotlin("1.4")
*/@WasExperimental(ExperimentalStdlibApi::class)
public fun <S, T : S>
Sequence<T>.runningReduce(operation: (acc: S, T) -> S): Sequence<S> {
return sequence {
val iterator =
iterator()
if (iterator.hasNext()) {
var accumulator: S = iterator.next()
yield(accumulator)
while (iterator.hasNext()) {
accumulator = operation(accumulator, iterator.next())
yield(accumulator)
}
}
}
}
*/
*/ Returns a sequence containing successive accumulation
values generated by applying [operation] from left to right to each element, its index in the original sequence and
current accumulator value that
starts with the first element of this sequence. Note that `acc` value passed to [operation] function should not
be mutated; otherwise it would affect the previous value in resulting sequence.
@param [operation]
function that takes the index of an element, current accumulator value and the element itself, and calculates the
next accumulator value. The operation is _intermediate_ and _stateless_. The operation is @sample
samples.collections.Collections.Aggregates.runningReduce
*/@SinceKotlin("1.4")
public fun <S, T : S>
Sequence<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): Sequence<S> {
return sequence
{
val iterator = iterator()
if (iterator.hasNext()) {
var accumulator: S = iterator.next()
yield(accumulator)
var index = 1
while (iterator.hasNext()) {
accumulator =
operation(checkIndexOverflow(index++), accumulator, iterator.next())
yield(accumulator)
}
}
}
}
*/
*/ Returns a sequence containing successive
accumulation values generated by applying [operation] from left to right to each element and current
accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should
not be mutated; otherwise it would affect the previous value in resulting sequence. The [initial] value should
also be immutable (or should not be mutated) as it may be passed to [operation] function later because of
sequence's lazy nature.
@param [operation] function that takes current accumulator value and an element,

```

and calculates the next accumulator value.\n * The operation is `_intermediate_` and `_stateless_`.\n * \n *
`@sample samples.collections.Collections.Aggregates.scan`\n

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T, R>
Sequence<T>.scan(initial: R, operation: (acc: R, T) ->
R): Sequence<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a sequence containing
successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in
the original sequence and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value
passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting
sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to
[operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Aggregates.scan
```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
fun <T, R> Sequence<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n    return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the sequence.\n * \n * The operation is _terminal_.\n *\n@Deprecated("Use sumOf
instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline
fun <T> Sequence<T>.sumBy(selector: (T) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the sequence.\n * \n * The operation is _terminal_.\n *\n@Deprecated("Use
sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince =
"1.5")\npublic inline fun <T> Sequence<T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum:
Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the sequence.\n * \n * The operation
is _terminal_.\n
```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Sequence<T>.sumOf(selector: (T) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element
in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the sequence.\n * \n * The operation is _terminal_.\n
```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Sequence<T>.sumOf(selector: (T) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the sequence.\n * \n * The operation is _terminal_.\n
```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Sequence<T>.sumOf(selector: (T) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the sequence.\n * \n * The operation is _terminal_.\n
```

```

*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Sequence<T>.sumOf(selector: (T) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element
in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the sequence.\n * \n * The operation is _terminal_.\n
```

```

*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```

ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> ULong):
ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing
an [IllegalArgumentException] if there are any `null` elements.\n * \n * The operation is _intermediate_ and
_stateless_.\n */\npublic fun <T : Any> Sequence<T?.>.requireNonNulls(): Sequence<T> {\n    return map { it ?:
throw IllegalArgumentException("\null element found in $this.") }\n}\n\n/**\n * Splits this sequence into a
sequence of lists each not exceeding the given [size].\n * \n * The last list in the resulting sequence may have fewer
elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive
and can be greater than the number of elements in this sequence.\n * \n * The operation is _intermediate_ and
_stateful_.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n
*/\n@SinceKotlin("1.2")\npublic fun <T> Sequence<T>.chunked(size: Int): Sequence<List<T>> {\n    return
windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this sequence into several lists each not exceeding
the given [size]\n *
and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform]
applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only
inside that function.\n * \n * You should not store it or allow it to escape in some way, unless you made a snapshot of
it.\n * \n * The last list may have fewer elements than the given [size].\n * \n * @param size the number of elements to
take in each list, must be positive and can be greater than the number of elements in this sequence.\n * \n * The
operation is _intermediate_ and _stateful_.\n * \n * @sample samples.text.Strings.chunkedTransform\n
*/\n@SinceKotlin("1.2")\npublic fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R):
Sequence<R> {\n    return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n *
Returns a sequence containing all elements of the original sequence without the first occurrence of the given
[element].\n
\n * \n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.minus(element:
T): Sequence<T> {\n    return object: Sequence<T> {\n        override fun iterator(): Iterator<T> {\n            var
removed = false\n            return this@minus.filter { if (!removed && it == element) { removed = true; false } else
true }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except
the elements contained in the given [elements] array.\n * \n * Note that the source sequence and the array being
subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them
between successive calls to `iterator` may affect the result.\n * \n * Before Kotlin 1.6, the [elements] array may have
been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and
stable implementation of `hashCode()` that didn't change between
successive invocations.\n * \n * On JVM, you can enable this behavior back with the system property
`kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n * \n * The operation is _intermediate_ and
_stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {\n    if
(elements.isEmpty()) return this\n    return object: Sequence<T> {\n        override fun iterator(): Iterator<T> {\n
            val other = elements.convertToSetForSetOperation()\n            return this@minus.filterNot { it in other }.iterator()\n
        }\n    }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements
contained in the given [elements] collection.\n * \n * Note that the source sequence and the collection being
subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them
between successive calls to `iterator` may affect the result.\n * \n * Before Kotlin 1.6, the
[elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were
required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive
invocations.\n * \n * On JVM, you can enable this behavior back with the system property
`kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n * \n * The operation is _intermediate_ and
_stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {\n    return
object: Sequence<T> {\n        override fun iterator(): Iterator<T> {\n            val other =

```

```

elements.convertToSetForSetOperation()\n        if (other.isEmpty())\n            return this@minus.iterator()\n        else\n            return this@minus.filterNot { it in other }.iterator()\n    }\n}\n}\n\n/**\n * Returns a sequence\n containing all elements of original sequence except the elements contained in the given [elements] sequence.\n *\n * Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested\n from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ for this sequence and _terminal_ and _stateful_ for the [elements] sequence.\n *\n * Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation,\n thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change\n between successive invocations.\n * On JVM, you can enable this behavior back with the system property\n `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\n\npublic operator fun <T>\nSequence<T>.minus(elements: Sequence<T>): Sequence<T> {\n    return object: Sequence<T> {\n        override fun\niterator(): Iterator<T> {\n            val other = elements.convertToSetForSetOperation()\n            if (other.isEmpty())\n                return this@minus.iterator()\n            else\n                return this@minus.filterNot { it in other }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence containing all elements of the original\n sequence without the first occurrence of the given [element].\n *\n * The operation is _intermediate_ and\n _stateless_.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minusElement(element: T):\nSequence<T> {\n    return minus(element)\n}\n\n/**\n * Splits the original sequence into pair of lists,\n * where\n * first list contains elements for which [predicate] yielded `true`,\n * while second list contains elements for\n which [predicate] yielded `false`.\n *\n * The operation is _terminal_.\n *\n * @sample\n samples.collections.Sequences.Transformations.partition\n */\n\npublic inline fun <T>\nSequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n    val first = ArrayList<T>()\n    val\nsecond = ArrayList<T>()\n\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n           \nsecond.add(element)\n        }\n    }\n\n    return Pair(first, second)\n}\n\n/**\n * Returns a sequence containing all\n elements of the original sequence and then the given [element].\n *\n * The operation is _intermediate_ and\n _stateless_.\n */\n\npublic operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {\n    return\nsequenceOf(this, sequenceOf(element)).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of\n original sequence and then all elements of the given [elements] array.\n *\n * Note that the source sequence and the\n array being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of\n them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and\n _stateless_.\n */\n\npublic operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T>\n{\n    return this.plus(elements.asList())\n}\n\n/**\n * Returns a sequence containing all elements of original\n sequence and then all elements of the given [elements] collection.\n *\n * Note that the source sequence and the\n collection being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing\n any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and\n _stateless_.\n */\n\npublic operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {\n    return\nsequenceOf(this, elements.asSequence()).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of\n original sequence and then all elements of the given [elements] sequence.\n *\n * Note that the source sequence and\n the sequence being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing\n any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and\n _stateless_.\n */\n\npublic operator fun <T> Sequence<T>.plus(elements:\nSequence<T>): Sequence<T> {\n    return sequenceOf(this, elements).flatten()\n}\n\n/**\n * Returns a sequence\n containing all elements of the original sequence and then the given [element].\n *\n * The operation is\n _intermediate_ and _stateless_.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T>\nSequence<T>.plusElement(element: T): Sequence<T> {\n    return plus(element)\n}\n\n/**\n * Returns a sequence\n of snapshots of the window of the given [size]\n * sliding along this sequence with the given [step], where each\n * snapshot is a list.\n *\n * Several last lists may have fewer elements than the given [size].\n *\n * Both [size] and\n [step] must be positive and can be greater than the number of elements in this sequence.\n *\n * @param size the

```

number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default

1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample

```
samples.collections.Sequences.Transformations.takeWindows\n *^\n@SinceKotlin("1.2")\npublic fun <T>  
Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {\n    return  
windowedSequence(size, step, partialWindows, reuseBuffer = false)\n}\n\n/**\n * Returns a sequence of results of  
applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this sequence with the given [step].\n * \n * Note that the list passed to the [transform] function is  
ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way,  
unless you made a snapshot of it.\n * Several last lists may have fewer elements than the given [size].\n * \n * Both  
[size] and [step]
```

must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of
elements to take in each window\n * @param step the number of elements to move the window forward by on an
each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if
any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample

```
samples.collections.Sequences.Transformations.averageWindows\n *^\n@SinceKotlin("1.2")\npublic fun <T, R>  
Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R):  
Sequence<R> {\n    return windowedSequence(size, step, partialWindows, reuseBuffer =  
true).map(transform)\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the  
[other] sequence with the same index.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n * \n * The operation is _intermediate_ and
```

```
_stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zip\n *^\npublic infix fun <T, R>  
Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {\n    return MergingSequence(this, other) { t1, t2 -  
> t1 to t2 }\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other]  
sequence with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The  
resulting sequence ends as soon as the shortest input sequence ends.\n * \n * The operation is _intermediate_ and  
_stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zipWithTransform\n *^\npublic fun  
<T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n    return  
MergingSequence(this, other, transform)\n}\n\n/**\n * Returns a sequence of pairs of each two adjacent elements in  
this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.zipWithNext\n *^\n@SinceKotlin("1.2")\npublic fun <T>  
Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n    return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two  
adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two  
elements.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n *^\n@SinceKotlin("1.2")\npublic  
fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {\n    return sequence result@  
{\n        val iterator = iterator()\n        if (!iterator.hasNext()) return @result\n        var current = iterator.next()\n        while (iterator.hasNext()) {\n            val next = iterator.next()\n            yield(transform(current, next))\n            current = next\n        }\n    }\n}\n\n/**\n * Appends the string from  
all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the  
collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to `"...`").\n * \n * The operation is  
_terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *^\npublic fun <T, A :  
Appendable> Sequence<T>.joinTo(buffer: A, separator: CharSequence = ``, prefix: CharSequence = ``, postfix:  
CharSequence = ``, limit: Int = -1, truncated: CharSequence = `"...`, transform: ((T) -> CharSequence)? = null): A
```

```

{\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit)
{\n      buffer.appendElement(element, transform)\n    } else break\n  }\n  if (limit >= 0 && count > limit)
buffer.append(truncated)\n  buffer.append(postfix)\n  return buffer\n}\n\n/**\n * Creates a string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection
could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will
be appended, followed by the [truncated] string (which defaults to "...").\n * \n * The operation is _terminal_.\n * \n
* @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T>
Sequence<T>.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "", postfix: CharSequence =
"", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n  return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n *
Creates an [Iterable] instance that wraps the original sequence returning its elements when being iterated.\n
*\n */\npublic fun <T> Sequence<T>.asIterable(): Iterable<T> {\n  return Iterable { this.iterator() }\n}\n\n/**\n *
Returns this sequence as a [Sequence].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Sequence<T>.asSequence(): Sequence<T> {\n  return this\n}\n\n/**\n * Returns an average value of elements in
the sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun
Sequence<Byte>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n
    sum += element\n    checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n */\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Sequence<Short>.average():
Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
    checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n */\n@kotlin.jvm.JvmName("averageOfInt")\npublic fun Sequence<Int>.average(): Double {\n  var sum: Double
= 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n    checkCountOverflow(++count)\n
  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in
the sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun
Sequence<Long>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n
    sum += element\n    checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else
sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n * \n * The operation is
_terminal_.\n */\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Sequence<Float>.average(): Double {\n
var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
    checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n */\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Sequence<Double>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
    checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n */\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Sequence<Byte>.sum(): Int
{\n  var sum: Int = 0\n  for (element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns
the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n */\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Sequence<Short>.sum(): Int {\n  var sum: Int = 0\n  for
(element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the
sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun
Sequence<Int>.sum(): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum += element\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n */\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun Sequence<Long>.sum(): Long {\n  var sum: Long = 0L\n
for (element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in

```

the sequence.

```
* The operation is _terminal_
@kotlin.jvm.JvmName("sumOfFloat")
public fun Sequence<Float>.sum(): Float {
    var sum: Float = 0.0f
    for (element in this) {
        sum += element
    }
    return sum
}

* Returns the sum of all elements in the sequence.
The operation is _terminal_
@kotlin.jvm.JvmName("sumOfDouble")
public fun Sequence<Double>.sum(): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += element
    }
    return sum
}

"/
* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
```

```
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("SetsKt")
package kotlin.collections

// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib

import kotlin.random.*
import kotlin.ranges.contains
import kotlin.ranges.reversed

* Returns a set containing all elements of the original set except the given [element].
* The returned set preserves the element iteration order of the original set.
public operator fun <T> Set<T>.minus(element: T): Set<T> {
    val result = LinkedHashSet<T>(mapCapacity(size))
    var removed = false
    return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }
}

* Returns a set containing all elements of the original set except the elements contained in the given [elements] array.
* The returned set preserves the element iteration order of the original set.
* Before Kotlin 1.6, the [elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of hashCode() that didn't change between successive invocations.

* On JVM, you can enable this behavior back with the system property kotlin.collections.convert_arg_to_set_in_removeAll set to true.
```

```
public operator fun <T> Set<T>.minus(elements: Array<out T>): Set<T> {
    val result = LinkedHashSet<T>(this)
    result.removeAll(elements)
    return result
}

* Returns a set containing all elements of the original set except the elements contained in the given [elements] collection.
* The returned set preserves the element iteration order of the original set.
* Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of hashCode() that didn't change between successive invocations.
* On JVM, you can enable this behavior back with the system property kotlin.collections.convert_arg_to_set_in_removeAll set to true.
```

```
public operator fun <T> Set<T>.minus(elements: Iterable<T>):
```

```
Set<T> {
    val other = elements.convertToSetForSetOperationWith(this)
    if (other.isEmpty()) return this.toSet()
    if (other is Set) return this.filterNotTo(LinkedHashSet<T>()) { it in other }
    val result = LinkedHashSet<T>(this)
    result.removeAll(other)
    return result
}

* Returns a set containing all elements of the original set except the elements contained in the given [elements] sequence.
* The returned set preserves the element iteration order of the original set.
* Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of hashCode() that didn't change between successive invocations.
* On JVM, you can enable this behavior back with the system property kotlin.collections.convert_arg_to_set_in_removeAll set to true.
```

```
public operator fun <T> Set<T>.minus(element: T): Set<T> {
    return minus(element)
}

* Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.
* The returned set preserves the element iteration order of the original set.
public operator fun <T> Set<T>.plus(element: T): Set<T> {
    val result = LinkedHashSet<T>(mapCapacity(size + 1))
    result.addAll(this)
    result.add(element)
    return result
}

* Returns a set containing all elements of the original set and the given [elements] array, which aren't already in this set.
* The returned set preserves
```

```

the element iteration order of the original set.
public operator fun <T> Set<T>.plus(elements: Array<out T>):
Set<T> {
    val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))
    result.addAll(this)
    result.addAll(elements)
    return result
}
Returns a set containing all elements of the original set and
the given [elements] collection, which aren't already in this set.
The returned set preserves the element
iteration order of the original set.
public operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {
    val result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size *
2))
    result.addAll(this)
    result.addAll(elements)
    return result
}
Returns a set containing all
elements of the original set and the given [elements] sequence, which aren't already in this set.
The
returned set preserves the element iteration order of the original set.
public operator fun <T> Set<T>.plus(elements: Sequence<T>): Set<T> {
    val result =
LinkedHashSet<T>(mapCapacity(this.size * 2))
    result.addAll(this)
    result.addAll(elements)
    return
result
}
Returns a set containing all elements of the original set and then the given [element] if it isn't
already in this set.
The returned set preserves the element iteration order of the original set.
@kotlin.internal.InlineOnly
public inline fun <T> Set<T>.plusElement(element: T): Set<T> {
    return
plus(element)
}
Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("StringsKt")
package
kotlin.text
NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib/nimpor
kotlin.random
Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if
the [index] is out of bounds of this char sequence.
@sample
samples.collections.Collections.Elements.elementAt
public expect fun CharSequence.elementAt(index: Int):
Char
Returns a character at the given [index] or the result of calling the [defaultValue] function if the
[index] is out of bounds of this char sequence.
@sample
samples.collections.Collections.Elements.elementAtOrElse
@kotlin.internal.InlineOnly
public inline fun
CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {
    return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)
}
Returns a character at the given [index] or `null` if
the [index] is out of bounds of this char sequence.
@sample
samples.collections.Collections.Elements.elementAtOrNull
@kotlin.internal.InlineOnly
public
inline fun CharSequence.elementAtOrNull(index: Int): Char? {
    return this.getOrNull(index)
}
Returns the first character matching the given [predicate], or `null` if no such character was found.
@sample
samples.collections.Collections.Elements.find
@kotlin.internal.InlineOnly
public inline fun
CharSequence.find(predicate: (Char) -> Boolean): Char? {
    return firstOrNull(predicate)
}
Returns
the last character matching the given [predicate], or `null` if no such character was found.
@sample
samples.collections.Collections.Elements.find
@kotlin.internal.InlineOnly
public inline fun
CharSequence.findLast(predicate: (Char) -> Boolean): Char? {
    return lastOrNull(predicate)
}
Returns first character.
@throws [NoSuchElementException] if the char sequence is empty.
public fun
CharSequence.first(): Char {
    if (isEmpty())
        throw NoSuchElementException("Char sequence is
empty.")
    return this[0]
}
Returns the first character matching the given [predicate].
@throws
[NoSuchElementException] if no such character is found.
public inline fun CharSequence.first(predicate:
(Char) -> Boolean): Char {
    for (element in this) if (predicate(element)) return element
    throw
NoSuchElementException("Char sequence contains no character matching the predicate.")
}
Returns
the first non-null value produced by [transform] function being applied to characters of this char sequence in
iteration order, or throws [NoSuchElementException] if no non-null value was produced.
@sample
samples.collections.Collections.Transformations.firstNotNullOf
@SinceKotlin("1.5")
@kotlin.internal.InlineOnly
public inline fun <R : Any>
CharSequence.firstNotNullOf(transform: (Char) -> R?): R {
    return firstNotNullOfOrNull(transform) ?: throw

```

```

NoSuchElementException("No element of the char sequence was transformed to a non-null
value.")\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to characters
of this char sequence in iteration order,\n * or `null` if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <R : Any>
CharSequence.firstNotNullOfOrNull(transform: (Char) -> R?): R? {\n    for (element in this) {\n        val result =
transform(element)\n        if (result != null) {\n            return result\n        }\n    }\n    return null\n}\n\n/**\n *
Returns the first character, or `null` if the char sequence is empty.\n *\npublic fun CharSequence.firstOrNull():
Char? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first character matching the given
[predicate], or `null` if character was not found.\n *\npublic inline fun CharSequence.firstOrNull(predicate: (Char) -
> Boolean): Char? {\n    for
(element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns a character at the given
[index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.getOrElse(index: Int, defaultValue: (Int) -> Char):
Char {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a
character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n * \n * @sample
samples.collections.Collections.Elements.getOrElse\n *\npublic fun CharSequence.getOrElse(index: Int): Char?
{\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns index of the first
character matching the given [predicate], or -1 if the char sequence does not contain such character.\n *\npublic
inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n
    for (index in indices) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -
1\n}\n\n/**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does
not contain such character.\n *\npublic inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n
    for (index in indices.reversed()) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -
1\n}\n\n/**\n * Returns the last character.\n * \n * @throws NoSuchElementException if the char sequence is
empty.\n * \n * @sample samples.text.Strings.last\n *\npublic fun CharSequence.last(): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Char sequence is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the
last character matching the given [predicate].\n * \n * @throws NoSuchElementException if no such character is
found.\n * \n * @sample samples.text.Strings.last\n *\npublic
inline fun CharSequence.last(predicate: (Char) -> Boolean): Char {\n    for (index in this.indices.reversed()) {\n
        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Char sequence contains no character matching the predicate.")\n}\n\n/**\n * Returns
the last character, or `null` if the char sequence is empty.\n * \n * @sample samples.text.Strings.last\n *\npublic fun
CharSequence.lastOrNull(): Char? {\n    return if (isEmpty()) null else this[length - 1]\n}\n\n/**\n * Returns the last
character matching the given [predicate], or `null` if no such character was found.\n * \n * @sample
samples.text.Strings.last\n *\npublic inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n
    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n
    }\n    return null\n}\n\n/**\n * Returns a random character from this char sequence.\n * \n * @throws
NoSuchElementException if this char sequence is empty.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.random(): Char {\n
    return random(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified
source of randomness.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n
*\n@SinceKotlin("1.3")\npublic fun CharSequence.random(random: Random): Char {\n    if (isEmpty())\n        throw
NoSuchElementException("Char sequence is empty.")\n    return get(random.nextInt(length))\n}\n\n/**\n * Returns a
random character from this char sequence, or `null` if this char sequence is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun CharSequence.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random character from this char sequence using the specified source of

```

```

randomness, or `null` if this char sequence is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharSequence.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(length))\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence
is empty or has more than one character.\n */\npublic fun CharSequence.single(): Char {\n    return when (length)
{\n        0 -> throw NoSuchElementException("Char sequence is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Char sequence has more than one element.")\n    }\n}\n\n/**\n * Returns the single
character matching the given [predicate], or throws exception if there is no or more than one matching character.\n
*/\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n    var single: Char? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element))
{\n            if (found) throw IllegalArgumentException("Char sequence contains more than one matching
element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw
NoSuchElementException("Char sequence contains no character matching the predicate.")\n}\n\n@Suppress("UNCHECKED_CAST")\nreturn single as Char\n}\n\n/**\n * Returns single character, or `null` if
the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.singleOrNull(): Char?
{\n    return if (length == 1) this[0] else null\n}\n\n/**\n * Returns the single character matching the given
[predicate], or `null` if character was not found or more than one character was found.\n */\npublic inline fun
CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n    var single: Char? = null\n    var found =
false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single
= element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n}\n\n/**\n * Returns a
subsequence of this char sequence with the first [n] characters removed.\n */\n\n * @throws
IllegalArgumentException if [n] is negative.\n */\n\n * @sample samples.text.Strings.drop\n */\npublic fun
CharSequence.drop(n: Int): CharSequence {\n    require(n >= 0) {\n        "Requested character count $n is less than zero."
}\n    return subSequence(n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string with the first [n] characters
removed.\n */\n\n * @throws IllegalArgumentException if [n] is negative.\n */\n\n * @sample
samples.text.Strings.drop\n */\npublic fun String.drop(n: Int): String {\n    require(n >= 0) {\n        "Requested character
count $n is less than zero." }\n    return substring(n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of
this char sequence with the last [n] characters removed.\n */\n\n * @throws IllegalArgumentException if [n] is
negative.\n\n * @sample samples.text.Strings.drop\n */\npublic fun CharSequence.dropLast(n: Int): CharSequence {\n
require(n >= 0) {\n        "Requested character count $n is less than zero." }\n    return take((length -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n] characters removed.\n */\n\n * @throws
IllegalArgumentException if [n] is negative.\n */\n\n * @sample samples.text.Strings.drop\n */\npublic fun
String.dropLast(n: Int): String {\n    require(n >= 0) {\n        "Requested character count $n is less than zero." }\n    return
take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except last characters that satisfy the given [predicate].\n */\n\n * @sample samples.text.Strings.drop\n
*/\n\n * @public inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
lastIndex downTo 0)\n        if (!predicate(this[index]))\n            return subSequence(0, index + 1)\n    return
""\n}\n\n/**\n * Returns a string containing all characters except last characters that satisfy the given
[predicate].\n */\n\n * @sample samples.text.Strings.drop\n */\n\n * @public inline fun String.dropLastWhile(predicate:
(Char) -> Boolean): String {\n    for (index in lastIndex downTo 0)\n        if (!predicate(this[index]))\n            return
substring(0, index + 1)\n    return ""\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except first characters that satisfy the given [predicate].\n */\n\n * @sample samples.text.Strings.drop\n
*/\n\n * @public inline fun CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
this.indices)\n        if (!predicate(this[index]))\n            return subSequence(index, length)\n    return ""\n}\n\n/**\n * Returns a string containing all characters except first characters that satisfy the given [predicate].\n */\n\n * @sample samples.text.Strings.drop\n */\n\n * @public inline fun String.dropWhile(predicate:

```

```

(Char) -> Boolean): String {\n  for (index in this.indices)\n    if (!predicate(this[index]))\n      return
substring(index)\n  return ""\n}\n\n/**\n * Returns a char sequence containing only those characters from the
original char sequence that match the given [predicate].\n * \n * @sample samples.text.Strings.filter\n */\npublic
inline fun CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {\n  return filterTo(StringBuilder(),
predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the
given [predicate].\n * \n * @sample samples.text.Strings.filter\n */\npublic inline fun String.filter(predicate: (Char) -
> Boolean): String {\n  return filterTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Returns a char sequence
containing only those characters from the original char sequence that match the given [predicate].\n * @param
[predicate] function that takes the index of a character
and the character itself\n * and returns the result of predicate evaluation on the character.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun CharSequence.filterIndexed(predicate:
(index: Int, Char) -> Boolean): CharSequence {\n  return filterIndexedTo(StringBuilder(), predicate)\n}\n\n/**\n *
Returns a string containing only those characters from the original string that match the given [predicate].\n *
@param [predicate] function that takes the index of a character and the character itself\n * and returns the result of
predicate evaluation on the character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\n
public inline fun String.filterIndexed(predicate: (index: Int, Char) -> Boolean): String {\n  return
filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the
index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n * \n
* @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : Appendable>
CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n  forEachIndexed {\n
index, element ->\n    if (predicate(index, element)) destination.append(element)\n  }\n  return
destination\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence
that do not match the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n */\npublic inline fun
CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n  return filterNotTo(StringBuilder(),
predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that do not match
the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n */\npublic inline fun
String.filterNot(predicate: (Char) -> Boolean): String {\n  return filterNotTo(StringBuilder(),
predicate).toString()\n}\n\n/**\n * Appends all characters not matching the given [predicate] to the given
[destination].\n * \n * @sample samples.collections.Collections.Filtering.filterNot\n */\npublic inline fun <C :
Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this)
if (!predicate(element)) destination.append(element)\n  return destination\n}\n\n/**\n * Appends all characters
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : Appendable>
CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (index in 0 until length) {\n    val
element = get(index)\n    if (predicate(element)) destination.append(element)\n  }\n  return
destination\n}\n\n/**\n * Returns a char sequence containing
characters of the original char sequence at the specified range of [indices].\n */\npublic fun
CharSequence.slice(indices: IntRange): CharSequence {\n  if (indices.isEmpty()) return ""\n  return
subSequence(indices)\n}\n\n/**\n * Returns a string containing characters of the original string at the specified
range of [indices].\n */\npublic fun String.slice(indices: IntRange): String {\n  if (indices.isEmpty()) return ""\n
return substring(indices)\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence
at specified [indices].\n */\npublic fun CharSequence.slice(indices: Iterable<Int>): CharSequence {\n  val size =
indices.collectionSizeOrDefault(10)\n  if (size == 0) return ""\n  val result = StringBuilder(size)\n  for (i in
indices) {\n    result.append(get(i))\n  }\n  return result\n}\n\n/**\n * Returns a string containing characters of
the original string at specified [indices].\n */\n@kotlin.internal.InlineOnly\npublic
inline fun String.slice(indices: Iterable<Int>): String {\n  return (this as
CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the

```

```

first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample samples.text.Strings.take
 */
public fun CharSequence.take(n: Int): CharSequence {
    require(n >= 0) { "Requested character count $n is less than zero." }
    return subSequence(0, n.coerceAtMost(length))
}

 * Returns a string containing the first [n]
characters from this string, or the entire string if this string is shorter.
 * @throws IllegalArgumentException if
[n] is negative.
 * @sample samples.text.Strings.take
 */
public fun String.take(n: Int): String {
    require(
    >= 0) { "Requested character count $n is less than zero." }
    return substring(0,
n.coerceAtMost(length))
}

 * Returns a subsequence of this char sequence containing the last [n] characters from this char sequence, or the
entire char sequence if this char sequence is shorter.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample samples.text.Strings.take
 */
public fun CharSequence.takeLast(n: Int): CharSequence {
    require(n >= 0) { "Requested character count $n is less than zero." }
    val length = length
    return
subSequence(length - n.coerceAtMost(length), length)
}

 * Returns a string containing the last [n]
characters from this string, or the entire string if this string is shorter.
 * @throws IllegalArgumentException if
[n] is negative.
 * @sample samples.text.Strings.take
 */
public fun String.takeLast(n: Int): String {
    require(n >= 0) { "Requested character count $n is less than zero." }
    val length = length
    return
substring(length - n.coerceAtMost(length))
}

 * Returns a subsequence
of this char sequence containing last characters that satisfy the given [predicate].
 * @sample
samples.text.Strings.take
 */
public inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean):
CharSequence {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return
subSequence(index + 1, length)
        }
    }
    return subSequence(0, length)
}

 * Returns a string
containing last characters that satisfy the given [predicate].
 * @sample samples.text.Strings.take
 */
public
inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return substring(index + 1)
        }
    }
    return this
}

 * Returns
a subsequence of this char sequence containing the first characters that satisfy the given [predicate].
 * @sample samples.text.Strings.take
 */
public inline fun CharSequence.takeWhile(predicate:
(Char) -> Boolean): CharSequence {
    for (index in 0 until length)
        if (!predicate(get(index))) {
            return subSequence(0, index)
        }
    return subSequence(0, length)
}

 * Returns a string containing
the first characters that satisfy the given [predicate].
 * @sample samples.text.Strings.take
 */
public inline
fun String.takeWhile(predicate: (Char) -> Boolean): String {
    for (index in 0 until length)
        if
(!predicate(get(index))) {
            return substring(0, index)
        }
    return this
}

 * Returns a char
sequence with characters in reversed order.
 */
public fun CharSequence.reversed(): CharSequence {
    return
StringBuilder(this).reverse()
}

 * Returns a string with characters in reversed order.
 */
@kotlin.internal.InlineOnly
public inline fun String.reversed(): String {
    return (this as
CharSequence).reversed().toString()
}

 * Returns a [Map] containing key-value
pairs provided by [transform] function
 * applied to characters of the given char sequence.
 * If any of two
pairs would have the same key the last one gets added to the map.
 * The returned map preserves the entry
iteration order of the original char sequence.
 * @sample samples.text.Strings.associate
 */
public inline fun
<K, V> CharSequence.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {
    val capacity =
mapCapacity(length).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
transform)
}

 * Returns a [Map] containing the characters from the given char sequence indexed by the
key
 * returned from [keySelector] function applied to each character.
 * If any two characters would have the
same key returned by [keySelector] the last one gets added to the map.
 * The returned map preserves the entry
iteration order of the original char sequence.
 * @sample samples.text.Strings.associateBy
 */
public inline
fun <K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {
    val capacity =
mapCapacity(length).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, Char>(capacity),
keySelector)
}

 * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to characters of the given char sequence.
 * If any two characters would have

```

the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample

```

samples.text.Strings.associateByWithValueTransform\n *
public inline fun <K, V>
CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n    val capacity
= mapCapacity(length).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value
pairs,\n * where key is provided by the [keySelector] function applied to each character of the given char
sequence\n * and value is the character itself.\n * \n * If any two characters would have the same key returned by
[keySelector] the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateByTo\n *
public inline fun <K, M : MutableMap<in K, in Char>> CharSequence.associateByTo(destination: M, keySelector: (Char)
-> K): M {\n    for (element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is
provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to
characters of the given char sequence.\n * \n * If any two characters would have the same key returned by
[keySelector] the last one gets added to the map.\n * \n * @sample
samples.text.Strings.associateByToWithValueTransform\n
public inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination: M,
keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n    for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n    }\n    return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
character of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to
the map.\n * \n * @sample samples.text.Strings.associateTo\n *
public inline fun <K, V, M : MutableMap<in K,
in V>> CharSequence.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n    for (element in this)
{\n        destination += transform(element)\n    }\n    return destination\n}\n\n/**\n * Returns a [Map] where keys are
characters from the given char sequence and values are\n * produced by the [valueSelector]
function applied to each character.\n * \n * If any two characters are equal, the last one gets added to the map.\n * \n
* The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample
samples.text.Strings.associateWith\n *
public inline fun <V>
CharSequence.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n    val result = LinkedHashMap<Char,
V>(mapCapacity(length).coerceAtMost(128)).coerceAtLeast(16)\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each
character of the given char sequence,\n * where key is the character itself and value is provided by the
[valueSelector] function applied to that key.\n * \n * If any two characters are equal, the last one overwrites the
former value in the map.\n * \n * @sample samples.text.Strings.associateWithTo\n
public inline fun <V, M : MutableMap<in
Char, in V>> CharSequence.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n    for (element in
this) {\n        destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/**\n * Appends all
characters to the given [destination] collection.\n *
public fun <C : MutableCollection<in Char>>
CharSequence.toCollection(destination: C): C {\n    for (item in this) {\n        destination.add(item)\n    }\n    return
destination\n}\n\n/**\n * Returns a new [HashSet] of all characters.\n *
public fun CharSequence.toHashSet():
HashSet<Char> {\n    return toCollection(HashSet<Char>(mapCapacity(length).coerceAtMost(128)))\n}\n\n/**\n *
Returns a [List] containing all characters.\n *
public fun CharSequence.toList(): List<Char> {\n    return when
(length) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n *
Returns a new [MutableList] filled with all characters of this char sequence.\n
public fun CharSequence.toMutableList(): MutableList<Char> {\n    return
toCollection(ArrayList<Char>(length))\n}\n\n/**\n * Returns a [Set] of all characters.\n * \n * The returned set
preserves the element iteration order of the original char sequence.\n *
public fun CharSequence.toSet():
Set<Char> {\n    return when (length) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->

```



```

keySelector: (Char) -> K, valueTransform: (Char) -> V): M { \n    for (element in this) { \n        val key =
keySelector(element)\n        val list = destination.getOrPut(key) { ArrayList<V>() } \n
list.add(valueTransform(element))\n    } \n    return destination\n}\n\n/**\n * Creates a [Grouping] source from a
char sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function
to extract a key from each character.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n
*\n * @SinceKotlin("1.1")\npublic inline fun <K> CharSequence.groupingBy(crossinline keySelector: (Char) -> K):
Grouping<Char, K> { \n    return object : Grouping<Char, K> { \n        override fun sourceIterator(): Iterator<Char>
= this@groupingBy.iterator()\n
        override fun keyOf(element: Char): K = keySelector(element)\n    } \n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each character in the original char sequence.\n * \n *
@sample samples.text.Strings.map\n */\npublic inline fun <R> CharSequence.map(transform: (Char) -> R):
List<R> { \n    return mapTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing the results of
applying the given [transform] function\n * to each character and its index in the original char sequence.\n *
@param [transform] function that takes the index of a character and the character itself\n * and returns the result of
the transform applied to the character.\n */\npublic inline fun <R> CharSequence.mapIndexed(transform: (index:
Int, Char) -> R): List<R> { \n    return mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list
containing only the non-null results of applying the given [transform] function\n * to each
character and its index in the original char sequence.\n * @param [transform] function that takes the index of a
character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic
inline fun <R : Any> CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> { \n    return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
character and its index in the original char sequence\n * and appends only the non-null results to the given
[destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and
returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any, C :
MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) ->
R?): C { \n    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } } \n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char
sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the
index of a character and the character itself\n * and returns the result of the transform applied to the character.\n
*/\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform:
(index: Int, Char) -> R): C { \n    var index = 0\n    for (item in this)\n        destination.add(transform(index++,
item))\n    return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given
[transform] function\n * to each character in the original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <R : Any>
CharSequence.mapNotNull(transform: (Char) -> R?): List<R> { \n    return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each character in the original char sequence\n * and
appends only the non-null results to the given [destination].\n */\npublic inline fun <R : Any, C : MutableCollection<in R>>
CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C { \n    forEach { element ->
transform(element)?.let { destination.add(it) } } \n    return destination\n}\n\n/**\n * Applies the given [transform]
function to each character of the original char sequence\n * and appends the results to the given [destination].\n
*/\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C, transform: (Char) ->
R): C { \n    for (item in this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Returns a
lazy [Iterable] that wraps each character of the original char sequence\n * into an [IndexedValue] containing the
index of that character and the character itself.\n */\npublic fun CharSequence.withIndex():
Iterable<IndexedValue<Char>>
{ \n    return IndexingIterable { iterator() } \n}\n\n/**\n * Returns `true` if all characters match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun

```

```

CharSequence.all(predicate: (Char) -> Boolean): Boolean {
    for (element in this) if (!predicate(element)) return false
    return true
}
Returns `true` if char sequence has at least one character.
@sample
samples.collections.Collections.Aggregates.any
public fun CharSequence.any(): Boolean {
    return !isEmpty()
}
Returns `true` if at least one character matches the given [predicate].
@sample
samples.collections.Collections.Aggregates.anyWithPredicate
public inline fun CharSequence.any(predicate: (Char) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}
Returns the length of this char sequence.
@kotlin.internal.InlineOnly
public inline fun CharSequence.count(): Int {
    return length
}
Returns the number of characters matching the given [predicate].
public inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return count
}
Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator value and each character.
@param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.
public inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}
Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator value and each character with its index in the original char sequence.
@param [operation] function that takes the index of a character, current accumulator value
and the character itself, and calculates the next accumulator value.
public inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}
Accumulates value starting with [initial] value and applying [operation] from right to left
to each character and current accumulator value.
@param [operation] function that takes a character and current accumulator value, and calculates the next accumulator value.
public inline fun <R> CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
Accumulates value starting with [initial] value and applying [operation] from right to left
to each character with its index in the original char sequence and current accumulator value.
@param [operation] function that takes the index of a character, the character itself
and current accumulator value, and calculates the next accumulator value.
public inline fun <R> CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
    }
    return accumulator
}
Performs the given [action] on each character.
public inline fun CharSequence.forEach(action: (Char) -> Unit): Unit {
    for (element in this) action(element)
}
Performs the given [action] on each character, providing sequential index with the character.
@param [action] function that takes the index of a character and the character itself
and performs the action on the character.
public inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}
@Deprecated("Use maxOrNull instead.", ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun CharSequence.max(): Char? {
    return maxOrNull()
}
@Deprecated("Use maxByOrNull instead.", ReplaceWith("this.maxByOrNull(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {
    return maxByOrNull(selector)
}
Returns the first character yielding the largest value of the given function or `null` if there are no characters.
@sample
samples.collections.Collections.Aggregates.maxByOrNull
@SinceKotlin("1.4")
public inline fun <R :

```

```

Comparable<R>> CharSequence.maxByOrNull(selector: (Char) -> R): Char? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}

Returns the largest value among all values produced by [selector] function applied to each character in the char sequence.

If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@throws NoSuchElementException if the char sequence is empty.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolutionByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun CharSequence.maxOf(selector: (Char) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each character in the char sequence.

If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@throws NoSuchElementException if the char sequence is empty.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolutionByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun CharSequence.maxOf(selector: (Char) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each character in the char sequence.

@throws NoSuchElementException if the char sequence is empty.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolutionByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>> CharSequence.maxOf(selector: (Char) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each character in the char sequence or `null` if there are no characters.

If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolutionByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun CharSequence.maxOfOrNull(selector: (Char) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each character in the char sequence or `null` if there are no characters.

If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolutionByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun CharSequence.maxOfOrNull(selector: (Char) -> Float): Float? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each character in the char sequence or `null` if there are no characters.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolutionByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>> CharSequence.maxOfOrNull(selector: (Char) -> R): R? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value according to the provided [comparator] among all values produced by [selector]

```

function applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.maxOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each character in the char sequence or `null` if there are no characters.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
CharSequence.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n    if (isEmpty())
return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest character or `null` if there are no characters.\n
*\n@SinceKotlin("1.4")\npublic fun
CharSequence.maxOrNull(): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex)
{\n        val
e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n@Deprecated("Use maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun CharSequence.maxWith(comparator: Comparator<in Char>): Char?
{\n    return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first character having the largest value
according to the provided [comparator] or `null` if there are no characters.\n
*\n@SinceKotlin("1.4")\npublic fun
CharSequence.maxWithOrNull(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var
max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0)
max = e\n    }\n    return max\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun CharSequence.min():
Char? {\n    return minOrNull()\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> CharSequence.minBy(selector: (Char) ->
R): Char? {\n    return minByOrNull(selector)\n}\n\n/**\n * Returns the first character yielding the smallest value of
the given function or `null` if there are no characters.\n
*\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> CharSequence.minByOrNull(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n * \n * @throws NoSuchElementException if the char
sequence is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOf(selector: (Char) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n
*\n * \n * If any of values produced

```

by [selector] function is `NaN`, the returned result is `NaN`.
@throws NoSuchElementException if the char sequence is empty.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOf(selector: (Char) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * @throws NoSuchElementException if the char sequence is empty.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
```

```
CharSequence.minOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values\n * produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no\n * characters.\n * @throws NoSuchElementException if any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOrNull(selector:\n(Char) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n * @throws NoSuchElementException if any of values produced\n * by [selector] function is `NaN`, the returned result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOrNull(selector:\n(Char) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex)\n    {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char\n * sequence or `null` if there are no characters.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic\n\ninline fun <R : Comparable<R>> CharSequence.minOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return\n    null\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (minValue > v) {\n            minValue = v\n        }\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value\n * according to the provided [comparator] among all values produced by [selector] function applied to each\n * character in the char sequence.\n * @throws NoSuchElementException if the char sequence is empty.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.minOfWith(comparator:\nComparator<in R>, selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value according to the provided\n * [comparator] among all values produced by [selector] function applied to each character in the char sequence or\n * `null` if there are no characters.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n\nCharSequence.minOfOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n    if (isEmpty())\n    return\n    null\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value according to the provided\n * [comparator] among all values produced by [selector] function applied to each character in the char sequence or\n * `null` if there are no characters.
```

```

Returns the smallest character or `null` if there are no characters.\n
*/\n@SinceKotlin("1.4")\npublic fun CharSequence.minOrNull(): Char? {\n    if (isEmpty()) return null\n    var\n    min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return\n    min\n}\n\n@Deprecated("Use minWithOrNull instead.",\nReplaceWith("this.minWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince\n= "1.5", hiddenSince = "1.6")\npublic fun CharSequence.minWith(comparator: Comparator<in Char>): Char? {\n\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first character having the smallest value according to\n the provided [comparator] or `null` if there are no characters.\n */\n\n*/\n@SinceKotlin("1.4")\npublic fun\nCharSequence.minWithOrNull(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var\n    min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the char sequence has no characters.\n */\n\n * @sample\nsamples.collections.Collections.Aggregates.none\n */\n\n*/\n@SinceKotlin("1.4")\npublic fun CharSequence.none(): Boolean {\n    return\n    isEmpty()\n}\n\n/**\n * Returns `true` if no characters match the given [predicate].\n */\n\n * @sample\nsamples.collections.Collections.Aggregates.noneWithPredicate\n */\n\npublic inline fun\nCharSequence.none(predicate: (Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return\n    false\n    return true\n}\n\n/**\n * Performs the given [action] on each character and returns the char sequence itself\n afterwards.\n */\n\n*/\n@SinceKotlin("1.1")\npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S\n{\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each\n character, providing sequential index with the character,\n * and returns the char sequence itself afterwards.\n */\n\n * @param [action] function that takes the index of\n a character and the character itself\n * and performs the action on the character.\n */\n\n*/\n@SinceKotlin("1.4")\npublic inline fun <S : CharSequence> S.onEachIndexed(action: (index: Int, Char) ->\nUnit): S {\n    return apply { forEachIndexed(action) }\n}\n\n/**\n * Accumulates value starting with the first\n character and applying [operation] from left to right\n * to current accumulator value and each character.\n */\n\n * @param [operation] function\n that takes current accumulator value and a character,\n * and calculates the next accumulator value.\n */\n\n * @sample\nsamples.collections.Collections.Aggregates.reduce\n */\n\npublic inline fun\nCharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n    if (isEmpty())\n        throw\n    UnsupportedOperationException("Empty char sequence can't\n    be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator =\n        operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the\n first character and applying [operation] from left to right\n * to current accumulator value and each character with its\n index in the original char sequence.\n */\n\n * @param [operation] function that takes the index of a character, current accumulator value and the\n character itself,\n * and calculates the next accumulator value.\n */\n\n * @sample\nsamples.collections.Collections.Aggregates.reduce\n */\n\npublic inline fun CharSequence.reduceIndexed(operation:\n(index: Int, acc: Char, Char) -> Char): Char {\n    if (isEmpty())\n        throw\n    UnsupportedOperationException("Empty\n    char sequence can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator\n        = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting\n with the first character and applying [operation] from left to right\n * to current accumulator value and each\n character with its index in the original char sequence.\n */\n\n * Returns `null` if the char sequence is empty.\n */\n\n * @param [operation] function that takes the index of a character, current accumulator value and the character itself,\n * and calculates the next accumulator value.\n */\n\n * @sample\nsamples.collections.Collections.Aggregates.reduceOrNull\n */\n\n*/\n@SinceKotlin("1.4")\npublic inline fun

```

```

CharSequence.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first character and applying [operation] from left to right to current accumulator value and each character.
 Returns `null` if the char sequence is empty.
 @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceOrNull

```

```

*\/n@SinceKotlin("1.4")\/n@WasExperimental(ExperimentalStdlibApi::class)\/npublic inline fun
CharSequence.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the last character and applying [operation] from right to left to each character and current accumulator value.
 Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.
 @param [operation] function that takes a character and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRight

```

```

*\/npublic inline fun
CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0)
        throw UnsupportedOperationException("Empty char sequence can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last character and applying [operation] from right to left to each character with its index in the original char sequence and current accumulator value.
 Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.
 @param [operation] function that takes the index of a character, the character itself and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRight

```

```

*\/npublic inline fun
CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0)
        throw UnsupportedOperationException("Empty char sequence can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last character and applying [operation] from right to left to each character with its index in the original char sequence and current accumulator value.
 Returns `null` if the char sequence is empty.
 @param [operation] function that takes the index of a character, the character itself and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull

```

```

*\/n@SinceKotlin("1.4")\/npublic inline fun
CharSequence.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {
    var index = lastIndex
    if (index < 0)
        return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last character and applying [operation] from right to left to each character and current accumulator value.
 Returns `null` if the char sequence is empty.
 @param [operation] function that takes a character and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull

```

```

*\/n@SinceKotlin("1.4")\/n@WasExperimental(ExperimentalStdlibApi::class)\/npublic inline fun
CharSequence.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {
    var index = lastIndex
    if (index < 0)
        return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character and current accumulator value that starts with [initial] value.
 Note that `acc` value passed to [operation] function should

not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes

current accumulator value and a character, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n * ^\n@SinceKotlin("1.4")\npublic inline fun <R> CharSequence.runningFold(initial: R, operation: (acc: R, Char) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(length + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character, its index in the original char sequence and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n * ^\n@SinceKotlin("1.4")\npublic inline fun <R> CharSequence.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(length + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character and current accumulator value that starts with the first character of this char sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n * ^\n@SinceKotlin("1.4")\npublic inline fun CharSequence.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Char>(length).apply { add(accumulator) }\n for (index in 1 until length) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character, its index in the original char sequence and current accumulator value that starts with the first character of this char sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n * ^\n@SinceKotlin("1.4")\npublic inline fun CharSequence.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Char>(length).apply { add(accumulator) }\n for (index in 1 until length) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n * ^\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <R> CharSequence.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character, its index in the original char sequence and current accumulator value that

starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *

@param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample

samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <R>
```

```
CharSequence.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each character in the char sequence.\n */\n@Deprecated("Use sumOf instead.",
```

```
ReplaceWith("this.sumOf(selector)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun\nCharSequence.sumBy(selector: (Char) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum +=\n        selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each character
```

```
in the char sequence.\n */\n@Deprecated("Use sumOf instead.",
```

```
ReplaceWith("this.sumOf(selector)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun\nCharSequence.sumByDouble(selector: (Char) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in\n    this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by\n    [selector] function applied to each character in the char sequence.\n
```

```
\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun\nCharSequence.sumOf(selector: (Char) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in\n    this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by\n    [selector] function applied to each character in the char sequence.\n
```

```
\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic\ninline fun CharSequence.sumOf(selector: (Char) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this)\n    {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by\n    [selector] function applied to each character in the char sequence.\n
```

```
\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun\nCharSequence.sumOf(selector: (Char) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by\n    [selector] function applied to each character in the char sequence.\n
```

```
\n */\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType\ns::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return\n    sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char\n    sequence.\n
```

```
\n */\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy\npes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> ULong):\n    ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
```

```
sum\n}\n\n/**\n * Splits this char sequence into a list of strings each not exceeding the given [size].\n * \n * The last string in the resulting list may have fewer characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char\n    sequence.\n * \n * @sample samples.text.Strings.chunked\n */\n@SinceKotlin("1.2")\npublic fun
```

```

CharSequence.chunked(size: Int): List<String> {\n  return windowed(size, size, partialWindows =
true)\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and
applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an
each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid
only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a
snapshot of it.\n * The last char sequence may have fewer characters than the given [size].\n * \n * @param size the
number of elements to take in each char sequence, must be positive and can be greater than the number of elements
in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransform\n
*/\n\n@SinceKotlin("1.2")\npublic fun <R> CharSequence.chunked(size: Int, transform: (CharSequence) -> R):
List<R> {\n  return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits this
char sequence into a sequence of strings each not exceeding the given [size].\n * \n * The last string in the resulting
sequence may have fewer characters than the given [size].\n * \n * @param size the number of elements to take in
each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n
*/\n\n@SinceKotlin("1.2")\npublic fun
CharSequence.chunkedSequence(size:
Int): Sequence<String> {\n  return chunkedSequence(size) { it.toString() }\n}\n\n/**\n * Splits this char sequence
into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an
each.\n * \n * @return sequence of results of the [transform] applied to an each char sequence.\n * \n * Note that the
char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should
not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have
fewer characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence,
must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample
samples.text.Strings.chunkedTransformToSequence\n
*/\n\n@SinceKotlin("1.2")\npublic fun <R>
CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -> R): Sequence<R> {\n
  return windowedSequence(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits the
original char sequence into pair of char sequences,\n * where *first* char sequence contains characters for which
[predicate] yielded `true`,\n * while *second* char sequence contains characters for which [predicate] yielded
`false`.\n * \n * @sample samples.text.Strings.partition\n
*/\n\npublic inline fun CharSequence.partition(predicate:
(Char) -> Boolean): Pair<CharSequence, CharSequence> {\n  val first = StringBuilder()\n  val second =
StringBuilder()\n  for (element in this) {\n    if (predicate(element)) {\n      first.append(element)\n    } else
{\n      second.append(element)\n    }\n  }\n  return Pair(first, second)\n}\n\n/**\n * Splits the original string
into pair of strings,\n * where *first* string contains characters for which [predicate] yielded `true`,\n * while
*second* string contains characters for which [predicate] yielded
`false`.\n * \n * @sample samples.text.Strings.partition\n
*/\n\npublic inline fun String.partition(predicate: (Char) ->
Boolean): Pair<String, String> {\n  val first = StringBuilder()\n  val second = StringBuilder()\n  for (element in
this) {\n    if (predicate(element)) {\n      first.append(element)\n    } else {\n      second.append(element)\n   
}\n  }\n  return Pair(first.toString(), second.toString())\n}\n\n/**\n * Returns a list
of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where
each\n * snapshot is a string.\n * \n * Several last strings may have fewer characters than the given [size].\n * \n *
Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n *
\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the
window forward by on an each step, by default 1\n * @param partialWindows
controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial
windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n
*/\n\n@SinceKotlin("1.2")\npublic fun CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean =
false): List<String> {\n  return windowed(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a list
of results of applying the given [transform] function to\n * an each char sequence representing a view over the
window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char

```

sequence passed to the [transform] function is ephemeral and is valid only inside that function.

* You should not store it or allow it to escape in some way, unless you made a snapshot of it.

* Several last char sequences may have fewer characters than the given [size].

* Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.

* @param size the number of elements to take in each window

* @param step the number of elements to move the window forward by on an each step, by default 1

* @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

* @sample

```

samples.collections.Sequences.Transformations.averageWindows
*/
@SinceKotlin("1.2")
public fun <R> CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): List<R> {
    checkWindowSizeStep(size, step)
    val thisSize = this.length
    val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1
    val result = ArrayList<R>(resultCapacity)
    var index = 0
    while (index in 0 until thisSize) {
        val end = index + size
        val coercedEnd = if (end < 0 || end > thisSize) {
            if (partialWindows)
                thisSize else break
        } else end
        result.add(transform(subSequence(index, coercedEnd)))
        index += step
    }
    return result
}

```

* Returns a sequence of snapshots of the window of the given [size] sliding along this char sequence with the given [step], where each snapshot is a string.

* Several last strings may have fewer characters than the given [size].

* Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.

* @param size the number of elements to take in each window

* @param step the number of elements to move the window forward by on an each step, by default 1

* @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

* @sample

```

samples.collections.Sequences.Transformations.takeWindows
*/
@SinceKotlin("1.2")
public fun CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<String> {
    return windowedSequence(size, step, partialWindows) { it.toString() }
}

```

* Returns a sequence of results of applying the given [transform] function to an each char sequence representing a view over the window of the given [size] sliding along this char sequence with the given [step].

* Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.

* You should not store it or allow it to escape in some way, unless you made a snapshot of it.

* Several last char sequences may have fewer characters than the given [size].

* Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.

* @param size the number of elements to take in each window

* @param step the number of elements to move the window forward by on an each step, by default 1

* @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

* @sample

```

samples.collections.Sequences.Transformations.averageWindows
*/
@SinceKotlin("1.2")
public fun <R> CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): Sequence<R> {
    checkWindowSizeStep(size, step)
    val windows = (if (partialWindows) indices else 0 until length - size + 1) step step
    return windows.asSequence().map { index ->
        val end = index + size
        val coercedEnd = if (end < 0 || end > length) length else end
        transform(subSequence(index, coercedEnd))
    }
}

```

* Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index

* The returned list has length of the shortest char sequence.

* @sample

```

samples.text.Strings.zip
*/
public infix fun CharSequence.zip(other: CharSequence): List<Pair<Char, Char>> {
    return zip(other) { c1, c2 -> c1 to c2 }
}

```

* Returns a list of values built from the characters of `this` and the [other] char sequences with the same index using the provided [transform] function applied to each pair of characters.

* The returned list has length of the shortest char sequence.

* @sample

```

samples.text.Strings.zipWithTransform
*/
public inline fun <V> CharSequence.zip(other: CharSequence, transform: (a: Char, b: Char) -> V): List<V> {
    val length = minOf(this.length, other.length)
    val list = ArrayList<V>(length)
    for (i in 0 until length) {
        list.add(transform(this[i], other[i]))
    }
}

```

```

return list}\n\n/**\n * Returns a list of pairs of each two adjacent characters in this char sequence.\n * \n * The
returned list is empty if this char sequence contains less than two characters.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNext\n * \n * @SinceKotlin("1.2")\npublic
fun CharSequence.zipWithNext(): List<Pair<Char, Char>> {\n    return zipWithNext { a, b -> a to b }\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent
characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two
characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n
*\n * @SinceKotlin("1.2")\npublic inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R):
List<R> {\n    val size = length - 1\n    if (size < 1) return emptyList()\n    val result = ArrayList<R>(size)\n    for
(index in 0 until size) {\n        result.add(transform(this[index], this[index + 1]))\n    }\n    return result\n}\n\n/**\n *
Creates an [Iterable] instance that wraps the original char sequence returning its characters when being iterated.\n
*\n * @public fun CharSequence.asIterable(): Iterable<Char> {\n
if (this is String && isEmpty()) return emptyList()\n    return Iterable { this.iterator() }\n}\n\n/**\n * Creates a
[Sequence] instance that wraps the original char sequence returning its characters when being iterated.\n * \n * @public
fun CharSequence.asSequence(): Sequence<Char> {\n    if (this is String && isEmpty()) return emptySequence()\n    return
Sequence { this.iterator() }\n}\n\n"/\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n * @file:kotlin.jvm.JvmMultifileClass\n * @file:kotlin.jvm.JvmName("StringsKt")\n * @package
kotlin.text\n * @import kotlin.contracts.contract\n * @import kotlin.jvm.JvmName\n * \n * Returns a copy of this string
converted to upper case using the rules of the default locale.\n * \n * @Deprecated("Use uppercase() instead.",
ReplaceWith("uppercase()"))\n * @DeprecatedSinceKotlin(warningSince = "1.5")\n * @public
expect fun String.toUpperCase(): String\n * \n * Returns a copy of this string converted to upper case using
Unicode mapping rules of the invariant locale.\n * \n * This function supports one-to-many and many-to-one
character mapping,\n * thus the length of the returned string can be different from the length of the original string.\n
*\n * @sample samples.text.Strings.uppercase\n
*\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalStdlibApi::class)\n * @public expect fun
String.uppercase(): String\n * \n * Returns a copy of this string converted to lower case using the rules of the
default locale.\n * \n * @Deprecated("Use lowercase() instead.",
ReplaceWith("lowercase()"))\n * @DeprecatedSinceKotlin(warningSince = "1.5")\n * @public expect fun
String.toLowerCase(): String\n * \n * Returns a copy of this string converted to lower case using Unicode
mapping rules of the invariant locale.\n * \n * This function supports one-to-many and many-to-one character
mapping,\n * thus the
length of the returned string can be different from the length of the original string.\n * \n * @sample
samples.text.Strings.lowercase\n
*\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalStdlibApi::class)\n * @public expect fun
String.lowercase(): String\n * \n * Returns a copy of this string having its first letter titlecased using the rules of
the default locale,\n * or the original string if it's empty or already starts with a title case letter.\n * \n * The title case
of a character is usually the same as its upper case with several exceptions.\n * The particular list of characters with
the special title case form depends on the underlying platform.\n * \n * @sample samples.text.Strings.capitalize\n
*\n * @Deprecated("Use replaceFirstChar instead.",
ReplaceWith("replaceFirstChar { if (it.isLowerCase())
it.titlecase() else it.toString() }"))\n * @DeprecatedSinceKotlin(warningSince = "1.5")\n * @public expect fun
String.capitalize(): String\n * \n * Returns a copy of this string having
its first letter lowercased using the rules of the default locale,\n * or the original string if it's empty or already starts
with a lower case letter.\n * \n * @sample samples.text.Strings.decapitalize\n * \n * @Deprecated("Use
replaceFirstChar instead.",
ReplaceWith("replaceFirstChar { it.lowercase()
}"))\n * @DeprecatedSinceKotlin(warningSince = "1.5")\n * @public expect fun String.decapitalize(): String\n * \n *
Returns a sub sequence of this char sequence having leading and trailing characters matching the [predicate]

```

```

removed.\n */\npublic inline fun CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\n  var
startIndex = 0\n  var endIndex = length - 1\n  var startFound = false\n\n  while (startIndex <= endIndex) {\n
val index = if (!startFound) startIndex else endIndex\n  val match = predicate(this[index])\n\n  if
(!startFound) {\n    if (!match)\n      startFound = true\n    else\n      startIndex += 1\n  } else {\n
if (!match)\n    break\n    else\n      endIndex -= 1\n  }\n}\n\n  return
subSequence(startIndex, endIndex + 1)\n}\n\n/**\n * Returns a string having leading and trailing characters
matching the [predicate] removed.\n */\npublic inline fun String.trim(predicate: (Char) -> Boolean): String =\n
(this as CharSequence).trim(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having
leading characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trimStart(predicate:
(Char) -> Boolean): CharSequence {\n  for (index in this.indices)\n    if (!predicate(this[index]))\n      return
subSequence(index, length)\n\n  return ""\n}\n\n/**\n * Returns a string having leading characters matching the
[predicate] removed.\n */\npublic inline fun String.trimStart(predicate: (Char) -> Boolean): String =\n
(this as CharSequence).trimStart(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having
trailing characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trimEnd(predicate:
(Char) -> Boolean): CharSequence {\n  for (index in this.indices.reversed())\n    if (!predicate(this[index]))\n
return subSequence(0, index + 1)\n\n  return ""\n}\n\n/**\n * Returns a string having trailing characters matching
the [predicate] removed.\n */\npublic inline fun String.trimEnd(predicate: (Char) -> Boolean): String =\n
(this as CharSequence).trimEnd(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having
leading and trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trim(vararg chars:
Char): CharSequence = trim { it in chars }\n\n/**\n * Returns a string having leading and trailing characters from
the [chars] array removed.\n */\npublic fun String.trim(vararg chars: Char): String = trim { it in chars }\n\n/**\n *
Returns a sub
sequence of this char sequence having leading characters from the [chars] array removed.\n */\npublic fun
CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars }\n\n/**\n * Returns a string
having leading characters from the [chars] array removed.\n */\npublic fun String.trimStart(vararg chars: Char):
String = trimStart { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having trailing characters
from the [chars] array removed.\n */\npublic fun CharSequence.trimEnd(vararg chars: Char): CharSequence =
trimEnd { it in chars }\n\n/**\n * Returns a string having trailing characters from the [chars] array removed.\n
*/\npublic fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }\n\n/**\n * Returns a sub
sequence of this char sequence having leading and trailing whitespace removed.\n */\npublic fun
CharSequence.trim(): CharSequence = trim(Char::isWhitespace)\n\n/**\n * Returns a string having leading and
trailing whitespace
removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trim(): String = (this as
CharSequence).trim().toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading whitespace
removed.\n */\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\n\n/**\n *
Returns a string having leading whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.trimStart(): String = (this as CharSequence).trimStart().toString()\n\n/**\n * Returns a sub sequence of this
char sequence having trailing whitespace removed.\n */\npublic fun CharSequence.trimEnd(): CharSequence =
trimEnd(Char::isWhitespace)\n\n/**\n * Returns a string having trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd(): String = (this as
CharSequence).trimEnd().toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at
the beginning\n * to the specified [length] with the specified
character or space.\n * @param length the desired string length.\n * @param padChar the character to pad
string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char
sequence of length at least [length] consisting of `this` char sequence prepended with [padChar] as many times\n *
as are necessary to reach that length.\n */\n@sample samples.text.Strings.padStart\n */\npublic fun
CharSequence.padStart(length: Int, padChar: Char = ' '): CharSequence {\n  if (length < 0)\n    throw

```

```

IllegalArgumentException("Desired length $length is less than zero.")\n if (length <= this.length)\n return
this.subSequence(0, this.length)\n\n val sb = StringBuilder(length)\n for (i in 1..(length - this.length))\n sb.append(padChar)\n sb.append(this)\n return sb\n\n\n**\n * Pads the string to the specified [length] at the
beginning with the specified character or space.\n *\n * @param length the desired string
length.\n *\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space
is used by default.\n *\n * @return Returns a string of length at least [length] consisting of `this` string prepended with
[padChar] as many times\n * as are necessary to reach that length.\n *\n * @sample samples.text.Strings.padStart\n
*\n\npublic fun String.padStart(length: Int, padChar: Char = ' '): String =\n (this as CharSequence).padStart(length,
padChar).toString()\n\n\n**\n * Returns a char sequence with content of this char sequence padded at the end\n *
to the specified [length] with the specified character or space.\n *\n *\n * @param length the desired string length.\n *\n
* @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by
default.\n *\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence appended
with [padChar] as many times\n * as are necessary to reach that
length.\n *\n * @sample samples.text.Strings.padEnd\n
*\n\npublic fun CharSequence.padEnd(length: Int, padChar:
Char = ' '): CharSequence {\n if (length < 0)\n throw IllegalArgumentException("Desired length $length is
less than zero.")\n if (length <= this.length)\n return this.subSequence(0, this.length)\n\n val sb =
StringBuilder(length)\n sb.append(this)\n for (i in 1..(length - this.length))\n sb.append(padChar)\n return
sb\n}\n\n\n**\n * Pads the string to the specified [length] at the end with the specified character or space.\n *\n *\n
* @param length the desired string length.\n *\n * @param padChar the character to pad string with, if it has length less
than the [length] specified. Space is used by default.\n *\n * @return Returns a string of length at least [length]
consisting of `this` string appended with [padChar] as many times\n * as are necessary to reach that length.\n *\n
* @sample samples.text.Strings.padEnd\n
*\n\npublic fun String.padEnd(length:
Int, padChar: Char = ' '): String =\n (this as CharSequence).padEnd(length, padChar).toString()\n\n\n**\n * Returns
`true` if this nullable char sequence is either `null` or empty.\n *\n *\n * @sample
samples.text.Strings.stringIsNullOrEmpty\n
*\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
CharSequence?.isNullOrEmpty(): Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty !=
null)\n }\n\n return this == null || this.length == 0\n}\n\n\n**\n * Returns `true` if this char sequence is empty
(contains no characters).\n *\n *\n * @sample samples.text.Strings.stringIsEmpty\n
*\n\n@kotlin.internal.InlineOnly\n\npublic inline fun CharSequence.isEmpty(): Boolean = length == 0\n\n\n**\n *
Returns `true` if this char sequence is not empty.\n *\n *\n * @sample samples.text.Strings.stringIsNotEmpty\n
*\n\n@kotlin.internal.InlineOnly\n\npublic inline fun CharSequence.isNotEmpty(): Boolean = length > 0\n\n\n//
implemented differently in JVM and JS\n\npublic fun String.isBlank(): Boolean
= length() == 0 || all { it.isWhitespace() }\n\n\n**\n * Returns `true` if this char sequence is not empty and contains
some characters except of whitespace characters.\n *\n *\n * @sample samples.text.Strings.stringIsNotBlank\n
*\n\n@kotlin.internal.InlineOnly\n\npublic inline fun CharSequence.isNotBlank(): Boolean = !isBlank()\n\n\n**\n *
Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.\n *\n
*\n * @sample samples.text.Strings.stringIsNullOrBlank\n
*\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
CharSequence?.isNullOrBlank(): Boolean {\n contract {\n returns(false) implies (this@isNullOrBlank !=
null)\n }\n\n return this == null || this.isBlank()\n}\n\n\n**\n * Iterator for characters of the given char sequence.\n
*\n\n\npublic operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n private var index = 0\n\n
public override fun nextChar(): Char = get(index++)\n\n public override
fun hasNext(): Boolean = index < length\n}\n\n\n**\n * Returns the string if it is not `null`, or the empty string
otherwise.\n *\n *\n * @kotlin.internal.InlineOnly\n\npublic inline fun String?.orEmpty(): String = this ?: ""\n\n\n**\n
* Returns this char sequence if it's not empty\n * or the result of calling [defaultValue] function if the char sequence is
empty.\n *\n *\n * @sample samples.text.Strings.stringIfEmpty\n
*\n\n@SinceKotlin("1.3")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <C, R> C.ifEmpty(defaultValue: () ->
R): R where C : CharSequence, C : R =\n if (isEmpty()) defaultValue() else this\n\n\n**\n * Returns this char
sequence if it is not empty and doesn't consist solely of whitespace characters,\n * or the result of calling

```

```

[defaultValue] function otherwise.\n * \n * @sample samples.text.Strings.stringIfBlank\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifBlank(defaultValue: () -> R):
R where C : CharSequence, C : R =\n    if (isBlank()) defaultValue()\n    else this\n\n/**\n * Returns the range of valid character indices for this char sequence.\n */\npublic val
CharSequence.indices: IntRange\n    get() = 0..length - 1\n\n/**\n * Returns the index of the last character in the
char sequence or -1 if it is empty.\n */\npublic val CharSequence.lastIndex: Int\n    get() = this.length - 1\n\n/**\n *
Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].\n */\npublic fun
CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n    return index in 0..length - 2\n        &&
this[index].isHighSurrogate()\n        && this[index + 1].isLowSurrogate()\n}\n\n/**\n * Returns a substring
specified by the given [range] of indices.\n */\npublic fun String.substring(range: IntRange): String =
substring(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence specified by
the given [range] of indices.\n */\npublic fun CharSequence.subSequence(range: IntRange): CharSequence
= subSequence(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence.\n */\n
This extension is chosen only for invocation with old-named parameters.\n * Replace parameter names with the
same as those of [CharSequence.subSequence].\n
*\n@kotlin.internal.InlineOnly\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning\n@Deprecated("Use parameters named startIndex and endIndex.", ReplaceWith("subSequence(startIndex
= start, endIndex = end)"))\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence =
subSequence(start, end)\n\n/**\n * Returns a substring of chars from a range of this char sequence starting at the
[startIndex] and ending right before the [endIndex].\n */\n * @param startIndex the start index (inclusive).\n *
@param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.substring(startIndex: Int, endIndex:
Int = length): String = subSequence(startIndex, endIndex).toString()\n\n/**\n * Returns a substring of chars at
indices from the specified [range] of this char sequence.\n */\npublic fun CharSequence.substring(range: IntRange):
String = subSequence(range.start, range.endInclusive + 1).toString()\n\n/**\n * Returns a substring before the first
occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which
defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: Char, missingDelimiterValue:
String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
substring(0, index)\n}\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does
not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun
String.substringBefore(delimiter: String, missingDelimiterValue: String
= this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
substring(0, index)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does
not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun
String.substringAfter(delimiter: Char, missingDelimiterValue: String = this): String {\n    val index =
indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n *
Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter:
String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index ==
-1)\n        missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a substring
before the last occurrence of [delimiter].\n * If the string does not contain the delimiter,
returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun
String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {\n    val index =
lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n *
Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter:
String, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index ==
-1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the last occurrence of

```

```

[delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue]
which defaults to the original string.\n *^public fun String.substringAfterLast(delimiter: Char,
missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1)
missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the last occurrence
of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n *^public fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this):
String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else
substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a char sequence with content of this char sequence
where its part at the given range\n * is replaced with the [replacement] char sequence.\n * @param startIndex the
index of the first character to be replaced.\n * @param endIndex the index of the first character
after the replacement to keep in the string.\n *^public fun CharSequence.replaceRange(startIndex: Int, endIndex:
Int, replacement: CharSequence): CharSequence {\n if (endIndex < startIndex)\n throw
IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")\n val sb =
StringBuilder()\n sb.appendRange(this, 0, startIndex)\n sb.append(replacement)\n sb.appendRange(this,
endIndex, length)\n return sb\n}\n\n/**\n * Replaces the part of the string at the given range with the
[replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param
endIndex the index of the first character after the replacement to keep in the string.\n
*^@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement:
CharSequence): String =\n (this as CharSequence).replaceRange(startIndex, endIndex,
replacement).toString()\n\n/**\n * Returns a char sequence
with content of this char sequence where its part at the given [range]\n * is replaced with the [replacement] char
sequence.\n * \n * The end index of the [range] is included in the part to be replaced.\n *^public fun
CharSequence.replaceRange(range: IntRange, replacement: CharSequence): CharSequence =\n
replaceRange(range.start, range.endInclusive + 1, replacement)\n\n/**\n * Replace the part of string at the given
[range] with the [replacement] string.\n * \n * The end index of the [range] is included in the part to be replaced.\n
*^@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(range: IntRange, replacement:
CharSequence): String =\n (this as CharSequence).replaceRange(range, replacement).toString()\n\n/**\n * Returns
a char sequence with content of this char sequence where its part at the given range is removed.\n * \n * @param
startIndex the index of the first character to be removed.\n * @param endIndex the index of the first character after
the removed
part to keep in the string.\n * \n * [endIndex] is not included in the removed part.\n *^public fun
CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {\n if (endIndex < startIndex)\n
throw IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")\n if
(endIndex == startIndex)\n return this.subSequence(0, length)\n val sb = StringBuilder(length - (endIndex -
startIndex))\n sb.appendRange(this, 0, startIndex)\n sb.appendRange(this, endIndex, length)\n return
sb\n}\n\n/**\n * Removes the part of a string at a given range.\n * @param startIndex the index of the first character
to be removed.\n * @param endIndex the index of the first character after the removed part to keep in the string.\n
* \n * [endIndex] is not included in the removed part.\n *^@kotlin.internal.InlineOnly\npublic inline fun
String.removeRange(startIndex: Int, endIndex: Int): String =\n (this as CharSequence).removeRange(startIndex,
endIndex).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the
given [range] is removed.\n * \n * The end index of the [range] is included in the removed part.\n *^public fun
CharSequence.removeRange(range: IntRange): CharSequence = removeRange(range.start, range.endInclusive +
1)\n\n/**\n * Removes the part of a string at the given [range].\n * \n * The end index of the [range] is included in
the removed part.\n *^@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(range: IntRange): String
=\n (this as CharSequence).removeRange(range).toString()\n\n/**\n * If this char sequence starts with the given
[prefix], returns a new char sequence\n * with the prefix removed. Otherwise, returns a new char sequence with the
same characters.\n *^public fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {\n if
(startsWith(prefix)) {\n return subSequence(prefix.length, length)\n }\n return

```

```

subSequence(0, length)\n\n/**\n * If this string starts with the given [prefix], returns a copy of this string\n * with the prefix removed. Otherwise, returns this string.\n */\npublic fun String.removePrefix(prefix: CharSequence):\nString {\n    if (startsWith(prefix)) {\n        return substring(prefix.length)\n    }\n    return this\n}\n\n/**\n * If this\n * char sequence ends with the given [suffix], returns a new char sequence\n * with the suffix removed. Otherwise,\n * returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSuffix(suffix:\nCharSequence): CharSequence {\n    if (endsWith(suffix)) {\n        return subSequence(0, length - suffix.length)\n    }\n    return subSequence(0, length)\n}\n\n/**\n * If this string ends with the given [suffix], returns a copy of this\n * string\n * with the suffix removed. Otherwise, returns this string.\n */\npublic fun String.removeSuffix(suffix:\nCharSequence): String {\n    if (endsWith(suffix)) {\n        return\n        substring(0, length - suffix.length)\n    }\n    return this\n}\n\n/**\n * When this char sequence starts with the given\n * [prefix] and ends with the given [suffix],\n * returns a new char sequence having both the given [prefix] and [suffix]\n * removed.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun\nCharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\n    if ((length >=\n    prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n        return\n        subSequence(prefix.length, length - suffix.length)\n    }\n    return subSequence(0, length)\n}\n\n/**\n * Removes\n * from a string both the given [prefix] and [suffix] if and only if\n * it starts with the [prefix] and ends with the\n * [suffix].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(prefix:\nCharSequence, suffix: CharSequence): String {\n    if ((length >= prefix.length + suffix.length) &&\n    startsWith(prefix) &&\n    endsWith(suffix)) {\n        return substring(prefix.length, length - suffix.length)\n    }\n    return this\n}\n\n/**\n * When this char sequence starts with and ends with the given [delimiter],\n * returns a new char sequence having this\n * [delimiter] removed both from the start and end.\n * Otherwise returns a new char sequence with the same\n * characters.\n */\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence =\nremoveSurrounding(delimiter, delimiter)\n\n/**\n * Removes the given [delimiter] string from both the start and the\n * end of this string\n * if and only if it starts with and ends with the [delimiter].\n * Otherwise returns this string\n * unchanged.\n */\npublic fun String.removeSurrounding(delimiter: CharSequence): String =\nremoveSurrounding(delimiter, delimiter)\n\n/**\n * Replace part of string before the first occurrence of given\n * delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns\n * [missingDelimiterValue]\n * which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: Char, replacement: String,\nmissingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1)\n        missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the first\n * occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns\n * [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter:\nString, replacement: String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part\n * of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain\n * the delimiter, returns [missingDelimiterValue] which defaults to the\n * original string.\n */\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue:\nString = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else\n    replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given\n * delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns\n * [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: String,\nreplacement: String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if\n    (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does\n * not contain the delimiter, returns [missingDelimiterValue] which defaults

```

```

to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: String, replacement: String,
missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1)
missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part
of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain
the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun
String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n    val
index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(index + 1,
length, replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the
[replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue]
which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: Char, replacement: String,
missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1)
missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the last
occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter:
String, replacement: String, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n
return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n// public fun
String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific\n// public fun
String.replace(oldValue: String, newValue: String, ignoreCase:
Boolean): String // JVM- and JS-specific\n\n/**\n * Returns a new string obtained by replacing each substring of
this char sequence that matches the given regular expression\n * with the given [replacement].\n * The
[replacement] can consist of any combination of literal text and $-substitutions. To treat the replacement string\n *
literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, replacement: String): String
= regex.replace(this, replacement)\n\n/**\n * Returns a new string obtained by replacing each substring of this char
sequence that matches the given regular expression\n * with the result of the given function [transform] that takes
[MatchResult] and returns a string to be used as a\n * replacement for that match.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, noinline transform:
(MatchResult) -> CharSequence): String
=\n    regex.replace(this, transform)\n\n/**\n * Replaces the first occurrence of the given regular expression [regex]
in this char sequence with specified [replacement] expression.\n * @param replacement A replacement
expression that can include substitutions. See [Regex.replaceFirst] for details.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replaceFirst(regex: Regex, replacement: String):
String = regex.replaceFirst(this, replacement)\n\n/**\n * Returns a copy of this string having its first character
replaced with the result of the specified [transform],\n * or the original string if it's empty.\n * @param
transform function that takes the first character and returns the result of the transform applied to the character.\n
*/\n * @sample samples.text.Strings.replaceFirstChar\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@OptIn(kotlin.experimental.Exper
imentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@JvmName("replaceFirstCharWithC
har")\n\n@kotlin.internal.InlineOnly\npublic
inline fun String.replaceFirstChar(transform: (Char) -> Char): String {\n    return if (isEmpty())
transform(this[0]) + substring(1) else this\n}\n\n/**\n * Returns a copy of this string having its first character
replaced with the result of the specified [transform],\n * or the original string if it's empty.\n * @param
transform function that takes the first character and returns the result of the transform applied to the character.\n
*/\n * @sample samples.text.Strings.replaceFirstChar\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@OptIn(kotlin.experimental.Exper
imentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@JvmName("replaceFirstCharWithC
harSequence")\n\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceFirstChar(transform: (Char) ->
CharSequence): String {\n    return if (isEmpty()) transform(this[0]).toString() + substring(1) else

```

```
this\n}\n\n/**\n
```

```
* Returns `true` if this char sequence matches the given regular expression.\n
```

```
*/\n@kotlin.internal.InlineOnly\npublic inline infix fun CharSequence.matches(regex: Regex): Boolean =  
regex.matches(this)\n\n/**\n * Implementation of [regionMatches] for CharSequences.\n * Invoked when it's  
already known that arguments are not Strings, so that no additional type checks are performed.\n */\ninternal fun  
CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase:  
Boolean): Boolean {\n    if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset >  
other.length - length)) {\n        return false\n    }\n    for (index in 0 until length) {\n        if (!this[thisOffset +  
index].equals(other[otherOffset + index], ignoreCase))\n            return false\n    }\n    return true\n}\n\n/**\n * Returns `true` if this char sequence starts with the specified character.\n */\npublic fun
```

```
CharSequence.startsWith(char:
```

```
Char, ignoreCase: Boolean = false): Boolean =\n    this.length > 0 && this[0].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence ends with the specified character.\n */\npublic fun CharSequence.endsWith(char:
```

```
Char, ignoreCase: Boolean = false): Boolean =\n    this.length > 0 && this[lastIndex].equals(char,  
ignoreCase)\n\n/**\n * Returns `true` if this char sequence starts with the specified prefix.\n */\npublic fun
```

```
CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase &&  
this is String && prefix is String)\n        return this.startsWith(prefix)\n    else\n        return regionMatchesImpl(0,  
prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this char sequence starting at the  
specified offset [startIndex] starts with the specified prefix.\n */\npublic fun CharSequence.startsWith(prefix:
```

```
CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && prefix is String)\n        return this.startsWith(prefix, startIndex)\n    else\n        return regionMatchesImpl(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this char  
sequence ends with the specified suffix.\n */\npublic fun CharSequence.endsWith(suffix: CharSequence,  
ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && suffix is String)\n        return  
this.endsWith(suffix)\n    else\n        return regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length,  
ignoreCase)\n}\n\n/**\n * Returns the longest string `prefix` such that this char  
sequence and [other] char sequence both start with this prefix,\n * taking care not to split surrogate pairs.\n * If this  
and [other] have no common prefix, returns the empty string.\n */\n * @param ignoreCase `true` to ignore character  
case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonPrefixWith\n */\npublic fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n    val shortestLength = minOf(this.length, other.length)\n    var i = 0\n    while (i < shortestLength &&  
this[i].equals(other[i], ignoreCase = ignoreCase)) {\n        i++\n    }\n    if (this.hasSurrogatePairAt(i - 1) ||  
other.hasSurrogatePairAt(i - 1)) {\n        i--\n    }\n    return subSequence(0, i).toString()\n}\n\n/**\n * Returns the  
longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking  
care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n */\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample  
samples.text.Strings.commonSuffixWith\n */\npublic fun CharSequence.commonSuffixWith(other: CharSequence,  
ignoreCase: Boolean = false): String {\n    val thisLength = this.length\n    val otherLength = other.length\n    val shortestLength = minOf(thisLength, otherLength)\n    var i = 0\n    while  
(i < shortestLength && this[thisLength - i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n        i++\n    }\n    if (this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n        i--\n    }\n    return subSequence(thisLength - i, thisLength).toString()\n}\n\n/**\n * Finds the  
index of the first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified  
[startIndex] and optionally ignoring the case.\n * @param ignoreCase `true` to ignore character case when  
matching a character. By default `false`.\n * @return An index of the first occurrence of matched character from  
[chars] or -1 if none of [chars] are found.\n */\npublic fun CharSequence.indexOfAny(chars: CharArray,  
startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n    if
```

```

(!ignoreCase && chars.size == 1 && this is String) {\n    val char = chars.single()\n    return
nativeIndexOf(char, startIndex)\n } \n\n for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n    val
charAtIndex = get(index)\n    if (chars.any { it.equals(charAtIndex, ignoreCase) })\n        return index\n } \n
return -1\n}\n\n/**\n * Finds the index of the last occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * \n * @param startIndex The index of
character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param
ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of
the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\n * \n */\npublic fun
CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase:
Boolean = false): Int {\n    if (!ignoreCase && chars.size == 1 && this is String) {\n        val char =
chars.single()\n        return nativeLastIndexOf(char, startIndex)\n    } \n\n    for (index in
startIndex.coerceAtMost(lastIndex)
downTo 0) {\n        val charAtIndex = get(index)\n        if (chars.any { it.equals(charAtIndex,
ignoreCase) })\n            return index\n    } \n\n    return -1\n}\n\nprivate fun CharSequence.indexOf(other:
CharSequence, startIndex: Int,
endIndex: Int, ignoreCase: Boolean, last: Boolean = false): Int {\n    val indices = if (!last)\n
startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n    else\n        startIndex.coerceAtMost(lastIndex)
downTo endIndex.coerceAtLeast(0)\n\n    if (this is String && other is String) { // smart cast\n        for
(index in
indices) {\n            if (other.regionMatches(0, this, index, other.length, ignoreCase))\n                return
index\n        } \n    } else {\n        for (index in indices) {\n
            if (other.regionMatchesImpl(0, this, index, other.length, ignoreCase))\n                return
index\n        } \n    } \n\n    return -1\n}\n\nprivate fun CharSequence.findAnyOf(strings:
Collection<String>, startIndex: Int, ignoreCase:
Boolean, last: Boolean): Pair<Int, String>? {\n    if (!ignoreCase && strings.size == 1) {\n        val
string =
strings.single()\n        val index = if (!last) indexOf(string, startIndex) else
lastIndexOf(string, startIndex)\n        return if (index < 0) null else index to string\n    } \n\n    val
indices = if (!last) startIndex.coerceAtLeast(0)..length
else startIndex.coerceAtMost(lastIndex) downTo 0\n\n    if (this is String) {\n        for (index in
indices) {\n            val matchingString = strings.firstOrNull { it.regionMatches(0, this, index,
it.length, ignoreCase) }\n            if
(matchingString != null)\n                return index to matchingString\n        } \n    } else {\n        for
(index in indices) {\n            val matchingString
= strings.firstOrNull { it.regionMatchesImpl(0, this, index, it.length, ignoreCase) }\n            if
(matchingString !=
null)\n                return index to matchingString\n        } \n    } \n\n    return null\n}\n\n/**\n * Finds the first
occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and
optionally ignoring the case.\n * \n * @param ignoreCase `true` to ignore character case when matching a string.
By default `false`.\n * @return A pair of an index of the first occurrence of matched string from [strings] and
the string
matched\n * or `null` if none of [strings] are found.\n * \n * To avoid ambiguous results when strings in [strings]
have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each
position the first element in [strings]\n * that matches this string at that position.\n * \n */\npublic fun
CharSequence.findAnyOf(strings: Collection<String>, startIndex:
Int = 0, ignoreCase: Boolean = false): Pair<Int, String>? =\n    findAnyOf(strings, startIndex, ignoreCase, last =
false)\n}\n\n/**\n * Finds the last occurrence of any of the specified [strings] in this char sequence,\n * starting from
the specified [startIndex] and optionally ignoring the case.\n * \n * @param startIndex The index of character to
start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to
ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the last
occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.\n * \n *
To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end
toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this
string at that position.\n * \n */\npublic fun CharSequence.findLastAnyOf(strings:
Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Pair<Int, String>? =\n    findAnyOf(strings, startIndex, ignoreCase, last = true)\n}\n\n/**\n * Finds the index of the first occurrence of any of
the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the

```

```

case.\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n *
@return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.\n *\n *
To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the
beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string
at that position.\n */\npublic fun CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0,
ignoreCase: Boolean = false): Int =\n    findAnyOf(strings, startIndex, ignoreCase,
    last = false)?.first ?: -1\n\n/**\n * Finds the index of the last occurrence of any of the specified [strings] in this char
sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex
The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n *
@param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index
of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.\n *\n * To avoid
ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end
toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this
string at that position.\n */\npublic fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int =
lastIndex, ignoreCase: Boolean = false): Int =\n    findAnyOf(strings,
    startIndex, ignoreCase, last = true)?.first ?: -1\n\n// indexOf\n\n/**\n * Returns the index within this string of the
first occurrence of the specified character, starting from the specified [startIndex].\n *\n * @param ignoreCase `true`
to ignore character case when matching a character. By default `false`.\n * @return An index of the first occurrence
of [char] or -1 if none is found.\n */\npublic fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase:
Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        indexOfAny(charArrayOf(char), startIndex,
ignoreCase)\n    else\n        nativeIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char
sequence of the first occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param
ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the
first occurrence of [string] or -1 if none is found.\n */\n\n * @sample samples.text.Strings.indexOf\n */\npublic fun CharSequence.indexOf(string: String, startIndex: Int = 0,
ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        indexOf(string, startIndex,
length, ignoreCase)\n    else\n        nativeIndexOf(string, startIndex)\n}\n\n/**\n * Returns the index within this char
sequence of the last occurrence of the specified character,\n * starting from the specified [startIndex].\n *\n * @param
startIndex The index of character to start searching at. The search proceeds backward toward the beginning
of the string.\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n *
@return An index of the last occurrence of [char] or -1 if none is found.\n */\n\npublic fun
CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n    return if
(ignoreCase || this !is String)\n        lastIndexOfAny(charArrayOf(char), startIndex,
ignoreCase)\n    else\n        nativeLastIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char
sequence of the last occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param
startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the
string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n *
@return An index of the last occurrence of [string] or -1 if none is found.\n */\n\npublic fun
CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n    return if
(ignoreCase || this !is String)\n        indexOf(string, startIndex, 0, ignoreCase, last = true)\n    else\n        nativeLastIndexOf(string, startIndex)\n}\n\n/**\n * Returns `true` if this char sequence contains the specified [other]
sequence of characters as a substring.\n *\n * @param ignoreCase `true` to ignore character
case when comparing strings. By default `false`.\n */\n\n * @suppress("INAPPLICABLE_OPERATOR_MODIFIER")\npublic operator fun
CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =\n    if (other is String)\n        indexOf(other, ignoreCase = ignoreCase) >= 0\n    else\n        indexOf(other, 0, length, ignoreCase) >=
0\n}\n\n/**\n * Returns `true` if this char sequence contains the specified character [char].\n *\n * @param
ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n */

```

```

*\n@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")\npublic operator fun CharSequence.contains(char:
Char, ignoreCase: Boolean = false): Boolean =\n    indexOf(char, ignoreCase = ignoreCase) >= 0\n\n/**\n * Returns
`true` if this char sequence contains at least one match of the specified regular expression [regex].\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean =
regex.containsMatchIn(this)\n\n\n//
rangesDelimitedBy\n\nprivate class DelimitedRangesSequence(\n    private val input: CharSequence,\n    private
val startIndex: Int,\n    private val limit: Int,\n    private val getNextMatch: CharSequence.(currentIndex: Int) ->
Pair<Int, Int>?) : Sequence<IntRange> {\n\n    override fun iterator(): Iterator<IntRange> = object :
Iterator<IntRange> {\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var
currentStartIndex: Int = startIndex.coerceIn(0, input.length)\n        var nextSearchIndex: Int = currentStartIndex\n
var nextItem: IntRange? = null\n        var counter: Int = 0\n        private fun calcNext() {\n            if
(nextSearchIndex < 0) {\n                nextState = 0\n                nextItem = null\n            } else {\n                if (limit >
0 && ++counter >= limit || nextSearchIndex > input.length) {\n                    nextItem =
currentStartIndex..input.lastIndex\n                    nextSearchIndex
= -1\n                } else {\n                    val match = input.getNextMatch(nextSearchIndex)\n                    if (match ==
null) {\n                        nextItem = currentStartIndex..input.lastIndex\n                        nextSearchIndex = -1\n
                    } else {\n                        val (index, length) = match\n                        nextItem = currentStartIndex until index\n
                        currentStartIndex = index + length\n                        nextSearchIndex = currentStartIndex + if (length ==
0) 1 else 0\n                    }\n                }\n                nextState = 1\n            }\n        }\n        override fun next():
IntRange {\n            if (nextState == -1)\n                calcNext()\n            if (nextState == 0)\n                throw
NoSuchElementException()\n            val result = nextItem as IntRange\n            // Clean next to avoid keeping
reference on yielded instance\n            nextItem = null\n            nextState = -1\n            return result\n        }\n        override fun hasNext(): Boolean {\n            if (nextState
== -1)\n                calcNext()\n            return nextState == 1\n        }\n    }\n\n}\n\n/**\n * Returns a sequence of index
ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n * @param
delimiters One or more characters to be used as delimiters.\n * @param startIndex The index to start searching
delimiters from.\n * No range having its start value less than [startIndex] is returned.\n * [startIndex] is coerced to
be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore character case
when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero
by default means no limit is set.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: CharArray,
startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0):
Sequence<IntRange> {\n    requireNonNegativeLimit(limit)\n\n    return DelimitedRangesSequence(this,
startIndex, limit, { currentIndex ->\n        indexOfAny(delimiters, currentIndex, ignoreCase = ignoreCase).let { if (it
< 0) null else it to 1 }\n    })\n\n}\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence
around occurrences of the specified [delimiters].\n * @param delimiters One or more strings to be used as
delimiters.\n * @param startIndex The index to start searching delimiters from.\n * No range having its start value
less than [startIndex] is returned.\n * [startIndex] is coerced to be non-negative and not greater than length of this
string.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n *
@param limit The maximum number of substrings to return. Zero by default means no limit is set.\n * @param To avoid
ambiguous results when strings in [delimiters] have characters in common, this method
proceeds from\n * the beginning to the end of this string, and finds at each position the first element in
[delimiters]\n * that matches this string at that position.\n */\nprivate fun
CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0, ignoreCase: Boolean = false,
limit: Int = 0): Sequence<IntRange> {\n    requireNonNegativeLimit(limit)\n    val delimitersList =
delimiters.asList()\n\n    return DelimitedRangesSequence(this, startIndex, limit, { currentIndex ->
findAnyOf(delimitersList, currentIndex, ignoreCase = ignoreCase, last = false)?.let { it.first to it.second.length }
})\n\n}\n\ninternal fun requireNonNegativeLimit(limit: Int) =\n    require(limit >= 0) { "Limit must be non-
negative, but was $limit" }\n\n\n// split\n\n/**\n * Splits this char sequence to a sequence of strings around

```

```

occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n
* @param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.
Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have
characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each
position the first element in [delimiters]\n * that matches this string at that position.\n */\npublic fun
CharSequence.splitToSequence(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0):
Sequence<String> =\n    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it)
}\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n *
@param delimiters One or more strings to be used as delimiters.\n * @param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.
Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have
characters in common, this method proceeds from\n * the beginning to the end of this string, and matches at each
position the first element in [delimiters]\n * that is equal to a delimiter in this instance at that position.\n */\npublic
fun CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n    if
(delimiters.size == 1) {\n        val delimiter = delimiters[0]\n        if (!delimiter.isEmpty()) {\n            return
split(delimiter, ignoreCase, limit)\n        }\n    }\n    return rangesDelimitedBy(delimiters, ignoreCase =
ignoreCase, limit = limit).asIterable().map { substring(it) }\n}\n\n/**\n * Splits this char sequence to a sequence of
strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be
used as delimiters.\n * @param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to
return.\n */\npublic fun CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit:
Int = 0): Sequence<String> =\n    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map {
substring(it) }\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified
[delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase
`true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum
number of substrings to return.\n */\npublic fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean =
false, limit: Int = 0): List<String> {\n    if (delimiters.size == 1) {\n        return split(delimiters[0].toString(),
ignoreCase, limit)\n    }\n    return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit =
limit).asIterable().map
{ substring(it) }\n}\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified
[delimiter].\n * This is specialized version of split which receives single non-empty delimiter and offers better
performance\n *\n * @param delimiter String used as delimiter\n * @param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to
return.\n */\nprivate fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {\n
requireNonNegativeLimit(limit)\n    var currentOffset = 0\n    var nextIndex = indexOf(delimiter, currentOffset,
ignoreCase)\n    if (nextIndex == -1 || limit == 1) {\n        return listOf(this.toString())\n    }\n    val isLimited =
limit > 0\n    val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)\n    do {\n        result.add(substring(currentOffset, nextIndex))\n        currentOffset
= nextIndex + delimiter.length\n        // Do not search for next occurrence if we're reaching limit\n        if (isLimited
&& result.size == limit - 1) break\n        nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n    } while
(nextIndex != -1)\n    result.add(substring(currentOffset, length))\n    return result\n}\n\n/**\n * Splits this char
sequence to a list of strings around matches of the given regular expression.\n *\n * @param limit Non-negative
value specifying the maximum number of substrings to return.\n * Zero by default means no limit is set.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> =
regex.split(this, limit)\n\n/**\n * Splits this char sequence to a sequence of strings around matches of the given
regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings to
return.\n * Zero by default means no limit is set.\n * @sample samples.text.Strings.splitToSequence\n

```

```

*^@SinceKotlin("1.6")^@WasExperimental(ExperimentalStdlibApi::class)^@kotlin.internal.InlineOnly^public
c inline fun CharSequence.splitToSequence(regex: Regex, limit: Int = 0): Sequence<String> =
regex.splitToSequence(this, limit)^n/n/**^ * Splits this char sequence to a sequence of lines delimited by any of the
following character sequences: CRLF, LF or CR.^n^ * The lines returned do not include terminating line
separators.^n^ *^/n^public fun CharSequence.lineSequence(): Sequence<String> = splitToSequence("\\r\\n", "\\n",
"\\r")^n/n/**^ * Splits this char sequence to a list of lines delimited by any of the following character sequences:
CRLF, LF or CR.^n^ * The lines returned do not include terminating line separators.^n^ *^/n^public fun
CharSequence.lines(): List<String> = lineSequence().toList()^n/n/**^ * Returns `true` if the contents of this char
sequence are equal to the contents of the specified [other],^n^ * i.e. both char sequences contain
the same number of the same characters in the same order.^n^ * @sample samples.text.Strings.contentEquals^
*^@SinceKotlin("1.5")^public expect infix fun CharSequence?.contentEquals(other: CharSequence?):
Boolean^n/n/**^ * Returns `true` if the contents of this char sequence are equal to the contents of the specified
[other], optionally ignoring case difference.^n^ * @param ignoreCase `true` to ignore character case when
comparing contents.^n^ * @sample samples.text.Strings.contentEquals^
*^@SinceKotlin("1.5")^public
expect fun CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean^n/n^internal fun
CharSequence?.contentEqualsIgnoreCaseImpl(other: CharSequence?): Boolean {^n^ if (this is String && other is
String) {^n^ return this.equals(other, ignoreCase = true)^n^ }^n^ if (this === other) return true^n^ if (this ==
null || other == null || this.length != other.length) return false^n^ for (i in 0 until length) {^n^
if (!this[i].equals(other[i], ignoreCase = true)) {^n^ return false^n^ }^n^ }^n^ return true^n^}^n/n^internal
fun CharSequence?.contentEqualsImpl(other: CharSequence?): Boolean {^n^ if (this is String && other is String)
{^n^ return this == other^n^ }^n^ if (this === other) return true^n^ if (this == null || other == null || this.length
!= other.length) return false^n^ for (i in 0 until length) {^n^ if (this[i] != other[i]) {^n^ return false^n^
}^n^ }^n^ return true^n^}^n/n/**^ * Returns `true` if the content of this string is equal to the word "true", `false`
if it is equal to "false",^n^ * and throws an exception otherwise.^n^ * There is also a lenient version of the
function available on nullable String, [String?.toBoolean].^n^ * Note that this function is case-sensitive.^n^ *
@sample samples.text.Strings.toBooleanStrict^
*^@SinceKotlin("1.5")^public fun String.toBooleanStrict():
Boolean = when (this)
{^n^ "true" -> true^n^ "false" -> false^n^ else -> throw IllegalArgumentException("The string doesn't represent
a boolean value: $this")^n^}^n/n/**^ * Returns `true` if the content of this string is equal to the word "true", `false`
if it is equal to "false",^n^ * and `null` otherwise.^n^ * There is also a lenient version of the function available on
nullable String, [String?.toBoolean].^n^ * Note that this function is case-sensitive.^n^ * @sample
samples.text.Strings.toBooleanStrictOrNull^
*^@SinceKotlin("1.5")^public fun
String.toBooleanStrictOrNull(): Boolean? = when (this) {^n^ "true" -> true^n^ "false" -> false^n^ else ->
null^n^}"/**^ * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.^n^ * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.^n^ *^/n/n//
Auto-generated file. DO NOT EDIT!^n/n^package kotlin^n/n^import
kotlin.jvm.*^n/n^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@JvmInline^public
value class UByteArray^@PublishedApi^internal constructor(@PublishedApi internal val storage: ByteArray) :
Collection<UByte> {^n/n^ /** Creates a new array of the specified [size], with all elements initialized to zero. ^/n^
public constructor(size: Int) : this(ByteArray(size))^n/n^ /**^ * Returns the array element at the given [index].
This method can be called using the index operator.^n^ *^ * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS^n^ * where the behavior is unspecified.^n^ *^/n^ public
operator fun get(index: Int): UByte = storage[index].toUByte()^n/n^ /**^ * Sets the element at the given [index]
to the given [value]. This method can be called using the index operator.^n^ *^ * If the [index] is out of bounds
of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS^n^ * where the behavior is
unspecified.^n^
*^/n^ public operator fun set(index: Int, value: UByte) {^n^ storage[index] = value.toByte()^n^ }^n/n^ /**
Returns the number of elements in the array. ^/n^ public override val size: Int get() = storage.size^n/n^ /** Creates

```



```

})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
uintArrayOf(vararg elements: UInt): UIntArray = elements\n", "/*\n * Copyright 2010-2022 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\nimport kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic
value class ULongArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: LongArray) :
Collection<ULong> {\n\n    /** Creates a new array of the specified [size], with all elements initialized to zero. *\n
public constructor(size:
Int) : this(LongArray(size))\n\n    /**\n    * Returns the array element at the given [index]. This method can be
called using the index operator.\n    *\n    * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n    * where the behavior is unspecified.\n    *\n    public
operator fun get(index: Int): ULong = storage[index].toULong()\n\n    /**\n    * Sets the element at the given
[index] to the given [value]. This method can be called using the index operator.\n    *\n    * If the [index] is out of
bounds of this array, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n    * where the behavior is
unspecified.\n    *\n    public operator fun set(index: Int, value: ULong) {\n        storage[index] = value.toLong()\n
}\n\n    /** Returns the number of elements in the array. *\n    public override val size: Int get() = storage.size\n\n
/** Creates an iterator over the elements of the array. *\n
public override operator fun iterator(): kotlin.collections.Iterator<ULong> = Iterator(storage)\n\n
@Suppress("DEPRECATION_ERROR")\n    private class Iterator(private val array: LongArray) : ULongIterator()\n
{\n    private var index = 0\n        override fun hasNext() = index < array.size\n        override fun nextULong() = if
(index < array.size) array[index++].toULong() else throw NoSuchElementException(index.toString())\n    }\n\n
override fun contains(element: ULong): Boolean {\n        // TODO: Eliminate this check after KT-30016 gets
fixed.\n        // Currently JS BE does not generate special bridge method for this method.\n
@Suppress("USELESS_CAST")\n        if ((element as Any?) !is ULong) return false\n        return
storage.contains(element.toLong())\n    }\n\n    override fun containsAll(elements: Collection<ULong>): Boolean
{\n        return (elements as Collection<*>).all { it is ULong && storage.contains(it.toLong()) }\n    }\n\n    override
fun
isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each
element is calculated by calling the specified\n * [init] function.\n * The function [init] is called for each array
element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray(size: Int, init: (Int) -> ULong): ULongArray {\n    return ULongArray(LongArray(size) { index ->
init(index).toLong()
})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ulongArrayOf(vararg elements: ULong): ULongArray = elements\n", "/*\n * Copyright 2010-2022 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file.
DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic value class
UShortArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ShortArray) :
Collection<UShort> {\n\n    /** Creates a new array of the specified [size], with all elements initialized to zero. *\n
public constructor(size: Int) : this(ShortArray(size))\n\n    /**\n    * Returns the array element at the given [index].
This method can be called using the index operator.\n    *\n    * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsExcep] except in Kotlin/JS\n    * where the behavior is unspecified.\n    *\n    public
operator fun get(index: Int): UShort = storage[index].toUShort()\n\n    /**\n    * Sets the element at the given
[index] to the given [value]. This method can be called using the index operator.\n    *\n    * If the [index] is out of
bounds of this array, throws an [IndexOutOfBoundsExcep]

```

```

except in Kotlin/JS\n    * where the behavior is unspecified.\n    */\n    public operator fun set(index: Int, value:
UShort) {\n        storage[index] = value.toShort()\n    }\n\n    /** Returns the number of elements in the array. */\n    public override val size: Int get() = storage.size\n\n    /** Creates an iterator over the elements of the array. */\n    public override operator fun iterator(): kotlin.collections.Iterator<UShort> = Iterator(storage)\n\n    @Suppress("DEPRECATION_ERROR")\n    private class Iterator(private val array: ShortArray) :
UShortIterator() {\n        private var index = 0\n        override fun hasNext() = index < array.size\n        override fun
nextUShort() = if (index < array.size) array[index++].toUShort() else throw
NoSuchElementException(index.toString())\n    }\n\n    override fun contains(element: UShort): Boolean {\n        //
TODO: Eliminate this check after KT-30016 gets fixed.\n        // Currently JS BE does not generate special
bridge method for this method.\n        @Suppress("USELESS_CAST")\n        if ((element as Any?) !is UShort)
return false\n        return storage.contains(element.toShort())\n    }\n\n    override fun containsAll(elements:
Collection<UShort>): Boolean {\n        return (elements as Collection<*>).all { it is UShort &&
storage.contains(it.toShort()) }\n    }\n\n    override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init]
function.\n * \n * The function [init] is called for each array element sequentially starting from the first one.\n * It
should return the value for an array element given its index.\n
*\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun
UShortArray(size: Int, init: (Int) -> UShort): UShortArray {\n    return UShortArray(ShortArray(size) { index ->
init(index).toShort()
})\n}\n\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public
inline fun ushortArrayOf(vararg elements: UShort): UShortArray = elements\n", "/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n * @file:kotlin.jvm.JvmMultifileClass\n * @file:kotlin.jvm.JvmName("UArraysKt")\n * @file:kotlin.jvm.JvmPacka
geName("kotlin.collections.unsigned")\n * \n * package kotlin.collections\n * \n * // NOTE: THIS FILE IS AUTO-
GENERATED by the GenerateStandardLib.kt\n * // See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n * \n * \n * import kotlin.random.*\n * import
kotlin.ranges.contains\n * import kotlin.ranges.reversed\n * \n * \n * Returns 1st *element* from the array.\n * \n * If the
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n
*\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public
inline operator fun UIntArray.component1(): UInt {\n    return get(0)\n}\n\n * Returns 1st *element* from the
array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
* where the behavior is unspecified.\n
*\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline operator fun
ULongArray.component1(): ULong {\n    return get(0)\n}\n\n * Returns 1st *element* from the array.\n * \n * If the
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline operator fun
UByteArray.component1(): UByte {\n    return get(0)\n}\n\n * Returns 1st *element* from the array.\n * \n * If
the size of this array is less than 1, throws an [IndexOutOfBoundsException]
except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline operator fun
UShortArray.component1(): UShort {\n    return get(0)\n}\n\n * Returns 2nd *element* from the array.\n * \n * If
the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline operator fun
UIntArray.component2(): UInt {\n    return get(1)\n}\n\n * Returns 2nd *element* from the array.\n * \n * If
the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the

```

behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.component2(): ULong {\n return get(1)\n}\n\n/**\n * Returns 2nd *element*
from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in
Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component2(): UByte {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n *
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component2(): UShort {\n return get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n *
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun
UIntArray.component3(): UInt {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the
array.\n * \n *
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n *
* where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.component3(): ULong {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n *
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component3(): UByte {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n *
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun
UShortArray.component3(): UShort {\n return get(2)\n}\n\n/**\n * Returns 4th *element*
from the array.\n * \n *
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in
Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.component4(): UInt {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n *
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun
ULongArray.component4(): ULong {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from
the array.\n * \n *
If the size of this array is less than 4, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component4(): UByte {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n *
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component4(): UShort {\n return get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n *
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.component5(): UInt {\n return get(4)\n}\n\n/**\n * Returns
5th *element* from the array.\n * \n *
If the size of this array is less than 5, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component5(): ULong {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component5(): UByte {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component5(): UShort {\n return get(4)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int): UInt\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int): ULong\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.elementAt(index: Int): UByte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.elementAt(index: Int): UShort\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.elementAtOrNull(index: Int): UInt? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element

at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic  

inline fun ULongArray.elementAtOrNull(index: Int): ULong? {\n    return this.getOrNull(index)\n}\n\n/**\n *  

Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample  

samples.collections.Collections.Elements.elementAtOrNull\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UByteArray.elementAtOrNull(index: Int): UByte? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an  

element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample  

samples.collections.Collections.Elements.elementAtOrNull\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UShortArray.elementAtOrNull(index: Int): UShort? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the  

first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the  

first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns  

the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns  

the first element matching  

the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns  

the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the  

last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

ULongArray.findLast(predicate:  

(ULong) -> Boolean): ULong? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching  

the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns  

the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns  

first element.\n * @throws [NoSuchElementException] if the array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
```

```

inline fun UIntArray.first(): UInt {\n    return storage.first().toUInt()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.first(): ULong {\n    return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws\n [NoSuchElementException] if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.first(): UByte {\n    return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws\n [NoSuchElementException] if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.first(): UShort {\n    return storage.first().toUShort()\n}\n\n/**\n * Returns the first element matching\n the given [predicate].\n * @throws [NoSuchElementException] if no\n such element is found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.first(predicate: (UInt) -> Boolean): UInt {\n    for (element in this) if (predicate(element)) return\n element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such\n element is found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.first(predicate: (ULong) -> Boolean): ULong {\n    for (element in this) if (predicate(element)) return\n element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such\n element is found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\n inline fun\nUByteArray.first(predicate: (UByte) -> Boolean): UByte {\n    for (element in this) if\n (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the\n predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws\n [NoSuchElementException] if no such element is found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.first(predicate: (UShort) -> Boolean): UShort {\n    for (element in this) if (predicate(element)) return\n element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun\nUIntArray.firstOrNull(): UInt? {\n    return\n if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic\n fun\nULongArray.firstOrNull(): ULong? {\n    return\n if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first\n element, or `null` if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun\nUByteArray.firstOrNull(): UByte? {\n    return\n if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first\n element, or `null` if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun\nUShortArray.firstOrNull(): UShort? {\n    return\n if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first\n element matching the given [predicate], or `null` if element was not found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (element in this) if (predicate(element)) return\n element\n    return null\n}\n\n/**\n * Returns the first element matching the given\n [predicate], or `null` if element was not found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (element in this) if (predicate(element))\n return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if\n element was not found.\n */

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n  for (element in this) if (predicate(element))
return element\n  return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n  for (element in this) if (predicate(element))
return
element\n  return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.getOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.getOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.getOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.getOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n
 * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.getOrNull(index: Int): UInt? {\n
return if (index
>= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if
the [index] is out of bounds of this array.\n
 * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int):
ULong? {\n  return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n
 * \n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte?
{\n  return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n
 * \n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.getOrNull(index: Int): UShort? {\n  return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOf(element: UInt): Int {\n  return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first
index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.indexOf(element: ULong): Int {\n  return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOf(element: UByte): Int {\n  return storage.indexOf(element.toByte())\n}\n\n/**\n *

```

Returns first index of [element], or -1 if the array does not contain element.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOf(element: UShort): Int {\n    return storage.indexOf(element.toShort())\n}\n\n/**\n * Returns
index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfFirst { predicate(it.toUInt())
}\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain
such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toULong()) }\n}\n\n/**\n *
Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toUShort()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfLast(predicate: (UInt) -> Boolean): Int {\n
    return storage.indexOfLast { predicate(it.toUInt()) }\n}\n\n/**\n * Returns index of the last element matching the
given [predicate], or -1 if the array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.indexOfLast(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfLast(predicate: (UByte) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfLast(predicate: (UShort) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toUShort()) }\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the
array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(): UInt {\n    return storage.last().toUInt()\n}\n\n/**\n * Returns the last element.\n * \n * @throws
NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.last(): ULong {\n    return storage.last().toULong()\n}\n\n/**\n * Returns the last element.\n * \n *
@throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.last(): UByte {\n    return storage.last().toUByte()\n}\n\n/**\n * Returns the last element.\n *
\n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(): UShort {\n    return storage.last().toUShort()\n}\n\n/**\n * Returns the last element matching
```

```

the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(predicate: (UInt) -> Boolean): UInt {\n for (index in this.indices.reversed()) {\n val element =
this[index]\n if (predicate(element)) return element\n } \n throw NoSuchElementException("\nArray
contains no element matching the predicate.\n")\n}\n\n/**\n * Returns the last element matching the given
[predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(predicate: (ULong) -> Boolean): ULong {\n for (index in this.indices.reversed()) {\n val
element = this[index]\n if (predicate(element)) return element\n } \n throw
NoSuchElementException("\nArray contains no element matching the predicate.\n")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n
*\n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.last(predicate: (UByte) -> Boolean): UByte {\n
for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return
element\n } \n throw NoSuchElementException("\nArray contains no element matching the
predicate.\n")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(predicate: (UShort) -> Boolean): UShort {\n for (index in this.indices.reversed()) {\n val
element = this[index]\n if (predicate(element)) return element\n } \n throw
NoSuchElementException("\nArray contains no element matching the predicate.\n")\n}\n\n/**\n * Returns last index
of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UIntArray.lastIndexOf(element: UInt): Int {\n return storage.lastIndexOf(element.toInt())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastIndexOf(element: UInt): Int {\n return storage.lastIndexOf(element.toInt())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastIndexOf(element: UByte): Int {\n return storage.lastIndexOf(element.toByte())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastIndexOf(element: UShort): Int {\n return storage.lastIndexOf(element.toShort())\n}\n\n/**\n *
Returns
the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.lastOrNull(): UInt? {\n return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.lastOrNull(): UInt? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *
@sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *
@sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *
@sample samples.collections.Collections.Elements.last\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.lastOrNull(): UShort? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (index in this.indices.reversed())
{\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n    for (index in this.indices.reversed())
{\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n *
Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.random(): UInt {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n
*\n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.random(): UByte {\n    return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.random(): UShort {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt
{\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random):
ULong {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random):
UByte {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random):
UShort {\n if (isEmpty())\n     throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.randomOrNull(): UInt? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun ULongArray.randomOrNull(): ULong? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UByteArray.randomOrNull(): UByte? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UShortArray.randomOrNull(): UShort?
{\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array using the specified
source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
public fun UIntArray.randomOrNull(random: Random): UInt? {\n if (isEmpty())\n     return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
public fun ULongArray.randomOrNull(random: Random): ULong? {\n if (isEmpty())\n     return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
public
fun UByteArray.randomOrNull(random: Random): UByte? {\n if (isEmpty())\n     return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
public fun UShortArray.randomOrNull(random: Random): UShort? {\n if (isEmpty())\n     return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or
has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(): UInt {\n return storage.single().toUInt()\n}\n\n/**\n * Returns the single element, or throws an
exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.single(): ULong {\n return storage.single().toULong()\n}\n\n/**\n * Returns the single
element, or throws an exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(): UByte {\n return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.single(): UShort {\n return storage.single().toUShort()\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n

```



```

= element\n      found = true\n      }\n      }\n      if (!found) return null\n      return single\n}\n\n**\n * Returns the
single element matching the given
[predicate], or `null` if element was not found or more than one element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.singleOrNull(predicate: (UByte) -> Boolean): UByte? {\n      var single: UByte? = null\n      var found =
false\n      for (element in this) {\n          if (predicate(element)) {\n              if (found) return null\n              single =
element\n              found = true\n          }\n      }\n      if (!found) return null\n      return single\n}\n\n**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {\n      var single: UShort? = null\n      var
found = false\n      for (element in this) {\n          if (predicate(element)) {\n              if (found) return null\n
              single = element\n              found = true\n          }\n      }\n      if (!found) return null\n      return single\n}\n\n**\n *
Returns a list containing all elements except first [n] elements.\n
*\n * @throws IllegalArgumentException if [n] is
negative.\n
*\n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.drop(n: Int): List<UInt> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n      return takeLast((size -
n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except first [n] elements.\n
*\n * @throws
IllegalArgumentException if [n] is negative.\n
*\n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.drop(n: Int): List<ULong> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n      return takeLast((size -
n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except first [n] elements.\n
*\n * @throws
IllegalArgumentException if [n] is negative.\n
*\n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n: Int): List<UByte> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n      return takeLast((size -
n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except first [n] elements.\n
*\n * @throws
IllegalArgumentException if [n] is negative.\n
*\n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.drop(n: Int): List<UShort> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n      return takeLast((size -
n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except last [n] elements.\n
*\n * @throws
IllegalArgumentException
if [n] is negative.\n
*\n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.dropLast(n: Int): List<UInt> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n      return take((size -
n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except last [n] elements.\n
*\n * @throws
IllegalArgumentException if [n] is negative.\n
*\n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.dropLast(n: Int):
List<ULong> {\n      require(n >= 0) { "Requested element count $n is less than zero." }\n      return take((size -
n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except last [n] elements.\n
*\n * @throws
IllegalArgumentException if [n] is negative.\n
*\n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.dropLast(n: Int): List<UByte> {\n      require(n >= 0) { "Requested element count $n is less than
zero." }\n      return take((size - n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except last
[n] elements.\n
*\n * @throws IllegalArgumentException if [n] is negative.\n
*\n * @sample

```

```

samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int):
List<UShort> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropLastWhile(predicate: (UInt) -> Boolean):
List<UInt> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index
+ 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements
that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    for (index in lastIndex downTo 0)
{\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropLastWhile(predicate:
(UByte) -> Boolean): List<UByte> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n
            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n    for (index in lastIndex downTo
0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    var yielding = false\n    val list =
ArrayList<UInt>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n
            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    var yielding = false\n    val list =
ArrayList<ULong>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item))
{\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all
elements except
first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n    var yielding = false\n    val list =
ArrayList<UByte>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item))
{\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n    var yielding = false\n    val list =
ArrayList<UShort>()\n    for (item in this)\n

```

```

        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding =
true\n        }\n        return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n *\n * @sample samples.collections.Collections.Filtering.filter\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n    return filterTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n *\n * @sample
samples.collections.Collections.Filtering.filter\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n    return filterTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n *\n * @sample
samples.collections.Collections.Filtering.filter\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n    return filterTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n *\n * @sample
samples.collections.Collections.Filtering.filter\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {\n    return filterTo(ArrayList<UShort>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n *\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n *\n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n    return
filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n *\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n *\n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean): List<ULong> {\n    return
filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n *\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation
on the element.\n *\n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n    return
filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n *\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n *\n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n    return
filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n *\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n *\n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C
{\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *\n *

```

```

@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <C : MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int,
ULong) -> Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) ->
Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the
index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n *
@sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) ->
Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n  return
filterNotTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n  return filterNotTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n  return filterNotTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n  return
filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate]
to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n  for
(element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterNotTo(destination:
C, predicate: (ULong) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given
[destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :

```

```

MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n for
(element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean):
C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n *
Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n for (element
in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n for
(element in this) if (predicate(element))
destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n for
(element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n for
(element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n
* Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: IntRange):
List<UInt> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: IntRange):
List<ULong> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: IntRange):
List<UByte> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: IntRange):
List<UShort> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: Iterable<Int>):
List<UInt> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<UInt>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: Iterable<Int>):
List<ULong> {\n val size = indices.collectionSizeOrDefault(10)\n if (size ==

```

```

0) return emptyList()\n  val list = ArrayList<ULong>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: Iterable<Int>):\nList<UByte> {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list =\n  ArrayList<UByte>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: Iterable<Int>):\nList<UShort> {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list =\n  ArrayList<UShort>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns an array\n * containing elements of this array at specified [indices].\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices:\nCollection<Int>): UIntArray {\n  return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array\n * containing elements of this array at specified [indices].\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices:\nCollection<Int>): ULongArray {\n  return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array\n * containing elements of this array at specified [indices].\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices:\nCollection<Int>): UByteArray {\n  return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array\n * containing elements of this array at specified [indices].\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices:\nCollection<Int>): UShortArray {\n  return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in\n * the specified [indices] range.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun\nUIntArray.sliceArray(indices: IntRange): UIntArray {\n  return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices: IntRange):\nULongArray {\n  return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing\n * elements at indices in the specified [indices] range.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices: IntRange):\nUByteArray {\n  return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing\n * elements at indices in the specified [indices] range.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic\nfun UShortArray.sliceArray(indices: IntRange): UShortArray {\n  return\n  UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * \n * @sample\n * samples.collections.Collections.Transformations.take\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.take(n: Int): List<UInt> {\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  if (n == 0) return emptyList()\n  if (n >=\n  size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<UInt>(n)\n  for\n  (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns\n * a list containing first [n] elements.\n * \n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * \n * @sample\n * samples.collections.Collections.Transformations.take\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic\nfun ULongArray.take(n: Int): List<ULong> {\n  require(n >= 0) { "Requested element count $n is less than\n  zero." }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<ULong>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count ==\n  n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * \n * @throws\n */

```

```

IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<UByte>(n)\n
for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n *
Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<UShort>(n)\n for
(item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns
a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.takeLast(n: Int): List<UInt> {\n require(n >= 0) { \"Requested element count $n is less than zero.\"
}\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return
listOf(this[size - 1])\n val list = ArrayList<UInt>(n)\n for (index in size - n until size)\n
list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong>
{\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val
size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list =
ArrayList<ULong>(n)\n for (index in size - n
until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.takeLast(n: Int): List<UByte>
{\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val
size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list =
ArrayList<UByte>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.takeLast(n: Int): List<UShort>
{\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val
size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list =
ArrayList<UShort>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n *
Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a
list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n for (index in lastIndex
downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return

```

```

toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  val list = ArrayList<UInt>()\n  for (item in
this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list
containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  val list =
ArrayList<ULong>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n
return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  val list = ArrayList<UByte>()\n  for
(item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  val list =
ArrayList<UShort>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n
return list\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in the
specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param
toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n  storage.reverse(fromIndex, toIndex)\n}\n\n/**\n *
Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range
(inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is

```

less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range
(inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements
of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to
reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Returns a list with elements in reversed order.\n *
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.reversed(): List<UInt> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.reversed(): List<ULong> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.reversed(): List<UByte> {\n
if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns
a list with elements in reversed order.\n *
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.reversed(): List<UShort> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reversedArray(): UIntArray {\n    return UIntArray(storage.reversedArray())\n}\n\n/**\n * Returns an
array
with elements of this array in reversed order.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reversedArray(): ULongArray {\n    return ULongArray(storage.reversedArray())\n}\n\n/**\n * Returns an
array with elements of this array in reversed order.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reversedArray(): UByteArray {\n    return UByteArray(storage.reversedArray())\n}\n\n/**\n * Returns
an array with elements of this array in reversed order.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reversedArray(): UShortArray {\n    return UShortArray(storage.reversedArray())\n}\n\n/**\n *
Randomly shuffles elements in this array in-place.\n

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles
elements in this array in-place.\n *
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-
place.\n *
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(): Unit {\n

```

shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates_shuffle#The_modern_algorithm\n

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:  

https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:  

https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:  

https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sorted(): List<UInt> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sorted(): List<ULong> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sorted(): List<UByte> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sorted(): List<UShort> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArray(): UIntArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
```

```

fun ULongArray.sortedArray(): ULongArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

```

* Returns an array with all elements of this array sorted according to their natural sort order.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByteArray.sortedArray(): UByteArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

```

* Returns an array with all elements of this array sorted according to their natural sort order.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShortArray.sortedArray(): UShortArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

```

* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.sortedArrayDescending(): UIntArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}

```

* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.sortedArrayDescending(): ULongArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}

```

* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByteArray.sortedArrayDescending(): UByteArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}

```

* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShortArray.sortedArrayDescending(): UShortArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}

```

* Returns a list of all elements sorted descending according to their natural sort order. * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.sortedDescending(): List<UInt> {
    return copyOf().apply { sort() }.reversed()
}

```

* Returns a list of all elements sorted descending according to their natural sort order. * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.sortedDescending(): List<ULong> {
    return copyOf().apply { sort() }.reversed()
}

```

* Returns a list of all elements sorted descending according to their natural sort order. * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByteArray.sortedDescending(): List<UByte> {
    return copyOf().apply { sort() }.reversed()
}

```

* Returns a list of all elements sorted descending according to their natural sort order. * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShortArray.sortedDescending(): List<UShort> {
    return copyOf().apply { sort() }.reversed()
}

```

* Returns an array of type `[ByteArray]`, which is a view of this array where each element is a signed reinterpretation * of the corresponding element of this array.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun UByteArray.asByteArray(): ByteArray {
    return storage
}

```

* Returns an array of type `[IntArray]`, which is a view of this array where each element is a signed reinterpretation * of the corresponding element of this array.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun UIntArray.asIntArray(): IntArray {
    return storage
}

```

* Returns a `[List]` that wraps the original array.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public expect fun UIntArray.asList(): List<UInt>

```

* Returns a `[List]` that wraps the original array.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public expect fun ULongArray.asList(): List<ULong>

```

* Returns a `[List]` that wraps the original array.

```

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public expect fun UByteArray.asList(): List<UByte>

```

* Returns a `[List]` that wraps the original array.

```

*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public expect fun UShortArray.asList():
List<UShort>^n^/**^n * Returns an array of type [LongArray], which is a view of this array where each element is
a signed reinterpretation^n
* of the corresponding element of this array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
ULongArray.asLongArray(): LongArray {^n return storage^}^n^/**^n * Returns an array of type [ShortArray],
which is a view of this array where each element is a signed reinterpretation^n * of the corresponding element of this
array.^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UShortArray.asShortArray(): ShortArray {^n return storage^}^n^/**^n * Returns an array of type [UByteArray],
which is a view of this array where each element is an unsigned reinterpretation^n * of the corresponding element of
this array.^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline
fun ByteArray.asUByteArray(): UByteArray {^n return UByteArray(this)^}^n^/**^n * Returns an array of type
[UIntArray], which is a view of this array where
each element is an unsigned reinterpretation^n * of the corresponding element of this array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
IntArray.asUIntArray(): UIntArray {^n return UIntArray(this)^}^n^/**^n * Returns an array of type
[ULongArray], which is a view of this array where each element is an unsigned reinterpretation^n * of the
corresponding element of this array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
LongArray.asULongArray(): ULongArray {^n return ULongArray(this)^}^n^/**^n * Returns an array of type
[UShortArray], which is a view of this array where each element is an unsigned reinterpretation^n * of the
corresponding element of this array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
ShortArray.asUShortArray(): UShortArray {^n return UShortArray(this)^}^n^/**^n * Returns `true`
if the two specified arrays are *structurally* equal to one another,^n * i.e. contain the same number of the same
elements in the same order.^n *^@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.^")^@SinceKotlin("1.3")^@DeprecatedSinceKotlin(hiddenSince =
"1.4")^@ExperimentalUnsignedTypes^public infix fun UIntArray.contentEquals(other: UIntArray): Boolean {^n
return this.contentEquals(other)^}^n^/**^n * Returns `true` if the two specified arrays are *structurally* equal to
one another,^n * i.e. contain the same number of the same elements in the same order.^n *^@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.^")^@SinceKotlin("1.3")^@DeprecatedSinceKotlin(hiddenSince =
"1.4")^@ExperimentalUnsignedTypes^public infix fun ULongArray.contentEquals(other: ULongArray):
Boolean {^n return this.contentEquals(other)^}^n^/**^n * Returns `true` if the two specified arrays are
*structurally* equal to one another,^n * i.e. contain
the same number of the same elements in the same order.^n *^@Deprecated("Use Kotlin compiler 1.4 to avoid
deprecation warning.^")^@SinceKotlin("1.3")^@DeprecatedSinceKotlin(hiddenSince =
"1.4")^@ExperimentalUnsignedTypes^public infix fun UByteArray.contentEquals(other: UByteArray): Boolean
{^n return this.contentEquals(other)^}^n^/**^n * Returns `true` if the two specified arrays are *structurally* equal
to one another,^n * i.e. contain the same number of the same elements in the same order.^n *^@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.^")^@SinceKotlin("1.3")^@DeprecatedSinceKotlin(hiddenSince =
"1.4")^@ExperimentalUnsignedTypes^public infix fun UShortArray.contentEquals(other: UShortArray):
Boolean {^n return this.contentEquals(other)^}^n^/**^n * Returns `true` if the two specified arrays are
*structurally* equal to one another,^n * i.e. contain the same number of the same elements in the same order.^n
*^@SinceKotlin("1.4")^@ExperimentalUnsignedTypes^public
infix fun UIntArray?.contentEquals(other: UIntArray?): Boolean {^n return
this?.storage.contentEquals(other?.storage)^}^n^/**^n * Returns `true` if the two specified arrays are *structurally*

```

equal to one another, \n * i.e. contain the same number of the same elements in the same order.\n

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray?.contentEquals(other:
ULongArray?): Boolean {\n    return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the
two specified arrays are *structurally* equal to one another, \n * i.e. contain the same number of the same elements
in the same order.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun
UByteArray?.contentEquals(other: UByteArray?): Boolean {\n    return
this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally*
equal to one another, \n * i.e. contain the same number
of the same elements in the same order.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix
fun UShortArray?.contentEquals(other: UShortArray?): Boolean {\n    return
this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns a hash code based on the contents of this array as
if it is [List].\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as
if it is [List].\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentHashCode(): Int {\n
return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it
is [List].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray?.contentHashCode(): Int {\n    return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a
hash code based on the contents of this array as if it is [List].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray?.contentHashCode(): Int {\n
return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it
is [List].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray?.contentHashCode(): Int {\n    return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n
*\n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n    return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n
*\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n    return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n
*\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation

```

```

warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentToString(): String {\n    return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentToString(): String {\n    return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentToString(): String {\n
return this?.joinToString(", ", "[", "]") ?: "null"\n}\n\n/**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray?.contentToString(): String
{\n    return this?.joinToString(", ", "[", "]") ?: "null"\n}\n\n/**\n * Returns a string representation of the
contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray?.contentToString(): String {\n
return this?.joinToString(", ", "[", "]") ?: "null"\n}\n\n/**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray?.contentToString(): String {\n
return this?.joinToString(", ", "[", "]") ?: "null"\n}\n\n/**\n * Copies this array or its subrange into the
[destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even
specify the subrange so that it overlaps with
the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position
in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to
copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n
*\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out
of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =
size): UIntArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the
[destination] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
ULongArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return

```

destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):  
UByteArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return  
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *  
It's allowed to pass the same array in the [destination] and even  
specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy  
to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param  
startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive)  
of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or  
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex  
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array  
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyInto(destination: UShortArray, destinationOffset:  
Int = 0, startIndex: Int = 0, endIndex: Int = size): UShortArray {\n    storage.copyInto(destination.storage,  
destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Returns new array which is a copy of  
the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyOf(): UIntArray {\n    return UIntArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is  
a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyOf(): ULongArray {\n    return ULongArray(storage.copyOf())\n}\n\n/**\n * Returns new array  
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic  
inline fun UByteArray.copyOf(): UByteArray {\n    return UByteArray(storage.copyOf())\n}\n\n/**\n * Returns  
new array which is a copy of the original array.\n * \n * @sample  
samples.collections.Arrays.CopyOfOperations.copyOf\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyOf(): UShortArray {\n    return UShortArray(storage.copyOf())\n}\n\n/**\n * Returns new array  
which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at  
the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array  
is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the  
copy array are filled with zero values.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyOf(newSize:  
Int): UIntArray {\n    return UIntArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy  
of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero
```

values if necessary.
- If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
- If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyOf(newSize: Int): ULongArray {\n    return ULongArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].  
 * The copy is either truncated or padded at the end with zero values if necessary.  
 * - If [newSize] is less than the size of the original array, the copy array is truncated
```

```
to the [newSize].  
 * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyOf(newSize: Int): UByteArray {\n    return UByteArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].  
 * The copy is either truncated or padded at the end with zero values if necessary.  
 * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].  
 * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyOf(newSize: Int): UShortArray {\n    return UShortArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.  
 * @param fromIndex the start of the range (inclusive) to copy.  
 * @param toIndex the end of the range (exclusive) to copy.  
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.  
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n    return  
    UIntArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.  
 * @param fromIndex the start of the range (inclusive) to copy.  
 * @param toIndex the end of the range (exclusive) to copy.  
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.  
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n    return  
    ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.  
 * @param fromIndex the start of the range (inclusive) to copy.  
 * @param toIndex the end of the range (exclusive) to copy.  
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.  
 * @throws  
    IllegalArgumentException if [fromIndex] is greater than [toIndex].
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n    return  
    UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.  
 * @param fromIndex the start of the range (inclusive) to copy.  
 * @param toIndex the end of the range (exclusive) to copy.  
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.  
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n    return  
    UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.  
 * @param fromIndex the start of the range (inclusive) to fill, 0 by default.  
 * @param toIndex the end of the range (exclusive) to fill, size of this array by default.  
 * @throws
```

IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic fun UIntArray.fill(element:
UInt, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toInt(), fromIndex,
toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex
the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size
of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic fun ULongArray.fill(element:
ULong, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toLong(), fromIndex,
toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the
range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic fun UByteArray.fill(element: UByte,
fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toByte(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range
(inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less
than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic fun
UShortArray.fill(element: UShort, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toShort(),
fromIndex, toIndex)\n}\n\n/**\n * Returns the range of valid indices for the array.\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n get()
= storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic inline val UShortArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the last valid index for the array.\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n get() =
storage.lastIndex\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun UIntArray.plus(element: UInt): UIntArray {\n return UIntArray(storage +
element.toInt())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun ULongArray.plus(element: ULong): ULongArray {\n return ULongArray(storage +
element.toLong())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *^n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UByteArray.plus(element: UByte): UByteArray {\n return UByteArray(storage +

```

element.toByte())\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun UShortArray.plus(element: UShort): UShortArray {\n return UShortArray(storage +
element.toShort())\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun UIntArray.plus(elements: Collection<UInt>): UIntArray {\n var index = size\n val result =
storage.copyOfOf(size + elements.size)\n for (element in elements) result[index++] = element.toInt()\n return
UIntArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun ULongArray.plus(elements: Collection<ULong>): ULongArray {\n var index = size\n val result =
storage.copyOfOf(size + elements.size)\n for (element in elements) result[index++] = element.toLong()\n
return ULongArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then
all elements of the given [elements] collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UByteArray.plus(elements:
Collection<UByte>): UByteArray {\n var index = size\n val result = storage.copyOfOf(size + elements.size)\n
for (element in elements) result[index++] = element.toByte()\n return UByteArray(result)\n}\n\n/**\n * Returns
an array containing all elements of the original array and then all elements of the given [elements] collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UShortArray.plus(elements:
Collection<UShort>): UShortArray {\n var index = size\n val result = storage.copyOfOf(size + elements.size)\n
for (element in elements) result[index++] = element.toShort()\n return UShortArray(result)\n}\n\n/**\n * Returns
an array containing all elements of the original array
and then all elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.plus(elements: UIntArray): UIntArray {\n return UIntArray(storage + elements.storage)\n}\n\n/**\n *
Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.plus(elements: ULongArray): ULongArray {\n return ULongArray(storage +
elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.plus(elements: UByteArray): UByteArray {\n return UByteArray(storage +
elements.storage)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.plus(elements: UShortArray): UShortArray {\n return UShortArray(storage +
elements.storage)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.sort(): Unit {\n if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n *
@sample samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(): Unit {\n if (size > 1)
sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.sort(): Unit {\n if (size >
1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.sort(): Unit {\n if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts a range in the array in-
place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end
of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if

```

```

[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(fromIndex: Int = 0, toIndex:
Int = size): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArray(this, fromIndex,
toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range
(inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(fromIndex: Int = 0,
toIndex: Int = size): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArray(this,
fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(fromIndex: Int = 0,
toIndex: Int = size): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArray(this,
fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArray(this, fromIndex, toIndex)\n}\n\n/**\n *
Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their
natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end
of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or
[toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n  sort(fromIndex, toIndex)\n  reverse(fromIndex,
toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements
are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range
(inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(fromIndex:
Int, toIndex: Int): Unit {\n  sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements
of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort
order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range
(exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is
greater than the size
of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortDescending(fromIndex:
Int, toIndex: Int): Unit {\n  sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements

```

of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Returns an array of type [ByteArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.toByteArray(): ByteArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type [IntArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.toIntArray(): IntArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type [LongArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.toLongArray(): LongArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type [ShortArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.toShortArray(): ShortArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.toTypedArray(): Array<UInt> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.toTypedArray(): Array<ULong> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.toTypedArray(): Array<UByte> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.toTypedArray(): Array<UShort> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of UByte containing all of the elements of this generic array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UByte>.toUByteArray(): UByteArray {\n    return UByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UByteArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.toUByteArray(): UByteArray {\n    return UByteArray(this.copyOf())\n}\n\n/**\n * Returns an array of UInt containing all of the elements of this generic array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.toUIntArray(): UIntArray {\n    return UIntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UIntArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.toUIntArray(): UIntArray {\n    return UIntArray(this.copyOf())\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this generic array.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.toULongArray(): ULongArray {\n    return ULongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type

```

[ULongArray], which is a copy of this array where each element is an unsigned reinterpretation of the corresponding element of this array.

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
LongArray.toULongArray(): ULongArray {\/n    return ULongArray(this.copyOf())\/n}\/n\/n**\/n * Returns an array
of UShort containing all of the elements of this generic array.\/n
*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/npublic fun Array<out UShort>.toUShortArray():
UShortArray {\/n    return UShortArray(size) { index -> this[index] }\/n}\/n\/n**\/n * Returns an array of type
[UShortArray], which is a copy of this array where each element is an unsigned reinterpretation of the
corresponding element of this array.\/n
*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
ShortArray.toUShortArray(): UShortArray {\/n    return UShortArray(this.copyOf())\/n}\/n\/n**\/n * Returns a [Map]
where keys are elements from the given array and values
are produced by the [valueSelector] function applied to each element.\/n *\/n * If any two elements are equal, the
last one gets added to the map.\/n *\/n * The returned map preserves the entry iteration order of the original array.\/n *
\/n * @sample samples.collections.Collections.Transformations.associateWith\/n
*\/n@SinceKotlin("1.4")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <V>
UIntArray.associateWith(valueSelector: (UInt) -> V): Map<UInt, V> {\/n    val result = LinkedHashMap<UInt,
V>(mapCapacity(size).coerceAtLeast(16))\/n    return associateWithTo(result, valueSelector)\/n}\/n\/n**\/n * Returns a
[Map] where keys are elements from the given array and values are produced by the [valueSelector] function
applied to each element.\/n *\/n * If any two elements are equal, the last one gets added to the map.\/n *\/n * The
returned map preserves the entry iteration order of the original array.\/n *\/n * @sample
samples.collections.Collections.Transformations.associateWith\/n
*\/n@SinceKotlin("1.4")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <V>
ULongArray.associateWith(valueSelector: (ULong) -> V): Map<ULong, V> {\/n    val result =
LinkedHashMap<ULong, V>(mapCapacity(size).coerceAtLeast(16))\/n    return associateWithTo(result,
valueSelector)\/n}\/n\/n**\/n * Returns a [Map] where keys are elements from the given array and values are
produced by the [valueSelector] function applied to each element.\/n *\/n * If any two elements are equal, the last one
gets added to the map.\/n *\/n * The returned map preserves the entry iteration order of the original array.\/n *\/n *
@sample samples.collections.Collections.Transformations.associateWith\/n
*\/n@SinceKotlin("1.4")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <V>
UByteArray.associateWith(valueSelector: (UByte) -> V): Map<UByte, V> {\/n    val result =
LinkedHashMap<UByte, V>(mapCapacity(size).coerceAtLeast(16))\/n    return associateWithTo(result,
valueSelector)\/n}\/n\/n**\/n * Returns a [Map] where keys are elements from the given array and values are
produced by the [valueSelector] function applied to each element.\/n *\/n * If any two elements are equal, the last one
gets added to the map.\/n *\/n * The returned map preserves the entry iteration order of the original array.\/n *\/n *
@sample samples.collections.Collections.Transformations.associateWith\/n
*\/n@SinceKotlin("1.4")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <V>
UShortArray.associateWith(valueSelector: (UShort) -> V): Map<UShort, V> {\/n    val result =
LinkedHashMap<UShort, V>(mapCapacity(size).coerceAtLeast(16))\/n    return associateWithTo(result,
valueSelector)\/n}\/n\/n**\/n * Populates and returns the [destination] mutable map with key-value pairs for each
element of the given array, where key is the element itself and value is provided by the [valueSelector] function
applied to that key.\/n *\/n * If any
two elements are equal, the last one overwrites the former value in the map.\/n *\/n * @sample
samples.collections.Collections.Transformations.associateWithTo\/n
*\/n@SinceKotlin("1.4")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <V, M :
MutableMap<in UInt, in V>> UIntArray.associateWithTo(destination: M, valueSelector: (UInt) -> V): M {\/n    for
(element in this) {\/n        destination.put(element, valueSelector(element))\/n    }\/n    return destination\/n}\/n\/n**\/n *
Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,

```

where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in ULong, in V>> ULongArray.associateWithTo(destination: M, valueSelector: (ULong) -> V): M {\n    for (element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in UByte, in V>> UByteArray.associateWithTo(destination: M, valueSelector: (UByte) -> V): M {\n    for (element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in UShort, in V>> UShortArray.associateWithTo(destination: M, valueSelector: (UShort) -> V): M {\n    for (element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.flatMapIndexed(transform: (index: Int, UInt)
```

```

-> Iterable<R>): List<R> {\n    return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a
single list of all elements yielded from results of [transform] function being invoked on each element\n * and its
index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.flatMapIndexed(transform: (index: Int, ULong) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UByteArray.flatMapIndexed(transform: (index: Int, UByte) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.flatMapIndexed(transform: (index: Int, UShort) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its
index in the original array, to the given [destination].\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.flatMapIndexedTo(destination: C, transform: (index: Int, UInt) ->
Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.flatMapIndexedTo(destination:
C, transform: (index: Int, ULong) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element\n * and its index in the original
array, to the given [destination].\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapIndexedTo(destination: C, transform: (index: Int, UByte) ->
Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each
element\n * and its index in the original array, to the given [destination].\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.flatMapIndexedTo(destination: C, transform: (index: Int, UShort) ->
Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n

```

```

*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n
destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n for
(element in this) {\n val list =
transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements
yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic
inline fun <R, C : MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) ->
Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n
}\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given
[keySelector] function\n * applied to each element and returns a map where each group key is associated with a list
of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from
the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <K>
UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n return groupByTo(LinkedHashMap<K,
MutableList<UInt>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <K>
ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n return
groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <K>
UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n return
groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic
inline fun <K> UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n return
groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups values returned by
the [valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of
corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the

```



```

M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) {
ArrayList<UByte>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <K, M : MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M,
keySelector: (UShort) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<UShort>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n
* Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the
key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each
group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination:
M, keySelector: (UInt) -> K, valueTransform: (UInt) -> V): M {\n  for (element in this) {\n    val key =
keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K,
valueTransform: (ULong) -> V): M {\n  for (element in this) {\n    val
key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K,
valueTransform: (UByte) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list
= destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n
  }\n  return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each
element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n *
and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return
The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K,
valueTransform: (UShort) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list
= destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

```

```

UIntArray.map(transform: (UInt) -> R): List<R> {\n  return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n
ULongArray.map(transform: (ULong) -> R): List<R> {\n  return mapTo(ArrayList<R>(size),\n  transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\n  inline fun <R> UByteArray.map(transform: (UByte) -> R): List<R> {\n  return mapTo(ArrayList<R>(size),\n  transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n
UShortArray.map(transform: (UShort) -> R): List<R> {\n  return mapTo(ArrayList<R>(size),\n  transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * \n * @param [transform] function that takes the index of an element and\n * the element itself\n * and returns the result of the transform applied to the element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline\n  fun <R> UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n  return\n  mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the\n * given [transform] function\n * to each element and its index in the original array.\n * \n * @param [transform] function\n * that takes the index of an element and the element itself\n * and returns the result of the transform applied to the\n * element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline\n  fun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n  return\n  mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the\n * given [transform] function\n * to each element and its index in the original array.\n * \n * @param [transform] function\n * that takes the index of an element and the element itself\n * and returns the result of the transform applied to the\n * element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\n  inline fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n  return\n  mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the\n * given [transform] function\n * to each element and its index in the original array.\n * \n * @param [transform] function\n * that takes the index of an element and the element itself\n * and returns the result of the transform applied to the\n * element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline\n  fun <R> UShortArray.mapIndexed(transform: (index: Int, UShort) -> R): List<R> {\n  return\n  mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Applies the given [transform] function to each\n * element and its index in the original array\n * and appends the results to the given [destination].\n * \n * @param\n * [transform] function that takes the index of an element and\n * the element itself\n * and returns the result of the transform applied to the element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :\n  MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n  var\n  index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * \n * @param [transform] function that takes the index of an element and the element\n * itself\n * and returns the result of the transform applied to the element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :\n  MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n  var\n  index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given [transform]\n * function to each element and its index in the original array\n * and appends the results to the given [destination].\n * \n *

```

@param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {\n    var index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapIndexedTo(destination: C, transform: (index: Int, UShort) -> R): C {\n    var index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.mapTo(destination: C, transform: (UInt) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.mapTo(destination: C, transform: (ULong) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapTo(destination: C, transform: (UByte) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapTo(destination: C, transform: (UShort) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.withIndex(): Iterable<IndexedValue<UInt>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.withIndex(): Iterable<IndexedValue<ULong>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.withIndex(): Iterable<IndexedValue<UByte>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.withIndex(): Iterable<IndexedValue<UShort>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * @sample samples.collections.Collections.Aggregates.all\n */
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.all(predicate: (UInt) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * @sample samples.collections.Collections.Aggregates.all\n */

```

```

*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.all(predicate: (ULong) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.all(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element))
return false\n  return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n
*\n * @sample samples.collections.Collections.Aggregates.any\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if at least one element matches
the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(predicate: (UInt) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n
return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(predicate: (ULong) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n/**\n * Returns
`true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(predicate: (UShort) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.count(predicate: (UInt)
-> Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return
count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.count(predicate: (ULong) -> Boolean): Int {\n  var count = 0\n  for (element in this) if
(predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n *^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic

```

```

inline fun UByteArray.count(predicate: (UByte) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return count
}

Returns the number of elements matching the given [predicate].

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun UShortArray.count(predicate: (UShort)
-> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return
count
}

Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator value and each element.

Returns the specified [initial] value if the array is empty.

@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public inline fun <R>
UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

Accumulates value starting
with [initial] value and applying [operation] from left to right
to current accumulator value and each element.

Returns the specified [initial] value if the array is empty.

@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public inline fun <R>
ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

Accumulates value
starting with [initial] value and applying [operation] from left to right
to current accumulator value and each
element.

Returns the specified [initial] value if the array is empty.

@param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public inline fun <R>
UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator
value and each element.

Returns the specified [initial] value if the array is empty.

@param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public inline fun
<R> UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

Accumulates
value starting with [initial] value and applying [operation] from left to right
to current accumulator value and
each element with its index in the original array.

Returns the specified [initial]
value if the array is empty.

@param [operation] function that takes the index of an element, current
accumulator value
and the element itself, and calculates the next accumulator value.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public inline fun <R>
UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {
    var index = 0
    var
accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return
accumulator
}

Accumulates value starting with [initial] value and applying [operation] from left to
right
to current accumulator value and each element with its index in the original array.

Returns the
specified [initial] value if the array is empty.

@param [operation] function that takes the index of an
element, current accumulator value
and the element itself, and calculates the next accumulator value.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun <R> ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {
    var index
= 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return
accumulator
}

Accumulates value starting with [initial] value and applying [operation] from left
to right
to current accumulator value and each element with its index in the original array.

Returns the
specified [initial] value if the array is empty.

@param [operation] function that takes the index of an

```

```

element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): R {\n  var index = 0\n  var
accumulator = initial\n
  for (element in this) accumulator = operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value
if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n
 * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator =
initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R {\n  var index = lastIndex\n
var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array
is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {\n  var index = lastIndex\n  var
accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n
  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation]
from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value
if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and
calculates the next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {\n  var index = lastIndex\n  var
accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the
specified [initial] value if the
array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates the next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {\n  var index = lastIndex\n

```

```

var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n
--index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n
*\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator
value.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {\n var index =
lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index),
accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n
*\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.foldRightIndexed(initial: R, operation:
(index: Int, UByte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0)
{\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {\n var index =
lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index),
accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each
element.\n * \n * @param [action] function that takes the index of an element, the element itself\n * and current
accumulator value, and calculates the next accumulator value.\n
*\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.forEach(action: (UInt) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element.\n
*\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.forEach(action: (ULong) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element.\n
*\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.forEach(action: (UByte) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element.\n
*\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UShortArray.forEach(action: (UShort) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element, providing sequential index with the element.\n * @param [action]
function that takes the index of an element and the element itself\n * and performs the action on the element.\n
*\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {\n var index = 0\n for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n * and
performs the action on the element.\n
*\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit {\n var index
= 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element,
providing sequential index with the element.\n * \n * @param [action] function that takes the index of an element
and the element itself\n * and performs the action on the element.\n
*\n */

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n@Deprecated("Use
maxOrNull instead.", ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.max(): UInt? {\n  return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.max():
ULong? {\n  return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.max():
UByte? {\n  return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.max(): UShort? {\n  return maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {\n  return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n  return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n  return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UShortArray.maxBy(selector: (UShort) -> R): UShort? {\n  return
maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> UIntArray.maxByOrNull(selector: (UInt) -> R): UInt? {\n  if (isEmpty()) return
null\n  var maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var
maxValue = selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if
(maxValue < v) {\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n

```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.maxByOrNull(selector: (ULong) -> R): ULong? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n
```

```
    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxByOrNull(selector: (UByte) -> R): UByte? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxByOrNull(selector: (UShort) -> R): UShort? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
the array is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOf(selector: (UInt) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.maxOf(selector: (ULong) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.maxOf(selector: (UByte) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.maxOf(selector: (UShort) -> Double): Double {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the
largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If
any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.maxOf(selector: (UInt) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue =
maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.maxOf(selector: (ULong) -> Float): Float {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the
largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.maxOf(selector: (UByte) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue =
maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.maxOf(selector: (UShort) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue =
maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector]
function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is
empty.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxOf(selector: (UInt) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun <R : Comparable<R>> ULongArray.maxOf(selector: (ULong) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function
* applied to each element in the array.
* @throws NoSuchElementException if the array is empty.

* \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun <R :
Comparable<R>> UByteArray.maxOf(selector: (UByte) -> R): R {
    if (isEmpty()) throw
NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v =
selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value among all values
produced by [selector] function
* applied to each element in the array.
* @throws
NoSuchElementException if the array is empty.

* \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun <R :
Comparable<R>> UShortArray.maxOf(selector: (UShort) -> R): R {
    if (isEmpty()) throw
NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v =
selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function
* applied to each element in the array
or `null` if there are no elements.
* If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.

* \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UIntArray.maxOfOrNull(selector: (UInt) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue =
selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function
* applied to each element in the array or `null` if there are no elements.
* If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.

* \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
ULongArray.maxOfOrNull(selector:
(ULong) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in
1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return
maxValue
}

Returns the largest value among all values produced by [selector] function
* applied to
each element in the array or `null` if there are no elements.
* If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.

* \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UByteArray.maxOfOrNull(selector: (UByte) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue
= selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue,
v)
    }
    return maxValue
}

Returns
the largest value among all values produced by [selector] function
* applied to each element in the array or `null`
if there are no elements.
* If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.

* \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UShortArray.maxOfOrNull(selector: (UShort) -> Double): Double? {
    if (isEmpty()) return null
    var
maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue =

```

```

maxOf(maxValue, v)\n } return maxValue\n}\n\n**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.maxOfOrNull(selector: (UInt) -> Float): Float? {\n if (isEmpty()) return null\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue =
maxOf(maxValue, v)\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.maxOfOrNull(selector: (ULong) -> Float): Float? {\n if (isEmpty()) return
null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue
= maxOf(maxValue, v)\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.maxOfOrNull(selector: (UByte) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n
}\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.maxOfOrNull(selector: (UShort) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n
}\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> UIntArray.maxOfOrNull(selector: (UInt) -> R): R? {\n if (isEmpty()) return
null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n**\n * Returns the largest value
among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxOfOrNull(selector: (ULong) -> R): R? {\n if (isEmpty()) return null\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.maxOfOrNull(selector: (UByte) -> R): R? {\n if (isEmpty()) return null\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n

```

```

    maxValue = v\n    }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> UShortArray.maxOrNull(selector: (UShort) -> R): R? {\n    if (isEmpty())
return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value
according to the provided [comparator]\n * among all values produced by [selector] function applied to each
element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.maxOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v
= selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n
return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.maxOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n
return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.maxOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n
return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UShortArray.maxOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n    if
(isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
val v = selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n
}\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector:
(UInt) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
val v = selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n
}\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n  if (isEmpty())
return null\n  var max = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(max, v) < 0) {\n      max = v\n    }\n  }\n  return max\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among
all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n  if (isEmpty())
return null\n  var max = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(max, v) < 0) {\n      max = v\n    }\n  }\n  return max\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n
if (isEmpty()) return null\n  var max = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(max, v) < 0) {\n      max = v\n    }\n  }\n  return
max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxOrNull(): UInt? {\n  if
(isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max
= e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.maxOrNull(): ULong? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in
1..lastIndex) {\n    val e = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the largest
element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.maxOrNull(): UByte? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null`
if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.maxOrNull(): UShort? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex)
{\n    val e = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n@Deprecated("Use maxWithOrNull
instead.", ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWith(comparator:
Comparator<in UInt>): UInt? {\n  return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull
instead.", ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.maxWith(comparator: Comparator<in ULong>): ULong? {\n  return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.maxWith(comparator: Comparator<in UByte>): UByte? {\n  return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull
instead.", ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.maxWith(comparator: Comparator<in UShort>): UShort? {\n  return
maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWithOrNull(comparator:
Comparator<in UInt>): UInt? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n  }\n  return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.maxWithOrNull(comparator: Comparator<in ULong>): ULong? {\n  if (isEmpty()) return null\n
var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(max, e) < 0) max =
e\n  }\n  return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided
[comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.maxWithOrNull(comparator: Comparator<in UByte>): UByte? {\n  if (isEmpty()) return null\n
var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(max, e) < 0) max =
e\n  }\n  return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided
[comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.maxWithOrNull(comparator: Comparator<in UShort>): UShort?
{\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if
(comparator.compare(max, e) < 0) max = e\n  }\n  return max\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.min(): UInt?
{\n  return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.min():
ULong? {\n  return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.min(): UByte? {\n  return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.min():
UShort? {\n  return minOrNull()\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {\n  return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {\n  return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n  return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {\n  return

```

```

minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or
`null`
if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minByOrNull(selector: (UInt) -> R): UInt? {\n if (isEmpty()) return null\n var
minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minByOrNull(selector:
(ULong) -> R): ULong? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex =
this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in
1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n
minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value
of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minByOrNull(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n
var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n
minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function
or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.minByOrNull(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n
var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector]
function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`,
the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOf(selector: (UInt) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n
var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =
minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.minOf(selector: (ULong) -> Double): Double {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.minOf(selector: (UByte)
-> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOf(selector: (UShort) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n
    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue =
minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`,
the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOf(selector: (UInt) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue =
minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.minOf(selector: (ULong) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n
    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue =
minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.minOf(selector: (UByte) -> Float): Float {\n    if (isEmpty()) throw
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOf(selector: (UShort) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n
    var minValue = selector(this[0])\n    for (i
in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :

```

```

Comparable<R>> UIntArray.minOf(selector: (UInt) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

Returns the smallest value among all values produced by [selector] function applied to each element in the array.

@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>> ULongArray.minOf(selector: (ULong) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

Returns the smallest value among all values produced by [selector] function applied to each element in the array.

@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>> UByteArray.minOf(selector: (UByte) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.

If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun UIntArray.minOfOrNull(selector: (UInt) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.

If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun ULongArray.minOfOrNull(selector: (ULong) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.

If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun UByteArray.minOfOrNull(selector: (UByte) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

Returns the smallest value among all

```

values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n *
 \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOrNull(selector: (UShort) -> Double): Double? {\n  if (isEmpty()) return null\n  var minValue
= selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOrNull(selector: (UInt) -> Float): Float? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.minOrNull(selector: (ULong) -> Float): Float? {\n  if (isEmpty()) return null\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue =
minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.minOrNull(selector: (UByte) -> Float): Float? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOrNull(selector: (UShort) -> Float): Float? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array or `null`
if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minOrNull(selector: (UInt) -> R): R? {\n  if (isEmpty()) return null\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minOrNull(selector: (ULong) -> R): R? {\n  if (isEmpty())

```

```
return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minOfOrNull(selector: (UByte) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minOfOrNull(selector: (UShort) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.minOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.minOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.minOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.minOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * @throws NoSuchElementException if the array is empty.\n
```

```

produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\ninline fun <R> UIntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\n    if\n    (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =\n        selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values\n    produced by [selector] function applied to each element in the array or `null` if there are no elements.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n    ULongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n        if (isEmpty()) return null\n        var minValue = selector(this[0])\n        for (i in 1..lastIndex) {\n            val v =\n            selector(this[i])\n            if (comparator.compare(minValue, v) > 0) {\n                minValue = v\n            }\n        }\n        return\n        minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values\n    produced by [selector] function applied to each element in the array or `null` if there are no elements.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n    UByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n        if (isEmpty())\n        return null\n        var minValue = selector(this[0])\n        for (i in 1..lastIndex) {\n            val v = selector(this[i])\n            if\n            (comparator.compare(minValue, v) > 0) {\n                minValue = v\n            }\n        }\n        return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]\n    function applied to each element in the array or `null` if there are no elements.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n    UShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n        if (isEmpty())\n        return null\n        var minValue = selector(this[0])\n        for (i in 1..lastIndex) {\n            val v = selector(this[i])\n            if\n            (comparator.compare(minValue, v) > 0) {\n                minValue = v\n            }\n        }\n        return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minOrNull(): UInt? {\n    if\n    (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minOrNull(): ULong? {\n    if\n    (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min =\n        e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minOrNull(): UByte? {\n    if\n    (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min =\n        e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minOrNull(): UShort? {\n    if\n    (isEmpty()) return\n    null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return\n    min\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince\n    = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun\n    UIntArray.minWith(comparator: Comparator<in UInt>): UInt? {\n        return\n        minWithOrNull(comparator)\n    }\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince\n    = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun

```

```

ULongArray.minWith(comparator: Comparator<in ULong>): ULong? {\n  return
minWithOrNull(comparator)\n}\n\n@Deprecated(\\"Use minWithOrNull instead.\",
ReplaceWith(\\"this.minWithOrNull(comparator)\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince
= \\"1.5\", hiddenSince = \\"1.6\")\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.minWith(comparator: Comparator<in UByte>): UByte? {\n  return
minWithOrNull(comparator)\n}\n\n@Deprecated(\\"Use minWithOrNull instead.\",
ReplaceWith(\\"this.minWithOrNull(comparator)\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince
= \\"1.5\", hiddenSince = \\"1.6\")\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.minWith(comparator: Comparator<in UShort>): UShort? {\n  return
minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the
provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin(\\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWithOrNull(comparator:
Comparator<in UInt>): UInt? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided
[comparator] or `null` if there are no elements.\n
*\n@SinceKotlin(\\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minWithOrNull(comparator:
Comparator<in ULong>): ULong? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the
first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin(\\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minWithOrNull(comparator:
Comparator<in UByte>): UByte? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the
first element having
the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin(\\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWithOrNull(comparator:
Comparator<in UShort>): UShort? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns
`true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns
`true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n
*\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(predicate:
(UShort) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return false\n  return
true\n}\n\n**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.onEach(action: (UInt) -> Unit): UIntArray {\n  return apply { for (element in this) action(element)
}\n}\n\n**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.onEach(action: (ULong) -> Unit): ULongArray {\n  return apply { for (element in this)
action(element) }\n}\n\n**\n * Performs the given [action] on each element and returns the array itself
afterwards.\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.onEach(action: (UByte) -> Unit): UByteArray
{\n  return apply { for (element in this) action(element) }\n}\n\n**\n * Performs the given [action] on each
element and returns the array itself afterwards.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.onEach(action: (UShort) -> Unit): UShortArray {\n  return apply { for (element in this)
action(element) }\n}\n\n**\n * Performs the given [action] on each element, providing sequential index with the
element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element
and the element itself\n * and performs the action on the element.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.onEachIndexed(action: (index: Int, UInt) -> Unit): UIntArray {\n  return apply {
forEachIndexed(action) }\n}\n\n**\n * Performs the given [action] on each element, providing sequential index
with the element,\n
* and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the
element itself\n * and performs the action on the element.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.onEachIndexed(action: (index: Int, ULong) -> Unit): ULongArray {\n  return apply {
forEachIndexed(action) }\n}\n\n**\n * Performs the given [action] on each element, providing sequential index
with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.onEachIndexed(action: (index: Int, UByte) -> Unit): UByteArray {\n  return apply {
forEachIndexed(action) }\n}\n\n**\n * Performs the given [action] on each element, providing sequential index
with the
element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element
and the element itself\n * and performs the action on the element.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.onEachIndexed(action: (index: Int, UShort) -> Unit): UShortArray {\n  return apply {
forEachIndexed(action) }\n}\n\n**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty
in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.reduce(operation: (acc: ULong, ULong) -> ULong): ULong {\n if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is
empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty
in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduce(operation:
(acc: UShort, UShort) -> UShort): UShort {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null`
when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for
(index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for
(index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an
element,
current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for
(index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if
the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value and the element itself,\n * and
calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceIndexedOrNull(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt? {\n  if (isEmpty())\n    return
null\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index,
accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the first
element and applying [operation] from left to right\n * to current accumulator value and each element with its index
in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes
the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.reduceIndexedOrNull(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong? {\n  if
(isEmpty())\n    return null\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(index, accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with the first element and applying [operation] from left to right\n * to current accumulator value and each element
with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

UByteArray.reduceIndexedOrNull(operation:

(index: Int, acc: UByte, UByte) -> UByte): UByte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator}\n\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * Returns `null` if the array is empty.\n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceIndexedOrNull(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort? {\n if (isEmpty())\n

return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator}\n\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns `null` if the array is empty.\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceOrNull(operation: (acc: UInt, UInt) -> UInt): UInt? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return

accumulator}\n\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns `null` if the array is empty.\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceOrNull(operation: (acc: ULong, ULong) -> ULong): ULong? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator}\n\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each

element.\n * Returns `null` if the array is empty.\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceOrNull(operation: (acc: UByte, UByte) -> UByte): UByte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator}\n\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns `null` if the array is empty.\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates

the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceOrNull(operation: (acc: UShort, UShort) -> UShort): UShort? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator}\n\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * Throws an exception if this array is empty. If the array can be empty in an expected

way, please use `reduceRightOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduceRight`

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n    var index = lastIndex\n    if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}
```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceRightOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduceRight`

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceRight(operation: (ULong, acc: ULong) -> ULong): ULong {\n    var index = lastIndex\n    if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator =
get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}
```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceRightOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduceRight`

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n    var index = lastIndex\n    if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}
```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceRightOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduceRight`

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRight(operation: (UShort, acc: UShort) -> UShort): UShort {\n    var index = lastIndex\n    if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator =
get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}
```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element with its index in the original array and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceRightIndexedOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduceRight`

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n    var index = lastIndex\n    if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator =
get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return
accumulator\n}
```

}
return accumulator
} Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.
Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull]

instead. It returns `null` when its receiver is empty.
@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.reduceRight

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.reduceRightIndexed(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong {\n    var index =  
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var  
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),  
accumulator)\n        --index\n    }\n    return accumulator\n}
```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.
Throws

an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.
@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.reduceRight

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n    var index =  
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var  
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),  
accumulator)\n        --index\n    }\n    return accumulator\n}
```

Accumulates value starting with the last element and applying [operation]

from right to left to each element with its index in the original array and current accumulator value.
Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.
@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.reduceRight

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {\n    var index =  
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var  
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),  
accumulator)\n        --index\n    }\n    return accumulator\n}
```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.
Returns `null` if the array is empty.
@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.reduceRightOrNull

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.reduceRightIndexedOrNull(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt? {\n    var index =  
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}
```

Accumulates value starting

with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.
Returns `null` if the array is empty.
@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.reduceRightOrNull

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceRightIndexedOrNull(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong? {\n  var
index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n
* to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the
array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRightIndexedOrNull(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte? {\n  var
index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator
value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRightIndexedOrNull(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort? {\n  var
index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes
an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightOrNull(operation: (UInt, acc: UInt) -> UInt):
UInt? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index
>= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightOrNull(operation: (ULong, acc: ULong) ->
ULong): ULong? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param
[operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.reduceRightOrNull(operation: (UByte, acc: UByte) -> UByte): UByte? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value

```

starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightOrNull(operation: (UShort, acc: UShort) -> UShort): UShort? {\n    var
    index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.runningFold(initial: R, operation: (acc: R, UInt) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.runningFold(initial: R, operation: (acc: R, ULong) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.runningFold(initial: R, operation: (acc: R, UByte) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.runningFold(initial: R, operation: (acc: R, UShort) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n

```

```

accumulator = operation(accumulator, element)\n    result.add(accumulator)\n } \n return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n *
Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UIntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n
if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator
= initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {\n    if
(isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator =
initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value\n * and the
element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): List<R> {\n    if
(isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator =
initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with [initial] value.\n * \n * Note
that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous
value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R> {\n    if
(isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator =
initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to
right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note
that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous
value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element,

```

and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.runningReduce
*/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.runningReduce(operation: (acc: UInt, UInt) -> UInt): List<UInt> {n if (isEmpty()) return
emptyList()n var accumulator = this[0]n val result = ArrayList<UInt>(size).apply { add(accumulator) }n for
(index in 1 until size) {n accumulator = operation(accumulator, this[index])n result.add(accumulator)n
}n return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to rightn * to each element and current accumulator value that
starts with the first element of this array.n * n * Note that `acc` value passed to [operation] function should not be
mutated;n * otherwise it would affect the previous value in resulting list.n * n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.runningReduce
*/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
ULongArray.runningReduce(operation: (acc: ULong, ULong) -> ULong): List<ULong> {n if (isEmpty()) return
emptyList()n var accumulator = this[0]n val result = ArrayList<ULong>(size).apply { add(accumulator) }n
for (index in 1 until size) {n accumulator = operation(accumulator, this[index])n result.add(accumulator)n
}n return resultn}n/n/**n
* Returns a list containing successive accumulation values generated by applying [operation] from left to rightn *
to each element and current accumulator value that starts with the first element of this array.n * n * Note that `acc`
value passed to [operation] function should not be mutated;n * otherwise it would affect the previous value in
resulting list.n * n * @param [operation] function that takes current accumulator value and an element, and
calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.runningReduce
*/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UByteArray.runningReduce(operation: (acc: UByte, UByte) -> UByte): List<UByte> {n if (isEmpty()) return
emptyList()n var accumulator = this[0]n val result = ArrayList<UByte>(size).apply { add(accumulator) }n
for (index in 1 until size) {n accumulator = operation(accumulator, this[index])n
result.add(accumulator)n }n return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to rightn * to each element and current accumulator value that
starts with the first element of this array.n * n * Note that `acc` value passed to [operation] function should not be
mutated;n * otherwise it would affect the previous value in resulting list.n * n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.runningReduce
*/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UShortArray.runningReduce(operation: (acc: UShort, UShort) -> UShort): List<UShort> {n if (isEmpty()) return
emptyList()n var accumulator = this[0]n val result = ArrayList<UShort>(size).apply { add(accumulator) }n
for (index in 1 until size)
{n accumulator = operation(accumulator, this[index])n result.add(accumulator)n }n return
resultn}n/n/**n * Returns a list containing successive accumulation values generated by applying [operation] from
left to rightn * to each element, its index in the original array and current accumulator value that starts with the first
element of this array.n * n * Note that `acc` value passed to [operation] function should not be mutated;n *
otherwise it would affect the previous value in resulting list.n * n * @param [operation] function that takes the
index of an element, current accumulator valuen * and the element itself, and calculates the next accumulator
value.n * n * @sample samples.collections.Collections.Aggregates.runningReduce
*/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.runningReduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): List<UInt> {n if (isEmpty())
return

```

```

emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UInt>(size).apply { add(accumulator) }\n    for
(index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.runningReduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong):
List<ULong> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result =
ArrayList<ULong>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator =
operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this
array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.runningReduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): List<UByte> {\n    if
(isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UByte>(size).apply {
add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n
        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.runningReduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): List<UShort> {\n    if
(isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UShort>(size).apply {
add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n
        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scan(initial: R, operation: (acc: R, UInt) -> R):
List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator

```

value and an element, and calculates the next accumulator value.

```

\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scan(initial: R, operation: (acc: R, ULong) -> R):
List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic
inline fun <R> UByteArray.scan(initial: R, operation: (acc: R, UByte) -> R): List<R> {\n    return
runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by
applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial]
value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scan(initial: R, operation: (acc: R,
UShort) -> R): List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing
successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in
the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed
to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n *
\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scanIndexed(initial: R, operation: (index: Int, acc: R,
UInt) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing
successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in
the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed
to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n *
\n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scanIndexed(initial: R, operation: (index: Int, acc:
R, ULong) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list
containing successive accumulation values generated
by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator
value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.scanIndexed(initial: R, operation: (index: Int, acc:

```

R, UByte) -> R): List<R> {
return runningFoldIndexed(initial, operation)\n\n\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n\n

```

*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumBy(selector: (UInt) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumBy(selector: (ULong) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumBy(selector: (UByte) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumBy(selector: (UShort) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumByDouble(selector: (UInt) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumByDouble(selector: (ULong) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumByDouble(selector: (UByte) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UShortArray.sumByDouble(selector: (UShort) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfDouble")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun UIntArray.sumOf(selector: (UInt) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfDouble")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun ULongArray.sumOf(selector: (ULong) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfDouble")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun UByteArray.sumOf(selector: (UByte) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfDouble")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun UShortArray.sumOf(selector: (UShort) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfInt")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun UIntArray.sumOf(selector: (UInt) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfInt")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun ULongArray.sumOf(selector: (ULong) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfInt")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun UByteArray.sumOf(selector: (UByte) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfInt")

```

```

@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.sumOf(selector: (UShort) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")
\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt)
-> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n    sum += selector(element)\n  }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")
\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector:
(ULong) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")
\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector:
(UByte) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element
in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")
\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector:
(UShort) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n
\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic
inline fun UIntArray.sumOf(selector: (UInt) -> UInt): UInt {\n  var sum: UInt = 0.toUInt()\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n
\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic inline fun ULongArray.sumOf(selector: (ULong) -> UInt): UInt {\n  var sum: UInt = 0.toUInt()\n
for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n
\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic
inline fun UByteArray.sumOf(selector: (UByte) -> UInt): UInt {\n  var sum: UInt = 0.toUInt()\n  for (element in
this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n

```

```

*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n
\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic inline fun UShortArray.sumOf(selector: (UShort) -> UInt): UInt {\n    var sum: UInt =
    0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the
sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic
inline fun ULongArray.sumOf(selector: (ULong) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for
(element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns
the sum of all values
produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic inline fun UShortArray.sumOf(selector: (UShort) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns a
list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Array<out
R>): List<Pair<UInt, R>> {\n    return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Array<out R>): List<Pair<ULong, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Array<out
R>): List<Pair<UByte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n
* The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:

```

```

Array<out R>): List<Pair<UShort, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n
*\n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n
  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n
  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n
  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {\n
  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of pairs built from the elements
of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n
*\n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other:
Iterable<R>): List<Pair<UInt, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Iterable<R>): List<Pair<ULong, R>> {\n
  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this`
collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other:
Iterable<R>): List<Pair<UByte, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:
Iterable<R>): List<Pair<UShort, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and

```

the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n
    val arraySize = size\n    val list =
    ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n
    var i = 0\n    for (element in other) {\n
    if (i >= arraySize) break\n
    list.add(transform(this[i++], element))\n
    }\n
    return list\n}\n\n/**\n * Returns a
    list of values built from the elements of `this` array and the [other] collection with the same index\n *
    using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
    shortest
    collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
    */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n
    val arraySize = size\n    val
    list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n
    var i = 0\n    for (element in other)
    {\n
    if (i >= arraySize) break\n
    list.add(transform(this[i++], element))\n
    }\n
    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other]
    collection with the same index\n *
    using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
    shortest
    collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
    */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UByteArray.zip(other: Iterable<R>,
    transform: (a: UByte, b: R) -> V): List<V> {\n
    val arraySize = size\n    val list =
    ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n
    var i = 0\n    for (element in other) {\n
    if (i >= arraySize) break\n
    list.add(transform(this[i++], element))\n
    }\n
    return list\n}\n\n/**\n * Returns a
    list of values built from the elements of `this` array and the [other] collection with the same index\n *
    using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
    shortest
    collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
    */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UShortArray.zip(other: Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n
    val arraySize = size\n    val
    list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n
    var i = 0\n    for (element in
    other) {\n
    if (i >= arraySize) break\n
    list.add(transform(this[i++], element))\n
    }\n
    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array
    with the same index.\n * The
    returned list has length of the shortest collection.\n * \n * @sample
    samples.collections.Iterables.Operations.zipIterable\n
    */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray):
    List<Pair<UInt, UInt>> {\n
    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
    the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
    shortest
    collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
    */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray):
    List<Pair<ULong, ULong>> {\n
    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns
    a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned
    list
    has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
    */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray):
    List<Pair<UByte, UByte>> {\n
    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
    from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of
    the
    shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
    */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray):
    List<Pair<UShort, UShort>> {\n
    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built
    from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]
  
```

```

function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ULongArray.zip(other: ULongArray, transform: (a: ULong, b: ULong) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list
of values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedT
ypes::class)\npublic fun Array<out UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Array<out ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this)
{\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Array<out UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Array<out UShort>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
elements in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sum(): UInt {\n    return storage.sum().toUInt()\n}\n\n/**\n * Returns the sum of all elements in the
array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sum(): ULong {\n    return storage.sum().toULong()\n}\n\n/**\n * Returns the sum of all elements in
the array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.sum(): UInt {\n    return sumOf { it.toUInt() }\n}\n\n/**\n * Returns the sum of all elements in the
array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UShortArray.sum(): UInt {\n    return sumOf { it.toUInt() }\n}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UCollectionsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an array of UByte containing all of the
elements of this collection.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Collection<UByte>.toUByteArray(): UByteArray {\n    val result = UByteArray(size)\n    var index = 0\n    for
(element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of UInt containing
all of the elements of this collection.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Collection<UInt>.toUIntArray(): UIntArray {\n    val result = UIntArray(size)\n
    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an
array of ULong containing all of the elements of this collection.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Collection<ULong>.toULongArray():
ULongArray {\n    val result = ULongArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] =
element\n    return result\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this collection.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Collection<UShort>.toUShortArray():
UShortArray {\n    val result = UShortArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] =
element\n    return result\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedT
ypes::class)\npublic fun Iterable<UInt>.sum():
UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n *
Returns the sum of all elements in the collection.\n */\n\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Iterable<ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this) {\n
        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Iterable<UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Iterable<UShort>.sum(): UInt {\n
    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n"/**\n * Copyright
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UComparisonsKt")\n\npackage
kotlin.comparisons\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns the
greater of two values.\n */\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UInt, b:
UInt): UInt {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: ULong,
b: ULong): ULong {\n    return
if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UByte,
b: UByte): UByte {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UShort,
b: UShort): UShort {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of three values.\n */\n

```

```

*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UInt, b: UInt, c: UInt): UInt {\n    return maxOf(a, maxOf(b, c))\n}\n\n/* Returns the greater of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: ULong, b: ULong, c: ULong): ULong {\n    return maxOf(a, maxOf(b, c))\n}\n\n/* Returns the greater of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UByte, b: UByte, c: UByte): UByte {\n    return maxOf(a, maxOf(b, c))\n}\n\n/* Returns the greater of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UShort, b: UShort, c: UShort): UShort {\n    return maxOf(a, maxOf(b, c))\n}\n\n/* Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UInt, vararg other: UInt): UInt {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/* Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: ULong, vararg other: ULong): ULong {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/* Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UByte, vararg other: UByte): UByte {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/* Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UShort, vararg other: UShort): UShort {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/* Returns the smaller of two values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UInt, b: UInt): UInt {\n    return if (a <= b) a else b\n}\n\n/* Returns the smaller of two values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: ULong, b: ULong): ULong {\n    return if (a <= b) a else b\n}\n\n/* Returns the smaller of two values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UByte, b: UByte): UByte {\n    return if (a <= b) a else b\n}\n\n/* Returns the smaller of two values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UShort, b: UShort): UShort {\n    return if (a <= b) a else b\n}\n\n/* Returns the smaller of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UInt, b: UInt, c: UInt): UInt {\n    return minOf(a, minOf(b, c))\n}\n\n/* Returns the smaller of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: ULong, b: ULong, c: ULong): ULong {\n    return minOf(a, minOf(b, c))\n}\n\n/* Returns the smaller of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UByte, b: UByte, c: UByte): UByte {\n    return minOf(a, minOf(b, c))\n}\n\n/* Returns the smaller of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {\n    return minOf(a, minOf(b, c))\n}\n\n/* Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UInt, vararg other: UInt): UInt {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/* Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: ULong, vararg other: ULong): ULong {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/* Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte,

```

```

vararg other: UByte): UByte {
    var min = a
    for (e
    in other) min = minOf(min, e)
    return min
}

/** Returns the smaller of the given values.
 *
 * @SinceKotlin("1.4")
 * @ExperimentalUnsignedTypes
 * public fun minOf(a: UShort, vararg other: UShort):
 * UShort {
 *     var min = a
 *     for (e in other) min = minOf(min, e)
 *     return min
 * }
 *
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 *
 * @file: kotlin.jvm.JvmMultifileClass
 * @file: kotlin.jvm.JvmName("URangesKt")
 * @package kotlin.ranges
 *
 * // NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
 * // See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
 *
 * @nimport kotlin.random.*
 *
 * Returns a random element from this range.
 *
 * @throws IllegalArgumentException if this range is empty.
 *
 * @SinceKotlin("1.5")
 * @WasExperimental(ExperimentalUnsignedTypes::class)
 * @kotlin.internal.InlineOnly
 * public
 * inline fun UIntRange.random(): UInt {
 *     return random(Random)
 * }
 *
 * Returns a random element from this range.
 *
 * @throws IllegalArgumentException if this range is empty.
 *
 * @SinceKotlin("1.5")
 * @WasExperimental(ExperimentalUnsignedTypes::class)
 * @kotlin.internal.InlineOnly
 * public inline fun ULongRange.random(): ULong {
 *     return random(Random)
 * }
 *
 * Returns a random element from this range using the specified source of randomness.
 *
 * @throws IllegalArgumentException if this range is empty.
 *
 * @SinceKotlin("1.5")
 * @WasExperimental(ExperimentalUnsignedTypes::class)
 * public fun UIntRange.random(random: Random): UInt {
 *     try {
 *         return random.nextUInt(this)
 *     } catch (e:
 *     IllegalArgumentException) {
 *         throw NoSuchElementException(e.message)
 *     }
 * }
 *
 * Returns a random element from this range using the specified source of randomness.
 *
 * @throws
 * IllegalArgumentException if this range
 * is empty.
 *
 * @SinceKotlin("1.5")
 * @WasExperimental(ExperimentalUnsignedTypes::class)
 * public fun ULongRange.random(random: Random): ULong {
 *     try {
 *         return random.nextULong(this)
 *     } catch (e:
 *     IllegalArgumentException) {
 *         throw NoSuchElementException(e.message)
 *     }
 * }
 *
 * Returns a random element from this range, or `null` if this range is empty.
 *
 * @SinceKotlin("1.5")
 * @WasExperimental(ExperimentalStdlibApi::class,
 * ExperimentalUnsignedTypes::class)
 * @kotlin.internal.InlineOnly
 * public inline fun UIntRange.randomOrNull():
 * UInt? {
 *     return randomOrNull(Random)
 * }
 *
 * Returns a random element from this range, or `null` if this
 * range is empty.
 *
 * @SinceKotlin("1.5")
 * @WasExperimental(ExperimentalStdlibApi::class,
 * ExperimentalUnsignedTypes::class)
 * @kotlin.internal.InlineOnly
 * public inline fun ULongRange.randomOrNull():
 * ULong? {
 *     return randomOrNull(Random)
 * }
 *
 * Returns a random element from this range using the
 * specified
 * source of randomness, or `null` if this range is empty.
 *
 * @SinceKotlin("1.5")
 * @WasExperimental(ExperimentalStdlibApi::class,
 * ExperimentalUnsignedTypes::class)
 * public fun UIntRange.randomOrNull(random: Random): UInt? {
 *     if
 * (isEmpty())
 *         return null
 *     return random.nextUInt(this)
 * }
 *
 * Returns a random element from this
 * range using the specified source of randomness, or `null` if this range is empty.
 *
 * @SinceKotlin("1.5")
 * @WasExperimental(ExperimentalStdlibApi::class,
 * ExperimentalUnsignedTypes::class)
 * public fun ULongRange.randomOrNull(random: Random): ULong? {
 *     if
 * (isEmpty())
 *         return null
 *     return random.nextULong(this)
 * }
 *
 * Returns `true` if this range contains
 * the specified [element].
 *
 * Always returns `false` if the [element] is `null`.
 *
 * @SinceKotlin("1.5")
 * @WasExperimental(ExperimentalUnsignedTypes::class)
 * @kotlin.internal.InlineOnly
 * public inline operator fun UIntRange.contains(element: UInt?): Boolean
 * {
 *     return element != null && contains(element)
 * }
 *
 * Returns `true` if this range contains the specified
 * [element].
 *
 * Always returns `false` if the [element] is `null`.
 *
 * @SinceKotlin("1.5")
 * @WasExperimental(ExperimentalUnsignedTypes::class)
 * @kotlin.internal.InlineOnly
 * public inline operator fun ULongRange.contains(element: ULong?): Boolean {
 *     return element != null &&

```

```

contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
UIntRange.contains(value: UByte): Boolean {\n    return contains(value.toUInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
ULongRange.contains(value: UByte): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
operator fun ULongRange.contains(value: UInt): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
UIntRange.contains(value: ULong): Boolean {\n    return (value shr UInt.SIZE_BITS) == 0uL &&
contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
UIntRange.contains(value: UShort): Boolean {\n    return contains(value.toUInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
ULongRange.contains(value: UShort): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Returns a
progression
from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal
to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UByte.downTo(to: UByte): UIntProgression {\n    return UIntProgression.fromClosedRange(this.toUInt(),
to.toUInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -
1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value
the returned progression is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UInt.downTo(to: UInt): UIntProgression {\n    return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n *
Returns a progression from this value down to the specified [to] value with the
step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this`
value the returned progression is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
ULong.downTo(to: ULong): ULongProgression {\n    return ULongProgression.fromClosedRange(this, to, -
1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n *
The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the
returned progression is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UShort.downTo(to: UShort): UIntProgression {\n    return UIntProgression.fromClosedRange(this.toUInt(),
to.toUInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the
same step.\n * \n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun UIntProgression.reversed(): UIntProgression {\n    return UIntProgression.fromClosedRange(last, first, -
step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same
step.\n * \n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULongProgression.reversed(): ULongProgression {\n    return ULongProgression.fromClosedRange(last, first, -
step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UIntProgression.step(step: Int): UIntProgression {\n    checkStepIsPositive(step > 0, step)\n    return
UIntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression

```

that goes over the same range with the given step.\n

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic\ninfix fun ULongProgression.step(step: Long): ULongProgression {\n    checkStepIsPositive(step > 0, step)\n    return ULongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun\nUByte.until(to: UByte): UIntRange {\n    if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n    return\n    this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]\n    value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned\n    range is empty.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UInt.until(to:\n    UInt): UIntRange {\n    if (to <= UInt.MIN_VALUE)\n        return UIntRange.EMPTY\n    return this .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]\n    value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned\n    range is empty.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic\ninfix fun ULong.until(to: ULong): ULongRange {\n    if (to <= ULong.MIN_VALUE) return\n    ULongRange.EMPTY\n    return this .. (to - 1u).toULong()\n}\n\n/**\n * Returns a range from this value up to but\n    excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned\n    range is empty.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic\ninfix fun UShort.until(to: UShort): UIntRange {\n    if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY\n    return this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Ensures that this value is not less than the specified\n    [minimumValue].\n
```

```
 * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun\nUInt.coerceAtLeast(minimumValue: UInt): UInt {\n    return if (this < minimumValue) minimumValue else\n    this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample\n    samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun\nULong.coerceAtLeast(minimumValue: ULong): ULong {\n    return if (this < minimumValue) minimumValue else\n    this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or
```

```
equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample\n    samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun\nUByte.coerceAtLeast(minimumValue: UByte): UByte {\n    return if (this < minimumValue) minimumValue else\n    this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample\n    samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun\nUShort.coerceAtLeast(minimumValue: UShort): UShort {\n    return if (this < minimumValue) minimumValue else\n    this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue]
```

```
otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun\nUInt.coerceAtMost(maximumValue: UInt): UInt {\n    return if (this > maximumValue) maximumValue else\n    this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
```

```

value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULong.coerceAtMost(maximumValue: ULong): ULong {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UByte.coerceAtMost(maximumValue: UByte): UByte {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UShort.coerceAtMost(maximumValue: UShort): UShort {\n    return if (this > maximumValue) maximumValue
else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n *
@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UInt.coerceIn(minimumValue: UInt, maximumValue: UInt): UInt {\n    if (minimumValue > maximumValue)
throw IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this
value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n *
@sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULong.coerceIn(minimumValue: ULong, maximumValue: ULong): ULong {\n    if (minimumValue
> maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
$maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n
if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the
specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or
[minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UByte.coerceIn(minimumValue: UByte, maximumValue: UByte): UByte {\n    if (minimumValue >
maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
$maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n
if (this
> maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified
range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if
this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n *
\n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UShort.coerceIn(minimumValue: UShort, maximumValue: UShort): UShort {\n    if (minimumValue >
maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
$maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n
if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the

```

```

specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is
less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UInt.coerceIn(range: ClosedRange<UInt>): UInt {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<UInt>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("\n    Cannot coerce value to
an empty range: $range.\n")\n    return when {\n        this < range.start -> range.start\n        this > range.endInclusive -
-> range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or
`range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun ULong.coerceIn(range: ClosedRange<ULong>): ULong {\n    if (range is ClosedFloatingPointRange) {\n
return this.coerceIn<ULong>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("\n    Cannot
coerce value to an empty range: $range.\n")\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n"/\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("USequencesKt")\n\npackage
kotlin.sequences\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedT
ypes::class)\npublic fun Sequence<UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The
operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Sequence<ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this)
{\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n *
The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Sequence<UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the
sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Sequence<UShort>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n"/\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n * \n\npackage kotlin\n\npublic expect open class Error : Throwable {\n
    constructor()\n    constructor(message: String?)\n    constructor(message: String?, cause: Throwable?)\n
    constructor(cause: Throwable?)\n}\n\npublic expect open class Exception : Throwable {\n    constructor()\n
    constructor(message: String?)\n    constructor(message: String?, cause:
    Throwable?)\n    constructor(cause: Throwable?)\n}\n\npublic expect open class RuntimeException :
    Exception {\n    constructor()\n    constructor(message: String?)\n    constructor(message: String?, cause:
    Throwable?)\n    constructor(cause: Throwable?)\n}\n\npublic expect open class IllegalArgumentException :
    RuntimeException {\n    constructor()\n    constructor(message: String?)\n    constructor(message: String?, cause:
    Throwable?)\n    constructor(cause: Throwable?)\n}\n\npublic expect open class IllegalStateException :
    RuntimeException {\n    constructor()\n    constructor(message: String?)\n    constructor(message: String?, cause:
    Throwable?)\n    constructor(cause: Throwable?)\n}\n

```



```

PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\n@OptionalExpectation\npublic
expect annotation class JsName(val name: String)\n\n/**\n * Marks experimental JS export annotations.\n *\n *
Note that behavior of these annotations will likely be changed in the future.\n *\n * Usages of such annotations will
be reported as warnings unless an explicit opt-in with\n * the [OptIn] annotation, e.g.
`@OptIn(ExperimentalJsExport::class)`,\n * or with the `-opt-in=kotlin.js.ExperimentalJsExport`
compiler option is given.\n *\n@RequiresOptIn(level =
RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Since
Kotlin("1.4")\n\npublic annotation class ExperimentalJsExport\n\n/**\n * Exports top-level declaration on JS
platform.\n *\n * Compiled module exposes declarations that are marked with this annotation without name
mangling.\n *\n * This annotation can be applied to either files or top-level declarations.\n *\n * It is currently
prohibited to export the following kinds of declarations:\n *\n * * `expect` declarations\n * * inline functions with
reified type parameters\n * * suspend functions\n * * secondary constructors without `@JsName`\n * *
extension properties\n * * enum classes\n * * annotation classes\n *\n * Signatures of exported declarations must
only contain "exportable" types:\n *\n * * `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`,
`Double`\n * * `BooleanArray`,
`ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n * * `Array<exportable-type>`\n * *
Function types with exportable parameters and return types\n * * `external` or `@JsExport` classes and interfaces\n
* * Nullable counterparts of types above\n * * Unit return type. Must not be nullable\n *\n * This annotation is
experimental, meaning that restrictions mentioned above are subject to change.\n
*\n@ExperimentalJsExport\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY,
FUNCTION, FILE)\n@SinceKotlin("1.4")\n@OptionalExpectation\npublic expect annotation class
JsExport(),"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@npackage kotlin.io\n\n/** Prints the line separator to the standard output stream. *\n\npublic expect fun
println()\n\n/** Prints the given [message]
and the line separator to the standard output stream. *\n\npublic expect fun println(message: Any?)\n\n/** Prints the
given [message] to the standard output stream. *\n\npublic expect fun print(message: Any?)\n\n/**\n * Reads a line
of input from the standard input stream and returns it,\n * or throws a [RuntimeException] if EOF has already been
reached when [readln] is called.\n *\n * LF or CRLF is treated as the line terminator. Line terminator is not included
in the returned string.\n *\n * Currently this function is not supported in Kotlin/JS and throws
[UnsupportedOperationException].\n *\n@SinceKotlin("1.6")\n\npublic expect fun readln(): String\n\n/**\n *
Reads a line of input from the standard input stream and returns it,\n * or return `null` if EOF has already been
reached when [readlnOrNull] is called.\n *\n * LF or CRLF is treated as the line terminator. Line terminator is not
included in the returned string.\n *\n * Currently this function is not supported in Kotlin/JS and throws
[UnsupportedOperationException].\n *\n@SinceKotlin("1.6")\n\npublic expect fun readlnOrNull():
String?\n\ninternal class ReadAfterEOFException(message: String?) : RuntimeException(message)\n\n\ninternal
expect interface Serializable\n","/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n@npackage kotlin.collections\n\nimport kotlin.internal.PlatformDependent\n\n/**\n *
Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over.\n *
@param T the type of element being iterated over. The iterator is covariant in its element type.\n *\n\npublic interface
Iterable<out T> {\n\n /**\n * Returns an iterator over the elements of this object.\n *\n public operator fun
iterator(): Iterator<T>}\n\n/**\n * Classes that inherit from this interface can be represented
as a sequence of elements that can\n * be iterated over and that supports removing elements during iteration.\n *
@param T the type of element being iterated over. The mutable iterator is invariant in its element type.\n *\n\npublic
interface MutableIterable<out T> : Iterable<T> {\n\n /**\n * Returns an iterator over the elements of this
sequence that supports removing elements during iteration.\n *\n override fun iterator():
MutableIterator<T>}\n\n/**\n * A generic collection of elements. Methods in this interface support only read-only

```

access to the collection;\n * read/write access is supported through the [MutableCollection] interface.\n * @param E the type of elements contained in the collection. The collection is covariant in its element type.\n */\npublic interface Collection<out E> : Iterable<E> {\n // Query Operations\n /**\n * Returns the size of the collection.\n */\n public val size: Int\n /**\n * Returns `true` if the collection is empty (contains no elements), `false` otherwise.\n */\n public fun isEmpty(): Boolean\n\n /**\n * Checks if the specified element is contained in this collection.\n */\n public operator fun contains(element: @UnsafeVariance E): Boolean\n\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n /**\n * Checks if all elements in the specified collection are contained in this collection.\n */\n public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic collection of elements that supports adding and removing elements.\n */\n * @param E the type of elements contained in the collection. The mutable collection is invariant in its element type.\n */\npublic interface MutableCollection<E> : Collection<E>, MutableIterable<E> {\n // Query Operations\n override fun iterator(): MutableIterator<E>\n\n // Modification Operations\n /**\n * Adds the specified element to the collection.\n */\n * @return `true` if the element has been added, `false` if the collection does not support duplicates and the element is already contained in the collection.\n */\n public fun add(element: E): Boolean\n\n /**\n * Removes a single instance of the specified element from this collection, if it is present.\n */\n * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\n */\n public fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements of the specified collection to this collection.\n */\n * @return `true` if any of the specified elements was added to the collection, `false` if the collection was not modified.\n */\n public fun addAll(elements: Collection<E>): Boolean\n\n /**\n * Removes all of this collection's elements that are also contained in the specified collection.\n */\n * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\n */\n public fun removeAll(elements: Collection<E>): Boolean\n\n /**\n * Retains only the elements in this collection that are contained in the specified collection.\n */\n * @return `true` if any element was removed from the collection, `false` if the collection was not modified.\n */\n public fun retainAll(elements: Collection<E>): Boolean\n\n /**\n * Removes all elements from this collection.\n */\n public fun clear(): Unit\n}\n\n/**\n * A generic ordered collection of elements. Methods in this interface support only read-only access to the list;\n * read/write access is supported through the [MutableList] interface.\n */\n * @param E the type of elements contained in the list. The list is covariant in its element type.\n */\npublic interface List<out E> : Collection<E> {\n // Query Operations\n\n override val size: Int\n override fun isEmpty(): Boolean\n\n override fun contains(element: @UnsafeVariance E): Boolean\n\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n\n // Positional Access Operations\n /**\n * Returns the element at the specified index in the list.\n */\n * @return `true` if the element is not contained in the list.\n */\n public operator fun get(index: Int): E\n\n // Search Operations\n /**\n * Returns the index of the first occurrence of the specified element in the list, or -1 if the specified element is not contained in the list.\n */\n * @return `true` if the specified element is not contained in the list.\n */\n public fun indexOf(element: @UnsafeVariance E): Int\n\n /**\n * Returns the index of the last occurrence of the specified element in the list, or -1 if the specified element is not contained in the list.\n */\n * @return `true` if the specified element is not contained in the list.\n */\n public fun lastIndexOf(element: @UnsafeVariance E): Int\n\n // List Iterators\n /**\n * Returns a list iterator over the elements in this list (in proper sequence).\n */\n * @return `true` if the specified element is not contained in the list (in proper sequence), starting at the specified [index].\n */\n public fun listIterator(index: Int): ListIterator<E>\n\n // View\n /**\n * Returns a view of the portion of this list between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\n */\n * The returned list is backed by this list, so non-structural changes in the returned list are reflected in this list, and vice-versa.\n */\n * Structural changes in the base list make the behavior of the view undefined.\n */\n public fun subList(fromIndex: Int, toIndex: Int): List<E>\n}\n\n/**\n * A generic ordered collection of elements that supports adding and removing elements.\n */\n * @param E the type of elements contained in the list. The mutable list is invariant in its element type.\n */\npublic

```

interface MutableList<E> : List<E>, MutableCollection<E> {
    // Modification Operations
    /**
     * Adds the specified element to the end of this list.
     * @return `true` because the list is always modified as the result of this operation.
     */
    override fun add(element: E): Boolean
    // Bulk Modification Operations
    /**
     * Adds all of the elements of the specified collection to the end of this list.
     * The elements are appended in the order they appear in the [elements] collection.
     * @return `true` if the list was changed as the result of the operation.
     */
    override fun addAll(elements: Collection<E>): Boolean
    /**
     * Inserts all of the elements of the specified collection [elements] into this list at the specified [index].
     * @return `true` if the list was changed as the result of the operation.
     */
    public fun addAll(index: Int, elements: Collection<E>): Boolean
    override fun removeAll(elements: Collection<E>): Boolean
    override fun retainAll(elements: Collection<E>): Boolean
    override fun clear(): Unit
    // Positional Access Operations
    /**
     * Replaces the element at the specified position in this list with the specified element.
     * @return the element previously at the specified position.
     */
    public operator fun set(index: Int, element: E): E
    /**
     * Inserts an element into the list at the specified [index].
     */
    public fun add(index: Int, element: E): Unit
    /**
     * Removes an element at the specified [index] from the list.
     * @return the element that has been removed.
     */
    public fun removeAt(index: Int): E
    // List Iterators
    override fun listIterator(): MutableListIterator<E>
    override fun listIterator(index: Int): MutableListIterator<E>
    // View
    override fun subList(fromIndex: Int, toIndex: Int): MutableList<E>
}
/**
 * A generic unordered collection of elements that does not support duplicate elements.
 * Methods in this interface support only read-only access to the set; read/write access is supported through the [MutableSet] interface.
 * @param E the type of elements contained in the set. The set is covariant in its element type.
 */
public interface Set<out E> : Collection<E> {
    // Query Operations
    override val size: Int
    override fun isEmpty(): Boolean
    override fun contains(element: @UnsafeVariance E): Boolean
    override fun iterator(): Iterator<E>
    // Bulk Operations
    override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean
}
/**
 * A generic unordered collection of elements that does not support duplicate elements, and supports adding and removing elements.
 * @param E the type of elements contained in the set. The mutable set is invariant in its element type.
 */
public interface MutableSet<E> : Set<E>, MutableCollection<E> {
    // Query Operations
    override fun iterator(): MutableIterator<E>
    // Modification Operations
    /**
     * Adds the specified element to the set.
     * @return `true` if the element has been added, `false` if the element is already contained in the set.
     */
    override fun add(element: E): Boolean
    override fun remove(element: E): Boolean
    // Bulk Modification Operations
    override fun addAll(elements: Collection<E>): Boolean
    override fun removeAll(elements: Collection<E>): Boolean
    override fun retainAll(elements: Collection<E>): Boolean
    override fun clear(): Unit
}
/**
 * A collection that holds pairs of objects (keys and values) and supports efficiently retrieving the value corresponding to each key.
 * Map keys are unique; the map holds only one value for each key.
 * Methods in this interface support only read-only access to the map; read-write access is supported through the [MutableMap] interface.
 * @param K the type of map keys. The map is invariant in its key type, as it can accept key as a parameter (of [containsKey] for example) and return it in [keys] set.
 * @param V the type of map values. The map is covariant in its value type.
 */
public interface Map<K, out V> {
    // Query Operations
    /**
     * Returns the number of key/value pairs in the map.
     */
    public val size: Int
    /**
     * Returns `true` if the map is empty (contains no elements), `false` otherwise.
     */
    public fun isEmpty(): Boolean
    /**
     * Returns `true` if the map contains the specified [key].
     */
    public fun containsKey(key: K): Boolean
    /**
     * Returns `true` if the map maps one or more keys to the specified [value].
     */
    public fun containsValue(value: @UnsafeVariance V): Boolean
    /**
     * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.
     */
    public operator fun get(key: K): V?
    /**
     * Returns the value corresponding to the given [key], or [defaultValue] if such a key is not present in the map.
     * @since JDK 1.8
     */
    @SinceKotlin("1.1")

```

```

@PlatformDependent\n    public fun getOrDefault(key: K, defaultValue: @UnsafeVariance V): V {\n        // See
default implementation in JDK sources\n        throw NotImplementedError()\n    }\n\n    // Views\n    /**\n     *
Returns a read-only [Set] of all keys in this map.\n     */\n    public val keys: Set<K>\n\n    /**\n     * Returns a read-
only [Collection] of all values in this map. Note that this collection may contain duplicate values.\n     */\n    public
val values: Collection<V>\n\n    /**\n     * Returns a read-only [Set] of all key/value pairs in this map.\n     */\n
public val entries: Set<Map.Entry<K, V>>\n\n    /**\n     * Represents a key/value pair held by a [Map].\n     */\n
public interface Entry<out K, out V> {\n        /**\n         * Returns the key of this key/value pair.\n         */\n
        public val key: K\n\n        /**\n         * Returns the value of
this key/value pair.\n         */\n        public val value: V\n    }\n\n    /**\n     * A modifiable collection that holds pairs
of objects (keys and values) and supports efficiently retrieving\n     * the value corresponding to each key. Map keys
are unique; the map holds only one value for each key.\n     * @param K the type of map keys. The map is invariant in
its key type.\n     * @param V the type of map values. The mutable map is invariant in its value type.\n     */\n
public interface MutableMap<K, V> : Map<K, V> {\n        // Modification Operations\n        /**\n         * Associates the specified
[value] with the specified [key] in the map.\n         */\n        * @return the previous value associated with the key, or
`null` if the key was not present in the map.\n         */\n        public fun put(key: K, value: V): V?\n\n        /**\n         *
Removes the specified key and its corresponding value from
this map.\n         */\n        * @return the previous value associated with the key, or `null` if the key was not present in the
map.\n         */\n        public fun remove(key: K): V?\n\n        /**\n         * Removes the entry for the specified key only if it is
mapped to the specified value.\n         */\n        * @return true if entry was removed\n         */\n        @SinceKotlin("1.1")\n
@PlatformDependent\n        public fun remove(key: K, value: V): Boolean {\n            // See default implementation in
JDK sources\n            return true\n        }\n\n        // Bulk Modification Operations\n        /**\n         * Updates this map with
key/value pairs from the specified map [from].\n         */\n        public fun putAll(from: Map<out K, V>): Unit\n\n        /**\n
         * Removes all elements from this map.\n         */\n        public fun clear(): Unit\n\n        // Views\n        /**\n         * Returns a
[MutableSet] of all keys in this map.\n         */\n        override val keys: MutableSet<K>\n\n        /**\n         * Returns a
[MutableCollection] of all values in this map.
Note that this collection may contain duplicate values.\n         */\n        override val values: MutableCollection<V>\n\n        /**\n
         * Returns a [MutableSet] of all key/value pairs in this map.\n         */\n        override val entries:
MutableSet<MutableMap.MutableEntry<K, V>>\n\n        /**\n         * Represents a key/value pair held by a
[MutableMap].\n         */\n        public interface MutableEntry<K, V> : Map.Entry<K, V> {\n            /**\n             * Changes
the value associated with the key of this entry.\n             */\n            * @return the previous value corresponding to the
key.\n             */\n            public fun setValue(newValue: V): V\n        }\n\n        // Copyright 2010-2022 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n        * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n        */\n\n        // Auto-generated file. DO NOT EDIT!\n\n        package
kotlin.collections\n\n        /**\n         * An iterator over a sequence of values of type `Byte`.\n         */\n        public abstract
class ByteIterator : Iterator<Byte> {\n            override final fun next() = nextByte()\n\n            /**\n             * Returns the next value in
the sequence without boxing.\n             */\n            public abstract fun nextByte(): Byte\n        }\n\n        /**\n         * An iterator over a sequence of
values of type `Char`.\n         */\n        public abstract class CharIterator : Iterator<Char> {\n            override final fun next() =
nextChar()\n\n            /**\n             * Returns the next value in the sequence without boxing.\n             */\n            public abstract fun nextChar():
Char\n        }\n\n        /**\n         * An iterator over a sequence of values of type `Short`.\n         */\n        public abstract class ShortIterator :
Iterator<Short> {\n            override final fun next() = nextShort()\n\n            /**\n             * Returns the next value in the sequence without
boxing.\n             */\n            public abstract fun nextShort(): Short\n        }\n\n        /**\n         * An iterator over a sequence of values of type `Int`.\n
         */\n        public abstract class IntIterator : Iterator<Int> {\n            override final fun next() = nextInt()\n\n            /**\n             * Returns the
next value in the sequence without boxing.\n             */\n            public
abstract fun nextInt(): Int\n        }\n\n        /**\n         * An iterator over a sequence of values of type `Long`.\n         */\n        public abstract class
LongIterator : Iterator<Long> {\n            override final fun next() = nextLong()\n\n            /**\n             * Returns the next value in the
sequence without boxing.\n             */\n            public abstract fun nextLong(): Long\n        }\n\n        /**\n         * An iterator over a sequence of
values of type `Float`.\n         */\n        public abstract class FloatIterator : Iterator<Float> {\n            override final fun next() =
nextFloat()\n\n            /**\n             * Returns the next value in the sequence without boxing.\n             */\n            public abstract fun nextFloat():
Float\n        }\n

```

```

Float\n}\n\n/** An iterator over a sequence of values of type `Double`. */\npublic abstract class DoubleIterator :
Iterator<Double> {\n    override final fun next() = nextDouble()\n\n    /** Returns the next value in the sequence
without boxing. */\n    public abstract fun nextDouble(): Double\n}\n\n/** An iterator over a sequence of values of
type `Boolean`. */\npublic abstract class BooleanIterator : Iterator<Boolean>
{\n    override final fun next() = nextBoolean()\n\n    /** Returns the next value in the sequence without boxing. */\n    public abstract fun nextBoolean(): Boolean\n}\n\n"/**\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin.ranges\n\n/**\n * An iterator over a progression of values of type `Char`. \n * @property step the number by
which the value is incremented on each step.\n */\ninternal class CharProgressionIterator(first: Char, last: Char, val
step: Int) : CharIterator() {\n    private val finalElement: Int = last.code\n    private var hasNext: Boolean = if (step >
0) first <= last else first >= last\n    private var next: Int = if (hasNext) first.code else finalElement\n\n    override fun
hasNext(): Boolean = hasNext\n\n    override fun nextChar(): Char {\n
        val value = next\n        if (value == finalElement) {\n            if (!hasNext) throw
kotlin.NoSuchElementException()\n            hasNext = false\n        }\n        else {\n            next += step\n        }\n
return value.toChar()\n    }\n}\n\n/**\n * An iterator over a progression of values of type `Int`. \n * @property step
the number by which the value is incremented on each step.\n */\ninternal class IntProgressionIterator(first: Int, last:
Int, val step: Int) : IntIterator() {\n    private val finalElement: Int = last\n    private var hasNext: Boolean = if (step >
0) first <= last else first >= last\n    private var next: Int = if (hasNext) first else finalElement\n\n    override fun
hasNext(): Boolean = hasNext\n\n    override fun nextInt(): Int {\n        val value = next\n        if (value ==
finalElement) {\n            if (!hasNext) throw kotlin.NoSuchElementException()\n            hasNext = false\n        }\n
else {\n            next += step\n        }\n        return value\n    }\n}\n\n/**\n * An iterator over a progression of values of type `Long`. \n * @property
step the number by which the value is incremented on each step.\n */\ninternal class LongProgressionIterator(first:
Long, last: Long, val step: Long) : LongIterator() {\n    private val finalElement: Long = last\n    private var
hasNext: Boolean = if (step > 0) first <= last else first >= last\n    private var next: Long = if (hasNext) first else
finalElement\n\n    override fun hasNext(): Boolean = hasNext\n\n    override fun nextLong(): Long {\n        val
value = next\n        if (value == finalElement) {\n            if (!hasNext) throw kotlin.NoSuchElementException()\n
            hasNext = false\n        }\n        else {\n            next += step\n        }\n        return value\n    }\n}\n\n"/**\n *
Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found
in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport
kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`. \n */\npublic open class
CharProgression\n    internal constructor\n        (\n            start: Char,\n            endInclusive: Char,\n            step: Int\n        ) : Iterable<Char> {\n    init {\n        if (step == 0) throw kotlin.IllegalArgumentException("\u201cStep must be non-
zero.\u201c")\n        if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("\u201cStep must be greater than
Int.MIN_VALUE to avoid overflow on negation.\u201c")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Char = start\n\n    /**\n     * The last element in the progression.\n     */\n    public val last:
Char = getProgressionLastElement(start.code, endInclusive.code, step).toChar()\n\n    /**\n     * The step of the
progression.\n     */\n    public val step: Int
= step\n\n    override fun iterator(): CharIterator = CharProgressionIterator(first, last, step)\n\n    /**\n     * Checks if
the progression is empty.\n     */\n    public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other:
Any?): Boolean =\n        other is CharProgression && (isEmpty() && other.isEmpty() ||\n            first == other.first
&& last == other.last && step == other.step)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 *
(31 * first.code + last.code) + step)\n\n    override fun toString(): String = if (step > 0) \"$first..$last step $step\" else
\"$first downTo $last step ${-step}\"\n\n    companion object {\n        /**\n         * Creates CharProgression within

```

the specified bounds

```
of a closed range.\n    *\n    * The progression starts with the [rangeStart] value and goes toward the\n[rangeEnd] value not excluding it, with the specified [step].\n    * In order to go backwards the [step] must be\nnegative.\n    *\n    * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n    */\npublic fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression =\n    CharProgression(rangeStart, rangeEnd, step)\n}\n\n/**\n * A progression of values of type `Int`.\n */\npublic open class IntProgression\n    internal constructor(\n        start: Int,\n        endInclusive: Int,\n        step:\n        Int\n    ): Iterable<Int> {\n    init {\n        if (step == 0) throw kotlin.IllegalArgumentException("Step must be non-\nzero.")\n        if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than\nInt.MIN_VALUE to avoid overflow on negation.")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Int = start\n\n    /**\n     * The last element in\nthe progression.\n     */\n    public val last: Int = getProgressionLastElement(start, endInclusive, step)\n\n    /**\n     * The step of the progression.\n     */\n    public val step: Int = step\n\n    override fun iterator(): IntIterator =\n        IntProgressionIterator(first, last, step)\n\n    /**\n     * Checks if the progression is empty.\n     */\n    * Progression\nwith a positive step is empty if its first element is greater than the last element.\n    * Progression with a negative\nstep is empty if its first element is less than the last element.\n     */\n    public open fun isEmpty(): Boolean = if\n(step > 0) first > last else first < last\n\n    override fun equals(other: Any?): Boolean =\n        other is IntProgression\n        && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last == other.last && step == other.step)\n\n    override fun hashCode():\n        Int =\n            if (isEmpty()) -1 else (31 * (31 * first + last) + step)\n\n    override fun toString(): String = if (step > 0)\n        \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n}\n\ncompanion object {\n\n    /**\n     * Creates IntProgression within the specified bounds of a closed range.\n     */\n    *\n    * The progression starts with\nthe [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n    * In\norder to go backwards the [step] must be negative.\n    *\n    * [step] must be greater than `Int.MIN_VALUE`\nand not equal to zero.\n     */\n    public fun fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int):\n        IntProgression = IntProgression(rangeStart, rangeEnd, step)\n}\n\n/**\n * A progression of values of type\n`Long`.\n */\npublic open class LongProgression\n    internal constructor(\n        start: Long,\n        endInclusive: Long,\n\n        step: Long\n    ): Iterable<Long> {\n    init {\n        if (step == 0L) throw kotlin.IllegalArgumentException("Step\nmust be non-zero.")\n        if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be\ngreater than Long.MIN_VALUE to avoid overflow on negation.")\n    }\n\n    /**\n     * The first element in the\nprogression.\n     */\n    public val first: Long = start\n\n    /**\n     * The last element in the progression.\n     */\n    public val last: Long = getProgressionLastElement(start, endInclusive, step)\n\n    /**\n     * The step of the\nprogression.\n     */\n    public val step: Long = step\n\n    override fun iterator(): LongIterator =\n        LongProgressionIterator(first, last, step)\n\n    /**\n     * Checks if the progression is empty.\n     */\n    * Progression\nwith a positive step is empty if its first element is greater than the last element.\n    * Progression with a\nnegative step is empty if its first element is less than the last element.\n     */\n\n    public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun\nequals(other: Any?): Boolean =\n        other is LongProgression && (isEmpty() && other.isEmpty()) ||\n        first ==\nother.first && last == other.last && step == other.step)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1\n        else (31 * (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\n\n    override\nfun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n}\n\ncompanion object {\n\n    /**\n     * Creates LongProgression within the specified bounds of a closed range.\n     */\n    *\n    * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it,\nwith the specified [step].\n    * In order to go backwards the [step] must be negative.\n    *\n    * [step] must\nbe greater than `Long.MIN_VALUE`\nand not equal to zero.\n     */\n    public fun fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long):\n        LongProgression = LongProgression(rangeStart, rangeEnd, step)\n}\n\n}\n\n"/**\n * Copyright 2010-2019
```

JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.ranges\n\n/**\n * Represents a range of values (for example, numbers or characters).\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/ranges.html) for more information.\n */\npublic interface ClosedRange<T: Comparable<T>> {\n /**\n * The minimum value in the range.\n */\n public val start: T\n /**\n * The maximum value in the range (inclusive).\n */\n public val endInclusive: T\n /**\n * Checks whether the specified [value] belongs to the range.\n */\n public operator fun contains(value: T): Boolean = value >= start && value <= endInclusive\n /**\n * Checks whether the range is empty.\n */\n * The range is empty if its start value is greater than the end value.\n */\n public fun isEmpty(): Boolean = start > endInclusive\n}\n\n"/>\n * Copyright 2010-2015 JetBrains s.r.o.\n */\n * Licensed under the Apache License, Version 2.0 (the "License");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n * http://www.apache.org/licenses/LICENSE-2.0\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an "AS IS" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin\n\n/**\n * The type with only one value: the `Unit` object. This type corresponds to the `void` type in Java.\n */\npublic object Unit {\n override fun toString() = "kotlin.Unit"\n}\n\n"/>\n * Copyright 2010-2015 JetBrains s.r.o.\n */\n * Licensed under the Apache License, Version 2.0 (the "License");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n * http://www.apache.org/licenses/LICENSE-2.0\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an "AS IS" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.annotation\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Contains the list of code elements which are the possible annotation targets\n */\npublic enum class AnnotationTarget {\n /**\n * Class, interface or object, annotation class is also included\n */\n CLASS,\n /**\n * Annotation class only\n */\n ANNOTATION_CLASS,\n /**\n * Generic type parameter\n */\n TYPE_PARAMETER,\n /**\n * Property\n */\n PROPERTY,\n /**\n * Field, including property's backing field\n */\n FIELD,\n /**\n * Local variable\n */\n LOCAL_VARIABLE,\n /**\n * Value parameter of a function or a constructor\n */\n VALUE_PARAMETER,\n /**\n * Constructor only (primary or secondary)\n */\n CONSTRUCTOR,\n /**\n * Function (constructors are not included)\n */\n FUNCTION,\n /**\n * Property getter only\n */\n PROPERTY_GETTER,\n /**\n * Property setter only\n */\n PROPERTY_SETTER,\n /**\n * Type usage\n */\n TYPE,\n /**\n * Any expression\n */\n EXPRESSION,\n /**\n * File\n */\n FILE,\n /**\n * Type alias\n */\n @SinceKotlin("1.1")\n TYPEALIAS\n}\n\n/**\n * Contains the list of possible annotation's retentions.\n */\n * Determines how an annotation is stored in binary output.\n */\npublic enum class AnnotationRetention {\n /**\n * Annotation isn't stored in binary output\n */\n SOURCE,\n /**\n * Annotation is stored in binary output, but invisible for reflection\n */\n BINARY,\n /**\n * Annotation is stored in binary output and visible for reflection (default retention)\n */\n RUNTIME\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are possible targets of an annotation.\n */\n * If the target meta-annotation is not present on an annotation declaration, the annotation is applicable to the following elements:\n * [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER], [PROPERTY_SETTER].\n */\n * @property allowedTargets list of allowed annotation targets\n */\n * @Target(AnnotationTarget.ANNOTATION_CLASS)\n * @MustBeDocumented\n * public annotation class Target(vararg val allowedTargets: AnnotationTarget)\n\n/**\n * This meta-annotation determines whether an annotation is stored in binary output and visible for reflection. By default, both are true.\n */\n * @property value necessary annotation retention (RUNTIME, BINARY or SOURCE)\n */\n * @Target(AnnotationTarget.ANNOTATION_CLASS)\n * public annotation class Retention(val value:

```

AnnotationRetention = AnnotationRetention.RUNTIME)\n\n/**\n * This meta-annotation determines that an
annotation is applicable twice or more on a single code element\n
*/\n\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Repeatable\n\n/**\n * This
meta-annotation determines that an annotation is a part of public API and therefore should be included in the
generated\n * documentation for the element to which the annotation is applied.\n
*/\n\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class MustBeDocumented\n","/*\n
Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the "License");\n
*\n * you may not use this file except in compliance with the License.\n *\n * You may obtain a copy of the License at\n
*\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n *\n
Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed
on an "AS IS" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied.\n * See the License for the specific language governing permissions and\n * limitations under the
License.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type parameter is not used for
unsafe operations such as casts or 'is' checks\n * That means it's completely safe to use generic types as argument for
such parameter.\n
*/\n\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal
annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on
platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the
module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method
'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z'
is defined in JDK (i.e. for major versions >= 8)\n
*/\n\n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation
class PlatformDependent\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a:
Int, b: Int): Int {\n    val mod = a % b\n    return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b:
Long): Long {\n    val mod = a % b\n    return if (mod >= 0) mod else mod + b\n}\n\n// (a - b) mod c\nprivate fun
differenceModulo(a: Int, b: Int, c: Int): Int {\n    return mod(mod(a, c) - mod(b, c), c)\n}\n\nprivate fun
differenceModulo(a: Long, b: Long, c: Long): Long {\n    return mod(mod(a, c) - mod(b, c), c)\n}\n\n/**\n
Calculates the final element of a bounded
arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case
of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n * No validation on passed
parameters is performed. The given parameters should satisfy the condition:\n * - either `step > 0` and `start <=
end`,\n * - or `step < 0` and `start >= end`.\n * @param start first element of the progression\n * @param end
ending bound for the progression\n * @param step increment, or difference of successive elements in the
progression\n * @return the final element of the progression\n * @suppress\n */\n\n@PublishedApi\ninternal fun
getProgressionLastElement(start: Int, end: Int, step: Int): Int = when {\n    step > 0 -> if (start >= end) end else end -
differenceModulo(end, start, step)\n    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -
step)\n    else -> throw kotlin.IllegalArgumentException("Step is zero.")\n}\n\n/**\n
* Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is
in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n
* [step].\n * No validation on passed parameters is performed. The given parameters should satisfy the
condition:\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n * @param start
first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or
difference of successive elements in the progression\n * @return the final element of the progression\n *
@suppress\n */\n\n@PublishedApi\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long):
Long = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n    step < 0 -> if
(start <= end) end else end + differenceModulo(start, end, -step)\n    else -> throw

```

```

kotlin.IllegalArgumentException("Step is zero.")\n\n",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n@JsName("arrayIterator")\ninternal fun arrayIterator(array:
dynamic, type: String?) = when (type) {\n    null -> {\n        val arr: Array<dynamic> = array\n        object :
Iterator<dynamic> {\n            var index = 0\n            override fun hasNext() = index < arr.size\n            override fun
next() = if (index < arr.size) arr[index++] else throw NoSuchElementException("$index")\n        }\n    }\n}
\n\n@JsName("booleanArrayIterator")\ninternal fun booleanArrayIterator(array: BooleanArray) = object : BooleanIterator() {\n    var index = 0\n    override fun
hasNext() = index < array.size\n    override fun nextBoolean() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}
\n\n@JsName("byteArrayIterator")\ninternal fun byteArrayIterator(array:
ByteArray) = object : ByteIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override
fun nextByte() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}
\n\n@JsName("shortArrayIterator")\ninternal fun
shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n    var index = 0\n    override fun hasNext() =
index < array.size\n    override fun nextShort()
= if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}
\n\n@JsName("charArrayIterator")\ninternal fun charArrayIterator(array:
CharArray) = object : CharIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override
fun nextChar() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}
\n\n@JsName("intArrayIterator")\ninternal fun intArrayIterator(array:
IntArray) = object : IntIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun
nextInt() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}
\n\n@JsName("floatArrayIterator")\ninternal fun
floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n    var index = 0\n    override fun hasNext() = index
< array.size\n    override fun nextFloat() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}
\n\n@JsName("doubleArrayIterator")\ninternal
fun doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n    var index = 0\n    override fun
hasNext() = index < array.size\n    override fun nextDouble() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}
\n\n@JsName("longArrayIterator")\ninternal fun longArrayIterator(array:
LongArray) = object : LongIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n
override fun nextLong() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}
\n\n@JsName("PropertyMetadata")\ninternal class
PropertyMetadata(@JsName("callableName") val name:
String)\n\n@JsName("noWhenBranchMatched")\ninternal fun noWhenBranchMatched(): Nothing = throw
NoWhenBranchMatchedException()\n\n@JsName("subSequence")\ninternal fun subSequence(c: CharSequence,
startIndex: Int, endIndex: Int): CharSequence {\n    if (c is String) {\n        return c.substring(startIndex,
endIndex)\n    } else {\n        return c.asDynamic().subSequence_vux9f0$(startIndex, endIndex)\n    }\n}
\n\n@JsName("captureStack")\ninternal fun captureStack(@Suppress("UNUSED_PARAMETER")
baseClass: JsClass<in Throwable>, instance: Throwable) {\n    if (js("Error").captureStackTrace) {\n        // Using
uncropped stack traces due to KT-37563.\n        // Precise stack traces are implemented in JS IR compiler and
stdlib\n        js("Error").captureStackTrace(instance);\n    } else {\n        instance.asDynamic().stack = js("new
Error()").stack;\n    }\n}
\n\n@JsName("newThrowable")\ninternal fun newThrowable(message: String?, cause:
Throwable?): Throwable {\n    val throwable = js("new Error()")\n    throwable.message = if (jsTypeOf(message)

```

```

== \"undefined\") {\n    if (cause != null) cause.toString() else null\n } else {\n    message\n }\n
throwable.cause = cause\n    throwable.name = \"Throwable\"\n    return
throwable\n}\n\n@JsName(\"BoxedChar\")\ninternal
class BoxedChar(val c: Int) : Comparable<Int> {\n    override fun equals(other: Any?): Boolean {\n        return
other is BoxedChar && c == other.c\n    }\n    override fun hashCode(): Int {\n        return c\n    }\n    override
fun toString(): String {\n        return js(\"this.c\").unsafeCast<Char>().toString()\n    }\n    override fun
compareTo(other: Int): Int {\n        return js(\"this.c - other\").unsafeCast<Int>()\n    }\n    \n    @JsName(\"valueOf\")\n    public fun valueOf(): Int {\n        return c\n    }\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n    val typed =
js(\"Array\")(args.size)\n    for (i in args.indices) {\n        val arr = args[i]\n        if (arr !is Array<*>) {\n
typed[i] = js(\"[\"]\").slice.call(arr)\n        } else {\n            typed[i] = arr\n        }\n    }\n    return
js(\"[\"]).concat.apply(js(\"[\"]), typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n
*/\n\n@PublishedApi\n@JsName(\"arrayConcat\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal
fun <T> arrayConcat(a: T, b: T): T {\n    return concat(js(\"arguments\"))\n}\n\n/** Concat primitive arrays. Main
use: prepare vararg arguments.\n * For compatibility with 1.1.0 the arguments may be a mixture of Array's and
TypedArray's.\n * If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray)
returns a TypedArray, otherwise an Array.\n * If the first argument has the $type$ property (Boolean-, Char-, and
LongArray) copy its value to result.$type$.\n * If the first argument is a regular Array without the $type$ property
default to arrayConcat.\n
*/\n\n@PublishedApi\n@JsName(\"primitiveArrayConcat\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal
fun <T> primitiveArrayConcat(a: T, b: T): T {\n    val args: Array<T> = js(\"arguments\")\n    if (a is Array<*> &&
a.asDynamic().`$type$` === undefined) {\n        return concat(args)\n    } else {\n        var size = 0\n
        for (i in args.indices) {\n            size += args[i].asDynamic().length as Int\n        }\n        val result = js(\"new
a.constructor(size)\")\n        kotlin.copyArrayType(a, result)\n        size = 0\n        for (i in args.indices) {\n            val
arr = args[i].asDynamic()\n            for (j in 0 until arr.length) {\n                result[size++] = arr[j]\n            }\n
        }\n        return result\n    }\n}\n\n@JsName(\"booleanArrayOf\")\ninternal fun booleanArrayOf() =
withType(\"BooleanArray\", js(\"[].slice.call(arguments)\"))\n\n@JsName(\"charArrayOf\") // The arguments have
to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType(\"CharArray\", js(\"new
Uint16Array([].slice.call(arguments)\")))\n\n@JsName(\"longArrayOf\")\ninternal fun longArrayOf() =
withType(\"LongArray\",
js(\"[].slice.call(arguments)\"))\n\n@JsName(\"withType\")\n@kotlin.internal.InlineOnly\ninternal inline fun
withType(type: String, array: dynamic):
dynamic {\n    array.`$type$` = type\n    return array\n}, /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Function corresponding to JavaScript's
`typeof` operator\n */\n\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun
jsTypeOf(a: Any?): String = js(\"typeof a\")\n}, /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n@file:Suppress(\"UNUSED_PARAMETER\",
\"NOTHING_TO_INLINE\")\n\npackage kotlin\n\n/**\n * Returns an empty array of the specified type [T].\n
*/\n\npublic inline fun <T> emptyArray(): Array<T> = js(\"[\"])\n\n@library\npublic fun <T> arrayOf(vararg
elements: T): Array<T> = definedExternally\n\n@library\npublic
fun doubleArrayOf(vararg elements: Double): DoubleArray = definedExternally\n\n@library\npublic fun
floatArrayOf(vararg elements: Float): FloatArray = definedExternally\n\n@library\npublic fun longArrayOf(vararg
elements: Long): LongArray = definedExternally\n\n@library\npublic fun intArrayOf(vararg elements: Int):
IntArray = definedExternally\n\n@library\npublic fun charArrayOf(vararg elements: Char): CharArray =
definedExternally\n\n@library\npublic fun shortArrayOf(vararg elements: Short): ShortArray =
definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements: Byte): ByteArray =

```

```

definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray =
definedExternally\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function
[initializer].\n *\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n *
Creates a new instance of the [Lazy] that uses
the specified initialization function [initializer].\n *\n * The [mode] parameter is ignored. *\npublic actual fun <T>
lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates
a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [lock] parameter
is ignored.\n *\npublic actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> =
UnsafeLazyImpl(initializer)\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic): dynamic {\n val srcLen: Int =
src.length\n val dstLen: Int = dst.length\n var index: Int = 0\n while (index < srcLen && index < dstLen)
dst[index] = src[index++]\n return dst\n}\n\n\ninternal fun arrayCopyResize(source: dynamic, newSize: Int,
defaultValue: Any?): dynamic {\n val result = source.slice(0, newSize)\n copyArrayType(source, result)\n var
index: Int = source.length\n if (newSize > index) {\n result.length = newSize\n
while (index < newSize) result[index++] = defaultValue\n } \n return result\n}\n\n\ninternal fun <T>
arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {\n val result = array.slice()\n
result.length += collection.size\n copyArrayType(array, result)\n var index: Int = array.length\n for (element in
collection) result[index++] = element\n return result\n}\n\n\ninternal fun <T> fillFromCollection(dst: dynamic,
startIndex: Int, collection: Collection<T>): dynamic {\n var index = startIndex\n for (element in collection)
dst[index++] = element\n return dst\n}\n\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n if
(from.`$type$` != undefined) {\n to.`$type$` = from.`$type$`\n } \n}\n\n\ninternal inline fun jsIsType(obj:
dynamic, jsClass: dynamic) = js("Kotlin").isType(obj, jsClass)", /*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin\n\n/**\n * Creates
a Char with the specified [code].\n *\n * @sample samples.text.Chars.charFromCode\n
*\n\n@SinceKotlin("1.5")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\n@kotlin.internal.InlineOnly\n\npublic
actual inline fun Char(code: UShort): Char {\n return code.toInt().toChar()\n}\n\n", /*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin("1.3")\n\n@JsName("CoroutineImpl")\n\ninternal
abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?>
{\n protected var state = 0\n protected var exceptionState = 0\n protected var result: Any? = null\n protected
var exception:
Throwable? = null\n protected var finallyPath: Array<Int>? = null\n\n public override val context:
CoroutineContext = resultContinuation.context\n\n private var intercepted_: Continuation<Any?>? = null\n\n
public fun intercepted(): Continuation<Any?> =\n intercepted_\n\n ?:\n
(context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n\n .also { intercepted_ = it }\n\n
override fun resumeWith(result: Result<Any?>) {\n var current = this\n var currentResult: Any? =
result.getOrNull()\n var currentException: Throwable? = result.exceptionOrNull()\n // This loop unrolls
recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n while (true) {\n
with(current) {\n val completion = resultContinuation\n // Set result and exception fields in
the current continuation\n if (currentException == null) {\n
this.result = currentResult\n } else {\n state = exceptionState\n exception =
currentException\n }\n\n try {\n val outcome = doResume()\n if (outcome
=== COROUTINE_SUSPENDED) return\n currentResult = outcome\n currentException =
null\n } catch (exception: dynamic) { // Catch all exceptions\n currentResult = null\n
currentException = exception.unsafeCast<Throwable>()\n } \n\n releaseIntercepted() // this state
machine instance is terminating\n\n if (completion is CoroutineImpl) {\n // unrolling recursion
via loop\n current = completion\n } else {\n // top-level completion reached --

```

```

invoke and return\n
        currentException?.let {\n
            completion.resumeWithException(it)\n
        } ?: completion.resume(currentResult)\n
return\n
    }\n
    }\n
    }\n
    }\n\n
private fun releaseIntercepted() {\n
    val intercepted =
intercepted_\n
    if (intercepted != null && intercepted !== this) {\n
context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\n
    }\n
    this.intercepted_ =
CompletedContinuation // just in case\n
    }\n\n
protected abstract fun doResume(): Any?\n
}\n\n
internal object
CompletedContinuation : Continuation<Any?> {\n
    override val context: CoroutineContext\n
    get() =
error("\nThis continuation is already complete\n")\n
    override fun resumeWith(result: Result<Any?>) {\n
error("\nThis continuation is already complete\n")\n
    }\n\n
    override fun toString(): String = "\nThis continuation is
already complete\n"}\n\n
/*\n
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
 */\n\n
@file:Suppress("\nUNCHECKED_CAST\n",
"\nRedundantVisibilityModifier\n")\n\n
package kotlin\n\n
import kotlin.contracts.*\n
import
kotlin.internal.InlineOnly\n
import kotlin.jvm.JvmField\n
import kotlin.jvm.JvmInline\n
import
kotlin.jvm.JvmName\n\n
/**\n
 * A discriminated union that encapsulates a successful outcome with a value of type
[T]\n
 * or a failure with an arbitrary [Throwable] exception.\n
 */\n\n
@SinceKotlin("1.3")\n
@JvmInline\n
public
value class Result<out T> @PublishedApi internal constructor(\n
    @PublishedApi\n
    internal val value: Any?\n
) :
Serializable {\n
    // discovery\n
    /**\n
     * Returns `true` if this instance represents a successful outcome.\n
     *
In this case [isFailure] returns `false`.\n
     */\n
    public val isSuccess: Boolean get() = value != null && !isFailure\n
    /**\n
     * Returns `true` if this instance represents
a failed outcome.\n
     * In this case [isSuccess] returns `false`.\n
     */\n
    public val isFailure: Boolean get() =
value == null && !isSuccess\n
    // value & exception retrieval\n
    /**\n
     * Returns the encapsulated value if this instance
represents [success][Result.isSuccess] or `null`\n
     * if it is [failure][Result.isFailure].\n
     */\n
    * This function is
a shorthand for `getOrNull` (see [getOrNull]) or\n
     * `fold(onSuccess = { it }, onFailure = { null })` (see
[fold]).\n
     */\n
    @InlineOnly\n
    public inline fun getOrNull(): T? =\n
        when {\n
            isFailure -> null\n
            else -> value as T\n
        }\n
    /**\n
     * Returns the encapsulated [Throwable] exception if this instance
represents [failure][isFailure] or `null`\n
     * if it is [success][isSuccess].\n
     */\n
    * This function is a shorthand
for `fold(onSuccess = { null }, onFailure = { it })` (see [fold]).\n
     */\n
    public fun exceptionOrNull(): Throwable?
=
\n
        when (value) {\n
            is Failure -> value.exception\n
            else -> null\n
        }\n
    /**\n
     * Returns a string
`Success(v)` if this instance represents [success][Result.isSuccess]\n
     * where `v` is a string representation of the
value or a string `Failure(x)` if\n
     * it is [failure][isFailure] where `x` is a string representation of the exception.\n
     */\n
    public override fun toString(): String =\n
        when (value) {\n
            is Failure -> value.toString() //
"\nFailure($exception)"
            else -> "\nSuccess($value)"
        }\n
    // companion with constructors\n
    /**\n
     * Companion object for [Result] class that contains its constructor functions\n
     * [success] and [failure].\n
     */\n
    public companion object {\n
        /**\n
         * Returns an instance that encapsulates the given [value] as successful
value.\n
         */\n
        @Suppress("\nINAPPLICABLE_JVM_NAME\n")\n
        @InlineOnly\n
        @JvmName("\nsuccess\n")\n
        public inline fun <T> success(value: T): Result<T> =\n
            Result(value)\n
    }\n
    /**\n
     * Returns an
instance that encapsulates the given [Throwable] [exception] as failure.\n
     */\n
    @Suppress("\nINAPPLICABLE_JVM_NAME\n")\n
    @InlineOnly\n
    @JvmName("\nfailure\n")\n
    public
inline fun <T> failure(exception: Throwable): Result<T> =\n
        Result(createFailure(exception))\n
    }\n\n
internal class Failure(\n
    @JvmField\n
    val exception: Throwable\n
) : Serializable {\n
    override fun
equals(other: Any?): Boolean = other is Failure && exception == other.exception\n
    override fun hashCode():
Int = exception.hashCode()\n
    override fun toString(): String = "\nFailure($exception)"
}\n\n
/**\n
 *
Creates an instance of internal marker [Result.Failure] class to\n
 * make sure that this class is not exposed in ABI.\n
 */\n\n
@PublishedApi\n
@SinceKotlin("1.3")\n
internal fun createFailure(exception: Throwable):

```

Any = \n Result.Failure(exception)\n\n/**\n * Throws exception if the result is failure. This internal function minimizes\n * inlined bytecode for [getOrThrow] and makes sure that in the future we can\n * add some exception-augmenting logic here (if needed).\n */\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun Result<*>.throwOnFailure() {\n if (value is Result.Failure) throw value.exception\n}\n\n/**\n * Calls the specified function [block] and returns its encapsulated result if invocation was successful,\n * catching any [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R> runCatching(block: () -> R): Result<R> {\n return try {\n Result.success(block())\n } catch (e: Throwable) {\n Result.failure(e)\n }\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its encapsulated result if invocation was successful,\n * catching any [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T, R> T.runCatching(block: T.() -> R): Result<R> {\n return try {\n Result.success(block())\n } catch (e: Throwable) {\n Result.failure(e)\n }\n}\n\n// -- extensions ---\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or throws the encapsulated [Throwable] exception\n * if it is [failure][Result.isFailure].\n */\n * This function is a shorthand for `getOrNull { throw it }` (see [getOrNull]).\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.getOrThrow(): T {\n throwOnFailure()\n return value as T\n}\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\n * result of [onFailure] function for the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n * Note, that this function rethrows any [Throwable] exception thrown by [onFailure] function.\n */\n * This function is a shorthand for `fold(onSuccess = { it }, onFailure = onFailure)` (see [fold]).\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.getOrNull(onFailure: (exception: Throwable) -> R): R {\n contract {\n callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n }\n return when (val exception = exceptionOrNull()) {\n null -> value as T\n else -> onFailure(exception)\n }\n}\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\n * [defaultValue] if it is [failure][Result.isFailure].\n */\n * This function is a shorthand for `getOrNull { defaultValue }` (see [getOrNull]).\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.getOrElse(defaultValue: R): R {\n if (isFailure) return defaultValue\n\n return value as T\n}\n\n/**\n * Returns the result of [onSuccess] for the encapsulated value if this instance represents [success][Result.isSuccess]\n * or the result of [onFailure] function for the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n * Note, that this function rethrows any [Throwable] exception thrown by [onSuccess] or by [onFailure] function.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T> Result<T>.fold(\n onSuccess: (value: T) -> R,\n onFailure: (exception: Throwable) -> R\n): R {\n contract {\n callsInPlace(onSuccess, InvocationKind.AT_MOST_ONCE)\n callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n }\n return when (val exception = exceptionOrNull()) {\n null -> onSuccess(value as T)\n else -> onFailure(exception)\n }\n}\n\n// transformation\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.\n * See [mapCatching] for an alternative that encapsulates exceptions.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T> Result<T>.map(transform: (value: T) -> R): Result<R> {\n contract {\n callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n }\n return when {\n isSuccess -> Result.success(transform(value as T))\n else -> Result(value)\n }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n * This function catches any [Throwable] exception thrown by [transform] function and encapsulates

it as a failure.
 * See [map] for an alternative that rethrows exceptions from `transform` function.

```

*  

@InlineOnly  

@SinceKotlin("1.3")  

public inline fun <R, T> Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {  

    return when {  

        isSuccess -> runCatching { transform(value as T) }  

        else -> Result(value)  

    }  

}

```

* Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception
 * if this instance represents [failure][Result.isFailure] or the original encapsulated value if it is [success][Result.isSuccess].
 * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.
 * See [recoverCatching] for an alternative that encapsulates exceptions.

```

*  

@InlineOnly  

@SinceKotlin("1.3")  

public inline fun <R, T : R> Result<T>.recover(transform: (exception: Throwable) -> R): Result<R> {  

    contract {  

        callsInPlace(transform, InvocationKind.AT_MOST_ONCE)  

    }  

    return when (val exception = exceptionOrNull()) {  

        null -> this  

        else -> Result.success(transform(exception))  

    }  

}

```

* Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception
 * if this instance represents [failure][Result.isFailure] or the original encapsulated value if it is [success][Result.isSuccess].
 * This function catches any [Throwable] exception thrown by [transform] function and encapsulates it as a failure.
 * See [recover] for an alternative that rethrows exceptions.

```

*  

@InlineOnly  

@SinceKotlin("1.3")  

public inline fun <R, T : R> Result<T>.recoverCatching(transform: (exception: Throwable) -> R): Result<R> {  

    return when (val exception = exceptionOrNull()) {  

        null -> this  

        else -> runCatching { transform(exception) }  

    }  

}

```

* Performs the given [action] on the encapsulated [Throwable] exception if this instance represents [failure][Result.isFailure].
 * Returns the original `Result` unchanged.

```

*  

@InlineOnly  

@SinceKotlin("1.3")  

public inline fun <T> Result<T>.onFailure(action: (exception: Throwable) -> Unit): Result<T> {  

    contract {  

        callsInPlace(action, InvocationKind.AT_MOST_ONCE)  

    }  

    exceptionOrNull()?.let { action(it) }  

    return this
}

```

* Performs the given [action] on the encapsulated value if this instance represents [success][Result.isSuccess].
 * Returns the original `Result` unchanged.

```

*  

@InlineOnly  

@SinceKotlin("1.3")  

public inline fun <T> Result<T>.onSuccess(action: (value: T) -> Unit): Result<T> {  

    contract {  

        callsInPlace(action, InvocationKind.AT_MOST_ONCE)  

    }  

    if (isSuccess) action(value as T)  

    return this
}

```

 --\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

*  

@npackage kotlin.coroutines  

nimport kotlin.contracts.*  

nimport kotlin.coroutines.intrinsics.*  

nimport kotlin.internal.InlineOnly

```

* Interface representing a continuation after a suspension point that returns a value of type `T`.

```

*  

@SinceKotlin("1.3")  

public interface Continuation<in T> {  

    /**  

     * The context of the coroutine that corresponds to this continuation.  

     */  

    public val context: CoroutineContext  

    /**  

     * Resumes the execution of the corresponding coroutine passing a successful or failed [result] as the  

     * return value of the last suspension point.  

     */  

    public fun resumeWith(result: Result<T>)  

}

```

* Classes and interfaces marked with this annotation are restricted when used as receivers for extension `suspend` functions. These `suspend` extensions can only invoke other member or extension `suspend` functions on this particular
 * receiver and are restricted from calling arbitrary suspension functions.

```

*  

@SinceKotlin("1.3")  

@Target(AnnotationTarget.CLASS)  

@Retention(AnnotationRetention.BINARY)  

public annotation class RestrictsSuspension

```

* Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension point.

```

*  

@SinceKotlin("1.3")  

@InlineOnly  

public inline fun <T> Continuation<T>.resume(value: T): Unit =  

    resumeWith(Result.success(value))

```

* Resumes the execution of the corresponding coroutine so that the [exception] is re-thrown right after the
 * last suspension point.

```

*  

@SinceKotlin("1.3")  

@InlineOnly  

public inline fun <T> Continuation<T>.resumeWithException(exception: Throwable): Unit =  

    resumeWith(Result.failure(exception))

```

* Creates a [Continuation] instance with the given [context] and implementation of [resumeWith] method.

```

*  

@SinceKotlin("1.3")  

@InlineOnly  

public inline fun <T>

```

```

Continuation(\n context: CoroutineContext,\n crossinline resumeWith: (Result<T>) -> Unit)\n:
Continuation<T> =\n object : Continuation<T> {\n override val context: CoroutineContext\n get() =
context\n\n override fun resumeWith(result: Result<T>) =\n resumeWith(result)\n }\n\n/**\n * Creates
a coroutine without a receiver and with result type [T].\n * This function creates a new, fresh instance of
suspendable computation every time it is invoked.\n * To start executing the created coroutine, invoke
`resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the
coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the
resulting continuation will produce an [IllegalStateException].\n
*\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T> (suspend () ->
T).createCoroutine(\n completion: Continuation<T>)\n): Continuation<Unit>
=\n SafeContinuation(createCoroutineUnintercepted(completion).intercepted(),
COROUTINE_SUSPENDED)\n\n/**\n * Creates a coroutine with receiver type [R] and result type [T].\n * This
function creates a new, fresh instance of suspendable computation every time it is invoked.\n * To start
executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The
[completion] continuation is invoked when the coroutine completes with a result or an exception.\n * Subsequent
invocation of any resume function on the resulting continuation will produce an [IllegalStateException].\n
*\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend R.() ->
T).createCoroutine(\n receiver: R,\n completion: Continuation<T>)\n): Continuation<Unit> =\n
SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(),
COROUTINE_SUSPENDED)\n\n/**\n * Starts a coroutine without a receiver and with result type [T].\n * This
function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\n * The
[completion] continuation is invoked when the coroutine completes with a result or an exception.\n
*\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T> (suspend () ->
T).startCoroutine(\n completion: Continuation<T>)\n) {\n
createCoroutineUnintercepted(completion).intercepted().resume(Unit)\n}\n\n/**\n * Starts a coroutine with receiver
type [R] and result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation
every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result
or an exception.\n *@\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend
R.() -> T).startCoroutine(\n receiver: R,\n completion: Continuation<T>)\n) {\n
createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit)\n}\n\n/**\n * Obtains
the current continuation instance inside suspend functions and suspends\n * the currently running coroutine.\n *
*\n * In this function both [Continuation.resume] and [Continuation.resumeWithException] can be used either
synchronously in\n * the same stack-frame where the suspension function is run or asynchronously later in the same
thread or\n * from a different thread of execution. Subsequent invocation of any resume function will produce an
[IllegalStateException].\n *@\n@SinceKotlin("1.3")\n@InlineOnly\npublic suspend inline fun <T>
suspendCoroutine(crossinline block: (Continuation<T>) -> Unit): T {\n contract { callsInPlace(block,
InvocationKind.EXACTLY_ONCE) }\n return suspendCoroutineUninterceptedOrReturn { c: Continuation<T> -
->\n val safe = SafeContinuation(c.intercepted())\n block(safe)\n safe.getOrThrow()\n }\n}\n\n/**\n *
Returns the context of the current coroutine.\n
*\n@SinceKotlin("1.3")\n@Suppress("WRONG_MODIFIER_TARGET")\n@InlineOnly\npublic
suspend inline val coroutineContext: CoroutineContext\n get() {\n throw
NotImplementedError("Implemented as intrinsic")\n }\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *@\n\npackage kotlin.coroutines.intrinsics\n\nimport
kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Starts an unintercepted coroutine without a receiver
and with result type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or
throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the
[completion] continuation is invoked when the coroutine completes with a result or an exception.\n *@\n * The

```

coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended coroutine using a reference to the suspending function.

```

@SinceKotlin("1.3")@InlineOnly
public actual inline fun <T> (suspend () -> T).startCoroutineUninterceptedOrReturn(
    completion: Continuation<T>): Any? =
    this.asDynamic()(completion, false)

```

Starts an unintercepted coroutine with receiver type [R] and result type [T] and executes it until its first suspension. Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends. In the latter case, the [completion] continuation is invoked when the coroutine completes with a result or an exception. The coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended coroutine using a reference to the suspending function.

```

@SinceKotlin("1.3")@InlineOnly
public actual inline fun <R, T> (suspend R.() -> T).startCoroutineUninterceptedOrReturn(
    receiver: R,
    completion: Continuation<T>): Any? =
    this.asDynamic()(receiver, completion, false)

```

internal actual inline fun <R, P, T> (suspend R.(P) -> T).startCoroutineUninterceptedOrReturn(
 receiver: R,
 param: P,
 completion: Continuation<T>): Any? = this.asDynamic()(receiver, param, completion, false)

Creates unintercepted coroutine without receiver and with result type [T]. This function creates a new, fresh instance of suspendable computation every time it is invoked. To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance. The [completion] continuation is invoked when coroutine completes with result or exception. This function returns unintercepted continuation. Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. Note that [completion] of this function may get invoked in an arbitrary context. [Continuation.intercepted] can be used to acquire the intercepted continuation. Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of both the coroutine and [completion] happens in the invocation context established by [ContinuationInterceptor]. Repeated invocation of any resume function on the resulting continuation corrupts the state machine of the coroutine and may result in arbitrary behaviour or exception.

```

@SinceKotlin("1.3")
public actual fun <T> (suspend () -> T).createCoroutineUnintercepted(
    completion: Continuation<T>): Continuation<Unit> =
    // Kotlin/JS suspend lambdas have an extra parameter `suspended`
    if (this.asDynamic().length == 2) {
        // When `suspended` is true the continuation is created, but not
        // executed
        this.asDynamic()(completion, true)
    } else {
        createCoroutineFromSuspendFunction(completion) {
            this.asDynamic()(completion)
        }
    }

```

Creates unintercepted coroutine with receiver type [R] and result type [T]. This function creates a new, fresh instance of suspendable computation every time it is invoked. To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance. The [completion] continuation is invoked when coroutine completes with result or exception. This function returns unintercepted continuation. Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. Note that [completion] of this function may get invoked in an arbitrary context. [Continuation.intercepted] can be used to acquire the intercepted continuation. Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of both the coroutine and [completion]

happens in the invocation context established by `[ContinuationInterceptor]`. Repeated invocation of any resume function on the resulting continuation corrupts the state machine of the coroutine and may result in arbitrary behaviour or exception.

```

@SinceKotlin("1.3")
public actual fun <R, T> (suspend R.() -> T).createCoroutineUnintercepted(
    receiver: R, completion: Continuation<T>): Continuation<Unit> =
    // Kotlin/JS suspend lambdas have an extra parameter `suspended` if
    (this.asDynamic().length == 3) {
        // When `suspended` is true the continuation is created, but not executed
        this.asDynamic()(receiver, completion, true)
    } else {
        createCoroutineFromSuspendFunction(completion)
    }
}

this.asDynamic()(receiver, completion)

Intercepts this continuation with [ContinuationInterceptor]. This function shall be used on the immediate result of [createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn], in which case it checks for [ContinuationInterceptor] in the continuation's [context][Continuation.context], invokes [ContinuationInterceptor.interceptContinuation], caches and returns the result.

If this function is invoked on other [Continuation] instances it returns `this` continuation unchanged.

@SinceKotlin("1.3")
public actual fun <T> Continuation<T>.intercepted(): Continuation<T> =
    (this as? CoroutineImpl)?.intercepted() ?: this

private inline fun <T> createCoroutineFromSuspendFunction(
    completion: Continuation<T>, crossinline block: () -> Any?): Continuation<Unit> {
    @Suppress("UNCHECKED_CAST")
    return object : CoroutineImpl(completion as Continuation<Any?>) {
        override fun doResume(): Any? {
            exception?.let { throw it }
            return block()
        }
    }
}

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

package kotlin.js

Mirrors signature from JS IR BE

Used for js.translator/testData/box/number/mulInt32.kt

@library
@JsName("imulEmulated")
@Suppress("UNUSED_PARAMETER")
internal fun imul(x: Int, y: Int): Int =
    definedExternally

@Suppress("NOTHING_TO_INLINE")
internal inline fun isArrayish(o: dynamic) =
    js("Kotlin").isArrayish(o)

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

package kotlin

NOTE: Do not author your exceptions as they are written in this file, instead use this template:

public open class MyException : Exception {
    constructor() : super()
    constructor(message: String?) : super(message)
    constructor(message: String?, cause: Throwable?) : super(message, cause)
    constructor(cause: Throwable?) : super(cause)
}

TODO: remove primary constructors, make all secondary

KT-22055

@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")
public actual open class Error actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause?) {
    actual constructor() : this(null, null)
    actual constructor(message: String?) : this(message, null)
    actual constructor(cause: Throwable?) : this(undefiend, cause)
}

@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")
public actual open class Exception actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause?) {
    actual constructor() : this(null, null)
    actual constructor(message: String?) : this(message, null)
    actual constructor(cause: Throwable?) : this(undefiend, cause)
}

public actual open class RuntimeException actual constructor(message: String?, cause: Throwable?) : Exception(message, cause) {
    actual constructor() : this(null, null)
    actual constructor(message: String?) : this(message, null)
    actual constructor(cause: Throwable?) : this(undefiend, cause)
}

public actual open class IllegalArgumentException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {
    actual constructor() : this(null, null)
    actual constructor(message: String?) : this(message, null)
    actual constructor(cause: Throwable?) : this(undefiend, cause)
}

public actual open class IllegalStateException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {
    actual constructor() : this(null, null)
    actual constructor(message: String?) : this(message, null)
    actual constructor(cause: Throwable?) : this(undefiend, cause)
}

public actual open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {

```

```

actual constructor() : this(null)\n}\n\npublic actual open class ConcurrentModificationException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual
  constructor(message: String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefiend,
cause)\n}\n\npublic actual open class UnsupportedOperationException actual constructor(message: String?, cause:
Throwable?) : RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual
constructor(message: String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefiend,
cause)\n}\n\npublic actual open class NumberFormatException actual constructor(message: String?) :
IllegalArgumentException(message) {\n  actual constructor() : this(null)\n}\n\npublic actual open class
NullPointerException actual constructor(message: String?) : RuntimeException(message) {\n  actual constructor() :
this(null)\n}\n\npublic actual open class ClassCastException actual constructor(message: String?) :
RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\npublic actual open class
AssertionError\n@SinceKotlin("1.4")\nconstructor(message:
String?, cause: Throwable?) : Error(message, cause) {\n  actual constructor() : this(null)\n  constructor(message:
String?) : this(message, null)\n  actual constructor(message: Any?) : this(message.toString(), message as?
Throwable)\n}\n\npublic actual open class NoSuchElementException actual constructor(message: String?) :
RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\n@SinceKotlin("1.3")\npublic actual open
class ArithmeticException actual constructor(message: String?) : RuntimeException(message) {\n  actual
constructor() : this(null)\n}\n\npublic actual open class NoWhenBranchMatchedException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefiend, cause)\n}\n\npublic actual open class UninitializedPropertyAccessException
actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual
constructor() : this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual
constructor(cause: Throwable?) : this(undefiend, cause)\n}\n\n", /*\n * Copyright 2010-2019 JetBrains s.r.o. Use of
this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n*\n@file:Suppress("UNUSED_PARAMETER")\n\npackage kotlin.js\n\n@kotlin.internal.InlineOnly\n\ninternal
inline fun jsDeleteProperty(obj: Any, property: Any) {\n  js("delete
obj[property]")\n}\n\n@kotlin.internal.InlineOnly\n\ninternal inline fun jsBitwiseOr(lhs: Any?, rhs: Any?): Int =\n
js("lhs | rhs").unsafeCast<Int>()", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage
kotlin.math\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n * \n * If [sign] is `NaN` the
sign of the result is undefined.\n *\n@SinceKotlin("1.2")\n\npublic actual fun Double.withSign(sign: Double):
Double {\n  val thisSignBit = js("Kotlin").doubleSignBit(this).unsafeCast<Int>()\n  val newSignBit =
js("Kotlin").doubleSignBit(sign).unsafeCast<Int>()\n  return if (thisSignBit == newSignBit) this else -
this\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n*\npackage kotlin\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n *
according to the IEEE 754 floating-point "double format" bit layout.\n
*\n@SinceKotlin("1.2")\n\n@library("doubleToBits")\n\npublic actual fun Double.toBits(): Long =
definedExternally\n\n/**\n * Returns a bit representation
of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point "double format" bit
layout,\n * preserving `NaN` values exact layout.\n
*\n@SinceKotlin("1.2")\n\n@library("doubleToRawBits")\n\npublic actual fun Double.toRawBits(): Long =
definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n
*\n@SinceKotlin("1.2")\n\n@kotlin.internal.InlineOnly\n\npublic actual inline fun Double.Companion.fromBits(bits:
Long): Double = js("Kotlin").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation

```

```

of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit
layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so
some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n
*/\n@SinceKotlin(\"1.2\")\n@library(\"floatToBits\")\npublic
actual fun Float.toBits(): Int = definedExternally\n\n/*\n * Returns a bit representation of the specified floating-
point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout,\n * preserving `NaN`
values exact layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can
represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and
back.\n */\n@SinceKotlin(\"1.2\")\n@library(\"floatToRawBits\")\npublic actual fun Float.toRawBits(): Int =
definedExternally\n\n/*\n * Returns the [Float] value corresponding to a given bit representation.\n
*/\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Float.Companion.fromBits(bits:
Int): Float =
js(\"Kotlin\").floatFromBits(bits).unsafeCast<Float>()\n\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal
inline fun Long(low: Int, high: Int) = js(\"Kotlin\").Long.fromBits(low, high).unsafeCast<Long>()\ninternal
inline val Long.low: Int get() = this.asDynamic().getLowBits().unsafeCast<Int>()\ninternal inline val Long.high: Int
get() = this.asDynamic().getHighBits().unsafeCast<Int>()\n\n\", /*\n * Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\nimport kotlin.reflect.KClass\n\n@PublishedApi\ninternal fun
<T : Annotation> KClass<*>.findAssociatedObject(@Suppress(\"UNUSED_PARAMETER\") annotationClass:
KClass<T>): Any? {\n // This API is not supported in js-v1. Return `null` to be source-compatible with js-ir.\n
return null\n}\n\n\", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.text\n\n/*\n * Returns a string representation of this [Long] value
in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to
string conversion.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Long.toString(radix: Int): String =
asDynamic().toString(checkRadix(radix)), /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\n// 1343 ranges
totally\nprivate object Category {\n val decodedRangeStart: IntArray\n val decodedRangeCategory: IntArray\n
\n init {\n val toBase64 =
\"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/\n val fromBase64 =
IntArray(128)\n for (i in toBase64.indices) {\n fromBase64[toBase64[i].code]
= i\n }\n \n // rangeStartDiff.length = 1482\n val rangeStartDiff =
\"gBCFEDCKCDCaDDaDBhBCEEDDDDDDEDXBHYBH5BRwBGDCHDCIDFHDFHDCDFDCDEIRTEE7BGHDDJI
CBbSEMOfGERwDEDDDDDECEFCRBjBFDfCYFFCCzBvBjBBFC3BoHDBmBDGpBDDcTBjJbEECLGDFC
LDCgBBKVKEDiDDHCFECECKCEODBebC5CLBOKhBJDDDDWEBHFfCFpBZDEL1BVBSLPBgBB2BDB
DICFBHKCKCPDBHEDWBHEDDDDEDEDIBDGDCCKCGDDDDCGECCWBFMDDCDEDDCHDDHKDDBK
DBHFfCWBFgFDBDDFEDBPDDKCHBGDCHEDWBFgFDCEDEDBHDDGDCKCGJEGDBFDDFDDDDDME
FDBFDcGBOKDFDFDCGfCXBQDDDDDBEGEDFDdDKHBHDDGfCXBKBFCEfCFCHCHECKDNcCHfC
oBEDECFDDDDHDcCKJBGDCSDYBJEhBFdDEBiGKDCMuBFHEBGBIBKcKbFBFBXEIFJDFDGCKCEgB
BDPEDGKKGECIBkBEObDFFLBkBBIBEFfECIBrBCEBEGDBKGGDDDDDDCHDENDCFEKDDIBDDFrBCD
pKBECGEECPBBEChBBECGEECPB5BBECjCCDJUDQKG2CCGDsTCRBaCDrCDDIHNBEDLSDCJSCMLFC
CM0BDHGFLBFDDKKGKGEFDDBKjBB1BHfChBDFmCKfDDDDDDCGDCFDKeCFLsBEaGKBdiBXDDD1
BDGDEIGJEKKGHGBGCMF/BEBvBCEDDFHEKHkJJDDDeDDGDkSBFEDCIEkBIICDFKDDKeGCJHrBCDI
IDBNBHEBEfDBfSb/BNBiBIB6BBF1EiIdJIGCGCIIIIIGCGCIIIIOCIIIIIIDFEDDBFEDDDDEBDIFDDFDfEDBLF
GCEEICfBJcDEDEDCLDKBfBKCCGDDKDDNDgBQNEBDMpFFDEDEBFfHECEBEEDFBEDDQjBCEDEFFC
CJHBeEEfsIIEUCHCxCBeZoBGICZLV8BuCW3FBjB2BIvDB4HOesBFfCfKQgJjEW/BEgBCiIwBVCGnBCgBBp

```



```

result[index++] = int\n        int = 0\n        shift = 0\n    } else {\n        shift += 5\n    }\n }\n return
result}\n}\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Reverses elements in the list in-
place.\n */\npublic actual fun <T> MutableList<T>.reverse(): Unit {\n    val midPoint
= (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n
val tmp = this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n
}\n}\n}\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n//
See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n// 37 ranges totally\nprivate object Digit
{\n    internal val rangeStart = intArrayOf(\n        0x0030, 0x0660, 0x06f0, 0x07c0, 0x0966, 0x09e6, 0x0a66,
0x0ae6, 0x0b66, 0x0be6, 0x0c66, 0x0ce6, 0x0d66, 0x0de6, 0x0e50, 0x0ed0, 0x0f20, 0x1040, 0x1090, 0x17e0, \n
        0x1810, 0x1946, 0x19d0, 0x1a80, 0x1a90, 0x1b50, 0x1bb0, 0x1c40, 0x1c50, 0xa620,
0xa8d0, 0xa900, 0xa9d0, 0xa9f0, 0xaa50, 0xabf0, 0xff10, \n    )\n}\n\n/**\n * Returns the index of the largest
element in [array] smaller or equal to the specified [needle],\n * or -1 if [needle] is smaller than the smallest element
in [array].\n */\ninternal fun binarySearchRange(array: IntArray, needle: Int): Int {\n    var bottom = 0\n    var top =
array.size - 1\n    var middle = -1\n    var value = 0\n    while (bottom <= top) {\n        middle = (bottom + top) / 2\n
value = array[middle]\n        if (needle > value)\n            bottom = middle + 1\n        else if (needle == value)\n
return middle\n        else\n            top = middle - 1\n    }\n    return middle - (if (needle < value) 1 else
0)\n}\n\n/**\n * Returns an integer from 0..9 indicating the digit this character represents,\n * or -1 if this character
is not a digit.\n */\ninternal fun Char.digitToIntImpl(): Int {\n    val ch = this.code\n    val index =
binarySearchRange(Digit.rangeStart, ch)\n
    val diff = ch - Digit.rangeStart[index]\n    return if (diff < 10) diff else -1\n}\n\n/**\n * Returns `true` if this
character is a digit.\n */\ninternal fun Char.isDigitImpl(): Boolean {\n    return digitToIntImpl() >= 0\n}\n", /*\n *
Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n// 222 ranges totally\nprivate object Letter {\n
val decodedRangeStart: IntArray\n    val decodedRangeLength: IntArray\n    val decodedRangeCategory: IntArray\n
\n    init {\n        val toBase64 =
"\n        val fromBase64 =
IntArray(128)\n        for (i in toBase64.indices) {\n            fromBase64[toBase64[i].code]
= i\n        }\n        val rangeStartDiff.length = 356\n        val rangeStartDiff =
"\n        val diff = decodeVarLenBase64(rangeStartDiff,
fromBase64, 222)\n        val start = IntArray(diff.size)\n        for (i in diff.indices) {\n            if (i == 0) start[i] =
diff[i]\n            else start[i] = start[i - 1] + diff[i]\n        }\n        decodedRangeStart = start\n        //
rangeLength.length = 328\n        val rangeLength =
"\n        val diff = decodeVarLenBase64(rangeStartDiff,
fromBase64, 222)\n        val start = IntArray(diff.size)\n        for (i in diff.indices) {\n            if (i == 0) start[i] =
diff[i]\n            else start[i] = start[i - 1] + diff[i]\n        }\n        decodedRangeStart = start\n        //
rangeLength.length = 328\n        val rangeLength =
"\n        val diff = decodeVarLenBase64(rangeStartDiff,
fromBase64, 222)\n        val start = IntArray(diff.size)\n        for (i in diff.indices) {\n            if (i == 0) start[i] =
diff[i]\n            else start[i] = start[i - 1] + diff[i]\n        }\n        decodedRangeStart = start\n        //
rangeLength.length = 328\n        val rangeLength =

```

```

EaaqDL"\n
    decodedRangeLength = decodeVarLenBase64(rangeLength, fromBase64, 222)\n    \n    //
rangeCategory.length = 959\n    val rangeCategory =
"\GFjgggUHGFFZZZmzpz5qB6s6020B60ptltB6smt2sB60mz22B1+vv+8BZZ5s2850BW5q1ymtB506smzBF3q1
q1qB1q1q1+Bgii4wDTm74g3KiggxqM60q1q1Bq1o1q1BF1qlqrBZ2q5wprBGFZWWZGHFsjiioLowgmOowjkw
CkgoiIk7ligGogioBkwkiYkzj2oNoi+sbkwj04DghhkQ8wgiYkgoioDsgnkwC4gikQ//v+85BkwvoIsgoyI4yguI0whiw
Eowri4CoghsJowgqYowgm4DkwgsY/nwnzPowhmYkg6wI8yggZswikwHgxgmIoxgqYkkgk4DkxgmIkgoioBsgsso
BgzyI8g9gI8g9ki0wgwJoxgkoC0wgioFkw/wI0w53iF4gioYowjmgBHGq1qkgwBF1q1q8qBHwghuIwghyKk0go
QkwgoQk3goQHGFHkyg0pBgxj6IoinkxDswno7Ikwhz9Bo0gioB8z48Rwli0xN0mpjoX8w78pDwltoqKHFGGwwg
sIHFH3q1q16BFHWFZ1q10q1B2qlwq1B1q10q1B2q1yq1B6q1gq1Biq1qhxBir1qp1Bqt1q1qB1g1q1+B//3q16B//q
1qBH/qlq9Bholqq9B1i00a1q10qD1op1HkwmigEigy6Cptogq1Bixo1kDq7/j00B2qgoBWGFm1lz50B6s5q1+BG
WhggzhwBFFhgk4//Bo2jigE8wguI8wguI8wguUog1qoB4qjmIwwi2KkgYHHH4lBgiFWkgIWoghssMmz5smrBZ
3q1y50B5sm7gzBtz1smzB5smz50BqzqtzmzB5sgzqzBF2/9//5BowgoIwmnkzPkwgk4C8ys65BkgoqI0wgy6FghquZo
2giY0ghiIsgH24B4ghsQ8QF/v1q1OFs008iCHHF1qggz/B8wg6Iznv+//B08QgohsJK0QGFk7hsQ4gB"\n
    decodedRangeCategory = decodeVarLenBase64(rangeCategory, fromBase64, 222)\n    }\n}\n\n/**\n * Returns
`true` if this character is a letter.\n */\ninternal fun Char.isLetterImpl(): Boolean {\n    return getLetterType() !=
0\n}\n\n/**\n * Returns `true` if this character is a lower case letter, or it has contributory property
`Other_Lowercase`.\n */\ninternal fun Char.isLowercaseImpl(): Boolean {\n    return getLetterType() == 1 ||
code.isOtherLowercase()\n}\n\n/**\n * Returns `true` if this character is an upper case letter, or it has contributory
property `Other_Uppercase`.\n */\ninternal fun Char.isUppercaseImpl(): Boolean {\n    return getLetterType() == 2
|| code.isOtherUppercase()\n}\n\n/**\n * Returns\n * - `1` if the character is a lower case letter,\n * - `2` if the character is an upper case letter,\n * - `3`
if the character is a letter but not a lower or upper case letter,\n * - `0` otherwise.\n */\nprivate fun
Char.getLetterType(): Int {\n    val ch = this.code\n    val index = binarySearchRange(Letter.decodedRangeStart,
ch)\n    val rangeStart = Letter.decodedRangeStart[index]\n    val rangeEnd = rangeStart +
Letter.decodedRangeLength[index] - 1\n    val code = Letter.decodedRangeCategory[index]\n    if (ch > rangeEnd)
{\n        return 0\n    }\n    val lastTwoBits = code and 0x3\n    if (lastTwoBits == 0) { // gap pattern\n        var
shift = 2\n        var threshold = rangeStart\n        for (i in 0..1) {\n            threshold += (code shr shift) and 0x7f\n
            if (threshold > ch) {\n                return 3\n            }\n            shift += 7\n            threshold += (code shr shift) and
0x7f\n            if (threshold > ch) {\n                return 0\n            }\n            shift += 7\n        }\n        return 3\n    }\n    if (code <= 0x7) {\n        return
lastTwoBits\n    }\n    val distance = (ch - rangeStart)\n    val shift = if (code <= 0x1F) distance % 2 else distance\n
return (code shr (2 * shift)) and 0x3\n}\n\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nprivate object
OtherLowercase {\n    internal val otherLowerStart = intArrayOf(\n        0x00aa, 0x00ba, 0x02b0, 0x02c0, 0x02e0,
0x0345, 0x037a, 0x1d2c, 0x1d78, 0x1d9b, 0x2071, 0x207f, 0x2090, 0x2170, 0x24d0, 0x2c7c, 0xa69c, 0xa770,
0xa7f8, 0xab5c, \n    )\n    internal val otherLowerLength = intArrayOf(\n
        1, 1, 9, 2, 5, 1, 1, 63, 1, 37, 1, 1, 13, 16, 26, 2, 2, 1, 2, 4, \n    )\n}\n\ninternal fun Int.isOtherLowercase():
Boolean {\n    val index = binarySearchRange(OtherLowercase.otherLowerStart, this)\n    return index >= 0 && this
< OtherLowercase.otherLowerStart[index] + OtherLowercase.otherLowerLength[index]\n}\n\n", "/*\n * Copyright
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n//
NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\ninternal fun Int.isOtherUppercase(): Boolean
{\n    return this in 0x2160..0x216f\n        || this in 0x24b6..0x24cf\n}\n\n", "/*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0

```

```

license that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.text\n\n/\n// NOTE: THIS FILE
IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\n\n/**\n * Returns a
character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char
sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n *\npublic actual fun
CharSequence.elementAt(index: Int): Char {\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, length: $length}") }\n}\n\n", /*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.text\n\n/\n// NOTE: THIS FILE IS
AUTO-GENERATED by the GenerateUnicodeData.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\n//
4 ranges totally\ninternal fun Char.titlecaseCharImpl(): Char {\n    val code = this.code\n    // Letters repeating <Lu,
Lt, Ll> sequence and code of the Lt is a multiple of 3, e.g. <\u01c4, \u01c5, \u01c6>\n    if (code in 0x01c4..0x01cc
|| code in 0x01f1..0x01f3) {\n        return (3 * ((code + 1) / 3)).toChar()\n    }\n    // Lower case letters whose title
case mapping equivalent is equal to the original letter\n    if (code in 0x10d0..0x10fa || code in 0x10fd..0x10ff) {\n
        return this\n    }\n    return uppercaseChar()\n}", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n\npackage kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-
GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.elementAt(index: Int):
UInt {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.elementAt(index: Int):
ULong {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException]
if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.elementAt(index: Int):
UByte {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.elementAt(index: Int):
UShort {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.asList(): List<UInt> {\n
return object : AbstractList<UInt>(),
RandomAccess {\n    override val size: Int get() = this@asList.size\n    override fun isEmpty(): Boolean =
this@asList.isEmpty()\n    override fun contains(element: UInt): Boolean = this@asList.contains(element)\n
override fun get(index: Int): UInt {\n        AbstractList.checkElementIndex(index, size)\n        return
this@asList[index]\n    }\n    override fun indexOf(element: UInt): Int {\n
@Suppress("USELESS_CAST")\n        if ((element as Any?) !is UInt) return -1\n        return
this@asList.indexOf(element)\n    }\n    override fun lastIndexOf(element: UInt): Int {\n
@Suppress("USELESS_CAST")\n        if ((element as Any?) !is UInt) return -1\n        return

```


annotation class library(public val name: String = "")@Target(CLASS)internal

annotation class marker\n/**\n * Gives a declaration (a function, a property or a class) specific name in JavaScript.\n *\n * This may be useful in the following cases:\n *\n * * There are two functions for which the compiler gives same name in JavaScript, you can mark one with `@JsName(...)` to prevent the compiler from reporting error.\n *\n * * You are writing a JavaScript library in Kotlin. The compiler produces mangled names for functions with parameters, which is unnatural for usual JavaScript developer.\n *\n * You can put `@JsName(...)` on functions you want to be available from JavaScript.\n *\n * * For some reason you want to rename declaration, e.g. there's common term in JavaScript for a concept provided by the declaration, which is uncommon in Kotlin.\n *\n * Example:\n *\n * ``` kotlin\n * class Person(val name: String) {\n * fun hello() {\n * println("Hello \$name!")\n * }\n * @JsName("helloWithGreeting")\n * fun hello(greeting: String) {\n * println("\$greeting \$name!")\n * }\n * }\n * ```\n *\n * @property name the name which compiler uses both for declaration itself and for all references to the declaration. It's required to denote a valid JavaScript identifier.\n *\n */\n\n*/\n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\npublic actual annotation class JsName(actual val name: String)\n\n/**\n * Denotes an `external` declaration that must be imported from native JavaScript library.\n *\n * The compiler produces the code relevant for the target module system, for example, in case of CommonJS, it will import the declaration via the `require(...)` function.\n *\n * The annotation can be used on top-level external declarations (classes, properties, functions) and files.\n *\n * In case of file (which can't be `external`) the following rule applies: all the declarations in\n *\n * the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object that contain all the declarations from the file.\n *\n * Example:\n *\n * ``` kotlin\n * @JsModule("jquery")\n * external abstract class JQuery() {\n * // some declarations here\n * }\n *\n * @JsModule("jquery")\n * external fun JQuery(element: Element): JQuery\n * ```\n *\n * @property import name of a module to import declaration from. It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.\n *\n * @see JsNonModule\n\n*/\n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsModule(val import: String)\n\n/**\n * Denotes an `external` declaration that can be used without module system.\n *\n * By default, an `external` declaration is available regardless your target module system.\n *\n * However, by applying [JsModule] annotation you can make a declaration unavailable to *plain* module system.\n *\n * Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available as an npm package.\n *\n * To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.\n *\n * For example:\n *\n * ``` kotlin\n * @JsModule("jquery")\n * @JsNonModule\n * @JsName("\$")\n * external abstract class JQuery()\n * {\n * // some declarations here\n * }\n *\n * @JsModule("jquery")\n * @JsNonModule\n * @JsName("\$")\n * external fun JQuery(element: Element): JQuery\n * ```\n *\n * @see JsModule\n\n*/\n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsNonModule\n\n/**\n * Adds prefix to `external` declarations in a source file.\n *\n * JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.\n *\n * The compiler turns references to `external` declarations either to plain unprefix names (in case of *plain* modules) or to plain imports.\n *\n * However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.\n *\n * You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)` annotation.\n *\n * Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.\n *\n * Example:\n *\n * ``` kotlin\n * @file:JsQualifier("my.jsPackageName")\n * package some.kotlinPackage\n * external fun foo(x: Int)\n * external fun bar(): String\n * ```\n *\n * @property value the qualifier to add to the declarations in the generated code. It must be a sequence of valid JavaScript identifiers separated by the `.` character.\n *\n * Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.\$.f`.\n *\n * @see JsModule\n\n*/


```

this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.
 * Based on GWT AbstractList
 * Copyright 2007 Google
Inc.
package kotlin.collections
 * Provides a skeletal implementation of the [MutableList]
interface.
 * @param E the type of elements contained in the list. The list is invariant in its element type.
 * public actual abstract class AbstractMutableList<E> protected actual constructor() :
AbstractMutableCollection<E>(), MutableList<E> {
    protected var modCount: Int = 0
    abstract override fun
add(index: Int, element: E): Unit
    abstract override fun removeAt(index: Int): E
    abstract override fun
set(index: Int, element: E): E
    /**
     * Adds the specified element to the end of this list.
     * @return
     `true` because the list is always modified as the result of this operation.
     */
    actual override fun add(element:
E): Boolean {
        checkIsMutable()
        add(size, element)
        return true
    }
    actual override fun addAll(index: Int, elements: Collection<E>): Boolean {
AbstractList.checkPositionIndex(index, size)
        checkIsMutable()
        var _index = index
        var changed
= false
        for (e in elements) {
            add(_index++, e)
            changed = true
        }
        return changed
    }
    actual override fun clear() {
        checkIsMutable()
        removeRange(0, size)
    }
    actual
override fun removeAll(elements: Collection<E>): Boolean {
        checkIsMutable()
        return removeAll { it in
elements }
    }
    actual override fun retainAll(elements: Collection<E>): Boolean {
        checkIsMutable()
        return removeAll { it !in
elements }
    }
    actual override fun iterator(): MutableIterator<E> =
IteratorImpl()
    actual override fun contains(element: E): Boolean = indexOf(element) >= 0
    actual
override fun indexOf(element: E): Int {
        for (index in 0..lastIndex) {
            if (get(index) == element) {
                return index
            }
        }
        return -1
    }
    actual
override fun lastIndexOf(element: E): Int {
        for (index in lastIndex downTo 0) {
            if (get(index) ==
element) {
                return index
            }
        }
        return -1
    }
    actual override fun listIterator():
MutableListIterator<E> = listIterator(0)
    actual override fun listIterator(index: Int): MutableListIterator<E> =
ListIteratorImpl(index)
    actual override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> =
SubList(this, fromIndex, toIndex)
    /**
     * Removes the range of elements from this list starting from
[fromIndex] and ending with but not including [toIndex].
     */
    protected open fun removeRange(fromIndex:
Int, toIndex: Int) {
        val iterator = listIterator(fromIndex)
        repeat(toIndex - fromIndex) {
            iterator.next()
            iterator.remove()
        }
    }
    /**
     * Compares this list with another list instance with the ordered structural equality.
     * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same
order.
     */
    override fun equals(other: Any?): Boolean {
        if (other === this) return true
        if (other !is
List<*>) return false
        return AbstractList.orderedEquals(this, other)
    }
    /**
     * Returns the hash
code value for this list.
     */
    override fun hashCode(): Int = AbstractList.orderedHashCode(this)
    private open inner class IteratorImpl : MutableIterator<E> {
        /** the index of the item that will be returned on
the next call to [next]()
        */
        protected var index = 0
        /** the index of the item that was returned on the
previous call to [next]()
        * or [ListIterator.previous]() (for `ListIterator`),
        * -1 if no such item
exists
        */
        protected var last = -1
        override fun hasNext(): Boolean = index < size
        override fun
next(): E {
            if (!hasNext()) throw NoSuchElementException()
            last = index++
            return
get(last)
        }
        override fun remove() {
            check(last != -1) { "Call next() or previous() before
removing element from the iterator." }
            removeAt(last)
            index = last
            last = -1
        }
    }
    /**
     * Implementation of `MutableListIterator` for abstract lists.
     */
    private inner class
ListIteratorImpl(index: Int) : IteratorImpl(), MutableListIterator<E> {
        init {
AbstractList.checkPositionIndex(index, this@AbstractMutableList.size)
            this.index = index
        }
        override fun hasPrevious(): Boolean = index > 0
        override fun nextIndex(): Int = index
        override fun
previous(): E {
            if (!hasPrevious()) throw NoSuchElementException()
            last = --index
            return get(last)
        }
        override fun previousIndex(): Int = index - 1
        override fun add(element: E) {
            add(index,

```



```

return true\n                }\n                return false\n                }\n\n                override val size: Int get() =
this@AbstractMutableMap.size\n                override fun checkIsMutable(): Unit =
this@AbstractMutableMap.checkIsMutable()\n                }\n                }\n                return _keys!!\n                }\n\n                actual
abstract override fun put(key: K, value: V): V?\n                actual override fun putAll(from:
Map<out K, V>) {\n                checkIsMutable()\n                for ((key, value) in from) {\n                put(key, value)\n                }\n
}\n\n                private var _values: MutableCollection<V>? = null\n                actual override val values: MutableCollection<V>\n
                get() {\n                if (_values == null) {\n                _values = object : AbstractMutableCollection<V>() {\n
                override fun add(element: V): Boolean = throw UnsupportedOperationException(\"Add is not supported on
values\")\n                override fun clear() = this@AbstractMutableMap.clear()\n                override operator
fun contains(element: V): Boolean = containsValue(element)\n                override operator fun iterator():
MutableIterator<V> {\n                val entryIterator = entries.iterator()\n                return object :
MutableIterator<V> {\n                override fun hasNext(): Boolean = entryIterator.hasNext()\n
                override fun
                next(): V = entryIterator.next().value\n                override fun remove() = entryIterator.remove()\n
                }\n                }\n                }\n                override val size: Int get() = this@AbstractMutableMap.size\n
                }\n\n                override fun checkIsMutable(): Unit = this@AbstractMutableMap.checkIsMutable()\n                }\n                }\n
return _values!!\n                }\n\n                actual override fun remove(key: K): V? {\n                checkIsMutable()\n                val iter =
entries.iterator()\n                while (iter.hasNext()) {\n                val entry = iter.next()\n                val k = entry.key\n                if
(key == k) {\n                val value = entry.value\n                iter.remove()\n                return value\n                }\n
}\n                return null\n                }\n\n                /**\n                * This method is called every time when a mutating method is called on
this mutable map.\n                * Mutable maps that are built (frozen) must throw `UnsupportedOperationException`.\n
                */\n                internal open fun checkIsMutable(): Unit {\n                }\n                }\n\n                /*\n                * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n                * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n                */\n                package kotlin.collections\n\n                /**\n                * Provides a skeletal
implementation of the [MutableSet] interface.\n                */\n                @param E the type of elements contained in the set. The set is
invariant in its element type.\n                */\n                public actual abstract class AbstractMutableSet<E> protected actual constructor()
: AbstractMutableCollection<E>(), MutableSet<E> {\n                /**\n                * Compares this set with another set instance
with the unordered structural equality.\n                */\n                * @return `true`, if [other] instance is a [Set] of the same size, all
elements of which are contained in this set.\n                */\n                override fun equals(other: Any?): Boolean {\n                if (other
=== this) return true\n                if (other !is
                Set<*>) return false\n                return AbstractSet.setEquals(this, other)\n                }\n                }\n                /**\n                * Returns the hash code
value for this set.\n                */\n                override fun hashCode(): Int = AbstractSet.unorderedHashCode(this)\n                }\n                }\n\n                /*\n                * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n                * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n                */\n                package
                kotlin.collections\n\n                /**\n                * Provides a [MutableList] implementation, which uses a resizable array as its backing
storage.\n                */\n                * This implementation doesn't provide a way to manage capacity, as backing JS array is resizable
itself.\n                * There is no speed advantage to pre-allocating array sizes in JavaScript, so this implementation does not
include any of the\n                * capacity and \"growth increment\" concepts.\n                */\n                public actual open class ArrayList<E>
internal constructor(private var array: Array<Any?>): AbstractMutableList<E>(), MutableList<E>,
                RandomAccess {\n                private var isReadOnly: Boolean = false\n                /**\n                * Creates an empty [ArrayList].\n
                */\n                */\n                public actual constructor(): this(emptyArray()) {\n                }\n                /**\n                * Creates an empty [ArrayList].\n                *
                */\n                @param initialCapacity initial capacity (ignored)\n                */\n                public actual constructor(initialCapacity: Int) :
                this(emptyArray()) {\n                }\n                /**\n                * Creates an [ArrayList] filled from the [elements] collection.\n                */\n                */\n                public actual constructor(elements: Collection<E>) : this(elements.toArray<Any?>()) {\n                }\n                @PublishedApi\n
                internal fun build(): List<E> {\n                checkIsMutable()\n                isReadOnly = true\n                return this\n                }\n                /**\n
                * Does nothing in this ArrayList implementation.\n                */\n                public actual fun trimToSize() {\n                }\n                /**\n
                * Does nothing in
                this ArrayList implementation.\n                */\n                public actual fun ensureCapacity(minCapacity: Int) {\n                }\n                actual override
                val size: Int get() = array.size\n                @Suppress(\"UNCHECKED_CAST\")\n

```

```

    actual override fun get(index: Int): E = array[rangeCheck(index)] as E\n    actual override fun set(index: Int,
element: E): E {\n    checkIsMutable()\n    rangeCheck(index)\n    @Suppress("UNCHECKED_CAST")\n    return array[index].apply { array[index] = element } as E\n    }\n\n    actual override fun add(element: E): Boolean
{\n    checkIsMutable()\n    array.asDynamic().push(element)\n    modCount++\n    return true\n    }\n\n    actual override fun add(index: Int, element: E): Unit {\n    checkIsMutable()\n
array.asDynamic().splice(insertionRangeCheck(index), 0, element)\n    modCount++\n    }\n\n    actual override
fun addAll(elements: Collection<E>): Boolean {\n    checkIsMutable()\n    if (elements.isEmpty()) return
false\n\n    array += elements.toArray<Any?>()\n    modCount++\n    return true\n    }\n\n    actual
override fun addAll(index: Int, elements: Collection<E>): Boolean {\n
    checkIsMutable()\n    insertionRangeCheck(index)\n\n    if (index == size) return addAll(elements)\n    if
(elements.isEmpty()) return false\n    when (index) {\n        size -> return addAll(elements)\n        0 -> array
= elements.toArray<Any?>() + array\n        else -> array = array.copyOfRange(0,
index).asDynamic().concat(elements.toArray<Any?>(), array.copyOfRange(index, size))\n    }\n\n    modCount++\n    return true\n    }\n\n    actual override fun removeAt(index: Int): E {\n    checkIsMutable()\n
rangeCheck(index)\n    modCount++\n    return if (index == lastIndex)\n        array.asDynamic().pop()\n    else\n        array.asDynamic().splice(index, 1)[0]\n    }\n\n    actual override fun remove(element: E): Boolean {\n
    checkIsMutable()\n    for (index in array.indices) {\n        if (array[index] == element) {\n
array.asDynamic().splice(index, 1)\n            modCount++\n
            return true\n        }\n    }\n    return false\n    }\n\n    override fun removeRange(fromIndex: Int,
toIndex: Int) {\n    checkIsMutable()\n    modCount++\n    array.asDynamic().splice(fromIndex, toIndex -
fromIndex)\n    }\n\n    actual override fun clear() {\n    checkIsMutable()\n    array = emptyArray()\n
modCount++\n    }\n\n    actual override fun indexOf(element: E): Int = array.indexOf(element)\n\n    actual
override fun lastIndexOf(element: E): Int = array.lastIndexOf(element)\n\n    override fun toString() =
arrayToString(array)\n\n    @Suppress("UNCHECKED_CAST")\n    override fun <T> toArray(array: Array<T>):
Array<T> {\n    if (array.size < size) {\n        return toArray() as Array<T>\n    }\n    (this.array as
Array<T>).copyInto(array)\n    if (array.size > size) {\n        array[size] = null as T // null-terminate\n
    }\n    return array\n    }\n\n    override fun
toArray(): Array<Any?> {\n    return js("[ ]").slice.call(array)\n    }\n\n    internal override fun
checkIsMutable() {\n    if (isReadOnly) throw UnsupportedOperationException()\n    }\n\n    private fun
rangeCheck(index: Int) = index.apply {\n    AbstractList.checkElementIndex(index, size)\n    }\n\n    private fun
insertionRangeCheck(index: Int) = index.apply {\n    AbstractList.checkPositionIndex(index, size)\n    }\n"}\n\n/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\ninternal fun <T> sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int) {\n    if
(getStableSortingIsSupported()) {\n        array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, Comparator(comparison))\n    }\n}\n\ninternal fun
<T> sortArrayWith(array:
Array<out T>, comparator: Comparator<in T>) {\n    if (getStableSortingIsSupported()) {\n        val comparison = {
a: T, b: T -> comparator.compare(a, b) }\n        array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)\n    }\n}\n\ninternal fun <T>
sortArrayWith(array: Array<out T>, fromIndex: Int, toIndex: Int, comparator: Comparator<in T>) {\n    if
(fromIndex < toIndex - 1) {\n        mergeSort(array.unsafeCast<Array<T>>(), fromIndex, toIndex - 1, comparator)\n
    }\n}\n\ninternal fun <T : Comparable<T>> sortArray(array: Array<out T>) {\n    if
(getStableSortingIsSupported()) {\n        val comparison = { a: T, b: T -> a.compareTo(b) }\n        array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0,
array.lastIndex, naturalOrder())\n    }\n}\n\nprivate var _stableSortingIsSupported: Boolean? = null\nprivate fun
getStableSortingIsSupported(): Boolean

```

```

{
    _stableSortingIsSupported?.let { return it }
    _stableSortingIsSupported = false

    val array =
        js("[]").unsafeCast<Array<Int>>()
    // known implementations may use stable sort for arrays of up to 512
    // elements
    // so we create slightly more elements to test stability
    for (index in 0 until 600)
        array.asDynamic().push(index)
    val comparison = { a: Int, b: Int -> (a and 3) - (b and 3) }
    array.asDynamic().sort(comparison)
    for (index in 1 until array.size) {
        val a = array[index - 1]
        val b = array[index]
        if ((a and 3) == (b and 3) && a >= b) return false
    }
    _stableSortingIsSupported = true
    return true
}

private fun <T> mergeSort(array: Array<T>, start: Int, endInclusive: Int, comparator:
Comparator<in T>) {
    val buffer = arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()
    val result =
        mergeSort(array, buffer, start, endInclusive, comparator)
    if (result != array) {
        for (i
in start..endInclusive) array[i] = result[i]
    }
}

// Both start and end are inclusive indices.
private fun <T>
mergeSort(array: Array<T>, buffer: Array<T>, start: Int, end: Int, comparator: Comparator<in T>): Array<T> {
    if (start == end) {
        return array
    }
    val median = (start + end) / 2
    val left = mergeSort(array, buffer, start, median, comparator)
    val right = mergeSort(array, buffer, median + 1, end, comparator)
    val target = if (left == buffer) array else buffer
    // Merge.
    var leftIndex = start
    var rightIndex = median + 1
    for (i
in start..end) {
        when {
            leftIndex <= median && rightIndex <= end -> {
                val leftValue =
                    left[leftIndex]
                val rightValue = right[rightIndex]
                if (comparator.compare(leftValue,
                    rightValue) <= 0) {
                    target[i] = leftValue
                    leftIndex++
                } else {
                    target[i]
                    = rightValue
                    rightIndex++
                }
            }
            leftIndex <= median -> {
                target[i] = left[leftIndex]
                leftIndex++
            }
            else /* rightIndex <= end */ -> {
                target[i] = right[rightIndex]
                rightIndex++
            }
        }
        Unit // TODO: Fix KT-31506
    }
}
return target
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
 */
package
kotlin.collections

@OptIn(ExperimentalUnsignedTypes::class)
@SinceKotlin("1.3")
@kotlin.js.JsName("
contentDeepHashCodeImpl")
internal fun <T> Array<out T>?.contentDeepHashCodeImpl(): Int {
    if (this ==
null) return 0
    var result = 1
    for (element in this) {
        val elementHash = when {
            element
== null -> 0
            isArrayish(element) -> (element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()
            element is UByteArray -> element.contentHashCode()
            element is UShortArray ->
element.contentHashCode()
            element is UIntArray -> element.contentHashCode()
            element is
ULongArray -> element.contentHashCode()
            else -> element.hashCode()
        }
        result = 31 * result + elementHash
    }
    return result
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.
 */
package kotlin.collections

internal interface
EqualityComparator {
    /**
     * Subclasses must override to return a value indicating
     * whether or not two
keys or values are equal.
     */
    abstract fun equals(value1: Any?, value2: Any?): Boolean

    /**
     * Subclasses must override to return the hash code of a given key.
     */
    abstract fun
getHashCode(value: Any?): Int

    object HashCode : EqualityComparator {
        override fun equals(value1:
Any?, value2: Any?): Boolean = value1 == value2
        override fun getHashCode(value: Any?): Int =
value?.hashCode() ?: 0
    }
}

/*
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
 */
package kotlin.collections

import kotlin.collections.MutableMap.MutableEntry

/**
 * Hash table based
implementation of the [MutableMap] interface.
 * This implementation makes no guarantees regarding the
order of enumeration of [keys], [values] and [entries] collections.
 * Classes that extend HashMap and
implement `build()`
(freezing) operation
 * have to make sure mutating methods check `checkIsMutable`.
 */
public actual open class
HashMap<K, V> : AbstractMutableMap<K, V>, MutableMap<K, V> {
    private inner class EntrySet :

```

```

AbstractEntrySet<MutableEntry<K, V>, K, V>() {\n\n    override fun add(element: MutableEntry<K, V>):
Boolean = throw UnsupportedOperationException("Add is not supported on entries")\n    override fun clear()
{\n        this@HashMap.clear()\n    }\n\n    override fun containsEntry(element: Map.Entry<K, V>): Boolean
= this@HashMap.containsEntry(element)\n\n    override operator fun iterator():
MutableIterator<MutableEntry<K, V>> = internalMap.iterator()\n\n    override fun removeEntry(element:
Map.Entry<K, V>): Boolean {\n        if (contains(element)) {\n            this@HashMap.remove(element.key)\n
        }\n        return true\n    }\n\n    return false\n    }\n\n    override val size: Int get() =
this@HashMap.size\n
}\n\n\n    /**\n     * Internal implementation of the map: either string-based or hashCode-based.\n     */\n    private
val internalMap: InternalMap<K, V>\n\n    private val equality: EqualityComparator\n\n    internal
constructor(internalMap: InternalMap<K, V>) : super() {\n        this.internalMap = internalMap\n        this.equality =
internalMap.equality\n    }\n\n\n    /**\n     * Constructs an empty [HashMap] instance.\n     */\n    actual constructor()
: this(InternalHashMap(EqualityComparator.HashCode))\n\n\n    /**\n     * Constructs an empty [HashMap]
instance.\n     */\n    * @param initialCapacity the initial capacity (ignored)\n     * @param loadFactor the load
factor (ignored)\n     */\n    * @throws IllegalArgumentException if the initial capacity or load factor are negative\n
*/\n    actual constructor(initialCapacity: Int, loadFactor: Float) : this() {\n        // This implementation of HashMap
has no need of load factors or capacities.\n        require(initialCapacity
>= 0) {\n            "Negative initial capacity: $initialCapacity"\n        }\n        require(loadFactor >= 0) {\n            "Non-positive load factor:
$loadFactor"\n        }\n    }\n\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n\n    /**\n     *
Constructs an instance of [HashMap] filled with the contents of the specified [original] map.\n     */\n    actual
constructor(original: Map<out K, V>) : this() {\n        this.putAll(original)\n    }\n\n\n    actual override fun clear() {\n
        internalMap.clear()\n    }\n\n\n    structureChanged(this)\n\n\n    actual override fun containsKey(key: K): Boolean
= internalMap.containsKey()\n\n\n    actual override fun containsValue(value: V): Boolean = internalMap.any {\n
        equality.equals(it.value, value)\n    }\n\n\n    private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? =
null\n\n    actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n        get() {\n            if
(_entries == null) {\n                _entries
= createEntrySet()\n            }\n            return _entries!!\n        }\n\n\n    internal open fun createEntrySet():
MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n\n    actual override operator fun get(key: K): V? =
internalMap.get(key)\n\n\n    actual override fun put(key: K, value: V): V? = internalMap.put(key, value)\n\n\n    actual
override fun remove(key: K): V? = internalMap.remove(key)\n\n\n    actual override val size: Int get() =
internalMap.size\n\n\n}\n\n\n    /**\n     * Constructs the specialized implementation of [HashMap] with [String] keys, which
stores the keys as properties of\n     */\n    * JS object without hashing them.\n     */\n    public fun <V> stringMapOf(vararg pairs:
Pair<String, V>): HashMap<String, V> {\n        return HashMap<String,
V>(InternalStringMap(EqualityComparator.HashCode)).apply {\n            putAll(pairs)\n        }\n    }\n\n\n}\n\n\n    /**\n     * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n     */\n    * Use of this source code is governed by the
Apache 2.0 license that can be found
in the license/LICENSE.txt file.\n\n\n    /**\n     */\n    * Based on GWT HashSet\n     */\n    * Copyright 2008 Google Inc.\n
*/\n\n\n    /**\n     */\n    * The implementation of the [MutableSet] interface, backed by a
[HashMap] instance.\n     */\n    * // Classes that extend HashSet and implement `build()` (freezing) operation\n     */\n    * // have to
make sure mutating methods check `checkIsMutable`.\n     */\n    * public actual open class HashSet<E> :
AbstractMutableSet<E>, MutableSet<E> {\n\n\n        internal val map: HashMap<E, Any>\n\n\n        /**\n         */\n         * Constructs a
new empty [HashSet].\n         */\n         * actual constructor() {\n             map = HashMap<E, Any>()\n         }\n\n\n        /**\n         */\n         *
Constructs a new [HashSet] filled with the elements of the specified collection.\n         */\n         * actual
constructor(elements: Collection<E>) {\n             map = HashMap<E, Any>(elements.size)\n             addAll(elements)\n
        }\n\n\n        /**\n         */\n         * Constructs a new empty [HashSet].\n         */\n         * @param initialCapacity the initial capacity
(ignored)\n         */\n         * @param
loadFactor the load factor (ignored)\n         */\n         * @throws IllegalArgumentException if the initial capacity or
load factor are negative\n         */\n         * actual constructor(initialCapacity: Int, loadFactor: Float) {\n             map =

```

```

HashMap<E, Any>(initialCapacity, loadFactor)\n } \n\n actual constructor(initialCapacity: Int) :
this(initialCapacity, 0.0f)\n\n /**\n * Protected constructor to specify the underlying map. This is used by\n *
LinkedHashSet.\n\n * @param map underlying map to use.\n */\n internal constructor(map: HashMap<E,
Any>) {\n this.map = map\n }\n\n actual override fun add(element: E): Boolean {\n val old =
map.put(element, this)\n return old == null\n }\n\n actual override fun clear() {\n map.clear()\n }\n\n//
public override fun clone(): Any {\n// return HashSet<E>(this)\n// }\n\n actual override operator fun
contains(element: E): Boolean = map.containsKey(element)\n\n actual
override fun isEmpty(): Boolean = map.isEmpty()\n\n actual override fun iterator(): MutableIterator<E> =
map.keys.iterator()\n\n actual override fun remove(element: E): Boolean = map.remove(element) != null\n\n
actual override val size: Int get() = map.size\n}\n\n/**\n * Creates a new instance of the specialized
implementation of [HashSet] with the specified [String] elements,\n * which elements the keys as properties of JS
object without hashing them.\n */\n\npublic fun stringSetOf(vararg elements: String): HashSet<String> {\n return
HashSet(stringMapOf<Any>()).apply { addAll(elements) }\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n * Based on GWT InternalHashMap\n * Copyright
2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\nimport kotlin.collections.AbstractMutableMap.SimpleEntry\n\n\n/**\n
* A simple wrapper around JavaScriptObject to provide [java.util.Map]-like semantics for any\n * key type.\n *
*\n * Implementation notes:\n * *\n * A key's hashCode is the index in backingMap which should contain that
key. Since several keys may\n * have the same hash, each value in hashCodeMap is actually an array containing all
entries whose\n * keys share the same hash.\n */\n\ninternal class InternalHashMap<K, V>(override val equality:
EqualityComparator) : InternalMap<K, V> {\n\n private var backingMap: dynamic = createJsMap()\n\n override
var size: Int = 0\n\n private set\n\n override fun put(key: K, value: V): V? {\n val hashCode =
equality.getHashCode(key)\n val chainOrEntry = getChainOrEntryOrNull(hashCode)\n if (chainOrEntry
== null) {\n // This is a new chain, put it to the map.\n backingMap[hashCode] = SimpleEntry(key,
value)\n } else {\n
if (chainOrEntry !is Array<*>) {\n // It is an entry\n val entry: SimpleEntry<K, V> =
chainOrEntry\n if (equality.equals(entry.key, key)) {\n return entry.setValue(value)\n } else {\n
backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\n size++\n return null\n }\n } else {\n // Chain already exists, perhaps key also exists.\n
val chain: Array<MutableEntry<K, V>> = chainOrEntry\n val entry = chain.findEntryInChain(key)\n if (entry != null) {\n return entry.setValue(value)\n }\n
chain.asDynamic().push(SimpleEntry(key, value))\n }\n }\n size++\n\n// structureChanged(host)\n
return null\n }\n\n override fun remove(key: K): V? {\n val hashCode = equality.getHashCode(key)\n
val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return null\n if (chainOrEntry !is Array<*>) {\n
val entry: MutableEntry<K, V> = chainOrEntry\n if (equality.equals(entry.key, key)) {\n
jsDeleteProperty(backingMap, hashCode)\n size--\n return entry.value\n } else {\n
return null\n }\n } else {\n val chain: Array<MutableEntry<K, V>> = chainOrEntry\n for
(index in chain.indices) {\n val entry = chain[index]\n if (equality.equals(key, entry.key)) {\n
if (chain.size == 1) {\n chain.asDynamic().length = 0\n // remove the whole
array\n jsDeleteProperty(backingMap, hashCode)\n } else {\n // splice out
the entry we're removing\n chain.asDynamic().splice(index,
1)\n }\n size--\n\n// structureChanged(host)\n return entry.value\n }\n }\n }\n return null\n }\n\n override fun clear() {\n backingMap = createJsMap()\n
size = 0\n }\n\n override fun contains(key: K): Boolean = getEntry(key) != null\n\n override fun get(key: K):
V? = getEntry(key)?.value\n\n private fun getEntry(key: K): MutableEntry<K, V>? {\n val chainOrEntry =
getChainOrEntryOrNull(equality.getHashCode(key)) ?: return null\n if (chainOrEntry !is Array<*>) {\n
val entry: MutableEntry<K, V> = chainOrEntry\n if (equality.equals(entry.key, key)) {\n return

```

```

entry\n      } else {\n          return null\n      }\n      } else {\n          val chain: Array<MutableEntry<K,
V>> = chainOrEntry\n          return chain.findEntryInChain(key)\n      }\n      }\n      private fun
Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? =\n      firstOrNull { entry ->
equality.equals(entry.key, key) }\n      override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n
return object : MutableIterator<MutableEntry<K, V>> {\n          var state = -1 // -1 not ready, 0 - ready, 1 -
done\n          val keys: Array<String> = js("Object").keys(backingMap)\n          var keyIndex = -1\n
var chainOrEntry: dynamic = null\n          var isChain = false\n          var itemIndex = -1\n          var lastEntry:
MutableEntry<K, V>? = null\n          private fun computeNext(): Int {\n              if (chainOrEntry != null &&
isChain) {\n                  val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n
if (++itemIndex < chainSize)\n                      return 0\n                  }\n                  if (++keyIndex < keys.size)
{\n                      chainOrEntry
= backingMap[keys[keyIndex]]\n                      isChain = chainOrEntry is Array<*>\n                      itemIndex = 0\n
return 0\n                  } else {\n                      chainOrEntry = null\n                      return 1\n                  }\n
}\n          override fun hasNext(): Boolean {\n              if (state == -1)\n                  state = computeNext()\n
return state == 0\n          }\n          override fun next(): MutableEntry<K, V> {\n              if (!hasNext())
throw NoSuchElementException()\n              val lastEntry = if (isChain) {\n                  chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n              } else {\n                  chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n              }\n              this.lastEntry = lastEntry\n
state = -1\n              return lastEntry\n          }\n          override fun remove() {\n              checkNotNull(lastEntry)\n              this@InternalHashMap.remove(lastEntry!!.key)\n              lastEntry =
null\n              // the chain being iterated just got modified by InternalHashMap.remove\n              itemIndex-
-\n          }\n      }\n      }\n      private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n          val
chainOrEntry = backingMap[hashCode]\n          return if (chainOrEntry === undefined) null else chainOrEntry\n
}\n      }\n      "\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n      }\n      "\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n      }\n      "\n", /*\n * Based on GWT InternalStringMap\n * Copyright 2008 Google Inc.\n */\n      }\n      "\n", /*\n * A simple wrapper around
JavaScript Map for key type is string.\n * Though this map is instantiated only with K=String, the K type is not
fixed to String statically,\n * because we want to have it erased to Any? in order not to
generate type-safe override bridges for\n * [get], [contains], [remove] etc, if they ever are generated.\n */\n      }\n      "\n", /*\n * An internal
class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n      private var
backingMap: dynamic = createJsMap()\n      override var size: Int = 0\n      private set\n      // /**\n      // * A mod
count to track 'value' replacements in map to ensure that the 'value' that we have in the\n      // * iterator entry is
guaranteed to be still correct.\n      // * This is to optimize for the common scenario where the values are not modified
during\n      // * iterations where the entries are never stale.\n      // */\n      private var valueMod: Int = 0\n      override
operator fun contains(key: K): Boolean {\n          if (key !is String) return false\n          return backingMap[key] !==
undefined\n      }\n      override operator fun get(key: K): V? {\n          if (key !is String) return null\n          val value =
backingMap[key]\n          return if (value

```

```

!== undefined) value.unsafeCast<V>() else null\n    }\n\n    override fun put(key: K, value: V): V? {\n
require(key is String)\n    val oldValue = backingMap[key]\n    backingMap[key] = value\n\n    if (oldValue\n
=== undefined) {\n        size++\n//        structureChanged(host)\n        return null\n    } else {\n//\n
valueMod++\n        return oldValue.unsafeCast<V>()\n    }\n}\n\n    override fun remove(key: K): V? {\n
if (key !is String) return null\n    val value = backingMap[key]\n    if (value !== undefined) {\n
jsDeleteProperty(backingMap, key)\n        size--\n//        structureChanged(host)\n        return\n
value.unsafeCast<V>()\n    } else {\n//        valueMod++\n        return null\n    }\n}\n}\n\n    override fun\n
clear() {\n    backingMap = createJsMap()\n    size = 0\n}\n}\n\n    override fun iterator():\n
MutableIterator<MutableEntry<K, V>> {\n
        return object : MutableIterator<MutableEntry<K, V>> {\n            private val keys: Array<String> =\n
js("Object").keys(backingMap)\n            private val iterator = keys.iterator()\n            private var lastKey: String? =\n
null\n\n            override fun hasNext(): Boolean = iterator.hasNext()\n\n            override fun next():\n
MutableEntry<K, V> {\n                val key = iterator.next()\n                lastKey = key\n
\n                @Suppress("UNCHECKED_CAST")\n                return newMapEntry(key as K)\n            }\n\n            override\n
fun remove() {\n                @Suppress("UNCHECKED_CAST")\n                this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n            }\n        }\n\n        private fun\n
newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n            override val key: K get() =\n
key\n            override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n\n            override fun\n
setValue(newValue:\n
V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n\n            override fun hashCode(): Int =\n
AbstractMap.entryHashCode(this)\n\n            override fun toString(): String = AbstractMap.entryToString(this)\n\n
            override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this, other)\n        }\n}\n\n    /*\n
Copyright\n
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed\n
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n    /*\n
Based on GWT\n
LinkedHashMap\n
* Copyright 2008 Google Inc.\n
*/\n\n    package kotlin.collections\n\n    import\n
kotlin.collections.MutableMap.MutableEntry\n\n    /**\n
* Hash table based implementation of the [MutableMap]\n
interface, which additionally preserves the insertion order\n
* of entries during the iteration.\n
*/\n\n    * The insertion\n
order is preserved by maintaining a doubly-linked list of all of its entries.\n
*/\n\n    public actual open class\n
LinkedHashMap<K, V> : HashMap<K,\n
V>, MutableMap<K, V> {\n\n        /**\n
* The entry we use includes next/prev pointers for a doubly-linked\n
circular\n
* list with a head node. This reduces the special cases we have to deal with\n
* in the list\n
operations.\n
\n
* Note that we duplicate the key from the underlying hash map so we can find\n
* the eldest\n
entry. The alternative would have been to modify HashMap so more\n
* of the code was directly usable here, but\n
this would have added some\n
* overhead to HashMap, or to reimplement most of the HashMap code here with\n
\n
* small modifications. Paying a small storage cost only if you use\n
* LinkedHashMap and minimizing code size\n
seemed like a better tradeoff\n
*/\n\n        private inner class ChainEntry<K, V>(key: K, value: V) :
AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n            internal var next: ChainEntry<K, V>? = null\n\n
            internal var prev: ChainEntry<K, V>? = null\n\n            override fun setValue(newValue: V): V {\n
                this@LinkedHashMap.checkIsMutable()\n                return super.setValue(newValue)\n            }\n        }\n\n        private inner class EntrySet : AbstractEntrySet<MutableEntry<K, V>, K, V>() {\n            private inner class\n
EntryIterator : MutableIterator<MutableEntry<K, V>> {\n                // The last entry that was returned from this\n
iterator.\n                private var last: ChainEntry<K, V>? = null\n                // The next entry to return from this\n
iterator.\n                private var next: ChainEntry<K, V>? = null\n                init {\n                    next = head\n                }\n                recordLastKnownStructure(map, this)\n            }\n\n            override fun hasNext(): Boolean {\n                return\n
next !== null\n            }\n\n            override fun next(): MutableEntry<K, V> {\n                checkStructuralChange(map, this)\n                if (!hasNext()) throw NoSuchElementException()\n                val\n
current = next!!\n                last = current\n            }\n        }\n    }\n}

```

```

        next = current.next.takeIf { it !== head } \n          return current \n          } \n          override fun remove()
{\n          check(last != null) \n          this@EntrySet.checkIsMutable() \n //
checkStructuralChange(map, this) \n          last!!.remove() \n          map.remove(last!!.key) \n //
recordLastKnownStructure(map, this) \n          last = null \n          } \n          } \n          override fun add(element:
MutableEntry<K, V>): Boolean = throw UnsupportedOperationException("Add is not supported on entries") \n
override fun clear() {\n          this@LinkedHashMap.clear() \n          } \n          override fun containsEntry(element:
Map.Entry<K, V>): Boolean = this@LinkedHashMap.containsEntry(element) \n          override operator fun
iterator(): MutableIterator<MutableEntry<K, V>> = EntryIterator() \n          override fun removeEntry(element:
Map.Entry<K, V>): Boolean {\n          checkIsMutable() \n
          if (contains(element)) {\n          this@LinkedHashMap.remove(element.key) \n          return true \n
          } \n          return false \n          } \n          override val size: Int get() = this@LinkedHashMap.size \n          override
fun checkIsMutable(): Unit = this@LinkedHashMap.checkIsMutable() \n          } \n          } \n          /** \n          * The head of the insert
order chain, which is a doubly-linked circular \n          * list. \n          * \n          * The most recently inserted node is at the end of the
chain, ie. \n          * chain.prev. \n          * \n          * private var head: ChainEntry<K, V>? = null \n          * \n          * Add this node to
the end of the chain. \n          * \n          * private fun ChainEntry<K, V>.addToEnd() {\n          // This entry is not in the list. \n
          check(next == null && prev == null) \n          val _head = head \n          if (_head == null) {\n          head = this \n
          next = this \n          prev = this \n          } else {\n          // Chain is valid. \n          val _tail =
checkNotNull(_head.prev) \n
          // Update me. \n          prev = _tail \n          next = _head \n          // Update my new siblings: current head
and old tail \n          _head.prev = this \n          _tail.next = this \n          } \n          } \n          /** \n          * Remove this node from
the chain it is a part of. \n          * \n          * private fun ChainEntry<K, V>.remove() {\n          if (this.next === this) {\n
          // if this is single element, remove head \n          head = null \n          } else {\n          if (head === this) {\n          //
if this is first element, move head to next \n          head = next \n          } \n          next!!.prev = prev \n
          prev!!.next = next \n          } \n          next = null \n          prev = null \n          } \n          } \n          /** \n          * The hashmap that keeps track of
our entries and the chain. Note that we \n          * duplicate the key here to eliminate changes to HashMap and minimize
the \n          * code here, at the expense of additional space. \n          * \n          * private
val map: HashMap<K, ChainEntry<K, V>> \n          private var isReadOnly: Boolean = false \n          } \n          /** \n          *
Constructs an empty [LinkedHashMap] instance. \n          * \n          * actual constructor() : super() {\n          map =
HashMap<K, ChainEntry<K, V>>() \n          } \n          internal constructor(backingMap: HashMap<K, Any>) : super() {\n
          @Suppress("UNCHECKED_CAST") // expected to work due to erasure \n          map = backingMap as
HashMap<K, ChainEntry<K, V>> \n          } \n          /** \n          * Constructs an empty [LinkedHashMap] instance. \n          * \n
          * @param initialCapacity the initial capacity (ignored) \n          * @param loadFactor the load factor (ignored) \n
          * \n          * @throws IllegalArgumentException if the initial capacity or load factor are negative \n          * \n          * actual
constructor(initialCapacity: Int, loadFactor: Float) : super(initialCapacity, loadFactor) {\n          map = HashMap<K,
ChainEntry<K, V>>() \n          } \n          actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f) \n
          /** \n          * Constructs an instance of [LinkedHashMap] filled with the contents of the specified [original] map. \n
          * \n          * actual constructor(original: Map<out K, V>) {\n          map = HashMap<K, ChainEntry<K, V>>() \n
          this.putAll(original) \n          } \n          @PublishedApi \n          internal fun build(): Map<K, V> {\n          checkIsMutable() \n
          isReadOnly = true \n          return this \n          } \n          actual override fun clear() {\n          checkIsMutable() \n
          map.clear() \n          head = null \n          } \n          } \n          // override fun clone(): Any {\n          // return LinkedHashMap(this) \n
          } \n          } \n          actual override fun containsKey(key: K): Boolean = map.containsKey(key) \n          actual override fun
containsValue(value: V): Boolean {\n          var node: ChainEntry<K, V> = head ?: return false \n          do {\n          if
(node.value == value) {\n          return true \n          } \n          node = node.next!! \n          } while (node !==
head) \n          return false \n          } \n          } \n
          internal override fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet() \n          actual
override operator fun get(key: K): V? = map.get(key)?.value \n          actual override fun put(key: K, value: V): V? {\n
          checkIsMutable() \n          val old = map.get(key) \n          if (old == null) {\n          val newEntry =
ChainEntry(key, value) \n          map.put(key, newEntry) \n          newEntry.addToEnd() \n          return null \n
          } \n          } \n

```

```

} else {\n        return old.setValue(value)\n    }\n }\n\n actual override fun remove(key: K): V? {\n
checkIsMutable()\n    val entry = map.remove(key)\n    if (entry != null) {\n        entry.remove()\n
return entry.value\n    }\n    return null\n }\n\n actual override val size: Int get() = map.size\n\n internal
override fun checkIsMutable() {\n    if (isReadOnly) throw UnsupportedOperationException()\n }\n}\n\n/**\n *
Constructs the specialized implementation
of [LinkedHashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing
them.\n *\npublic fun <V> linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {\n
return LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }\n}\n\n", /*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet]
interface, backed by a [LinkedHashMap] instance.\n *\n * This implementation preserves the insertion order of
elements during the iteration.\n *\npublic actual open class LinkedHashMap<E> : HashSet<E>, MutableSet<E>
{\n\n    internal constructor(map: LinkedHashMap<E, Any>) : super(map)\n    /**\n     * Constructs a new empty
[LinkedHashSet].\n     *\n     actual constructor() : super(LinkedHashMap<E, Any>())\n    /**\n     * Constructs a
new [LinkedHashSet] filled with the elements of the specified collection.\n     *\n     actual constructor(elements:
Collection<E>) : super(LinkedHashMap<E, Any>()) {\n        addAll(elements)\n    }\n\n    /**\n     * Constructs a
new empty [LinkedHashSet].\n     *\n     * @param initialCapacity the initial capacity (ignored)\n     * @param
loadFactor the load factor (ignored)\n     *\n     * @throws IllegalArgumentException if the initial capacity or
load factor are negative\n     *\n     actual constructor(initialCapacity: Int, loadFactor: Float) :
super(LinkedHashMap<E, Any>(initialCapacity, loadFactor))\n\n     actual constructor(initialCapacity: Int) :
this(initialCapacity, 0.0f)\n\n     @PublishedApi\n     internal fun build(): Set<E> {\n        (map as
LinkedHashMap<E, Any>).build()\n        return this\n    }\n\n     internal override fun checkIsMutable():
Unit = map.checkIsMutable()\n\n//     public override fun clone(): Any {\n//         return LinkedHashMap(this)\n//
}\n\n}\n\n\n/**\n * Creates a new instance of the specialized implementation of [LinkedHashSet] with the specified
[String] elements,\n * which elements the keys as properties of JS object without hashing them.\n *\npublic fun
linkedStringSetOf(vararg elements: String): LinkedHashMap<String> {\n    return
LinkedHashSet(linkedStringMapOf<Any>()).apply { addAll(elements) }\n}\n\n", /*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.contracts.*\n\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@Deprecated(\"Synchronization on any
object is not supported in Kotlin/JS\")
ReplaceWith(\"run(block)\")\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\npublic
inline fun <R>
synchronized(lock: Any, block: () -> R): R {\n    contract {\n        callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.io\n\ninternal abstract class BaseOutput {\n
open fun println() {\n    print(\"\\n\")\n }\n\n open fun println(message: Any?) {\n    print(message)\n
println()\n }\n\n abstract fun print(message: Any?)\n\n open fun flush() {\n}\n\n\n/** JsName used to make the
declaration available outside of module to test it *\n@JsName(\"NodeJsOutput\")\ninternal class NodeJsOutput(val
outputStream: dynamic) : BaseOutput() {\n    override fun print(message: Any?) {\n        // TODO: Using local
variable because of bug in block decomposition lowering in IR backend\n        val messageString =
String(message)\n        outputStream.write(messageString)\n    }\n}\n\n\n/** JsName used to make the declaration
available outside of module to test it *\n@JsName(\"OutputToConsoleLog\")\ninternal class OutputToConsoleLog
: BaseOutput() {\n    override fun print(message: Any?) {\n        console.log(message)\n    }\n\n    override fun
println(message: Any?) {\n        console.log(message)\n    }\n\n    override fun println() {\n        console.log(\"\")\n
}\n}\n\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in

```

```

*\n@jsName("BufferedOutput")\ninternal open class BufferedOutput : BaseOutput() {\n    var buffer = ""\n\n    override fun print(message: Any?) {\n        buffer += String(message)\n    }\n\n    override fun flush() {\n        buffer = ""\n    }\n}\n\n/** JsName used to make the declaration available outside of module to test it
*\n@jsName("BufferedOutputToConsoleLog")\ninternal class BufferedOutputToConsoleLog :
    BufferedOutput() {\n    override fun print(message: Any?) {\n        var s = String(message)\n        val i =
s.nativeLastIndexOf("\n", 0)\n        if (i >= 0) {\n            buffer += s.substring(0, i)\n            flush()\n            s =
s.substring(i + 1)\n        }\n        buffer += s\n    }\n\n    override fun flush() {\n        console.log(buffer)\n        buffer = ""\n    }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at
try.kotl.in *\n@jsName("output")\ninternal var output = run {\n    val isNode: Boolean = js("typeof process !==
'undefined' && process.versions && !process.versions.node")\n    if (isNode) NodeJsOutput(js("process.stdout"))\n    else BufferedOutputToConsoleLog()\n}\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?):
String = js("String")(value)\n\n/** Prints the line separator to the standard output stream. *\npublic actual fun
println() {\n    output.println()\n}\n\n/** Prints the
    given [message] and the line separator to the standard output stream. *\npublic actual fun println(message: Any?)
{\n    output.println(message)\n}\n\n/** Prints the given [message] to the standard output stream. *\npublic actual
fun print(message: Any?) {\n    output.print(message)\n}\n\n@SinceKotlin("1.6")\npublic actual fun readln():
String = throw UnsupportedOperationException("readln is not supported in
Kotlin/JS")\n\n@SinceKotlin("1.6")\npublic actual fun readlnOrNull(): String? = throw
UnsupportedOperationException("readlnOrNull is not supported in Kotlin/JS"), /*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.CoroutineSingletons.\n\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal
actual
    class SafeContinuation<in T>\ninternal actual constructor(\n    private val delegate: Continuation<T>,\n
initialResult: Any?)\n) : Continuation<T> {\n    @PublishedApi\n    internal actual constructor(delegate:
Continuation<T>) : this(delegate, UNDECIDED)\n\n    public actual override val context: CoroutineContext\n
get() = delegate.context\n\n    private var result: Any? = initialResult\n\n    public actual override fun
resumeWith(result: Result<T>) {\n        val cur = this.result\n        when {\n            cur === UNDECIDED -> {\n
                this.result = result.value\n            }\n            cur === COROUTINE_SUSPENDED -> {\n                this.result =
RESUMED\n                delegate.resumeWith(result)\n            }\n            else -> throw
IllegalStateException("Already resumed")\n        }\n    }\n\n    @PublishedApi\n    internal actual fun
getOrThrow(): Any? {\n        if (result === UNDECIDED) {\n            result = COROUTINE_SUSPENDED\n
            return COROUTINE_SUSPENDED\n        }\n        val result = this.result\n        return when {\n            result ===
RESUMED -> COROUTINE_SUSPENDED // already called continuation, indicate COROUTINE_SUSPENDED
upstream\n            result is Result.Failure -> throw result.exception\n            else -> result // either
COROUTINE_SUSPENDED or data\n        }\n    }\n}\n\n/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\npackage
kotlin.coroutines.cancellation\n\n@SinceKotlin("1.4")\npublic actual open class CancellationException :
IllegalStateException {\n    actual constructor() : super()\n    actual constructor(message: String?) : super(message)\n
    constructor(message: String?, cause: Throwable?) : super(message, cause)\n    constructor(cause: Throwable?) :
super(cause)\n}\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n *\npackage kotlin.coroutines.js.internal\n\nimport
kotlin.coroutines.Continuation\n\nimport
kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal val
EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result ->\n    result.getOrThrow()\n}\n\n/**\n

```

```

* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n
*\n\n@Suppress("NOT_DOCUMENTED")\npublic external class Date() {\n    public constructor(milliseconds:
Number)\n    public constructor(dateString: String)\n    public constructor(year:
Int, month: Int)\n    public constructor(year: Int, month: Int, day: Int)\n    public constructor(year: Int, month:
Int, day: Int, hour: Int)\n    public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n    public
constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int)\n    public constructor(year: Int,
month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number)\n    public fun getDate(): Int\n    public
fun getDay(): Int\n    public fun getFullYear(): Int\n    public fun getHours(): Int\n    public fun
getMilliseconds(): Int\n    public fun getMinutes(): Int\n    public fun getMonth(): Int\n    public fun
getSeconds(): Int\n    public fun getTime(): Double\n    public fun getTimezoneOffset(): Int\n    public fun
getUTCDate(): Int\n    public fun getUTCDay(): Int\n    public fun getUTCFullYear(): Int\n    public fun
getUTCHours(): Int\n    public fun getUTCMilliseconds():
Int\n    public fun getUTCMinutes(): Int\n    public fun getUTCMonth(): Int\n    public fun getUTCSeconds():
Int\n    public fun toDateString(): String\n    public fun toISOString(): String\n    public fun toJSON(): Json\n    public
fun toLocaleDateString(locales: Array<String> = definedExternally, options: LocaleOptions =
definedExternally): String\n    public fun toLocaleDateString(locales: String, options: LocaleOptions =
definedExternally): String\n    public fun toLocaleString(locales: Array<String> = definedExternally, options:
LocaleOptions = definedExternally): String\n    public fun toLocaleString(locales: String, options: LocaleOptions
= definedExternally): String\n    public fun toLocaleTimeString(locales: Array<String> = definedExternally,
options: LocaleOptions = definedExternally): String\n    public fun toLocaleTimeString(locales: String, options:
LocaleOptions = definedExternally): String\n    public fun toTimeString(): String\n    public
fun toUTCString(): String\n    public companion object {\n        public fun now(): Double\n        public fun
parse(dateString: String): Double\n        public fun UTC(year: Int, month: Int): Double\n        public fun
UTC(year: Int, month: Int, day: Int): Double\n        public fun UTC(year: Int, month: Int, day: Int, hour: Int):
Double\n        public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int): Double\n        public fun
UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n        public fun UTC(year: Int,
month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\n    }\n    public interface
LocaleOptions {\n        public var localeMatcher: String?\n        public var timeZone: String?\n        public var
hour12: Boolean?\n        public var formatMatcher: String?\n        public var weekday: String?\n        public var
era: String?\n        public var year: String?\n        public var month: String?\n        public var day: String?\n        public var hour: String?\n        public var
minute: String?\n        public var second: String?\n        public var timeZoneName: String?\n    }\n\n    public inline fun dateLocaleOptions(init: Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\n        val result = js("new
Object()\").unsafeCast<Date.LocaleOptions>()\n        init(result)\n        return result\n    }\n\n    /**\n     * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n\n    @nimport org.w3c.dom.Document\n    @nimport org.w3c.dom.Element\n    @nimport
kotlin.internal.LowPriorityInOverloadResolution\n    @nimport kotlinx.dom.appendElement as
newAppendElement\n    @nimport kotlinx.dom.createElement as newCreateElement\n\n    /**\n     * Creates a new element
with the specified [name].\n     * The element is initialized
with the specified [init] function.\n     */\n\n    @LowPriorityInOverloadResolution\n    @Deprecated(\n        message = "This
API is moved to another package, use 'kotlinx.dom.createElement' instead.",\n        replaceWith =
ReplaceWith("this.createElement(name, init)"),\n        "kotlinx.dom.createElement")\n    @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\n    public
inline fun Document.createElement(name: String, noinline init: Element.() -> Unit): Element =

```

```

this.newCreateElement(name, init)\n\n/**\n * Appends a newly created element with the specified [name] to this
element.\n *\n * The element is initialized with the specified [init] function.\n
*/\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = `This API is moved to another package,
use 'kotlinx.dom.appendElement' instead.`,\n    replaceWith = ReplaceWith(`this.appendElement(name, init)`),
`kotlinx.dom.appendElement`)\n)\n\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.6`)\n\npublic
inline fun Element.appendElement(name:
String, noinline init: Element.() -> Unit): Element = this.newAppendElement(name, init)\n\n"/*\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport
org.w3c.dom.Element\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\nimport kotlinx.dom.addClass as
newAddClass\n\nimport kotlinx.dom.hasClass as newHasClass\n\nimport kotlinx.dom.removeClass as
newRemoveClass\n\n/**\n * Returns true if the element has the given CSS class style in its 'class' attribute
*/\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = `This API is moved to another package,
use 'kotlinx.dom.hasClass' instead.`,\n    replaceWith = ReplaceWith(`this.hasClass(cssClass)`),
`kotlinx.dom.hasClass`)\n)\n\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.6`)\n\ninline fun
Element.hasClass(cssClass:
String): Boolean = this.newHasClass(cssClass)\n\n/**\n * Adds CSS class to element. Has no effect if all specified
classes are already in class attribute of the element\n *\n * @return true if at least one class has been added\n
*/\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = `This API is moved to another package,
use 'kotlinx.dom.addClass' instead.`,\n    replaceWith = ReplaceWith(`this.addClass(cssClasses)`),
`kotlinx.dom.addClass`)\n)\n\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.6`)\n\ninline fun
Element.addClass(vararg cssClasses: String): Boolean = this.newAddClass(*cssClasses)\n\n/**\n * Removes all
[cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element\n *\n
* @return true if at least one class has been removed\n */\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n
    message = `This API is moved to another package, use 'kotlinx.dom.removeClass' instead.`,\n    replaceWith
= ReplaceWith(`this.removeClass(cssClasses)`),
`kotlinx.dom.removeClass`)\n)\n\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.6`)\n\ninline
fun Element.removeClass(vararg cssClasses: String): Boolean = this.newRemoveClass(*cssClasses)\n\n"/*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.dom\n\nimport org.w3c.dom.Element\n\nimport org.w3c.dom.Node\n\nimport
kotlin.internal.LowPriorityInOverloadResolution\n\nimport kotlinx.dom.isElement as newIsElement\n\nimport
kotlinx.dom.isText as newIsText\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a
CDATA_SECTION_NODE.\n */\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = `This API
is moved to another package, use 'kotlinx.dom.isText' instead.`,\n    replaceWith = ReplaceWith(`this.isText`,
`kotlinx.dom.isText`)\n)\n\n@DeprecatedSinceKotlin(warningSince
= `1.4`, errorSince = `1.6`)\n\npublic val Node.isText: Boolean\n    inline get() = this.newIsText\n\n/**\n * Gets a
value indicating whether this node is an [Element].\n */\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n
    message = `This API is moved to another package, use 'kotlinx.dom.isElement' instead.`,\n    replaceWith =
ReplaceWith(`this.isElement`, `kotlinx.dom.isElement`)\n)\n\n@DeprecatedSinceKotlin(warningSince = `1.4`,
errorSince = `1.6`)\n\npublic val Node.isElement: Boolean\n    inline get() = this.newIsElement\n\n"/*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
org.w3c.dom.events\n\npublic fun EventListener(handler: (Event) -> Unit): EventListener =
EventListenerHandler(handler)\n\nprivate class EventListenerHandler(private val handler: (Event) ->
Unit) : EventListener {\n    public override fun handleEvent(event: Event) {\n        handler(event)\n    }\n\n    public
override fun toString(): String = `EventListenerHandler($handler)`\n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0

```

```

license that can be found in the license/LICENSE.txt file.\n *\n\npackage org.w3c.dom\n\npublic external interface
ItemArrayLike<out T> {\n    val length: Int\n    fun item(index: Int): T?\n}\n\n/**\n * Returns the view of this
`ItemArrayLike<T>` collection as `List<T>`\n *\n\npublic fun <T> ItemArrayLike<T>.asList(): List<T> = object :
AbstractList<T>() {\n    override val size: Int get() = this@asList.length\n\n    override fun get(index: Int): T = when
(index) {\n        in 0..lastIndex -> this@asList.item(index).unsafeCast<T>()\n        else -> throw
IndexOutOfBoundsException("index $index is not in range [0..$lastIndex]")\n    }\n}\n", /*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage
kotlin.dom\n\nimport org.w3c.dom.Element\nimport org.w3c.dom.Node\nimport
kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.appendText as newAppendText\nimport
kotlinx.dom.clear as newClear\n\n/** Removes all the children from this node.
*\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = "This API is moved to another package,
use 'kotlinx.dom.clear' instead.",\n    replaceWith = ReplaceWith("this.clear()"),
"\"kotlinx.dom.clear()")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\npublic inline fun
Node.clear() = this.newClear()\n\n/**\n * Creates text node and append it to the element.\n *\n * @return this
element\n *\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = "This API is moved to another
package,
use 'kotlinx.dom.appendText' instead.",\n    replaceWith = ReplaceWith("this.appendText(text)"),
"\"kotlinx.dom.appendText()")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\ninline fun
Element.appendText(text: String): Element = this.newAppendText(text)\n", /*\n
* Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.js\n\n/**\n * Reinterprets this value
as a value of the [dynamic type](/docs/reference/dynamic-type.html).\n *\n\n@kotlin.internal.InlineOnly\npublic
inline fun Any?.asDynamic(): dynamic = this\n\n/**\n * Reinterprets this value as a value of the specified type [T]
without any actual type checking.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Any?.unsafeCast():
@kotlin.internal.NoInfer T = this.asDynamic()\n\n/**\n * Reinterprets this `dynamic` value as a value of
the specified type [T] without any actual type checking.\n
*\n\n@kotlin.internal.DynamicExtension\n@JsName("unsafeCastDynamic")\n@kotlin.internal.InlineOnly\npublic
inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n/**\n * Allows to iterate this `dynamic`
object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an
instance of [kotlin.collections.Iterable]\n *\n\n@kotlin.internal.DynamicExtension\npublic operator fun
dynamic.iterator(): Iterator<dynamic> {\n    val r: Any? = this\n\n    return when {\n        this["iterator"] != null -
->\n            this["iterator"]()\n        isArrayish(r) ->\n            r.unsafeCast<Array<*>>().iterator()\n        else ->\n
            (r as Iterable<*>).iterator()\n    }\n}\n", /*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt
file.\n *\n\n// a package is omitted to get declarations directly under the
module\n\n@JsName("throwNPE")\ninternal fun throwNPE(message: String) {\n    throw
NullPointerException(message)\n}\n\n@JsName("throwCCE")\ninternal fun throwCCE() {\n    throw
ClassCastException("Illegal cast")\n}\n\n@JsName("throwISE")\ninternal fun throwISE(message: String) {\n
    throw IllegalStateException(message)\n}\n\n@JsName("throwUPAE")\ninternal fun throwUPAE(propertyName:
String) {\n    throw UninitializedPropertyAccessException("lateinit property ${propertyName} has not been
initialized")\n}\n", /*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.collections\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements
in each group.\n *\n * @return a [Map] associating the key of
each group with the count of elements in the group.\n *\n * @sample
samples.collections.Grouping.groupingByEachCount\n *\n\n@SinceKotlin("1.1")\npublic actual fun <T, K>

```

```

Grouping<T, K>.eachCount(): Map<K, Int> =\n    fold(0) { acc, _ -> acc + 1 }\n\n/**\n * Groups elements from
the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each
group.\n * @return a [Map] associating the key of each group with the count of element in the group.\n
*\n @SinceKotlin("1.1")\npublic inline fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -> Int):
Map<K, Int> =\n    fold(0) { acc, e -> acc + valueSelector(e) }\n*/\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n
*\n @file:kotlin.jvm.JvmName("\GroupingKt")\n @file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.collections\n\n/**\n
* Represents a source of elements with a [keyOf] function, which can be applied to each element to get its key.\n
*\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n * they group elements by
their keys and then fold each group with some aggregating operation.\n * It is created by attaching `keySelector`:
(T) -> K` function to a source of elements.\n * To get an instance of [Grouping] use one of `groupingBy` extension
functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * - [Array.groupingBy]\n * -
[CharSequence.groupingBy]\n * For the list of group-and-fold operations available, see the [extension
functions](#extension-functions) for `Grouping`.\n *\n @SinceKotlin("1.1")\npublic interface Grouping<T, out K>
{\n    /** Returns an [Iterator] over the elements of the source of this grouping. *\n    fun sourceIterator():
Iterator<T>\n    /** Extracts the key of an [element]. *\n    fun keyOf(element: T): K\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group
sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the
results in a new map.\n * The key for each element is provided by the [Grouping.keyOf] function.\n * @param operation function is invoked on each element with the following parameters:\n * - `key`: the key of the
group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null`
if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n
* - `first`: indicates whether it's the first `element` encountered in the group.\n * @return a [Map] associating
the key of each group with the result of aggregation of the group elements.\n * @sample
samples.collections.Grouping.aggregateByRadix\n *\n @SinceKotlin("1.1")\npublic inline fun <T, K, R>
Grouping<T,
K>.aggregate(\n    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R): Map<K, R> {\n    return
aggregateTo(mutableMapOf<K, R>(), operation)\n}\n\n/**\n * Groups elements from the [Grouping] source by key
and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and
the current element as arguments,\n * and stores the results in the given [destination] map.\n * The key for each
element is provided by the [Grouping.keyOf] function.\n * @param operation a function that is invoked on each
element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * -
`accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element`
encountered in the group;\n * - `element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the
first `element` encountered in the group.\n * If the [destination] map
already has a value corresponding to some key,\n * then the elements being aggregated for that key are never
considered as `first`.\n * @return the [destination] map associating the key of each group with the result of
aggregation of the group elements.\n * @sample samples.collections.Grouping.aggregateByRadixTo\n
*\n @SinceKotlin("1.1")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T,
K>.aggregateTo(\n    destination: M,\n    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R): M
{\n    for (e in this.sourceIterator()) {\n        val key = keyOf(e)\n        val accumulator = destination[key]\n
destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))\n    }\n
return destination\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the
elements of each group sequentially,\n * passing the previously accumulated value and the current element as
arguments,

```

and stores the results in a new map.

- * An initial value of accumulator is provided by [initialValueSelector] function.
- * @param initialValueSelector a function that provides an initial value of accumulator for each group.
- * It's invoked with parameters:
 - * - `key`: the key of the group;
 - * - `element`: the first element being encountered in that group.
- * @param operation a function that is invoked on each element with the following parameters:
 - * - `key`: the key of the group this element belongs to;
 - * - `accumulator`: the current value of the accumulator of the group;
 - * - `element`: the element from the source being accumulated.
- * @return a [Map] associating the key of each group with the result of accumulating the group elements.
- * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue

```

*^@SinceKotlin("1.1")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n    initialValueSelector: (key: K, element: T) -> R,\n    operation: (key: K, accumulator: R, element: T) -> R): Map<K, R> =\n    @Suppress("UNCHECKED_CAST")\n    aggregate { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n * If the [destination] map already has a value corresponding to some key, that value is used as an initial value of\n * the accumulator for that group and the [initialValueSelector] function is not called for that group.\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo\n *^@SinceKotlin("1.1")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n    destination: M,\n    initialValueSelector: (key: K, element: T) -> R,\n    operation: (key: K, accumulator: R, element: T) -> R): M =\n    @Suppress("UNCHECKED_CAST")\n    aggregateTo(destination) { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is the same [initialValue] for each group.\n * @param operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue\n *^@SinceKotlin("1.1")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n    initialValue: R,\n    operation: (accumulator: R, element: T) -> R): Map<K, R> =\n    @Suppress("UNCHECKED_CAST")\n    aggregate { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the same [initialValue] for each group.\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the accumulator for that group.\n * @param operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo\n *^@SinceKotlin("1.1")\npublic

```

```

inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n destination: M,\n initialValue: R,\n operation: (accumulator: R, element: T) -> R)\n: M =\n @Suppress("UNCHECKED_CAST")\n aggregateTo(destination) { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in a new map.\n * An initial value of accumulator is the first element of the group.\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n */\n\n@sample samples.collections.Grouping.reduceByMaxVowels\n\n*\n\n@SinceKotlin("1.1")\npublic inline fun <S, T : S, K> Grouping<T, K>.reduce(\n operation: (key: K, accumulator: S, element: T) -> S)\n: Map<K, S> =\n aggregate { key, acc, e, first ->\n @Suppress("UNCHECKED_CAST")\n if (first) e else operation(key, acc as S, e)\n }\n\n/**\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the first element of the group.\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the accumulator for that group and the first element of that group is also\n * subjected to the [operation].\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being folded;\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n */\n\n@sample samples.collections.Grouping.reduceByMaxVowelsTo\n\n*\n\n@SinceKotlin("1.1")\npublic inline fun <S, T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(\n destination: M,\n operation: (key: K, accumulator: S, element: T) -> S)\n: M =\n aggregateTo(destination) { key, acc, e, first ->\n @Suppress("UNCHECKED_CAST")\n if (first) e else operation(key, acc as S, e)\n }\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements in each group to the given [destination] map.\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the counter for that group.\n * @return the [destination] map associating the key of each group with the count of elements in the group.\n */\n\n@sample samples.collections.Grouping.groupingByEachCount\n\n*\n\n@SinceKotlin("1.1")\npublic fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =\n foldTo(destination, 0) { acc, _ -> acc + 1 }\n\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group\n * to the given [destination] map.\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the sum for that group.\n * @return the [destination] map associating the key of each group with the sum of elements in the group.\n */\n\n*\n\n@SinceKotlin("1.1")\npublic inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\n foldTo(destination, 0) { acc, e -> acc + valueSelector(e) }\n\n*\n\n*\n\n// TODO: sum by long and by double overloads\n\npublic inline fun <T, K, M : MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M =\n foldTo(destination, 0L) { acc, e -> acc + valueSelector(e) }\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n fold(0L) { acc, e -> acc + valueSelector(e) }\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T, K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\n foldTo(destination, 0.0) { acc, e -> acc + valueSelector(e) }\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) -> Double):

```

```

Map<K, Double> =\n    fold(0.0) { acc, e -> acc + valueSelector(e)}\n*/\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js\n\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY)\ninternal annotation class JsNativeImplementation(val implementation:
String)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.js\n\n/**\n * An interface for indexing access to a collection of key-value pairs, where type of
key is [String] and type of value is [Any?][Any].\n */\n\npublic external interface Json {\n    /**\n     * Calls to the
function will be translated to indexing operation (square
brackets) on the receiver with [propertyName] as the argument.\n     *\n     * E.g. for next code:\n     * ```kotlin\n
* fun test(j: Json, p: String) = j["prop"] + j.get(p)\n     * ```\n     *\n     * will be generated:\n     * ```js\n
* function test(j, p) {\n     *     return j["prop"] + j[p];\n     * }\n     * ```\n     *\n     */\n     * operator fun get(propertyName:
String): Any?\n     *\n     * Calls of the function will be translated to an assignment of [value] to the receiver
indexed (with square brackets/index operation) with [propertyName].\n     *\n     * E.g. for the following code:\n     *
```kotlin\n     * fun test(j: Json, p: String, newValue: Any) {\n     *     j["prop"] = 1\n     *     j.set(p, newValue)\n
 * }\n * ```\n *\n * will be generated:\n * ```js\n * function test(j, p, newValue) {\n * j["prop"] =
1;\n * j[p] = newValue;\n * }\n * }\n * ```\n *\n */\n * operator fun set(propertyName: String, value:
Any?): Unit\n}\n\n/**\n * Returns a simple JavaScript object (as [Json]) using provided key-value pairs as names
and values of its properties.\n */\n\npublic fun json(vararg pairs: Pair<String, Any?>): Json {\n val res: dynamic =
js("{}")\n for ((name, value) in pairs) {\n res[name] = value\n }\n return res\n}\n\n/**\n * Adds key-
value pairs from [other] to [this].\n */\n\npublic fun Json.add(other: Json): Json {\n val keys: Array<String> = js("Object").keys(other)\n for (key in keys) {\n if
(other.asDynamic().hasOwnProperty(key)) {\n this[key] = other[key];\n }\n }\n return
this\n}\n\n/**\n * Exposes the JavaScript [JSON object](https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\n
*/\n\n@Suppress("NOT_DOCUMENTED")\npublic external object JSON {\n public fun stringify(o: Any?):
String\n public fun stringify(o: Any?, replacer: ((key: String,
value: Any?) -> Any?): String)\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? =
definedExternally, space: Int): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) ->
Any?)? = definedExternally, space: String): String\n public fun stringify(o: Any?, replacer: Array<String>):
String\n public fun stringify(o: Any?, replacer: Array<String>, space: Int): String\n public fun stringify(o: Any?,
replacer: Array<String>, space: String): String\n\n public fun <T> parse(text: String): T\n public fun <T>
parse(text: String, reviver: ((key: String, value: Any?) -> Any?): T)\n}\n","/*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.math\n\nimport
kotlin.internal.InlineOnly\nimport kotlin.js.JsMath as nativeMath\n\n// region =====
Double Math =====\n\n/**\n * Computes the sine of the angle [x]
given in radians.\n */\n\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n
*/\n\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Double): Double =
nativeMath.sin(x)\n\n/**\n * Computes the cosine of the angle [x] given in radians.\n */\n\n * Special cases:\n * -
`cos(NaN|+Inf|-Inf)` is `NaN`\n */\n\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cos(x: Double):
Double = nativeMath.cos(x)\n\n/**\n * Computes the tangent of the angle [x] given in radians.\n */\n\n * Special cases:\n
* - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tan(x:
Double): Double = nativeMath.tan(x)\n\n/**\n * Computes the arc sine of the value [x];\n */\n\n * the returned value is an
angle in the range from `-PI/2` to `PI/2` radians.\n */\n\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1`
or x is `NaN`\n */\n\n@SinceKotlin("1.2")\n@InlineOnly\npublic

```

actual inline fun asin(x: Double): Double = nativeMath.asin(x)\n\n/\*\*\n \* Computes the arc cosine of the value [x].\n \* the returned value is an angle in the range from `0.0` to `PI` radians.\n \* Special cases:\n \* - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acos(x: Double): Double = nativeMath.acos(x)\n\n/\*\*\n \* Computes the arc tangent of the value [x].\n \* the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n \* Special cases:\n \* - `atan(NaN)` is `NaN`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan(x: Double): Double = nativeMath.atan(x)\n\n/\*\*\n \* Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n \* to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x].\n \* the returned value is an angle in the range from `-PI` to `PI` radians.\n \* Special cases:\n \* - `atan2(0.0, 0.0)` is `0.0`\n \* - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n \* - `atan2(-0.0, x)` is `-0.0` for `x > 0` and `-PI` for `x < 0`\n \* - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for `-Inf < y < 0`\n \* - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n \* - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n \* - `atan2(+Inf, x)` is `PI/2` for finite `x`\n \* - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n \* - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan2(y: Double, x: Double): Double = nativeMath.atan2(y, x)\n\n/\*\*\n \* Computes the hyperbolic sine of the value [x].\n \* Special cases:\n \* - `sinh(NaN)` is `NaN`\n \* - `sinh(+Inf)` is `+Inf`\n \* - `sinh(-Inf)` is `-Inf`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sinh(x: Double): Double = nativeMath.sinh(x)\n\n/\*\*\n \* Computes the hyperbolic cosine of the value [x].\n \* Special cases:\n \* - `cosh(NaN)` is `NaN`\n \* - `cosh(+Inf|-Inf)` is `+Inf`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cosh(x: Double): Double = nativeMath.cosh(x)\n\n/\*\*\n \* Computes the hyperbolic tangent of the value [x].\n \* Special cases:\n \* - `tanh(NaN)` is `NaN`\n \* - `tanh(+Inf)` is `1.0`\n \* - `tanh(-Inf)` is `-1.0`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tanh(x: Double): Double = nativeMath.tanh(x)\n\n/\*\*\n \* Computes the inverse hyperbolic sine of the value [x].\n \* The returned value is `y` such that `sinh(y) == x`.\n \* Special cases:\n \* - `asinh(NaN)` is `NaN`\n \* - `asinh(+Inf)` is `+Inf`\n \* - `asinh(-Inf)` is `-Inf`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asinh(x: Double): Double = nativeMath.asinh(x)\n\n/\*\*\n \* Computes the inverse hyperbolic cosine of the value [x].\n \* The returned value is positive `y` such that `cosh(y) == x`.\n \* Special cases:\n \* - `acosh(NaN)` is `NaN`\n \* - `acosh(x)` is `NaN` when `x < 1`\n \* - `acosh(+Inf)` is `+Inf`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acosh(x: Double): Double = nativeMath.acosh(x)\n\n/\*\*\n \* Computes the inverse hyperbolic tangent of the value [x].\n \* The returned value is `y` such that `tanh(y) == x`.\n \* Special cases:\n \* - `tanh(NaN)` is `NaN`\n \* - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n \* - `tanh(1.0)` is `+Inf`\n \* - `tanh(-1.0)` is `-Inf`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atanh(x: Double): Double = nativeMath.atanh(x)\n\n/\*\*\n \* Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n \* Special cases:\n \* - returns `+Inf` if any of arguments is infinite\n \* - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun hypot(x: Double, y: Double): Double = nativeMath.hypot(x, y)\n\n/\*\*\n \* Computes the positive square root of the value [x].\n \* Special cases:\n \* - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sqrt(x: Double): Double = nativeMath.sqrt(x)\n\n/\*\*\n \* Computes Euler's number `e` raised to the power of the value [x].\n \* Special cases:\n \* - `exp(NaN)` is `NaN`\n \* - `exp(+Inf)` is `+Inf`\n \* - `exp(-Inf)` is `0.0`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun exp(x: Double): Double = nativeMath.exp(x)\n\n/\*\*\n \* Computes `exp(x) - 1`.\n \* This function can be implemented to produce more precise result for [x] near zero.\n \* Special cases:\n \* - `expm1(NaN)` is `NaN`\n \* - `expm1(+Inf)` is `+Inf`\n \* - `expm1(-Inf)` is `-1.0`\n \* @see [exp] function.\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun expm1(x: Double): Double = nativeMath.expm1(x)\n\n/\*\*\n \* Computes the logarithm of the

value [x] to the given [base].  
Special cases:  
 $\log(x, b)$  is NaN if either  $x$  or  $b$  are NaN  
 $\log(x, b)$  is NaN when  $x < 0$  or  $b \leq 0$  or  $b == 1.0$   
 $\log(+Inf, +Inf)$  is NaN  
 $\log(+Inf, b)$  is  $+Inf$  for  $b > 1$  and  $-Inf$  for  $b < 1$   
 $\log(0.0, b)$  is  $-Inf$  for  $b > 1$  and  $+Inf$  for  $b < 1$   
See also logarithm functions for common fixed bases: [ln], [log10] and [log2].

```

public actual fun log(x: Double, base: Double): Double {
 if (base <= 0.0 || base == 1.0) return Double.NaN
 return nativeMath.log(x) / nativeMath.log(base)
}

```

Computes the natural logarithm (base  $E$ ) of the value [x].  
Special cases:  
 $\ln(NaN)$  is NaN  
 $\ln(x)$  is NaN when  $x < 0.0$   
 $\ln(+Inf)$  is  $+Inf$   
 $\ln(0.0)$  is  $-Inf$

```

public actual inline fun ln(x: Double): Double =
 nativeMath.log(x)

```

Computes the common logarithm (base 10) of the value [x].  
@see [ln] function for special cases.

```

public actual inline fun log10(x: Double): Double =
 nativeMath.log10(x)

```

Computes the binary logarithm (base 2) of the value [x].  
@see [ln] function for special cases.

```

public actual inline fun log2(x: Double): Double =
 nativeMath.log2(x)

```

Computes  $\ln(x + 1)$ .  
This function can be implemented to produce more precise result for [x] near zero.  
Special cases:  
 $\ln1p(NaN)$  is NaN  
 $\ln1p(x)$  is NaN where  $x < -1.0$   
 $\ln1p(-1.0)$  is  $-Inf$   
 $\ln1p(+Inf)$  is  $+Inf$   
@see [ln] function  
@see [expm1] function

```

public actual inline fun ln1p(x: Double): Double =
 nativeMath.log1p(x)

```

Rounds the given value [x] to an integer towards positive infinity.  
@return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.

Special cases:  
 $\text{ceil}(x)$  is  $x$  where  $x$  is NaN or  $+Inf$  or  $-Inf$  or already a mathematical integer.

```

public actual inline fun ceil(x: Double): Double =
 nativeMath.ceil(x)

```

Rounds the given value [x] to an integer towards negative infinity.  
@return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.

Special cases:  
 $\text{floor}(x)$  is  $x$  where  $x$  is NaN or  $+Inf$  or  $-Inf$  or already a mathematical integer.

```

public actual inline fun floor(x: Double): Double =
 nativeMath.floor(x)

```

Rounds the given value [x] to an integer towards zero.  
@return the value [x] having its fractional part truncated.

Special cases:  
 $\text{truncate}(x)$  is  $x$  where  $x$  is NaN or  $+Inf$  or  $-Inf$  or already a mathematical integer.

```

public actual inline fun truncate(x: Double): Double =
 nativeMath.trunc(x)

```

Rounds the given value [x] towards the closest integer with ties rounded towards even integer.

Special cases:  
 $\text{round}(x)$  is  $x$  where  $x$  is NaN or  $+Inf$  or  $-Inf$  or already a mathematical integer.

```

public actual fun round(x: Double): Double {
 if (x % 0.5 != 0.0) {
 return nativeMath.round(x)
 }
 val floor = floor(x)
 return if (floor % 2 == 0.0) floor else
 ceil(x)
}

```

Returns the absolute value of the given value [x].  
Special cases:  
 $\text{abs}(NaN)$  is NaN  
@see absoluteValue extension property for [Double]

```

public actual inline fun abs(x: Double): Double =
 nativeMath.abs(x)

```

Returns the sign of the given value [x]:  
 $-1.0$  if the value is negative,  
zero if the value is zero,  
 $1.0$  if the value is positive

Special case:  
 $\text{sign}(NaN)$  is NaN

```

public actual inline fun sign(x: Double): Double =
 nativeMath.sign(x)

```

Returns the smaller of two values.  
If either value is NaN, then the result is NaN.

```

public actual inline fun min(a: Double, b: Double): Double =
 nativeMath.min(a, b)

```

Returns the greater of two values.  
If either value is NaN, then the result is NaN.

```

public actual inline fun max(a: Double, b: Double): Double =
 nativeMath.max(a, b)

```

extensions  
Raises this value to the power [x].  
Special cases:  
 $b.\text{pow}(0.0)$  is  $1.0$   
 $b.\text{pow}(1.0) == b$   
 $b.\text{pow}(NaN)$  is NaN  
 $\text{NaN}.\text{pow}(x)$  is NaN for  $x != 0.0$   
 $b.\text{pow}(Inf)$  is NaN for  $\text{abs}(b) == 1.0$   
 $b.\text{pow}(x)$  is NaN for  $b < 0$  and  $x$  is finite and not

```

an integer\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic
 actual inline fun Double.pow(x: Double): Double = nativeMath.pow(this, x)\n\n/**\n * Raises this value to the
integer power [n].\n *\n * See the other overload of [pow] for details.\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Double.pow(n: Int): Double =
 nativeMath.pow(this, n.toDouble())\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * -
`NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual
inline val Double.absoluteValue: Double get() = nativeMath.abs(this)\n\n/**\n * Returns the sign of this value:\n *
- `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special
case:\n * - `NaN.sign` is `NaN`\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Double.sign:
Double get() = nativeMath.sign(this)\n\n/**\n * Returns this value with the sign bit same as
of the [sign] value.\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Double.withSign(sign: Int):
Double = this.withSign(sign.toDouble())\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n *\n * An
ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n *\n * Special
Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n * - `0.0.ulp` is
`Double.MIN_VALUE`\n *\n@SinceKotlin("1.2")\npublic actual val Double.ulp: Double get() = when {\n this
< 0 -> (-this).ulp\n this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n this ==
Double.MAX_VALUE -> this - this.nextDown()\n else -> this.nextUp() - this\n}\n\n/**\n * Returns the [Double]
value nearest to this value in direction of positive infinity.\n *\n@SinceKotlin("1.2")\npublic actual fun
Double.nextUp(): Double = when {\n this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n this == 0.0
-> Double.MIN_VALUE\n else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)\n}\n\n/**\n *
Returns the [Double] value nearest to this value in direction of negative infinity.\n
*\n@SinceKotlin("1.2")\npublic actual fun Double.nextDown(): Double = when {\n this.isNaN() || this ==
Double.NEGATIVE_INFINITY -> this\n this == 0.0 -> -Double.MIN_VALUE\n else ->
Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)\n}\n\n/**\n * Returns the [Double] value nearest to this
value in direction from this value towards the value [to].\n *\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if
either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n *\n@SinceKotlin("1.2")\npublic actual fun
Double.nextTowards(to: Double): Double = when {\n this.isNaN() || to.isNaN() -> Double.NaN\n to == this ->
to\n to > this -> this.nextUp()\n else /* to < this */ -> this.nextDown()\n}\n\n/**\n * Rounds this [Double]
value to the nearest integer and
converts the result to [Int].\n *\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * -
`x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE`
when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n
*\n@SinceKotlin("1.2")\npublic actual fun Double.roundToInt(): Int = when {\n this.isNaN() -> throw
IllegalArgumentException("Cannot round NaN value.")\n this > Int.MAX_VALUE -> Int.MAX_VALUE\n this <
Int.MIN_VALUE -> Int.MIN_VALUE\n else -> nativeMath.round(this).toInt()\n}\n\n/**\n * Rounds this
[Double] value to the nearest integer and converts the result to [Long].\n *\n * Ties are rounded towards positive
infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x >
Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n *
@throws IllegalArgumentException when this value is `NaN`\n *\n@SinceKotlin("1.2")\npublic
actual fun Double.roundToLong(): Long = when {\n this.isNaN() -> throw IllegalArgumentException("Cannot round
NaN value.")\n this > Long.MAX_VALUE -> Long.MAX_VALUE\n this < Long.MIN_VALUE ->
Long.MIN_VALUE\n else -> nativeMath.round(this).toLong()\n}\n\n// endregion\n\n// region
==== Float Math ====
\n\n/**\n * Computes the
sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Float): Float =
 nativeMath.sin(x.toDouble()).toFloat()\n\n/**\n * Computes the cosine of the angle [x] given in radians.\n *\n * Special
cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun
cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()\n\n/**\n * Computes the tangent of the angle [x] given in

```

radians.  
`* Special cases:  $\tan(\text{NaN}|\pm\text{Inf}-\text{Inf})$  is  $\text{NaN}$`   
`*  
actual inline fun tan(x: Float): Float = nativeMath.tan(x.toDouble()).toFloat()  
* Computes the arc sine of the value [x]; the returned value is an angle in the range from  $-\text{PI}/2$  to  $\text{PI}/2$  radians.  
* Special cases:  $\sin(x)$  is  $\text{NaN}$ , when  $|\text{abs}(x)| > 1$  or x is  $\text{NaN}$   
*  
actual inline fun asin(x: Float): Float = nativeMath.asin(x.toDouble()).toFloat()  
* Computes the arc cosine of the value [x]; the returned value is an angle in the range from  $0.0$  to  $\text{PI}$  radians.  
* Special cases:  $\cos(x)$  is  $\text{NaN}$ , when  $|\text{abs}(x)| > 1$  or x is  $\text{NaN}$   
*  
actual inline fun acos(x: Float): Float = nativeMath.acos(x.toDouble()).toFloat()  
* Computes the arc tangent of the value [x]; the returned value is an angle in the range from  $-\text{PI}/2$  to  $\text{PI}/2$  radians.  
* Special cases:  $\tan(\text{NaN})$  is  $\text{NaN}$   
*  
actual inline fun atan(x: Float): Float = nativeMath.atan(x.toDouble()).toFloat()  
* Returns the angle  $\theta$  of the polar coordinates  $(r, \theta)$  that correspond to the rectangular coordinates  $(x, y)$  by computing the arc tangent of the value  $y / x$ ; the returned value is an angle in the range from  $-\text{PI}$  to  $\text{PI}$  radians.  
* Special cases:  $\text{atan2}(0.0, 0.0)$  is  $0.0$   
*  $\text{atan2}(0.0, x)$  is  $0.0$  for  $x > 0$  and  $\text{PI}$  for  $x < 0$   
*  $\text{atan2}(-0.0, x)$  is  $-0.0$  for  $x > 0$  and  $-\text{PI}$  for  $x < 0$   
*  $\text{atan2}(y, +\text{Inf})$  is  $0.0$  for  $0 < y < +\text{Inf}$  and  $-0.0$  for  $-\text{Inf} < y < 0$   
*  $\text{atan2}(y, -\text{Inf})$  is  $\text{PI}$  for  $0 < y < +\text{Inf}$  and  $-\text{PI}$  for  $-\text{Inf} < y < 0$   
*  $\text{atan2}(y, 0.0)$  is  $\text{PI}/2$  for  $y > 0$  and  $-\text{PI}/2$  for  $y < 0$   
*  $\text{atan2}(+\text{Inf}, x)$  is  $\text{PI}/2$  for finite  $x$   
*  $\text{atan2}(-\text{Inf}, x)$  is  $-\text{PI}/2$  for finite  $x$   
*  $\text{atan2}(\text{NaN}, x)$  and  $\text{atan2}(y, \text{NaN})$  is  $\text{NaN}$   
*  
actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()  
* Computes the hyperbolic sine of the value [x].  
* Special cases:  $\sinh(\text{NaN})$  is  $\text{NaN}$   
*  $\sinh(+\text{Inf})$  is  $+\text{Inf}$   
*  $\sinh(-\text{Inf})$  is  $-\text{Inf}$   
*  
actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()  
* Computes the hyperbolic cosine of the value [x].  
* Special cases:  $\cosh(\text{NaN})$  is  $\text{NaN}$   
*  $\cosh(+\text{Inf}-\text{Inf})$  is  $+\text{Inf}$   
*  
actual inline fun cosh(x: Float): Float = nativeMath.cosh(x.toDouble()).toFloat()  
* Computes the hyperbolic tangent of the value [x].  
* Special cases:  $\tanh(\text{NaN})$  is  $\text{NaN}$   
*  $\tanh(+\text{Inf})$  is  $1.0$   
*  $\tanh(-\text{Inf})$  is  $-1.0$   
*  
actual inline fun tanh(x: Float): Float = nativeMath.tanh(x.toDouble()).toFloat()  
* Computes the inverse hyperbolic sine of the value [x].  
* The returned value is  $y$  such that  $\sinh(y) == x$ .  
* Special cases:  $\text{asinh}(\text{NaN})$  is  $\text{NaN}$   
*  $\text{asinh}(+\text{Inf})$  is  $+\text{Inf}$   
*  $\text{asinh}(-\text{Inf})$  is  $-\text{Inf}$   
*  
actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()  
* Computes the inverse hyperbolic cosine of the value [x].  
* The returned value is positive  $y$  such that  $\cosh(y) == x$ .  
* Special cases:  $\text{acosh}(\text{NaN})$  is  $\text{NaN}$   
*  $\text{acosh}(x)$  is  $\text{NaN}$  when  $x < 1$   
*  $\text{acosh}(+\text{Inf})$  is  $+\text{Inf}$   
*  
actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()  
* Computes the inverse hyperbolic tangent of the value [x].  
* The returned value is  $y$  such that  $\tanh(y) == x$ .  
* Special cases:  $\text{atanh}(\text{NaN})$  is  $\text{NaN}$   
*  $\text{atanh}(x)$  is  $\text{NaN}$  when  $x > 1$  or  $x < -1$   
*  $\text{atanh}(1.0)$  is  $+\text{Inf}$   
*  $\text{atanh}(-1.0)$  is  $-\text{Inf}$   
*  
actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat()  
* Computes  $\sqrt{x^2 + y^2}$  without intermediate overflow or underflow.  
* Special cases: returns  $+\text{Inf}$  if any of arguments is infinite  
* returns  $\text{NaN}$  if any of arguments is  $\text{NaN}$  and the other is not infinite  
*  
actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()  
* Computes the positive square root of the value [x].  
* Special cases:  $\sqrt{x}$  is  $\text{NaN}$  when  $x < 0$  or  $x$  is  $\text{NaN}$   
*  
actual inline fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat()  
* Computes Euler's number  $e$  raised to the power of the value`

[x].  
 \* Special cases:  
 -  $\exp(\text{NaN})$  is  $\text{NaN}$   
 -  $\exp(+\infty)$  is  $+\infty$   
 -  $\exp(-\infty)$  is  $0.0$   
 \* Computes  $\exp(x) - 1$ .  
 \* This function can be implemented to produce more precise result for [x] near zero.  
 \* Special cases:  
 -  $\expm1(\text{NaN})$  is  $\text{NaN}$   
 -  $\expm1(+\infty)$  is  $+\infty$   
 -  $\expm1(-\infty)$  is  $-1.0$   
 \* @see [exp] function.  
 \*  
 \*  
 \* Computes the logarithm of the value [x] to the given [base].  
 \* Special cases:  
 -  $\log(x, b)$  is  $\text{NaN}$  if either  $x$  or  $b$  are  $\text{NaN}$   
 -  $\log(x, b)$  is  $\text{NaN}$  when  $x < 0$  or  $b \leq 0$  or  $b == 1.0$   
 -  $\log(+\infty, +\infty)$  is  $\text{NaN}$   
 -  $\log(+\infty, b)$  is  $+\infty$  for  $b > 1$  and  $-\infty$  for  $b < 1$   
 -  $\log(0.0, b)$  is  $-\infty$  for  $b > 1$  and  $+\infty$  for  $b > 1$   
 \* See also logarithm functions for common fixed bases: [ln], [log10] and [log2].  
 \*  
 \* Computes the natural logarithm (base  $E$ ) of the value [x].  
 \* Special cases:  
 -  $\ln(\text{NaN})$  is  $\text{NaN}$   
 -  $\ln(x)$  is  $\text{NaN}$  when  $x < 0.0$   
 -  $\ln(+\infty)$  is  $+\infty$   
 -  $\ln(0.0)$  is  $-\infty$   
 \*  
 \* Computes the common logarithm (base 10) of the value [x].  
 \* @see [ln] function for special cases.  
 \*  
 \* Computes the binary logarithm (base 2) of the value [x].  
 \* @see [ln] function for special cases.  
 \*  
 \* Computes  $\ln(a + 1)$ .  
 \* This function can be implemented to produce more precise result for [x] near zero.  
 \* Special cases:  
 -  $\ln1p(\text{NaN})$  is  $\text{NaN}$   
 -  $\ln1p(x)$  is  $\text{NaN}$  where  $x < -1.0$   
 -  $\ln1p(-1.0)$  is  $-\infty$   
 -  $\ln1p(+\infty)$  is  $+\infty$   
 \* @see [ln] function  
 \* @see [expm1] function  
 \*  
 \* Rounds the given value [x] to an integer towards positive infinity.  
 \* @return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.  
 \* Special cases:  
 -  $\text{ceil}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\infty$  or  $-\infty$  or already a mathematical integer.  
 \*  
 \* Rounds the given value [x] to an integer towards negative infinity.  
 \* @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.  
 \* Special cases:  
 -  $\text{floor}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\infty$  or  $-\infty$  or already a mathematical integer.  
 \*  
 \* Rounds the given value [x] to an integer towards zero.  
 \* @return the value [x] having its fractional part truncated.  
 \* Special cases:  
 -  $\text{truncate}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\infty$  or  $-\infty$  or already a mathematical integer.  
 \*  
 \* Rounds the given value [x] towards the closest integer with ties rounded towards even integer.  
 \* Special cases:  
 -  $\text{round}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\infty$  or  $-\infty$  or already a mathematical integer.  
 \*  
 \* Returns the absolute value of the given value [x].  
 \* Special cases:  
 -  $\text{abs}(\text{NaN})$  is  $\text{NaN}$   
 \* @see absoluteValue extension property for [Float]  
 \*  
 \* Returns the sign of the given value [x]:  
 -  $-1.0$  if the value is negative,  
 - zero if the value is zero,  
 -  $1.0$  if the value is positive  
 \* Special case:  
 -  $\text{sign}(\text{NaN})$  is  $\text{NaN}$   
 \*  
 \* Returns the smaller of two values.  
 \* If either value is  $\text{NaN}$ , then the result is  $\text{NaN}$ .



```

*\n@SinceKotlin("1.2")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun min(a: Long, b:
Long):
Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.2")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun max(a: Long, b:
Long): Long = if (a >= b) a else b\n\n/**\n * Returns the absolute value of this value.\n * \n * Special cases:\n * -
`Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n * \n * @see abs function\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Long.absoluteValue: Long get() =
abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n
* - `1` if the value is positive\n
*\n@SinceKotlin("1.2")\npublic actual val Long.sign: Int get() = when {\n this
< 0 -> -1\n this > 0 -> 1\n else -> 0}\n\n// endregion\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt
file.\n *\n\npackage kotlin\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value,
`false` otherwise.\n
*\npublic actual fun Double.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if the
specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n
*\npublic actual fun Float.isNaN():
Boolean = this != this\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n
*\npublic actual fun
Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this ==
Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n
*\npublic
actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this ==
Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns
`false` otherwise (for `NaN` and infinity arguments).\n
*\npublic actual fun Double.isFinite(): Boolean =
!isInfinite() && !isNaN()\n\n/**\n *
Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity
arguments).\n
*\npublic actual fun Float.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n\n/**\n * Counts the
number of set bits in the binary representation of this [Int] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.countOneBits(): Int {\n // Hacker's Delight 5-1 algorithm\n var v = this\n v = (v and 0x55555555) +
(v.ushr(1) and 0x55555555)\n v = (v and 0x33333333) + (v.ushr(2) and 0x33333333)\n v = (v and 0x0F0F0F0F)
+ (v.ushr(4) and 0x0F0F0F0F)\n v = (v and 0x00FF00FF) + (v.ushr(8) and 0x00FF00FF)\n v = (v and
0x0000FFFF) + (v.ushr(16))\n return v}\n\n/**\n * Counts the number of consecutive most significant bits that
are zero in the binary representation of this [Int] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c
actual inline fun Int.countLeadingZeroBits(): Int = JsMath.clz32(this)\n\n/**\n * Counts the number of consecutive
least significant bits that are zero in the binary representation of this [Int] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.countTrailingZeroBits(): Int =\n // Hacker's Delight 5-4 algorithm for expressing countTrailingZeroBits with
countLeadingZeroBits\n Int.SIZE_BITS - (this or -this).inv().countLeadingZeroBits()\n\n/**\n * Returns a
number having a single bit set in the position of the most significant set bit of this [Int] number,\n * or zero, if this
number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.takeHighestOneBit(): Int =\n if (this == 0) 0 else 1.shl(Int.SIZE_BITS - 1 - countLeadingZeroBits())\n\n/**\n *
Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\n *
or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.takeLowestOneBit(): Int =\n // Hacker's Delight 2-1 algorithm for isolating rightmost 1-bit\n this and -
this\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of
bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the
right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit

```

```

count: Int * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [Int.SIZE_BITS] (32)
returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.rotateLeft(bitCount: Int): Int =\n shl(bitCount) or ushr(Int.SIZE_BITS - bitCount)\n\n/>\n\n*\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The
least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n
*\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.rotateRight(bitCount: Int): Int =\n shl(Int.SIZE_BITS - bitCount) or ushr(bitCount)\n\n/>\n\n/>\n * Counts the
number of set bits in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countOneBits(): Int =\n high.countOneBits() + low.countOneBits()\n\n/>\n\n/>\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long]
number.\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countLeadingZeroBits(): Int =\n when (val high = this.high) {\n 0 -> Int.SIZE_BITS +
low.countLeadingZeroBits()\n else -> high.countLeadingZeroBits()\n }\n\n/>\n\n/>\n * Counts the number of
consecutive least significant bits that are zero in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countTrailingZeroBits(): Int =\n when (val low = this.low) {\n 0 -> Int.SIZE_BITS +
high.countTrailingZeroBits()\n else -> low.countTrailingZeroBits()\n }\n\n/>\n\n/>\n * Returns a number having a
single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is
zero.\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
actual fun Long.takeHighestOneBit(): Long =\n when (val high = this.high) {\n 0 ->
Long(low.takeHighestOneBit(), 0)\n else -> Long(0, high.takeHighestOneBit())\n }\n\n/>\n\n/>\n * Returns a
number having a single bit set in the position of the least significant set bit of this [Long] number,\n * or zero, if this
number is zero.\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.takeLowestOneBit(): Long =\n when (val low = this.low) {\n 0 -> Long(0, high.takeLowestOneBit())\n
 else -> Long(low.takeLowestOneBit(), 0)\n }\n\n/>\n\n/>\n * Rotates the binary representation of this [Long]
number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side
reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit
count is the same as
rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by
a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 64)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.rotateLeft(bitCount: Int): Long {\n if ((bitCount and 31) != 0) {\n val low = this.low\n val high =
this.high\n val newLow = low.shl(bitCount) or high.ushr(-bitCount)\n val newHigh = high.shl(bitCount) or
low.ushr(-bitCount)\n return if ((bitCount and 32) == 0) Long(newLow, newHigh) else Long(newHigh,
newLow)\n } else {\n return if ((bitCount and 32) == 0) this else Long(high, low)\n }\n\n/>\n\n/>\n *
Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The
least significant bits pushed out from the right side reenter the number as the
most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as
rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a
multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) ==
number.rotateRight(n % 64)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic

```

```

c actual inline fun Long.rotateRight(bitCount: Int): Long = rotateLeft(-bitCount)\n", "/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport
kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Exposes the JavaScript [Promise
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n
*/\n\n@Suppress("NOT_DOCUMENTED")\n\npublic open external class Promise<out T>(executor: (resolve: (T) ->
Unit, reject: (Throwable) -> Unit) -> Unit) {\n @LowPriorityInOverloadResolution\n public open fun <S>
then(onFulfilled: ((T) -> S)?): Promise<S>\n\n @LowPriorityInOverloadResolution\n public open fun <S>
then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n public open fun <S>
catch(onRejected: (Throwable) -> S): Promise<S>\n\n public open fun finally(onFinally: () -> Unit):
Promise<T>\n\n companion object {\n public fun <S> all(promise: Array<out Promise<S>>):
Promise<Array<out S>>\n\n public fun <S> race(promise: Array<out Promise<S>>): Promise<S>\n\n public fun reject(e: Throwable): Promise<Nothing>\n\n public fun <S> resolve(e: S): Promise<S>\n\n public
fun <S> resolve(e: Promise<S>): Promise<S>\n }\n}\n\n// It's workaround for KT-19672 since we can fix it
properly until KT-11265 isn't fixed.\n\ninline
fun <T, S> Promise<Promise<T>>.then(\n noinline onFulfilled: ((T) -> S)?\n): Promise<S> {\n return
this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n noinline
onFulfilled: ((T) -> S)?,\n noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n return
this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport
kotlin.math.pow\n\ninternal actual fun defaultPlatformRandom(): Random =\n Random(js("Math.random() *
Math.pow(2, 32)) | 0").unsafeCast<Int>())\n\nprivate val INV_2_26: Double = 2.0.pow(-26)\n\nprivate val
INV_2_53: Double = 2.0.pow(-53)\n\ninternal actual fun doubleFromParts(hi26: Int, low27: Int): Double =\n hi26 *
INV_2_26 + low27 * INV_2_53", "/*\n
* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.reflect\n\nimport findAssociatedObject\n\n/**\n * The experimental marker for associated objects API.\n *
*/\n * Any usage of a declaration annotated with `@ExperimentalAssociatedObjects` must be accepted either by\n *
annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalAssociatedObjects::class)`,\n * or by
using the compiler argument `-opt-in=kotlin.reflect.ExperimentalAssociatedObjects`. \n */\n\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n\n@Retention(value = AnnotationRetention.BINARY)\n\npublic annotation class
ExperimentalAssociatedObjects\n\n/**\n * Makes the annotated annotation class an associated object key.\n *
*/\n * An associated object key annotation should have single [KClass] parameter.\n * When applied to a class with
reference
to an object declaration as an argument, it binds\n * the object to the class, making this binding discoverable at
runtime using [findAssociatedObject].\n
*/\n\n@ExperimentalAssociatedObjects\n\n@Retention(AnnotationRetention.BINARY)\n\n@Target(AnnotationTarget.A
NNOTATION_CLASS)\n\npublic annotation class AssociatedObjectKey\n\n/**\n * If [T] is an
@[AssociatedObjectKey]-annotated annotation class and [this] class is annotated with @[T] (`S::class`),\n * returns
object `S`. \n * Otherwise returns `null`. \n */\n\n@ExperimentalAssociatedObjects\n\npublic inline fun <reified T :
Annotation> KClass<*>.findAssociatedObject(): Any? =\n this.findAssociatedObject(T::class)", "/*\n * Copyright
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport
getKClass\n\nimport kotlin.reflect.KClass\n\nimport kotlin.reflect.js.internal.KClassImpl\n\n/**\n
*/\n * Represents the constructor of a class. Instances of `JsClass` can be passed to JavaScript APIs that expect a
constructor reference.\n */\n\nexternal interface JsClass<T : Any> {\n /**\n * Returns the unqualified name of the
class represented by this instance.\n */\n val name: String\n}\n\n/**\n * Obtains a constructor reference for the

```

```

given `KClass`.n */nval <T : Any> KClass<T>.js: JsClass<T>\n get() = (this as KClassImpl<T>).jClass\n\n/*\n
* Obtains a `KClass` instance for the given constructor reference.\n */nval <T : Any> JsClass<T>.kotlin:
KClass<T>\n get() = getKClass(this)\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal abstract
class KClassImpl<T : Any>(\n internal open val jClass: JsClass<T>)\n) : KClass<T>
{\n\n override val qualifiedName: String?\n get() = TODO()\n\n override fun equals(other: Any?): Boolean
{\n return other is KClassImpl<*> && jClass == other.jClass\n }\n\n // TODO: use FQN\n override fun
hashCode(): Int = simpleName?.hashCode() ?: 0\n\n override fun toString(): String {\n // TODO: use FQN\n
return "class $simpleName"\n }\n}\n\ninternal class SimpleKClassImpl<T : Any>(jClass: JsClass<T>) :
KClassImpl<T>(jClass) {\n override val simpleName: String? =
jClass.asDynamic().`$metadata$`.simpleName.unsafeCast<String?>()\n\n override fun isInstance(value: Any?):
Boolean {\n return jsIsType(value, jClass)\n }\n}\n\ninternal class PrimitiveKClassImpl<T : Any>(\n
jClass: JsClass<T>,\n private val givenSimpleName: String,\n private val isInstanceFunction: (Any?) ->
Boolean)\n) : KClassImpl<T>(jClass) {\n override fun equals(other: Any?): Boolean {\n if (other !is
PrimitiveKClassImpl<*>) return
false\n return super.equals(other) && givenSimpleName == other.givenSimpleName\n }\n\n override val
simpleName: String? get() = givenSimpleName\n\n override fun isInstance(value: Any?): Boolean {\n return
isInstanceFunction(value)\n }\n}\n\ninternal object NothingKClassImpl : KClassImpl<Nothing>(js("Object"))
{\n override val simpleName: String = "Nothing"\n\n override fun isInstance(value: Any?): Boolean = false\n\n
override val jClass: JsClass<Nothing>\n get() = throw UnsupportedOperationException("There's no native JS
class for Nothing type")\n\n override fun equals(other: Any?): Boolean = other === this\n\n override fun
hashCode(): Int = 0\n}\n\ninternal class ErrorKClass : KClass<Nothing> {\n override val simpleName: String?
get() = error("Unknown simpleName for ErrorKClass")\n\n override val qualifiedName: String? get() =
error("Unknown qualifiedName for ErrorKClass")\n\n override fun isInstance(value: Any?): Boolean
= error("Can's check isInstance on ErrorKClass")\n\n override fun equals(other: Any?): Boolean = other ===
this\n\n override fun hashCode(): Int = 0\n}"/n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */n\npackage kotlin.reflect\n\ninternal actual inline val
KClass<*>.qualifiedOrSimpleName: String?\n get() = simpleName"/n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */n\n// a package is omitted to get declarations directly under
the module\n\n// TODO: Remove once JsReflectionAPICallChecker supports more reflection
types\n\n@file:Suppress("Unsupported")\n\nimport kotlin.reflect.*\n\nimport
kotlin.reflect.js.internal.*\n\n@JsName("createKType")\n\ninternal
fun createKType(\n classifier: KClassifier,\n arguments: Array<KTypeProjection>,\n isMarkedNullable:
Boolean)\n) =\n KTypeImpl(classifier, arguments.asList(),
isMarkedNullable)\n\n@JsName("createDynamicKType")\n\ninternal fun createDynamicKType(): KType =
DynamicKType\n\n@JsName("markKTypeNullable")\n\ninternal fun markKTypeNullable(kType: KType) =
KTypeImpl(kType.classifier!!, kType.arguments, true)\n\n@JsName("createKTypeParameter")\n\ninternal fun
createKTypeParameter(\n name: String,\n upperBounds: Array<KType>,\n variance: String\n):
KTypeParameter {\n val kVariance = when (variance) {\n "in" -> KVariance.IN\n "out" ->
KVariance.OUT\n else -> KVariance.INVARIANT\n }\n\n return KTypeParameterImpl(name,
upperBounds.asList(), kVariance, false)\n}\n\n@JsName("getStarKTypeProjection")\n\ninternal fun
getStarKTypeProjection(): KTypeProjection =\n
KTypeProjection.STAR\n\n@JsName("createCovariantKTypeProjection")\n\ninternal fun
createCovariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.covariant(type)\n\n@JsName("createInvariantKTypeProjection")\n\ninternal fun

```

```

createInvariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.invariant(type)\n\n@JsName("createContravariantKTypeProjection")\n\ninternal fun
createContravariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.contravariant(type)\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal class
KTypeImpl(\n override val classifier: KClassifier,\n override val arguments: List<KTypeProjection>,\n override val isMarkedNullable: Boolean\n) : KType {\n override fun equals(other: Any?): Boolean =\n other
is KTypeImpl &&\n classifier
 == other.classifier && arguments == other.arguments && isMarkedNullable == other.isMarkedNullable\n\n
override fun hashCode(): Int =\n (classifier.hashCode() * 31 + arguments.hashCode()) * 31 +
isMarkedNullable.hashCode()\n\n override fun toString(): String {\n val kClass = (classifier as? KClass<*>)\n
 val classifierName = when {\n kClass == null -> classifier.toString()\n kClass.simpleName != null
-> kClass.simpleName\n else -> "(non-denotable type)"\n }\n val args =\n if
(arguments.isEmpty()) ""\n else arguments.joinToString(", ", "<", ">")\n val nullable = if
(isMarkedNullable) "?" else ""\n return classifierName + args + nullable\n }\n}\n\ninternal object
DynamicKType : KType {\n override val classifier: KClassifier? = null\n override val arguments:
List<KTypeProjection> = emptyList()\n override val isMarkedNullable: Boolean = false\n\n override fun toString(): String = "dynamic"\n}\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal
data class KTypeParameterImpl(\n override val name: String,\n override val upperBounds: List<KType>,\n override val variance: KVariance,\n override val isReified: Boolean\n) : KTypeParameter {\n override fun
toString(): String = name\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport
kotlin.js.JsClass\n\n@JsName("PrimitiveClasses")\n\ninternal object PrimitiveClasses {\n
@JsName("anyClass")\n val anyClass = PrimitiveKClassImpl(js("Object").unsafeCast<JsClass<Any>>(),
"Any", { it is Any })\n\n @JsName("numberClass")\n val numberClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Number>>(), "Number", { it is Number })\n\n
@JsName("nothingClass")\n val nothingClass = NothingKClassImpl\n\n @JsName("booleanClass")\n val
booleanClass = PrimitiveKClassImpl(js("Boolean").unsafeCast<JsClass<Boolean>>(), "Boolean", { it is Boolean
})\n\n @JsName("byteClass")\n val byteClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Byte>>(), "Byte", { it is Byte })\n\n
@JsName("shortClass")\n val shortClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Short>>(),
"Short", { it is Short })\n\n @JsName("intClass")\n val intClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Int>>(), "Int", { it is Int })\n\n
@JsName("floatClass")\n val floatClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Float>>(),
"Float", { it is Float })\n\n @JsName("doubleClass")\n val doubleClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Double>>(), "Double", { it is Double })\n\n
@JsName("arrayClass")\n val arrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<Array<*>>>(), "Array", { it is Array<*> })\n\n
@JsName("stringClass")\n val stringClass = PrimitiveKClassImpl(js("String").unsafeCast<JsClass<String>>(),
"String", { it is String })\n\n @JsName("throwableClass")\n val throwableClass =
PrimitiveKClassImpl(js("Error").unsafeCast<JsClass<Throwable>>(), "Throwable", { it is Throwable })\n\n
@JsName("booleanArrayClass")\n val booleanArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<BooleanArray>>(), "BooleanArray", { it is BooleanArray
})\n\n @JsName("charArrayClass")\n val charArrayClass =

```

```

PrimitiveKClassImpl(js("Uint16Array").unsafeCast<JsClass<CharArray>>(), "CharArray", { it is CharArray
})\n\n
 @JsName("byteArrayClass")\n val byteArrayClass =
PrimitiveKClassImpl(js("Int8Array").unsafeCast<JsClass<ByteArray>>(), "ByteArray", { it is ByteArray })\n\n
@JsName("shortArrayClass")\n val shortArrayClass =
PrimitiveKClassImpl(js("Int16Array").unsafeCast<JsClass<ShortArray>>(), "ShortArray", { it is ShortArray
})\n\n
 @JsName("intArrayClass")\n val intArrayClass =
PrimitiveKClassImpl(js("Int32Array").unsafeCast<JsClass<IntArray>>(), "IntArray", { it is IntArray })\n\n
@JsName("longArrayClass")\n val longArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<LongArray>>(), "LongArray", { it is LongArray })\n\n
@JsName("floatArrayClass")\n val floatArrayClass =
PrimitiveKClassImpl(js("Float32Array").unsafeCast<JsClass<FloatArray>>(), "FloatArray", { it is FloatArray
})\n\n
 @JsName("doubleArrayClass")\n val doubleArrayClass =
PrimitiveKClassImpl(js("Float64Array").unsafeCast<JsClass<DoubleArray>>(), "DoubleArray",
 { it is DoubleArray })\n\n
 @JsName("functionClass")\n fun functionClass(arity: Int): KClassImpl<Any> {\n
 return functionClasses.get(arity) ?: run {\n val result =
PrimitiveKClassImpl(js("Function").unsafeCast<JsClass<Any>>(), "Function$arity",\n
 { jsTypeOf(it) === "function" && it.asDynamic().length === arity })\n functionClasses.asDynamic()[arity]
= result\n result\n }\n }\n\nprivate val functionClasses =
arrayOfNulls<KClassImpl<Any>>(0), "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\nimport
kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName("getKClass")\ninternal fun <T : Any>
getKClass(jClass: Any /* JsClass<T>
| Array<JsClass<T>> */): KClass<T> {\n return if (js("Array").isArray(jClass)) {\n
getKClassM(jClass.unsafeCast<Array<JsClass<T>>>())\n } else {\n
getKClass1(jClass.unsafeCast<JsClass<T>>())\n }\n}\n\n@JsName("getKClassM")\ninternal fun <T : Any>
getKClassM(jClasses: Array<JsClass<T>>): KClass<T> = when (jClasses.size) {\n 1 ->
getKClass1(jClasses[0])\n 0 -> NothingKClassImpl.unsafeCast<KClass<T>>()\n else ->
ErrorKClass().unsafeCast<KClass<T>>()\n}\n\n@JsName("getKClassFromExpression")\ninternal fun <T : Any>
getKClassFromExpression(e: T): KClass<T> =\n when (jsTypeOf(e)) {\n "string" ->
PrimitiveClasses.stringClass\n "number" -> if (jsBitwiseOr(e, 0).asDynamic() === e)
PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n "boolean" -> PrimitiveClasses.booleanClass\n
 "function" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n else -> {\n when {\n
e is BooleanArray
-> PrimitiveClasses.booleanArrayClass\n
e is CharArray -> PrimitiveClasses.charArrayClass\n
e is ByteArray -> PrimitiveClasses.byteArrayClass\n
e is ShortArray -> PrimitiveClasses.shortArrayClass\n
e is IntArray -> PrimitiveClasses.intArrayClass\n
e is LongArray ->
PrimitiveClasses.longArrayClass\n
e is FloatArray -> PrimitiveClasses.floatArrayClass\n
e is
DoubleArray -> PrimitiveClasses.doubleArrayClass\n
e is KClass<*> -> KClass::class\n
e is
Array<*> -> PrimitiveClasses.arrayClass\n
else -> {\n val constructor =
js("Object").getPrototypeOf(e).constructor\n when {\n constructor === js("Object") ->
PrimitiveClasses.anyClass\n constructor === js("Error") -> PrimitiveClasses.throwableClass\n
 else -> {\n val jsClass: JsClass<T> = constructor\n getKClass1(jsClass)\n }\n }\n }\n }\n }\n\n }.unsafeCast<KClass<T>>()\n\n@JsName("getKClass1")\ninternal fun <T :
Any> getKClass1(jClass: JsClass<T>): KClass<T> {\n if (jClass === js("String")) return
PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n val metadata = jClass.asDynamic().`$metadata$\`\n

```

```

return if (metadata != null) {
 if (metadata.`$kClass$` == null) {
 val kClass = SimpleKClassImpl(jClass)
 metadata.`$kClass$` = kClass
 } else {
 metadata.`$kClass$` }
 } else {
 SimpleKClassImpl(jClass)
 }
}"/**
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.js

/**
 * Exposes the JavaScript [RegExp] object (https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.
 */
@Suppress("NOT_DOCUMENTED")
public external class RegExp(pattern: String, flags: String? = definedExternally) {
 public fun test(str: String): Boolean
 public fun exec(str: String): RegExpMatch?

 public override fun toString(): String

 /**
 * The lastIndex is a read/write integer property of regular expressions that specifies the index at which to start the next match.
 */
 public var lastIndex: Int

 public val global: Boolean
 public val ignoreCase: Boolean
 public val multiline: Boolean
}

/**
 * Resets the regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with the beginning of the input string.
 */
public fun RegExp.reset() {
 lastIndex = 0
}

// TODO: Inherit from array or introduce asArray() extension

/**
 * Represents the return value of [RegExp.exec].
 */
@Suppress("NOT_DOCUMENTED")
public external interface RegExpMatch {
 public val index: Int
 public val input: String
 public val length: Int
}

/**
 * Returns the entire text matched by [RegExp.exec] if the [index] parameter is 0, or the text matched by the capturing parenthesis * at the given index.
 */
public inline operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]

/**
 * Converts the result of [RegExp.exec] to an array where the first element contains the entire matched text and each subsequent element is the text matched by each capturing parenthesis.
 */
public inline fun RegExpMatch.asArray(): Array<out String?> = unsafeCast<Array<out String?>>()

"/**
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.sequences

internal actual class ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>) : Sequence<T> {
 private var sequenceRef: Sequence<T>? = sequence

 actual override fun iterator(): Iterator<T> {
 val sequence = sequenceRef ?: throw IllegalStateException("This sequence can be consumed only once.")
 sequenceRef = null
 return sequence.iterator()
 }
}

"/**
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.text

@SinceKotlin("1.5")
public actual enum class CharCategory(internal val value: Int, public actual val code: String) {
 /**
 * General category "Cn" in the Unicode specification.
 */
 UNASSIGNED(0, "Cn"),
 /**
 * General category "Lu" in the Unicode specification.
 */
 UPPER_CASE_LETTER(1, "Lu"),
 /**
 * General category "Ll" in the Unicode specification.
 */
 LOWER_CASE_LETTER(2, "Ll"),
 /**
 * General category "Lt" in the Unicode specification.
 */
 TITLE_CASE_LETTER(3, "Lt"),
 /**
 * General category "Lm" in the Unicode specification.
 */
 MODIFIER_LETTER(4, "Lm"),
 /**
 * General category "Lo" in the Unicode specification.
 */
 OTHER_LETTER(5, "Lo"),
 /**
 * General category "Mn" in the Unicode specification.
 */
 NON_SPACING_MARK(6, "Mn"),
 /**
 * General category "Me" in the Unicode specification.
 */
 ENCLOSING_MARK(7, "Me"),
 /**
 * General category "Mc" in the Unicode specification.
 */
 COMBINING_SPACING_MARK(8, "Mc"),
 /**
 * General category "Nd" in the Unicode specification.
 */
 DECIMAL_DIGIT_NUMBER(9, "Nd"),
 /**
 * General category "Nl" in the Unicode specification.
 */
 LETTER_NUMBER(10, "Nl"),
 /**
 * General category "No" in the Unicode specification.
 */
 OTHER_NUMBER(11, "No"),
 /**
 * General category "Zs" in the Unicode specification.
 */
 SPACE_SEPARATOR(12, "Zs"),
 /**
 * General category "Zl" in the Unicode specification.
 */
 LINE_SEPARATOR(13, "Zl"),
 /**
 * General category "Zp" in the Unicode specification.
 */
}

```

```

*\n PARAGRAPH_SEPARATOR(14, \"Zp\"),\n\n /**\n * General category \"Cc\" in the Unicode
specification.\n */\n CONTROL(15, \"Cc\"),\n\n /**\n * General category \"Cf\" in the Unicode
specification.\n */\n FORMAT(16, \"Cf\"),\n\n /**\n * General category \"Co\" in the Unicode
specification.\n */\n PRIVATE_USE(18, \"Co\"),\n\n /**\n * General category \"Cs\" in the Unicode
specification.\n */\n SURROGATE(19, \"Cs\"),\n\n /**\n * General category \"Pd\" in
the Unicode specification.\n */\n DASH_PUNCTUATION(20, \"Pd\"),\n\n /**\n * General category \"Ps\"
in the Unicode specification.\n */\n START_PUNCTUATION(21, \"Ps\"),\n\n /**\n * General category
\"Pe\" in the Unicode specification.\n */\n END_PUNCTUATION(22, \"Pe\"),\n\n /**\n * General category
\"Pc\" in the Unicode specification.\n */\n CONNECTOR_PUNCTUATION(23, \"Pc\"),\n\n /**\n *
General category \"Po\" in the Unicode specification.\n */\n OTHER_PUNCTUATION(24, \"Po\"),\n\n /**\n
* General category \"Sm\" in the Unicode specification.\n */\n MATH_SYMBOL(25, \"Sm\"),\n\n /**\n
* General category \"Sc\" in the Unicode specification.\n */\n CURRENCY_SYMBOL(26, \"Sc\"),\n\n /**\n
* General category \"Sk\" in the Unicode specification.\n */\n MODIFIER_SYMBOL(27, \"Sk\"),\n\n /**\n
* General category \"So\" in the Unicode specification.\n */\n OTHER_SYMBOL(28, \"So\"),\n\n
/**\n * General category \"Pi\" in the Unicode specification.\n */\n
INITIAL_QUOTE_PUNCTUATION(29, \"Pi\"),\n\n /**\n * General category \"Pf\" in the Unicode
specification.\n */\n FINAL_QUOTE_PUNCTUATION(30, \"Pf\");\n\n /**\n * Returns `true` if [char]
character belongs to this category.\n */\n public actual operator fun contains(char: Char): Boolean =
char.getCategoryValue() == this.value\n\n companion object {\n internal fun valueOf(category: Int):
CharCategory =\n when (category) {\n in 0..16 -> values()[category]\n in 18..30 ->
values()[category - 1]\n else -> throw IllegalArgumentException(\"Category #\$category is not defined.\")\n
 }\n }\n},\"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage
kotlin.text\n\n/**\n * The exception thrown when a character encoding or decoding error occurs.\n
*/\n\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual open class
CharacterCodingException(message: String?) : Exception(message) {\n actual constructor() : this(null)\n}\n\n\"/*\n
* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.text\n\n/**\n * A mutable sequence of characters.\n */\n * String builder can be used to efficiently perform
multiple string manipulation operations.\n */\n\npublic actual class StringBuilder actual constructor(content: String) :
Appendable, CharSequence {\n /**\n * Constructs an empty string builder with the specified initial [capacity].\n
*/\n * In Kotlin/JS implementation of StringBuilder the initial capacity has no effect on the
further performance of operations.\n */\n * actual constructor(capacity: Int) : this() {\n }\n\n /**\n
* Constructs a string builder that contains the same characters as the specified [content] char sequence.\n */\n *
actual constructor(content: CharSequence) : this(content.toString()) {\n }\n\n /**\n * Constructs an empty string
builder.\n */\n * actual constructor() : this(\"\")\n\n private var string: String = if (content !== undefined)
content else \"\"\n\n * actual override val length: Int\n * get() = string.asDynamic().length\n\n *
actual override fun get(index: Int): Char\n * =\n * string.getOrNull(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length\") }\n\n * actual override fun subSequence(startIndex: Int, endIndex: Int): CharSequence = string.substring(startIndex,
endIndex)\n\n * actual override fun append(value: Char): StringBuilder {\n * string += value\n * return
this\n * }\n\n * actual override fun append(value: CharSequence?):\n * StringBuilder {\n * string +=
value.toString()\n * return this\n * }\n\n * actual override fun append(value: CharSequence?,
startIndex: Int, endIndex: Int): StringBuilder =\n * this.appendRange(value ?: \"null\", startIndex,
endIndex)\n\n * /**\n * Reverses the contents of this string builder and returns this instance.\n *
*/\n * Surrogate pairs included in this string builder are treated as single characters.\n * Therefore, the
order of the high-low surrogates is never reversed.\n * Note that the reverse operation may produce new surrogate
pairs that were unpaired low-surrogates and high-surrogates before the operation.\n * For example, reversing

```

```

`"\uDC00\uD800"` produces `"\uD800\uDC00"` which is a valid surrogate pair.\n
reverse(): StringBuilder {\n
 var reversed = ""\n
 var index = string.length - 1\n
 while (index >= 0) {\n
 val low = string[index--]\n
 if (low.isLowSurrogate()\n
 && index >= 0) {\n
 val high = string[index--]\n
 if (high.isHighSurrogate()) {\n
reversed = reversed + high + low\n
 } else {\n
 reversed = reversed + low + high\n
 }\n
 } else {\n
 reversed += low\n
 }\n
 }\n
 string = reversed\n
 return this\n
}\n
/**\n
 * Appends the string representation of the specified object [value] to this string builder and returns this\n
instance.\n
 * The overall effect is exactly as if the [value] were converted to a string by the\n
`value.toString()` method,\n
 * and then that string was appended to this string builder.\n
actual fun\n
append(value: Any?): StringBuilder {\n
 string += value.toString()\n
 return this\n
}\n
/**\n
 * Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n
*\n
 * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()`\n
method,\n
 * and then that string was appended to this string builder.\n
actual\n
@SinceKotlin("1.3")\n
actual fun\n
append(value: Boolean): StringBuilder {\n
 string += value\n
 return this\n
}\n
/**\n
 * Appends\n
characters in the specified character array [value] to this string builder and returns this instance.\n
*\n
 * Characters are appended in order, starting at the index 0.\n
actual\n
@SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n
actual fun\n
append(value: CharArray): StringBuilder {\n
 string += value.concatToString()\n
 return this\n
}\n
@Deprecated("Provided for binary compatibility.",\n
level = DeprecationLevel.HIDDEN)\n
fun\n
append(value: String): StringBuilder = append(value)\n
/**\n
 * Appends\n
the specified string [value] to this string builder and returns\n
this instance.\n
*\n
 * If [value] is `null`, then the four characters `"\u0000\u0000\u0000\u0000"` are appended.\n
actual\n
@SinceKotlin("1.3")\n
actual fun\n
append(value: String?): StringBuilder {\n
 this.string += value ?: "\u0000\u0000\u0000\u0000"\n
 return this\n
}\n
/**\n
 * Returns the current capacity of this string builder.\n
*\n
 * The capacity is the\n
maximum length this string builder can have before an allocation occurs.\n
*\n
 * In Kotlin/JS implementation\n
of StringBuilder the value returned from this method may not indicate the actual size of the backing storage.\n
*\n
@SinceKotlin("1.3")\n
@ExperimentalStdlibApi\n
@Deprecated("Obtaining StringBuilder capacity is\n
not supported in JS and common code.", level = DeprecationLevel.ERROR)\n
actual fun\n
capacity(): Int =\n
length\n
/**\n
 * Ensures that the capacity of this string builder is at least equal to the specified\n
[minimumCapacity].\n
*\n
 * If the current capacity\n
is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n
 * Otherwise, this\n
method takes no action and simply returns.\n
*\n
 * In Kotlin/JS implementation of StringBuilder the size of the\n
backing storage is not extended to comply the given [minimumCapacity],\n
 * thus calling this method has no\n
effect on the further performance of operations.\n
actual\n
@SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n
actual fun\n
ensureCapacity(minimumCapacity: Int) {\n
}\n
/**\n
 * Returns the index within this string builder of the first occurrence of the specified [string].\n
*\n
 * Returns -1 if the specified [string] does not occur in this string builder.\n
actual\n
@SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n
actual fun\n
indexOf(string: String): Int =\n
this.string.asDynamic().indexOf(string)\n
/**\n
 * Returns the index within this string builder of\n
the first occurrence of the specified [string],\n
 * starting at the specified [startIndex].\n
*\n
 * Returns -1 if\n
the specified [string] does not occur in this string builder starting at the specified [startIndex].\n
actual\n
@SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n
actual fun\n
indexOf(string: String,\n
startIndex: Int): Int = this.string.asDynamic().indexOf(string, startIndex)\n
/**\n
 * Returns the index within\n
this string builder of the last occurrence of the specified [string].\n
 * The last occurrence of empty string `""` is\n
considered to be at the index equal to `this.length`.\n
*\n
 * Returns -1 if the specified [string] does not occur\n
in this string builder.\n
actual\n
@SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n
actual fun\n
lastIndexOf(string: String): Int = this.string.asDynamic().lastIndexOf(string)\n
/**\n
 * Returns the\n
index within this string builder of the

```



this.string.substring(index)\n return this\n }\n\n /\*\*\n \* Sets the length of this string builder to the specified [newLength].\n \*\n \* If the [newLength] is less than the current length, it is changed to the specified [newLength].\n \* Otherwise, null characters '\u0000' are appended to this string builder until its length is less than the [newLength].\n \*\n \* Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n \* Therefore, increasing length of this string builder and then updating each character by index may slow down your program.\n \*\n \* @throws

IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n \*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun setLength(newLength: Int) {\n if (newLength < 0) {\n throw IllegalArgumentException("Negative new length: \$newLength.")\n }\n if (newLength <= length) {\n string = string.substring(0, newLength)\n }\n else {\n for (i in length until newLength) {\n string += "\u0000"\n }\n }\n }\n\n /\*\*\n \* Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [length] (exclusive).\n \*\n \* @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of this string builder.\n \*\n @SinceKotlin("1.4")\n

@WasExperimental(ExperimentalStdlibApi::class)\n actual fun substring(startIndex: Int): String {\n AbstractList.checkPositionIndex(startIndex, length)\n\n return string.substring(startIndex)\n }\n\n /\*\*\n \* Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex] (exclusive).\n \*\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n \*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun substring(startIndex: Int, endIndex: Int): String {\n AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n\n return string.substring(startIndex, endIndex)\n }\n\n /\*\*\n \* Attempts to reduce storage used for this string builder.\n \*\n \* If the backing storage of this string builder is larger than necessary to hold its current contents,\n \* then it may be resized to become more

space efficient.\n \* Calling this method may, but is not required to, affect the value of the [capacity] property.\n \*\n \* In Kotlin/JS implementation of StringBuilder the size of the backing storage is always equal to the length of the string builder.\n \*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun trimToSize() {\n }\n\n override fun toString(): String = string\n\n /\*\*\n \* Clears the content of this string builder making it empty and returns this instance.\n \*\n \* @sample

samples.text.Strings.clearStringBuilder\n \*\n @SinceKotlin("1.3")\n public fun clear(): StringBuilder {\n string = ""\n\n return this\n }\n\n /\*\*\n \* Sets the character at the specified [index] to the specified [value].\n \*\n \* @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n \*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n

public operator fun set(index: Int, value: Char) {\n AbstractList.checkElementIndex(index, length)\n\n string = string.substring(0, index) + value + string.substring(index + 1)\n }\n\n /\*\*\n \* Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n \*\n \* @param startIndex the beginning (inclusive) of the range to replace.\n \* @param endIndex the end (exclusive) of the range to replace.\n \* @param value the string to replace with.\n \*\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n \*\n @SinceKotlin("1.4")\n

@WasExperimental(ExperimentalStdlibApi::class)\n public fun setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder {\n checkReplaceRange(startIndex, endIndex, length)\n\n this.string = this.string.substring(0, startIndex) + value + this.string.substring(endIndex)\n\n return this\n }\n\n private fun checkReplaceRange(startIndex: Int, endIndex: Int, length: Int) {\n if (startIndex < 0 || startIndex > length) {\n throw IndexOutOfBoundsException("startIndex: \$startIndex, length: \$length")\n }\n if (startIndex > endIndex) {\n throw IllegalArgumentException("startIndex(\$startIndex) > endIndex(\$endIndex)")\n }\n }\n\n /\*\*\n \* Removes the character at the specified [index] from this string builder and returns this instance.\n \*\n \* If the `Char` at the specified [index] is part of a supplementary code

point, this method does not remove the entire supplementary character.  
`Char` to remove.  
builder.  
`@param index` the index of  
`@throws IndexOutOfBoundsException` if [index] is out of bounds of this string  
builder.  
`@SinceKotlin("1.4")`

```
@WasExperimental(ExperimentalStdlibApi::class)
public fun deleteAt(index: Int): String Builder {
 AbstractList.checkElementIndex(index, length)
 string = string.substring(0, index) + string.substring(index + 1)
 return this
}
/**
 * Removes characters in the specified range from this string builder and
 * returns this instance.
 * @param startIndex the beginning (inclusive) of the range to remove.
 * @param endIndex the end (exclusive) of the range to remove.
 * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.
 * @SinceKotlin("1.4")
 * @WasExperimental(ExperimentalStdlibApi::class)
public fun deleteRange(startIndex: Int, endIndex: Int): String Builder {
 checkReplaceRange(startIndex, endIndex, length)
 string = string.substring(0, startIndex) + string.substring(endIndex)
 return this
}
/**
 * Copies characters from this string builder into the [destination] character
 * array.
 * @param destination the array to copy to.
 * @param destinationOffset the position in the array to copy to, 0 by default.
 * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.
 * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.
 * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.
 * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],
 * or when that index is out of the [destination] array indices range.
 * @SinceKotlin("1.4")
 * @WasExperimental(ExperimentalStdlibApi::class)
public fun toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length) {
 AbstractList.checkBoundsIndexes(startIndex, endIndex, length)
 AbstractList.checkBoundsIndexes(destinationOffset, destinationOffset + endIndex - startIndex, destination.size)
 var dstIndex = destinationOffset
 for (index in startIndex until endIndex) {
 destination[dstIndex++] = string[index]
 }
}
/**
 * Appends characters in a subarray of the specified character array [value] to this string builder and returns this instance.
 * Characters are appended in order, starting at specified [startIndex].
 * @param value the array from which characters are appended.
 * @param startIndex the beginning (inclusive) of the subarray to append.
 * @param endIndex the end (exclusive) of the subarray to append.
 * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.
 * @SinceKotlin("1.4")
 * @WasExperimental(ExperimentalStdlibApi::class)
public fun appendRange(value: CharArray, startIndex: Int, endIndex: Int): String Builder {
 string += value.concatToString(startIndex, endIndex)
 return this
}
/**
 * Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.
 * @param value the character sequence from which a subsequence is appended.
 * @param startIndex the beginning (inclusive) of the subsequence to append.
 * @param endIndex the end (exclusive) of the subsequence to append.
 * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.
 * @SinceKotlin("1.4")
 * @WasExperimental(ExperimentalStdlibApi::class)
public fun appendRange(value: CharSequence, startIndex: Int, endIndex: Int): String Builder {
 val stringCsq = value.toString()
 AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)
 string += stringCsq.substring(startIndex, endIndex)
 return this
}
/**
 * Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.
 * The inserted characters go in same order as in the [value] array, starting at [index].
 * @param index the position in this string builder to insert at.
 * @param value the array from which characters are inserted.
 * @param startIndex the beginning (inclusive) of the subarray to insert.
 * @param endIndex the end (exclusive) of the subarray to insert.
 * @throws IndexOutOfBoundsException
```

or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.  
 \* @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.  
 \*  
 @SinceKotlin("1.4")  
 @WasExperimental(ExperimentalStdlibApi::class)  
 public fun insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): String Builder {  
 AbstractList.checkPositionIndex(index, this.length)  
 string = string.substring(0, index) + value.concatToString(startIndex, endIndex) + string.substring(index)  
 return this  
 }  
 /\*\*  
 \* Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.  
 \* The inserted characters go in the same order as in the [value] character sequence, starting at [index].  
 \* @param index the position in this string builder to insert at.  
 \* @param value the character sequence from which a subsequence is inserted.  
 \* @param startIndex the beginning (inclusive) of the subsequence to insert.  
 \* @param endIndex the end (exclusive) of the subsequence to insert.  
 \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.  
 \* @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.  
 \*  
 @SinceKotlin("1.4")  
 @WasExperimental(ExperimentalStdlibApi::class)  
 public fun insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): String Builder {  
 AbstractList.checkPositionIndex(index, length)  
 val stringCsq = value.toString()  
 AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)  
 string = string.substring(0, index) + stringCsq.substring(startIndex, endIndex) + string.substring(index)  
 return this  
 }  
 /\*\*  
 \* Clears the content of this string builder making it empty and returns this instance.  
 \* @sample samples.text.Strings.clearStringBuilder  
 \*  
 @SinceKotlin("1.3")  
 @Suppress("EXTENSION\_SHADOWED\_BY\_MEMBER", "NOTHING\_TO\_INLINE")  
 public actual inline fun String Builder.clear(): String Builder = this.clear()  
 /\*\*  
 \* Sets the character at the specified [index] to the specified [value].  
 \* @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.  
 \*  
 @SinceKotlin("1.4")  
 @WasExperimental(ExperimentalStdlibApi::class)  
 @Suppress("EXTENSION\_SHADOWED\_BY\_MEMBER", "NOTHING\_TO\_INLINE")  
 public actual inline operator fun String Builder.set(index: Int, value: Char) = this.set(index, value)  
 /\*\*  
 \* Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.  
 \* @param startIndex the beginning (inclusive) of the range to replace.  
 \* @param endIndex the end (exclusive) of the range to replace.  
 \* @param value the string to replace with.  
 \* @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.  
 \*  
 @SinceKotlin("1.4")  
 @WasExperimental(ExperimentalStdlibApi::class)  
 @Suppress("EXTENSION\_SHADOWED\_BY\_MEMBER", "NOTHING\_TO\_INLINE")  
 public actual inline fun String Builder.setRange(startIndex: Int, endIndex: Int, value: String): String Builder = this.setRange(startIndex, endIndex, value)  
 /\*\*  
 \* Removes the character at the specified [index] from this string builder and returns this instance.  
 \* If the `Char` at the specified [index] is part of a supplementary code point, this method does not remove the entire supplementary character.  
 \* @param index the index of `Char` to remove.  
 \* @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.  
 \*  
 @SinceKotlin("1.4")  
 @WasExperimental(ExperimentalStdlibApi::class)  
 @Suppress("EXTENSION\_SHADOWED\_BY\_MEMBER", "NOTHING\_TO\_INLINE")  
 public actual inline fun String Builder.deleteAt(index: Int): String Builder = this.deleteAt(index)  
 /\*\*  
 \* Removes characters in the specified range from this string builder and returns this instance.  
 \* @param startIndex the beginning (inclusive) of the range to remove.  
 \* @param endIndex the end (exclusive) of the range to remove.  
 \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.  
 \*/

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder
= this.deleteRange(startIndex, endIndex)\n\n**\n * Copies characters from this string builder into the [destination]
character array.\n * @param destination the array to copy to.\n * @param destinationOffset the position in the
array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n
* @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n *\n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException
when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when
that index is out of the [destination] array indices range.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE",
"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun
StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =
this.length) =\n this.toCharArray(destination, destinationOffset, startIndex, endIndex)\n\n**\n * Appends
characters in a subarray of the specified character array [value] to this string builder and returns this instance.\n *\n *
Characters are appended in order, starting at specified [startIndex].\n *\n * @param value the array from which
characters are appended.\n * @param startIndex the beginning (inclusive) of the subarray to append.\n * @param
endIndex the end (exclusive) of the subarray to append.\n *\n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when
`startIndex > endIndex`.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER",
"NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.appendRange(value: CharArray, startIndex:
Int, endIndex: Int): StringBuilder =\n this.appendRange(value, startIndex, endIndex)\n\n**\n * Appends a
subsequence of the specified character sequence [value] to this string builder and returns this instance.\n *\n *
@param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning
(inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n
*\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out
of range of the [value] character sequence indices or when `startIndex > endIndex`.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex:
Int): StringBuilder =\n this.appendRange(value, startIndex, endIndex)\n\n**\n * Inserts characters in a subarray
of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n
*\n * The inserted characters go in same order as in the [value] array, starting at [index].\n *\n * @param index the
position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n *
@param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive) of
the subarray to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER",
"NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.insertRange(index: Int, value: CharArray,
startIndex: Int, endIndex: Int): StringBuilder =\n this.insertRange(index, value, startIndex, endIndex)\n\n**\n *
Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified
[index] and returns this instance.\n *\n * The inserted characters go in the same order as in the [value] character

```

sequence, starting at [index].\n \* @param index the position in this string builder to insert at.\n \* @param value the character sequence from which a subsequence is inserted.\n \* @param startIndex the beginning (inclusive) of the subsequence to insert.\n \* @param endIndex the end (exclusive) of the subsequence to insert.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex >

endIndex`. \n \* @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
```

```
StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\nthis.insertRange(index, value, startIndex, endIndex)\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Returns `true` if the content of this
string is equal to the word `true`, ignoring case, and `false` otherwise.\n */\n@Deprecated("Use Kotlin compiler
1.4 to avoid deprecation warning.")\n@DeprecatedSinceKotlin(hiddenSince =
```

```
"1.4")\n@kotlin.internal.InlineOnly\npublic actual
```

```
inline fun String.toBoolean(): Boolean = this.toBoolean()\n\n/**\n * Returns `true` if this string is not `null` and its
content is equal to the word `true`, ignoring case, and `false` otherwise.\n */\n * There are also strict versions of the
function available on non-nullable String, [toBooleanStrict] and [toBooleanStrictOrNull].\n
```

```
*\n@SinceKotlin("1.4")\npublic actual fun String?.toBoolean(): Boolean = this != null && this.lowercase() ==
```

```
`true`\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws
```

```
NumberFormatException if the string is not a valid representation of a number.\n */\n\npublic actual fun
```

```
String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed [Byte]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n\npublic
```

```
actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the
string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\n\npublic actual fun String.toShort(): Short = toShortOrNull() ?:
```

```
numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws
```

```
NumberFormatException if the string is not a valid representation of a number.\n * @throws
```

```
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n\npublic actual fun
```

```
String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as
an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\n\npublic actual fun String.toInt(): Int = toIntOrNull() ?:
```

```
numberFormatError(this)\n\n/**\n * Parses the
```

```
string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to
number conversion.\n */\n\npublic actual fun String.toInt(radix: Int): Int = toIntOrNull(radix) ?:
```

```
numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws
```

```
NumberFormatException if the string is not a valid representation of a number.\n */\n\npublic actual fun
```

```
String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long]
```

```
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string
```

```
as a [Double] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\n\npublic actual fun String.toDouble(): Double =
```



```

of [options].\n */\npublic actual class Regex actual constructor(pattern: String, options: Set<RegexOption>) {\n\n
/** Creates a regular expression from the specified [pattern] string and the specified single [option]. */\n public
actual constructor(pattern: String, option: RegexOption) : this(pattern, setOf(option))\n\n /** Creates a regular
expression from the specified [pattern] string and the default options. */\n public actual constructor(pattern:
String) : this(pattern, emptySet())\n\n\n /** The pattern string of this regular expression. */\n public actual val
pattern: String = pattern\n\n /** The set of options that were used to create this regular expression. */\n public
actual val options: Set<RegexOption> = options.toSet()\n\n
private val nativePattern: RegExp = RegExp(pattern, options.toFlags("gu"))\n private var nativeStickyPattern:
RegExp? = null\n private fun initStickyPattern(): RegExp =\n nativeStickyPattern ?: RegExp(pattern,
options.toFlags("yu")).also { nativeStickyPattern = it }\n\n private var nativeMatchesEntirePattern: RegExp? =
null\n private fun initMatchesEntirePattern(): RegExp =\n nativeMatchesEntirePattern ?: run {\n if
(pattern.startsWith('^') && pattern.endsWith('$'))\n nativePattern\n else\n return
RegExp("^${pattern.trimStart('^').trimEnd('$')}$", options.toFlags("gu"))\n } .also {\n
nativeMatchesEntirePattern = it }\n\n\n /** Indicates whether the regular expression matches the entire [input].
*/\n public actual infix fun matches(input: CharSequence): Boolean {\n nativePattern.reset()\n val match
= nativePattern.exec(input.toString())\n return match != null && match.index
== 0 && nativePattern.lastIndex == input.length\n }\n\n /** Indicates whether the regular expression can find at
least one match in the specified [input]. */\n public actual fun containsMatchIn(input: CharSequence): Boolean {\n
nativePattern.reset()\n return nativePattern.test(input.toString())\n }\n\n @SinceKotlin("1.5")\n
@ExperimentalStdlibApi\n public actual fun matchesAt(input: CharSequence, index: Int): Boolean {\n if
(index < 0 || index > input.length) {\n throw IndexOutOfBoundsException("index out of bounds: $index,
input length: ${input.length}")\n }\n val pattern = initStickyPattern()\n pattern.lastIndex = index\n
return pattern.test(input.toString())\n }\n\n /**\n * Returns the first match of a regular expression in the
[input], beginning at the specified [startIndex].\n * @param startIndex An index to start search with, by
default 0. Must be not less than zero and
not greater than `input.length()`\n * @return An instance of [MatchResult] if match was found or `null`
otherwise.\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of
the [input] char sequence.\n * @sample samples.text.Regexps.find\n */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun find(input:
CharSequence, startIndex: Int = 0): MatchResult? {\n if (startIndex < 0 || startIndex > input.length) {\n
throw IndexOutOfBoundsException("Start index out of bounds: $startIndex, input length: ${input.length}")\n
}\n return nativePattern.findNext(input.toString(), startIndex, nativePattern)\n }\n\n /**\n * Returns a
sequence of all occurrences of a regular expression within the [input] string, beginning at the specified
[startIndex].\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the
length of the
[input] char sequence.\n * @sample samples.text.Regexps.findAll\n */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun findAll(input:
CharSequence, startIndex: Int = 0): Sequence<MatchResult> {\n if (startIndex < 0 || startIndex > input.length)
{\n throw IndexOutOfBoundsException("Start index out of bounds: $startIndex, input length:
${input.length}")\n }\n return generateSequence({ find(input, startIndex) }, { match -> match.next() })\n
}\n\n /**\n * Attempts to match the entire [input] CharSequence against the pattern.\n * @return An
instance of [MatchResult] if the entire input matches or `null` otherwise.\n */\n public actual fun
matchEntire(input: CharSequence): MatchResult? =\n initMatchesEntirePattern().findNext(input.toString(), 0,
nativePattern)\n\n @SinceKotlin("1.5")\n @ExperimentalStdlibApi\n public actual fun matchAt(input:
CharSequence, index: Int):
MatchResult? {\n if (index < 0 || index > input.length) {\n throw IndexOutOfBoundsException("index
out of bounds: $index, input length: ${input.length}")\n }\n return
initStickyPattern().findNext(input.toString(), index, nativePattern)\n }\n\n\n /**\n * Replaces all occurrences

```







```

effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then that
string was appended to this string builder.\n *^n fun append(value: Any?): StringBuilder\n\n /**\n *
Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n
*\n * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n
* and then that string was appended to this string builder.\n *^n @SinceKotlin("1.3")\n fun append(value:
Boolean): StringBuilder\n\n /**\n * Appends characters in the specified character array [value] to this string
builder and returns this instance.\n *\n * Characters are appended in order, starting at the index 0.\n *^n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun append(value: CharArray):
StringBuilder\n\n /**\n * Appends the
specified string [value] to this string builder and returns this instance.\n *\n * If [value] is `null`, then the four
characters `"\null"` are appended.\n *^n @SinceKotlin("1.3")\n fun append(value: String?):
StringBuilder\n\n /**\n * Returns the current capacity of this string builder.\n *\n * The capacity is the
maximum length this string builder can have before an allocation occurs.\n *^n @SinceKotlin("1.3")\n//
@ExperimentalStdlibApi\n @Deprecated("Obtaining StringBuilder capacity is not supported in JS and common
code.", level = DeprecationLevel.ERROR)\n fun capacity(): Int\n\n /**\n * Ensures that the capacity of this
string builder is at least equal to the specified [minimumCapacity].\n *\n * If the current capacity is less than
the [minimumCapacity], a new backing storage is allocated with greater capacity.\n * Otherwise, this method
takes no action and simply returns.\n *^n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun ensureCapacity(minimumCapacity: Int)\n\n /**\n
* Returns the index within this string builder of the first occurrence of the specified [string].\n *\n * Returns `-
1` if the specified [string] does not occur in this string builder.\n *^n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun indexOf(string: String): Int\n\n /**\n * Returns the
index within this string builder of the first occurrence of the specified [string],\n * starting at the specified
[startIndex].\n *\n * Returns `-1` if the specified [string] does not occur in this string builder starting at the
specified [startIndex].\n *^n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n
fun indexOf(string: String, startIndex: Int): Int\n\n /**\n * Returns the index within this string builder of the last
occurrence of the specified [string].\n *\n * The last occurrence of empty string `""` is considered to be at the index equal to `this.length`.\n *\n * Returns
`-1` if the specified [string] does not occur in this string builder.\n *^n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun lastIndexOf(string: String): Int\n\n /**\n * Returns
the index within this string builder of the last occurrence of the specified [string],\n * starting from the specified
[startIndex] toward the beginning.\n *\n * Returns `-1` if the specified [string] does not occur in this string
builder starting at the specified [startIndex].\n *^n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun lastIndexOf(string: String, startIndex: Int): Int\n\n
/**\n * Inserts the string representation of the specified boolean [value] into this string builder at the specified
[index] and returns this instance.\n *\n * The overall effect is exactly as
if the [value] were converted to a string by the `value.toString()` method,\n * and then that string was inserted
into this string builder at the specified [index].\n *\n * @throws IndexOutOfBoundsException if [index] is less
than zero or greater than the length of this string builder.\n *^n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Boolean): StringBuilder\n\n
/**\n * Inserts the specified character [value] into this string builder at the specified [index] and returns this
instance.\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of
this string builder.\n *^n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun
insert(index: Int, value: Char): StringBuilder\n\n /**\n * Inserts characters in the specified character array
[value] into this string builder at the specified [index] and returns this
instance.\n *\n * The inserted characters go in same order as in the [value] character array, starting at
[index].\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of
this string builder.\n *^n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun

```



[IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.  
`*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder\n\n**\n * Removes the character at the specified [index] from this string builder and returns this instance.\n *\n * If the `Char` at the specified [index] is part of a supplementary code point, this method does not remove the entire supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.deleteAt(index: Int): StringBuilder\n\n**\n * Removes characters in the specified range from this string builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n * @param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder\n\n**\n * Copies characters from this string builder into the [destination] character array.\n *\n * @param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.  
 * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],  
 * or when that index is out of the [destination] array indices range.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length)\n\n**\n * Appends characters in a subarray of the specified character array [value] to this string builder and returns this instance.  
 Characters are appended in order, starting at specified [startIndex].  
 * @param value the array from which characters are appended.  
 * @param startIndex the beginning (inclusive) of the subarray to append.  
 * @param endIndex the end (exclusive) of the subarray to append.  
 * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n**\n * Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.  
 * @param value the character sequence from which a subsequence is appended.  
 * @param startIndex the beginning (inclusive) of the subsequence to append.  
 * @param endIndex the end (exclusive) of the subsequence to append.  
 * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder\n\n**\n * Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.  
 The inserted characters go in same order as in the [value] array, starting at [index].  
 * @param index the position in this string builder to insert at.  
 * @param value the array from which characters are inserted.  
 * @param startIndex the beginning (inclusive) of the subarray to insert.  
 * @param endIndex the end (exclusive) of the subarray to insert.  
 * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.  
 * @throws`

```

IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n**\n *
Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified
[index] and returns this instance.\n * \n * The inserted characters go in the same order as in the [value] character
sequence, starting at [index].\n * \n * @param index the position in this string builder to insert at.\n * @param value
the character sequence from which a subsequence is inserted.\n * @param startIndex the beginning (inclusive)
of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of the [value] character sequence indices or when `startIndex > endIndex`.\n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int):
StringBuilder\n\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")\n@Deprecated("Use
append(value: Any?) instead", ReplaceWith("append(value = obj)"),
DeprecationLevel.WARNING)\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.append(obj: Any?):
StringBuilder = this.append(obj)\n\n**\n * Builds new string by populating newly created [StringBuilder] using
provided [builderAction]\n
* and then converting it to [String].\n *\n@kotlin.internal.InlineOnly\npublic inline fun buildString(builderAction:
StringBuilder.() -> Unit): String {\n contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE)
}\n return StringBuilder().apply(builderAction).toString()\n}\n\n**\n * Builds new string by populating newly
created [StringBuilder] initialized with the given [capacity]\n * using provided [builderAction] and then converting
it to [String].\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int,
builderAction: StringBuilder.() -> Unit): String {\n contract { callsInPlace(builderAction,
InvocationKind.EXACTLY_ONCE) }\n return
StringBuilder(capacity).apply(builderAction).toString()\n}\n\n**\n * Appends all arguments to the given
StringBuilder.\n *\n@public fun StringBuilder.append(vararg value: String?): StringBuilder {\n for (item in
value)\n append(item)\n return this\n}\n\n**\n * Appends
all arguments to the given StringBuilder.\n *\n@public fun StringBuilder.append(vararg value: Any?): StringBuilder
{\n for (item in value)\n append(item)\n return this\n}\n\n**\n * Appends a line feed character (`\n`) to this
StringBuilder. *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
StringBuilder.appendLine(): StringBuilder = append("\n")\n\n**\n * Appends [value] to this [StringBuilder], followed
by a line feed character (`\n`). *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
StringBuilder.appendLine(value: CharSequence?): StringBuilder = append(value).appendLine()\n\n**\n * Appends
[value] to this [StringBuilder], followed by a line feed character (`\n`).\n *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value:
String?): StringBuilder = append(value).appendLine()\n\n**\n * Appends [value] to this [StringBuilder], followed by a
line feed character (`\n`). *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic
inline fun StringBuilder.appendLine(value: Any?): StringBuilder = append(value).appendLine()\n\n**\n * Appends
[value] to this [StringBuilder], followed by a line feed character (`\n`).\n *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value:
CharArray): StringBuilder = append(value).appendLine()\n\n**\n * Appends [value] to this [StringBuilder], followed
by a line feed character (`\n`). *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
StringBuilder.appendLine(value: Char): StringBuilder = append(value).appendLine()\n\n**\n * Appends [value] to this
[StringBuilder], followed by a line feed character (`\n`).\n *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value:
Boolean): StringBuilder = append(value).appendLine()\n\n**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source

```

```

code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.text\nimport kotlin.js.RegExp\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun
String.nativeIndexOf(ch: Char, fromIndex: Int): Int = nativeIndexOf(ch.toString(),
fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(ch: Char,
fromIndex: Int): Int = nativeLastIndexOf(ch.toString(), fromIndex)\n\n/**\n * Returns `true` if this string starts with
the specified prefix.\n */\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return
nativeStartsWith(prefix, 0)\n else\n return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n *
Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified prefix.\n
*/\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n if
(!ignoreCase)\n return nativeStartsWith(prefix, startIndex)\n else\n return regionMatches(startIndex,
prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string ends with the specified suffix.\n
*/\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return
nativeEndsWith(suffix)\n else\n return regionMatches(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\n}\n\n@Deprecated("Use Regex.matches() instead",
ReplaceWith("regex.toRegex().matches(this)"))\n@DeprecatedSinceKotlin(warningSince = "1.6")\npublic fun
String.matches(regex: String): Boolean {\n @Suppress("DEPRECATION")\n val result = this.match(regex)\n return
result != null
 && result.size != 0\n}\n\n/**\n * Returns `true` if this string is empty or consists solely of whitespace characters.\n
*/\n * @sample samples.text.Strings.stringIsBlank\n */\npublic actual fun CharSequence.isBlank(): Boolean = length
== 0 || indices.all { this[it].isWhitespace() }\n\n/**\n * Returns `true` if this string is equal to [other], optionally
ignoring character case.\n */\n * Two strings are considered to be equal if they have the same length and the same
character at the same index.\n * If [ignoreCase] is true, the result of `Char.uppercaseChar().lowercaseChar()` on
each character is compared.\n */\n * @param ignoreCase `true` to ignore character case when comparing strings. By
default `false`.\n */\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual
fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean {\n if (this == null) return other == null\n
 if (other == null) return false\n if (!ignoreCase) return this == other\n if (this.length
!= other.length) return false\n for (index in 0 until this.length) {\n val thisChar = this[index]\n val
otherChar = other[index]\n if (!thisChar.equals(otherChar, ignoreCase)) {\n return false\n }\n }\n return true\n}\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual
fun CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase:
Boolean = false): Boolean =\n regionMatchesImpl(thisOffset, other, otherOffset, length, ignoreCase)\n}\n\n/**\n *
Returns a copy of this string having its first letter titlecased using the rules of the default locale,\n */\n * or the original
string if it's empty or already starts with a title case letter.\n */\n * The title case of a character is usually the same as
its upper case with several exceptions.\n * The particular list of characters with the special title case form depends
on the underlying platform.\n */\n * @sample samples.text.Strings.capitalize\n
*/\n@Deprecated("Use replaceFirstChar instead.", ReplaceWith("replaceFirstChar { if (it.isLowerCase())
it.titlecase() else it.toString() }"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic actual fun
String.capitalize(): String {\n return if (isEmpty()) substring(0, 1).uppercase() + substring(1) else
this\n}\n\n/**\n * Returns a copy of this string having its first letter lowercased using the rules of the default
locale,\n */\n * or the original string if it's empty or already starts with a lower case letter.\n */\n * @sample
samples.text.Strings.decapitalize\n */\n@Deprecated("Use replaceFirstChar instead.",
ReplaceWith("replaceFirstChar { it.lowercase() }"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic
actual fun String.decapitalize(): String {\n return if (isEmpty()) substring(0, 1).lowercase() + substring(1) else
this\n}\n\n/**\n * Returns a string containing this char sequence repeated [n] times.\n */\n * @throws
[IllegalArgumentException]

```

```

when n < 0.\n * @sample samples.text.Strings.repeat\n *^npublic actual fun CharSequence.repeat(n: Int): String
{\n require(n >= 0) { \"Count 'n' must be non-negative, but was $n.\" }\n return when (n) {\n 0 -> \"\"\n
1 -> this.toString()\n else -> {\n var result = \"\"\n if (!isEmpty()) {\n var s =
this.toString()\n var count = n\n while (true) {\n if ((count and 1) == 1) {\n
result += s\n }\n count = count ushr 1\n if (count == 0) {\n
break\n }\n s += s\n }\n }\n return result\n }\n }\n}\n\n/**\n *
Returns a new string obtained by replacing all occurrences of the [oldValue] substring in this string\n * with the
specified [newValue] string.\n *^n * @sample samples.text.Strings.replace\n
*^n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun
String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"gui\" else \"gu\"),
Regex.nativeEscapeReplacement(newValue))\n\n/**\n * Returns a new string with all occurrences of [oldChar]
replaced with [newChar].\n *^n * @sample samples.text.Strings.replace\n
*^n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun
String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"gui\" else \"gu\"),
newChar.toString())\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual
fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"ui\" else \"u\"),
Regex.nativeEscapeReplacement(newValue))\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGU
MENTS\")\npublic
actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"ui\" else \"u\"),
newChar.toString())\n\n\"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *^n\npackage kotlin.text\n\n/** Returns the negative [size] if [throwOnMalformed] is
false, throws [CharacterCodingException] otherwise. *\nprivate fun malformed(size: Int, index: Int,
throwOnMalformed: Boolean): Int {\n if (throwOnMalformed) throw CharacterCodingException(\"Malformed
sequence starting at ${index - 1}\")\n return -size\n}\n\n/** Returns code point corresponding to UTF-16
surrogate pair,\n * where the first of the pair is the [high] and the second
is in the [string] at the [index].\n * Returns zero if the pair is malformed and [throwOnMalformed] is false.\n *^n *
@throws CharacterCodingException if the pair is malformed and [throwOnMalformed] is true.\n *^nprivate fun
codePointFromSurrogate(string: String, high: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n
if (high !in 0xD800..0xDBFF || index >= endIndex) {\n return malformed(0, index, throwOnMalformed)\n }\n
val low = string[index].code\n if (low !in 0xDC00..0xDFFF) {\n return malformed(0, index,
throwOnMalformed)\n }\n return 0x10000 + ((high and 0x3FF) shl 10) or (low and 0x3FF)\n}\n\n/**\n *
Returns code point corresponding to UTF-8 sequence of two bytes,\n * where the first byte of the sequence is the
[byte1] and the second byte is in the [bytes] array at the [index].\n * Returns zero if the sequence is malformed and
[throwOnMalformed] is false.\n *^n * @throws CharacterCodingException if the sequence of two bytes is
malformed and [throwOnMalformed] is true.\n *^nprivate fun codePointFrom2(bytes: ByteArray, byte1: Int, index:
Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n if (byte1 and 0x1E == 0 || index >= endIndex) {\n
return malformed(0, index, throwOnMalformed)\n }\n val byte2 = bytes[index].toInt()\n if (byte2 and 0xC0 !=
0x80) {\n return malformed(0, index, throwOnMalformed)\n }\n return (byte1 shl 6) xor byte2 xor
0xF80\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of three bytes,\n * where the first byte of
the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n * Returns a non-
positive value indicating number of bytes from [bytes] included in malformed sequence\n * if the sequence is
malformed and [throwOnMalformed] is false.\n *^n * @throws CharacterCodingException if the sequence of three
bytes is malformed and [throwOnMalformed] is true.\n *^nprivate fun codePointFrom3(bytes: ByteArray,

```

```

byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n if (index >= endIndex) {\n return
malformed(0, index, throwOnMalformed)\n }\n val byte2 = bytes[index].toInt()\n if (byte1 and 0xF == 0)
{\n if (byte2 and 0xE0 != 0xA0) {\n // Non-shortest form\n return malformed(0, index,
throwOnMalformed)\n }\n } else if (byte1 and 0xF == 0xD) {\n if (byte2 and 0xE0 != 0x80) {\n //
Surrogate code point\n return malformed(0, index, throwOnMalformed)\n }\n } else if (byte2 and 0xC0
!= 0x80) {\n return malformed(0, index, throwOnMalformed)\n }\n if (index + 1 == endIndex) {\n
return malformed(1, index, throwOnMalformed)\n }\n val byte3 = bytes[index + 1].toInt()\n if (byte3 and
0xC0 != 0x80) {\n return malformed(1, index, throwOnMalformed)\n }\n return (byte1 shl 12) xor (byte2
shl 6) xor byte3 xor -0x1E080)\n}\n\n/**\n * Returns code point
corresponding to UTF-8 sequence of four bytes,\n * where the first byte of the sequence is the [byte1] and the
others are in the [bytes] array starting from the [index].\n * Returns a non-positive value indicating number of bytes
from [bytes] included in malformed sequence\n * if the sequence is malformed and [throwOnMalformed] is false.\n
*\n * @throws CharacterCodingException if the sequence of four bytes is malformed and [throwOnMalformed] is
true.\n */\nprivate fun codePointFrom4(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed:
Boolean): Int {\n if (index >= endIndex) {\n malformed(0, index, throwOnMalformed)\n }\n val byte2 =
bytes[index].toInt()\n if (byte1 and 0xF == 0x0) {\n if (byte2 and 0xF0 <= 0x80) {\n // Non-shortest
form\n return malformed(0, index, throwOnMalformed)\n }\n } else if (byte1 and 0xF == 0x4) {\n
if (byte2 and 0xF0 != 0x80) {\n // Out of Unicode code points
domain (larger than U+10FFFF)\n return malformed(0, index, throwOnMalformed)\n }\n } else if
(byte1 and 0xF > 0x4) {\n return malformed(0, index, throwOnMalformed)\n } else if (byte2 and 0xC0 !=
0x80) {\n return malformed(0, index, throwOnMalformed)\n }\n if (index + 1 == endIndex) {\n return
malformed(1, index, throwOnMalformed)\n }\n val byte3 = bytes[index + 1].toInt()\n if (byte3 and 0xC0 !=
0x80) {\n return malformed(1, index, throwOnMalformed)\n }\n if (index + 2 == endIndex) {\n return
malformed(2, index, throwOnMalformed)\n }\n val byte4 = bytes[index + 2].toInt()\n if (byte4 and 0xC0 !=
0x80) {\n return malformed(2, index, throwOnMalformed)\n }\n return (byte1 shl 18) xor (byte2 shl 12) xor
(byte3 shl 6) xor byte4 xor 0x381F80)\n}\n\n/**\n * Maximum number of bytes needed to encode a single char.\n
*\n * Code points in `0..0x7F` are encoded in a single byte.\n * Code
points in `0x80..0x7FF` are encoded in two bytes.\n * Code points in `0x800..0xD7FF` or in `0xE000..0xFFFF` are
encoded in three bytes.\n * Surrogate code points in `0xD800..0xDFFF` are not Unicode scalar values, therefore
aren't encoded.\n * Code points in `0x10000..0x10FFFF` are represented by a pair of surrogate `Char`s and are
encoded in four bytes.\n */\nprivate const val MAX_BYTES_PER_CHAR = 3\n\n/**\n * The byte sequence a
malformed UTF-16 char sequence is replaced by.\n */\nprivate val REPLACEMENT_BYTE_SEQUENCE:
ByteArray = byteArrayOf(0xEF.toByte(), 0xBF.toByte(), 0xBD.toByte())\n\n/**\n * Encodes the [string] using
UTF-8 and returns the resulting [ByteArray].\n * @param string the string to encode.\n * @param startIndex the
start offset (inclusive) of the substring to encode.\n * @param endIndex the end offset (exclusive) of the substring
to encode.\n * @param throwOnMalformed whether to throw on malformed char sequence or replace by the
[REPLACEMENT_BYTE_SEQUENCE].\n */\n
* @throws CharacterCodingException if the char sequence is malformed and [throwOnMalformed] is true.\n
*/\ninternal fun encodeUtf8(string: String, startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): ByteArray
{\n require(startIndex >= 0 && endIndex <= string.length && startIndex <= endIndex)\n val bytes =
ByteArray((endIndex - startIndex) * MAX_BYTES_PER_CHAR)\n var byteIndex = 0\n var charIndex =
startIndex\n while (charIndex < endIndex) {\n val code = string[charIndex++].code\n when {\n
code < 0x80 ->\n bytes[byteIndex++] = code.toByte()\n code < 0x800 -> {\n
bytes[byteIndex++] = ((code shr 6) or 0xC0).toByte()\n bytes[byteIndex++] = ((code and 0x3F) or
0x80).toByte()\n }\n code < 0xD800 || code >= 0xE000 -> {\n bytes[byteIndex++] = ((code
shr 12) or 0xE0).toByte()\n bytes[byteIndex++] = (((code shr 6) and 0x3F) or 0x80).toByte()\n
 bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n }\n else -> { // Surrogate char
value\n val codePoint = codePointFromSurrogate(string, code, charIndex, endIndex,

```

```

throwOnMalformed)\n if (codePoint <= 0) {\n bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[0]\n bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[1]\n bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[2]\n } else {\n bytes[byteIndex++] = ((codePoint shr
18) or 0xF0).toByte()\n bytes[byteIndex++] = (((codePoint shr 12) and 0x3F) or 0x80).toByte()\n bytes[byteIndex++] = (((codePoint shr 6) and 0x3F) or 0x80).toByte()\n bytes[byteIndex++] =
(((codePoint and 0x3F) or 0x80).toByte()\n charIndex++\n }\n }\n}\n}\n}\n}\n}
return if (bytes.size == byteIndex) bytes
else bytes.copyOf(byteIndex)\n}\n\n/**\n * The character a malformed UTF-8 byte sequence is replaced by.\n
*/\nprivate const val REPLACEMENT_CHAR = "\uFFFF"\n\n/**\n * Decodes the UTF-8 [bytes] array and returns
the resulting [String].\n * @param bytes the byte array to decode.\n * @param startIndex the start offset
(inclusive) of the array to be decoded.\n * @param endIndex the end offset (exclusive) of the array to be encoded.\n
* @param throwOnMalformed whether to throw on malformed byte sequence or replace by the
[REPLACEMENT_CHAR].\n * @throws CharacterCodingException if the array is malformed UTF-8 byte
sequence and [throwOnMalformed] is true.\n
*/\ninternal fun decodeUtf8(bytes: ByteArray, startIndex: Int,
endIndex: Int, throwOnMalformed: Boolean): String {\n require(startIndex >= 0 && endIndex <= bytes.size &&
startIndex <= endIndex)\n var byteIndex = startIndex\n val stringBuilder = StringBuilder()\n while
(byteIndex < endIndex) {\n val byte
= bytes[byteIndex++].toInt()\n when {\n byte >= 0 -> {\n stringBuilder.append(byte.toChar())\n
 }\n byte shr 5 == -2 -> {\n val code = codePointFrom2(bytes, byte, byteIndex, endIndex,
throwOnMalformed)\n if (code <= 0) {\n stringBuilder.append(REPLACEMENT_CHAR)\n
 }\n byteIndex += -code\n } else {\n stringBuilder.append(code.toChar())\n
 }\n byte shr 4 == -2 -> {\n val code = codePointFrom3(bytes,
byte, byteIndex, endIndex, throwOnMalformed)\n if (code <= 0) {\n stringBuilder.append(REPLACEMENT_CHAR)\n
 }\n byteIndex += -code\n } else {\n stringBuilder.append(code.toChar())\n
 byteIndex += 2\n }\n byte shr 3 == -2 -
> {\n val code = codePointFrom4(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n if (code <= 0)
{\n stringBuilder.append(REPLACEMENT_CHAR)\n }\n byteIndex += -code\n } else
{\n val high = (code - 0x10000) shr 10 or 0xD800\n val low = (code and 0x3FFF) or
0xDC00\n stringBuilder.append(high.toChar())\n stringBuilder.append(low.toChar())\n
 byteIndex += 3\n }\n else -> {\n malformed(0, byteIndex,
throwOnMalformed)\n stringBuilder.append(REPLACEMENT_CHAR)\n }\n }\n }\n}\n}
return stringBuilder.toString()\n}"/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\npackage kotlin\n\n/**\n * Returns the detailed description of this throwable with its stack trace.\n * The detailed description includes:\n
* - the short description (see [Throwable.toString]) of this throwable;\n * - the complete stack trace;\n * - detailed
descriptions of the exceptions that were [suppressed][suppressedExceptions] in order to deliver this exception;\n * -
the detailed description of each throwable in the [Throwable.cause] chain.\n
*/\n@SinceKotlin("1.4")\npublic actual fun Throwable.stackTraceToString(): String = ExceptionTraceBuilder().buildFor(this)\n\n/**\n * Prints the
[Detailed description][Throwable.stackTraceToString] of this throwable to console error output.\n
*/\n@SinceKotlin("1.4")\npublic actual fun Throwable.printStackTrace() {\n console.error(this.stackTraceToString())\n}\n\n/**\n * Adds the specified exception to the list of exceptions that
were\n * suppressed in order to deliver this exception.\n
*/\n@SinceKotlin("1.4")\npublic actual fun
Throwable.addSuppressed(exception:
Throwable) {\n if (this !== exception) {\n val suppressed =
this.asDynamic()._suppressed.unsafeCast<MutableList<Throwable>>()\n if (suppressed == null) {\n

```

```

this.asDynamic()._suppressed = mutableListOf(exception)\n } else {\n suppressed.add(exception)\n }\n}\n}\n\n/**\n * Returns a list of all exceptions that were suppressed in order to deliver this exception.\n *\n * @Since Kotlin("1.4")\n */\npublic actual val Throwable.suppressedExceptions: List<Throwable>\n get() {\n return this.asDynamic()._suppressed?.unsafeCast<List<Throwable>>() ?: emptyList()\n }\n\nprivate class\nExceptionTraceBuilder {\n private val target = StringBuilder()\n private val visited = arrayOf<Throwable>()\n private var topStack: String = ""\n private var topStackStart: Int = 0\n fun buildFor(exception: Throwable):\n String {\n exception.dumpFullTrace("", "")\n return target.toString()\n }\n\n private fun hasSeen(exception: Throwable): Boolean = visited.any { it === exception }\n\n private fun\n Throwable.dumpFullTrace(indent: String, qualifier: String) {\n this.dumpSelfTrace(indent, qualifier) ||\n return\n var cause = this.cause\n while (cause != null) {\n cause.dumpSelfTrace(indent, "Caused\n by: ") || return\n cause = cause.cause\n }\n }\n\n private fun Throwable.dumpSelfTrace(indent:\n String, qualifier: String): Boolean {\n target.append(indent).append(qualifier)\n val shortInfo =\n this.toString()\n if (hasSeen(this)) {\n target.append("[CIRCULAR REFERENCE, SEE ABOVE:\n ").append(shortInfo).append("\\n")\n return false\n }\n visited.asDynamic().push(this)\n var\n stack = this.asDynamic().stack as String?\n if (stack != null) {\n val stackStart =\n stack.indexOf(shortInfo).let { if (it < 0) 0 else it + shortInfo.length }\n\n if (stackStart == 0) target.append(shortInfo).append("\\n")\n if (topStack.isEmpty()) {\n topStack = stack\n topStackStart = stackStart\n } else {\n stack =\n dropCommonFrames(stack, stackStart)\n }\n if (indent.isNotEmpty()) {\n // indent stack, but\n avoid indenting exception message lines\n val messageLines = if (stackStart == 0) 0 else 1 +\n shortInfo.count { c -> c == '\\n' }\n stack.lineSequence().forEachIndexed { index: Int, line: String ->{\n if (index >= messageLines) target.append(indent)\n target.append(line).append("\\n")\n }\n } else {\n target.append(stack).append("\\n")\n } else {\n target.append(shortInfo).append("\\n")\n }\n val suppressed = suppressedExceptions\n if\n (suppressed.isNotEmpty()) {\n val suppressedIndent = indent + " "\n for (s in suppressed) {\n s.dumpFullTrace(suppressedIndent, "Suppressed: ")\n }\n }\n return true\n }\n private fun\n dropCommonFrames(stack: String, stackStart: Int): String {\n var commonFrames: Int = 0\n var lastBreak:\n Int = 0\n var preLastBreak: Int = 0\n for (pos in 0 until minOf(topStack.length - topStackStart, stack.length\n - stackStart)) {\n val c = stack[stack.lastIndex - pos]\n if (c != topStack[topStack.lastIndex - pos])\n break\n if (c == '\\n') {\n commonFrames += 1\n preLastBreak = lastBreak\n }\n lastBreak = pos\n }\n if (commonFrames <= 1) return stack\n while (preLastBreak > 0 &&\n stack[stack.lastIndex - (preLastBreak - 1)] == '\\n')\n preLastBreak -= 1\n // leave 1 common frame to\n ease matching with the top exception\n stack\n return stack.dropLast(preLastBreak) + "... and ${commonFrames - 1} more common stack frames\n skipped"\n }\n }\n}\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\nimport kotlin.js.json\nimport kotlin.math.*\n\ninternal actual inline val\n durationAssertionsEnabled: Boolean\n get() = true\n\ninternal actual fun\n formatToExactDecimals(value: Double,\n decimals: Int): String {\n val rounded = if (decimals == 0) {\n value\n } else {\n val pow =\n 10.0.pow(decimals)\n JsMath.round(abs(value) * pow) / pow * sign(value)\n }\n return if (abs(rounded) <\n 1e21) {\n // toFixed switches to scientific format after 1e21\n rounded.asDynamic().toFixed(decimals).unsafeCast<String>()\n } else {\n // toPrecision outputs the specified\n number of digits,\n but only for positive numbers\n val positive = abs(rounded)\n val positiveString =\n positive.asDynamic().toPrecision(ceil(log10(positive)) + decimals).unsafeCast<String>()\n if (rounded < 0) \"-$\n positiveString\"\n else positiveString\n }\n}\n\ninternal actual fun\n formatUpToDecimals(value: Double, decimals:\n Int): String {\n return value.asDynamic().toLocaleString("en-us", json("maximumFractionDigits" to

```

```

decimals)).unsafeCast<String>()\n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage
kotlin.time\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\n\npublic actual enum class
DurationUnit(internal val scale: Double) {\n /*\n * Time unit representing one nanosecond, which is 1/1000 of
a microsecond.\n */\n NANOSECONDS(1e0),\n /*\n * Time unit representing
one microsecond, which is 1/1000 of a millisecond.\n */\n MICROSECONDS(1e3),\n /*\n * Time unit
representing one millisecond, which is 1/1000 of a second.\n */\n MILLISECONDS(1e6),\n /*\n * Time
unit representing one second.\n */\n SECONDS(1e9),\n /*\n * Time unit representing one minute.\n */\n
 MINUTES(60e9),\n /*\n * Time unit representing one hour.\n */\n HOURS(3600e9),\n /*\n * Time
unit representing one day, which is always equal to 24 hours.\n */\n
 DAYS(86400e9);\n}\n\n@SinceKotlin("1.3")\n\ninternal actual fun convertDurationUnit(value: Double, sourceUnit:
DurationUnit, targetUnit: DurationUnit): Double {\n val sourceCompareTarget =
sourceUnit.scale.compareTo(targetUnit.scale)\n return when {\n sourceCompareTarget > 0 -> value *
(sourceUnit.scale / targetUnit.scale)\n sourceCompareTarget < 0 -> value / (targetUnit.scale /
sourceUnit.scale)\n }\n}\n\n@SinceKotlin("1.5")\n\ninternal actual fun convertDurationUnitOverflow(value: Long, sourceUnit:
DurationUnit, targetUnit: DurationUnit): Long {\n val sourceCompareTarget =
sourceUnit.scale.compareTo(targetUnit.scale)\n return when {\n sourceCompareTarget > 0 -> value *
(sourceUnit.scale / targetUnit.scale).toLong()\n sourceCompareTarget < 0 -> value / (targetUnit.scale /
sourceUnit.scale).toLong()\n }\n}\n\n@SinceKotlin("1.5")\n\ninternal actual fun
convertDurationUnit(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long {\n val
sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n return when {\n
 sourceCompareTarget > 0 -> {\n val scale = (sourceUnit.scale / targetUnit.scale).toLong()\n val result
= value * scale\n when {\n result / scale == value -> result\n value > 0 ->
Long.MAX_VALUE\n }\n }\n sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale).toLong()\n
 }\n}\n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport org.w3c.performance.GlobalPerformance\nimport
org.w3c.performance.Performance\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n\ninternal actual object
MonotonicTimeSource : TimeSource {\n private val actualSource: TimeSource = run {\n val isNode:
Boolean = js("typeof process !== 'undefined' && process.versions && !process.versions.node")\n if
(isNode)\n HrTimeSource(js("process").unsafeCast<Process>())\n else\n
js("self").unsafeCast<GlobalPerformance?>()?.performance?.let(::PerformanceTimeSource)\n }\n\n DateNowTimeSource\n}\n\n override fun markNow(): TimeMark = actualSource.markNow()\n}\n\n\ninternal external interface Process
{\n fun hrtime(time: Array<Double> = definedExternally):
Array<Double>}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n\ninternal class HrTimeSource(val process:
Process) : TimeSource {\n override fun markNow(): TimeMark = object : TimeMark() {\n val startedAt =
process.hrtime()\n override fun elapsedNow(): Duration =\n process.hrtime(startedAt).let { (seconds,
nanos) -> seconds.toDuration(DurationUnit.SECONDS) + nanos.toDuration(DurationUnit.NANOSECONDS) }\n }\n\n override fun toString(): String =
\n \"TimeSource(process.hrtime())\"\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n\ninternal class
PerformanceTimeSource(val performance: Performance) : AbstractDoubleTimeSource(unit =
DurationUnit.MILLISECONDS) {\n override fun read(): Double = performance.now()\n override fun toString():
String = \"TimeSource(self.performance.now())\"\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n\ninternal

```

```

object DateNowTimeSource : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {
 override fun read(): Double = kotlin.js.Date.now()
 override fun toString(): String = "TimeSource(Date.now())"
}
/* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlinx.dom
import org.w3c.dom.*
import kotlin.contracts.*
/* Creates a new element with the specified [name].
 * The element is initialized with the specified [init] function.
 */
@SinceKotlin("1.4")
public fun Document.createElement(name: String, init: Element.() -> Unit): Element {
 contract { callsInPlace(init, InvocationKind.EXACTLY_ONCE) }
 return createElement(name).apply(init)
}
/* Appends a newly created element with the specified [name] to this element.
 * The element is initialized with the specified [init] function.
 */
@SinceKotlin("1.4")
public fun Element.appendChild(name: String, init: Element.() -> Unit): Element {
 contract { callsInPlace(init, InvocationKind.EXACTLY_ONCE) }
 return ownerDocument!!.createElement(name, init).also {
 appendChild(it)
 }
}
/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlinx.dom
import org.w3c.dom.*
/* Returns true if the element has the given CSS class style in its 'class' attribute
 */
@SinceKotlin("1.4")
fun Element.hasClass(cssClass: String): Boolean = className.matches("\\s*(\\s+)$cssClass(\\s+.*|)$".toRegex())
/* Adds CSS class to element. Has no effect if all specified classes are already in class attribute of the element
 * @return true if at least one class has been added
 */
@SinceKotlin("1.4")
fun Element.addClass(vararg cssClasses: String): Boolean {
 val missingClasses = cssClasses.filterNot { hasClass(it) }
 if (missingClasses.isNotEmpty()) {
 val presentClasses = className.trim()
 className = buildString {
 append(presentClasses)
 if (!presentClasses.isEmpty()) {
 append(" ")
 }
 missingClasses.joinTo(this, " ")
 }
 return true
 }
 return false
}
/* Removes all [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element
 * @return true if at least one class has been removed
 */
@SinceKotlin("1.4")
fun Element.removeClass(vararg cssClasses: String): Boolean {
 if (cssClasses.any { hasClass(it) }) {
 val toBeRemoved = cssClasses.toSet()
 className = className.trim().split("\\s+".toRegex()).filter { it !in toBeRemoved }.joinToString(" ")
 return true
 }
 return false
}
}
/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("StringsKt")
package kotlinx.text
/* Converts the string into a regular expression [Regex] with the default options.
 */
@kotlin.internal.InlineOnly
public inline fun String.toRegex(): Regex = Regex(this)
/* Converts the string into a regular expression [Regex] with the specified single [option].
 */
@kotlin.internal.InlineOnly
public inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)
/* Converts the string into a regular expression [Regex] with the specified set of [options].
 */
@kotlin.internal.InlineOnly
public inline fun String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)
}
/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlinx.dom
import org.w3c.dom.*
/* Gets a value indicating whether this node is a TEXT_NODE or a CDATA_SECTION_NODE.
 */
@SinceKotlin("1.4")
public val Node.isText: Boolean
get() = nodeType == Node.TEXT_NODE || nodeType == Node.CDATA_SECTION_NODE
/* Gets a value indicating whether this node is an [Element].
 */
@SinceKotlin("1.4")
public val Node.isElement: Boolean
get() = nodeType == Node.ELEMENT_NODE
}
/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlinx.dom
import org.w3c.dom.*
/* Removes all

```

```

the children from this node. */\n@SinceKotlin("1.4")\npublic
fun Node.clear() {\n while (hasChildNodes()) {\n removeChild(firstChild!!)\n }\n}\n\n/**\n * Creates text
node and append it to the element.\n */\n * @return this element\n */\n@SinceKotlin("1.4")\nfun
Element.appendText(text: String): Element {\n appendChild(ownerDocument!!.createTextNode(text))\n return
this}\n}\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage org.w3c.dom\n\n@Deprecated("Use UnionMessagePortOrWindowProxy instead.",
ReplaceWith("UnionMessagePortOrWindowProxy"))\ntypealias UnionMessagePortOrWindow =
UnionMessagePortOrWindowProxy\n\n@Deprecated("Use `as` instead.", ReplaceWith("`as`"))\nvar
HTMMLinkElement.as_\n get() = `as`\n set(value) {\n `as` = value\n }\n\n@Deprecated("Use `is`
instead.", ReplaceWith("`is`"))\nvar
ElementCreationOptions.is_\n get() = `is`\n set(value) {\n `is` = value\n },"/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage
org.khronos.webgl\n\nimport kotlin.js.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external
interface WebGLContextAttributes {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n var depth: Boolean? /* = true */\n get() = definedExternally\n set(value)
= definedExternally\n var stencil: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var antialias: Boolean? /* = true */\n get() = definedExternally\n set(value)
= definedExternally\n var premultipliedAlpha: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n var preserveDrawingBuffer: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n var preferLowPowerToHighPerformance: Boolean? /* =
false */\n get() = definedExternally\n set(value) = definedExternally\n var failIfMajorPerformanceCaveat:
Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n }\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextAttributes(alpha:
Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha:
Boolean? = true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false,
failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n
val o = js("{}")\n o["alpha"] = alpha\n o["depth"] = depth\n o["stencil"] = stencil\n o["antialias"] =
antialias\n o["premultipliedAlpha"] = premultipliedAlpha\n o["preserveDrawingBuffer"] =
preserveDrawingBuffer\n o["preferLowPowerToHighPerformance"] = preferLowPowerToHighPerformance\n
o["failIfMajorPerformanceCaveat"] = failIfMajorPerformanceCaveat\n return o}\n\npublic external abstract
class WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\npublic external
abstract class WebGLBuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\npublic
external abstract class WebGLFramebuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\npublic external
abstract class WebGLProgram
: WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\npublic
external abstract class WebGLRenderbuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\npublic external
abstract class WebGLShader : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\npublic external
abstract class WebGLTexture : WebGLObject\n\n/**\n * Exposes the JavaScript

```

[WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin  
`*\npublic external abstract class WebGLUniformLocation\n\n/**\n * Exposes the JavaScript`

[WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin  
`*\npublic external abstract class WebGLActiveInfo {\n open val size: Int\n open val type: Int\n open val name: String\n}\n\n/**\n * Exposes the JavaScript`

[WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to Kotlin  
`*\npublic external abstract class WebGLShaderPrecisionFormat {\n open val rangeMin: Int\n open val rangeMax: Int\n open val precision:`

`Int\n}\n\n@Suppress(\\\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\\\")\npublic external interface WebGLRenderingContextBase {\n val canvas: HTMLCanvasElement\n val drawingBufferWidth: Int\n val drawingBufferHeight: Int\n fun getContextAttributes(): WebGLContextAttributes?\n fun isContextLost(): Boolean\n fun getSupportedExtensions(): Array<String>?\n fun getExtension(name: String): dynamic\n fun activeTexture(texture: Int)\n fun attachShader(program: WebGLProgram?, shader: WebGLShader?)\n fun bindAttribLocation(program: WebGLProgram?, index: Int, name: String)\n fun bindBuffer(target: Int, buffer: WebGLBuffer?)\n fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?)\n fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?)\n fun bindTexture(target: Int, texture: WebGLTexture?)\n fun blendColor(red: Float, green: Float, blue: Float, alpha: Float)\n fun blendEquation(mode: Int)\n fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int)\n fun blendFunc(sfactor: Int, dfactor: Int)\n fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha: Int)\n fun bufferData(target: Int, size: Int, usage: Int)\n fun bufferData(target: Int, data: BufferDataSource?, usage: Int)\n fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?)\n fun checkFramebufferStatus(target: Int): Int\n fun clear(mask: Int)\n fun clearColor(red: Float, green: Float, blue: Float, alpha: Float)\n fun clearDepth(depth: Float)\n fun clearStencil(s: Int)\n fun colorMask(red: Boolean, green: Boolean, blue: Boolean, alpha: Boolean)\n fun compileShader(shader: WebGLShader?)\n fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView)\n fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView)\n fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int, height: Int, border: Int)\n fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int)\n fun createBuffer(): WebGLBuffer?\n fun createFramebuffer(): WebGLFramebuffer?\n fun createProgram(): WebGLProgram?\n fun createRenderbuffer(): WebGLRenderbuffer?\n fun createShader(type: Int): WebGLShader?\n fun createTexture(): WebGLTexture?\n fun cullFace(mode: Int)\n fun deleteBuffer(buffer: WebGLBuffer?)\n fun deleteFramebuffer(framebuffer: WebGLFramebuffer?)\n fun deleteProgram(program: WebGLProgram?)\n fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?)\n fun deleteShader(shader: WebGLShader?)\n fun deleteTexture(texture: WebGLTexture?)\n fun depthFunc(func: Int)\n fun depthMask(flag: Boolean)\n fun depthRange(zNear: Float, zFar: Float)\n fun detachShader(program: WebGLProgram?, shader: WebGLShader?)\n fun disable(cap: Int)\n fun disableVertexAttribArray(index: Int)\n fun drawArrays(mode: Int, first: Int, count: Int)\n fun drawElements(mode: Int, count: Int, type: Int, offset: Int)\n fun enable(cap: Int)\n fun enableVertexAttribArray(index: Int)\n fun finish()\n fun flush()\n fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?)\n fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int)\n fun frontFace(mode: Int)\n fun generateMipmap(target: Int)\n fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?\n fun getAttribLocation(program: WebGLProgram?, name: String): Int\n fun getBufferParameter(target: Int, pname: Int): Any?\n fun getParameter(pname: Int): Any?\n fun getError(): Int\n fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?\n fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n fun getProgramInfoLog(program:`

```

WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname: Int): Any?\n fun
getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun getShaderPrecisionFormat(shader: Int,
precision: Int): WebGLShaderPrecisionFormat?\n fun getShaderInfoLog(shader: WebGLShader?): String?\n
fun getShaderSource(shader: WebGLShader?): String?\n fun getTexParameter(target: Int, pname: Int): Any?\n
fun getUniform(program: WebGLProgram?,
location: WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name:
String): WebGLUniformLocation?\n fun getVertexAttrib(index: Int, pname: Int): Any?\n fun
getVertexAttribOffset(index: Int, pname: Int): Int\n fun hint(target: Int, mode: Int)\n fun isBuffer(buffer:
WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n fun isFramebuffer(framebuffer:
WebGLFramebuffer?): Boolean\n fun isProgram(program: WebGLProgram?): Boolean\n fun
isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n
fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float)\n fun linkProgram(program:
WebGLProgram?)\n fun pixelStorei(pname: Int, param: Int)\n fun polygonOffset(factor: Float, units: Float)\n
fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun
renderbufferStorage(target: Int, internalformat: Int,
width: Int, height: Int)\n fun sampleCoverage(value: Float, invert: Boolean)\n fun scissor(x: Int, y: Int, width:
Int, height: Int)\n fun shaderSource(shader: WebGLShader?, source: String)\n fun stencilFunc(func: Int, ref: Int,
mask: Int)\n fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int)\n fun stencilMask(mask: Int)\n fun
stencilMaskSeparate(face: Int, mask: Int)\n fun stencilOp(fail: Int, zfail: Int, zpass: Int)\n fun
stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int)\n fun texImage2D(target: Int, level: Int, internalformat:
Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texImage2D(target:
Int, level: Int, internalformat: Int, format: Int, type: Int, source: TexImageSource?)\n fun texParameterf(target: Int,
pname: Int, param: Float)\n fun texParameteri(target: Int, pname: Int, param: Int)\n fun texSubImage2D(target:
Int, level: Int, xoffset: Int, yoffset: Int,
width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texSubImage2D(target: Int, level:
Int, xoffset: Int, yoffset: Int, format: Int, type: Int, source: TexImageSource?)\n fun uniform1f(location:
WebGLUniformLocation?, x: Float)\n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array)\n
fun uniform1fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform1i(location:
WebGLUniformLocation?, x: Int)\n fun uniform1iv(location: WebGLUniformLocation?, v: Int32Array)\n fun
uniform1iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniform2f(location:
WebGLUniformLocation?, x: Float, y: Float)\n fun uniform2fv(location: WebGLUniformLocation?, v:
Float32Array)\n fun uniform2fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun
uniform2i(location: WebGLUniformLocation?, x: Int, y: Int)\n fun uniform2iv(location:
WebGLUniformLocation?, v: Int32Array)\n fun uniform2iv(location: WebGLUniformLocation?,
v: Array<Int>)\n fun uniform3f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float)\n fun
uniform3fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform3fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z:
Int)\n fun uniform3iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform3iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float,
z: Float, w: Float)\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array)\n fun
uniform4fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform4i(location:
WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int)\n fun uniform4iv(location: WebGLUniformLocation?, v:
Int32Array)\n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun
uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n
fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun

```

```

uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
useProgram(program: WebGLProgram?)\n fun validateProgram(program: WebGLProgram?)\n fun
vertexAttrib1f(index: Int, x: Float)\n fun vertexAttrib1fv(index: Int, values: dynamic)\n fun
vertexAttrib2f(index: Int, x: Float, y: Float)\n fun vertexAttrib2fv(index: Int, values: dynamic)\n fun
vertexAttrib3f(index: Int, x: Float, y: Float, z: Float)\n fun vertexAttrib3fv(index: Int, values: dynamic)\n fun
vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float)\n
fun vertexAttrib4fv(index: Int, values: dynamic)\n fun vertexAttribPointer(index: Int, size: Int, type: Int,
normalized: Boolean, stride: Int, offset: Int)\n fun viewport(x: Int, y: Int, width: Int, height: Int)\n\n companion
object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val
COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val
LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN:
Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR:
Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val
ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n
val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val
BLEND_EQUATION_RGB: Int\n
 val BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT: Int\n val
FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n
val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n
val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val
ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n
val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val
ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n
val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val
CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK:
Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n
val DEPTH_TEST: Int\n val
SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE:
Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val
INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW:
Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val
ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n
val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val
DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val
STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS:
Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK:
Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n
 val STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n
val STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val
STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val
COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n
val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n
val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n
val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val
POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val
TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val
SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val
COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE:

```

Int\n val FASTEST: Int\n val NICEST: Int\n val GENERATE\_MIPMAP\_HINT: Int\n val BYTE:  
 Int\n val UNSIGNED\_BYTE: Int\n val SHORT: Int\n val UNSIGNED\_SHORT: Int\n val INT:  
 Int\n val UNSIGNED\_INT: Int\n val FLOAT: Int\n val DEPTH\_COMPONENT: Int\n val  
 ALPHA: Int\n val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val  
 LUMINANCE\_ALPHA: Int\n val UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n val  
 UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n val UNSIGNED\_SHORT\_5\_6\_5: Int\n val  
 FRAGMENT\_SHADER: Int\n val VERTEX\_SHADER: Int\n val MAX\_VERTEX\_ATTRIBS: Int\n  
 val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n val MAX\_VARYING\_VECTORS: Int\n val  
 MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n val MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS:  
 Int\n val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n val MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n  
 val SHADER\_TYPE: Int\n val DELETE\_STATUS:  
 Int\n val LINK\_STATUS: Int\n val VALIDATE\_STATUS: Int\n val ATTACHED\_SHADERS: Int\n  
 val ACTIVE\_UNIFORMS: Int\n val ACTIVE\_ATTRIBUTES: Int\n val  
 SHADING\_LANGUAGE\_VERSION: Int\n val CURRENT\_PROGRAM: Int\n val NEVER: Int\n val  
 LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n  
 val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n  
 val DECR: Int\n val INVERT: Int\n val INCR\_WRAP: Int\n val DECR\_WRAP: Int\n val  
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:  
 Int\n val NEAREST\_MIPMAP\_NEAREST: Int\n val LINEAR\_MIPMAP\_NEAREST: Int\n val  
 NEAREST\_MIPMAP\_LINEAR: Int\n val LINEAR\_MIPMAP\_LINEAR: Int\n val  
 TEXTURE\_MAG\_FILTER: Int\n val TEXTURE\_MIN\_FILTER: Int\n  
 val TEXTURE\_WRAP\_S: Int\n val TEXTURE\_WRAP\_T: Int\n val TEXTURE\_2D: Int\n val  
 TEXTURE: Int\n val TEXTURE\_CUBE\_MAP: Int\n val TEXTURE\_BINDING\_CUBE\_MAP: Int\n  
 val TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Z: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n val  
 MAX\_CUBE\_MAP\_TEXTURE\_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val  
 TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val  
 TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val  
 TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val  
 TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17:  
 Int\n val TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21:  
 Int\n val TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25:  
 Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29:  
 Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE\_TEXTURE: Int\n val  
 REPEAT: Int\n val CLAMP\_TO\_EDGE: Int\n val MIRRORED\_REPEAT: Int\n val FLOAT\_VEC2:  
 Int\n val FLOAT\_VEC3: Int\n val FLOAT\_VEC4: Int\n val INT\_VEC2: Int\n val INT\_VEC3:  
 Int\n val INT\_VEC4: Int\n val BOOL: Int\n val BOOL\_VEC2: Int\n val BOOL\_VEC3: Int\n  
 val BOOL\_VEC4: Int\n val FLOAT\_MAT2: Int\n val FLOAT\_MAT3: Int\n val FLOAT\_MAT4: Int\n  
 val SAMPLER\_2D: Int\n val SAMPLER\_CUBE: Int\n val VERTEX\_ATTRIB\_ARRAY\_ENABLED:  
 Int\n  
 val VERTEX\_ATTRIB\_ARRAY\_SIZE: Int\n val VERTEX\_ATTRIB\_ARRAY\_STRIDE: Int\n val  
 VERTEX\_ATTRIB\_ARRAY\_TYPE: Int\n val VERTEX\_ATTRIB\_ARRAY\_NORMALIZED: Int\n val  
 VERTEX\_ATTRIB\_ARRAY\_POINTER: Int\n val VERTEX\_ATTRIB\_ARRAY\_BUFFER\_BINDING: Int\n  
 val IMPLEMENTATION\_COLOR\_READ\_TYPE: Int\n val  
 IMPLEMENTATION\_COLOR\_READ\_FORMAT: Int\n val COMPILE\_STATUS: Int\n val  
 LOW\_FLOAT: Int\n val MEDIUM\_FLOAT: Int\n val HIGH\_FLOAT: Int\n val LOW\_INT: Int\n  
 val MEDIUM\_INT: Int\n val HIGH\_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER:



STENCIL\_FAIL:

Int\n val STENCIL\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_PASS\_DEPTH\_PASS: Int\n val  
STENCIL\_REF: Int\n val STENCIL\_VALUE\_MASK: Int\n val STENCIL\_WRITEMASK: Int\n val  
STENCIL\_BACK\_FUNC: Int\n val STENCIL\_BACK\_FAIL: Int\n val  
STENCIL\_BACK\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_BACK\_PASS\_DEPTH\_PASS: Int\n val  
STENCIL\_BACK\_REF: Int\n val STENCIL\_BACK\_VALUE\_MASK: Int\n val  
STENCIL\_BACK\_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR\_BOX: Int\n val  
COLOR\_CLEAR\_VALUE: Int\n val COLOR\_WRITEMASK: Int\n val UNPACK\_ALIGNMENT: Int\n  
val PACK\_ALIGNMENT: Int\n val MAX\_TEXTURE\_SIZE: Int\n val MAX\_VIEWPORT\_DIMS: Int\n  
val SUBPIXEL\_BITS: Int\n val RED\_BITS: Int\n val GREEN\_BITS: Int\n val BLUE\_BITS: Int\n  
val ALPHA\_BITS: Int\n val DEPTH\_BITS: Int\n val STENCIL\_BITS: Int\n val

POLYGON\_OFFSET\_UNITS: Int\n

val POLYGON\_OFFSET\_FACTOR: Int\n val TEXTURE\_BINDING\_2D: Int\n val  
SAMPLE\_BUFFERS: Int\n val SAMPLES: Int\n val SAMPLE\_COVERAGE\_VALUE: Int\n val  
SAMPLE\_COVERAGE\_INVERT: Int\n val COMPRESSED\_TEXTURE\_FORMATS: Int\n val  
DONT\_CARE: Int\n val FASTEST: Int\n val NICEST: Int\n val GENERATE\_MIPMAP\_HINT: Int\n  
val BYTE: Int\n val UNSIGNED\_BYTE: Int\n val SHORT: Int\n val UNSIGNED\_SHORT: Int\n  
val INT: Int\n val UNSIGNED\_INT: Int\n val FLOAT: Int\n val DEPTH\_COMPONENT: Int\n  
val ALPHA: Int\n val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val  
LUMINANCE\_ALPHA: Int\n val UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n val  
UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n val UNSIGNED\_SHORT\_5\_6\_5: Int\n val  
FRAGMENT\_SHADER: Int\n val VERTEX\_SHADER: Int\n val MAX\_VERTEX\_ATTRIBS: Int\n  
val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n  
val MAX\_VARYING\_VECTORS: Int\n val MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n  
val MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS: Int\n val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n val  
MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n val SHADER\_TYPE: Int\n val DELETE\_STATUS:  
Int\n val LINK\_STATUS: Int\n val VALIDATE\_STATUS: Int\n val ATTACHED\_SHADERS: Int\n  
val ACTIVE\_UNIFORMS: Int\n val ACTIVE\_ATTRIBUTES: Int\n val  
SHADING\_LANGUAGE\_VERSION: Int\n val CURRENT\_PROGRAM: Int\n val NEVER: Int\n val  
LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n  
val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n  
val DECR: Int\n val INVERT: Int\n val INCR\_WRAP: Int\n val DECR\_WRAP: Int\n val  
VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val  
NEAREST: Int\n val LINEAR: Int\n val NEAREST\_MIPMAP\_NEAREST: Int\n val  
LINEAR\_MIPMAP\_NEAREST: Int\n val NEAREST\_MIPMAP\_LINEAR: Int\n val  
LINEAR\_MIPMAP\_LINEAR: Int\n val TEXTURE\_MAG\_FILTER: Int\n val TEXTURE\_MIN\_FILTER:  
Int\n val TEXTURE\_WRAP\_S: Int\n val TEXTURE\_WRAP\_T: Int\n val TEXTURE\_2D: Int\n  
val TEXTURE: Int\n val TEXTURE\_CUBE\_MAP: Int\n val TEXTURE\_BINDING\_CUBE\_MAP: Int\n  
val TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n  
val TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n val  
TEXTURE\_CUBE\_MAP\_POSITIVE\_Z: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n val  
MAX\_CUBE\_MAP\_TEXTURE\_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val  
TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val  
TEXTURE6: Int\n val TEXTURE7:  
Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11:  
Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15:  
Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val TEXTURE18: Int\n val TEXTURE19:  
Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23:

```

Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27:
Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31:
Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n val CLAMP_TO_EDGE: Int\n val
MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val FLOAT_VEC3: Int\n val FLOAT_VEC4:
Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val INT_VEC4: Int\n val BOOL: Int\n
 val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n
 val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n val SAMPLER_2D: Int\n val
SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\n val
VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val
VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val
VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n
 val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val
IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val
LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n
 val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER:
Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val
DEPTH_COMPONENT16: Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val
DEPTH_STENCIL: Int\n val RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n
 val RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val
RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val
RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val
RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
 val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val
FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val
FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0:
Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val
DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n
 val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val
FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT:
Int\n val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n val
FRAMEBUFFER_UNSUPPORTED: Int\n val FRAMEBUFFER_BINDING: Int\n val
RENDERBUFFER_BINDING: Int\n val MAX_RENDERBUFFER_SIZE: Int\n val
INVALID_FRAMEBUFFER_OPERATION: Int\n val UNPACK_FLIP_Y_WEBGL: Int\n val
UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n val CONTEXT_LOST_WEBGL: Int\n val
UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n val BROWSER_DEFAULT_WEBGL: Int\n
}\n}\n\n/*\n * Exposes the JavaScript
[WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n
*/\n\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit =
definedExternally) : Event {\n open val statusMessage: String\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external
interface WebGLContextEventInit : EventInit {\n var statusMessage: String? /* = \"\" */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun
WebGLContextEventInit(statusMessage: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): WebGLContextEventInit {\n val o = js(\"({})\")\n o[\"statusMessage\"] =
statusMessage\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n
return o\n}\n\n/*\n * Exposes the JavaScript

```

```

[ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n *\npublic external open
class ArrayBuffer(length: Int) : BufferDataSource {\n open val byteLength: Int\n fun slice(begin: Int, end: Int =
definedExternally): ArrayBuffer\n\n companion object {\n fun isView(value: Any?): Boolean\n
}\n}\n\n/**\n
* Exposes the JavaScript [ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to
Kotlin\n *\npublic external interface ArrayBufferView : BufferDataSource {\n val buffer: ArrayBuffer\n val
byteOffset: Int\n val byteLength: Int\n}\n\n/**\n
* Exposes the JavaScript
[Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n *\npublic external open class
Int8Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Int8Array)\n constructor(array:
Array<Byte>)\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =
definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n override val byteOffset: Int\n
override val byteLength: Int\n fun set(array: Int8Array, offset: Int = definedExternally)\n fun set(array:
Array<Byte>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Int8Array\n\n companion
object {\n
 val BYTES_PER_ELEMENT: Int\n }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.get(index: Int):
Byte = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.set(index: Int,
value: Byte) { asDynamic()[index] = value }\n\n/**\n
* Exposes the JavaScript
[Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n *\npublic external open class
Uint8Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Uint8Array)\n
constructor(array: Array<Byte>)\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n override val byteOffset:
Int\n override val byteLength: Int\n fun set(array: Uint8Array, offset: Int = definedExternally)\n fun
set(array: Array<Byte>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Uint8Array\n\n
companion object {\n val BYTES_PER_ELEMENT: Int\n
}\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8Array.get(index: Int):
Byte = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8Array.set(index: Int,
value: Byte) { asDynamic()[index] = value }\n\n/**\n
* Exposes the JavaScript
[Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\n *\npublic
external open class Uint8ClampedArray : ArrayBufferView {\n constructor(length: Int)\n constructor(array:
Uint8ClampedArray)\n constructor(array: Array<Byte>)\n constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n open val length: Int\n override val
buffer: ArrayBuffer\n override val byteOffset: Int\n override val byteLength: Int\n fun set(array:
Uint8ClampedArray, offset: Int = definedExternally)\n fun set(array: Array<Byte>, offset: Int =
definedExternally)\n fun subarray(start: Int, end: Int): Uint8ClampedArray\n\n companion object {\n val
BYTES_PER_ELEMENT: Int\n }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
Uint8ClampedArray.get(index: Int): Byte = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
Uint8ClampedArray.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n
* Exposes the JavaScript
[Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n *\npublic external open class
Int16Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Int16Array)\n
constructor(array:
Array<Short>)\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =
definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n override val byteOffset: Int\n
}
```

```

override val byteLength: Int\n fun set(array: Int16Array, offset: Int = definedExternally)\n fun set(array:
Array<Short>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Int16Array\n\n companion
object {\n val BYTES_PER_ELEMENT: Int\n }\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.get(index: Int):
Short = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.set(index: Int,
value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n *\npublic
external open class Uint16Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array:
Uint16Array)\n constructor(array: Array<Short>)\n constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n
override val byteOffset: Int\n override val byteLength: Int\n fun set(array: Uint16Array, offset: Int =
definedExternally)\n fun set(array: Array<Short>, offset: Int = definedExternally)\n fun subarray(start: Int, end:
Int): Uint16Array\n\n companion object {\n val BYTES_PER_ELEMENT: Int\n
}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint16Array.get(index: Int):
Short = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint16Array.set(index: Int,
value: Short) { asDynamic()[index]
= value }\n\n/**\n * Exposes the JavaScript
[Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n *\npublic external open class
Int32Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Int32Array)\n
constructor(array: Array<Int>)\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n override val byteOffset: Int\n
override val byteLength: Int\n fun set(array: Int32Array, offset: Int = definedExternally)\n fun set(array:
Array<Int>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Int32Array\n\n companion object
{\n val BYTES_PER_ELEMENT: Int\n }\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.get(index: Int): Int
= asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.set(index: Int,
value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n *\npublic external open
class Uint32Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Uint32Array)\n
constructor(array: Array<Int>)\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n override val byteOffset: Int\n
override val byteLength: Int\n fun set(array: Uint32Array, offset: Int = definedExternally)\n fun set(array:
Array<Int>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Uint32Array\n\n companion
object {\n val BYTES_PER_ELEMENT: Int\n }\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
inline operator fun Uint32Array.get(index: Int): Int =
asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint32Array.set(index: Int,
value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n *\npublic external open
class Float32Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Float32Array)\n
constructor(array: Array<Float>)\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n override val byteOffset:
Int\n override val byteLength: Int\n fun set(array: Float32Array, offset: Int = definedExternally)\n fun

```

```

set(array: Array<Float>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Float32Array\n\n
 companion object {\n val BYTES_PER_ELEMENT: Int\n }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.get(index: Int):
Float = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.set(index: Int,
value: Float) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n */\npublic external open
class Float64Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Float64Array)\n
 constructor(array: Array<Double>)\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n override val byteOffset:
Int\n override val byteLength: Int\n fun set(array:
Float64Array, offset: Int = definedExternally)\n fun set(array: Array<Double>, offset: Int = definedExternally)\n
 fun subarray(start: Int, end: Int): Float64Array\n\n companion object {\n val BYTES_PER_ELEMENT: Int\n }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.get(index: Int):
Double = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.set(index: Int,
value: Double) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\n */\npublic external open class
DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) :
ArrayBufferView {\n override val buffer: ArrayBuffer\n override val byteOffset: Int\n override val
byteLength: Int\n fun getInt8(byteOffset:
Int): Byte\n fun getUint8(byteOffset: Int): Byte\n fun getInt16(byteOffset: Int, littleEndian: Boolean =
definedExternally): Short\n fun getUint16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n
 fun getInt32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n fun getUint32(byteOffset: Int,
littleEndian: Boolean = definedExternally): Int\n fun getFloat32(byteOffset: Int, littleEndian: Boolean =
definedExternally): Float\n fun getFloat64(byteOffset: Int, littleEndian: Boolean = definedExternally): Double\n
 fun setInt8(byteOffset: Int, value: Byte)\n fun setUint8(byteOffset: Int, value: Byte)\n fun setInt16(byteOffset:
Int, value: Short, littleEndian: Boolean = definedExternally)\n fun setUint16(byteOffset: Int, value: Short,
littleEndian: Boolean = definedExternally)\n fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean =
definedExternally)\n fun setUint32(byteOffset: Int, value: Int, littleEndian:
Boolean = definedExternally)\n fun setFloat32(byteOffset: Int, value: Float, littleEndian: Boolean =
definedExternally)\n fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean =
definedExternally)\n}\n\npublic external interface BufferDataSource\n\npublic external interface
TexImageSource", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *
/>\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for
details\n\npackage org.w3c.dom.clipboard\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface ClipboardEventInit : EventInit {\n var
clipboardData: DataTransfer? /* = null */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic
inline fun ClipboardEventInit(clipboardData: DataTransfer? = null, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): ClipboardEventInit {\n val o = js("{}")\n o["clipboardData"] = clipboardData\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\n */\npublic external

```

```

open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {
 open val clipboardData: DataTransfer?
 companion object {
 val NONE: Short
 val CAPTURING_PHASE: Short
 val AT_TARGET: Short
 val BUBBLING_PHASE: Short
 }
}
Exposes the JavaScript [Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to Kotlin
public external
abstract class Clipboard : EventTarget {
 fun read(): Promise<DataTransfer>
 fun readText(): Promise<String>
 fun write(data: DataTransfer): Promise<Unit>
 fun writeText(data: String): Promise<Unit>
}
public external interface ClipboardPermissionDescriptor {
 var allowWithoutGesture: Boolean?
}
= false
get() = definedExternally
set(value) = definedExternally
@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {
 val o = js("{}")
 o["allowWithoutGesture"] = allowWithoutGesture
 return o
}
Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!
See github.com/kotlin/dukat for details
package org.w3c.dom.css
import kotlin.js.*
import org.khronos.webgl.*
import org.w3c.dom.*
public external abstract class MediaList : ItemArrayLike<String> {
 open var mediaText: String
 fun appendMedium(medium: String)
 fun deleteMedium(medium: String)
 override fun item(index: Int): String?
}
@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline operator fun MediaList.get(index: Int): String? = asDynamic()[index]
Exposes the JavaScript [StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin
public external abstract class StyleSheet {
 open val type: String
 open val href: String?
 open val ownerNode: UnionElementOrProcessingInstruction?
 open val parentStyleSheet: StyleSheet?
 open val title: String?
 open val media: MediaList
 open var disabled: Boolean
}
Exposes the JavaScript [CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin
public external abstract class CSSStyleSheet : StyleSheet {
 open val ownerRule: CSSRule?
 open val cssRules: CSSRuleList
 fun insertRule(rule: String, index: Int): Int
 fun deleteRule(index: Int): Int
}
Exposes the JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin
public external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {
 override fun item(index: Int): StyleSheet?
}
@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline operator fun StyleSheetList.get(index: Int): StyleSheet? = asDynamic()[index]
Exposes the JavaScript [LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin
public external interface LinkStyle {
 val sheet: StyleSheet?
 get() = definedExternally
}
Exposes the JavaScript [CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin
public external abstract class CSSRuleList : ItemArrayLike<CSSRule> {
 override fun item(index: Int): CSSRule?
}
@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline operator fun CSSRuleList.get(index: Int): CSSRule? = asDynamic()[index]
Exposes the JavaScript [CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin
public external abstract class CSSRule {
 open val type: Short
 open var cssText: String
 open val parentRule: CSSRule?
 open val parentStyleSheet: CSSStyleSheet?
 companion object {
 val STYLE_RULE: Short
 val CHARSET_RULE: Short
 val IMPORT_RULE: Short
 val MEDIA_RULE: Short
 val FONT_FACE_RULE: Short
 val PAGE_RULE: Short
 val MARGIN_RULE: Short
 val NAMESPACE_RULE: Short
 }
}
Exposes the JavaScript

```

[CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\n \*^/npublic external abstract class CSSStyleRule : CSSRule {\n open var selectorText: String\n open val style: CSSStyleDeclaration\n\n companion object {\n val STYLE\_RULE: Short\n val CHARSET\_RULE: Short\n val IMPORT\_RULE: Short\n val MEDIA\_RULE: Short\n val FONT\_FACE\_RULE: Short\n val PAGE\_RULE: Short\n val MARGIN\_RULE: Short\n val NAMESPACE\_RULE: Short\n }\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n open val href: String\n open val media: MediaList\n open val styleSheet: CSSStyleSheet\n\n companion object {\n val STYLE\_RULE: Short\n val CHARSET\_RULE: Short\n val IMPORT\_RULE: Short\n val MEDIA\_RULE: Short\n val FONT\_FACE\_RULE: Short\n val PAGE\_RULE: Short\n val MARGIN\_RULE: Short\n val NAMESPACE\_RULE: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript

[CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\n \*^/npublic external abstract class CSSGroupingRule : CSSRule {\n open val cssRules: CSSRuleList\n fun insertRule(rule: String, index: Int): Int\n fun deleteRule(index: Int)\n\n companion object {\n val STYLE\_RULE: Short\n val CHARSET\_RULE: Short\n val IMPORT\_RULE: Short\n val MEDIA\_RULE: Short\n val FONT\_FACE\_RULE: Short\n val PAGE\_RULE: Short\n val MARGIN\_RULE: Short\n val NAMESPACE\_RULE: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript

[CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n \*^/npublic external abstract class CSSMediaRule : CSSGroupingRule {\n open val media: MediaList\n\n companion object {\n val STYLE\_RULE: Short\n val CHARSET\_RULE: Short\n val IMPORT\_RULE: Short\n val MEDIA\_RULE: Short\n val FONT\_FACE\_RULE: Short\n val PAGE\_RULE: Short\n val MARGIN\_RULE: Short\n val NAMESPACE\_RULE: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript

[CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n \*^/npublic external abstract class CSSPageRule : CSSGroupingRule {\n open var selectorText: String\n open val style: CSSStyleDeclaration\n\n companion object {\n val STYLE\_RULE: Short\n val CHARSET\_RULE: Short\n val IMPORT\_RULE: Short\n val MEDIA\_RULE: Short\n val FONT\_FACE\_RULE: Short\n val PAGE\_RULE: Short\n val MARGIN\_RULE: Short\n val NAMESPACE\_RULE: Short\n }\n}\n\npublic external abstract class CSSMarginRule : CSSRule {\n open val name: String\n open val style: CSSStyleDeclaration\n\n companion object {\n val STYLE\_RULE: Short\n val CHARSET\_RULE: Short\n val IMPORT\_RULE: Short\n val MEDIA\_RULE: Short\n val FONT\_FACE\_RULE: Short\n val PAGE\_RULE: Short\n val MARGIN\_RULE: Short\n val NAMESPACE\_RULE: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript

[CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\n \*^/npublic external abstract class CSSNamespaceRule : CSSRule {\n open val namespaceURI: String\n open val prefix: String\n\n companion object {\n val STYLE\_RULE: Short\n val CHARSET\_RULE: Short\n val IMPORT\_RULE: Short\n val MEDIA\_RULE: Short\n val FONT\_FACE\_RULE: Short\n val PAGE\_RULE: Short\n val MARGIN\_RULE: Short\n val NAMESPACE\_RULE: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript

[CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\n \*^/npublic external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\n open var cssText: String\n open val parentRule: CSSRule?\n open var cssFloat: String\n open var alignContent: String\n open var alignItems: String\n open var alignSelf: String\n open var animation: String\n open var animationDelay: String\n open var animationDirection: String\n open var animationDuration: String\n open var animationFillMode: String\n open var animationIterationCount: String\n open var animationName: String\n open var animationPlayState: String\n open var animationTimingFunction: String\n open var backfaceVisibility: String\n open var background: String\n open var backgroundAttachment: String\n open var backgroundClip: String\n open var backgroundColor: String\n open var backgroundImage: String\n open var backgroundOrigin: String\n open var backgroundPosition: String\n open var backgroundRepeat: String\n open var backgroundSize: String\n open

var border: String\n open var borderBottom: String\n open var borderBottomColor: String\n open var  
borderBottomLeftRadius: String\n open var borderBottomRightRadius: String\n open var borderBottomStyle:  
String\n  
open var borderBottomWidth: String\n open var borderCollapse: String\n open var borderColor: String\n  
open var borderImage: String\n open var borderImageOutset: String\n open var borderImageRepeat: String\n  
open var borderImageSlice: String\n open var borderImageSource: String\n open var borderImageWidth:  
String\n open var borderLeft: String\n open var borderLeftColor: String\n open var borderLeftStyle: String\n  
open var borderLeftWidth: String\n open var borderRadius: String\n open var borderRight: String\n open var  
borderRightColor: String\n open var borderRightStyle: String\n open var borderRightWidth: String\n open var  
borderSpacing: String\n open var borderStyle: String\n open var borderTop: String\n open var  
borderTopColor: String\n open var borderTopLeftRadius: String\n open var borderTopRightRadius: String\n  
open var borderTopStyle: String\n open var borderTopWidth: String\n open var borderWidth:  
String\n open var bottom: String\n open var boxDecorationBreak: String\n open var boxShadow: String\n  
open var boxSizing: String\n open var breakAfter: String\n open var breakBefore: String\n open var  
breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip: String\n open var  
color: String\n open var columnCount: String\n open var columnFill: String\n open var columnGap: String\n  
open var columnRule: String\n open var columnRuleColor: String\n open var columnRuleStyle: String\n open  
var columnRuleWidth: String\n open var columnSpan: String\n open var columnWidth: String\n open var  
columns: String\n open var content: String\n open var counterIncrement: String\n open var counterReset:  
String\n open var cursor: String\n open var direction: String\n open var display: String\n open var  
emptyCells: String\n open var filter: String\n open var flex: String\n open  
var flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var flexGrow:  
String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var  
fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var  
fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var  
fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant:  
String\n open var fontVariantAlternates: String\n open var fontVariantCaps: String\n open var  
fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n  
open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n  
open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open  
var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var  
justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n  
open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var  
listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom:  
String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open  
var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n  
open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n  
open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight:  
String\n open var maxWidth: String\n open var minHeight: String\n open  
var minWidth: String\n open var navDown: String\n open var navIndex: String\n open var navLeft: String\n  
open var navRight: String\n open var navUp: String\n open var objectFit: String\n open var objectPosition:  
String\n open var opacity: String\n open var order: String\n open var orphans: String\n open var outline:  
String\n open var outlineColor: String\n open var outlineOffset: String\n open var outlineStyle: String\n open  
var outlineWidth: String\n open var overflowWrap: String\n open var overflowX: String\n open var  
overflowY: String\n open var padding: String\n open var paddingBottom: String\n open var paddingLeft:  
String\n open var paddingRight: String\n open var paddingTop: String\n open var pageBreakAfter: String\n  
open var pageBreakBefore: String\n open var pageBreakInside: String\n open var perspective: String\n open  
var perspectiveOrigin: String\n open var phonemes: String\n open var position:

```

String\n open var quotes: String\n open var resize: String\n open var rest: String\n open var restAfter:
String\n open var restBefore: String\n open var right: String\n open var tabSize: String\n open var
tableLayout: String\n open var textAlign: String\n open var textAlignLast: String\n open var
textCombineUpright: String\n open var textDecoration: String\n open var textDecorationColor: String\n open
var textDecorationLine: String\n open var textDecorationStyle: String\n open var textIndent: String\n open var
textJustify: String\n open var textOrientation: String\n open var textOverflow: String\n open var textShadow:
String\n open var textTransform: String\n open var textUnderlinePosition: String\n open var top: String\n
open var transform: String\n open var transformOrigin: String\n open var transformStyle: String\n open var
transition: String\n open var transitionDelay: String\n open var
transitionDuration: String\n open var transitionProperty: String\n open var transitionTimingFunction: String\n
open var unicodeBidi: String\n open var verticalAlign: String\n open var visibility: String\n open var
voiceBalance: String\n open var voiceDuration: String\n open var voicePitch: String\n open var
voicePitchRange: String\n open var voiceRate: String\n open var voiceStress: String\n open var voiceVolume:
String\n open var whiteSpace: String\n open var widows: String\n open var width: String\n open var
wordBreak: String\n open var wordSpacing: String\n open var wordWrap: String\n open var writingMode:
String\n open var zIndex: String\n open var _dashed_attribute: String\n open var _camel_cased_attribute:
String\n open var _webkit_cased_attribute: String\n fun getPropertyValue(property: String): String\n fun
getPropertyPriority(property: String): String\n fun setProperty(property: String, value: String,
priority: String = definedExternally)\n fun setPropertyValue(property: String, value: String)\n fun
setPropertyPriority(property: String, priority: String)\n fun removeProperty(property: String): String\n override
fun item(index: Int): String\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\n\npublic external interface
ElementCSSInlineStyle {\n val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript
[CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n *\n\npublic external abstract class CSS {\n
companion object {\n fun escape(ident: String): String\n }\n}\n\npublic external interface
UnionElementOrProcessingInstruction, \"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in
the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.dom.encryptedmedia\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes the JavaScript
[MediaKeySystemConfiguration](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemConfiguration)
to Kotlin\n *\n\npublic external interface MediaKeySystemConfiguration {\n var label: String? /* = \"\" *\n
get() = definedExternally\n set(value) = definedExternally\n var initDataTypes: Array<String>? /* = arrayOf()
*\n
get() = definedExternally\n set(value) = definedExternally\n var audioCapabilities:
Array<MediaKeySystemMediaCapability>? /* = arrayOf() *\n
get() = definedExternally\n set(value) =
definedExternally\n var videoCapabilities: Array<MediaKeySystemMediaCapability>? /* = arrayOf() *\n
get() = definedExternally\n
set(value) = definedExternally\n var distinctiveIdentifier: MediaKeysRequirement? /* =
MediaKeysRequirement.OPTIONAL *\n
get() = definedExternally\n set(value) = definedExternally\n
var persistentState: MediaKeysRequirement? /* = MediaKeysRequirement.OPTIONAL *\n
get() =
definedExternally\n set(value) = definedExternally\n var sessionTypes: Array<String>?\n
get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaKeySystemConfiguration(label:
String? = \"\", initDataTypes: Array<String>? = arrayOf(), audioCapabilities:
Array<MediaKeySystemMediaCapability>? = arrayOf(), videoCapabilities:
Array<MediaKeySystemMediaCapability>? = arrayOf(), distinctiveIdentifier: MediaKeysRequirement? =
MediaKeysRequirement.OPTIONAL, persistentState: MediaKeysRequirement? =

```

```

MediaKeysRequirement.OPTIONAL, sessionTypes: Array<String>?
= undefined): MediaKeySystemConfiguration {
 val o = js("{}")
 o["label"] = label
 o["initDataTypes"] = initDataTypes
 o["audioCapabilities"] = audioCapabilities
 o["videoCapabilities"] = videoCapabilities
 o["distinctiveIdentifier"] = distinctiveIdentifier
 o["persistentState"] = persistentState
 o["sessionTypes"] = sessionTypes
 return o
}

public external interface MediaKeySystemMediaCapability {
 var contentType: String? /* = "" */
 get() = definedExternally
 set(value) = definedExternally
 var robustness: String? /* = "" */
 get() = definedExternally
 set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun
MediaKeySystemMediaCapability(contentType: String? = "", robustness: String? = ""):
MediaKeySystemMediaCapability {
 val o = js("{}")
 o["contentType"] = contentType
 o["robustness"] = robustness
 return o
}

/**
 * Exposes the JavaScript
 [MediaKeySystemAccess](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemAccess) to Kotlin
 */
public external abstract class MediaKeySystemAccess {
 open val keySystem: String
 fun
getConfiguration(): MediaKeySystemConfiguration
 fun createMediaKeys(): Promise<MediaKeys>
}

/**
 * Exposes the JavaScript [MediaKeys](https://developer.mozilla.org/en/docs/Web/API/MediaKeys) to Kotlin
 */
public external abstract class MediaKeys {
 fun createSession(sessionType: MediaKeySessionType =
definedExternally): MediaKeySession
 fun setServerCertificate(serverCertificate: dynamic):
Promise<Boolean>
}

/**
 * Exposes the JavaScript
 [MediaKeySession](https://developer.mozilla.org/en/docs/Web/API/MediaKeySession) to Kotlin
 */
public external abstract class MediaKeySession : EventTarget {
 open val sessionId: String
 open val expiration:
Double
 open val closed:
Promise<Unit>
 open val keyStatuses: MediaKeyStatusMap
 open var onkeystatuschange: ((Event) ->
dynamic)?
 open var onmessage: ((MessageEvent) -> dynamic)?
 fun generateRequest(initDataType: String,
initData: dynamic): Promise<Unit>
 fun load(sessionId: String): Promise<Boolean>
 fun update(response:
dynamic): Promise<Unit>
 fun close(): Promise<Unit>
 fun remove(): Promise<Unit>
}

/**
 * Exposes the JavaScript
 [MediaKeyStatusMap](https://developer.mozilla.org/en/docs/Web/API/MediaKeyStatusMap) to
Kotlin
 */
public external abstract class MediaKeyStatusMap {
 open val size: Int
 fun has(keyId: dynamic):
Boolean
 fun get(keyId: dynamic): Any?
}

/**
 * Exposes the JavaScript
 [MediaKeyMessageEvent](https://developer.mozilla.org/en/docs/Web/API/MediaKeyMessageEvent) to Kotlin
 */
public external open class MediaKeyMessageEvent(type: String, eventInitDict: MediaKeyMessageEventInit) :
Event {
 open val messageType: MediaKeyMessageType
 open val message: ArrayBuffer
 companion object {
 val NONE: Short
 val
CAPTURING_PHASE: Short
 val AT_TARGET: Short
 val BUBBLING_PHASE: Short
 }
}

public external interface MediaKeyMessageEventInit : EventInit {
 var messageType:
MediaKeyMessageType?
 var message: ArrayBuffer?
}

@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun
MediaKeyMessageEventInit(messageType: MediaKeyMessageType?, message: ArrayBuffer?, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): MediaKeyMessageEventInit {
 val o =
js("{}")
 o["messageType"] = messageType
 o["message"] = message
 o["bubbles"] = bubbles
 o["cancelable"] = cancelable
 o["composed"] = composed
 return o
}

public external open class
MediaEncryptedEvent(type: String, eventInitDict: MediaEncryptedEventInit = definedExternally) : Event {
 open val initDataType: String
 open val initData: ArrayBuffer?
 companion object {
 val NONE:
Short
 val CAPTURING_PHASE: Short
 val AT_TARGET: Short
 val BUBBLING_PHASE:
Short
 }
}

public external interface MediaEncryptedEventInit : EventInit {
 var initDataType: String? /* =
"" */
 get() = definedExternally
 set(value) = definedExternally
 var initData: ArrayBuffer? /* = null
*/
 get() = definedExternally
 set(value) =
definedExternally
}

@Suppress("INVISIBLE_REFERENCE",

```

```

\invisible_member()\n@kotlin.internal.InlineOnly\npublic inline fun
MediaEncryptedEventInit(initDataType: String? = "", initData: ArrayBuffer? = null, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): MediaEncryptedEventInit {n val o = js("{}")\n
o["initDataType"] = initDataType\n o["initData"] = initData\n o["bubbles"] = bubbles\n o["cancelable"]
=
cancelable\n o["composed"] = composed\n return o}\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface MediaKeysRequirement {n companion object\n}\n\npublic inline val
MediaKeysRequirement.Companion.REQUIRED: MediaKeysRequirement get() =
"required".asDynamic().unsafeCast<MediaKeysRequirement>()\n\npublic inline val
MediaKeysRequirement.Companion.OPTIONAL: MediaKeysRequirement get() =
"optional".asDynamic().unsafeCast<MediaKeysRequirement>()\n\npublic inline val
MediaKeysRequirement.Companion.NOT_ALLOWED: MediaKeysRequirement get() = "not-
allowed".asDynamic().unsafeCast<MediaKeysRequirement>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface MediaKeySessionType {n companion object\n}\n\npublic inline val
MediaKeySessionType.Companion.TEMPORARY: MediaKeySessionType get() =
"temporary".asDynamic().unsafeCast<MediaKeySessionType>()\n\npublic
inline val MediaKeySessionType.Companion.PERSISTENT_LICENSE: MediaKeySessionType get() =
"persistent-license".asDynamic().unsafeCast<MediaKeySessionType>()\n\n/* please, don't implement this
interface! *\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic
external interface MediaKeyStatus {n companion object\n}\n\npublic inline val
MediaKeyStatus.Companion.USABLE: MediaKeyStatus get() =
"usable".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.EXPIRED: MediaKeyStatus get() =
"expired".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.RELEASED: MediaKeyStatus get() =
"released".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.OUTPUT_RESTRICTED: MediaKeyStatus get() = "output-
restricted".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.OUTPUT_DOWNSCALED:
MediaKeyStatus get() = "output-downscaled".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.STATUS_PENDING: MediaKeyStatus get() = "status-
pending".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.INTERNAL_ERROR: MediaKeyStatus get() = "internal-
error".asDynamic().unsafeCast<MediaKeyStatus>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface MediaKeyMessageType {n companion object\n}\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_REQUEST: MediaKeyMessageType get() = "license-
request".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_RENEWAL: MediaKeyMessageType get() = "license-
renewal".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_RELEASE: MediaKeyMessageType
get() = "license-release".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.INDIVIDUALIZATION_REQUEST: MediaKeyMessageType get() =
"individualization-request".asDynamic().unsafeCast<MediaKeyMessageType>()"/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-

```

```

GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\n/**\n * Exposes
the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n *\npublic external
open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n open val view:
Window?\n open val detail: Int?\n companion object {\n val NONE: Short?\n val CAPTURING_PHASE: Short?\n val AT_TARGET: Short?\n val BUBBLING_PHASE: Short?\n }\n }\n\npublic external interface UIEventInit : EventInit {\n var view: Window? /* = null */\n get() =
definedExternally\n set(value) = definedExternally\n var detail: Int? /* = 0 */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun UIEventInit(view: Window? = null,
detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit
{\n val o = js(\"({})\")\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n *\npublic external open class
FocusEvent(type:
String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\n open val relatedTarget:
EventTarget?\n companion object {\n val NONE: Short?\n val CAPTURING_PHASE: Short?\n val
AT_TARGET: Short?\n val BUBBLING_PHASE: Short?\n }\n\npublic external interface FocusEventInit :
UIEventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FocusEventInit(relatedTarget:
EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? =
false, composed: Boolean? = false): FocusEventInit {\n val o = js(\"({})\")\n o[\"relatedTarget\"] =
relatedTarget\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] =
cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n *\npublic external open class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) :
UIEvent, UnionElementOrMouseEvent {\n open val screenX: Int?\n open val screenY: Int?\n open val clientX:
Int?\n open val clientY: Int?\n open val ctrlKey: Boolean?\n open val shiftKey: Boolean?\n open val altKey:
Boolean?\n open val metaKey: Boolean?\n open val button: Short?\n open val buttons: Short?\n open val
relatedTarget: EventTarget?\n open val region: String?\n open val pageX: Double?\n open val pageY: Double?\n
 open val x: Double?\n open val y: Double?\n open val offsetX: Double?\n open val offsetY: Double?\n fun
getModifierState(keyArg: String): Boolean\n\n companion object {\n val NONE: Short?\n val
CAPTURING_PHASE: Short?\n val AT_TARGET: Short?\n val BUBBLING_PHASE: Short?\n }\n\n}\n\n}\n\npublic
external interface MouseEventInit : EventModifierInit {\n var screenX: Int? /* = 0 */\n get() =
definedExternally\n set(value) = definedExternally\n var screenY: Int? /* = 0 */\n get() =
definedExternally\n set(value) = definedExternally\n var clientX: Int? /* = 0 */\n get() =
definedExternally\n set(value) = definedExternally\n var clientY: Int? /* = 0 */\n get() =
definedExternally\n set(value) = definedExternally\n var button: Short? /* = 0 */\n get() =
definedExternally\n set(value) = definedExternally\n var buttons: Short? /* = 0 */\n get() =
definedExternally\n set(value) = definedExternally\n var relatedTarget: EventTarget? /* = null */\n get()
= definedExternally\n set(value) = definedExternally\n var region: String? /* = null */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MouseEventInit(screenX: Int? = 0,
screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget:
EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean?
= false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false,

```

```

modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false,
modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false,
modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {\n val o =
js(\("{})\n o["screenX"] = screenX\n o["screenY"] = screenY\n o["clientX"] = clientX\n o["clientY"]
= clientY\n
 o["button"] = button\n o["buttons"] = buttons\n o["relatedTarget"] = relatedTarget\n o["region"] =
region\n o["ctrlKey"] = ctrlKey\n o["shiftKey"] = shiftKey\n o["altKey"] = altKey\n o["metaKey"] =
metaKey\n o["modifierAltGraph"] = modifierAltGraph\n o["modifierCapsLock"] = modifierCapsLock\n
o["modifierFn"] = modifierFn\n o["modifierFnLock"] = modifierFnLock\n o["modifierHyper"] =
modifierHyper\n o["modifierNumLock"] = modifierNumLock\n o["modifierScrollLock"] =
modifierScrollLock\n o["modifierSuper"] = modifierSuper\n o["modifierSymbol"] = modifierSymbol\n
o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] = view\n o["detail"] = detail\n
o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return
o\n}\n\npublic external interface EventModifierInit : UIEventInit {\n var ctrlKey: Boolean? /* = false */\n
get() = definedExternally\n
 set(value) = definedExternally\n var shiftKey: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n var altKey: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n var metaKey: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n var modifierAltGraph: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n var modifierCapsLock: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n var modifierFn: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n var modifierFnLock: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n var modifierHyper: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n
 var modifierNumLock: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var modifierScrollLock: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n var modifierSuper: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n var modifierSymbol: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n var modifierSymbolLock: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun EventModifierInit(ctrlKey: Boolean? =
false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph:
Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean?
= false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? =
false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false,
view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): EventModifierInit {\n val o = js(\("{})\n o["ctrlKey"] = ctrlKey\n o["shiftKey"] =
shiftKey\n o["altKey"] = altKey\n o["metaKey"] = metaKey\n o["modifierAltGraph"] =
modifierAltGraph\n o["modifierCapsLock"] = modifierCapsLock\n o["modifierFn"] = modifierFn\n
o["modifierFnLock"] = modifierFnLock\n o["modifierHyper"] = modifierHyper\n o["modifierNumLock"] =
modifierNumLock\n o["modifierScrollLock"] = modifierScrollLock\n o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] =
view\n o["detail"]
= detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript [WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent)
to Kotlin\n */\npublic external open class WheelEvent(type: String, eventInitDict: WheelEventInit =
definedExternally) : MouseEvent {\n open val deltaX: Double\n open val deltaY: Double\n open val deltaZ:

```

```

Double\n open val deltaMode: Int\n\n companion object {\n val DOM_DELTA_PIXEL: Int\n val DOM_DELTA_LINE: Int\n val DOM_DELTA_PAGE: Int\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n\n public external interface WheelEventInit : MouseEventInit {\n var deltaX: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var deltaY: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var deltaZ: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var deltaMode: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n }\n\n @Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n @kotlin.internal.InlineOnly\n public inline fun WheelEventInit(deltaX: Double? = 0.0, deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\n val o = js(\"({})\")\n o[\"deltaX\"] = deltaX\n o[\"deltaY\"] = deltaY\n o[\"deltaZ\"] = deltaZ\n o[\"deltaMode\"] = deltaMode\n o[\"screenX\"] = screenX\n o[\"screenY\"] = screenY\n o[\"clientX\"] = clientX\n o[\"clientY\"] = clientY\n o[\"button\"] = button\n o[\"buttons\"] = buttons\n o[\"relatedTarget\"] = relatedTarget\n o[\"region\"] = region\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n }\n\n /** Exposes the JavaScript [InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to Kotlin */\n public external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) : UIEvent {\n open val data: String\n open val isComposing: Boolean\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n\n public external interface InputEventInit : UIEventInit {\n var data: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var isComposing: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n }\n\n @Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n @kotlin.internal.InlineOnly\n public inline fun InputEventInit(data: String? = \"\", isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): InputEventInit {\n val o = js(\"({})\")\n o[\"data\"] = data\n o[\"isComposing\"] = isComposing\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n }\n\n /** Exposes the JavaScript [KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin */\n public external open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {\n open val key: String\n open val code: String\n open val location: Int\n open val ctrlKey: Boolean\n open val shiftKey: Boolean\n open val altKey: Boolean\n open val metaKey: Boolean\n open val repeat: Boolean\n open val isComposing: Boolean\n open val charCode: Int\n open val keyCode: Int\n open val which: Int\n fun getModifierState(keyArg:

```

```

String): Boolean\n\n companion object {\n val DOM_KEY_LOCATION_STANDARD: Int\n val DOM_KEY_LOCATION_LEFT: Int\n val DOM_KEY_LOCATION_RIGHT: Int\n val DOM_KEY_LOCATION_NUMPAD: Int\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface KeyboardEventInit : EventModifierInit {\n var key: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var code: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var location: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var repeat: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var isComposing: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun KeyboardEventInit(key: String? = \"\", code: String? = \"\", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {\n val o = js(\"({})\")\n o[\"key\"] = key\n o[\"code\"] = code\n o[\"location\"] = location\n o[\"repeat\"] = repeat\n o[\"isComposing\"] = isComposing\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin\n */\npublic external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) : UIEvent {\n open val data: String\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface CompositionEventInit : UIEventInit {\n var data: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CompositionEventInit(data: String? = \"\", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CompositionEventInit {\n val o = js(\"({})\")\n o[\"data\"] = data\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\n */\npublic external open class Event(type: String, eventInitDict: EventInit = definedExternally) {\n open val type: String\n open val target: EventTarget?\n open val currentTarget: EventTarget?\n open val eventPhase: Short\n open val bubbles: Boolean\n open val cancelable: Boolean\n open val defaultPrevented: Boolean\n open val composed: Boolean\n open val isTrusted: Boolean\n open val timeStamp: Number\n fun composedPath(): Array<EventTarget>\n fun stopPropagation()\n fun stopImmediatePropagation()\n fun preventDefault()\n fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean)\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\n/**\n * Exposes the JavaScript

```

```

[EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin\n *\npublic external abstract
class EventTarget {\n fun addEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally)\n fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally)\n fun removeEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally)\n fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally)\n fun dispatchEvent(event: Event): Boolean\n}\n\n**\n * Exposes the JavaScript
[EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\n *\npublic external
interface EventListener {\n fun handleEvent(event: Event)\n},"/*\n
* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS
FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.dom\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.clipboard.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external abstract class HTMLAllCollection {\n open val
length: Int\n fun item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\n fun
namedItem(name: String): UnionElementOrHTMLCollection?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLAllCollection.get(index: Int): Element? =
asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n**\n *
Exposes the JavaScript
[HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection)
to Kotlin\n *\npublic external abstract class HTMLFormControlsCollection : HTMLCollection\n\n**\n * Exposes
the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n
*\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n open var value:
String\n}\n\n**\n * Exposes the JavaScript
[HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n
*\npublic
external abstract class HTMLOptionsCollection : HTMLCollection {\n override var length: Int\n open var
selectedIndex: Int\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic =
definedExternally)\n fun remove(index: Int)\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n**\n *
Exposes the JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to
Kotlin\n *\npublic external abstract class HTMLElement : Element, GlobalEventHandlers,
DocumentAndElementEventHandlers, ElementContentEditable, ElementCSSInlineStyle {\n open var title:
String\n open var lang: String\n open var translate: Boolean\n open var dir: String\n open val dataset:
DOMStringMap\n open var hidden: Boolean\n open var tabIndex: Int\n open var accessKey: String\n
open val accessKeyLabel: String\n open var draggable: Boolean\n open val dropzone: DOMTokenList\n
open var contextMenu: HTMLMenuElement?\n open var spellcheck: Boolean\n open var innerText: String\n
open val offsetParent: Element?\n open val offsetTop: Int\n open val offsetLeft: Int\n open val offsetWidth:
Int\n open val offsetHeight: Int\n fun click()\n fun focus()\n fun blur()\n fun forceSpellCheck()\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val

```

```

COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING:
Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val
DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n
 val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the
JavaScript [HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n
*/\n\npublic external abstract class HTMLUnknownElement : HTMLElement {\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING:
Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val
DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n
 val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the
JavaScript [DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n
*/\n\npublic external abstract class DOMStringMap\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMStringMap.get(name:
String): String? = asDynamic()[name]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMStringMap.set(name:
String, value: String) { asDynamic()[name] = value }\n\n}\n\n/**\n * Exposes the JavaScript
[HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n
*/\n\npublic external abstract class HTMLHtmlElement : HTMLElement {\n open var version: String\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE:
Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n
*/\n\npublic external abstract class HTMLHeadElement : HTMLElement {\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n
*/\n\npublic external abstract class HTMLTitleElement : HTMLElement {\n open var text: String\n\n
companion object

```

```

{n val ELEMENT_NODE: Short{n val ATTRIBUTE_NODE: Short{n val TEXT_NODE: Short{n
val CDATA_SECTION_NODE: Short{n val ENTITY_REFERENCE_NODE: Short{n val
ENTITY_NODE: Short{n val PROCESSING_INSTRUCTION_NODE: Short{n val COMMENT_NODE:
Short{n val DOCUMENT_NODE: Short{n val DOCUMENT_TYPE_NODE: Short{n val
DOCUMENT_FRAGMENT_NODE: Short{n val NOTATION_NODE: Short{n val
DOCUMENT_POSITION_DISCONNECTED: Short{n val DOCUMENT_POSITION_PRECEDING: Short{n
 val DOCUMENT_POSITION_FOLLOWING: Short{n val DOCUMENT_POSITION_CONTAINS: Short{n
 val DOCUMENT_POSITION_CONTAINED_BY: Short{n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short{n }n}n/n/**n * Exposes the JavaScript
[HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\n */npublic
external abstract class HTMLBaseElement : HTMLElement {n open var href: String\n open var target:
String\n\n companion object {n val ELEMENT_NODE: Short{n val ATTRIBUTE_NODE: Short{n
val TEXT_NODE: Short{n val CDATA_SECTION_NODE: Short{n val ENTITY_REFERENCE_NODE:
Short{n val ENTITY_NODE: Short{n val PROCESSING_INSTRUCTION_NODE: Short{n val
COMMENT_NODE: Short{n val DOCUMENT_NODE: Short{n val DOCUMENT_TYPE_NODE: Short{n
 val DOCUMENT_FRAGMENT_NODE: Short{n val NOTATION_NODE: Short{n val
DOCUMENT_POSITION_DISCONNECTED: Short{n val DOCUMENT_POSITION_PRECEDING: Short{n
 val DOCUMENT_POSITION_FOLLOWING: Short{n val DOCUMENT_POSITION_CONTAINS: Short{n
 val DOCUMENT_POSITION_CONTAINED_BY: Short{n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short{n }n}n/n/**n * Exposes the JavaScript
[HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin\n */npublic
external abstract class HTMLLinkElement : HTMLElement, LinkStyle {n
 open var href: String\n open var crossOrigin: String?\n open var rel: String\n open var `as`:
RequestDestination\n open val relList: DOMTokenList\n open var media: String\n open var nonce: String\n
open var hreflang: String\n open var type: String\n open val sizes: DOMTokenList\n open var referrerPolicy:
String\n open var charset: String\n open var rev: String\n open var target: String\n open var scope: String\n
open var workerType: WorkerType\n\n companion object {n val ELEMENT_NODE: Short{n val
ATTRIBUTE_NODE: Short{n val TEXT_NODE: Short{n val CDATA_SECTION_NODE: Short{n val
ENTITY_REFERENCE_NODE: Short{n val ENTITY_NODE: Short{n val
PROCESSING_INSTRUCTION_NODE: Short{n val COMMENT_NODE: Short{n val
DOCUMENT_NODE: Short{n val DOCUMENT_TYPE_NODE: Short{n val
DOCUMENT_FRAGMENT_NODE: Short{n val NOTATION_NODE: Short{n val
DOCUMENT_POSITION_DISCONNECTED:
Short{n val DOCUMENT_POSITION_PRECEDING: Short{n val
DOCUMENT_POSITION_FOLLOWING: Short{n val DOCUMENT_POSITION_CONTAINS: Short{n
val DOCUMENT_POSITION_CONTAINED_BY: Short{n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short{n }n}n/n/**n * Exposes the JavaScript
[HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin\n */npublic
external abstract class HTMLMetaElement : HTMLElement {n open var name: String\n open var httpEquiv:
String\n open var content: String\n open var scheme: String\n\n companion object {n val
ELEMENT_NODE: Short{n val ATTRIBUTE_NODE: Short{n val TEXT_NODE: Short{n val
CDATA_SECTION_NODE: Short{n val ENTITY_REFERENCE_NODE: Short{n val ENTITY_NODE:
Short{n val PROCESSING_INSTRUCTION_NODE: Short{n val COMMENT_NODE: Short{n val
DOCUMENT_NODE: Short{n val DOCUMENT_TYPE_NODE: Short{n val
DOCUMENT_FRAGMENT_NODE: Short{n val NOTATION_NODE: Short{n val
DOCUMENT_POSITION_DISCONNECTED: Short{n val DOCUMENT_POSITION_PRECEDING: Short{n
 val DOCUMENT_POSITION_FOLLOWING: Short{n val DOCUMENT_POSITION_CONTAINS: Short{n
 val DOCUMENT_POSITION_CONTAINED_BY: Short{n val

```

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n\n\n\n \* Exposes the JavaScript [HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin\n \* \n\npublic external abstract class HTMLStyleElement : HTMLElement, LinkStyle {\n open var media: String\n open var nonce: String\n open var type: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n\n\n\n \* Exposes the JavaScript [HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\n \* \n\npublic external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers {\n open var text: String\n open var link: String\n open var vLink: String\n open var aLink: String\n open var bgColor: String\n open var background: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n\n\n\n \* Exposes the JavaScript [HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n \* \n\npublic external abstract class HTMLHeadingElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n\n\n\n \* Exposes the JavaScript [HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n \* \n\npublic external abstract class HTMLParagraphElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val

```

 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\n *\npublic
external abstract class HTMLHRElement : HTMLElement {\n open var align: String\n open var color: String\n
open var noShade: Boolean\n open var size: String\n open var width: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n *\npublic
external abstract class HTMLPreElement : HTMLElement {\n open var width: Int\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\n *\npublic
external abstract class HTMLQuoteElement : HTMLElement {\n open var cite:
String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
 val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLOListElement) to Kotlin\n *\npublic
external abstract class HTMLLOListElement : HTMLElement {\n open
var reversed: Boolean\n open var start: Int\n open var type: String\n open var compact: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript

```

[HTMLUListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUListElement) to Kotlin\n \* public external abstract class HTMLUListElement : HTMLInputElement {\n open var compact: Boolean\n open var type: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n\n } }\n\n\n \* Exposes the JavaScript

[HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin\n \* public external abstract class HTMLLIElement : HTMLInputElement {\n open var value: Int\n open var type: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n\n } }\n\n\n \* Exposes the JavaScript

[HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement) to Kotlin\n \* public external abstract class HTMLDListElement : HTMLInputElement {\n open var compact: Boolean\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n\n } }\n\n\n \* Exposes the JavaScript

[HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n \* public external abstract class HTMLDivElement : HTMLInputElement {\n open var align: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n\n } }\n\n\n \* Exposes the JavaScript

[HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n \* public external abstract class HTMLAnchorElement : HTMLInputElement, HTMLHyperlinkElementUtils {\n open

```

var target: String\n open var download: String\n open var ping: String\n open var rel: String\n open val
reList: DOMTokenList\n open var hreflang: String\n open var type: String\n open var text: String\n open
var referrerPolicy: String\n open var coords: String\n open var charset: String\n open var name: String\n
open var rev: String\n open var shape: String\n\n companion object {\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n */\npublic
external abstract class HTMLDataElement : HTMLElement {\n open var value: String\n\n companion object {\n
 val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n */\npublic
external abstract class HTMLTimeElement : HTMLElement {\n open var dateTime: String\n\n companion
object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE:
Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n */\npublic
external abstract class HTMLSpanElement : HTMLElement {\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n */\npublic
external abstract class HTMLBRElement : HTMLElement {\n open var clear: String\n\n companion object {\n

```



```

 }
}

/**
 * Exposes the JavaScript
 [HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin
 */
@public external abstract class HTMLImageElement : HTMLElement, HTMLImageElement,
 TexImageSource {
 open var alt: String
 open var src: String
 open var srcset: String
 open var sizes:
 String
 open var crossOrigin: String?
 open var useMap: String
 open var isMap: Boolean
 open var
 width: Int
 open var height: Int
 open val naturalWidth: Int
 open val naturalHeight: Int
 open val
 complete: Boolean
 open val currentSrc: String
 open var referrerPolicy: String
 open var name: String
 open var lowsrc: String
 open var align: String
 open var hspace: Int
 open var vspace: Int
 open var
 longDesc: String
 open var border: String
 open val x: Int
 open val y: Int

 companion object {
 val ELEMENT_NODE: Short
 val ATTRIBUTE_NODE: Short

 val TEXT_NODE: Short
 val CDATA_SECTION_NODE: Short
 val
 ENTITY_REFERENCE_NODE: Short
 val ENTITY_NODE: Short
 val
 PROCESSING_INSTRUCTION_NODE: Short
 val COMMENT_NODE: Short
 val
 DOCUMENT_NODE: Short
 val DOCUMENT_TYPE_NODE: Short
 val
 DOCUMENT_FRAGMENT_NODE: Short
 val NOTATION_NODE: Short
 val
 DOCUMENT_POSITION_DISCONNECTED: Short
 val DOCUMENT_POSITION_PRECEDING: Short
 val
 DOCUMENT_POSITION_FOLLOWING: Short
 val DOCUMENT_POSITION_CONTAINS: Short
 val
 DOCUMENT_POSITION_CONTAINED_BY: Short
 val
 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
 }
}

/**
 * Exposes the JavaScript
 [HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin
 */
@public external abstract class HTMLIFrameElement : HTMLElement {
 open var src: String
 open var
 srcdoc: String
 open var name: String
 open val sandbox: DOMTokenList

 open var allowFullscreen: Boolean
 open var allowUserMedia: Boolean
 open var width: String
 open
 var height: String
 open var referrerPolicy: String
 open val contentDocument: Document?
 open val
 contentWindow: Window?
 open var align: String
 open var scrolling: String
 open var frameBorder:
 String
 open var longDesc: String
 open var marginHeight: String
 open var marginWidth: String
 fun
 getSVGDocument(): Document?

 companion object {
 val ELEMENT_NODE: Short
 val
 ATTRIBUTE_NODE: Short
 val TEXT_NODE: Short
 val CDATA_SECTION_NODE: Short
 val
 ENTITY_REFERENCE_NODE: Short
 val ENTITY_NODE: Short
 val
 PROCESSING_INSTRUCTION_NODE: Short
 val COMMENT_NODE: Short
 val
 DOCUMENT_NODE: Short
 val DOCUMENT_TYPE_NODE: Short
 val
 DOCUMENT_FRAGMENT_NODE: Short
 val NOTATION_NODE: Short
 val
 DOCUMENT_POSITION_DISCONNECTED: Short
 val DOCUMENT_POSITION_PRECEDING: Short
 val
 DOCUMENT_POSITION_FOLLOWING:
 Short
 val DOCUMENT_POSITION_CONTAINS: Short
 val
 DOCUMENT_POSITION_CONTAINED_BY: Short
 val
 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
 }
}

/**
 * Exposes the JavaScript
 [HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin
 */
@public external abstract class HTMLEmbedElement : HTMLElement {
 open var src: String
 open var
 type: String
 open var width: String
 open var height: String
 open var align: String
 open var name:
 String
 fun
 getSVGDocument(): Document?

 companion object {
 val ELEMENT_NODE: Short
 val
 ATTRIBUTE_NODE: Short
 val TEXT_NODE: Short
 val CDATA_SECTION_NODE: Short
 val
 ENTITY_REFERENCE_NODE: Short
 val ENTITY_NODE: Short
 val
 PROCESSING_INSTRUCTION_NODE: Short
 val COMMENT_NODE: Short
 val
 DOCUMENT_NODE:
 Short
 val DOCUMENT_TYPE_NODE: Short
 val
 DOCUMENT_FRAGMENT_NODE: Short
 val NOTATION_NODE: Short
 val
 DOCUMENT_POSITION_DISCONNECTED: Short
 val DOCUMENT_POSITION_PRECEDING: Short
 val
 DOCUMENT_POSITION_FOLLOWING: Short
 }
}

```

```

val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to
Kotlin\n */\npublic external abstract class HTMLObjectElement : HTMLElement {\n open var data: String\n open var type: String\n open var typeMustMatch: Boolean\n open var name: String\n open var useMap:
String\n open val form: HTMLFormElement?\n open var width: String\n open var height: String\n open val
contentDocument: Document?\n open val contentWindow: Window?\n open val willValidate:
Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open var align: String\n
open var archive: String\n open var code: String\n open var declare: Boolean\n open var hspace: Int\n open
var standby: String\n open var vspace: Int\n open var codeBase: String\n open var codeType: String\n open
var border: String\n fun getSVGDocument(): Document?\n fun checkValidity(): Boolean\n fun
reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n
val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING:
Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val
DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n
val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the
JavaScript [HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to
Kotlin\n */\npublic external abstract class HTMLParamElement : HTMLElement {\n open var name: String\n
open var value: String\n open var type: String\n open var valueType: String\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\n */\npublic
external abstract class HTMLVideoElement : HTMLMediaElement, CanvasImageSource, TexImageSource {\n open var
width: Int\n open var height: Int\n open val videoWidth: Int\n open val videoHeight: Int\n open var
poster: String\n open var playsInline: Boolean\n\n companion object {\n val NETWORK_EMPTY: Short\n
val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE:
Short\n val HAVE_NOTHING:
Short\n val HAVE_METADATA: Short\n val HAVE_CURRENT_DATA: Short\n val
HAVE_FUTURE_DATA: Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n

```

```

 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement)
to Kotlin\n */\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n companion object
{\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING:
Short\n val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val
HAVE_METADATA: Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA:
Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING:
Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val
DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n
 val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the
JavaScript [HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\n
*/\npublic external abstract class HTMLTrackElement : HTMLMediaElement {\n open var kind: String\n open var src:
String\n open var srclang: String\n open var label: String\n open var default: Boolean\n open val readyState:
Short\n open val track: TextTrack\n\n companion object {\n val NONE: Short\n val LOADING: Short\n
 val LOADED: Short\n val ERROR: Short\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE:
Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val
DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val
NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val
DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n
 val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes
the JavaScript [HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to
Kotlin\n */\npublic external abstract class HTMLMediaElement : HTMLMediaElement {\n open val error:
MediaError?\n open var src: String\n open var srcObject: MediaProvider?\n open val currentSrc: String\n
 open var crossOrigin: String?\n open val networkState: Short\n open var preload: String\n open val buffered:
TimeRanges\n open val readyState:
Short\n open val seeking: Boolean\n open var currentTime: Double\n open val duration: Double\n open val
paused: Boolean\n open var defaultPlaybackRate: Double\n open var playbackRate: Double\n open val played:
TimeRanges\n open val seekable: TimeRanges\n open val ended: Boolean\n open var autoplay: Boolean\n
 open var loop: Boolean\n open var controls: Boolean\n open var volume: Double\n open var muted: Boolean\n
 open var defaultMuted: Boolean\n open val audioTracks: AudioTrackList\n open val videoTracks:
VideoTrackList\n open val textTracks: TextTrackList\n open val mediaKeys: MediaKeys?\n open var
onencrypted: ((Event) -> dynamic)?\n open var onwaitingforkey: ((Event) -> dynamic)?\n fun load()\n fun
canPlayType(type: String): CanPlayTypeResult\n fun fastSeek(time: Double)\n fun getStartDate(): dynamic\n
 fun play(): Promise<Unit>\n fun pause()\n fun addTextTrack(kind: TextTrackKind, label: String
= definedExternally, language: String = definedExternally): TextTrack\n fun setMediaKeys(mediaKeys:
MediaKeys?): Promise<Unit>\n\n companion object {\n val NETWORK_EMPTY: Short\n val
NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE: Short\n

```



```

dynamic)?\n open val sourceBuffer: SourceBuffer?\n fun addCue(cue: TextTrackCue)\n fun removeCue(cue:
TextTrackCue)\n}\n\npublic external abstract class TextTrackCueList {\n open val length: Int\n fun
getCueById(id: String): TextTrackCue?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic
inline operator fun TextTrackCueList.get(index: Int): TextTrackCue? = asDynamic()[index]\n\n/**\n * Exposes the
JavaScript [TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\n */\n\npublic
external abstract class TextTrackCue : EventTarget {\n open val track: TextTrack?\n open var id: String\n
open var startTime: Double\n open var endTime: Double\n open var pauseOnExit: Boolean\n open var
onenter: ((Event) -> dynamic)?\n open var onexit: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n */\n\npublic external abstract
class TimeRanges {\n open val length: Int\n fun start(index: Int): Double\n fun end(index: Int):
Double\n}\n\n/**\n * Exposes the JavaScript
[TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\n */\n\npublic external open class
TrackEvent(type: String, eventInitDict: TrackEventInit
= definedExternally) : Event {\n open val track: UnionAudioTrackOrTextTrackOrVideoTrack?\n\n companion
object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n }\n}\n\npublic external interface TrackEventInit : EventInit {\n var track:
UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun TrackEventInit(track:
UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): TrackEventInit {\n val o = js("{}")\n o["track"] = track\n o["bubbles"] =
bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the
JavaScript [HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement)
to Kotlin\n */\n\npublic external abstract class HTMLMapElement : HTMLElement {\n open var name: String\n
open val areas: HTMLCollection\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement)
to Kotlin\n */\n\npublic external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils
{\n open var alt: String\n open var coords: String\n open var shape: String\n open var target: String\n open
var download: String\n open var ping: String\n open var rel: String\n open val relList: DOMTokenList\n
open var referrerPolicy: String\n open var noHref: Boolean\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING:
Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val

```

```

DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n */\npublic
external abstract class HTMLTableElement : HTMLElement {\n open var caption:
HTMLTableCaptionElement?\n open var tHead: HTMLTableSectionElement?\n open var tFoot:
HTMLTableSectionElement?\n open val tBodies: HTMLCollection\n open val rows: HTMLCollection\n open
var align: String\n open var border: String\n open var frame: String\n open var rules: String\n open var
summary: String\n open var width: String\n open var bgColor: String\n open var cellPadding: String\n open
var cellSpacing: String\n fun createCaption(): HTMLTableCaptionElement\n fun deleteCaption()\n
 fun createTHead(): HTMLTableSectionElement\n fun deleteTHead()\n fun createTFoot():
HTMLTableSectionElement\n fun deleteTFoot()\n fun createTBody(): HTMLTableSectionElement\n fun
insertRow(index: Int = definedExternally): HTMLTableRowElement\n fun deleteRow(index: Int)\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes
the JavaScript
[HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to
Kotlin\n */\npublic external abstract class HTMLTableCaptionElement : HTMLElement {\n open var align:
String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
 val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n
*/\npublic external abstract class HTMLTableColElement : HTMLElement {\n open var span: Int\n open var
align: String\n open var ch: String\n open var chOff: String\n open var vAlign: String\n open var width:
String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
 val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED:
Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val
DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to
Kotlin\n */\npublic external abstract class HTMLTableSectionElement : HTMLElement {\n open val rows:

```

```

HTMLCollection\n open var align: String\n open var ch: String\n open var chOff: String\n open var vAlign:
String\n fun insertRow(index: Int = definedExternally): HTMLInputElement\n fun deleteRow(index: Int)\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE:
Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val
DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val
NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val
DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes
the JavaScript
[HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n
*\npublic external abstract class HTMLTableRowElement : HTMLInputElement {\n open val rowIndex: Int\n open
val sectionRowIndex: Int\n open var cells: HTMLCollection\n open var align: String\n open var ch: String\n
open var chOff: String\n open var vAlign: String\n open var bgColor: String\n fun insertCell(index: Int =
definedExternally):
HTMLInputElement\n fun deleteCell(index: Int)\n\n companion object {\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n
*\npublic external
abstract class HTMLTableCellElement : HTMLInputElement {\n open var colSpan: Int\n open var rowSpan: Int\n
open var headers: String\n open val cellIndex: Int\n open var scope: String\n open var abbr: String\n open var
align: String\n open var axis: String\n open var height: String\n open var width: String\n open var ch:
String\n open var chOff: String\n open var noWrap: Boolean\n open var vAlign: String\n open var bgColor:
String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING:
Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val
DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin\n
*\npublic external abstract class HTMLFormElement : HTMLInputElement {\n open var acceptCharset: String\n open var
action: String\n open var autocomplete: String\n open var enctype: String\n open var encoding: String\n open
var method: String\n open var name: String\n open var noValidate: Boolean\n open var target: String\n open
val elements: HTMLFormControlsCollection\n open val length: Int\n fun submit()\n fun reset()\n fun

```

```

checkValidity(): Boolean\n fun reportValidity(): Boolean\n\n companion object {\n val ELEMENT_NODE:
Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLFormElement.get(index: Int): Element? =
asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n/**\n *
Exposes the JavaScript
[HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin\n */\npublic
external abstract class HTMLLabelElement : HTMLInputElement {\n open val form: HTMLFormElement?\n open
var htmlFor: String\n open val control: HTMLInputElement?\n\n companion object {\n val ELEMENT_NODE:
Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:
Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n
 val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes
the JavaScript [HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to
Kotlin\n */\npublic external abstract class HTMLInputElement : HTMLInputElement {\n open var accept: String\n
open var alt: String\n open var autocomplete: String\n open var autofocus: Boolean\n open var
defaultChecked: Boolean\n open var checked: Boolean\n open var dirName: String\n open var disabled:
Boolean\n open val form: HTMLFormElement?\n open val files: FileList?\n open var formAction: String\n
open var formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open var
formTarget: String\n open var height: Int\n open var indeterminate: Boolean\n open var inputMode: String\n
open val list: HTMLInputElement?\n open var
max: String\n open var maxLength: Int\n open var min: String\n open var minLength: Int\n open var
multiple: Boolean\n open var name: String\n open var pattern: String\n open var placeholder: String\n open
var readOnly: Boolean\n open var required: Boolean\n open var size: Int\n open var src: String\n open var
step: String\n open var type: String\n open var defaultValue: String\n open var value: String\n open var
valueAsDate: dynamic\n open var valueAsNumber: Double\n open var width: Int\n open val willValidate:
Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n
open var selectionStart: Int?\n open var selectionEnd: Int?\n open var selectionDirection: String?\n open var
align: String\n open var useMap: String\n fun stepUp(n: Int = definedExternally)\n fun stepDown(n: Int =
definedExternally)\n fun checkValidity(): Boolean\n fun reportValidity():

```

```

Boolean\n fun setCustomValidity(error: String)\n fun select()\n fun setRangeText(replacement: String)\n
fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally)\n
fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally)\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes
the JavaScript [HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to
Kotlin\n */\n\npublic external abstract class HTMLButtonElement : HTMLElement {\n open var autofocus:
Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var formAction: String\n
open var formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open
var formTarget: String\n open var name: String\n open var type: String\n open var value: String\n open var
menu: HTMLMenuElement?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val
validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity():
Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE:
Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n */\n\npublic
external abstract class HTMLSelectElement : HTMLElement, ItemArrayLike<Element> {\n open var
autocomplete: String\n
open var autofocus: Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open
var multiple: Boolean\n open var name: String\n open var required: Boolean\n open var size: Int\n open val
type: String\n open val options: HTMLOptionsCollection\n override var length: Int\n open val
selectedOptions: HTMLCollection\n open var selectedIndex: Int\n open var value: String\n open val
willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val
labels: NodeList\n fun namedItem(name: String): HTMLOptionElement?\n fun add(element:
UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n fun
remove(index: Int)\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun
setCustomValidity(error: String)\n override fun item(index: Int): Element?\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n

```

```

 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLSelectElement.get(index: Int): Element? =
asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLSelectElement.set(index:
Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n * Exposes the JavaScript
[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n
*\npublic external abstract class HTMLDataListElement : HTMLElement {\n open val options:
HTMLCollection\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*\npublic external abstract class HTMLOptGroupElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n open var disabled: Boolean\n open var label:
String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
 val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS:
Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n
*\npublic external abstract class HTMLOptionElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n open var disabled: Boolean\n open val form:
HTMLFormElement?\n open var label: String\n open var defaultSelected: Boolean\n open var selected:
Boolean\n open var value: String\n open var text: String\n open val index: Int\n\n companion object {\n
 val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n
 val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n}\n}\n\n/**\n * Exposes the JavaScript

```

```
[HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin
*\npublic external abstract class HTMLTextAreaElement : HTMLElement {\n open var autoComplete: String\n open var autofocus: Boolean\n open var cols: Int\n open var dirName: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var inputMode: String\n open var maxLength: Int\n open var minLength: Int\n open var name: String\n open var placeholder: String\n open var readOnly: Boolean\n open var required: Boolean\n open var rows: Int\n open var wrap: String\n open val type: String\n open var defaultValue: String\n open var value: String\n open val textLength: Int\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd: Int?\n open var selectionDirection: String?\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n fun select()\n fun setRangeText(replacement: String)\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally)\n fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin
*\npublic external abstract class HTMLKeygenElement : HTMLElement {\n open var autofocus: Boolean\n open var challenge: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var keytype: String\n open var name: String\n open val type: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin
*\npublic external abstract class HTMLOutputElement : HTMLElement {\n open val htmlFor: DOMTokenList\n open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open var defaultValue: String\n open var value: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n
```

```

 val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin\n
*\npublic external abstract class HTMLProgressElement : HTMLInputElement {\n open var value: Double\n open
var max: Double\n open val position: Double\n open val labels: NodeList\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
 val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin\n
*\npublic external abstract class HTMLMeterElement : HTMLInputElement {\n open var value: Double\n open var min:
Double\n open var max: Double\n open var low: Double\n open
var high: Double\n open var optimum: Double\n open val labels: NodeList\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin\n
*\npublic external abstract class HTMLFieldSetElement : HTMLInputElement {\n open var disabled: Boolean\n
open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open val elements:
HTMLCollection\n open val willValidate: Boolean\n open val validity: ValidityState\n open val
validationMessage: String\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun
setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING:
Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val
DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n
 val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the

```

```

JavaScript [HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to
Kotlin\n */\npublic external abstract class HTMLLegendElement : HTMLElement {\n open val form:
HTMLFormElement?\n open var align: String?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED:
Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val
DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin\n */\npublic external
abstract class ValidityState {\n open val valueMissing: Boolean\n open val typeMismatch: Boolean\n open val
patternMismatch: Boolean\n open val tooLong: Boolean\n open val tooShort: Boolean\n open val
rangeUnderflow: Boolean\n open val rangeOverflow: Boolean\n open val stepMismatch: Boolean\n open val
badInput: Boolean\n open val customError: Boolean\n open val valid: Boolean\n}\n}\n\n/**\n * Exposes the
JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to
Kotlin\n */\npublic external
abstract class HTMLDetailsElement : HTMLElement {\n open var open: Boolean\n\n companion object {\n
 val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
HTMLMenuElement : HTMLElement {\n open var type: String\n open var label: String\n open var
compact: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
HTMLMenuItemElement : HTMLElement {\n open var type: String\n open var label: String\n open var icon:
String\n open var disabled: Boolean\n open var
checked: Boolean\n open var radiogroup: String\n open var default: Boolean\n\n companion object {\n
 val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val

```

```

DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } } \n \n public external open class
RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event { \n open val
 relatedTarget: EventTarget? \n \n companion object { \n val NONE: Short\n val CAPTURING_PHASE:
Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n } } \n \n public external interface
RelatedEventInit : EventInit { \n var relatedTarget: EventTarget? /* = null */ \n get() = definedExternally \n
set(value) = definedExternally \n } \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline fun RelatedEventInit(relatedTarget:
EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
RelatedEventInit { \n val o = js("{}") \n o["relatedTarget"] = relatedTarget \n o["bubbles"] = bubbles \n
o["cancelable"] = cancelable \n o["composed"] = composed \n return o \n } \n \n /** \n * Exposes the JavaScript
[HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin \n
*/ \n public external abstract class HTMLDialogElement
: HTMLElement { \n open var open: Boolean \n open var returnValue: String \n fun show(anchor:
UnionElementOrMouseEvent = definedExternally) \n fun showModal(anchor: UnionElementOrMouseEvent =
definedExternally) \n fun close(returnValue: String = definedExternally) \n \n companion object { \n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val
DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val
DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } } \n \n /** \n * Exposes the
JavaScript [HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin \n
*/ \n public external abstract class HTMLScriptElement : HTMLElement, HTMLORSVGScriptElement { \n open
var src: String \n open var type: String \n open var charset: String \n open var async: Boolean \n open var defer:
Boolean \n open var crossOrigin: String? \n open var text: String \n open var nonce: String \n open var event:
String \n open var htmlFor: String \n \n companion object { \n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE:
Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val
DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val
DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } } \n \n /** \n * Exposes
the JavaScript [HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement)
to Kotlin \n */ \n public external abstract class HTMLTemplateElement : HTMLElement { \n open val content:
DocumentFragment \n \n companion object { \n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val

```

```

DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\n *\npublic
external abstract class HTMLSlotElement : HTMLElement {\n open var name: String\n fun
assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n
 val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
AssignedNodesOptions {\n var flatten: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun AssignedNodesOptions(flatten:
Boolean? = false): AssignedNodesOptions {\n val o = js(\"({})\")\n o[\"flatten\"] = flatten\n return
o\n}\n\n/**\n * Exposes the JavaScript
[HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement)
to Kotlin\n *\npublic external abstract class HTMLCanvasElement : HTMLElement, CanvasImageSource,
TexImageSource {\n open var width: Int\n open var height: Int\n fun getContext(contextId: String, vararg
arguments: Any?): RenderingContext?\n fun toDataURL(type: String = definedExternally, quality: Any? =
definedExternally): String\n fun toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality:
Any? = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED:
Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val
DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
CanvasRenderingContext2DSettings {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n val o =
js(\"({})\")\n o[\"alpha\"] = alpha\n return o\n}\n\n/**\n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin\n *\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing,

```

```

CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters, CanvasRect, CanvasDrawPath, CanvasUserInterface,
CanvasText, CanvasDrawImage, CanvasHitRegion, CanvasImageData, CanvasPathDrawingStyles,
CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n open val canvas:
HTMLCanvasElement\n}\n\npublic external interface CanvasState {\n fun save()\n fun restore()\n}\n\npublic
external interface CanvasTransform {\n fun scale(x: Double, y: Double)\n fun rotate(angle: Double)\n fun
translate(x: Double, y: Double)\n fun transform(a: Double, b: Double, c: Double, d: Double, e: Double, f:
Double)\n fun getTransform(): DOMMatrix\n fun setTransform(a: Double, b: Double, c: Double, d: Double, e:
Double, f: Double)\n fun setTransform(transform: dynamic = definedExternally)\n fun
resetTransform()\n}\n\npublic external interface CanvasCompositing {\n var globalAlpha: Double\n var
globalCompositeOperation: String\n}\n\npublic external interface CanvasImageSmoothing
{\n var imageSmoothingEnabled: Boolean\n var imageSmoothingQuality:
ImageSmoothingQuality\n}\n\npublic external interface CanvasFillStrokeStyles {\n var strokeStyle: dynamic\n
get() = definedExternally\n set(value) = definedExternally\n var fillStyle: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n fun createLinearGradient(x0: Double, y0: Double, x1:
Double, y1: Double): CanvasGradient\n fun createRadialGradient(x0: Double, y0: Double, r0: Double, x1:
Double, y1: Double, r1: Double): CanvasGradient\n fun createPattern(image: CanvasImageSource, repetition:
String): CanvasPattern?\n}\n\npublic external interface CanvasShadowStyles {\n var shadowOffsetX: Double\n
var shadowOffsetY: Double\n var shadowBlur: Double\n var shadowColor: String\n}\n\npublic external
interface CanvasFilters {\n var filter: String\n}\n\npublic external interface CanvasRect {\n fun clearRect(x:
Double, y: Double,
w: Double, h: Double)\n fun fillRect(x: Double, y: Double, w: Double, h: Double)\n fun strokeRect(x: Double,
y: Double, w: Double, h: Double)\n}\n\npublic external interface CanvasDrawPath {\n fun beginPath()\n fun
fill(fillRule: CanvasFillRule = definedExternally)\n fun fill(path: Path2D, fillRule: CanvasFillRule =
definedExternally)\n fun stroke()\n fun stroke(path: Path2D)\n fun clip(fillRule: CanvasFillRule =
definedExternally)\n fun clip(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n fun resetClip()\n
fun isPointInPath(x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun
isPointInPath(path: Path2D, x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun
isPointInStroke(x: Double, y: Double): Boolean\n fun isPointInStroke(path: Path2D, x: Double, y: Double):
Boolean\n}\n\npublic external interface CanvasUserInterface {\n fun drawFocusIfNeeded(element: Element)\n
fun drawFocusIfNeeded(path: Path2D, element: Element)\n fun scrollPathIntoView()\n fun
scrollPathIntoView(path: Path2D)\n}\n\npublic external interface CanvasText {\n fun fillText(text: String, x:
Double, y: Double, maxWidth: Double = definedExternally)\n fun strokeText(text: String, x: Double, y: Double,
maxWidth: Double = definedExternally)\n fun measureText(text: String): TextMetrics\n}\n\npublic external
interface CanvasDrawImage {\n fun drawImage(image: CanvasImageSource, dx: Double, dy: Double)\n fun
drawImage(image: CanvasImageSource, dx: Double, dy: Double, dw: Double, dh: Double)\n fun
drawImage(image: CanvasImageSource, sx: Double, sy: Double, sw: Double, sh: Double, dx: Double, dy: Double,
dw: Double, dh: Double)\n}\n\npublic external interface CanvasHitRegion {\n fun addHitRegion(options:
HitRegionOptions = definedExternally)\n fun removeHitRegion(id: String)\n fun clearHitRegions()\n}\n\npublic
external interface CanvasImageData {\n fun
createImageData(sw: Double, sh: Double): ImageData\n fun createImageData(imagedata: ImageData):
ImageData\n fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\n fun
putImageData(imagedata: ImageData, dx: Double, dy: Double)\n fun putImageData(imagedata: ImageData, dx:
Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double)\n}\n\npublic
external interface CanvasPathDrawingStyles {\n var lineWidth: Double\n var lineCap: CanvasLineCap\n var
lineJoin: CanvasLineJoin\n var miterLimit: Double\n var lineDashOffset: Double\n fun setLineDash(segments:
Array<Double>)\n fun getLineDash(): Array<Double>\n}\n\npublic external interface CanvasTextDrawingStyles
{\n var font: String\n var textAlign: CanvasTextAlign\n var textBaseline: CanvasTextBaseline\n var
direction: CanvasDirection\n}\n\npublic external interface CanvasPath {\n fun closePath()\n fun moveTo(x:

```

```

Double, y: Double)\n fun
lineTo(x: Double, y: Double)\n fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n fun
bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n fun arcTo(x1:
Double, y1: Double, x2: Double, y2: Double, radius: Double)\n fun arcTo(x1: Double, y1: Double, x2: Double,
y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n fun rect(x: Double, y: Double, w: Double, h:
Double)\n fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise:
Boolean = definedExternally)\n fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation:
Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally)\n\n/**\n * Exposes
the JavaScript [CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n
*/\n\npublic external abstract class CanvasGradient {\n fun addColorStop(offset: Double, color: String)\n}\n\n/**\n
* Exposes the JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to
Kotlin\n */\n\npublic external abstract class CanvasPattern {\n fun setTransform(transform: dynamic =
definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n */\n\npublic external abstract
class TextMetrics {\n open val width: Double\n open val actualBoundingBoxLeft: Double\n open val
actualBoundingBoxRight: Double\n open val fontBoundingBoxAscent: Double\n open val
fontBoundingBoxDescent: Double\n open val actualBoundingBoxAscent: Double\n open val
actualBoundingBoxDescent: Double\n open val emHeightAscent: Double\n open val emHeightDescent:
Double\n open val hangingBaseline: Double\n open val alphabeticBaseline: Double\n open val
ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n var path: Path2D? /* = null
*/\n get()
= definedExternally\n set(value) = definedExternally\n var fillRule: CanvasFillRule? /* =
CanvasFillRule.NONZERO */\n get() = definedExternally\n set(value) = definedExternally\n var id:
String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var parentID: String? /*
= null */\n get() = definedExternally\n set(value) = definedExternally\n var cursor: String? /* = \"inherit\"
/\n get() = definedExternally\n set(value) = definedExternally\n var control: Element? / = null */\n
get() = definedExternally\n set(value) = definedExternally\n var label: String? /* = null */\n get() =
definedExternally\n set(value) = definedExternally\n var role: String? /* = null */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun HitRegionOptions(path:
Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\", parentID: String? =
null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? = null):
HitRegionOptions {\n val o = js(\"({})\")\n o[\"path\"] = path\n o[\"fillRule\"] = fillRule\n o[\"id\"] = id\n
o[\"parentID\"] = parentID\n o[\"cursor\"] = cursor\n o[\"control\"] = control\n o[\"label\"] = label\n
o[\"role\"] = role\n return o\n}\n\n/**\n * Exposes the JavaScript
[ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n */\n\npublic external open class
ImageData : ImageBitmapSource, TexImageSource {\n constructor(sw: Int, sh: Int)\n constructor(data:
Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n open val width: Int\n open val height: Int\n open
val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript
[Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D)
to Kotlin\n */\n\npublic external open class Path2D() : CanvasPath {\n constructor(path: Path2D)\n
constructor(paths: Array<Path2D>, fillRule: CanvasFillRule = definedExternally)\n constructor(d: String)\n fun
addPath(path: Path2D, transform: dynamic = definedExternally)\n override fun closePath()\n override fun
moveTo(x: Double, y: Double)\n override fun lineTo(x: Double, y: Double)\n override fun
quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n override fun bezierCurveTo(cp1x: Double,
cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n override fun arcTo(x1: Double, y1: Double,
x2: Double, y2: Double, radius: Double)\n override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double,
radiusX: Double, radiusY: Double, rotation: Double)\n override fun rect(x: Double, y: Double, w: Double, h:

```



```

Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false,
modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): DragEventInit {
 val o = js("{}")
 o["dataTransfer"] = dataTransfer
 o["screenX"] = screenX
 o["screenY"] = screenY
 o["clientX"] = clientX
 o["clientY"] = clientY
 o["button"] = button
 o["buttons"] = buttons
 o["relatedTarget"] = relatedTarget
 o["region"] = region
 o["ctrlKey"] = ctrlKey
 o["shiftKey"] = shiftKey
 o["altKey"] = altKey
 o["metaKey"] = metaKey
 o["modifierAltGraph"] = modifierAltGraph
 o["modifierCapsLock"] = modifierCapsLock
 o["modifierFn"] = modifierFn
 o["modifierFnLock"] = modifierFnLock
 o["modifierHyper"] = modifierHyper
 o["modifierNumLock"] = modifierNumLock
 o["modifierScrollLock"] = modifierScrollLock
 o["modifierSuper"] = modifierSuper
 o["modifierSymbol"] = modifierSymbol
 o["modifierSymbolLock"] = modifierSymbolLock
 o["view"] = view
 o["detail"] = detail
 o["bubbles"] = bubbles
 o["cancelable"] = cancelable
 o["composed"] = composed
 return
}
}

/** Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window) to
Kotlin */
@public external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers,
WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance,
UnionMessagePortOrWindowProxy {
 open val window: Window
 open val self: Window
 open val document: Document
 open var name: String
 open val location: Location
 open val history: History
 open val customElements: CustomElementRegistry
 open val locationbar: BarProp
 open val menubar: BarProp
 open val personalbar: BarProp
 open val scrollbars: BarProp
 open val statusbar: BarProp
 open val toolbar: BarProp
 open var status: String
 open val closed: Boolean
 open val frames: Window
 open val length: Int
 open val top: Window
 open var opener: Any?
 open val parent: Window
 open val frameElement: Element?

 open val navigator: Navigator
 open val applicationCache: ApplicationCache
 open val external: External
 open val screen: Screen
 open val innerWidth: Int
 open val innerHeight: Int
 open val scrollX: Double
 open val pageXOffset: Double
 open val scrollY: Double
 open val pageYOffset: Double
 open val screenX: Int
 open val screenY: Int
 open val outerWidth: Int
 open val outerHeight: Int
 open val devicePixelRatio: Double
 fun close()
 fun stop()
 fun focus()
 fun blur()
 fun open(url: String = definedExternally, target: String = definedExternally, features: String = definedExternally): Window?
 fun alert()
 fun alert(message: String)
 fun confirm(message: String = definedExternally): Boolean
 fun prompt(message: String = definedExternally, default: String = definedExternally): String?
 fun print()
 fun requestAnimationFrame(callback: (Double) -> Unit): Int
 fun cancelAnimationFrame(handle: Int)
 fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally)
 fun captureEvents()
 fun releaseEvents()
 fun matchMedia(query: String): MediaQueryList
 fun moveTo(x: Int, y: Int)
 fun moveBy(x: Int, y: Int)
 fun resizeTo(x: Int, y: Int)
 fun resizeBy(x: Int, y: Int)
 fun scroll(options: ScrollToOptions = definedExternally)
 fun scroll(x: Double, y: Double)
 fun scrollTo(options: ScrollToOptions = definedExternally)
 fun scrollTo(x: Double, y: Double)
 fun scrollBy(options: ScrollToOptions = definedExternally)
 fun scrollBy(x: Double, y: Double)
 fun getComputedStyle(elt: Element, pseudoElt: String? = definedExternally):
 CSSStyleDeclaration
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
@public inline operator fun Window.get(name: String):
dynamic = asDynamic()[name]

@public external abstract class BarProp {
 open val visible: Boolean
}

/** Exposes the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to
Kotlin */
@public external abstract class History {
 open val length: Int
 open var scrollRestoration: ScrollRestoration
 open val state: Any?
 fun go(delta: Int = definedExternally)
 fun back()
 fun

```

```

forward()\n fun pushState(data: Any?, title: String, url: String? = definedExternally)\n fun replaceState(data:
Any?, title: String, url: String? = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n */\npublic external abstract class
Location {\n open var href: String\n open val origin: String\n open var protocol: String\n open var host:
String\n open var hostname: String\n open var port: String\n open var pathname: String\n open var search:
String\n open var hash: String\n open val ancestorOrigins: Array<out String>\n fun assign(url:
String)\n fun replace(url: String)\n fun reload()\n}\n\n/**\n * Exposes the JavaScript
[PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n */\npublic external
open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n open val
state: Any?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface PopStateEventInit
: EventInit {\n var state: Any? /* = null */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PopStateEventInit(state: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PopStateEventInit {\n val o
= js(\"({})\")\n o[\"state\"] = state\n o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n */\npublic
external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) :
Event {\n open val oldURL: String\n open val newURL: String\n\n companion object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
Short\n }\n}\n\npublic external interface HashChangeEventInit : EventInit {\n var oldURL: String? /* = \"\" */\n
get() = definedExternally\n set(value) = definedExternally\n var newURL: String? /* = \"\" */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun HashChangeEventInit(oldURL:
String?
= \"\", newURL: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): HashChangeEventInit {\n val o = js(\"({})\")\n o[\"oldURL\"] = oldURL\n o[\"newURL\"] =
newURL\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript
[PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n */\npublic
external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) :
Event {\n open val persisted: Boolean\n\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface PageTransitionEventInit : EventInit {\n var persisted: Boolean? /* = false */\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PageTransitionEventInit(persisted:
Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
PageTransitionEventInit {\n val o = js(\"({})\")\n o[\"persisted\"] = persisted\n o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin\n */\npublic
external open class BeforeUnloadEvent : Event {\n var returnValue: String\n\n companion object {\n val
NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n }\n}\n\npublic external abstract class ApplicationCache : EventTarget {\n open
val status: Short\n open var onchecking: ((Event) -> dynamic)?\n open var onerror: ((Event) -> dynamic)?\n
open var onnoupdate: ((Event) -> dynamic)?\n open var ondownloading: ((Event) -> dynamic)?\n open var
onprogress: ((ProgressEvent) -> dynamic)?\n open var onupdateready: ((Event) -> dynamic)?\n open var
oncached: ((Event) -> dynamic)?\n open var onobsolete: ((Event) -> dynamic)?\n fun update()\n fun abort()\n

```

```

fun swapCache()\n companion object {\n val UNCACHED: Short\n val IDLE: Short\n val
CHECKING: Short\n val DOWNLOADING: Short\n val UPDATEREADY: Short\n val OBSOLETE:
Short\n }\n}\n\n**\n * Exposes the JavaScript
[NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\n */\npublic
external interface NavigatorOnLine {\n val onLine: Boolean\n}\n\n**\n * Exposes the JavaScript
[ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n */\npublic external open class
ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally)
: Event {\n open val message: String\n open val filename: String\n open val lineno: Int\n open val colno:
Int\n open val error: Any?\n companion object {\n val NONE: Short\n val CAPTURING_PHASE:
Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface
ErrorEventInit : EventInit {\n var message: String? /* = \"\" */\n get() = definedExternally\n set(value) =
definedExternally\n var filename: String? /* = \"\" */\n get() = definedExternally\n set(value) =
definedExternally\n var lineno: Int? /* = 0 */\n get() = definedExternally\n set(value) =
definedExternally\n var colno: Int? /* = 0 */\n get() = definedExternally\n set(value) =
definedExternally\n var error: Any? /* = null */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun ErrorEventInit(message: String? = \"\", filename: String? = \"\", lineno: Int? = 0, colno: Int? = 0, error:
Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit
{\n val o = js(\"({})\")\n o[\"message\"] = message\n o[\"filename\"] = filename\n o[\"lineno\"] = lineno\n
o[\"colno\"] = colno\n o[\"error\"] = error\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n return o\n}\n\n**\n * Exposes the JavaScript
[PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin\n
*/\npublic external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) :
Event {\n open val promise: Promise<Any?>\n open val reason: Any?\n companion object {\n val
NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE:
Short\n }\n}\n\npublic external interface PromiseRejectionEventInit : EventInit {\n var promise:
Promise<Any?>\n var reason: Any?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun PromiseRejectionEventInit(promise:
Promise<Any?>, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): PromiseRejectionEventInit {\n val o = js(\"({})\")\n o[\"promise\"] = promise\n
o[\"reason\"] = reason\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] =
composed\n return o\n}\n\n**\n * Exposes the JavaScript
[GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n
*/\npublic external interface GlobalEventHandlers {\n var onabort: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value)
= definedExternally\n var onblur: ((FocusEvent) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var onCancel: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var oncanplay: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var oncanplaythrough: ((Event) -> dynamic)?\n get() = definedExternally\n set(value)
= definedExternally\n var onchange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var onclick: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var onclose: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var oncontextmenu: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n
set(value) = definedExternally\n var oncuechange:

```

```

((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onclick:
((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondrag:
((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragend:
((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
ondragenter: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var ondragexit: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var ondragleave: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var ondragover: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var ondragstart: ((DragEvent) -> dynamic)?\n
 get() = definedExternally\n set(value) = definedExternally\n var ondrop: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n set(value) = definedExternally\n var ondurationchange: ((Event) -> dynamic)?\n
 get() = definedExternally\n set(value) = definedExternally\n var onemptied: ((Event) -> dynamic)?\n
get() = definedExternally\n set(value) = definedExternally\n var onended: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onerror: ((dynamic, String, Int, Int, Any?) ->
dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onfocus: ((FocusEvent) ->
dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oninput: ((InputEvent) ->
dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oninvalid: ((Event) ->
dynamic)?\n get() = definedExternally\n
 set(value) = definedExternally\n var onkeydown: ((KeyboardEvent) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onkeypress: ((KeyboardEvent) -> dynamic)?\n
get() = definedExternally\n set(value) = definedExternally\n var onkeyup: ((KeyboardEvent) -> dynamic)?\n
 get() = definedExternally\n set(value) = definedExternally\n var onload: ((Event) -> dynamic)?\n get()
= definedExternally\n set(value) = definedExternally\n var onloadeddata: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onloadedmetadata: ((Event) -> dynamic)?\n
get() = definedExternally\n set(value) = definedExternally\n var onloadend: ((Event) -> dynamic)?\n get()
= definedExternally\n set(value) = definedExternally\n var onloadstart: ((ProgressEvent) -> dynamic)?\n
get() = definedExternally\n set(value)
= definedExternally\n var onmousedown: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n
set(value) = definedExternally\n var onmouseenter: ((MouseEvent) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onmouseleave: ((MouseEvent) -> dynamic)?\n
get() = definedExternally\n set(value) = definedExternally\n var onmousemove: ((MouseEvent) ->
dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseout:
((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
onmouseover: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var onmouseup: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var onwheel: ((WheelEvent) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n
 var onpause: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
onplay: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
onplaying: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
onprogress: ((ProgressEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var onratechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var onreset: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
onresize: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
onscroll: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
onseeked: ((Event) -> dynamic)?\n get()
= definedExternally\n set(value) = definedExternally\n var onseeking: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onselect: ((Event) -> dynamic)?\n get() =

```

```

definedExternally\n set(value) = definedExternally\n var onshow: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onstalled: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onsubmit: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onsuspend: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var ontimeupdate: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var ontoggle: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n
 var onvolumechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var onwaiting: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var ongotpointercapture: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n
set(value) = definedExternally\n var onlostpointercapture: ((PointerEvent) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onpointerdown: ((PointerEvent) -> dynamic)?\n
get() = definedExternally\n set(value) = definedExternally\n var onpointermove: ((PointerEvent) ->
dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerup:
((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
onpointercancel: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n
 var onpointerover: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var onpointerout: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n
set(value) = definedExternally\n var onpointerenter: ((PointerEvent) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onpointerleave: ((PointerEvent) -> dynamic)?\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n
*\n\npublic external interface WindowEventHandlers {\n var onafterprint: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onbeforeprint: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onbeforeunload: ((BeforeUnloadEvent)
-> String)?\n get() = definedExternally\n set(value) = definedExternally\n var onhashchange:
((HashChangeEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
onlanguagechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var onmessage: ((MessageEvent) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var onoffline: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var ononline: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var onpagehide: ((PageTransitionEvent) -> dynamic)?\n get() = definedExternally\n
set(value) = definedExternally\n var onpageshow: ((PageTransitionEvent) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onpopstate: ((PopStateEvent)
-> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onrejectionhandled:
((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onstorage:
((StorageEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var onunload: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\npublic external interface DocumentAndElementEventHandlers {\n var oncopy:
((ClipboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncut:
((ClipboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
onpaste: ((ClipboardEvent) -> dynamic)?\n get() = definedExternally\n
 set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope)
to Kotlin\n
*\n\npublic external interface WindowOrWorkerGlobalScope {\n val origin: String\n val caches:
CacheStorage\n fun btoa(data: String): String\n fun atob(data: String): String\n fun setTimeout(handler:

```

```

dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n fun clearTimeout(handle: Int =
definedExternally)\n fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?):
Int\n fun clearInterval(handle: Int = definedExternally)\n fun createImageBitmap(image: ImageBitmapSource,
options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n fun createImageBitmap(image:
ImageBitmapSource, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally):
Promise<ImageBitmap>\n fun fetch(input: dynamic,
init: RequestInit = definedExternally): Promise<Response>\n}\n\n/**\n * Exposes the JavaScript
[Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n */\n\npublic external abstract class
Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies,
NavigatorPlugins, NavigatorConcurrentHardware {\n open val clipboard: Clipboard\n open val mediaDevices:
MediaDevices\n open val maxTouchPoints: Int\n open val serviceWorker: ServiceWorkerContainer\n fun
requestMediaKeySystemAccess(keySystem: String, supportedConfigurations:
Array<MediaKeySystemConfiguration>): Promise<MediaKeySystemAccess>\n fun getUserMedia(constraints:
MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback: (dynamic) -> Unit)\n fun
vibrate(pattern: dynamic): Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n */\n\npublic external interface
NavigatorID {\n val appCodeName: String\n val appName: String\n val appVersion: String\n val platform:
String\n val product: String\n val productSub: String\n val userAgent: String\n val vendor: String\n val
vendorSub: String\n val oscpu: String\n fun taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\n\npublic
external interface NavigatorLanguage {\n val language: String\n val languages: Array<out String>\n}\n\npublic
external interface NavigatorContentUtils {\n fun registerProtocolHandler(scheme: String, url: String, title:
String)\n fun registerContentHandler(mimeType: String, url: String, title: String)\n fun
isProtocolHandlerRegistered(scheme: String, url: String): String\n fun isContentHandlerRegistered(mimeType:
String, url: String): String\n fun unregisterProtocolHandler(scheme: String, url: String)\n fun
unregisterContentHandler(mimeType:
String, url: String)\n}\n\npublic external interface NavigatorCookies {\n val cookieEnabled: Boolean\n}\n\n/**\n
* Exposes the JavaScript [NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to
Kotlin\n */\n\npublic external interface NavigatorPlugins {\n val plugins: PluginArray\n val mimeTypes:
MimeTypeArray\n fun javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\n\npublic external abstract
class PluginArray : ItemArrayLike<Plugin> {\n fun refresh(reload: Boolean = definedExternally)\n override fun
item(index: Int): Plugin?\n fun namedItem(name: String):
Plugin?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\n\npublic inline operator fun PluginArray.get(index: Int):
Plugin? = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\n\npublic
inline operator fun PluginArray.get(name: String): Plugin? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\n\npublic external
abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n override fun item(index: Int): MimeType?\n
fun namedItem(name: String): MimeType?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\n\npublic inline operator fun MimeTypeArray.get(index:
Int): MimeType? = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\n\npublic inline operator fun MimeTypeArray.get(name:
String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\n\npublic external abstract class Plugin
: ItemArrayLike<MimeType> {\n open val name: String\n open val description: String\n open

```

```

val filename: String\n override fun item(index: Int): MimeTypes?\n fun namedItem(name: String):
MimeTypes?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(index: Int):
MimeTypes? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(name: String):
MimeTypes? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n *\npublic external abstract
class MimeType {\n open val type: String\n open val description: String\n open val suffixes: String\n open
val enabledPlugin: Plugin\n}\n\n/**\n * Exposes the JavaScript
[ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n *\npublic external
abstract class ImageBitmap : CanvasImageSource, TexImageSource {\n open val width: Int\n open val height:
Int\n fun close()\n}\n\npublic external interface ImageBitmapOptions {\n var imageOrientation:
ImageOrientation? /* = ImageOrientation.NONE */\n get() = definedExternally\n set(value) =
definedExternally\n var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n get() =
definedExternally\n set(value) = definedExternally\n var colorSpaceConversion: ColorSpaceConversion? /* =
ColorSpaceConversion.DEFAULT */\n get() = definedExternally\n set(value) = definedExternally\n var
resizeWidth: Int?\n get() = definedExternally\n set(value) = definedExternally\n var resizeHeight: Int?\n
 get() = definedExternally\n set(value) = definedExternally\n var resizeQuality: ResizeQuality? /* =
ResizeQuality.LOW */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
ImageBitmapOptions(imageOrientation:
ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? =
PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? =
ColorSpaceConversion.DEFAULT, resizeWidth: Int? = undefined, resizeHeight: Int? = undefined, resizeQuality:
ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n val o = js(\"({})\")\n o[\"imageOrientation\"]
= imageOrientation\n o[\"premultiplyAlpha\"] = premultiplyAlpha\n o[\"colorSpaceConversion\"] =
colorSpaceConversion\n o[\"resizeWidth\"] = resizeWidth\n o[\"resizeHeight\"] = resizeHeight\n
o[\"resizeQuality\"] = resizeQuality\n return o\n}\n\n/**\n * Exposes the JavaScript
[MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n *\npublic external open
class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n open val data:
Any?\n open val origin: String\n open val lastEventId: String\n
 open val source: UnionMessagePortOrWindowProxy?\n open val ports: Array<out MessagePort>\n fun
initMessageEvent(type: String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId:
String, source: UnionMessagePortOrWindowProxy?, ports: Array<MessagePort>)\n\n companion object {\n
val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n }\n}\n\npublic external interface MessageEventInit : EventInit {\n var data: Any?
/* = null */\n get() = definedExternally\n set(value) = definedExternally\n var origin: String? /* = \"\" */\n
get() = definedExternally\n set(value) = definedExternally\n var lastEventId: String? /* = \"\" */\n
get() = definedExternally\n set(value) = definedExternally\n var source: UnionMessagePortOrWindowProxy?
/* = null */\n get() = definedExternally\n set(value) = definedExternally\n var ports:
Array<MessagePort>? /* = arrayOf() */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MessageEventInit(data: Any? = null,
origin: String? = \"\", lastEventId: String? = \"\", source: UnionMessagePortOrWindowProxy? = null, ports:
Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): MessageEventInit {\n val o = js(\"({})\")\n o[\"data\"] = data\n o[\"origin\"] = origin\n
o[\"lastEventId\"] = lastEventId\n o[\"source\"] = source\n o[\"ports\"] = ports\n o[\"bubbles\"] = bubbles\n

```

```

o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n *\npublic external open
class EventSource(url: String, eventSourceInitDict: EventSourceInit
= definedExternally) : EventTarget {\n open val url: String\n open val withCredentials: Boolean\n open val
readyState: Short\n var onopen: ((Event) -> dynamic)?\n var onmessage: ((MessageEvent) -> dynamic)?\n var
onerror: ((Event) -> dynamic)?\n fun close()\n\n companion object {\n val CONNECTING: Short\n val
OPEN: Short\n val CLOSED: Short\n }\n}\n\npublic external interface EventSourceInit {\n var
withCredentials: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun EventSourceInit(withCredentials:
Boolean? = false): EventSourceInit {\n val o = js("{}")\n o["withCredentials"] = withCredentials\n return
o\n}\n\n/**\n * Exposes the JavaScript [WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to
Kotlin\n *\npublic external open class WebSocket(url:
String, protocols: dynamic = definedExternally) : EventTarget {\n open val url: String\n open val readyState:
Short\n open val bufferedAmount: Number\n var onopen: ((Event) -> dynamic)?\n var onerror: ((Event) ->
dynamic)?\n var onclose: ((Event) -> dynamic)?\n open val extensions: String\n open val protocol: String\n
var onmessage: ((MessageEvent) -> dynamic)?\n var binaryType: BinaryType\n fun close(code: Short =
definedExternally, reason: String = definedExternally)\n fun send(data: String)\n fun send(data: Blob)\n fun
send(data: ArrayBuffer)\n fun send(data: ArrayBufferView)\n\n companion object {\n val CONNECTING:
Short\n val OPEN: Short\n val CLOSING: Short\n val CLOSED: Short\n }\n}\n\n/**\n * Exposes the
JavaScript [CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n *\npublic external
open class CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally)
: Event {\n open val wasClean: Boolean\n open val code: Short\n open val reason: String\n\n companion
object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n }\n}\n\npublic external interface CloseEventInit : EventInit {\n var wasClean:
Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var code: Short? /*
= 0 */\n get() = definedExternally\n set(value) = definedExternally\n var reason: String? /* = "" */\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun CloseEventInit(wasClean: Boolean? =
false, code: Short? = 0, reason: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CloseEventInit {\n val o = js("{}")\n o["wasClean"]
= wasClean\n o["code"] = code\n o["reason"] = reason\n o["bubbles"] = bubbles\n o["cancelable"] =
cancelable\n o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n *\npublic external
open class MessageChannel {\n open val port1: MessagePort\n open val port2: MessagePort\n}\n\n/**\n *
Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n
*\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindowProxy,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n open var onmessage:
((MessageEvent) -> dynamic)?\n fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n fun start()\n fun close()\n}\n\n/**\n * Exposes the JavaScript
[BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel)
to Kotlin\n *\npublic external open class BroadcastChannel(name: String) : EventTarget {\n open val name:
String\n var onmessage: ((MessageEvent) -> dynamic)?\n fun postMessage(message: Any?)\n fun
close()\n}\n\n/**\n * Exposes the JavaScript
[WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n *\npublic
external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope, GlobalPerformance {\n
open val self: WorkerGlobalScope\n open val location: WorkerLocation\n open val navigator:
WorkerNavigator\n open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n open var

```

```

onlanguagechange: ((Event) -> dynamic)?\n open var onoffline: ((Event) -> dynamic)?\n open var ononline:
((Event) -> dynamic)?\n open var onrejectionhandled: ((Event) -> dynamic)?\n open var onunhandledrejection:
((PromiseRejectionEvent) -> dynamic)?\n fun importScripts(vararg urls: String)\n}\n\n/**\n * Exposes
the JavaScript
[DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to
Kotlin\n\n */\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n open var
onmessage: ((MessageEvent) -> dynamic)?\n fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n fun close()\n}\n\n/**\n * Exposes the JavaScript
[SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to
Kotlin\n\n */\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n open val name:
String\n open val applicationCache: ApplicationCache\n open var onconnect: ((Event) -> dynamic)?\n fun
close()\n}\n\n/**\n * Exposes the JavaScript
[AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n\n */\npublic external
interface AbstractWorker {\n var onerror: ((Event) -> dynamic)?\n get() = definedExternally\n set(value)
= definedExternally\n}\n\n/**\n * Exposes the JavaScript
[Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n\n */\npublic external open class
Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n var
onmessage: ((MessageEvent) -> dynamic)?\n override var onerror: ((Event) -> dynamic)?\n fun terminate()\n
fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\npublic external interface
WorkerOptions {\n var type: WorkerType? /* = WorkerType.CLASSIC */\n get() = definedExternally\n
set(value) = definedExternally\n var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type: WorkerType? =
WorkerType.CLASSIC, credentials: RequestCredentials?
= RequestCredentials.OMIT): WorkerOptions {\n val o = js(\"({})\")\n o[\"type\"] = type\n o[\"credentials\"]
= credentials\n return o\n}\n\n/**\n * Exposes the JavaScript
[SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n\n */\npublic external open
class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions =
definedExternally) : EventTarget, AbstractWorker {\n open val port: MessagePort\n override var onerror:
((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to
Kotlin\n\n */\npublic external interface NavigatorConcurrentHardware {\n val hardwareConcurrency:
Number\n}\n\n/**\n * Exposes the JavaScript
[WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n\n */\npublic
external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine,
NavigatorConcurrentHardware {\n open val serviceWorker: ServiceWorkerContainer\n}\n\n/**\n * Exposes the
JavaScript [WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n\n
*/\npublic external abstract class WorkerLocation {\n open val href: String\n open val origin: String\n open val
protocol: String\n open val host: String\n open val hostname: String\n open val port: String\n open val
pathname: String\n open val search: String\n open val hash: String\n}\n\n/**\n * Exposes the JavaScript
[Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n\n */\npublic external abstract class
Storage {\n open val length: Int\n fun key(index: Int): String?\n fun removeItem(key: String)\n fun clear()\n
fun getItem(key: String): String?\n fun setItem(key: String, value:
String)\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
Storage.get(key: String): String? = asDynamic()[key]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.set(key: String, value:
String) { asDynamic()[key] = value }\n\n/**\n * Exposes the JavaScript

```

```

[WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n
*\npublic external interface WindowSessionStorage {\n val sessionStorage: Storage\n}\n\n**\n * Exposes the
JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to
Kotlin\n
*\npublic external interface WindowLocalStorage {\n val localStorage: Storage\n}\n\n**\n * Exposes
the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n
*\npublic
external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n
 open val key: String?\n open val oldValue: String?\n open val newValue:
 String?\n open val url: String\n open val storageArea: Storage?\n\n companion object {\n val NONE:
 Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
 Short\n }\n}\n\npublic external interface StorageEventInit : EventInit {\n var key: String? /* = null */\n get()
 = definedExternally\n set(value) = definedExternally\n var oldValue: String? /* = null */\n get() =
 definedExternally\n set(value) = definedExternally\n var newValue: String? /* = null */\n get() =
 definedExternally\n set(value) = definedExternally\n var url: String? /* = \"\" */\n get() =
 definedExternally\n set(value) = definedExternally\n var storageArea: Storage? /* = null */\n get() =
 definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
 \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key:
 String? = null, oldValue: String? = null, newValue: String? = null, url: String? = \"\", storageArea: Storage? = null,
 bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n val o
 = js(\"({})\")\n o[\"key\"] = key\n o[\"oldValue\"] = oldValue\n o[\"newValue\"] = newValue\n o[\"url\"] =
 url\n o[\"storageArea\"] = storageArea\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n
 o[\"composed\"] = composed\n return o\n}\n\npublic external abstract class HTMLAppletElement :
 HTMLElement {\n open var align: String\n open var alt: String\n open var archive: String\n open var code:
 String\n open var codeBase: String\n open var height: String\n open var hspace: Int\n open var name:
 String\n open var _object: String\n open var vspace: Int\n open var width: String\n\n companion object {\n
 val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE:
 Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
 ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
 Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
 DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
 DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n**\n * Exposes the JavaScript
[HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin\n
*\npublic external abstract class HTMLMarqueeElement : HTMLElement {\n open var behavior: String\n open
 var bgColor: String\n open var direction: String\n open var height: String\n
 open var hspace: Int\n open var loop: Int\n open var scrollAmount: Int\n open var scrollDelay: Int\n open
 var trueSpeed: Boolean\n open var vspace: Int\n open var width: String\n open var onbounce: ((Event) ->
 dynamic)?\n open var onfinish: ((Event) -> dynamic)?\n open var onstart: ((Event) -> dynamic)?\n fun
 start()\n fun stop()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
 val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
 ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
 PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
 DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
 DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
 DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS:

```

```

Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\n
*\n\npublic external abstract class HTMLFrameSetElement : HTMLElement, WindowEventHandlers {\n open var
cols: String\n open var rows: String\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS:
Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
HTMLFrameElement : HTMLElement {\n open var name: String\n open var scrolling: String\n open var src:
String\n open var frameBorder: String\n open var longDesc: String\n open var noResize: Boolean\n open val
contentDocument: Document?\n open val contentWindow: Window?\n open var marginHeight: String\n open
var marginWidth: String\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
HTMLDirectoryElement : HTMLElement {\n open var compact: Boolean\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED:
Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val
DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\n
*\n\npublic external abstract class HTMLFontElement : HTMLElement {\n open var color: String\n open var face: String\n
open var size: String\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n
 val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val
DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n

```

```

val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external
interface External {\n fun AddSearchProvider()\n fun IsSearchProviderInstalled()\n}\n\npublic external interface
EventInit {\n var bubbles: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var cancelable: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var composed: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun EventInit(bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n val o = js(\"({})\")\n o[\"bubbles\"] =
bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the
JavaScript [CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n */\n\npublic
external open class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n
open val detail: Any?\n fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail:
Any?)\n}\n\ncompanion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface CustomEventInit :
EventInit {\n var detail: Any? /* = null */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic
inline fun CustomEventInit(detail: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CustomEventInit {\n val o = js(\"({})\")\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\npublic external interface
EventListenerOptions {\n var capture: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun EventListenerOptions(capture:
Boolean? = false): EventListenerOptions {\n val o = js(\"({})\")\n o[\"capture\"] = capture\n return
o\n}\n\npublic external interface AddEventListenerOptions : EventListenerOptions {\n var passive: Boolean? /* =
false */\n get() = definedExternally\n set(value) = definedExternally\n var once: Boolean? /* = false */\n
get() = definedExternally\n
 set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun AddEventListenerOptions(passive:
Boolean? = false, once: Boolean? = false, capture: Boolean? = false): AddEventListenerOptions {\n val o =
js(\"({})\")\n o[\"passive\"] = passive\n o[\"once\"] = once\n o[\"capture\"] = capture\n return o\n}\n\npublic
external interface NonElementParentNode {\n fun getElementById(elementId: String): Element?\n}\n\n/**\n *
Exposes the JavaScript
[DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\n */\n\npublic
external interface DocumentOrShadowRoot {\n val fullscreenElement: Element?\n get() =
definedExternally\n}\n\n/**\n * Exposes the JavaScript
[ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n */\n\npublic external interface
ParentNode {\n val children: HTMLCollection\n val firstElementChild:
Element?\n get() = definedExternally\n val lastElementChild: Element?\n get() = definedExternally\n
val childElementCount: Int\n fun prepend(vararg nodes: dynamic)\n fun append(vararg nodes: dynamic)\n fun
querySelector(selectors: String): Element?\n fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n *
Exposes the JavaScript
[NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to
Kotlin\n */\n\npublic external interface NonDocumentTypeChildNode {\n val previousElementSibling: Element?\n
get() = definedExternally\n val nextElementSibling: Element?\n get() = definedExternally\n}\n\n/**\n *
Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n */\n\npublic
external interface ChildNode {\n fun before(vararg nodes: dynamic)\n fun after(vararg nodes:

```



```

open val nextSibling: Node?
open var nodeValue: String?
open var textContent: String?
fun
getRootNode(options: GetRootNodeOptions = definedExternally): Node
fun hasChildNodes(): Boolean
fun
normalize()
fun cloneNode(deep: Boolean = definedExternally): Node
fun isEqualNode(otherNode: Node?): Boolean
fun isSameNode(otherNode: Node?): Boolean
fun compareDocumentPosition(other: Node): Short
fun contains(other: Node?): Boolean
fun lookupPrefix(namespace: String?): String?
fun
lookupNamespaceURI(prefix: String?): String?
fun isDefaultNamespace(namespace: String?): Boolean
fun
insertBefore(node: Node, child: Node?): Node
fun appendChild(node: Node): Node
fun replaceChild(node: Node, child: Node): Node
fun removeChild(child: Node): Node
companion object {
val
ELEMENT_NODE: Short
val ATTRIBUTE_NODE: Short
val TEXT_NODE: Short
val CDATA_SECTION_NODE: Short
val ENTITY_REFERENCE_NODE: Short
val ENTITY_NODE: Short
val PROCESSING_INSTRUCTION_NODE: Short
val COMMENT_NODE: Short
val DOCUMENT_NODE: Short
val DOCUMENT_TYPE_NODE: Short
val DOCUMENT_FRAGMENT_NODE: Short
val NOTATION_NODE: Short
val DOCUMENT_POSITION_DISCONNECTED: Short
val DOCUMENT_POSITION_PRECEDING: Short
val DOCUMENT_POSITION_FOLLOWING: Short
val DOCUMENT_POSITION_CONTAINS: Short
val DOCUMENT_POSITION_CONTAINED_BY: Short
val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}
public external interface
GetRootNodeOptions {
var composed: Boolean? = false
get() = definedExternally
set(value) = definedExternally
}
@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun GetRootNodeOptions(composed: Boolean? = false): GetRootNodeOptions {
val o = js("{}")
o["composed"] = composed
return o
}
/**
 * Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to Kotlin
 */
public external open class Document : Node, GlobalEventHandlers, DocumentAndElementEventHandlers, NonElementParentNode, DocumentOrShadowRoot, ParentNode, GeometryUtils {
open val implementation: DOMImplementation
open val URL: String
open val documentURI: String
open val origin: String
open val compatMode: String
open val characterSet: String
open val charset: String
open val inputEncoding: String
open val contentType: String
open val doctype: DocumentType?
open val documentElement: Element?
open val location: Location?
var domain: String
open val referrer: String
var cookie: String
open val lastModified: String
open val readyState: DocumentReadyState
var title: String
var dir: String
var body: HTMLElement?
open val head: HTMLHeadElement?
open val images: HTMLCollection
open val embeds: HTMLCollection
open val plugins: HTMLCollection
open val links: HTMLCollection
open val forms: HTMLCollection
open val scripts: HTMLCollection
open val currentScript: HTMLScriptElement?
open val defaultView: Window?
open val activeElement: Element?
var designMode: String
var onreadystatechange: ((Event) -> dynamic)?
var fgColor: String
var linkColor: String
var vlinkColor: String
var alinkColor: String
var bgColor: String
open val anchors: HTMLCollection
open val applets: HTMLCollection
open val all: HTMLAllCollection
open val scrollingElement: Element?
open val styleSheets: StyleSheetList
open val rootElement: SVGSVGElement?
open val fullscreenEnabled: Boolean
open val fullscreen: Boolean
var onfullscreenchange: ((Event) -> dynamic)?
var onfullscreenerror: ((Event) -> dynamic)?
override var onabort: ((Event) -> dynamic)?
override var onblur: ((FocusEvent) -> dynamic)?
override var oncancel: ((Event) -> dynamic)?
override var oncanplay: ((Event) -> dynamic)?
override var oncanplaythrough: ((Event) -> dynamic)?
override var onchange: ((Event) -> dynamic)?
override var onclick: ((MouseEvent) -> dynamic)?
override var onclose: ((Event) -> dynamic)?
override var oncontextmenu: ((MouseEvent) -> dynamic)?
override var oncuechange: ((Event) -> dynamic)?
override var ondblclick: ((MouseEvent) -> dynamic)?
override var ondrag: ((DragEvent) -> dynamic)?
override var ondragend: ((DragEvent) -> dynamic)?
override var ondragenter: ((DragEvent) -> dynamic)?
override var ondragexit: ((DragEvent) -> dynamic)?
override var ondragleave: ((DragEvent) -> dynamic)?
override var ondragover: ((DragEvent) ->

```

```

dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) ->
dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) ->
dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int,
Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -
> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup:
((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata:
((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend:
((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown:
((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var
onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n
override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) ->
dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) ->
dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n
override var onratechange:
((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var onresize: ((Event) ->
dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n
override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var
onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var onsubmit:
((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var ontimeupdate: ((Event) -
> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event) ->
dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var ongotpointercapture: ((PointerEvent)
-> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown:
((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n
 override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) ->
dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout:
((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var
onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy: ((ClipboardEvent) -> dynamic)?\n override
var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste: ((ClipboardEvent) -> dynamic)?\n override
val fullscreenElement: Element?\n override val children: HTMLCollection\n override val firstElementChild:
Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n fun
getElementsByTagName(qualifiedName: String): HTMLCollection\n fun
getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n fun
getElementsByClassName(classNames: String): HTMLCollection\n fun createElement(localName:
String, options: ElementCreationOptions = definedExternally): Element\n fun createElementNS(namespace:
String?, qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n fun
createDocumentFragment(): DocumentFragment\n fun createTextNode(data: String): Text\n fun
createCDATASection(data: String): CDATASection\n fun createComment(data: String): Comment\n fun
createProcessingInstruction(target: String, data: String): ProcessingInstruction\n fun importNode(node: Node,
deep: Boolean = definedExternally): Node\n fun adoptNode(node: Node): Node\n fun
createAttribute(localName: String): Attr\n fun createAttributeNS(namespace: String?, qualifiedName: String):
Attr\n fun createEvent(`interface`: String): Event\n fun createRange(): Range\n fun createNodeIterator(root:
Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n fun
createNodeIterator(root: Node, whatToShow:
Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): NodeIterator\n fun
createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally):
TreeWalker\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)?

```

```

= definedExternally): TreeWalker\n fun getElementsByName(elementName: String): NodeList\n fun open(type:
String = definedExternally, replace: String = definedExternally): Document\n fun open(url: String, name: String,
features: String): Window\n fun close()\n fun write(vararg text: String)\n fun writeln(vararg text: String)\n
fun hasFocus(): Boolean\n fun execCommand(commandId: String, showUI: Boolean = definedExternally, value:
String = definedExternally): Boolean\n fun queryCommandEnabled(commandId: String): Boolean\n fun
queryCommandIndeterm(commandId: String): Boolean\n fun queryCommandState(commandId: String):
Boolean\n fun queryCommandSupported(commandId:
String): Boolean\n fun queryCommandValue(commandId: String): String\n fun clear()\n fun
captureEvents()\n fun releaseEvents()\n fun elementFromPoint(x: Double, y: Double): Element?\n fun
elementsFromPoint(x: Double, y: Double): Array<Element>\n fun caretPositionFromPoint(x: Double, y: Double):
CaretPosition?\n fun createTouch(view: Window, target: EventTarget, identifier: Int, pageX: Int, pageY: Int,
screenX: Int, screenY: Int): Touch\n fun createTouchList(vararg touches: Touch): TouchList\n fun
exitFullscreen(): Promise<Unit>\n override fun getElementById(elementId: String): Element?\n override fun
prepend(vararg nodes: dynamic)\n override fun append(vararg nodes: dynamic)\n override fun
querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override
fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override
fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING:
Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val
DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Document.get(name: String):
dynamic = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n *\npublic external
open class XMLDocument : Document {\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n
val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING:
Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val
DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n
val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
ElementCreationOptions {\n var `is`: String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(`is`: String?

```



```

[Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\n *\npublic external abstract
class Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils,
UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent,
UnionElementOrProcessingInstruction {\n open val namespaceURI: String?\n open val prefix: String?\n open
val localName: String\n open val tagName: String\n open var id: String\n open var className: String\n open
val classList: DOMTokenList\n open var slot: String\n open val attributes: NamedNodeMap\n open val
shadowRoot: ShadowRoot?\n open var scrollTop: Double\n open var scrollLeft: Double\n open val
scrollWidth: Int\n open val scrollHeight: Int\n open val clientTop: Int\n open val clientLeft: Int\n open val
clientWidth: Int\n open val clientHeight: Int\n open var innerHTML: String\n open var outerHTML: String\n
fun hasAttributes(): Boolean\n fun getAttributeNames(): Array<String>\n fun getAttribute(qualifiedName:
String): String?\n
fun getAttributeNS(namespace: String?, localName: String): String?\n fun setAttribute(qualifiedName: String,
value: String)\n fun setAttributeNS(namespace: String?, qualifiedName: String, value: String)\n fun
removeAttribute(qualifiedName: String)\n fun removeAttributeNS(namespace: String?, localName: String)\n
fun hasAttribute(qualifiedName: String): Boolean\n fun hasAttributeNS(namespace: String?, localName: String):
Boolean\n fun getAttributeNode(qualifiedName: String): Attr?\n fun getAttributeNodeNS(namespace: String?,
localName: String): Attr?\n fun setAttributeNode(attr: Attr): Attr?\n fun setAttributeNodeNS(attr: Attr): Attr?\n
fun removeAttributeNode(attr: Attr): Attr\n fun attachShadow(init: ShadowRootInit): ShadowRoot\n fun
closest(selectors: String): Element?\n fun matches(selectors: String): Boolean\n fun
webkitMatchesSelector(selectors: String): Boolean\n fun getElementsByTagName(qualifiedName: String):
HTMLCollection\n
fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n fun
getElementsByTagName(className: String): HTMLCollection\n fun insertAdjacentElement(where: String,
element: Element): Element?\n fun insertAdjacentText(where: String, data: String)\n fun getClientRects():
Array<DOMRect>\n fun getBoundingClientRect(): DOMRect\n fun scrollIntoView()\n fun
scrollIntoView(arg: dynamic)\n fun scroll(options: ScrollToOptions = definedExternally)\n fun scroll(x: Double,
y: Double)\n fun scrollTo(options: ScrollToOptions = definedExternally)\n fun scrollTo(x: Double, y: Double)\n
fun scrollBy(options: ScrollToOptions = definedExternally)\n fun scrollBy(x: Double, y: Double)\n fun
insertAdjacentHTML(position: String, text: String)\n fun setPointerCapture(pointerId: Int)\n fun
releasePointerCapture(pointerId: Int)\n fun hasPointerCapture(pointerId: Int): Boolean\n fun requestFullscreen():
Promise<Unit>\n\n companion
object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE:
Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
ShadowRootInit {\n var mode: ShadowRootMode?\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ShadowRootInit(mode:
ShadowRootMode?): ShadowRootInit
{\n val o = js(\\"({})\")\n o[\"mode\"] = mode\n return o}\n}\n\n**\n * Exposes the JavaScript
[NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to Kotlin\n *\npublic external
abstract class NamedNodeMap : ItemArrayLike<Attr> {\n fun getNamedItemNS(namespace: String?, localName:
String): Attr?\n fun setNamedItem(attr: Attr): Attr?\n fun setNamedItemNS(attr: Attr): Attr?\n fun
removeNamedItem(qualifiedName: String): Attr\n fun removeNamedItemNS(namespace: String?, localName:

```

```

String): Attr\n override fun item(index: Int): Attr?\n fun getNamedItem(qualifiedName: String):
Attr?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun NamedNodeMap.get(index:
Int): Attr? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n/**\n * Exposes the JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n *\npublic external
abstract class Attr : Node {\n open val namespaceURI: String?\n open val prefix: String?\n open val
localName: String\n open val name: String\n open var value: String\n open val ownerElement: Element?\n
open val specified: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING:
Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val
DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n *\npublic external
abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n open var data: String\n open
val length: Int\n fun substringData(offset: Int, count: Int): String\n fun appendData(data: String)\n fun
insertData(offset: Int, data: String)\n fun deleteData(offset: Int, count: Int)\n fun replaceData(offset: Int, count:
Int, data: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n *\npublic external open class Text(data:
String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n open val wholeText: String\n override
val assignedSlot: HTMLSlotElement?\n override val previousElementSibling: Element?\n override val
nextElementSibling: Element?\n fun splitText(offset: Int): Text\n override fun getBoxQuads(options:
BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n
override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n override fun before(vararg nodes: dynamic)\n override fun after(vararg
nodes: dynamic)\n override fun replaceWith(vararg nodes: dynamic)\n override fun remove()\n\n companion
object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE:
Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:

```

```

Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n *\npublic external
open class CDATASection : Text {\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE:
Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n
 val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes
the JavaScript [ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to
Kotlin\n *\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle,
UnionElementOrProcessingInstruction {\n open val target: String\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n
 val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val
NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val
DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes
the JavaScript [Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n *\npublic external
open class Comment(data: String = definedExternally) : CharacterData {\n override val previousElementSibling:
Element?\n override val nextElementSibling: Element?\n override fun before(vararg nodes: dynamic)\n
override fun after(vararg nodes: dynamic)\n override fun replaceWith(vararg nodes: dynamic)\n override fun
remove()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
 val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n *\npublic external open class Range {\n
 open val startContainer: Node\n open val startOffset: Int\n open val endContainer: Node\n open val
endOffset: Int\n open val collapsed: Boolean\n
 open val commonAncestorContainer: Node\n fun setStart(node: Node, offset: Int)\n fun setEnd(node: Node,
offset: Int)\n fun setStartBefore(node: Node)\n fun setStartAfter(node: Node)\n fun setEndBefore(node:

```

```

Node)\n fun setEndAfter(node: Node)\n fun collapse(toStart: Boolean = definedExternally)\n fun
selectNode(node: Node)\n fun selectNodeContents(node: Node)\n fun compareBoundaryPoints(how: Short,
sourceRange: Range): Short\n fun deleteContents()\n fun extractContents(): DocumentFragment\n fun
cloneContents(): DocumentFragment\n fun insertNode(node: Node)\n fun surroundContents(newParent: Node)\n
fun cloneRange(): Range\n fun detach()\n fun isPointInRange(node: Node, offset: Int): Boolean\n fun
comparePoint(node: Node, offset: Int): Short\n fun intersectsNode(node: Node): Boolean\n fun getClientRects():
Array<DOMRect>\n fun getBoundingClientRect(): DOMRect\n fun createContextualFragment(fragment:
String): DocumentFragment\n\n
companion object {\n val START_TO_START: Short\n val START_TO_END: Short\n val
END_TO_END: Short\n val END_TO_START: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n *\n\npublic external abstract
class NodeIterator {\n open val root: Node\n open val referenceNode: Node\n open val
pointerBeforeReferenceNode: Boolean\n open val whatToShow: Int\n open val filter: NodeFilter?\n fun
nextNode(): Node?\n fun previousNode(): Node?\n fun detach()\n }\n}\n\n/**\n * Exposes the JavaScript
[TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n *\n\npublic external abstract
class TreeWalker {\n open val root: Node\n open val whatToShow: Int\n open val filter: NodeFilter?\n open
var currentNode: Node\n fun parentNode(): Node?\n fun firstChild(): Node?\n fun lastChild(): Node?\n fun
previousSibling():
Node?\n fun nextSibling(): Node?\n fun previousNode(): Node?\n fun nextNode(): Node?\n }\n}\n\n/**\n *
Exposes the JavaScript [NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n
*\n\n@Suppress(\\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface NodeFilter {\n
fun acceptNode(node: Node): Short\n\n companion object {\n val FILTER_ACCEPT: Short\n val
FILTER_REJECT: Short\n val FILTER_SKIP: Short\n val SHOW_ALL: Int\n val
SHOW_ELEMENT: Int\n val SHOW_ATTRIBUTE: Int\n val SHOW_TEXT: Int\n val
SHOW_CDATA_SECTION: Int\n val SHOW_ENTITY_REFERENCE: Int\n val SHOW_ENTITY: Int\n
val SHOW_PROCESSING_INSTRUCTION: Int\n val SHOW_COMMENT: Int\n val
SHOW_DOCUMENT: Int\n val SHOW_DOCUMENT_TYPE: Int\n val
SHOW_DOCUMENT_FRAGMENT: Int\n val SHOW_NOTATION: Int\n }\n}\n\n/**\n * Exposes the
JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList)
to Kotlin\n *\n\npublic external abstract class DOMTokenList : ItemArrayLike<String> {\n open var value:
String\n fun contains(token: String): Boolean\n fun add(vararg tokens: String)\n fun remove(vararg tokens:
String)\n fun toggle(token: String, force: Boolean = definedExternally): Boolean\n fun replace(token: String,
newToken: String)\n fun supports(token: String): Boolean\n override fun item(index: Int):
String?\n }\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMTokenList.get(index:
Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n *\n\npublic
external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n open val x: Double\n
open val y: Double\n open val z: Double\n open val w: Double\n fun matrixTransform(matrix:
DOMMatrixReadOnly): DOMPoint\n }\n}\n\n/**\n * Exposes the JavaScript
[DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n *\n\npublic external open class
DOMPoint : DOMPointReadOnly {\n constructor(point: DOMPointInit)\n constructor(x: Double =
definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n
override var x: Double\n override var y: Double\n override var z: Double\n override var w:
Double\n }\n}\n\n/**\n * Exposes the JavaScript
[DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\n *\n\npublic external
interface DOMPointInit {\n var x: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var y: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =

```

```

definedExternally\n var z: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n
 var w: Double? /* = 1.0 */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y:
Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n val o = js(\"({})\")\n o[\"x\"] = x\n o[\"y\"] = y\n o[\"z\"] = z\n o[\"w\"] = w\n return o\n}\n\n/**\n * Exposes the JavaScript
[DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n */\npublic external open class
DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally,
height: Double = definedExternally) : DOMRectReadOnly {\n override var x: Double\n override var y: Double\n
 override var width: Double\n override var height: Double\n}\n\n/**\n * Exposes the JavaScript
[DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n */\npublic
external
open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n open val x: Double\n
open val y: Double\n open val width: Double\n open val height: Double\n open val top: Double\n open val
right: Double\n open val bottom: Double\n open val left: Double\n}\n\npublic external interface DOMRectInit
{\n var x: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var y:
Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var width: Double? /*
= 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var height: Double? /* = 0.0 */\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y:
Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit
{\n val o = js(\"({})\")\n o[\"x\"] = x\n o[\"y\"] = y\n o[\"width\"] = width\n o[\"height\"] = height\n
return o\n}\n\npublic external interface DOMRectList : ItemArrayLike<DOMRect> {\n override fun item(index:
Int): DOMRect?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMRectList.get(index: Int):
DOMRect? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n */\npublic external open class
DOMQuad {\n constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3:
DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n constructor(rect: DOMRectInit)\n
open val p1: DOMPoint\n open val p2: DOMPoint\n open val p3: DOMPoint\n open val p4: DOMPoint\n
open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly)
to Kotlin\n */\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n open val
a: Double\n open val b: Double\n open val c: Double\n open val d: Double\n open val e: Double\n open val
f: Double\n open val m11: Double\n open val m12: Double\n open val m13: Double\n open val m14:
Double\n open val m21: Double\n open val m22: Double\n open val m23: Double\n open val m24: Double\n
open val m31: Double\n open val m32: Double\n open val m33: Double\n open val m34: Double\n open val
m41: Double\n open val m42: Double\n open val m43: Double\n open val m44: Double\n open val is2D:
Boolean\n open val isIdentity: Boolean\n fun translate(tx: Double, ty: Double, tz: Double = definedExternally):
DOMMatrix\n fun scale(scale: Double, originX: Double = definedExternally, originY: Double =
definedExternally): DOMMatrix\n fun scale3d(scale: Double,
originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally):
DOMMatrix\n fun scaleNonUniform(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double =
definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double =
definedExternally): DOMMatrix\n fun rotate(angle: Double, originX: Double = definedExternally, originY:
Double = definedExternally): DOMMatrix\n fun rotateFromVector(x: Double, y: Double): DOMMatrix\n fun
rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\n fun skewX(sx: Double):

```

```

DOMMatrix\n fun skewY(sy: Double): DOMMatrix\n fun multiply(other: DOMMatrix): DOMMatrix\n fun
flipX(): DOMMatrix\n fun flipY(): DOMMatrix\n fun inverse(): DOMMatrix\n fun transformPoint(point:
DOMPointInit = definedExternally): DOMPoint\n fun toFloat32Array(): Float32Array\n fun toFloat64Array():
Float64Array\n}\n\n/**\n *
Exposes the JavaScript [DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n
*\npublic external open class DOMMatrix(): DOMMatrixReadOnly {\n constructor(transformList: String)\n
constructor(other: DOMMatrixReadOnly)\n constructor(array32: Float32Array)\n constructor(array64:
Float64Array)\n constructor(numberSequence: Array<Double>)\n override var a: Double\n override var b:
Double\n override var c: Double\n override var d: Double\n override var e: Double\n override var f:
Double\n override var m11: Double\n override var m12: Double\n override var m13: Double\n override var
m14: Double\n override var m21: Double\n override var m22: Double\n override var m23: Double\n override
var m24: Double\n override var m31: Double\n override var m32: Double\n override var m33: Double\n
override var m34: Double\n override var m41: Double\n override var m42: Double\n override var m43:
Double\n
override var m44: Double\n fun multiplySelf(other: DOMMatrix): DOMMatrix\n fun preMultiplySelf(other:
DOMMatrix): DOMMatrix\n fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally):
DOMMatrix\n fun scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double =
definedExternally): DOMMatrix\n fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY:
Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n fun
scaleNonUniformSelf(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally,
originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally):
DOMMatrix\n fun rotateSelf(angle: Double, originX: Double = definedExternally, originY: Double =
definedExternally): DOMMatrix\n fun rotateFromVectorSelf(x: Double, y: Double): DOMMatrix\n fun
rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n fun skewXSelf(sx: Double): DOMMatrix\n fun skewYSelf(sy: Double): DOMMatrix\n fun
invertSelf(): DOMMatrix\n fun setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external
interface ScrollOptions {\n var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollOptions(behavior:
ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n val o = js(\"({})\")\n o[\"behavior\"] = behavior\n
return o\n}\n\n/**\n * Exposes the JavaScript
[ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin\n
*\npublic external
interface ScrollToOptions : ScrollOptions {\n var left: Double?\n get() = definedExternally\n set(value) =
definedExternally\n var top: Double?\n get() = definedExternally\n set(value)
= definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollToOptions(left: Double? =
undefined, top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\n
val o = js(\"({})\")\n o[\"left\"] = left\n o[\"top\"] = top\n o[\"behavior\"] = behavior\n return o\n}\n\n/**\n *
Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to
Kotlin\n
*\npublic external abstract class MediaQueryList : EventTarget {\n open val media: String\n open val
matches: Boolean\n open var onchange: ((Event) -> dynamic)?\n fun addListener(listener: EventListener?)\n
fun addListener(listener: ((Event) -> Unit)?)\n fun removeListener(listener: EventListener?)\n fun
removeListener(listener: ((Event) -> Unit)?)\n}\n\n/**\n * Exposes the JavaScript
[MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent)
to Kotlin\n
*\npublic external open class MediaQueryListEvent(type: String, eventInitDict:
MediaQueryListEventInit = definedExternally) : Event {\n open val media: String\n open val matches:
Boolean\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface

```

```

MediaQueryListEventInit : EventInit {
 var media: String? /* = "" */
 get() = definedExternally
 set(value) = definedExternally
 var matches: Boolean? /* = false */
 get() = definedExternally
 set(value) = definedExternally
}
@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun MediaQueryListEventInit(media:
String? = "", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): MediaQueryListEventInit {
 val o = js("{}")
 o["media"] = media
 o["matches"] = matches
 o["bubbles"] = bubbles
 o["cancelable"] =
cancelable
 o["composed"] = composed
 return o
}
/**
 * Exposes the JavaScript
[Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin
*/
public external abstract class
Screen {
 open val availWidth: Int
 open val availHeight: Int
 open val width: Int
 open val height: Int
 open val colorDepth: Int
 open val pixelDepth: Int
}
/**
 * Exposes the JavaScript
[CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin
*/
public external
abstract class CaretPosition {
 open val offsetNode: Node
 open val offset: Int
 fun getClientRect():
DOMRect?
}
public external interface ScrollIntoViewOptions : ScrollOptions {
 var block:
ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */
 get() = definedExternally
 set(value) =
definedExternally
 var inline:
ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */
 get() = definedExternally
 set(value) =
definedExternally
}
@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun ScrollIntoViewOptions(block:
ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline: ScrollLogicalPosition? =
ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollIntoViewOptions {
 val o = js("{}")
 o["block"] = block
 o["inline"] = inline
 o["behavior"] = behavior
 return
o
}
public external interface BoxQuadOptions {
 var box: CSSBoxType? /* = CSSBoxType.BORDER */
 get() = definedExternally
 set(value) = definedExternally
 var relativeTo: dynamic
 get() =
definedExternally
 set(value) = definedExternally
}
@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun BoxQuadOptions(box:
CSSBoxType? = CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {
 val o =
js("{}")
 o["box"] = box
 o["relativeTo"] = relativeTo
 return o
}
public external interface
ConvertCoordinateOptions {
 var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */
 get() =
definedExternally
 set(value) = definedExternally
 var toBox: CSSBoxType? /* = CSSBoxType.BORDER
*/
 get() = definedExternally
 set(value) =
definedExternally
}
@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun ConvertCoordinateOptions(fromBox:
CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? = CSSBoxType.BORDER):
ConvertCoordinateOptions {
 val o = js("{}")
 o["fromBox"] = fromBox
 o["toBox"] = toBox
 return o
}
/**
 * Exposes the JavaScript
[GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin
*/
public external
interface GeometryUtils {
 fun getBoxQuads(options: BoxQuadOptions = definedExternally):
Array<DOMQuad>
 fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions = definedExternally): DOMQuad
 fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad
 fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions =
definedExternally): DOMPoint
}
/**
 * Exposes the JavaScript
[Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin
*/
public external abstract class Touch
{
 open val identifier: Int
 open val target: EventTarget
 open val screenX: Int
 open val screenY: Int
 open val clientX: Int
 open val clientY: Int
 open val pageX: Int
 open val pageY: Int
 open val region:
String?
}
public external abstract class TouchList : ItemArrayLike<Touch> {
 override fun item(index:

```

```

Int): Touch? \n} \n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n\n@kotlin.internal.InlineOnly \n\npublic inline operator fun TouchList.get(index: Int):
Touch? = asDynamic()[index] \n\npublic external open class TouchEvent : UIEvent { \n open val touches:
TouchList \n open val targetTouches: TouchList \n open val changedTouches: TouchList \n open val altKey:
Boolean \n open val metaKey: Boolean \n open val ctrlKey: Boolean \n open val shiftKey: Boolean \n\n
companion object { \n val NONE: Short \n val CAPTURING_PHASE: Short \n val AT_TARGET:
Short \n val BUBBLING_PHASE: Short \n } \n} \n\n/** \n * Exposes the JavaScript
[Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin \n * \n\npublic external open class
Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLElement { \n override var
onabort: ((Event) -> dynamic)? \n override var onblur: ((FocusEvent) -> dynamic)? \n override var
oncancel: ((Event)
-> dynamic)? \n override var oncanplay: ((Event) -> dynamic)? \n override var oncanplaythrough: ((Event) ->
dynamic)? \n override var onchange: ((Event) -> dynamic)? \n override var onclick: ((MouseEvent) ->
dynamic)? \n override var onclose: ((Event) -> dynamic)? \n override var oncontextmenu: ((MouseEvent) ->
dynamic)? \n override var oncuechange: ((Event) -> dynamic)? \n override var ondblclick: ((MouseEvent) ->
dynamic)? \n override var ondrag: ((DragEvent) -> dynamic)? \n override var ondragend: ((DragEvent) ->
dynamic)? \n override var ondragenter: ((DragEvent) -> dynamic)? \n override var ondragexit: ((DragEvent) ->
dynamic)? \n override var ondragleave: ((DragEvent) -> dynamic)? \n override var ondragover: ((DragEvent) ->
dynamic)? \n override var ondragstart: ((DragEvent) -> dynamic)? \n override var ondrop: ((DragEvent) ->
dynamic)? \n override var ondurationchange: ((Event) -> dynamic)? \n override var onemptied: ((Event) ->
dynamic)? \n\n override var onended: ((Event) -> dynamic)? \n override var onerror: ((dynamic, String, Int, Int, Any?) ->
dynamic)? \n override var onfocus: ((FocusEvent) -> dynamic)? \n override var oninput: ((InputEvent) ->
dynamic)? \n override var oninvalid: ((Event) -> dynamic)? \n override var onkeydown: ((KeyboardEvent) ->
dynamic)? \n override var onkeypress: ((KeyboardEvent) -> dynamic)? \n override var onkeyup:
((KeyboardEvent) -> dynamic)? \n override var onload: ((Event) -> dynamic)? \n override var onloadeddata:
((Event) -> dynamic)? \n override var onloadedmetadata: ((Event) -> dynamic)? \n override var onloadend:
((Event) -> dynamic)? \n override var onloadstart: ((ProgressEvent) -> dynamic)? \n override var
onmousedown: ((MouseEvent) -> dynamic)? \n override var onmouseenter: ((MouseEvent) -> dynamic)? \n override var
onmouseleave: ((MouseEvent) -> dynamic)? \n override var onmousemove: ((MouseEvent) -> dynamic)? \n\n override var onmouseout: ((MouseEvent)
-> dynamic)? \n override var onmouseover: ((MouseEvent) -> dynamic)? \n override var onmouseup:
((MouseEvent) -> dynamic)? \n override var onwheel: ((WheelEvent) -> dynamic)? \n override var onpause:
((Event) -> dynamic)? \n override var onplay: ((Event) -> dynamic)? \n override var onplaying: ((Event) ->
dynamic)? \n override var onprogress: ((ProgressEvent) -> dynamic)? \n override var onratechange: ((Event) ->
dynamic)? \n override var onreset: ((Event) -> dynamic)? \n override var onresize: ((Event) -> dynamic)? \n\n override var onscroll: ((Event) -> dynamic)? \n override var onseeked: ((Event) -> dynamic)? \n override var
onseeking: ((Event) -> dynamic)? \n override var onselect: ((Event) -> dynamic)? \n override var onshow:
((Event) -> dynamic)? \n override var onstalled: ((Event) -> dynamic)? \n override var onsubmit: ((Event) ->
dynamic)? \n override var onsuspend: ((Event) -> dynamic)? \n override var ontimeupdate: ((Event) ->
dynamic)? \n override var ontoggle: ((Event) -> dynamic)? \n override var onvolumechange: ((Event) ->
dynamic)? \n override var onwaiting: ((Event) -> dynamic)? \n override var ongotpointercapture: ((PointerEvent)
-> dynamic)? \n override var onlostpointercapture: ((PointerEvent) -> dynamic)? \n override var onpointerdown:
((PointerEvent) -> dynamic)? \n override var onpointermove: ((PointerEvent) -> dynamic)? \n override var
onpointerup: ((PointerEvent) -> dynamic)? \n override var onpointercancel: ((PointerEvent) -> dynamic)? \n\n override var onpointerover: ((PointerEvent) -> dynamic)? \n override var onpointerout: ((PointerEvent) ->
dynamic)? \n override var onpointerenter: ((PointerEvent) -> dynamic)? \n override var onpointerleave:
((PointerEvent) -> dynamic)? \n override var oncopy: ((ClipboardEvent) -> dynamic)? \n override var oncut:

```

```

((ClipboardEvent) -> dynamic)?\n override var onpaste: ((ClipboardEvent) -> dynamic)?\n override var
contentEditable:
String\n override val isContentEditable: Boolean\n override val style: CSSStyleDeclaration\n override val
children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild:
Element?\n override val childElementCount: Int\n override val previousElementSibling: Element?\n override
val nextElementSibling: Element?\n override val assignedSlot: HTMLSlotElement?\n override fun
prepend(vararg nodes: dynamic)\n override fun append(vararg nodes: dynamic)\n override fun
querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n
override fun before(vararg nodes: dynamic)\n override fun after(vararg nodes: dynamic)\n override fun
replaceWith(vararg nodes: dynamic)\n override fun remove()\n override fun getBoxQuads(options:
BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions
/* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS:
Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n\n public external open class
Audio(src: String = definedExternally) : HTMLAudioElement {\n override var onabort: ((Event) -> dynamic)?\n
override var onblur: ((FocusEvent) -> dynamic)?\n override var oncancel: ((Event) -> dynamic)?\n override var
oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n override var
onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n override var onclose:
((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange:
((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag:
((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter:
((DragEvent) -> dynamic)?\n override var ondragexit:
((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover:
((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop:
((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied:
((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String,
Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput:
((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown:
((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var
onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var
onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var
onloadend:
((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown:
((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var
onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n
override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) ->
dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) ->

```

```

dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n
override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var
onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked:
((Event) ->
dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n
override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var
onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var ontimeupdate:
((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event)
-> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var ongotpointercapture:
((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var
onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n
override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) ->
dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout:
((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var
onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy: ((ClipboardEvent) -> dynamic)?\n override
var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste: ((ClipboardEvent) -> dynamic)?\n override
var contentEditable: String\n override val isContentEditable: Boolean\n override val style:
CSSStyleDeclaration\n override val children: HTMLCollection\n override val firstElementChild: Element?\n
override val lastElementChild: Element?\n override val childElementCount: Int\n override val
previousElementSibling: Element?\n override val nextElementSibling: Element?\n override val assignedSlot:
HTMLSlotElement?\n override fun prepend(vararg nodes: dynamic)\n override fun append(vararg nodes:
dynamic)\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors:
String): NodeList\n
 override fun before(vararg nodes: dynamic)\n override fun after(vararg nodes: dynamic)\n override fun
replaceWith(vararg nodes: dynamic)\n override fun remove()\n override fun getBoxQuads(options:
BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override
fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n companion object {\n val
NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n
val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA:
Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA:
Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n */\npublic external open class
Option(text: String = definedExternally, value: String
= definedExternally, defaultSelected: Boolean = definedExternally, selected: Boolean = definedExternally) :
HTMLOptionElement {\n override var onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) ->

```

```

dynamic)?\n override var onCancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n
override var oncanplaythrough: ((Event) -> dynamic)?\n override var onChange: ((Event) -> dynamic)?\n
override var onclick: ((MouseEvent) -> dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var
oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var
ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var
ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var
ondragexit: ((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n
 override var ondragover: ((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n
override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n
override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var
onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n
override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var
onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n
override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override
var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var
onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n
 override var onmousedown: ((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) ->
dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove:
((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n override var
onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override
var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay:
((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress:
((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset:
((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) ->
dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n
 override var onselect: ((Event)
-> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n
override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var
ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var
onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var
ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) ->
dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove:
((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var
onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n
 override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) ->
dynamic)?\n
 override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy: ((ClipboardEvent) ->
dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste: ((ClipboardEvent) ->
dynamic)?\n override var contentEditable: String\n override val isContentEditable: Boolean\n override val
style: CSSStyleDeclaration\n override val children: HTMLCollection\n override val firstElementChild:
Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n override val
previousElementSibling: Element?\n override val nextElementSibling: Element?\n override val assignedSlot:
HTMLSlotElement?\n override fun prepend(vararg nodes: dynamic)\n override fun append(vararg nodes:
dynamic)\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors:
String): NodeList\n override fun before(vararg nodes: dynamic)\n override fun after(vararg nodes: dynamic)\n
 override fun replaceWith(vararg nodes: dynamic)\n override fun remove()\n override fun
getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun
convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally

```

```

*/): DOMQuad\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertPointFromNode(point:
DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
UnionElementOrHTMLCollection\n\npublic external interface UnionElementOrRadioNodeList\n\npublic external
interface UnionHTMLOptGroupElementOrHTMLOptionElement\n\npublic external interface
UnionAudioTrackOrTextTrackOrVideoTrack\n\npublic external interface UnionElementOrMouseEvent\n\npublic
external interface UnionMessagePortOrWindowProxy\n\npublic external interface MediaProvider\n\npublic
external interface RenderingContext\n\npublic external interface HTMLOrSVGImageElement :
CanvasImageSource\n\npublic external interface CanvasImageSource : ImageBitmapSource\n\npublic
external interface ImageBitmapSource\n\npublic external interface HTMLOrSVGScriptElement\n\n/* please, don't
implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface DocumentReadyState {\n companion object\n}\n\npublic inline val
DocumentReadyState.Companion.LOADING: DocumentReadyState get() =
"loading".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
"interactive".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
"complete".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface CanPlayTypeResult {\n companion object\n}\n\npublic inline val
CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() =
"".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic
inline val CanPlayTypeResult.Companion.MAYBE: CanPlayTypeResult get() =
"maybe".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val
CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
"probably".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface TextTrackMode {\n companion object\n}\n\npublic inline val TextTrackMode.Companion.DISABLED:
TextTrackMode get() = "disabled".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.HIDDEN: TextTrackMode get() =
"hidden".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.SHOWING: TextTrackMode get() =
"showing".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic
external interface TextTrackKind {\n companion object\n}\n\npublic inline val
TextTrackKind.Companion.SUBTITLES: TextTrackKind get() =
"subtitles".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CAPTIONS: TextTrackKind get() =

```

```

\"captions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.DESCRPTIONS: TextTrackKind get() =
\"descriptions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
\"chapters\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.METADATA: TextTrackKind get() =
\"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface SelectionMode {\n\n companion object\n\n}\n\n\npublic inline val SelectionMode.Companion.SELECT:
SelectionMode get()
= \"select\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.START:
SelectionMode get() = \"start\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.END: SelectionMode get() =
\"end\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.PRESERVE:
SelectionMode get() = \"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n\n/* please, don't implement this
interface! *\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface CanvasFillRule {\n\n companion object\n\n}\n\n\npublic inline val
CanvasFillRule.Companion.NONZERO: CanvasFillRule get() =
\"nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\n\npublic inline val
CanvasFillRule.Companion.EVENODD: CanvasFillRule get() =
\"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\n\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface ImageSmoothingQuality {\n\n companion object\n\n}\n\n\npublic inline val
ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() =
\"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
\"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
\"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface CanvasLineCap {\n\n companion object\n\n}\n\n\npublic inline val CanvasLineCap.Companion.BUTT:
CanvasLineCap get() = \"butt\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val
CanvasLineCap.Companion.ROUND: CanvasLineCap get() =
\"round\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val CanvasLineCap.Companion.SQUARE:
CanvasLineCap get() = \"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n\n/* please, don't implement this
interface! *\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface CanvasLineJoin {\n\n companion object\n\n}\n\n\npublic inline val
CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() =
\"round\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val CanvasLineJoin.Companion.BEVEL:
CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val
CanvasLineJoin.Companion.MITER: CanvasLineJoin get() =
\"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface CanvasTextAlign {\n\n companion object\n\n}\n\n\npublic inline val CanvasTextAlign.Companion.START:
CanvasTextAlign get() = \"start\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.END:
CanvasTextAlign get() = \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() =

```

```

\left\}.asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.RIGHT:
CanvasTextAlign get() = \right\}.asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() =
\center\}.asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface!
*\n@JsName(\null\})\n@Suppress(\NESTED_CLASS_IN_EXTERNAL_INTERFACE\})\n\npublic external
interface CanvasTextBaseline {\n companion object\n}\n\npublic inline val CanvasTextBaseline.Companion.TOP:
CanvasTextBaseline get() = \top\}.asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() =
\hanging\}.asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.MIDDLE:
CanvasTextBaseline get() = \middle\}.asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() =
\alphabetic\}.asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() =
\ideographic\}.asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() =
\bottom\}.asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface!
*\n@JsName(\null\})\n@Suppress(\NESTED_CLASS_IN_EXTERNAL_INTERFACE\})\n\npublic external
interface CanvasDirection {\n companion object\n}\n\npublic inline val CanvasDirection.Companion.LTR:
CanvasDirection get() = \ltr\}.asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val
CanvasDirection.Companion.RTL: CanvasDirection get() =
\rtl\}.asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.INHERIT:
CanvasDirection get() = \inherit\}.asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this
interface! *\n@JsName(\null\})\n@Suppress(\NESTED_CLASS_IN_EXTERNAL_INTERFACE\})\n\npublic
external interface ScrollRestoration {\n companion object\n}\n\npublic inline val
ScrollRestoration.Companion.AUTO: ScrollRestoration get() =
\auto\}.asDynamic().unsafeCast<ScrollRestoration>()\n\npublic inline val
ScrollRestoration.Companion.MANUAL: ScrollRestoration get() =
>manual\}.asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface!
*\n@JsName(\null\})\n@Suppress(\NESTED_CLASS_IN_EXTERNAL_INTERFACE\})\n\npublic external
interface ImageOrientation {\n companion object\n}\n\npublic inline val ImageOrientation.Companion.NONE:
ImageOrientation get() = \none\}.asDynamic().unsafeCast<ImageOrientation>()\n\npublic inline val
ImageOrientation.Companion.FLIPY: ImageOrientation get() =
\flipY\}.asDynamic().unsafeCast<ImageOrientation>()\n\n/*
please, don't implement this interface!
*\n@JsName(\null\})\n@Suppress(\NESTED_CLASS_IN_EXTERNAL_INTERFACE\})\n\npublic external
interface PremultiplyAlpha {\n companion object\n}\n\npublic inline val PremultiplyAlpha.Companion.NONE:
PremultiplyAlpha get() = \none\}.asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() =
\premultiply\}.asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() =
\default\}.asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface!
*\n@JsName(\null\})\n@Suppress(\NESTED_CLASS_IN_EXTERNAL_INTERFACE\})\n\npublic external
interface ColorSpaceConversion {\n companion object\n}\n\npublic inline val
ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() =
\none\}.asDynamic().unsafeCast<ColorSpaceConversion>()\n\npublic inline val
ColorSpaceConversion.Companion.DEFAULT:

```

```

ColorSpaceConversion get() = \"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't
implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ResizeQuality {\n companion object\n}\n\npublic inline val ResizeQuality.Companion.PIXELATED:
ResizeQuality get() = \"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.LOW: ResizeQuality get() =
\"low\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.MEDIUM:
ResizeQuality get() = \"medium\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.HIGH: ResizeQuality get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/*
please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface BinaryType {\n companion object\n}\n\npublic inline
val BinaryType.Companion.BLOB: BinaryType get() = \"blob\".asDynamic().unsafeCast<BinaryType>()\n\npublic
inline val BinaryType.Companion.ARRAYBUFFER: BinaryType get() =
\"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface WorkerType {\n companion object\n}\n\npublic inline val WorkerType.Companion.CLASSIC:
WorkerType get() = \"classic\".asDynamic().unsafeCast<WorkerType>()\n\npublic inline val
WorkerType.Companion.MODULE: WorkerType get() =
\"module\".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ShadowRootMode {\n companion object\n}\n\npublic inline val ShadowRootMode.Companion.OPEN:
ShadowRootMode get() = \"open\".asDynamic().unsafeCast<ShadowRootMode>()\n\npublic inline val
ShadowRootMode.Companion.CLOSED:
ShadowRootMode get() = \"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement
this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface ScrollBehavior {\n companion object\n}\n\npublic inline val ScrollBehavior.Companion.AUTO:
ScrollBehavior get() = \"auto\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val
ScrollBehavior.Companion.INSTANT: ScrollBehavior get() =
\"instant\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.SMOOTH:
ScrollBehavior get() = \"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this
interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface ScrollLogicalPosition {\n companion object\n}\n\npublic inline val
ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() =
\"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic
inline val ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() =
\"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() =
\"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() =
\"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface CSSBoxType {\n companion object\n}\n\npublic inline val CSSBoxType.Companion.MARGIN:
CSSBoxType get() = \"margin\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val
CSSBoxType.Companion.BORDER: CSSBoxType get() =
\"border\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.PADDING:
CSSBoxType get() = \"padding\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline

```

```

val CSSBoxType.Companion.CONTENT: CSSBoxType get() =
`content`.asDynamic().unsafeCast<CSSBoxType>()"/>*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *^\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.fetch\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.files.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n\npublic external open class
Headers(init: dynamic = definedExternally) {\n fun append(name: String, value: String)\n fun delete(name:
String)\n fun get(name: String): String?\n fun has(name: String): Boolean\n fun set(name: String, value:
String)\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body)
to Kotlin\n\npublic external interface Body {\n val bodyUsed: Boolean\n fun arrayBuffer():
Promise<ArrayBuffer>\n fun blob(): Promise<Blob>\n fun formData(): Promise<FormData>\n fun json():
Promise<Any?>\n fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript
[Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n\npublic external open class
Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n open val method: String\n open val
url: String\n open val headers: Headers\n open val type: RequestType\n open val destination:
RequestDestination\n open val referrer: String\n open val referrerPolicy: dynamic\n open val mode:
RequestMode\n open val credentials: RequestCredentials\n open val cache: RequestCache\n open val redirect:
RequestRedirect\n open val integrity: String\n open val keepalive: Boolean\n override val bodyUsed:
Boolean\n fun clone(): Request\n override
fun arrayBuffer(): Promise<ArrayBuffer>\n override fun blob(): Promise<Blob>\n override fun formData():
Promise<FormData>\n override fun json(): Promise<Any?>\n override fun text(): Promise<String>\n}\n\npublic
external interface RequestInit {\n var method: String?\n get() = definedExternally\n set(value) =
definedExternally\n var headers: dynamic\n get() = definedExternally\n set(value) = definedExternally\n
var body: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var referrer: String?\n
get() = definedExternally\n set(value) = definedExternally\n var referrerPolicy: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n var mode: RequestMode?\n get() =
definedExternally\n set(value) = definedExternally\n var credentials: RequestCredentials?\n get() =
definedExternally\n set(value) = definedExternally\n var
cache: RequestCache?\n get() = definedExternally\n set(value) = definedExternally\n var redirect:
RequestRedirect?\n get() = definedExternally\n set(value) = definedExternally\n var integrity: String?\n
get() = definedExternally\n set(value) = definedExternally\n var keepalive: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var window: Any?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? =
undefined, headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy:
dynamic = undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache:
RequestCache? = undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive:
Boolean? = undefined,
window: Any? = undefined): RequestInit {\n val o = js("{}")\n o["method"] = method\n o["headers"] =
headers\n o["body"] = body\n o["referrer"] = referrer\n o["referrerPolicy"] = referrerPolicy\n
o["mode"] = mode\n o["credentials"] = credentials\n o["cache"] = cache\n o["redirect"] = redirect\n
o["integrity"] = integrity\n o["keepalive"] = keepalive\n o["window"] = window\n return o\n}\n\n/**\n *
Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response) to Kotlin\n\npublic
external open class Response(body: dynamic = definedExternally, init: ResponseInit = definedExternally) : Body
{\n open val type: ResponseType\n open val url: String\n open val redirected: Boolean\n open val status:
Short\n open val ok: Boolean\n open val statusText: String\n open val headers: Headers\n open val body:
dynamic\n open val trailer: Promise<Headers>\n override val bodyUsed:

```

```

Boolean\n fun clone(): Response\n override fun arrayBuffer(): Promise<ArrayBuffer>\n override fun blob():
Promise<Blob>\n override fun formData(): Promise<FormData>\n override fun json(): Promise<Any?>\n
override fun text(): Promise<String>\n\n companion object {\n fun error(): Response\n fun redirect(url:
String, status: Short = definedExternally): Response\n }\n\n\npublic external interface ResponseInit {\n var
status: Short? /* = 200 */\n get() = definedExternally\n set(value) = definedExternally\n var statusText:
String? /* = \"OK\" */\n get() = definedExternally\n set(value) = definedExternally\n var headers:
dynamic\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200,
statusText: String? = \"OK\", headers: dynamic = undefined): ResponseInit
{\n val o = js(\"({})\")\n o[\"status\"] = status\n o[\"statusText\"] = statusText\n o[\"headers\"] = headers\n
return o\n}\n\n/* please, don't implement this interface!
*/\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface RequestType {\n companion object\n}\n\npublic inline val RequestType.Companion.EMPTY:
RequestType get() = \"\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.AUDIO: RequestType get() =
\"audio\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.FONT:
RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.IMAGE: RequestType get() =
\"image\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.SCRIPT:
RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.STYLE: RequestType get() =
\"style\".asDynamic().unsafeCast<RequestType>()\n\npublic
inline val RequestType.Companion.TRACK: RequestType get() =
\"track\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.VIDEO:
RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\n\n/* please, don't implement this
interface! */\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface RequestDestination {\n companion object\n}\n\npublic inline val
RequestDestination.Companion.EMPTY: RequestDestination get() =
\"\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.DOCUMENT: RequestDestination get() =
\"document\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.EMBED: RequestDestination get() =
\"embed\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.FONT: RequestDestination get() =
\"font\".asDynamic().unsafeCast<RequestDestination>()\n\npublic
inline val RequestDestination.Companion.IMAGE: RequestDestination get() =
\"image\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MANIFEST: RequestDestination get() =
\"manifest\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MEDIA: RequestDestination get() =
\"media\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.OBJECT: RequestDestination get() =
\"object\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.REPORT: RequestDestination get() =
\"report\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SCRIPT: RequestDestination get() =
\"script\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val

```

```

RequestDestination.Companion.SERVICWORKER: RequestDestination get() =
 `serviceworker`.asDynamic().unsafeCast<RequestDestination>()\n\npublic
 inline val RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
 `sharedworker`.asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
 `style`.asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
 `worker`.asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.XSLT: RequestDestination get() =
 `xslt`.asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface!
*\n\n@JsName(`null`)\n\n@Suppress(`NESTED_CLASS_IN_EXTERNAL_INTERFACE`)\n\npublic external
interface RequestMode {\n companion object\n}\n\npublic inline val RequestMode.Companion.NAVIGATE:
RequestMode get() = `navigate`.asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = `same-
origin`.asDynamic().unsafeCast<RequestMode>()\n\npublic
 inline val RequestMode.Companion.NO_CORS: RequestMode get() = `no-
cors`.asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.CORS:
RequestMode get() = `cors`.asDynamic().unsafeCast<RequestMode>()\n\n/* please, don't implement this
interface! *\n\n@JsName(`null`)\n\n@Suppress(`NESTED_CLASS_IN_EXTERNAL_INTERFACE`)\n\npublic
external interface RequestCredentials {\n companion object\n}\n\npublic inline val
RequestCredentials.Companion.OMIT: RequestCredentials get() =
 `omit`.asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = `same-
origin`.asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
 `include`.asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface!
*\n\n@JsName(`null`)\n\n@Suppress(`NESTED_CLASS_IN_EXTERNAL_INTERFACE`)\n\npublic
external interface RequestCache {\n companion object\n}\n\npublic inline val
RequestCache.Companion.DEFAULT: RequestCache get() =
 `default`.asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_STORE:
RequestCache get() = `no-store`.asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.RELOAD: RequestCache get() =
 `reload`.asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_CACHE:
RequestCache get() = `no-cache`.asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.FORCE_CACHE: RequestCache get() = `force-
cache`.asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = `only-if-
cached`.asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface!
*\n\n@JsName(`null`)\n\n@Suppress(`NESTED_CLASS_IN_EXTERNAL_INTERFACE`)\n\npublic external
interface RequestRedirect
 {\n companion object\n}\n\npublic inline val RequestRedirect.Companion.FOLLOW: RequestRedirect get() =
 `follow`.asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val RequestRedirect.Companion.ERROR:
RequestRedirect get() = `error`.asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val
RequestRedirect.Companion.MANUAL: RequestRedirect get() =
 `manual`.asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this interface!
*\n\n@JsName(`null`)\n\n@Suppress(`NESTED_CLASS_IN_EXTERNAL_INTERFACE`)\n\npublic external
interface ResponseType {\n companion object\n}\n\npublic inline val ResponseType.Companion.BASIC:
ResponseType get() = `basic`.asDynamic().unsafeCast<ResponseType>()\n\npublic inline val

```

```

ResponseType.Companion.CORS: ResponseType get() =
\"cors\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.DEFAULT:
ResponseType get() = \"default\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline
val ResponseType.Companion.ERROR: ResponseType get() =
\"error\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.OPAQUE:
ResponseType get() = \"opaque\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() =
\"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()\"/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *^\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediacapture\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes
the JavaScript [MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n\n\npublic
external open class MediaStream() : EventTarget, MediaProvider
{\n constructor(stream: MediaStream)\n constructor(tracks: Array<MediaStreamTrack>)\n open val id:
String\n open val active: Boolean\n var onaddtrack: ((MediaStreamTrackEvent) -> dynamic)?\n var
onremovetrack: ((MediaStreamTrackEvent) -> dynamic)?\n fun getAudioTracks(): Array<MediaStreamTrack>\n
fun getVideoTracks(): Array<MediaStreamTrack>\n fun getTracks(): Array<MediaStreamTrack>\n fun
getTrackById(trackId: String): MediaStreamTrack?\n fun addTrack(track: MediaStreamTrack)\n fun
removeTrack(track: MediaStreamTrack)\n fun clone(): MediaStream\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin\n\n\npublic
external abstract class MediaStreamTrack : EventTarget {\n open val kind: String\n open val id: String\n open
val label: String\n open var enabled: Boolean\n open val muted: Boolean\n open var onmute: ((Event) ->
dynamic)?\n open var onunmute:
((Event) -> dynamic)?\n open val readyState: MediaStreamTrackState\n open var onended: ((Event) ->
dynamic)?\n open var onoverconstrained: ((Event) -> dynamic)?\n fun clone(): MediaStreamTrack\n fun
stop()\n fun getCapabilities(): MediaTrackCapabilities\n fun getConstraints(): MediaTrackConstraints\n fun
getSettings(): MediaTrackSettings\n fun applyConstraints(constraints: MediaTrackConstraints =
definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstrain
ts) to Kotlin\n\n\npublic external interface MediaTrackSupportedConstraints {\n var width: Boolean? /* = true
/\n get() = definedExternally\n set(value) = definedExternally\n var height: Boolean? / = true */\n
get() = definedExternally\n set(value) = definedExternally\n var aspectRatio: Boolean? /* = true */\n get()
= definedExternally\n
set(value) = definedExternally\n var frameRate: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n var facingMode: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n var resizeMode: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n var volume: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n var sampleRate: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n var sampleSize: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n var echoCancellation: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n var autoGainControl: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n var noiseSuppression:
Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var latency:
Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var channelCount:
Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var deviceId:
Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var groupId:
Boolean? /* = true */\n get() = definedExternally\n set(value) =

```

```

definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaTrackSupportedConstraints(width: Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true,
frameRate: Boolean? = true, facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true,
sampleRate: Boolean? = true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true,
autoGainControl: Boolean? = true, noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount:
Boolean? = true, deviceId: Boolean? = true, groupId: Boolean? = true): MediaTrackSupportedConstraints {\n val o
= js(\"({})\")\n o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n
o[\"frameRate\"] = frameRate\n o[\"facingMode\"] = facingMode\n o[\"resizeMode\"] = resizeMode\n
o[\"volume\"] = volume\n o[\"sampleRate\"] = sampleRate\n o[\"sampleSize\"] = sampleSize\n
o[\"echoCancellation\"] = echoCancellation\n o[\"autoGainControl\"] = autoGainControl\n
o[\"noiseSuppression\"] = noiseSuppression\n o[\"latency\"] = latency\n o[\"channelCount\"] = channelCount\n
o[\"deviceId\"] = deviceId\n o[\"groupId\"] = groupId\n return o\n}\n\npublic external interface
MediaTrackCapabilities {\n var width: ULongRange?\n get() = definedExternally\n set(value) =
definedExternally\n var height:
ULongRange?\n get() = definedExternally\n set(value) = definedExternally\n var aspectRatio:
DoubleRange?\n get() = definedExternally\n set(value) = definedExternally\n var frameRate:
DoubleRange?\n get() = definedExternally\n set(value) = definedExternally\n var facingMode:
Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n var resizeMode:
Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n var volume:
DoubleRange?\n get() = definedExternally\n set(value) = definedExternally\n var sampleRate:
ULongRange?\n get() = definedExternally\n set(value) = definedExternally\n var sampleSize:
ULongRange?\n get() = definedExternally\n set(value) = definedExternally\n var echoCancellation:
Array<Boolean>?\n get() = definedExternally\n set(value) = definedExternally\n var autoGainControl:
Array<Boolean>?\n
get() = definedExternally\n set(value) = definedExternally\n var noiseSuppression: Array<Boolean>?\n
get() = definedExternally\n set(value) = definedExternally\n var latency: DoubleRange?\n get() =
definedExternally\n set(value) = definedExternally\n var channelCount: ULongRange?\n get() =
definedExternally\n set(value) = definedExternally\n var deviceId: String?\n get() = definedExternally\n
set(value) = definedExternally\n var groupId: String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackCapabilities(width:
ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined,
frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? =
undefined, volume: DoubleRange?
= undefined, sampleRate: ULongRange? = undefined, sampleSize: ULongRange? = undefined, echoCancellation:
Array<Boolean>? = undefined, autoGainControl: Array<Boolean>? = undefined, noiseSuppression:
Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount: ULongRange? = undefined,
deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities {\n val o = js(\"({})\")\n
o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n o[\"frameRate\"] =
frameRate\n o[\"facingMode\"] = facingMode\n o[\"resizeMode\"] = resizeMode\n o[\"volume\"] = volume\n
o[\"sampleRate\"] = sampleRate\n o[\"sampleSize\"] = sampleSize\n o[\"echoCancellation\"] =
echoCancellation\n o[\"autoGainControl\"] = autoGainControl\n o[\"noiseSuppression\"] = noiseSuppression\n
o[\"latency\"] = latency\n o[\"channelCount\"] = channelCount\n o[\"deviceId\"] = deviceId\n o[\"groupId\"] =
groupId\n return o\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin\n
*/\n\npublic external interface MediaTrackConstraints : MediaTrackConstraintSet {\n var advanced:

```

```

Array<MediaTrackConstraintSet>? \n get() = definedExternally \n set(value) =
definedExternally \n} \n \n @Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\") \n @kotlin.internal.InlineOnly \n public inline fun MediaTrackConstraints(advanced:
Array<MediaTrackConstraintSet>? = undefined, width: dynamic = undefined, height: dynamic = undefined,
aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined,
resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize:
dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined,
noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined,
deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraints { \n val o = js(\\"({})\") \n
o[\\"advanced\\"] = advanced \n o[\\"width\\"] = width \n o[\\"height\\"] = height \n o[\\"aspectRatio\\"] =
aspectRatio \n o[\\"frameRate\\"] = frameRate \n o[\\"facingMode\\"] = facingMode \n o[\\"resizeMode\\"] =
resizeMode \n o[\\"volume\\"] = volume \n o[\\"sampleRate\\"] = sampleRate \n o[\\"sampleSize\\"] = sampleSize \n
o[\\"echoCancellation\\"] = echoCancellation \n o[\\"autoGainControl\\"] = autoGainControl \n
o[\\"noiseSuppression\\"] = noiseSuppression \n o[\\"latency\\"] = latency \n o[\\"channelCount\\"] = channelCount \n
o[\\"deviceId\\"] = deviceId \n o[\\"groupId\\"] = groupId \n return o \n} \n \n public external interface
MediaTrackConstraintSet { \n var width: dynamic \n get() = definedExternally \n set(value) =
definedExternally \n var height: dynamic \n get() = definedExternally \n set(value) = definedExternally \n
var aspectRatio:
dynamic \n get() = definedExternally \n set(value) = definedExternally \n var frameRate: dynamic \n
get() = definedExternally \n set(value) = definedExternally \n var facingMode: dynamic \n get() =
definedExternally \n set(value) = definedExternally \n var resizeMode: dynamic \n get() =
definedExternally \n set(value) = definedExternally \n var volume: dynamic \n get() = definedExternally \n
set(value) = definedExternally \n var sampleRate: dynamic \n get() = definedExternally \n set(value) =
definedExternally \n var sampleSize: dynamic \n get() = definedExternally \n set(value) =
definedExternally \n var echoCancellation: dynamic \n get() = definedExternally \n set(value) =
definedExternally \n var autoGainControl: dynamic \n get() = definedExternally \n set(value) =
definedExternally \n var noiseSuppression: dynamic \n get() = definedExternally \n
set(value) = definedExternally \n var latency: dynamic \n get() = definedExternally \n set(value) =
definedExternally \n var channelCount: dynamic \n get() = definedExternally \n set(value) =
definedExternally \n var deviceId: dynamic \n get() = definedExternally \n set(value) = definedExternally \n
var groupId: dynamic \n get() = definedExternally \n set(value) =
definedExternally \n} \n \n @Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\") \n @kotlin.internal.InlineOnly \n public inline fun MediaTrackConstraintSet(width:
dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic =
undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined,
sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined,
autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic
= undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined):
MediaTrackConstraintSet { \n val o = js(\\"({})\") \n o[\\"width\\"] = width \n o[\\"height\\"] = height \n
o[\\"aspectRatio\\"] = aspectRatio \n o[\\"frameRate\\"] = frameRate \n o[\\"facingMode\\"] = facingMode \n
o[\\"resizeMode\\"] = resizeMode \n o[\\"volume\\"] = volume \n o[\\"sampleRate\\"] = sampleRate \n
o[\\"sampleSize\\"] = sampleSize \n o[\\"echoCancellation\\"] = echoCancellation \n o[\\"autoGainControl\\"] =
autoGainControl \n o[\\"noiseSuppression\\"] = noiseSuppression \n o[\\"latency\\"] = latency \n
o[\\"channelCount\\"] = channelCount \n o[\\"deviceId\\"] = deviceId \n o[\\"groupId\\"] = groupId \n return
o \n} \n \n /** \n * Exposes the JavaScript
[MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin \n * \n public
external interface MediaTrackSettings { \n var width: Int? \n get() = definedExternally \n

```

```

set(value) = definedExternally\n var height: Int?\n get() = definedExternally\n set(value) =
definedExternally\n var aspectRatio: Double?\n get() = definedExternally\n set(value) =
definedExternally\n var frameRate: Double?\n get() = definedExternally\n set(value) =
definedExternally\n var facingMode: String?\n get() = definedExternally\n set(value) =
definedExternally\n var resizeMode: String?\n get() = definedExternally\n set(value) =
definedExternally\n var volume: Double?\n get() = definedExternally\n set(value) = definedExternally\n
var sampleRate: Int?\n get() = definedExternally\n set(value) = definedExternally\n var sampleSize:
Int?\n get() = definedExternally\n set(value) = definedExternally\n var echoCancellation: Boolean?\n
get() = definedExternally\n set(value) = definedExternally\n var autoGainControl: Boolean?\n
get() = definedExternally\n set(value) = definedExternally\n var noiseSuppression: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var latency: Double?\n get() = definedExternally\n
set(value) = definedExternally\n var channelCount: Int?\n get() = definedExternally\n set(value) =
definedExternally\n var deviceId: String?\n get() = definedExternally\n set(value) = definedExternally\n
var groupId: String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackSettings(width: Int? =
undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined,
facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int?
= undefined, sampleSize: Int? = undefined, echoCancellation:
Boolean? = undefined, autoGainControl: Boolean? = undefined, noiseSuppression: Boolean? = undefined, latency:
Double? = undefined, channelCount: Int? = undefined, deviceId: String? = undefined, groupId: String? =
undefined): MediaTrackSettings {\n val o = js(\\"({})\")\n o[\\\"width\\\"] = width\n o[\\\"height\\\"] = height\n
o[\\\"aspectRatio\\\"] = aspectRatio\n o[\\\"frameRate\\\"] = frameRate\n o[\\\"facingMode\\\"] = facingMode\n
o[\\\"resizeMode\\\"] = resizeMode\n o[\\\"volume\\\"] = volume\n o[\\\"sampleRate\\\"] = sampleRate\n
o[\\\"sampleSize\\\"] = sampleSize\n o[\\\"echoCancellation\\\"] = echoCancellation\n o[\\\"autoGainControl\\\"] =
autoGainControl\n o[\\\"noiseSuppression\\\"] = noiseSuppression\n o[\\\"latency\\\"] = latency\n
o[\\\"channelCount\\\"] = channelCount\n o[\\\"deviceId\\\"] = deviceId\n o[\\\"groupId\\\"] = groupId\n return
o\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\n
*/\npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) :
Event {\n open val track: MediaStreamTrack\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface MediaStreamTrackEventInit : EventInit {\n var track:
MediaStreamTrack?\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamTrackEventInit(track:
MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
MediaStreamTrackEventInit {\n val o = js(\\"({})\")\n o[\\\"track\\\"] = track\n o[\\\"bubbles\\\"] = bubbles\n
o[\\\"cancelable\\\"] = cancelable\n o[\\\"composed\\\"] = composed\n return o\n}\n\npublic external open class
OverconstrainedErrorEvent(type: String, eventInitDict: OverconstrainedErrorEventInit) : Event {\n
open val error: dynamic\n companion object {\n val NONE: Short\n val CAPTURING_PHASE:
Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface
OverconstrainedErrorEventInit : EventInit {\n var error: dynamic /* = null */\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun OverconstrainedErrorEventInit(error:
dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
OverconstrainedErrorEventInit {\n val o = js(\\"({})\")\n o[\\\"error\\\"] = error\n o[\\\"bubbles\\\"] = bubbles\n
o[\\\"cancelable\\\"] = cancelable\n o[\\\"composed\\\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\n
*/\npublic external

```

```

abstract class MediaDevices : EventTarget
{
 open var ondevicechange: ((Event) -> dynamic)?
 fun enumerateDevices():
 Promise<Array<MediaDeviceInfo>>
 fun getSupportedConstraints(): MediaTrackSupportedConstraints
 fun
 getUserMedia(constraints: MediaStreamConstraints = definedExternally): Promise<MediaStream>
}

Exposes the JavaScript [MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to
Kotlin

*public external abstract class MediaDeviceInfo {
 open val deviceId: String
 open val kind:
 MediaDeviceKind
 open val label: String
 open val groupId: String
 fun toJSON(): dynamic
}

public
external abstract class InputDeviceInfo : MediaDeviceInfo {
 fun getCapabilities():
 MediaTrackCapabilities

Exposes the JavaScript
[MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to Kotlin

*public external interface MediaStreamConstraints {
 var video: dynamic /* = false */
 get()
 = definedExternally
 set(value) = definedExternally
 var audio: dynamic /* = false */
 get() =
 definedExternally
 set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun MediaStreamConstraints(video:
dynamic = false, audio: dynamic = false): MediaStreamConstraints {
 val o = js("{}")
 o["video"] =
 video
 o["audio"] = audio
 return o
}

public external interface ConstrainablePattern {
 var
 onoverconstrained: ((Event) -> dynamic)?
 get() = definedExternally
 set(value) = definedExternally
 fun getCapabilities(): Capabilities
 fun getConstraints(): Constraints
 fun getSettings(): Settings
 fun
 applyConstraints(constraints: Constraints = definedExternally): Promise<Unit>
}

Exposes the
JavaScript [DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin

*public
external interface
DoubleRange {
 var max: Double?
 get() = definedExternally
 set(value) = definedExternally
 var
 min: Double?
 get() = definedExternally
 set(value) =
 definedExternally
}

@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun DoubleRange(max: Double? =
undefined, min: Double? = undefined): DoubleRange {
 val o = js("{}")
 o["max"] = max
 o["min"] =
 min
 return o
}

public external interface ConstrainDoubleRange : DoubleRange {
 var exact: Double?
 get() = definedExternally
 set(value) = definedExternally
 var ideal: Double?
 get() =
 definedExternally
 set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun ConstrainDoubleRange(exact: Double?
= undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined):
ConstrainDoubleRange
{
 val o = js("{}")
 o["exact"] = exact
 o["ideal"] = ideal
 o["max"] = max
 o["min"] =
 min
 return o
}

public external interface ULongRange {
 var max: Int?
 get() = definedExternally
 set(value) = definedExternally
 var min: Int?
 get() = definedExternally
 set(value) =
 definedExternally
}

@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun ULongRange(max: Int? = undefined,
min: Int? = undefined): ULongRange {
 val o = js("{}")
 o["max"] = max
 o["min"] = min
 return
 o
}

public external interface ConstrainULongRange : ULongRange {
 var exact: Int?
 get() =
 definedExternally
 set(value) = definedExternally
 var ideal: Int?
 get() = definedExternally
 set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public
inline fun ConstrainULongRange(exact: Int? = undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int?
= undefined): ConstrainULongRange {
 val o = js("{}")
 o["exact"] = exact
 o["ideal"] = ideal
 o["max"] = max
 o["min"] = min
 return o
}

Exposes the JavaScript
[ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to
Kotlin

*public external interface ConstrainBooleanParameters {
 var exact: Boolean?
 get() =
 definedExternally
 set(value) = definedExternally
 var ideal: Boolean?
 get() = definedExternally
}

```

```

set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainBooleanParameters(exact:
Boolean? = undefined, ideal: Boolean? = undefined): ConstrainBooleanParameters {\n val o = js("{}")\n
o["exact"] = exact\n o["ideal"]
= ideal\n return o\n}\n\n/** Exposes the JavaScript
[ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters)
to Kotlin\n */\npublic external interface ConstrainDOMStringParameters {\n var exact: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n var ideal: dynamic\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun
ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined):
ConstrainDOMStringParameters {\n val o = js("{}")\n o["exact"] = exact\n o["ideal"] = ideal\n return
o\n}\n\npublic external interface Capabilities\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun Capabilities(): Capabilities {\n val o
= js("{}")\n return o\n}\n\npublic
external interface Settings\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun Settings(): Settings {\n val o =
js("{}")\n return o\n}\n\npublic external interface ConstraintSet\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ConstraintSet(): ConstraintSet {\n
val o = js("{}")\n return o\n}\n\npublic external interface Constraints : ConstraintSet {\n var advanced:
Array<ConstraintSet>?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun Constraints(advanced:
Array<ConstraintSet>? = undefined): Constraints {\n val o = js("{}")\n o["advanced"] = advanced\n
return o\n}\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface
MediaStreamTrackState {\n companion object\n}\n\npublic inline val MediaStreamTrackState.Companion.LIVE:
MediaStreamTrackState get() = "live".asDynamic().unsafeCast<MediaStreamTrackState>()\n\npublic inline val
MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() =
"ended".asDynamic().unsafeCast<MediaStreamTrackState>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface VideoFacingModeEnum {\n companion object\n}\n\npublic inline val
VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() =
"user".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() =
"environment".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() =
"left".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() =
"right".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface VideoResizeModeEnum {\n companion object\n}\n\npublic inline val
VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get() =
"none".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\npublic inline val
VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = "crop-and-
scale".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external

```

```

interface MediaDeviceKind {\n companion object\n}\n\npublic inline val
MediaDeviceKind.Companion.AUDIOINPUT: MediaDeviceKind get() =
\"audioinput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.AUDIOOUTPUT:
 MediaDeviceKind get() = \"audiooutput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() =
\"videoinput\".asDynamic().unsafeCast<MediaDeviceKind>()),/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediasource\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes
the JavaScript [MediaSource](https://developer.mozilla.org/en/docs/Web/API/MediaSource) to Kotlin\n */\n\npublic
external open class MediaSource : EventTarget, MediaProvider {\n open val sourceBuffers: SourceBufferList\n
open val activeSourceBuffers: SourceBufferList\n open val readyState: ReadyState\n
 var duration: Double\n var onsourceopen: ((Event) -> dynamic)?\n var onsourceended: ((Event) ->
dynamic)?\n var onsourceclose: ((Event) -> dynamic)?\n fun addSourceBuffer(type: String): SourceBuffer\n
fun removeSourceBuffer(sourceBuffer: SourceBuffer)\n fun endOfStream(error: EndOfStreamError =
definedExternally)\n fun setLiveSeekableRange(start: Double, end: Double)\n fun clearLiveSeekableRange()\n\n
 companion object {\n fun isTypeSupported(type: String): Boolean\n }\n\n/**\n * Exposes the JavaScript
[SourceBuffer](https://developer.mozilla.org/en/docs/Web/API/SourceBuffer) to Kotlin\n */\n\npublic external
abstract class SourceBuffer : EventTarget {\n open var mode: AppendMode\n open val updating: Boolean\n
open val buffered: TimeRanges\n open var timestampOffset: Double\n open val audioTracks: AudioTrackList\n
open val videoTracks: VideoTrackList\n open val textTracks: TextTrackList\n open var appendWindowStart:
Double\n
 open var appendWindowEnd: Double\n open var onupdatestart: ((Event) -> dynamic)?\n open var onupdate:
((Event) -> dynamic)?\n open var onupdateend: ((Event) -> dynamic)?\n open var onerror: ((Event) ->
dynamic)?\n open var onabort: ((Event) -> dynamic)?\n fun appendBuffer(data: dynamic)\n fun abort()\n fun
remove(start: Double, end: Double)\n}\n\n/**\n * Exposes the JavaScript
[SourceBufferList](https://developer.mozilla.org/en/docs/Web/API/SourceBufferList) to Kotlin\n */\n\npublic
external abstract class SourceBufferList : EventTarget {\n open val length: Int\n open var onaddsourcebuffer:
((Event) -> dynamic)?\n open var onremovesourcebuffer: ((Event) ->
dynamic)?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SourceBufferList.get(index:
Int): SourceBuffer? = asDynamic()[index]\n\n/* please, don't implement this interface!
*\n */\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface ReadyState {\n companion object\n}\n\npublic inline val ReadyState.Companion.CLOSED:
ReadyState get() = \"closed\".asDynamic().unsafeCast<ReadyState>()\n\npublic inline val
ReadyState.Companion.OPEN: ReadyState get() = \"open\".asDynamic().unsafeCast<ReadyState>()\n\npublic
inline val ReadyState.Companion.ENDED: ReadyState get() =
\"ended\".asDynamic().unsafeCast<ReadyState>()\n\n/* please, don't implement this interface!
*\n */\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface EndOfStreamError {\n companion object\n}\n\npublic inline val
EndOfStreamError.Companion.NETWORK: EndOfStreamError get() =
\"network\".asDynamic().unsafeCast<EndOfStreamError>()\n\npublic inline val
EndOfStreamError.Companion.DECODE: EndOfStreamError get() =
\"decode\".asDynamic().unsafeCast<EndOfStreamError>()\n\n/* please, don't implement this interface!
*\n */\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic

```

```

external interface AppendMode {\n companion object\n}\n\npublic inline val
AppendMode.Companion.SEGMENTS: AppendMode get() =
\"segments\".asDynamic().unsafeCast<AppendMode>()\n\npublic inline val
AppendMode.Companion.SEQUENCE: AppendMode get() =
\"sequence\".asDynamic().unsafeCast<AppendMode>()\"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *^\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.pointerevents\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface
PointerEventInit : MouseEventInit {\n var pointerId: Int? /* = 0 */\n get() = definedExternally\n
set(value) = definedExternally\n var width: Double? /* = 1.0 */\n get() = definedExternally\n
set(value) = definedExternally\n var height: Double? /* = 1.0 */\n get() = definedExternally\n
set(value) = definedExternally\n var pressure: Float? /* = 0f */\n get() = definedExternally\n
set(value) = definedExternally\n var tangentialPressure: Float? /* = 0f */\n get() = definedExternally\n
set(value) = definedExternally\n var tiltX: Int? /* = 0 */\n get() = definedExternally\n
set(value) = definedExternally\n var tiltY: Int? /* = 0 */\n get() = definedExternally\n
set(value) = definedExternally\n var twist: Int? /* =
0 */\n get() = definedExternally\n
set(value) = definedExternally\n var pointerType: String? /* = \"\" */\n
get() = definedExternally\n
set(value) = definedExternally\n var isPrimary: Boolean? /* = false */\n
get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
inline fun PointerEventInit(pointerId: Int? = 0, width: Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f,
tangentialPressure: Float? = 0f, tiltX: Int? = 0, tiltY: Int? = 0, twist: Int? = 0, pointerType: String? = \"\", isPrimary:
Boolean? = false, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0,
buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey:
Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false,
modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean?
= false, cancelable: Boolean? = false, composed: Boolean? = false): PointerEventInit {\n val o = js(\"({})\")\n
o[\"pointerId\"] = pointerId\n o[\"width\"] = width\n o[\"height\"] = height\n o[\"pressure\"] = pressure\n
o[\"tangentialPressure\"] = tangentialPressure\n o[\"tiltX\"] = tiltX\n o[\"tiltY\"] = tiltY\n o[\"twist\"] = twist\n
o[\"pointerType\"] = pointerType\n o[\"isPrimary\"] = isPrimary\n o[\"screenX\"] = screenX\n o[\"screenY\"]
= screenY\n o[\"clientX\"] = clientX\n o[\"clientY\"] = clientY\n o[\"button\"] = button\n o[\"buttons\"] =
buttons\n o[\"relatedTarget\"] = relatedTarget\n o[\"region\"] = region\n o[\"ctrlKey\"] = ctrlKey\n
o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] =
modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n
o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"]
= modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] =
modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n
o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n
o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript
[PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\n */\n\npublic external open
class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\n open val
pointerId: Int\n open val width: Double\n open val height: Double\n open val pressure: Float\n open val
tangentialPressure: Float\n open val tiltX: Int\n open val tiltY: Int\n open val twist: Int\n open val
pointerType: String\n open val isPrimary: Boolean\n\n companion object {\n

```

```

 val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n } \n}", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.dom.svg\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\n\n/**\n * Exposes the JavaScript
[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n\n\npublic external
abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\n
open val dataset: DOMStringMap\n open val ownerSVGElement: SVGSVGElement?\n open val
viewportElement: SVGElement?\n open var tabIndex: Int\n fun focus()\n fun blur()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n}\n\npublic external interface
SVGBoundingBoxOptions {\n var fill: Boolean? /* = true */\n get() = definedExternally\n set(value) =
definedExternally\n var stroke: Boolean? /* = false */\n get()
= definedExternally\n set(value) = definedExternally\n var markers: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n var clipped: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun SVGBoundingBoxOptions(fill:
Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false):
SVGBoundingBoxOptions {\n val o = js("{}")\n o["fill"] = fill\n o["stroke"] = stroke\n o["markers"]
= markers\n o["clipped"] = clipped\n return o\n}\n\n/**\n * Exposes the JavaScript
[SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n\n\npublic external abstract class SVGGraphicsElement : SVGElement, SVGTests {\n open val transform:
SVGAnimatedTransformList\n fun getBBox(options:
SVGBoundingBoxOptions = definedExternally): DOMRect\n fun getCTM(): DOMMatrix?\n fun
getScreenCTM(): DOMMatrix?\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n}\n\n/**\n * Exposes the JavaScript
[SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement)
to Kotlin\n\n\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\n open val
pathLength: SVGAnimatedNumber\n fun isPointInFill(point: DOMPoint): Boolean\n fun isPointInStroke(point:
DOMPoint): Boolean\n fun getTotalLength(): Float\n fun getPointAtLength(distance: Float): DOMPoint\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:

```

```

Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
[SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin \n * \n public external
abstract class SVGNumber { \n open var value: Float \n} \n \n /** \n * Exposes the JavaScript
[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin \n * \n public external
abstract class SVGLength { \n open val unitType: Short \n open var value: Float \n open var valueInSpecifiedUnits:
Float \n open var valueAsString: String \n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float) \n fun convertToSpecifiedUnits(unitType: Short) \n \n companion object { \n val
SVG_LENGTHTYPE_UNKNOWN: Short \n val SVG_LENGTHTYPE_NUMBER: Short \n val
SVG_LENGTHTYPE_PERCENTAGE: Short \n val SVG_LENGTHTYPE_EMS: Short \n val
SVG_LENGTHTYPE_EXS: Short \n val SVG_LENGTHTYPE_PX:
Short \n val SVG_LENGTHTYPE_CM: Short \n val SVG_LENGTHTYPE_MM: Short \n val
SVG_LENGTHTYPE_IN: Short \n val SVG_LENGTHTYPE_PT: Short \n val SVG_LENGTHTYPE_PC:
Short \n } \n} \n \n /** \n * Exposes the JavaScript
[SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin \n * \n public external
abstract class SVGAngle { \n open val unitType: Short \n open var value: Float \n open var valueInSpecifiedUnits:
Float \n open var valueAsString: String \n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float) \n fun convertToSpecifiedUnits(unitType: Short) \n \n companion object { \n val
SVG_ANGLETYPE_UNKNOWN: Short \n val SVG_ANGLETYPE_UNSPECIFIED: Short \n val
SVG_ANGLETYPE_DEG: Short \n val SVG_ANGLETYPE_RAD: Short \n val
SVG_ANGLETYPE_GRAD: Short \n } \n} \n \n public external abstract class SVGNameList { \n open val length:
Int \n open val numberOfItems: Int \n fun clear() \n
 fun initialize(newItem: dynamic): dynamic \n fun insertItemBefore(newItem: dynamic, index: Int): dynamic \n
 fun replaceItem(newItem: dynamic, index: Int): dynamic \n fun removeItem(index: Int): dynamic \n fun
appendItem(newItem: dynamic): dynamic \n fun getItem(index: Int):
dynamic \n} \n \n @Suppress(\ "INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGNameList.get(index: Int):
dynamic = asDynamic()[index] \n \n @Suppress(\ "INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGNameList.set(index: Int,
newItem: dynamic) { asDynamic()[index] = newItem } \n \n /** \n * Exposes the JavaScript
[SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin \n * \n public external
abstract class SVGNumberList { \n open val length: Int \n open val numberOfItems: Int \n fun clear() \n fun
initialize(newItem: SVGNumber): SVGNumber \n fun insertItemBefore(newItem:
SVGNumber, index: Int): SVGNumber \n fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber \n
 fun removeItem(index: Int): SVGNumber \n fun appendItem(newItem: SVGNumber): SVGNumber \n fun
getItem(index: Int): SVGNumber \n} \n \n @Suppress(\ "INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGNumberList.get(index:
Int): SVGNumber? = asDynamic()[index] \n \n @Suppress(\ "INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGNumberList.set(index:
Int, newItem: SVGNumber) { asDynamic()[index] = newItem } \n \n /** \n * Exposes the JavaScript
[SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin \n * \n public external
abstract class SVGLengthList { \n open val length: Int \n open val numberOfItems: Int \n fun clear() \n fun
initialize(newItem: SVGLength): SVGLength \n fun insertItemBefore(newItem: SVGLength, index: Int):

```

SVGLength\n

```
fun replaceItem(newItem: SVGLength, index: Int): SVGLength\n fun removeItem(index: Int): SVGLength\n fun appendItem(newItem: SVGLength): SVGLength\n fun getItem(index: Int): SVGLength\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.get(index:
Int): SVGLength? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.set(index: Int,
newItem: SVGLength) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n */\npublic external abstract class SVGAnimatedBoolean {\n open var baseVal: Boolean\n open val animVal:
Boolean\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to
Kotlin\n */\npublic external abstract
class SVGAnimatedEnumeration {\n open var baseVal: Short\n open val animVal: Short\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to
Kotlin\n */\npublic external abstract class SVGAnimatedInteger {\n open var baseVal: Int\n open val animVal:
Int\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n */\npublic external abstract class SVGAnimatedNumber {\n open var baseVal: Float\n open val animVal:
Float\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n */\npublic external abstract class SVGAnimatedLength {\n open val baseVal: SVGLength\n open val animVal:
SVGLength\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n */\npublic external abstract
class SVGAnimatedAngle {\n open val baseVal: SVGAngle\n open val animVal: SVGAngle\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n */\npublic external abstract class SVGAnimatedString {\n open var baseVal: String\n open val animVal: String\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect)
to Kotlin\n */\npublic external abstract class SVGAnimatedRect {\n open val baseVal: DOMRect\n open val
animVal: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n */\npublic external abstract class SVGAnimatedNumberList {\n open val baseVal: SVGNumberList\n open val
animVal: SVGNumberList\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to
Kotlin\n */\npublic external abstract class SVGAnimatedLengthList {\n open val baseVal: SVGLengthList\n open val
animVal: SVGLengthList\n}\n\n/**\n * Exposes the JavaScript
[SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n */\npublic external
abstract class SVGStringList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun
initialize(newItem: String): String\n fun insertItemBefore(newItem: String, index: Int): String\n fun
replaceItem(newItem: String, index: Int): String\n fun removeItem(index: Int): String\n fun
appendItem(newItem: String): String\n fun getItem(index: Int):
String\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.get(index:
Int): String? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.set(index:
```

```

Int, newItem: String) { asDynamic()[index] = newItem } \n \n ** \n * Exposes the JavaScript
[SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin \n
*\n @Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE") \n public external interface SVGUnitTypes
{\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short \n val
SVG_UNIT_TYPE_USERSPACEONUSE: Short \n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short \n } \n } \n \n ** \n * Exposes the JavaScript
[SVGTTests](https://developer.mozilla.org/en/docs/Web/API/SVGTTests) to Kotlin \n * \n public external interface
SVGTTests {\n val requiredExtensions: SVGStringList \n val systemLanguage: SVGStringList \n } \n \n public
external interface SVGFitToViewBox {\n val viewBox: SVGAnimatedRect \n val preserveAspectRatio:
SVGAnimatedPreserveAspectRatio \n } \n \n ** \n * Exposes the JavaScript
[SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin \n
*\n @Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE") \n public
external interface SVGZoomAndPan {\n var zoomAndPan: Short \n \n companion object {\n val
SVG_ZOOMANDPAN_UNKNOWN: Short \n val SVG_ZOOMANDPAN_DISABLE: Short \n val
SVG_ZOOMANDPAN_MAGNIFY: Short \n } \n } \n \n ** \n * Exposes the JavaScript
[SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin \n * \n public
external interface SVGURIReference {\n val href: SVGAnimatedString \n } \n \n ** \n * Exposes the JavaScript
[SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin \n * \n public
external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan,
WindowEventHandlers {\n open val x: SVGAnimatedLength \n open val y: SVGAnimatedLength \n open val
width: SVGAnimatedLength \n open val height: SVGAnimatedLength \n open var currentScale: Float \n open
val currentTranslate: DOMPointReadOnly \n fun getIntersectionList(rect: DOMRectReadOnly, referenceElement:
SVGElement?): NodeList \n fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?):
NodeList \n fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean \n fun
checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean \n fun deselectAll() \n fun
createSVGNumber(): SVGNumber \n fun createSVGLength(): SVGLength \n fun createSVGAngle():
SVGAngle \n fun createSVGPoint(): DOMPoint \n fun createSVGMatrix(): DOMMatrix \n fun
createSVGRect(): DOMRect \n fun createSVGTransform(): SVGTransform \n fun
createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform \n fun
getElementById(elementId: String): Element \n fun suspendRedraw(maxWaitMilliseconds: Int): Int \n fun
unsuspendRedraw(suspendHandleID: Int) \n fun unsuspendRedrawAll() \n fun forceRedraw() \n \n companion
object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short \n val SVG_ZOOMANDPAN_DISABLE:
Short \n val SVG_ZOOMANDPAN_MAGNIFY:
Short \n val ELEMENT_NODE: Short \n val ATTRIBUTE_NODE: Short \n val TEXT_NODE: Short \n
 val CDATA_SECTION_NODE: Short \n val ENTITY_REFERENCE_NODE: Short \n val
ENTITY_NODE: Short \n val PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE:
Short \n val DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val
DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n
 val DOCUMENT_POSITION_FOLLOWING: Short \n val DOCUMENT_POSITION_CONTAINS: Short \n
 val DOCUMENT_POSITION_CONTAINED_BY: Short \n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n } \n } \n \n ** \n * Exposes the JavaScript
[SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin \n * \n public external
abstract class SVGGElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE:
Short \n val ATTRIBUTE_NODE: Short \n val TEXT_NODE: Short \n val
CDATA_SECTION_NODE: Short \n val ENTITY_REFERENCE_NODE: Short \n val ENTITY_NODE:
Short \n val PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE: Short \n val
DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val

```

```

DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }n}\n\npublic external abstract class
SVGUnknownElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }n}\n\n/**\n * Exposes the JavaScript
[SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n */\npublic
external abstract class SVGDefsElement : SVGGraphicsElement {\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n
 val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }n}\n\n/**\n * Exposes the JavaScript
[SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n */\npublic
external abstract class SVGDescElement : SVGElement {\n companion object {\n val ELEMENT_NODE:
Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:
Short\n
Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n
 val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }n}\n\n/**\n * Exposes the JavaScript
[SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\n
*/\npublic external abstract class SVGMetadataElement : SVGElement {\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

```

```

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\n\n * Exposes the JavaScript
[SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\n *\n\npublic
external abstract class SVGTitleElement : SVGElement {\n companion object {\n val ELEMENT_NODE:
Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:
Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE:
Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val
DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val
NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val
DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\n\n * Exposes
the JavaScript [SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to
Kotlin\n *\n\npublic external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE:
Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val
DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val
NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val
DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\n\n * Exposes
the JavaScript [SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n
*\n\npublic external abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n open val x:
SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val
height: SVGAnimatedLength\n open val instanceRoot: SVGElement?\n open val animatedInstanceRoot:
SVGElement?\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\n\npublic external open class
SVGUseElementShadowRoot : ShadowRoot {\n companion object {\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\n\npublic external interface
SVGElementInstance {\n val correspondingElement: SVGElement?\n get() = definedExternally\n val

```

```

correspondingUseElement: SVGUseElement? \n get() = definedExternally \n} \n \n public external open class
ShadowAnimation(source: dynamic, newTarget: dynamic) { \n open val sourceAnimation: dynamic \n} \n \n /** \n *
Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement)
to Kotlin \n * \n public external abstract class SVGSwitchElement : SVGGraphicsElement { \n companion object
{ \n val ELEMENT_NODE: Short \n val ATTRIBUTE_NODE: Short \n val TEXT_NODE: Short \n
val CDATA_SECTION_NODE: Short \n val ENTITY_REFERENCE_NODE: Short \n val
ENTITY_NODE: Short \n val PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE:
Short \n val DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val
DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n
 val DOCUMENT_POSITION_FOLLOWING: Short \n val DOCUMENT_POSITION_CONTAINS: Short \n
 val DOCUMENT_POSITION_CONTAINED_BY: Short \n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n } \n} \n \n public external interface
GetSVGDocument { \n fun getSVGDocument():
Document \n} \n \n /** \n * Exposes the JavaScript
[SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin \n * \n public
external abstract class SVGStyleElement : SVGElement, LinkStyle { \n open var type: String \n open var media:
String \n open var title: String \n \n companion object { \n val ELEMENT_NODE: Short \n val
ATTRIBUTE_NODE: Short \n val TEXT_NODE: Short \n val CDATA_SECTION_NODE: Short \n val
ENTITY_REFERENCE_NODE: Short \n val ENTITY_NODE: Short \n val
PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE: Short \n val
DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val
DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n
 val DOCUMENT_POSITION_FOLLOWING: Short \n val DOCUMENT_POSITION_CONTAINS: Short \n
 val DOCUMENT_POSITION_CONTAINED_BY:
Short \n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n } \n} \n \n /** \n * Exposes
the JavaScript [SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin \n * \n
public external abstract class SVGTransform { \n open val type: Short \n open val matrix: DOMMatrix \n
open val angle: Float \n fun setMatrix(matrix: DOMMatrixReadOnly) \n fun setTranslate(tx: Float, ty: Float) \n
fun setScale(sx: Float, sy: Float) \n fun setRotate(angle: Float, cx: Float, cy: Float) \n fun setSkewX(angle:
Float) \n fun setSkewY(angle: Float) \n \n companion object { \n val SVG_TRANSFORM_UNKNOWN:
Short \n val SVG_TRANSFORM_MATRIX: Short \n val SVG_TRANSFORM_TRANSLATE: Short \n
 val SVG_TRANSFORM_SCALE: Short \n val SVG_TRANSFORM_ROTATE: Short \n val
SVG_TRANSFORM_SKEWX: Short \n val SVG_TRANSFORM_SKEWY: Short \n } \n} \n \n /** \n * Exposes
the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList)
to Kotlin \n * \n public external abstract class SVGTransformList { \n open val length: Int \n open val
numberOfItems: Int \n fun clear() \n fun initialize(newItem: SVGTransform): SVGTransform \n fun
insertItemBefore(newItem: SVGTransform, index: Int): SVGTransform \n fun replaceItem(newItem:
SVGTransform, index: Int): SVGTransform \n fun removeItem(index: Int): SVGTransform \n fun
appendItem(newItem: SVGTransform): SVGTransform \n fun createSVGTransformFromMatrix(matrix:
DOMMatrixReadOnly): SVGTransform \n fun consolidate(): SVGTransform? \n fun getItem(index: Int):
SVGTransform \n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGTransformList.get(index:
Int): SVGTransform? = asDynamic()[index] \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGTransformList.set(index:
Int, newItem: SVGTransform)

```

```

{ asDynamic()[index] = newItem } \n\n/**\n * Exposes the JavaScript
[SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to
Kotlin\n *\npublic external abstract class SVGAnimatedTransformList {\n open val baseVal:
SVGTransformList\n open val animVal: SVGTransformList\n}\n\n/**\n * Exposes the JavaScript
[SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n
*\npublic external abstract class SVGPreserveAspectRatio {\n open var align: Short\n open var meetOrSlice:
Short\n\n companion object {\n val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n val
SVG_PRESERVEASPECTRATIO_NONE: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMIN:
Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n val
SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n val
SVG_PRESERVEASPECTRATIO_XMINYMID: Short\n val
SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n val
SVG_PRESERVEASPECTRATIO_XMAXYMID:
Short\n val SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n val
SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n val
SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n val SVG_MEETORSLICE_UNKNOWN: Short\n
 val SVG_MEETORSLICE_MEET: Short\n val SVG_MEETORSLICE_SLICE: Short\n }\n}\n\n/**\n *
Exposes the JavaScript
[SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspect
Ratio) to Kotlin\n *\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n open val baseVal:
SVGPreserveAspectRatio\n open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript
[SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n *\npublic
external abstract class SVGPathElement : SVGGeometryElement {\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE:
Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\n *\npublic
external abstract class SVGRectElement : SVGGeometryElement {\n open val x: SVGAnimatedLength\n open
val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n
open val rx: SVGAnimatedLength\n
open val ry: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n *\npublic

```

```

external abstract class SVGCircleElement
: SVGGeometryElement {
 open val cx: SVGAnimatedLength
 open val cy: SVGAnimatedLength
 open val r: SVGAnimatedLength
 companion object {
 val ELEMENT_NODE: Short
 val ATTRIBUTE_NODE: Short
 val TEXT_NODE: Short
 val CDATA_SECTION_NODE: Short
 val ENTITY_REFERENCE_NODE: Short
 val ENTITY_NODE: Short
 val PROCESSING_INSTRUCTION_NODE: Short
 val COMMENT_NODE: Short
 val DOCUMENT_NODE: Short
 val DOCUMENT_TYPE_NODE: Short
 val DOCUMENT_FRAGMENT_NODE: Short
 val NOTATION_NODE: Short
 val DOCUMENT_POSITION_DISCONNECTED: Short
 val DOCUMENT_POSITION_PRECEDING: Short
 val DOCUMENT_POSITION_FOLLOWING: Short
 val DOCUMENT_POSITION_CONTAINS: Short
 val DOCUMENT_POSITION_CONTAINED_BY: Short
 val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
 }
}

/** Exposes the JavaScript [SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement) to Kotlin */
public external abstract class SVGEllipseElement : SVGGeometryElement {
 open val cx: SVGAnimatedLength
 open val cy: SVGAnimatedLength
 open val rx: SVGAnimatedLength
 open val ry: SVGAnimatedLength
 companion object {
 val ELEMENT_NODE: Short
 val ATTRIBUTE_NODE: Short
 val TEXT_NODE: Short
 val CDATA_SECTION_NODE: Short
 val ENTITY_REFERENCE_NODE: Short
 val ENTITY_NODE: Short
 val PROCESSING_INSTRUCTION_NODE: Short
 val COMMENT_NODE: Short
 val DOCUMENT_NODE: Short
 val DOCUMENT_TYPE_NODE: Short
 val DOCUMENT_FRAGMENT_NODE: Short
 val NOTATION_NODE: Short
 val DOCUMENT_POSITION_DISCONNECTED: Short
 val DOCUMENT_POSITION_PRECEDING: Short
 val DOCUMENT_POSITION_FOLLOWING: Short
 val DOCUMENT_POSITION_CONTAINS: Short
 val DOCUMENT_POSITION_CONTAINED_BY: Short
 val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
 }
}

/** Exposes the JavaScript [SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin */
public external abstract class SVGLineElement : SVGGeometryElement {
 open val x1: SVGAnimatedLength
 open val y1: SVGAnimatedLength
 open val x2: SVGAnimatedLength
 open val y2: SVGAnimatedLength
 companion object {
 val ELEMENT_NODE: Short
 val ATTRIBUTE_NODE: Short
 val TEXT_NODE: Short
 val CDATA_SECTION_NODE: Short
 val ENTITY_REFERENCE_NODE: Short
 val ENTITY_NODE: Short
 val PROCESSING_INSTRUCTION_NODE: Short
 val COMMENT_NODE: Short
 val DOCUMENT_NODE: Short
 val DOCUMENT_TYPE_NODE: Short
 val DOCUMENT_FRAGMENT_NODE: Short
 val NOTATION_NODE: Short
 val DOCUMENT_POSITION_DISCONNECTED: Short
 val DOCUMENT_POSITION_PRECEDING: Short
 val DOCUMENT_POSITION_FOLLOWING: Short
 val DOCUMENT_POSITION_CONTAINS: Short
 val DOCUMENT_POSITION_CONTAINED_BY: Short
 val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
 }
}

/** Exposes the JavaScript [SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin */
public external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {
 companion object {
 val ELEMENT_NODE: Short
 val ATTRIBUTE_NODE: Short
 val TEXT_NODE: Short
 val CDATA_SECTION_NODE: Short
 val ENTITY_REFERENCE_NODE: Short
 val ENTITY_NODE: Short
 val PROCESSING_INSTRUCTION_NODE: Short
 val COMMENT_NODE: Short
 val DOCUMENT_NODE: Short
 val DOCUMENT_TYPE_NODE: Short
 val DOCUMENT_FRAGMENT_NODE: Short
 val NOTATION_NODE: Short
 val DOCUMENT_POSITION_DISCONNECTED: Short
 val DOCUMENT_POSITION_PRECEDING: Short
 val DOCUMENT_POSITION_FOLLOWING: Short
 }
}

```

```

Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val
DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n */\npublic
external interface SVGAnimatedPoints {\n val points: SVGPointList\n val animatedPoints:
SVGPointList\n}\n\npublic external abstract class SVGPointList {\n open val length: Int\n open val
numberOfItems: Int\n fun clear()\n fun initialize(newItem: DOMPoint): DOMPoint\n fun
insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint\n fun replaceItem(newItem: DOMPoint, index:
Int): DOMPoint\n fun removeItem(index: Int): DOMPoint\n fun appendItem(newItem: DOMPoint):
DOMPoint\n fun getItem(index: Int): DOMPoint\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.get(index:
Int): DOMPoint? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.set(index: Int,
newItem: DOMPoint) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin\n */\npublic
external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {\n companion
object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n
 val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING:
Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val
DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n */\npublic
external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n companion
object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED:
Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val
DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val
DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n */\npublic
external abstract class SVGTextContentElement : SVGGraphicsElement {\n open val textLength:
SVGAnimatedLength\n open val lengthAdjust: SVGAnimatedEnumeration\n fun getNumberOfChars(): Int\n
fun getComputedTextLength(): Float\n fun getSubStringLength(charnum: Int, nchars: Int): Float\n fun
getStartPositionOfChar(charnum: Int): DOMPoint\n fun getEndPositionOfChar(charnum: Int): DOMPoint\n fun
getExtentOfChar(charnum: Int): DOMRect\n fun getRotationOfChar(charnum: Int): Float\n fun
getCharNumAtPosition(point: DOMPoint): Int\n fun selectSubString(charnum:
Int, nchars: Int)\n\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val
LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val

```

```

CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
[SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement)
to Kotlin \n * \n public external abstract class SVGTextPositioningElement : SVGTextContentElement { \n open
val x: SVGAnimatedLengthList \n open val y: SVGAnimatedLengthList \n open val dx:
SVGAnimatedLengthList \n open val dy: SVGAnimatedLengthList \n open val rotate:
SVGAnimatedNumberList \n \n companion object { \n val LENGTHADJUST_UNKNOWN: Short\n val
LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
[SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin \n * \n public
external abstract class SVGTextElement : SVGTextPositioningElement { \n companion object { \n val
LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n
 val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val
NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val
DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n
 val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes
the JavaScript [SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to
Kotlin \n * \n public external abstract class SVGTSpanElement : SVGTextPositioningElement { \n companion
object { \n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n
 val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n
 val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

```



```

refY: SVGAnimatedLength\n open val markerUnits: SVGAnimatedEnumeration\n open val markerWidth:
SVGAnimatedLength\n open val markerHeight: SVGAnimatedLength\n open val orientType:
SVGAnimatedEnumeration\n open val orientAngle: SVGAnimatedAngle\n open var orient: String\n fun
setOrientToAuto()\n
fun setOrientToAngle(angle: SVGAngle)\n\n companion object {\n val
SVG_MARKERUNITS_UNKNOWN: Short\n val SVG_MARKERUNITS_USERSPACEONUSE: Short\n
val SVG_MARKERUNITS_STROKEWIDTH: Short\n val SVG_MARKER_ORIENT_UNKNOWN: Short\n
val SVG_MARKER_ORIENT_AUTO: Short\n val SVG_MARKER_ORIENT_ANGLE: Short\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n\n/**\n * Exposes
the JavaScript [SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to
Kotlin\n */\npublic external abstract class SVGSolidcolorElement : SVGElement {\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes
the JavaScript [SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to
Kotlin\n */\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference,
SVGUnitTypes {\n open val gradientUnits: SVGAnimatedEnumeration\n open val gradientTransform:
SVGAnimatedTransformList\n open val spreadMethod: SVGAnimatedEnumeration\n\n companion object {\n
val SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD: Short\n val
SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT: Short\n val
SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to
Kotlin\n */\npublic external abstract class SVGLinearGradientElement : SVGGradientElement {\n open val x1:
SVGAnimatedLength\n open val y1: SVGAnimatedLength\n open val x2: SVGAnimatedLength\n open val

```

```

y2: SVGAnimatedLength\n\n companion object {\n val
 SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD: Short\n val
 SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT: Short\n val
 SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val
 SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n val
 ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
 ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
 PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
 DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
 DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
 DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n
 val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/*\n * Exposes the
JavaScript
[SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to
Kotlin\n *\npublic external abstract class SVGRadialGradientElement : SVGGradientElement {\n open val cx:
SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val r: SVGAnimatedLength\n open val fx:
SVGAnimatedLength\n open val fy: SVGAnimatedLength\n open val fr: SVGAnimatedLength\n\n companion
object {\n val SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD:
Short\n val SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT:
Short\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE:
Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
SVGMeshGradientElement : SVGGradientElement {\n companion object {\n val
SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD: Short\n val
SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT: Short\n val
SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
SVGMeshrowElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:

```

```

Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
SVGMeshpatchElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n
 val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin\n */\npublic
external abstract class SVGStopElement : SVGElement {\n open val offset: SVGAnimatedNumber\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE:
Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val
DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val
NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val
DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n
 val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes
the JavaScript [SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to
Kotlin\n */\npublic external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox,
SVGURIReference, SVGUnitTypes {\n open val patternUnits: SVGAnimatedEnumeration\n open val
patternContentUnits: SVGAnimatedEnumeration\n open val patternTransform: SVGAnimatedTransformList\n
 open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open
 val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n\n companion object {\n val
SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic
external abstract class SVGHatchElement : SVGElement {\n companion object {\n val ELEMENT_NODE:
Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:
Short\n

```

```

Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
SVGHatchpathElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n */\npublic
external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n open val x:
SVGAnimatedLength\n open val y: SVGAnimatedLength\n\n companion
object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE:
Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n */\npublic
external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement
{\n open var type: String\n open var crossOrigin: String?\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGAEElement](https://developer.mozilla.org/en/docs/Web/API/SVGAEElement) to Kotlin\n */\npublic external
abstract
class SVGAEElement : SVGGraphicsElement, SVGURIReference {\n open val target: SVGAnimatedString\n
open val download: SVGAnimatedString\n open val rel: SVGAnimatedString\n open val relList:
SVGAnimatedString\n open val hreflang: SVGAnimatedString\n open val type: SVGAnimatedString\n\n

```

```

companion object {
 val ELEMENT_NODE: Short
 val ATTRIBUTE_NODE: Short
 val TEXT_NODE: Short
 val CDATA_SECTION_NODE: Short
 val ENTITY_REFERENCE_NODE: Short
 val ENTITY_NODE: Short
 val PROCESSING_INSTRUCTION_NODE: Short
 val COMMENT_NODE: Short
 val DOCUMENT_NODE: Short
 val DOCUMENT_TYPE_NODE: Short
 val DOCUMENT_FRAGMENT_NODE: Short
 val NOTATION_NODE: Short
 val DOCUMENT_POSITION_DISCONNECTED: Short
 val DOCUMENT_POSITION_PRECEDING: Short
 val DOCUMENT_POSITION_FOLLOWING: Short
 val DOCUMENT_POSITION_CONTAINS: Short
 val DOCUMENT_POSITION_CONTAINED_BY: Short
 val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}

/** Exposes the JavaScript [SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin
 * public external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {
 companion object {
 val SVG_ZOOMANDPAN_UNKNOWN: Short
 val SVG_ZOOMANDPAN_DISABLE: Short
 val SVG_ZOOMANDPAN_MAGNIFY: Short
 val ELEMENT_NODE: Short
 val ATTRIBUTE_NODE: Short
 val TEXT_NODE: Short
 val CDATA_SECTION_NODE: Short
 val ENTITY_REFERENCE_NODE: Short
 val ENTITY_NODE: Short
 val PROCESSING_INSTRUCTION_NODE: Short
 val COMMENT_NODE: Short
 val DOCUMENT_NODE: Short
 val DOCUMENT_TYPE_NODE: Short
 val DOCUMENT_FRAGMENT_NODE: Short
 val NOTATION_NODE: Short
 val DOCUMENT_POSITION_DISCONNECTED: Short
 val DOCUMENT_POSITION_PRECEDING: Short
 val DOCUMENT_POSITION_FOLLOWING: Short
 val DOCUMENT_POSITION_CONTAINS: Short
 val DOCUMENT_POSITION_CONTAINED_BY: Short
 val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
 }
}

/* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 * // NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!
 * // See github.com/kotlin/dukat for details
 * package org.w3c.files
 * import kotlin.js.*
 * import org.khronos.webgl.*
 * import org.w3c.dom.*
 * import org.w3c.dom.events.*
 * import org.w3c.xhr.*
 * /** Exposes the JavaScript [Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin
 * public external open class Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) : MediaProvider, ImageBitmapSource {
 open val size: Number
 open val type: String

 open val isClosed: Boolean
 fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String = definedExternally): Blob
 fun close()

}

public external interface BlobPropertyBag {
 var type: String? /* = "" */
 get() = definedExternally
 set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun BlobPropertyBag(type: String? = ""): BlobPropertyBag {
 val o = js("{}")
 o["type"] = type
 return o
}

/** Exposes the JavaScript [File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin
 * public external open class File(fileBits: Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {
 open val name: String
 open val lastModified: Int
}

public external interface FilePropertyBag : BlobPropertyBag {
 var lastModified: Int?
 get() = definedExternally

 set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun FilePropertyBag(lastModified: Int? = undefined, type: String? = ""): FilePropertyBag {
 val o = js("{}")
 o["lastModified"] = lastModified
 o["type"] = type
 return o
}

/** Exposes the JavaScript [FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin
 * public external abstract class FileList : ItemArrayLike<File> {
 override fun item(index: Int): File?
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline operator fun FileList.get(index: Int): File?

```

```

= asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n */\npublic external open class
FileReader : EventTarget {\n open val readyState: Short\n open val result: dynamic\n open val error:
dynamic\n var onloadstart: ((ProgressEvent) -> dynamic)?\n var onprogress: ((ProgressEvent) -> dynamic)?\n
var onload: ((Event) -> dynamic)?\n var onabort: ((Event) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n
var onloadend: ((Event) -> dynamic)?\n fun readAsArrayBuffer(blob: Blob)\n fun readAsBinaryString(blob:
Blob)\n fun readAsText(blob: Blob, label: String = definedExternally)\n fun readAsDataURL(blob: Blob)\n
fun abort()\n\n companion object {\n val EMPTY: Short\n val LOADING: Short\n val DONE:
Short\n }\n}\n\n/**\n * Exposes the JavaScript
[FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n */\npublic external
open class FileReaderSync {\n fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n fun readAsBinaryString(blob:
Blob): String\n fun readAsText(blob: Blob, label: String = definedExternally): String\n fun
readAsDataURL(blob: Blob): String\n}", "/*\n * Copyright
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS
AUTO-GENERATED, DO NOT EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.notifications\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.events.*\nimport
org.w3c.workers.*\n\n/**\n * Exposes the JavaScript
[Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n */\npublic external open
class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n var onclick:
((MouseEvent) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n open val title: String\n open val dir:
NotificationDirection\n open val lang: String\n open val body: String\n open val tag: String\n open val
image: String\n open val icon: String\n open val badge: String\n
open val sound: String\n open val vibrate: Array<out Int>\n open val timestamp: Number\n open val renotify:
Boolean\n open val silent: Boolean\n open val noscreen: Boolean\n open val requireInteraction: Boolean\n
open val sticky: Boolean\n open val data: Any?\n open val actions: Array<out NotificationAction>\n fun
close()\n\n companion object {\n val permission: NotificationPermission\n val maxActions: Int\n fun
requestPermission(deprecatedCallback: (NotificationPermission) -> Unit = definedExternally):
Promise<NotificationPermission>\n }\n}\n\npublic external interface NotificationOptions {\n var dir:
NotificationDirection? /* = NotificationDirection.AUTO */\n get() = definedExternally\n set(value) =
definedExternally\n var lang: String? /* = "" */\n get() = definedExternally\n set(value) =
definedExternally\n var body: String? /* = "" */\n get() = definedExternally\n set(value)
= definedExternally\n var tag: String? /* = "" */\n get() = definedExternally\n set(value) =
definedExternally\n var image: String?\n get() = definedExternally\n set(value) = definedExternally\n
var icon: String?\n get() = definedExternally\n set(value) = definedExternally\n var badge: String?\n
get() = definedExternally\n set(value) = definedExternally\n var sound: String?\n get() =
definedExternally\n set(value) = definedExternally\n var vibrate: dynamic\n get() = definedExternally\n
set(value) = definedExternally\n var timestamp: Number?\n get() = definedExternally\n set(value) =
definedExternally\n var renotify: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var silent: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var noscreen: Boolean? /* = false
/\n get() = definedExternally\n set(value) = definedExternally\n var requireInteraction: Boolean? / =
false */\n get() = definedExternally\n set(value) = definedExternally\n var sticky: Boolean? /* = false
/\n get() = definedExternally\n set(value) = definedExternally\n var data: Any? / = null */\n get() =
definedExternally\n set(value) = definedExternally\n var actions: Array<NotificationAction>? /* = arrayOf()
*/\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationOptions(dir:

```

```

NotificationDirection? = NotificationDirection.AUTO, lang: String? = "", body: String? = "", tag: String? = "",
image: String? = undefined, icon: String? = undefined, badge: String? = undefined, sound: String? = undefined,
vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify:
Boolean? = false, silent: Boolean? = false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky:
Boolean? = false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf(): NotificationOptions {\n
val o = js("{}")\n o["dir"] = dir\n o["lang"] = lang\n o["body"] = body\n o["tag"] = tag\n
o["image"] = image\n o["icon"] = icon\n o["badge"] = badge\n o["sound"] = sound\n o["vibrate"] =
vibrate\n o["timestamp"] = timestamp\n o["renotify"] = renotify\n o["silent"] = silent\n o["noscreen"] =
noscreen\n o["requireInteraction"] = requireInteraction\n o["sticky"] = sticky\n o["data"] = data\n
o["actions"] = actions\n return o}\n\npublic external interface NotificationAction {\n var action: String?\n
var title: String?\n var icon: String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationAction(action: String?,
title: String?, icon: String? = undefined): NotificationAction {\n val o = js("{}")\n o["action"] = action\n
o["title"] = title\n o["icon"] = icon\n return o}\n\npublic external interface GetNotificationOptions {\n var
tag: String? /* = "" */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? =
 ""): GetNotificationOptions {\n val o = js("{}")\n o["tag"] = tag\n return o}\n\n/**\n * Exposes the
JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n
*\n\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) :
ExtendableEvent {\n open val notification: Notification\n
open val action: String\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n
val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface
NotificationEventInit : ExtendableEventInit {\n var notification: Notification?\n var action: String? /* = "" */\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification:
Notification?, action: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): NotificationEventInit {\n val o = js("{}")\n o["notification"] = notification\n o["action"] =
action\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return
o}\n\n/* please, don't implement this interface!\n
*\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic
external interface NotificationPermission {\n companion object\n}\n\npublic inline val
NotificationPermission.Companion.DEFAULT: NotificationPermission get() =
"default".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.DENIED: NotificationPermission get() =
"denied".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.GRANTED: NotificationPermission get() =
"granted".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface!\n
*\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface NotificationDirection {\n companion object\n}\n\npublic inline val
NotificationDirection.Companion.AUTO: NotificationDirection get() =
"auto".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.LTR: NotificationDirection get()
= "ltr".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.RTL: NotificationDirection get() =
"rtl".asDynamic().unsafeCast<NotificationDirection>()"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be

```

```

found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.workers\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.fetch.*\nimport
org.w3c.notifications.*\n\n/**\n * Exposes the JavaScript
[ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin\n *\n\npublic external
abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker,
UnionClientOrMessagePortOrServiceWorker {\n open val scriptURL:
String\n open val state: ServiceWorkerState\n open var onstatechange: ((Event) -> dynamic)?\n fun
postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to
Kotlin\n *\n\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n open val installing:
ServiceWorker?\n open val waiting: ServiceWorker?\n open val active: ServiceWorker?\n open val scope:
String\n open var onupdatefound: ((Event) -> dynamic)?\n open val APISpace: dynamic\n fun update():
Promise<Unit>\n fun unregister(): Promise<Boolean>\n fun showNotification(title: String, options:
NotificationOptions = definedExternally): Promise<Unit>\n fun getNotifications(filter: GetNotificationOptions =
definedExternally): Promise<Array<Notification>>\n fun methodName(): Promise<dynamic>\n}\n\n/**\n *
Exposes the JavaScript
[ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n
*\n\npublic external abstract class ServiceWorkerContainer : EventTarget {\n open val controller:
ServiceWorker?\n open val ready: Promise<ServiceWorkerRegistration>\n open var oncontrollerchange:
((Event) -> dynamic)?\n open var onmessage: ((MessageEvent) -> dynamic)?\n fun register(scriptURL: String,
options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n fun
getRegistration(clientURL: String = definedExternally): Promise<Any?>\n fun getRegistrations():
Promise<Array<ServiceWorkerRegistration>>\n fun startMessages()\n}\n\n\npublic external interface
RegistrationOptions {\n var scope: String?\n get() = definedExternally\n set(value) = definedExternally\n
var type: WorkerType? /* = WorkerType.CLASSIC *\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun RegistrationOptions(scope: String? =
undefined, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n val o = js(\"{\}\")\n
o[\"scope\"] = scope\n o[\"type\"] = type\n return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to
Kotlin\n *\n\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict:
ServiceWorkerMessageEventInit = definedExternally) : Event {\n open val data: Any?\n open val origin:
String\n open val lastEventId: String\n open val source: UnionMessagePortOrServiceWorker?\n open val
ports: Array<out MessagePort>?\n\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n
var data: Any?\n get() = definedExternally\n set(value) = definedExternally\n var origin: String?\n
get() = definedExternally\n set(value) = definedExternally\n var lastEventId: String?\n get() =
definedExternally\n set(value) = definedExternally\n var source: UnionMessagePortOrServiceWorker?\n
get() = definedExternally\n set(value) = definedExternally\n var ports: Array<MessagePort>?\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun ServiceWorkerMessageEventInit(data:
Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n val o =
js(\"{\}\")\n}

```

```

 o["data"] = data\n o["origin"] = origin\n o["lastEventId"] = lastEventId\n o["source"] = source\n
 o["ports"] = ports\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
 composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n open val clients:
Clients\n open val registration: ServiceWorkerRegistration\n open var oninstall: ((Event) -> dynamic)?\n open
var onactivate: ((Event) -> dynamic)?\n open var onfetch: ((FetchEvent) -> dynamic)?\n open var
onforeignfetch: ((Event) -> dynamic)?\n open var onmessage: ((MessageEvent) -> dynamic)?\n open var
onnotificationclick: ((NotificationEvent) -> dynamic)?\n open var onnotificationclose: ((NotificationEvent) ->
dynamic)?\n open var onfunctionalevent: ((Event)
-> dynamic)?\n fun skipWaiting(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n */\npublic external abstract class Client :
UnionClientOrMessagePortOrServiceWorker {\n open val url: String\n open val frameType: FrameType\n
open val id: String\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n
* Exposes the JavaScript [WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to
Kotlin\n */\npublic external abstract class WindowClient : Client {\n open val visibilityState: dynamic\n open
val focused: Boolean\n fun focus(): Promise<WindowClient>\n fun navigate(url: String):
Promise<WindowClient>\n}\n\n/**\n * Exposes the JavaScript
[Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n */\npublic external abstract class
Clients {\n fun get(id: String): Promise<Any?>\n fun matchAll(options: ClientQueryOptions
= definedExternally): Promise<Array<Client>>\n fun openWindow(url: String): Promise<WindowClient?>\n
fun claim(): Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n var includeUncontrolled:
Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var type:
ClientType? /* = ClientType.WINDOW */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
ClientQueryOptions(includeUncontrolled: Boolean? = false, type: ClientType? = ClientType.WINDOW):
ClientQueryOptions {\n val o = js(\"({})\")\n o[\"includeUncontrolled\"] = includeUncontrolled\n o[\"type\"] =
type\n return o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n */\npublic external
open class ExtendableEvent(type: String, eventInitDict:
ExtendableEventInit = definedExternally) : Event {\n fun waitUntil(f: Promise<Any?>)\n\n companion object
{\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n }\n\n public external interface ExtendableEventInit :
EventInit\n\n @Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n @kotlin.internal.InlineOnly\n public inline fun ExtendableEventInit(bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableEventInit {\n val o =
js(\"({})\")\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n
return o\n}\n\n /**\n * Exposes the JavaScript
[InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n */\n public external open
class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {\n fun
registerForeignFetch(options: ForeignFetchOptions)\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET:
Short\n val BUBBLING_PHASE: Short\n }\n\n public external interface ForeignFetchOptions {\n var
scopes: Array<String>?\n var origins: Array<String>?\n }\n\n @Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n @kotlin.internal.InlineOnly\n public inline fun ForeignFetchOptions(scopes:
Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n val o = js(\"({})\")\n o[\"scopes\"] =
scopes\n o[\"origins\"] = origins\n return o\n}\n\n /**\n * Exposes the JavaScript

```

```

[FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\n *\npublic external open class
FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\n open val request: Request\n open
val clientId: String?\n open val isReload: Boolean\n fun respondWith(r: Promise<Response>)\n\n companion
object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
Short\n }\n}\n\npublic external interface FetchEventInit : ExtendableEventInit {\n var request: Request?\n var
clientId: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var isReload:
Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FetchEventInit(request: Request?,
clientId: String? = null, isReload: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): FetchEventInit {\n val o = js(\"({})\")\n o[\"request\"] = request\n o[\"clientId\"]
= clientId\n o[\"isReload\"] = isReload\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n return o\n}\n\npublic external
open class ForeignFetchEvent(type: String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n open val
request: Request\n open val origin: String\n fun respondWith(r: Promise<ForeignFetchResponse>)\n\n companion
object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET:
Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface ForeignFetchEventInit :
ExtendableEventInit {\n var request: Request?\n var origin: String? /* = \"null\" */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchEventInit(request:
Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): ForeignFetchEventInit {\n val o = js(\"({})\")\n o[\"request\"] = request\n o[\"origin\"] = origin\n
o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\npublic external interface
ForeignFetchResponse {\n var response: Response?\n var origin: String?\n get() = definedExternally\n
set(value) = definedExternally\n var headers: Array<String>?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchResponse(response:
Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {\n val o =
js(\"({})\")\n o[\"response\"] = response\n o[\"origin\"] = origin\n o[\"headers\"] = headers\n return
o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n
*\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit
= definedExternally) : ExtendableEvent {\n open val data: Any?\n open val origin: String\n open val
lastEventId: String\n open val source: UnionClientOrMessagePortOrServiceWorker?\n open val ports:
Array<out MessagePort>?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE:
Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface
ExtendableMessageEventInit : ExtendableEventInit {\n var data: Any?\n get() = definedExternally\n
set(value) = definedExternally\n var origin: String?\n get() = definedExternally\n set(value) =
definedExternally\n var lastEventId: String?\n get() = definedExternally\n set(value) =
definedExternally\n var source: UnionClientOrMessagePortOrServiceWorker?\n get() = definedExternally\n
set(value) = definedExternally\n var ports: Array<MessagePort>?\n get() = definedExternally\n
set(value)
= definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableMessageEventInit(data:
Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles:

```

```

Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n
val o = js("{}")\n o["data"] = data\n o["origin"] = origin\n o["lastEventId"] = lastEventId\n
o["source"] = source\n o["ports"] = ports\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n
o["composed"] = composed\n return o}\n\n/**\n * Exposes the JavaScript
[Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n */\npublic external abstract class Cache
{\n fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n
fun matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<Array<Response>>\n fun add(request: dynamic): Promise<Unit>\n fun addAll(requests:
Array<dynamic>): Promise<Unit>\n fun put(request: dynamic, response: Response): Promise<Unit>\n fun
delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\n fun
keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<Array<Request>>\n}\n\npublic external interface CacheQueryOptions {\n var ignoreSearch: Boolean? /*
= false */\n get() = definedExternally\n set(value) = definedExternally\n var ignoreMethod: Boolean? /* =
false */\n get() = definedExternally\n set(value) = definedExternally\n var ignoreVary: Boolean? /* =
false */\n get() = definedExternally\n set(value) = definedExternally\n var cacheName: String?\n
get() = definedExternally\n
set(value) = definedExternally}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch:
Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = undefined):
CacheQueryOptions {\n val o = js("{}")\n o["ignoreSearch"] = ignoreSearch\n o["ignoreMethod"] =
ignoreMethod\n o["ignoreVary"] = ignoreVary\n o["cacheName"] = cacheName\n return o}\n\npublic
external interface CacheBatchOperation {\n var type: String?\n get() = definedExternally\n set(value) =
definedExternally\n var request: Request?\n get() = definedExternally\n set(value) = definedExternally\n
var response: Response?\n get() = definedExternally\n set(value) = definedExternally\n var options:
CacheQueryOptions?\n get() = definedExternally\n set(value) =
definedExternally}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun CacheBatchOperation(type: String? =
undefined, request: Request? = undefined, response: Response? = undefined, options: CacheQueryOptions? =
undefined): CacheBatchOperation {\n val o = js("{}")\n o["type"] = type\n o["request"] = request\n
o["response"] = response\n o["options"] = options\n return o}\n\n/**\n * Exposes the JavaScript
[CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n */\npublic external
abstract class CacheStorage {\n fun match(request: dynamic, options: CacheQueryOptions = definedExternally):
Promise<Any?>\n fun has(cacheName: String): Promise<Boolean>\n fun open(cacheName: String):
Promise<Cache>\n fun delete(cacheName: String): Promise<Boolean>\n fun keys():
Promise<Array<String>>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n companion
object {\n val NONE: Short\n
val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface UnionMessagePortOrServiceWorker\n\npublic external interface
UnionClientOrMessagePortOrServiceWorker\n\n/* please, don't implement this interface!
*/\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface ServiceWorkerState {\n companion object\n}\n\npublic inline val
ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() =
"installing".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() =
"installed".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() =
"activating".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() =

```

```

"activated".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic
inline val ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() =
"redundant".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface FrameType {\n companion object\n}\n\npublic inline val FrameType.Companion.AUXILIARY:
FrameType get() = "auxiliary".asDynamic().unsafeCast<FrameType>()\n\npublic inline val
FrameType.Companion.TOP_LEVEL: FrameType get() = "top-
level".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NESTED: FrameType
get() = "nested".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NONE:
FrameType get() = "none".asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface ClientType {\n companion object\n}\n\npublic
inline val ClientType.Companion.WINDOW: ClientType get() =
"window".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.WORKER:
ClientType get() = "worker".asDynamic().unsafeCast<ClientType>()\n\npublic inline val
ClientType.Companion.SHAREDWORKER: ClientType get() =
"sharedworker".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.ALL:
ClientType get() = "all".asDynamic().unsafeCast<ClientType>()"/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.xhr\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.files.*\n\n/*
Exposes the JavaScript
[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget)
to Kotlin\n\n*\n\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n open var
onloadstart: ((ProgressEvent) -> dynamic)?\n open var onprogress: ((ProgressEvent) -> dynamic)?\n open var
onabort: ((Event) -> dynamic)?\n open var onerror: ((Event) -> dynamic)?\n open var onload: ((Event) ->
dynamic)?\n open var ontimeout: ((Event) -> dynamic)?\n open var onloadend: ((Event) ->
dynamic)?\n}\n\n\npublic external abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget\n\n/**\n *
Exposes the JavaScript [XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to
Kotlin\n\n*\n\npublic external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n var
onreadystatechange: ((Event) -> dynamic)?\n open val readyState: Short\n var timeout: Int\n var
withCredentials: Boolean\n open val upload: XMLHttpRequestUpload\n open val responseURL: String\n
 open val status: Short\n open val statusText: String\n var responseType: XMLHttpRequestResponseType\n
open val response: Any?\n open val responseText: String\n open val responseXML: Document?\n fun
open(method: String, url: String)\n fun open(method: String, url: String, async: Boolean, username: String? =
definedExternally, password: String? = definedExternally)\n fun setRequestHeader(name: String, value: String)\n
fun send(body: dynamic = definedExternally)\n fun abort()\n fun getResponseHeader(name: String): String?\n
fun getAllResponseHeaders(): String\n fun overrideMimeType(mime: String)\n\n companion object {\n val
UNSENT: Short\n val OPENED: Short\n val HEADERS_RECEIVED: Short\n val LOADING:
Short\n val DONE: Short\n }\n}\n\n\n/**\n * Exposes the JavaScript
[FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n\n*\n\npublic external open class
FormData(form: HTMLFormElement
= definedExternally) {\n fun append(name: String, value: String)\n fun append(name: String, value: Blob,
filename: String = definedExternally)\n fun delete(name: String)\n fun get(name: String): dynamic\n fun
getAll(name: String): Array<dynamic>\n fun has(name: String): Boolean\n fun set(name: String, value: String)\n
fun set(name: String, value: Blob, filename: String = definedExternally)\n}\n\n\n/**\n * Exposes the JavaScript
[ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n\n*\n\npublic external open

```

```

class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {
 open val lengthComputable: Boolean
 open val loaded: Number
 open val total: Number
 companion object {
 val NONE: Short
 val CAPTURING_PHASE: Short
 val AT_TARGET: Short
 val BUBBLING_PHASE: Short
 }
}

public external interface ProgressEventInit : EventInit {
 var lengthComputable: Boolean? /* = false */
 get() = definedExternally
 set(value) = definedExternally
 var loaded: Number? /* = 0 */
 get() = definedExternally
 set(value) = definedExternally
 var total: Number? /* = 0 */
 get() = definedExternally
 set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun ProgressEventInit(lengthComputable: Boolean? = false, loaded: Number? = 0, total: Number? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ProgressEventInit {
 val o = js("{}")
 o["lengthComputable"] = lengthComputable
 o["loaded"] = loaded
 o["total"] = total
 o["bubbles"] = bubbles
 o["cancelable"] = cancelable
 o["composed"] = composed
 return o
}

/* please, don't implement this interface! */
@JsName("null")
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public external interface XMLHttpRequestResponseType {
 companion object {
 public inline val XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() = ""
 public inline val XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() = "arraybuffer"
 public inline val XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() = "blob"
 public inline val XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() = "document"
 public inline val XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() = "json"
 public inline val XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() = "text"
 }
}

/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin
import kotlin.annotation.AnnotationRetention.BINARY
import kotlin.annotation.AnnotationRetention.SOURCE
import kotlin.annotation.AnnotationTarget.*
import kotlin.internal.RequireKotlin
import kotlin.internal.RequireKotlinVersionKind
import kotlin.reflect.KClass

/** Signals that the annotated annotation class is a marker of an experimental API.
 * Any declaration annotated with that marker is considered an experimental declaration
 * and its call sites should accept the experimental aspect of it either by using [UseExperimental],
 * or by being annotated with that marker themselves, effectively causing further propagation of that experimental aspect.
 * This class is deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].
 */
@Target(ANNOTATION_CLASS)
@Retention(BINARY)
@SinceKotlin("1.2")
@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")
@Deprecated("Please use RequiresOptIn instead.")
public annotation class Experimental(val level: Level = Level.ERROR) {
 /** Severity of the diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental aspect
 * of that API either by using [UseExperimental] or by being annotated with the corresponding marker annotation.
 */
 public enum class Level {
 /** Specifies that a warning should be reported on incorrect usages of this experimental API.
 */
 WARNING,
 /** Specifies that an error should be reported on incorrect usages of this experimental API.
 */
 ERROR,
 }
}

```



create(doubleProducer: () -> Double): Double\n \* val newValue = create { 3.14 }\n \* The annotation being applied to one of overloads allows to resolve this ambiguity by analyzing what value is returned from the lambda function.\n \* This annotation is also used to discriminate the annotated overloads in case if overload selection still cannot choose one of them even taking in account the result of lambda parameter analysis. In that case a warning is reported.\n

\* Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n

```
\n@Target(FUNCTION)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.4")\n@ExperimentalTypeInference\npublic annotation class OverloadResolutionByLambdaReturnType", /\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
```

```
kotlin.internal.RequireKotlinVersionKind\n\n/**\n * The experimental multiplatform support API marker.\n *\n * Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalMultiplatform::class)`\n * or by using the compiler argument `-opt-in=kotlin.ExperimentalMultiplatform`.\n
```

```
*\n@RequiresOptIn\n@MustBeDocumented\n@Target(\n CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n PROPERTY_SETTER,\n TYPEALIAS\n)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalMultiplatform\n\n/**\n * Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.\n *\n * This annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as\n * `optional`.\n *\n * Optional expected class is allowed to have no corresponding actual class on the platform. Optional annotations can only be used\n * to annotate something, not as types in signatures. If an optional annotation has no corresponding actual class on a platform,\n * the annotation entries where it's used are simply erased
```

when compiling code on that platform.\n \* Note: this annotation is experimental, see

[ExperimentalMultiplatform] on how to opt-in for it.\n

```
\n@Target(ANNOTATION_CLASS)\n@Retention(AnnotationRetention.BINARY)\n@ExperimentalMultiplatform\n@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class OptionalExpectation\n", /\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin\n\nimport
```

```
kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
```

```
kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated annotation class is a marker of an API that requires an explicit opt-in.\n *\n * Call sites of any declaration annotated with that marker should opt in to the API either by using [OptIn],\n * or by being annotated with that marker themselves, effectively causing further propagation of the opt-in requirement.\n *\n * This class requires opt-in itself and can only be used with the compiler argument\n * -opt-in=kotlin.RequiresOptIn.\n *\n * @property message message to be reported on usages of API without an explicit opt-in, or empty string for the default message.\n * The default message is: `This declaration is experimental and its usage should be marked with 'Marker'` or `@OptIn(Marker::class)`, where `Marker` is the opt-in requirement marker.\n * @property level specifies how usages of API without an explicit opt-in are reported in code.\n
```

```
*\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.3")\n@RequireKotlin("1.3.70", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class RequiresOptIn(\n val message: String = "",\n val level: Level = Level.ERROR\n) {\n /**\n * Severity of the diagnostic that should be reported on usages which did not explicitly opt into\n * the API either by using [OptIn] or by being
```

```
in=kotlin.RequiresOptIn.\n *\n * @property message message to be reported on usages of API without an explicit opt-in, or empty string for the default message.\n * The default message is: `This declaration is experimental and its usage should be marked with 'Marker'` or `@OptIn(Marker::class)`, where `Marker` is the opt-in requirement marker.\n * @property level specifies how usages of API without an explicit opt-in are reported in code.\n
```

```
*\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.3")\n@RequireKotlin("1.3.70", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class RequiresOptIn(\n val message: String = "",\n val level: Level = Level.ERROR\n) {\n /**\n * Severity of the diagnostic that should be reported on usages which did not explicitly opt into\n * the API either by using [OptIn] or by being
```

```
in=kotlin.RequiresOptIn.\n *\n * @property message message to be reported on usages of API without an explicit opt-in, or empty string for the default message.\n * The default message is: `This declaration is experimental and its usage should be marked with 'Marker'` or `@OptIn(Marker::class)`, where `Marker` is the opt-in requirement marker.\n * @property level specifies how usages of API without an explicit opt-in are reported in code.\n
```

```
*\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.3")\n@RequireKotlin("1.3.70", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class RequiresOptIn(\n val message: String = "",\n val level: Level = Level.ERROR\n) {\n /**\n * Severity of the diagnostic that should be reported on usages which did not explicitly opt into\n * the API either by using [OptIn] or by being
```

```

annotated with the corresponding marker annotation.\n *\n public enum class Level {\n /** Specifies that a
warning should be reported on incorrect usages of this API. */\n WARNING,\n /** Specifies that an error
should be reported on incorrect usages of this API. */\n ERROR,\n }\n}\n\n/**\n * Allows to use the API
denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with
[OptIn], its usages are **not** required to opt in to that API.\n *\n * This class requires opt-in itself and can only be
used with the compiler argument -opt-in=kotlin.RequiresOptIn.\n *\n @Target(\n CLASS, PROPERTY,
LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,
PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,
TYPEALIAS)\n @Retention(SOURCE)\n @SinceKotlin("1.3")\n @RequireKotlin("1.3.70", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n public annotation class OptIn(\n vararg val markerClass:
KClass<out Annotation>)\n }\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n package kotlin.collections\n import kotlin.js.JsName\n\n /**\n * Provides a skeletal
implementation of the read-only [Collection] interface.\n *\n * @param E the type of elements contained in the
collection. The collection is covariant in its element type.\n *\n @SinceKotlin("1.1")\n public abstract class
AbstractCollection<out E> protected constructor() : Collection<E> {\n abstract override val size: Int\n abstract
override fun iterator(): Iterator<E>\n\n override fun contains(element:
@UnsafeVariance E): Boolean = any { it == element }\n\n override fun containsAll(elements:
Collection<@UnsafeVariance E>): Boolean =\n elements.all { contains(it) } // use when js will support bound
refs: elements.all(this::contains)\n\n override fun isEmpty(): Boolean = size == 0\n\n override fun toString():
String = joinToString(", ", "[", "]") {\n if (it === this) "(this Collection)" else it.toString()\n }\n\n /**\n * Returns new array of type `Array<Any?>` with the elements of this collection.\n *\n @JsName("toArray")\n protected open fun toArray(): Array<Any?> = copyToArrayImpl(this)\n\n /**\n *
Fills the provided [array] or creates new array of the same type\n * and fills it with the elements of this
collection.\n *\n protected open fun <T> toArray(array: Array<T>): Array<T> = copyToArrayImpl(this,
array)\n }\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n package kotlin.collections\n\n private enum class State {\n Ready,\n NotReady,\n Done,\n Failed\n }\n\n /**\n * A base class to simplify implementing iterators so that implementations only have to implement
[computeNext]\n * to implement the iterator, calling [done] when the iteration is complete.\n *\n public abstract
class AbstractIterator<T> : Iterator<T> {\n private var state = State.NotReady\n private var nextValue: T? =
null\n\n override fun hasNext(): Boolean {\n require(state != State.Failed)\n return when (state) {\n
State.Done -> false\n State.Ready -> true\n else -> tryToComputeNext()\n }\n }\n\n override
fun next(): T {\n if (!hasNext()) throw NoSuchElementException()\n state = State.NotReady\n @Suppress("UNCHECKED_CAST")\n return nextValue as T\n }\n\n private fun tryToComputeNext(): Boolean {\n state = State.Failed\n computeNext()\n return
state == State.Ready\n }\n\n /**\n * Computes the next item in the iterator.\n *\n * This callback method
should call one of these two methods:\n * * [setNext] with the next value of the iteration\n * * [done] to
indicate there are no more elements\n * * Failure to call either method will result in the iteration terminating
with a failed state\n *\n abstract protected fun computeNext(): Unit\n\n /**\n * Sets the next value in the
iteration, called from the [computeNext] function\n *\n protected fun setNext(value: T): Unit {\n nextValue = value\n state = State.Ready\n }\n\n /**\n * Sets the state to done so that the iteration
terminates.\n *\n protected fun done() {\n state = State.Done\n }\n }\n\n", /*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n package kotlin.collections\n\n /**\n * Based on GWT AbstractList\n * Copyright 2007 Google
Inc.\n *\n package kotlin.collections\n\n /**\n * Provides a skeletal implementation of the read-only [List]
interface.\n *\n * This class is intended to help implementing read-only lists so it doesn't support concurrent

```

```

modification tracking.\n * \n * @param E the type of elements contained in the list. The list is covariant in its
element type.\n * \n @SinceKotlin("1.1")\npublic abstract class AbstractList<out E> protected constructor() :
AbstractCollection<E>(), List<E> {\n abstract override val size: Int\n abstract override fun get(index: Int): E\n\n override fun iterator(): Iterator<E> = IteratorImpl()\n\n override fun indexOf(element: @UnsafeVariance E): Int
= indexOfFirst { it == element }\n\n override fun lastIndexOf(element: @UnsafeVariance E): Int
= indexOfLast { it == element }\n\n override fun listIterator(): ListIterator<E> = ListIteratorImpl(0)\n\n override fun listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)\n\n override fun subList(fromIndex:
Int, toIndex: Int): List<E> = SubList(this, fromIndex, toIndex)\n\n private class SubList<out E>(private val list:
AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(), RandomAccess {\n private var
_size: Int = 0\n\n init {\n checkRangeIndexes(fromIndex, toIndex, list.size)\n this._size = toIndex
- fromIndex\n }\n\n override fun get(index: Int): E {\n checkElementIndex(index, _size)\n\n return list[fromIndex + index]\n }\n\n override val size: Int get() = _size\n }\n\n /**\n * Compares
this list with other list instance with the ordered structural equality.\n * \n * @return true, if [other] instance is a
[List] of the same size,
which contains the same elements in the same order.\n * \n * override fun equals(other: Any?): Boolean {\n
if (other === this) return true\n if (other !is List<*>) return false\n return orderedEquals(this, other)\n
}\n\n /**\n * Returns the hash code value for this list.\n * \n * override fun hashCode(): Int =
orderedHashCode(this)\n\n private open inner class IteratorImpl : Iterator<E> {\n /** the index of the item
that will be returned on the next call to [next]`()\n * \n * protected var index = 0\n * \n * override fun hasNext():
Boolean = index < size\n * \n * override fun next(): E {\n * \n * if (!hasNext()) throw NoSuchElementException()\n
 * \n * return get(index++)\n * \n * }\n }\n\n /**\n * Implementation of [ListIterator] for abstract lists.\n * \n
 * private open inner class ListIteratorImpl(index: Int) : IteratorImpl(), ListIterator<E> {\n * \n * init {\n
 * checkPositionIndex(index,
this@AbstractList.size)\n * this.index = index\n * }\n * \n * override fun hasNext(): Boolean = index >
0\n * \n * override fun nextIndex(): Int = index\n * \n * override fun previous(): E {\n * \n * if (!hasPrevious())
throw NoSuchElementException()\n * return get(--index)\n * }\n * \n * override fun previousIndex(): Int =
index - 1\n * \n * internal companion object {\n * internal fun checkElementIndex(index: Int, size: Int) {\n
 * if (index < 0 || index >= size) {\n * throw IndexOutOfBoundsException("\nindex: $index, size: $size")\n
 * }\n * }\n * \n * internal fun checkPositionIndex(index: Int, size: Int) {\n * if (index < 0 || index > size) {\n
 * throw IndexOutOfBoundsException("\nindex: $index, size: $size")\n * }\n * }\n * \n * internal fun
checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n * if (fromIndex < 0 || toIndex > size)\n * throw IndexOutOfBoundsException("\nfromIndex: $fromIndex, toIndex: $toIndex, size: $size")\n
 * }\n * if (fromIndex > toIndex) {\n * throw IllegalArgumentException("\nfromIndex: $fromIndex >
toIndex: $toIndex")\n * }\n * }\n * \n * internal fun checkBoundsIndexes(startIndex: Int, endIndex: Int, size:
Int) {\n * if (startIndex < 0 || endIndex > size) {\n * throw IndexOutOfBoundsException("\nstartIndex:
$startIndex, endIndex: $endIndex, size: $size")\n * }\n * if (startIndex > endIndex) {\n * throw
IllegalArgumentException("\nstartIndex: $startIndex > endIndex: $endIndex")\n * }\n * }\n * \n * internal
fun orderedHashCode(c: Collection<*>): Int {\n * var hashCode = 1\n * for (e in c) {\n
 * hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n * }\n * return hashCode\n * }\n * \n * internal fun
orderedEquals(c:
Collection<*>, other: Collection<*>): Boolean {\n * if (c.size != other.size) return false\n * val
otherIterator = other.iterator()\n * for (elem in c) {\n * val elemOther = otherIterator.next()\n * if
(elem != elemOther) {\n * return false\n * }\n * return true\n * }\n * }", /*\n
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n * \n * Based on
GWT AbstractMap\n * Copyright 2007 Google Inc.\n * \n * \n * package kotlin.collections\n * \n * \n * /**\n * Provides a skeletal
implementation of the read-only [Map] interface.\n * \n * \n * * The implementor is required to implement [entries]
property, which should return read-only set of map entries.\n * \n * \n * @param K the type of map keys. The map is

```

invariant in its key type.\n \* @param

```
V the type of map values. The map is covariant in its value type.\n *^/\n@SinceKotlin("1.1")\npublic abstract class\nAbstractMap<K, out V> protected constructor() : Map<K, V> {\n\n override fun containsKey(key: K): Boolean\n {\n return implFindEntry(key) != null\n }\n\n override fun containsValue(value: @UnsafeVariance V):\n Boolean = entries.any { it.value == value }\n\n internal fun containsEntry(entry: Map.Entry<*, *>): Boolean {\n // since entry comes from @UnsafeVariance parameters it can be virtually anything\n if (entry !is\n Map.Entry<*, *>) return false\n val key = entry.key\n val value = entry.value\n val ourValue =\n get(key)\n if (value != ourValue) {\n return false\n }\n // Perhaps it was null and we don't\n contain the key?\n if (ourValue == null && !containsKey(key)) {\n return false\n }\n return\n true\n }\n\n /**\n * Compares this map with other\n instance with the ordered structural equality.\n *\n * @return true, if [other] instance is a [Map] of the same\n size, all entries of which are contained in the [entries] set of this map.\n */\n override fun equals(other: Any?):\n Boolean {\n if (other === this) return true\n if (other !is Map<*, *>) return false\n if (size != other.size)\n return false\n return other.entries.all { containsEntry(it) }\n }\n\n override operator fun get(key: K): V? =\n implFindEntry(key)?.value\n\n /**\n * Returns the hash code value for this map.\n *\n * It is the same as\n the hashCode of [entries] set.\n */\n override fun hashCode(): Int = entries.hashCode()\n\n override fun\n isEmpty(): Boolean = size == 0\n\n override val size: Int get() = entries.size\n\n /**\n * Returns a read-only\n [Set] of all keys in this map.\n *\n * Accessing this property first time creates a keys view from [entries].\n *\n * All subsequent accesses\n just return the created instance.\n */\n override val keys: Set<K>\n get() {\n if (_keys == null) {\n _keys = object : AbstractSet<K>() {\n override operator fun contains(element: K): Boolean =\n containsKey(element)\n override operator fun iterator(): Iterator<K> {\n val\n entryIterator = entries.iterator()\n return object : Iterator<K> {\n override fun\n hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): K = entryIterator.next().key\n }\n }\n override val size: Int get() = this@AbstractMap.size\n }\n return _keys!!\n }\n @kotlin.jvm.Volatile\n private var _keys: Set<K>? = null\n }\n\n override fun toString(): String = entries.joinToString(", ", "{", "}") { toString(it)\n }\n\n private fun toString(entry: Map.Entry<K, V>): String = toString(entry.key) + "=" +\n toString(entry.value)\n\n private fun toString(o: Any?): String = if (o === this) "(this Map)" else o.toString()\n\n /**\n * Returns a read-only [Collection] of all values in this map.\n *\n * Accessing this property first time\n creates a values view from [entries].\n *\n * All subsequent accesses just return the created instance.\n */\n override val values: Collection<V>\n get() {\n if (_values == null) {\n _values = object :\n AbstractCollection<V>() {\n override operator fun contains(element: @UnsafeVariance V): Boolean =\n containsValue(element)\n override operator fun iterator(): Iterator<V> {\n val\n entryIterator = entries.iterator()\n return object : Iterator<V> {\n override fun\n hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): V = entryIterator.next().value\n }\n }\n }\n return _values!!\n }\n @kotlin.jvm.Volatile\n private var _values: Collection<V>? = null\n }\n\n private fun implFindEntry(key: K):\n Map.Entry<K, V>? = entries.firstOrNull { it.key == key }\n\n internal companion object {\n internal fun\n entryHashCode(e: Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?: 0) xor (value?.hashCode() ?: 0) }\n internal fun\n entryToString(e: Map.Entry<*, *>): String = with(e) { "$key=$value" }\n internal fun\n entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {\n if (other !is Map.Entry<*, *>) return false\n return e.key == other.key && e.value == other.value\n }\n }\n\n /**\n * Copyright 2010-2020 JetBrains\n s.r.o. and Kotlin
```

Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be\n found in the license/LICENSE.txt file.\n \*/\npackage kotlin.collections\n\n/\*\*\n \* Provides a skeletal\n implementation of the read-only [Set] interface.\n \*\n \* This class is intended to help implementing read-only sets so

```

it doesn't support concurrent modification tracking.\n *\n * @param E the type of elements contained in the set. The
set is covariant in its element type.\n *\n@SinceKotlin("1.1")\npublic abstract class AbstractSet<out E> protected
constructor() : AbstractCollection<E>(), Set<E> {\n\n /**\n * Compares this set with other set instance with the
unordered structural equality.\n *\n * @return true, if [other] instance is a [Set] of the same size, all elements of
which are contained in this set.\n *\n override fun equals(other: Any?): Boolean {\n if (other === this)
return true\n if (other !is Set<*>) return false\n
return setEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this set.\n *\n override fun
hashCode(): Int = unorderedHashCode(this)\n\n internal companion object {\n internal fun
unorderedHashCode(c: Collection<*>): Int {\n var hashCode = 0\n for (element in c) {\n
hashCode += (element?.hashCode() ?: 0)\n }\n return hashCode\n }\n\n internal fun
setEquals(c: Set<*>, other: Set<*>): Boolean {\n if (c.size != other.size) return false\n return
c.containsAll(other)\n }\n }\n\n }", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin.collections\n\n/**\n * Resizable-array implementation of the deque
data structure.\n *\n * The name deque is short for \"double ended queue\"
and is usually pronounced \"deck\".\n *\n * The collection provide methods for convenient access to the both
ends.\n * It also implements [MutableList] interface and supports efficient get/set operations by index.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic class ArrayDeque<E> :
AbstractMutableList<E> {\n private var head: Int = 0\n private var elementData: Array<Any?>\n\n override
var size: Int = 0\n private set\n\n /**\n * Constructs an empty deque with specified [initialCapacity], or
throws [IllegalArgumentException] if [initialCapacity] is negative.\n *\n public constructor(initialCapacity:
Int) {\n elementData = when {\n initialCapacity == 0 -> emptyElementData\n initialCapacity > 0 -
> arrayOfNulls(initialCapacity)\n else -> throw IllegalArgumentException(\"Illegal Capacity:
$initialCapacity\")\n }\n }\n\n /**\n * Constructs an empty deque.\n *\n
public constructor() {\n elementData = emptyElementData\n }\n\n /**\n * Constructs a deque that
contains the same elements as the specified [elements] collection in the same order.\n *\n public
constructor(elements: Collection<E>) {\n elementData = elements.toArray()\n size =
elementData.size\n if (elementData.isEmpty()) elementData = emptyElementData\n }\n\n /**\n * Ensures
that the capacity of this deque is at least equal to the specified [minCapacity].\n *\n * If the current capacity is
less than the [minCapacity], a new backing storage is allocated with greater capacity.\n * Otherwise, this method
takes no action and simply returns.\n *\n private fun ensureCapacity(minCapacity: Int) {\n if (minCapacity
< 0) throw IllegalStateException(\"Deque is too big.\") // overflow\n if (minCapacity <= elementData.size)
return\n if (elementData === emptyElementData) {\n elementData
= arrayOfNulls(minCapacity.coerceAtLeast(defaultMinCapacity))\n return\n }\n\n val newCapacity
= newCapacity(elementData.size, minCapacity)\n copyElements(newCapacity)\n }\n\n /**\n * Creates a
new array with the specified [newCapacity] size and copies elements in the [elementData] array to it.\n *\n
private fun copyElements(newCapacity: Int) {\n val newElements = arrayOfNulls<Any?>(newCapacity)\n
elementData.copyInto(newElements, 0, head, elementData.size)\n elementData.copyInto(newElements,
elementData.size - head, 0, head)\n head = 0\n elementData = newElements\n }\n\n
@kotlin.internal.InlineOnly\n private inline fun internalGet(internalIndex: Int): E {\n
@Suppress(\"UNCHECKED_CAST\")\n return elementData[internalIndex] as E\n }\n\n private fun
positiveMod(index: Int): Int = if (index >= elementData.size) index - elementData.size else index\n\n private fun
negativeMod(index:
Int): Int = if (index < 0) index + elementData.size else index\n\n @kotlin.internal.InlineOnly\n private inline fun
internalIndex(index: Int): Int = positiveMod(head + index)\n\n private fun incremented(index: Int): Int = if (index
== elementData.lastIndex) 0 else index + 1\n\n private fun decremented(index: Int): Int = if (index == 0)
elementData.lastIndex else index - 1\n\n override fun isEmpty(): Boolean = size == 0\n\n /**\n * Returns the
first element, or throws [NoSuchElementException] if this deque is empty.\n *\n public fun first(): E = if

```

```

(isEmpty()) throw NoSuchElementException("ArrayDeque is empty.") else internalGet(head)\n\n /**\n *
Returns the first element, or `null` if this deque is empty.\n */\n public fun firstOrNull(): E? = if (isEmpty()) null
else internalGet(head)\n\n /**\n * Returns the last element, or throws [NoSuchElementException] if this deque
is empty.\n */\n public fun last(): E = if
(isEmpty()) throw NoSuchElementException("ArrayDeque is empty.") else
internalGet(internalIndex(lastIndex))\n\n /**\n * Returns the last element, or `null` if this deque is empty.\n
*/\n public fun lastOrNull(): E? = if (isEmpty()) null else internalGet(internalIndex(lastIndex))\n\n /**\n *
Prepends the specified [element] to this deque.\n */\n public fun addFirst(element: E) {\n
ensureCapacity(size + 1)\n\n head = decremented(head)\n\n elementData[head] = element\n\n size += 1\n
}\n\n /**\n * Appends the specified [element] to this deque.\n */\n public fun addLast(element: E) {\n
ensureCapacity(size + 1)\n\n elementData[internalIndex(size)] = element\n\n size += 1\n\n }\n\n /**\n *
Removes the first element from this deque and returns that removed element, or throws [NoSuchElementException]
if this deque is empty.\n */\n public fun removeFirst(): E {\n\n if (isEmpty()) throw
NoSuchElementException("ArrayDeque
is empty.")\n\n val element = internalGet(head)\n\n elementData[head] = null\n\n head =
incremented(head)\n\n size -= 1\n\n return element\n\n }\n\n /**\n * Removes the first element from this
deque and returns that removed element, or returns `null` if this deque is empty.\n */\n public fun
removeFirstOrNull(): E? = if (isEmpty()) null else removeFirst()\n\n /**\n * Removes the last element from this
deque and returns that removed element, or throws [NoSuchElementException] if this deque is empty.\n */\n
public fun removeLast(): E {\n\n if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.")\n\n
val internalLastIndex = internalIndex(lastIndex)\n\n val element = internalGet(internalLastIndex)\n\n
elementData[internalLastIndex] = null\n\n size -= 1\n\n return element\n\n }\n\n /**\n * Removes the last
element from this deque and returns that removed
element, or returns `null` if this deque is empty.\n */\n public fun removeLastOrNull(): E? = if (isEmpty()) null
else removeLast()\n\n // MutableList, MutableCollection\n public override fun add(element: E): Boolean {\n
addLast(element)\n\n return true\n\n }\n\n public override fun add(index: Int, element: E) {\n
AbstractList.checkPositionIndex(index, size)\n\n if (index == size) {\n\n addLast(element)\n
return\n\n } else if (index == 0) {\n\n addFirst(element)\n\n return\n\n }\n\n ensureCapacity(size
+ 1)\n\n // Elements in circular array lay in 2 ways:\n // 1. `head` is less than `tail`: [#, #, e1, e2, e3,
#]\n // 2. `head` is greater than `tail`: [e3, #, #, #, e1, e2]\n // where head is the index of the first element
in the circular array,\n // and tail is the index following the last element.\n //\n // At this point
the insertion index is not equal to head or tail.\n // Also the circular array can store at least one more element.\n
\n // Depending on where the given element must be inserted the preceding or the succeeding\n //
elements will be shifted to make room for the element to be inserted.\n //\n // In case the preceding elements
are shifted:\n // * if the insertion index is greater than the head (regardless of circular array form)\n // ->
shift the preceding elements\n // * otherwise, the circular array has (2) form and the insertion index is less than
tail\n // -> shift all elements in the back of the array\n // -> shift preceding elements in the front of the
array\n // In case the succeeding elements are shifted:\n // * if the insertion index is less than the tail
(regardless of circular array form)\n // -> shift the succeeding elements\n // * otherwise, the
circular array has (2) form and the insertion index is greater than head\n // -> shift all elements in the front
of the array\n // -> shift succeeding elements in the back of the array\n\n val internalIndex =
internalIndex(index)\n\n if (index < (size + 1) shr 1) {\n\n // closer to the first element -> shift preceding
elements\n\n val decrementedInternalIndex = decremented(internalIndex)\n\n val decrementedHead =
decremented(head)\n\n if (decrementedInternalIndex >= head) {\n\n elementData[decrementedHead]
= elementData[head] // head can be zero\n\n elementData.copyInto(elementData, head, head + 1,
decrementedInternalIndex + 1)\n\n } else { // head > tail\n\n elementData.copyInto(elementData, head -
1, head, elementData.size) // head can't be zero\n\n elementData[elementData.size - 1] = elementData[0]\n
\n elementData.copyInto(elementData,

```

```

0, 1, decrementedInternalIndex + 1)\n }\n elementData[decrementedInternalIndex] = element\n
head = decrementedHead\n } else {\n // closer to the last element -> shift succeeding elements\n
val tail = internalIndex(size)\n if (internalIndex < tail) {\n elementData.copyInto(elementData,\n
internalIndex + 1, internalIndex, tail)\n } else { // head > tail\n elementData.copyInto(elementData,\n
1, 0, tail)\n elementData[0] = elementData[elementData.size - 1]\n
elementData.copyInto(elementData, internalIndex + 1, internalIndex, elementData.size - 1)\n }\n
elementData[internalIndex] = element\n }\n size += 1\n }\n private fun\n
copyCollectionElements(internalIndex: Int, elements: Collection<E>) {\n val iterator = elements.iterator()\n
for (index in internalIndex until elementData.size) {\n
 if (!iterator.hasNext()) break\n elementData[index] = iterator.next()\n }\n for (index in 0 until\n
head) {\n if (!iterator.hasNext()) break\n elementData[index] = iterator.next()\n }\n size +=\n
elements.size\n }\n public override fun addAll(elements: Collection<E>): Boolean {\n if\n
(elements.isEmpty()) return false\n ensureCapacity(this.size + elements.size)\n
copyCollectionElements(internalIndex(size), elements)\n return true\n }\n public override fun\n
addAll(index: Int, elements: Collection<E>): Boolean {\n AbstractList.checkPositionIndex(index, size)\n
if (elements.isEmpty())\n return false\n } else if (index == size) {\n return addAll(elements)\n
}\n ensureCapacity(this.size + elements.size)\n val tail = internalIndex(size)\n val internalIndex =\n
internalIndex(index)\n val elementsSize\n
= elements.size\n if (index < (size + 1) shr 1) {\n // closer to the first element -> shift preceding\n
elements\n var shiftedHead = head - elementsSize\n if (internalIndex >= head) {\n if\n
(shiftedHead >= 0) {\n elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n
}\n } else { // head < tail, insertion leads to head >= tail\n shiftedHead += elementData.size\n
val\n
elementsToShift = internalIndex - head\n val shiftToBack = elementData.size - shiftedHead\n
if (shiftToBack >= elementsToShift) {\n elementData.copyInto(elementData, shiftedHead, head,\n
internalIndex)\n } else {\n elementData.copyInto(elementData, shiftedHead, head, head +\n
shiftToBack)\n } elementData.copyInto(elementData, 0, head + shiftToBack, internalIndex)\n
}\n }\n } else { // head > tail, internalIndex < tail\n
elementData.copyInto(elementData, shiftedHead, head, elementData.size)\n if (elementsSize >=\n
internalIndex)\n elementData.copyInto(elementData, elementData.size - elementsSize, 0,\n
internalIndex)\n } else {\n elementData.copyInto(elementData, elementData.size -\n
elementsSize, 0, elementsSize)\n elementData.copyInto(elementData, 0, elementsSize, internalIndex)\n
}\n }\n head = shiftedHead\n copyCollectionElements(negativeMod(internalIndex -\n
elementsSize), elements)\n } else {\n // closer to the last element -> shift succeeding elements\n
val shiftedInternalIndex = internalIndex + elementsSize\n if (internalIndex < tail) {\n if (tail +\n
elementsSize <= elementData.size) {\n elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail)\n
}\n } else { // head <\n
tail, insertion leads to head >= tail\n if (shiftedInternalIndex >= elementData.size) {\n
elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex, tail)\n }\n
}\n val shiftToFront = tail + elementsSize - elementData.size\n
elementData.copyInto(elementData, 0, tail - shiftToFront, tail)\n elementData.copyInto(elementData,\n
shiftedInternalIndex, internalIndex, tail - shiftToFront)\n }\n }\n } else { // head > tail,\n
internalIndex > head\n elementData.copyInto(elementData, elementsSize, 0, tail)\n if\n
(shiftedInternalIndex >= elementData.size) {\n elementData.copyInto(elementData, shiftedInternalIndex\n
- elementData.size,\n
internalIndex, elementData.size)\n } else {\n elementData.copyInto(elementData, 0,\n
elementData.size - elementsSize, elementData.size)\n elementData.copyInto(elementData,\n
shiftedInternalIndex, internalIndex, elementData.size - elementsSize)\n }\n }\n
copyCollectionElements(internalIndex, elements)\n }\n return true\n }\n public override fun

```

```

get(index: Int): E {\n AbstractList.checkNotNull(index, size)\n return
internalGet(internalIndex(index))\n } \n public override fun set(index: Int, element: E): E {\n
AbstractList.checkNotNull(index, size)\n val internalIndex = internalIndex(index)\n val oldElement
= internalGet(internalIndex)\n elementData[internalIndex] = element\n return oldElement\n } \n
public override fun contains(element: E): Boolean = indexOf(element) != -1\n public override
fun indexOf(element: E): Int {\n val tail = internalIndex(size)\n if (head < tail) {\n for (index in
head until tail) {\n if (element == elementData[index]) return index - head\n } else if (head
>= tail) {\n for (index in head until elementData.size) {\n if (element == elementData[index]) return
index - head\n } for (index in 0 until tail) {\n if (element == elementData[index]) return
index + elementData.size - head\n } \n } \n } \n return -1\n } \n public override fun
lastIndexOf(element: E): Int {\n val tail = internalIndex(size)\n if (head < tail) {\n for (index in tail
- 1 downTo head) {\n if (element == elementData[index]) return index - head\n } else if
(head > tail) {\n for (index in tail - 1 downTo 0) {\n if (element == elementData[index])
return index + elementData.size - head\n } for (index in elementData.lastIndex downTo head) {\n
 if (element == elementData[index]) return index - head\n } \n } \n } \n public
override fun remove(element: E): Boolean {\n val index = indexOf(element)\n if (index == -1) return
false\n removeAt(index)\n return true\n } \n public override fun removeAt(index: Int): E {\n
AbstractList.checkNotNull(index, size)\n if (index == lastIndex) {\n return removeLast()\n }
else if (index == 0) {\n return removeFirst()\n } \n val internalIndex = internalIndex(index)\n
val element = internalGet(internalIndex)\n if (index < size shr 1) {\n // closer to the first element ->
shift preceding elements\n if (internalIndex >= head) {\n elementData.copyInto(elementData, head
+ 1, head, internalIndex)\n } else { // head > tail, internalIndex < head\n
elementData.copyInto(elementData, 1, 0, internalIndex)\n elementData[0] = elementData[elementData.size
- 1]\n elementData.copyInto(elementData, head + 1, head, elementData.size - 1)\n } \n
elementData[head] = null\n head = incremented(head)\n } else {\n // closer to the last element ->
shift succeeding elements\n val internalLastIndex = internalIndex(lastIndex)\n if (internalIndex <=
internalLastIndex) {\n elementData.copyInto(elementData, internalIndex, internalIndex + 1,
internalLastIndex + 1)\n } else { // head > tail, internalIndex > head\n
elementData.copyInto(elementData, internalIndex, internalIndex + 1, elementData.size)\n
elementData[elementData.size - 1] = elementData[0]\n elementData.copyInto(elementData,
0, 1, internalLastIndex + 1)\n } \n } \n elementData[internalLastIndex] = null\n size -= 1\n
return element\n } \n public override fun removeAll(elements: Collection<E>): Boolean = filterInPlace {
!elements.contains(it) } \n public override fun retainAll(elements: Collection<E>): Boolean = filterInPlace {
elements.contains(it) } \n private inline fun filterInPlace(predicate: (E) -> Boolean): Boolean {\n if
(this.isEmpty() || elementData.isEmpty())\n return false\n val tail = internalIndex(size)\n var
newTail = head\n var modified = false\n if (head < tail) {\n for (index in head until tail) {\n
val element = elementData[index]\n @SuppressWarnings("UNCHECKED_CAST")\n if
(predicate(element as E))\n elementData[newTail++] = element\n else\n modified =
true\n } \n } else {\n for (index in head until elementData.size) {\n
val element = elementData[index]\n elementData[index] = null\n
@Suppress("UNCHECKED_CAST")\n if (predicate(element as E))\n elementData[newTail++] = element\n else\n modified = true\n } \n } \n newTail =
positiveMod(newTail)\n for (index in 0 until tail) {\n val element = elementData[index]\n
elementData[index] = null\n @SuppressWarnings("UNCHECKED_CAST")\n if (predicate(element as
E)) {\n elementData[newTail] = element\n newTail = incremented(newTail)\n }
else {\n modified = true\n } \n } \n if (modified)\n size =
negativeMod(newTail

```

```

- head)\n\n return modified\n }\n\n public override fun clear() {\n val tail = internalIndex(size)\n if (head < tail) {\n elementData.fill(null, head, tail)\n } else if (isEmpty()) {\n elementData.fill(null, head, elementData.size)\n elementData.fill(null, 0, tail)\n }\n head = 0\n size = 0\n }\n\n @Suppress("NOTHING_TO_OVERRIDE")\n override fun <T> toArray(array: Array<T>):\n Array<T> {\n @Suppress("UNCHECKED_CAST")\n val dest = (if (array.size >= size) array else\n arrayOfNulls(array, size)) as Array<Any?>\n val tail = internalIndex(size)\n if (head < tail) {\n elementData.copyInto(dest, startIndex = head, endIndex = tail)\n } else if (isEmpty()) {\n elementData.copyInto(dest, destinationOffset = 0, startIndex = head, endIndex = elementData.size)\n elementData.copyInto(dest, destinationOffset = elementData.size\n - head, startIndex = 0, endIndex = tail)\n }\n if (dest.size > size) {\n dest[size] = null // null-terminate\n }\n @Suppress("UNCHECKED_CAST")\n return dest as Array<T>\n }\n\n @Suppress("NOTHING_TO_OVERRIDE")\n override fun toArray(): Array<Any?> {\n return\n toArray(arrayOfNulls<Any?>(size))\n }\n\n // for testing\n internal fun <T> testToArray(array: Array<T>):\n Array<T> = toArray(array)\n internal fun testToArray(): Array<Any?> = toArray()\n\n internal companion\n object {\n private val emptyElementData = emptyArray<Any?>()\n private const val maxArraySize =\n Int.MAX_VALUE - 8\n private const val defaultMinCapacity = 10\n internal fun\n newCapacity(oldCapacity: Int, minCapacity: Int): Int {\n // overflow-conscious\n var newCapacity =\n oldCapacity + (oldCapacity shr 1)\n if (newCapacity - minCapacity < 0)\n newCapacity =\n minCapacity\n if (newCapacity - maxArraySize > 0)\n newCapacity = if (minCapacity > maxArraySize)\n Int.MAX_VALUE else maxArraySize\n return newCapacity\n }\n }\n\n // For testing only\n internal fun internalStructure(structure: (head: Int, elements: Array<Any?>) -> Unit) {\n val tail =\n internalIndex(size)\n val head = if (isEmpty() || head < tail) head else head - elementData.size\n structure(head, toArray())\n }\n}"/\n\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language\n contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n license/LICENSE.txt file.\n\n*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ArraysKt")\n\npackage\n kotlin.collections\n\nimport kotlin.contracts.*\n\n/**\n * Returns a single list of all elements from all arrays in the\n given array.\n * @sample samples.collections.Arrays.Transformations.flattenArray\n */\npublic\n fun <T> Array<out Array<out T>>.flatten(): List<T> {\n val result = ArrayList<T>(sumOf { it.size })\n for\n (element in this) {\n result.addAll(element)\n }\n return result\n }\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this array,\n * *second* list is built from the second\n values of each pair from this array.\n * @sample samples.collections.Arrays.Transformations.unzipArray\n */\npublic fun <T, R> Array<out Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n val listT =\n ArrayList<T>(size)\n val listR = ArrayList<R>(size)\n for (pair in this) {\n listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n}\n\n/**\n * Returns `true` if this nullable array is either null or\n empty.\n * @sample samples.collections.Arrays.Usage.arrayIsNullOrEmpty\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun Array<*>?.isNullOrEmpty(): Boolean\n {\n contract\n {\n returns(false) implies (this@isNullOrEmpty != null)\n }\n return this == null ||\n this.isEmpty()\n }\n\n/**\n * Returns this array if it's not empty\n * or the result of calling [defaultValue] function if\n the array is empty.\n * @sample samples.collections.Arrays.Usage.arrayIfEmpty\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("UPPER_BOUND_CANNOT_BE_ARRAY")\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\n if (isEmpty())\n defaultValue() else\n this\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.Jvm\n Name("contentDeepEquals")\n@kotlin.js.JsName("contentDeepEqualsImpl")\ninternal fun <T> Array<out\n T>?.contentDeepEqualsImpl(other: Array<out T>?): Boolean {\n if (this === other) return true\n if (this == null

```

```

|| other == null || this.size != other.size) return false\n\n for (i in indices) {\n val v1 = this[i]\n val v2 = other[i]\n\n if (v1 === v2) {\n continue\n } else if (v1 == null || v2 == null) {\n return false\n }\n\n when {\n v1 is Array<*> && v2 is Array<*> -> if (!v1.contentDeepEquals(v2)) return false\n v1 is ByteArray && v2 is ByteArray -> if (!v1.contentEquals(v2)) return false\n v1 is ShortArray && v2 is ShortArray -> if (!v1.contentEquals(v2)) return false\n v1 is IntArray && v2 is IntArray -> if (!v1.contentEquals(v2)) return false\n v1 is LongArray && v2 is LongArray -> if (!v1.contentEquals(v2)) return false\n v1 is FloatArray && v2 is FloatArray -> if (!v1.contentEquals(v2)) return false\n v1 is DoubleArray && v2 is DoubleArray -> if (!v1.contentEquals(v2)) return false\n v1 is CharArray && v2 is CharArray -> if (!v1.contentEquals(v2)) return false\n v1 is BooleanArray && v2 is BooleanArray -> if (!v1.contentEquals(v2)) return false\n v1 is UByteArray && v2 is UByteArray -> if (!v1.contentEquals(v2)) return false\n v1 is UShortArray && v2 is UShortArray -> if (!v1.contentEquals(v2)) return false\n v1 is UIntArray && v2 is UIntArray -> if (!v1.contentEquals(v2)) return false\n v1 is ULongArray && v2 is ULongArray -> if (!v1.contentEquals(v2)) return false\n } else -> if (v1 != v2) return false\n }\n\n return true\n}\n\n\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.JvmName("contentDeepToString")\n@kotlin.js.JsName("contentDeepToStringImpl")\ninternal fun <T> Array<out T>?.contentDeepToStringImpl(): String {\n if (this == null) return "null"\n val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5) * 5 + 2 // in order not to overflow Int.MAX_VALUE\n return buildString(length) {\n contentDeepToStringInternal(this, mutableListOf())\n }\n}\n\n@OptIn(ExperimentalUnsignedTypes::class)\nprivate fun <T> Array<out T>.contentDeepToStringInternal(result: StringBuilder, processed: MutableList<Array<*>>) {\n if (this in processed) {\n result.append("[...]")\n return\n }\n processed.add(this)\n result.append("[")\n for (i in indices) {\n if (i != 0) {\n result.append(", ")\n }\n val element = this[i]\n when (element) {\n null -> result.append("null")\n is Array<*> -> element.contentDeepToStringInternal(result, processed)\n is ByteArray -> result.append(element.contentToString())\n is ShortArray -> result.append(element.contentToString())\n is IntArray -> result.append(element.contentToString())\n is LongArray -> result.append(element.contentToString())\n is FloatArray -> result.append(element.contentToString())\n is DoubleArray -> result.append(element.contentToString())\n is CharArray -> result.append(element.contentToString())\n is BooleanArray -> result.append(element.contentToString())\n is UByteArray -> result.append(element.contentToString())\n is UShortArray -> result.append(element.contentToString())\n is UIntArray -> result.append(element.contentToString())\n is ULongArray -> result.append(element.contentToString())\n else -> result.append(element.toString())\n }\n }\n result.append("]")\n processed.removeAt(processed.lastIndex)\n}"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/** Returns true if the brittle contains optimization is enabled. See KT-45438. */\ninternal expect fun brittleContainsOptimizationEnabled(): Boolean\n\n/** Returns true if [brittleContainsOptimizationEnabled] is true and it's safe to convert this collection to a set without changing contains method behavior. */\nprivate fun <T> Collection<T>.safeToConvertToSet() = brittleContainsOptimizationEnabled() && size > 2 && this is ArrayList\n\n/** When [brittleContainsOptimizationEnabled] is true: */\n * - Converts this [Iterable] to a set if it is not a [Collection].\n * - Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.\n * - Otherwise returns this.\n\n/** When [brittleContainsOptimizationEnabled] is false: */\n * - Converts this [Iterable] to a list if it is not a [Collection].\n * - Otherwise returns this.\n\ninternal fun <T> Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n when (this) {\n is Set -> this\n is Collection -> when {\n source is Collection && source.size < 2 -> this\n
```

```

else -> if (this.safeToConvertToSet()) toHashSet() else this\n }\n else -> if
(brITTLECONTAINSOPTIMIZATIONENABLED()) toHashSet() else toList()\n }\n\n/**\n * When
[brITTLECONTAINSOPTIMIZATIONENABLED] is true:\n * - Converts this [Iterable] to a set if it is not a [Collection].\n * -
Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.\n * -
Otherwise returns this.\n * When [brITTLECONTAINSOPTIMIZATIONENABLED] is false:\n * - Converts this [Iterable] to a
list if it is not a [Collection].\n * - Otherwise returns this.\n */\ninternal fun <T>
Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n when (this) {\n is Set -> this\n is
Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n else -> if
(brITTLECONTAINSOPTIMIZATIONENABLED()) toHashSet() else toList()\n }\n\n/**\n * Converts this sequence to a set if
[brITTLECONTAINSOPTIMIZATIONENABLED] is true,\n * otherwise
converts it to a list.\n */\ninternal fun <T> Sequence<T>.convertToSetForSetOperation(): Collection<T> =\n if
(brITTLECONTAINSOPTIMIZATIONENABLED()) toHashSet() else toList()\n\n/**\n * Converts this array to a set if
[brITTLECONTAINSOPTIMIZATIONENABLED] is true,\n * otherwise converts it to a list.\n */\ninternal fun <T>
Array<T>.convertToSetForSetOperation(): Collection<T> =\n if (brITTLECONTAINSOPTIMIZATIONENABLED())
toHashSet() else asList()", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Data class representing a value from a
collection or sequence, along with its index in that collection or sequence.\n * \n * @property value the underlying
value.\n * @property index the index of the value in the collection or sequence.\n */\npublic data class
IndexedValue<out T>(public val
index: Int, public val value: T)\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("MapAccessorsKt")\n\npackage
kotlin.collections\n\nimport kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of
the property for the given object from this read-only map.\n * @param thisRef the object for which the value is
requested (not used).\n * @param property the metadata for the property, used to get the name of property and
lookup the value corresponding to this name in the map.\n * @return the property value.\n * \n * @throws
NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit
default (see [withDefault]).\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in
String, @Exact V>.getValue(thisRef:
Any?, property: KProperty<*>): V1 =\n @Suppress("UNCHECKED_CAST")
(getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value of the property for the given object from
this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property
the metadata for the property, used to get the name of property and lookup the value corresponding to this name in
the map.\n * @return the property value.\n * \n * @throws NoSuchElementException when the map doesn't contain
value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.jvm.JvmName("getVar")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V>
MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n @Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Stores the value of
the property for the given object in this mutable map.\n * @param thisRef
the object for which the value is requested (not used).\n * @param property the metadata for the property, used to
get the name of property and store the value associated with that name in the map.\n * @param value the value to
set.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> MutableMap<in String, in
V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n this.put(property.name, value)\n}\n", /*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By

```

default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n \* To create a map with implicit default value use [withDefault]

method.\n \* \n \* @throws NoSuchElementException when the map doesn't contain a value for the specified key and no implicit default was provided for that map.\n

```
*\n@kotlin.jvm.JvmName("\ngetOrImplicitDefaultNullable")\n@PublishedApi\ninternal fun <K, V> Map<K, V>.getOrImplicitDefault(key: K): V {\n if (this is MapWithDefault)\n return\n this.getOrImplicitDefault(key)\n return getOrElseNullable(key, { throw NoSuchElementException("\nKey $key\nis missing in the map.") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value\n provided with the specified function [defaultValue].\n * \n * This implicit default value is used when the original\n map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for\n example when properties are delegated to the map.\n * \n * When this map already has an implicit default value\n provided with a former call to [withDefault], it is being replaced by this call.\n
```

```
*\npublic fun <K, V> Map<K, V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n when (this) {\n is MapWithDefault -> this.map.withDefault(defaultValue)\n else -> MapWithDefaultImpl(this, defaultValue)\n }\n\n/**\n * Returns a wrapper of this mutable map, having the implicit default value provided with the specified\n function [defaultValue].\n * \n * This implicit default value is used when the original map doesn't contain a value for\n the key specified\n * and a value is obtained with [Map.getValue] function, for example when properties are\n delegated to the map.\n * \n * When this map already has an implicit default value provided with a former call to\n [withDefault], it is being replaced by this call.\n *\n@kotlin.jvm.JvmName("\nwithDefaultMutable")\npublic fun\n<K, V> MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n when (this) {\n is MutableMapWithDefault -> this.map.withDefault(defaultValue)\n else ->
```

```
MutableMapWithDefaultImpl(this,\n defaultValue)\n }\n\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\n public val map: Map<K, V>\n public fun getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> :\n MutableMap<K, V>, MapWithDefault<K, V> {\n public override val map: MutableMap<K, V>\n}\n\nprivate\n class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) :\n MapWithDefault<K, V> {\n override fun equals(other: Any?): Boolean = map.equals(other)\n override fun\n hashCode(): Int = map.hashCode()\n override fun\n toString(): String = map.toString()\n override val\n size: Int get() = map.size\n override fun\n isEmpty(): Boolean = map.isEmpty()\n override fun\n containsKey(key: K): Boolean = map.containsKey(key)\n override fun\n containsValue(value: @UnsafeVariance V): Boolean =\n map.containsValue(value)\n override fun\n get(key: K): V? = map.get(key)\n override val\n keys: Set<K> get() =\n map.keys\n
```

```
 override val\n values: Collection<V> get() = map.values\n override val\n entries: Set<Map.Entry<K, V>> get() =\n map.entries\n }\n\n private\n class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K, V>, private\n val default: (key: K) -> V) : MutableMapWithDefault<K, V> {\n override fun\n equals(other: Any?): Boolean =\n map.equals(other)\n override fun\n hashCode(): Int = map.hashCode()\n override fun\n toString(): String =\n map.toString()\n override val\n size: Int get() = map.size\n override fun\n isEmpty(): Boolean = map.isEmpty()\n override fun\n containsKey(key: K): Boolean = map.containsKey(key)\n override fun\n containsValue(value:\n @UnsafeVariance V): Boolean = map.containsValue(value)\n override fun\n get(key: K): V? = map.get(key)\n override val\n keys: MutableSet<K> get() = map.keys\n override val\n values: MutableCollection<V> get() =\n map.values\n
```

```
 override val\n entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\n }\n\n override fun\n put(key: K, value: V): V? = map.put(key, value)\n override fun\n remove(key: K): V? = map.remove(key)\n override fun\n putAll(from: Map<out K, V>) = map.putAll(from)\n override fun\n clear() = map.clear()\n\n override\n fun\n getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n}\n\n"/\n * Copyright\n 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed\n by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
```

```

* \n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\nimport kotlin.random.Random\n\n/** \n * Removes a single instance of the specified element
from this\n * collection, if it is present.\n * \n * Allows to overcome type-safety restriction of `remove` that requires
to pass an element of type `E`. \n * \n
* @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out
T>.remove(element: T): Boolean =\n @Suppress("UNCHECKED_CAST") (this as
MutableCollection<T>).remove(element)\n\n/** \n * Removes all of this collection's elements that are also
contained in the specified collection.\n * \n * Allows to overcome type-safety restriction of `removeAll` that requires
to pass a collection of type `Collection<E>`. \n * \n * @return `true` if any of the specified elements was removed
from the collection, `false` if the collection was not modified.\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun
<@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean =\n @Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).removeAll(elements)\n\n/** \n *
Retains only the elements in this collection
that are contained in the specified collection.\n * \n * Allows to overcome type-safety restriction of `retainAll` that
requires to pass a collection of type `Collection<E>`. \n * \n * @return `true` if any element was removed from the
collection, `false` if the collection was not modified.\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun
<@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.retainAll(elements: Collection<T>): Boolean =\n @Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).retainAll(elements)\n\n/** \n * Adds the
specified [element] to this mutable collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.plusAssign(element: T) {\n this.add(element)\n}\n\n/** \n * Adds all elements of the
given [elements] collection to this mutable collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun
<T> MutableCollection<in T>.plusAssign(elements: Iterable<T>) {\n this.addAll(elements)\n}\n\n/** \n * Adds all
elements of the given [elements] array to this mutable collection.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements:
Array<T>) {\n this.addAll(elements)\n}\n\n/** \n * Adds all elements of the given [elements] sequence to this
mutable collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.plusAssign(elements: Sequence<T>) {\n this.addAll(elements)\n}\n\n/** \n * Removes a single instance of the
specified [element] from this mutable collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.minusAssign(element: T) {\n this.remove(element)\n}\n\n/** \n * Removes all elements
contained in the given [elements] collection from this mutable collection.\n * \n\n@kotlin.internal.InlineOnly\npublic
inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n
 this.removeAll(elements)\n}\n\n/** \n * Removes
all elements contained in the given [elements] array from this mutable collection.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements:
Array<T>) {\n this.removeAll(elements)\n}\n\n/** \n * Removes all elements contained in the given [elements]
sequence from this mutable collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\n this.removeAll(elements)\n}\n\n/** \n * Adds
all elements of the given [elements] collection to this [MutableCollection].\n * \n\npublic fun <T>
MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\n when (elements) {\n is Collection ->
return addAll(elements)\n else -> {\n var result: Boolean = false\n for (item in elements)\n if (add(item)) result = true\n return result\n }\n }\n}\n\n/** \n * Adds all elements of the given
[elements] array to this
[MutableCollection].\n * \n\npublic fun <T> MutableCollection<in T>.addAll(elements:
Sequence<T>): Boolean {\n var result: Boolean = false\n for (item in elements) {\n if (add(item)) result =
true\n }\n return result\n}\n\n/** \n * Adds all elements of the given [elements] array to this
[MutableCollection].\n * \n\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\n
 return addAll(elements.asList())\n}\n\n/** \n * Removes all elements from this [MutableCollection] that are also

```

```

contained in the given [elements] collection.\n *\npublic fun <T> MutableCollection<in T>.removeAll(elements:
Iterable<T>): Boolean {\n return removeAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n *
Removes all elements from this [MutableCollection] that are also contained in the given [elements] sequence.\n
*\npublic fun <T> MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\n val set =
elements.convertToSetForSetOperation()\n
 return set.isNotEmpty() && removeAll(set)\n}\n\n/**\n * Removes all elements from this [MutableCollection]
that are also contained in the given [elements] array.\n *\npublic fun <T> MutableCollection<in
T>.removeAll(elements: Array<out T>): Boolean {\n return elements.isNotEmpty() &&
removeAll(elements.convertToSetForSetOperation())\n}\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] collection.\n *\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Iterable<T>): Boolean {\n return
retainAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] array.\n *\npublic fun <T> MutableCollection<in
T>.retainAll(elements: Array<out T>): Boolean {\n if (elements.isNotEmpty())\n return
retainAll(elements.convertToSetForSetOperation())\n else\n return retainNothing()\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] sequence.\n
*\npublic fun <T> MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n val set =
elements.convertToSetForSetOperation()\n if (set.isNotEmpty())\n return retainAll(set)\n else\n return
retainNothing()\n}\n\nprivate fun MutableCollection<*>.retainNothing(): Boolean {\n val result = isEmpty()\n
clear()\n return result\}\n\n\n/**\n * Removes all elements from this [MutableIterable] that match the given
[predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when no elements
were removed and collection was not modified.\n *\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T
-> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that
match the given [predicate].\n *\n * @return `true` if any element was removed from this collection,
or `false` when all elements were retained and collection was not modified.\n *\npublic fun <T>
MutableIterable<T>.retainAll(predicate: (T -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun
<T> MutableIterable<T>.filterInPlace(predicate: (T -> Boolean, predicateResultToRemove: Boolean): Boolean {\n
 var result = false\n with(iterator()) {\n while (hasNext())\n if (predicate(next()) ==
predicateResultToRemove) {\n remove()\n result = true\n }\n }\n return
result\}\n\n\n/**\n * Removes the element at the specified [index] from this list.\n * In Kotlin one should use the
[MutableList.removeAt] function instead.\n *\n@Deprecated("Use removeAt(index) instead.",
ReplaceWith("removeAt(index)"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline
fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\n\n/**\n * Removes the first element from this
mutable list
and returns that removed element, or throws [NoSuchElementException] if this list is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeFirst(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(0)\n\n/**\n * Removes the first element from this mutable list and returns that removed element, or
returns `null` if this list is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeFirstOrNull(): T? = if (isEmpty()) null else removeAt(0)\n\n/**\n * Removes the last
element from this mutable list and returns that removed element, or throws [NoSuchElementException] if this list is
empty.\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeLast(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(lastIndex)\n\n/**\n * Removes the last element
from this mutable list and returns that removed element, or returns `null` if this list is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeLastOrNull(): T? = if (isEmpty()) null else removeAt(lastIndex)\n\n/**\n * Removes all

```

```

elements from this [MutableList] that match the given [predicate].\n *\n * @return `true` if any element was
removed from this collection, or `false` when no elements were removed and collection was not modified.\n
*\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate,
true)\n/>\n *\n * Retains only elements of this [MutableList] that match the given [predicate].\n *\n * @return `true`
if any element was removed from this collection, or `false` when all elements were retained and collection was not
modified.\n *\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, false)\n\nprivate fun
<T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n
if (this !is RandomAccess)\n return (this as MutableIterable<T>).filterInPlace(predicate,
predicateResultToRemove)\n var writeIndex: Int = 0\n for (readIndex in 0..lastIndex) {\n val element =
this[readIndex]\n if (predicate(element) == predicateResultToRemove)\n continue\n if (writeIndex
!= readIndex)\n this[writeIndex] = element\n writeIndex++\n }\n if (writeIndex < size) {\n for
(removeIndex in lastIndex downTo writeIndex)\n removeAt(removeIndex)\n return true\n } else {\n
return false\n }\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) :
AbstractList<T>() {\n override val size: Int get() = delegate.size\n override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) :
AbstractMutableList<T>() {\n override val size: Int get() = delegate.size\n override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n override fun clear() = delegate.clear()\n override fun removeAt(index:
Int): T = delegate.removeAt(reverseElementIndex(index))\n override fun set(index: Int, element: T): T =
delegate.set(reverseElementIndex(index), element)\n override fun add(index: Int, element: T) {\n
delegate.add(reversePositionIndex(index), element)\n }\n}\n\nprivate fun List<*>.reverseElementIndex(index:
Int) =\n if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException("Element
index $index must be in range [${0..lastIndex}].")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n if
(index in 0..size) size - index else throw IndexOutOfBoundsException("Position index $index must be in range
[${0..size}].")\n\n/>\n *\n * Returns a reversed read-only view of the original List.\n * All changes made in the
original list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n
*\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n/>\n *\n * Returns a reversed
mutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed
one and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n
*\n\n@kotlin.jvm.JvmName("asReversedMutable")\npublic fun <T> MutableList<T>.asReversed():
MutableList<T> = ReversedList(this)\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n@file:OptIn(Experimenta
lTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\nimport
kotlin.coroutines.intrinsics.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/>\n *\n * Builds a
[Sequence] lazily yielding values one by one.\n *\n * @see kotlin.sequences.generateSequence\n *\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n *\n\n@SinceKotlin("1.3")\npublic fun <T>
sequence(@BuilderInference block: suspend SequenceScope<T>().-> Unit): Sequence<T> = Sequence {
iterator(block) }\n\n@SinceKotlin("1.3")\n@Deprecated("Use 'sequence { }' function instead.",
ReplaceWith("sequence(builderAction)"), level =
DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun <T> buildSequence(@BuilderInference noline builderAction: suspend SequenceScope<T>().-> Unit):
Sequence<T> = Sequence { iterator(builderAction) } \n\n/** \n * Builds an [Iterator] lazily yielding values one by
one. \n * \n * @sample samples.collections.Sequences.Building.buildIterator \n * @sample
samples.collections.Iterables.Building.iterable \n * \n @SinceKotlin("1.3") \n public fun <T>
iterator(@BuilderInference block: suspend SequenceScope<T>().-> Unit): Iterator<T> { \n val iterator =
SequenceBuilderIterator<T>() \n iterator.nextStep = block.createCoroutineUnintercepted(receiver = iterator,
completion = iterator) \n return iterator \n } \n \n @SinceKotlin("1.3") \n @Deprecated("Use 'iterator { }' function
instead.", ReplaceWith("iterator(builderAction)"), level =
DeprecationLevel.ERROR) \n @kotlin.internal.InlineOnly \n public inline fun <T> buildIterator(@BuilderInference
noline builderAction: suspend SequenceScope<T>().-> Unit):
Iterator<T> = iterator(builderAction) \n \n /** \n * The scope for yielding values of a [Sequence] or an [Iterator],
provides [yield] and [yieldAll] suspension functions. \n * \n * @see sequence \n * @see iterator \n * \n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll \n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence \n
*\n @RestrictsSuspension \n @SinceKotlin("1.3") \n public abstract class SequenceScope<in T> internal
constructor() { \n /** \n * Yields a value to the [Iterator] being built and suspends \n * until the next value is
requested. \n * \n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll \n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence \n * \n public abstract suspend fun yield(value:
T) \n /** \n * Yields all values from the `iterator` to the [Iterator] being built \n * and suspends until all these
values are iterated and the next one is requested. \n * \n * The sequence of values returned by the given iterator can be potentially infinite. \n * \n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll \n * \n public abstract suspend fun
yieldAll(iterator: Iterator<T>) \n /** \n * Yields a collections of values to the [Iterator] being built \n * and
suspends until all these values are iterated and the next one is requested. \n * \n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll \n * \n public suspend fun yieldAll(elements:
Iterable<T>) { \n if (elements is Collection && elements.isEmpty()) return \n return
yieldAll(elements.iterator()) \n } \n /** \n * Yields potentially infinite sequence of values to the [Iterator]
being built \n * and suspends until all these values are iterated and the next one is requested. \n * \n * The
sequence can be potentially infinite. \n * \n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll \n
*\n public suspend fun yieldAll(sequence: Sequence<T>) =
yieldAll(sequence.iterator()) \n } \n \n @Deprecated("Use SequenceScope class instead.",
ReplaceWith("SequenceScope<T>"), level = DeprecationLevel.ERROR) \n public typealias SequenceBuilder<T> =
SequenceScope<T> \n \n private typealias State = Int \n \n private const val State_NotReady: State = 0 \n \n private const
val State_ManyNotReady: State = 1 \n \n private const val State_ManyReady: State = 2 \n \n private const val State_Ready:
State = 3 \n \n private const val State_Done: State = 4 \n \n private const val State_Failed: State = 5 \n \n private class
SequenceBuilderIterator<T> : SequenceScope<T>(), Iterator<T>, Continuation<Unit> { \n private var state =
State_NotReady \n private var nextValue: T? = null \n private var nextIterator: Iterator<T>? = null \n var
nextStep: Continuation<Unit>? = null \n \n override fun hasNext(): Boolean { \n while (true) { \n when
(state) { \n State_NotReady -> { \n State_ManyNotReady -> \n if (nextIterator!!.hasNext()) { \n state =
State_ManyReady \n return true \n } else { \n nextIterator = null \n
} \n State_Done -> return false \n State_Ready, State_ManyReady -> return true \n else ->
throw exceptionalState() \n } \n state = State_Failed \n val step = nextStep!! \n nextStep =
null \n step.resume(Unit) \n } \n } \n \n override fun next(): T { \n when (state) { \n State_NotReady, State_ManyNotReady -> return nextNotReady() \n State_ManyReady -> { \n state
= State_ManyNotReady \n return nextIterator!!.next() \n } \n State_Ready -> { \n state
= State_NotReady \n @Suppress("UNCHECKED_CAST") \n val

```

```

 result = nextValue as T\n nextValue = null\n return result\n }\n else -> throw
exceptionalState()\n }\n }\n private fun nextNotReady(): T {\n if (!hasNext()) throw
NoSuchElementException() else return next()\n }\n private fun exceptionalState(): Throwable = when (state)
{\n State_Done -> NoSuchElementException()\n State_Failed -> IllegalStateException("\Iterator has
failed.\")\n else -> IllegalStateException("\Unexpected state of the iterator: $state")\n }\n override
suspend fun yield(value: T) {\n nextValue = value\n state = State_Ready\n return
suspendCoroutineUninterceptedOrReturn { c ->\n nextStep = c\n COROUTINE_SUSPENDED\n
}\n }\n override suspend fun yieldAll(iterator: Iterator<T>) {\n if (!iterator.hasNext()) return\n
nextIterator = iterator\n state = State_ManyReady\n return suspendCoroutineUninterceptedOrReturn
{ c ->\n nextStep = c\n COROUTINE_SUSPENDED\n }\n }\n // Completion continuation
implementation\n override fun resumeWith(result: Result<Unit>) {\n result.getOrThrow() // just rethrow
exception if it is there\n state = State_Done\n }\n override val context: CoroutineContext\n get() =
EmptyCoroutineContext\n }\n /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n package kotlin.collections\n internal fun checkWindowSizeStep(size: Int, step:
Int) {\n require(size > 0 && step > 0) {\n if (size != step)\n "\Both size $size and step $step must be
greater than zero.\n else\n "\size $size must be greater than zero.\n }\n }\n internal fun <T>
Sequence<T>.windowedSequence(size: Int, step:
Int, partialWindows: Boolean, reuseBuffer: Boolean): Sequence<List<T>> {\n checkWindowSizeStep(size,
step)\n return Sequence { windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\n }\n internal
fun <T> windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer:
Boolean): Iterator<List<T>> {\n if (!iterator.hasNext()) return EmptyIterator\n return iterator<List<T>> {\n
val bufferInitialCapacity = size.coerceAtMost(1024)\n val gap = step - size\n if (gap >= 0) {\n var
buffer = ArrayList<T>(bufferInitialCapacity)\n var skip = 0\n for (e in iterator) {\n if (skip >
0) { skip -= 1; continue }\n buffer.add(e)\n if (buffer.size == size) {\n yield(buffer)\n
 if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\n skip = gap\n }\n
 }\n if (buffer.isNotEmpty()) {\n if (partialWindows || buffer.size == size) yield(buffer)\n }\n
 } else {\n var buffer = RingBuffer<T>(bufferInitialCapacity)\n for (e in iterator) {\n
buffer.add(e)\n if (buffer.isFull()) {\n if (buffer.size < size) { buffer =
buffer.expanded(maxCapacity = size); continue }\n yield(if (reuseBuffer) buffer else
ArrayList(buffer))\n buffer.removeFirst(step)\n }\n }\n if (partialWindows) {\n
while (buffer.size > step) {\n yield(if (reuseBuffer) buffer else ArrayList(buffer))\n
buffer.removeFirst(step)\n }\n if (buffer.isNotEmpty()) yield(buffer)\n }\n }\n }\n internal class MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\n
private
var fromIndex: Int = 0\n private var _size: Int = 0\n fun move(fromIndex: Int, toIndex: Int) {\n
checkRangeIndexes(fromIndex, toIndex, list.size)\n this.fromIndex = fromIndex\n this._size = toIndex -
fromIndex\n }\n override fun get(index: Int): E {\n checkElementIndex(index, _size)\n return
list[fromIndex + index]\n }\n override val size: Int get() = _size\n /**\n * Provides ring buffer
implementation.\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\n
*/\n private class RingBuffer<T>(private val buffer: Array<Any?>, filledSize: Int) : AbstractList<T>(),
RandomAccess {\n init {\n require(filledSize >= 0) {\n "\ring buffer filled size should not be negative but it is
$filledSize" }\n require(filledSize <= buffer.size) {\n "\ring buffer filled size: $filledSize cannot be larger than
the buffer size: ${buffer.size}" }\n }\n constructor(capacity: Int)
: this(arrayOfNulls<Any?>(capacity), 0)\n private val capacity = buffer.size\n private var startIndex: Int =
0\n override var size: Int = filledSize\n private set\n override fun get(index: Int): T {\n
checkElementIndex(index, size)\n @Suppress("\UNCHECKED_CAST")\n return

```

```

buffer[startIndex.forward(index)] as T\n }\n\n fun isFull() = size == capacity\n\n override fun iterator():
Iterator<T> = object : AbstractIterator<T>() {\n private var count = size\n private var index = startIndex\n\n override fun computeNext() {\n if (count == 0) {\n done()\n } else {\n
@Suppress(\"UNCHECKED_CAST\")\n setNext(buffer[index] as T)\n index =
index.forward(1)\n count--\n }\n }\n }\n\n @Suppress(\"UNCHECKED_CAST\")\n override fun <T> toArray(array: Array<T>): Array<T> {\n val result: Array<T?> =\n if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>\n\n val size = this.size\n var widx = 0\n var idx = startIndex\n while (widx < size && idx < capacity) {\n result[widx] =
buffer[idx] as T\n widx++\n idx++\n }\n idx = 0\n while (widx < size) {\n
result[widx] = buffer[idx] as T\n widx++\n idx++\n }\n if (result.size > this.size)\n result[this.size] = null\n return result as Array<T>\n }\n\n override fun toArray(): Array<Any?> {\n
return toArray(arrayOfNulls(size))\n }\n\n /**\n * Creates a new ring buffer with the capacity equal to the
minimum of [maxCapacity] and 1.5 * [capacity].\n * The returned ring buffer contains the same elements as this
ring buffer.\n */\n fun expanded(maxCapacity: Int): RingBuffer<T> {\n val newCapacity = (capacity +
(capacity shr 1) + 1).coerceAtMost(maxCapacity)\n\n val newBuffer = if (startIndex == 0) buffer.copyOf(newCapacity) else toArray(arrayOfNulls(newCapacity))\n
return RingBuffer(newBuffer, size)\n }\n\n /**\n * Add [element] to the buffer or fail with
[IllegalStateException] if no free space available in the buffer\n */\n fun add(element: T) {\n if (isFull()) {\n
throw IllegalStateException(\"ring buffer is full\")\n }\n buffer[startIndex.forward(size)] =
element\n size++\n }\n\n /**\n * Removes [n] first elements from the buffer or fails with
[IllegalArgumentException] if not enough elements in the buffer to remove\n */\n fun removeFirst(n: Int) {\n
require(n >= 0) { \"n shouldn't be negative but it is $n\" }\n require(n <= size) { \"n shouldn't be greater than
the buffer size: n = $n, size = $size\" }\n if (n > 0) {\n val start = startIndex\n val end =
start.forward(n)\n\n if
(start > end) {\n buffer.fill(null, start, capacity)\n buffer.fill(null, 0, end)\n } else {\n
buffer.fill(null, start, end)\n }\n startIndex = end\n size -= n\n }\n }\n\n @Suppress(\"NOTHING_TO_INLINE\")\n private inline fun Int.forward(n: Int): Int = (this + n) %
capacity\n}\n\n\", \"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n// UByteArray
=====@Exp
erimentalUnsignedTypes\nprivate fun partition(\n array: UByteArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while
(array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n
array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun
quickSort(\n array: UByteArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index
- 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n//
UShortArray
=====@Exp
erimentalUnsignedTypes\nprivate fun partition(\n array: UShortArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while
(array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] =
array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return
i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: UShortArray, left: Int, right: Int) {\n val
index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index <
right)\n quickSort(array, index, right)\n}\n\n// UIntArray
=====@Exp

```

```

erimentalUnsignedTypes\nprivate fun partition(\n array: UIntArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: UIntArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n// ULongArray
===== \n @Exp
erimentalUnsignedTypes\nprivate fun partition(\n array: ULongArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: ULongArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n// Interfaces
===== \n /**\n * Sorts the given array using qsort algorithm.\n * \n @ExperimentalUnsignedTypes\ninternal fun sortArray(array: UByteArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)\n @ExperimentalUnsignedTypes\ninternal fun sortArray(array: UShortArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)\n @ExperimentalUnsignedTypes\ninternal fun sortArray(array: UIntArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)\n @ExperimentalUnsignedTypes\ninternal fun sortArray(array: ULongArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n\npackage kotlin\nimport kotlin.internal.InlineOnly\n\n/**\n * Compares this object with the specified object for order. Returns zero if this object is equal\n * to the specified [other] object, a negative number if it's less than [other], or a positive number\n * if it's greater than [other].\n * \n * This function delegates to [Comparable.compareTo] and allows to call it in infix form.\n * \n @InlineOnly\n @SinceKotlin("1.6")\npublic inline infix fun <T> Comparable<T>.compareTo(other: T): Int = this.compareTo(other)\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n\npackage kotlin.contracts\nimport kotlin.internal.ContractsDsl\nimport kotlin.internal.InlineOnly\n\n/**\n * This marker distinguishes the experimental contract declaration API and is used to opt-in for that feature\n * when declaring contracts of user functions.\n * \n * Any usage of a declaration annotated with `@ExperimentalContracts` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalContracts::class)`,\n * or by using the compiler argument `-opt-in=kotlin.contracts.ExperimentalContracts`.\n * \n @Retention(AnnotationRetention.BINARY)\n @SinceKotlin("1.3")\n @RequiresOptIn\n @MustBeDocumente\npublic annotation class ExperimentalContracts\n\n/**\n * Provides a scope, where the functions of the contract DSL, such as [returns], [callsInPlace], etc.,\n * can be used to describe the contract of a function.\n * \n * This type is used as a receiver type of the lambda function passed to the [contract] function.\n * \n * @see contract\n * \n @ContractsDsl\n @ExperimentalContracts\n @SinceKotlin("1.3")\npublic interface ContractBuilder {\n /**\n * Describes a situation when a function returns normally, without any exceptions thrown.\n * \n * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n * \n * \n // @sample samples.contracts.returnsContract\n @ContractsDsl\n public fun returns(): Returns\n \n /**\n * Describes a situation when a function returns normally with the specified return [value].\n * \n * The possible values of

```

```

[value] are limited to `true`, `false` or `null`.
 * Use [SimpleEffect.implies] function to describe a
conditional effect that happens in such case.
 * // @sample samples.contracts.returnsTrueContract
// @sample samples.contracts.returnsFalseContract
// @sample samples.contracts.returnsNullContract
@ContractsDsl public fun returns(value: Any?): Returns
 /** Describes a situation when a function
returns normally with any value that is not `null`.
 * Use [SimpleEffect.implies] function
to describe a conditional effect that happens in such case.
 * // @sample
samples.contracts.returnsNotNullContract
 @ContractsDsl public fun returnsNotNull(): ReturnsNotNull
 /** Specifies that the function parameter [lambda] is invoked in place.
 * This contract specifies
that:
 * 1. the function [lambda] can only be invoked during the call of the owner function,
 * and it won't be
invoked after that owner function call is completed;
 * 2. _(optionally)_ the function [lambda] is invoked the
amount of times specified by the [kind] parameter,
 * see the [InvocationKind] enum for possible values.
 * A function declaring the `callsInPlace` effect must be _inline_.
 * // @sample
samples.contracts.callsInPlaceAtMostOnceContract
 * @sample
samples.contracts.callsInPlaceAtLeastOnceContract
 * @sample
samples.contracts.callsInPlaceExactlyOnceContract
 * @sample
samples.contracts.callsInPlaceUnknownContract
 * // @ContractsDsl public fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind =
InvocationKind.UNKNOWN): CallsInPlace
 /** Specifies how many times a function invokes its function
parameter in place.
 * See [ContractBuilder.callsInPlace] for the details of the call-in-place function contract.
 * // @ContractsDsl
@ExperimentalContracts
@SinceKotlin("1.3")
public enum class InvocationKind {
 /** A function parameter will be invoked one time or not invoked at all.
 * // @sample
samples.contracts.callsInPlaceAtMostOnceContract
 @ContractsDsl AT_MOST_ONCE,
 /** A
function parameter will be invoked one or more times.
 * // @sample
samples.contracts.callsInPlaceAtLeastOnceContract
 @ContractsDsl AT_LEAST_ONCE,
 /** A
function parameter will be invoked exactly one time.
 * // @sample
samples.contracts.callsInPlaceExactlyOnceContract
 @ContractsDsl EXACTLY_ONCE,
 /** A function parameter is called in place, but it's unknown how
many times it can be called.
 * // @sample samples.contracts.callsInPlaceUnknownContract
@ContractsDsl UNKNOWN
}
 /** Specifies the contract of a function.
 * The contract description
must be at the beginning of a function and have at least one effect.
 * Only the top-level functions can have a
contract for now.
 * @param builder the lambda where the contract of a function is described with the help of
the [ContractBuilder] members.
 * // @sample samples.contracts.returnsContract
 * @sample
samples.contracts.returnsTrueContract
 * @sample samples.contracts.returnsFalseContract
 * @sample
samples.contracts.returnsNullContract
 * @sample samples.contracts.returnsNotNullContract
 * @sample
samples.contracts.callsInPlaceAtMostOnceContract
 * @sample
samples.contracts.callsInPlaceAtLeastOnceContract
 * @sample
samples.contracts.callsInPlaceExactlyOnceContract
 * @sample
samples.contracts.callsInPlaceUnknownContract
 * // @ContractsDsl
@ExperimentalContracts
@InlineOnly
@SinceKotlin("1.3")
@Suppress("UNUSED_PARAMETER")
public inline fun contract(builder:
ContractBuilder.() -> Unit) { }
 /** Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
 * // @package kotlin.coroutines
 /** Marks coroutine context element that
intercepts coroutine continuations.
 * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the
interceptor and
 * intercepts all coroutine continuations with [interceptContinuation] invocations.
 * // @sample
[ContinuationInterceptor] behaves like a [polymorphic element][AbstractCoroutineContextKey], meaning that
 * its implementation delegates [get][CoroutineContext.Element.get] and
[minusKey][CoroutineContext.Element.minusKey]

```

```

* to [getPolymorphicElement] and [minusPolymorphicKey] respectively.\n * [ContinuationInterceptor] subtypes
can be extracted from the coroutine context using either [ContinuationInterceptor.Key]\n * or subtype key if it
extends [AbstractCoroutineContextKey].\n */\n@SinceKotlin("1.3")\npublic interface ContinuationInterceptor :
CoroutineContext.Element {\n /**\n * The key that defines *the* context interceptor.\n */\n companion
object Key : CoroutineContext.Key<ContinuationInterceptor>\n\n /**\n * Returns continuation that wraps the
original [continuation], thus intercepting all resumptions.\n * This function is invoked by coroutines framework
when needed and the resulting continuations are\n * cached internally per each instance of the original
[continuation].\n */\n * This function may simply return original [continuation] if it does not want to intercept
this particular continuation.\n */\n * When the original [continuation]
completes, coroutine framework invokes [releaseInterceptedContinuation]\n * with the resulting continuation if it
was intercepted, that is if `interceptContinuation` had previously\n * returned a different continuation instance.\n
*/\n public fun <T> interceptContinuation(continuation: Continuation<T>): Continuation<T>\n\n /**\n *
Invoked for the continuation instance returned by [interceptContinuation] when the original\n * continuation
completes and will not be used anymore. This function is invoked only if [interceptContinuation]\n * had returned
a different continuation instance from the one it was invoked with.\n */\n * Default implementation does
nothing.\n */\n * @param continuation Continuation instance returned by this interceptor's
[interceptContinuation] invocation.\n */\n public fun releaseInterceptedContinuation(continuation:
Continuation<*>) {\n /** do nothing by default */\n }\n\n public override operator
fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? {\n // getPolymorphicKey
specialized for ContinuationInterceptor key\n @OptIn(ExperimentalStdlibApi::class)\n if (key is
AbstractCoroutineContextKey<*, *>) {\n @Suppress("UNCHECKED_CAST")\n return if
(key.isSubKey(this.key)) key.tryCast(this) as? E else null\n }\n @Suppress("UNCHECKED_CAST")\n
return if (ContinuationInterceptor === key) this as E else null\n }\n\n public override fun minusKey(key:
CoroutineContext.Key<*>): CoroutineContext {\n // minusPolymorphicKey specialized for
ContinuationInterceptor key\n @OptIn(ExperimentalStdlibApi::class)\n if (key is
AbstractCoroutineContextKey<*, *>) {\n return if (key.isSubKey(this.key) && key.tryCast(this) != null)
EmptyCoroutineContext else this\n }\n return if (ContinuationInterceptor === key)
EmptyCoroutineContext else this\n }\n}\n"/\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.coroutines\n\n/**\n * Persistent context for the coroutine. It is an indexed set of [Element] instances.\n * An
indexed set is a mix between a set and a map.\n * Every element in this set has a unique [Key].\n
*/\n@SinceKotlin("1.3")\npublic interface CoroutineContext {\n /**\n * Returns the element with the given
[key] from this context or `null`.\n */\n public operator fun <E : Element> get(key: Key<E>): E?\n\n /**\n
* Accumulates entries of this context starting with [initial] value and applying [operation]\n * from left to right to
current accumulator value and each element of this context.\n */\n public fun <R> fold(initial: R, operation: (R,
Element) -> R): R\n\n /**\n * Returns a context containing elements from this
context and elements from other [context].\n * The elements from this context with the same key as in the other
one are dropped.\n */\n public operator fun plus(context: CoroutineContext): CoroutineContext =\n if
(context === EmptyCoroutineContext) this else // fast path -- avoid lambda creation\n context.fold(this) {
acc, element ->\n val removed = acc.minusKey(element.key)\n if (removed ===
EmptyCoroutineContext) element else {\n // make sure interceptor is always last in the context (and thus
is fast to get when present)\n val interceptor = removed[ContinuationInterceptor]\n if
(interceptor == null) CombinedContext(removed, element) else {\n val left =
removed.minusKey(ContinuationInterceptor)\n if (left === EmptyCoroutineContext)
CombinedContext(element, interceptor) else\n CombinedContext(CombinedContext(left,
element), interceptor)\n }\n }\n }\n\n /**\n * Returns a context containing elements
from this context, but without an element with\n * the specified [key].\n */\n public fun minusKey(key:

```

```

Key<*>: CoroutineContext {
 /**
 * Key for the elements of [CoroutineContext]. [E] is a type of element
 with this key.
 */
 public interface Key<E : Element> {
 /**
 * An element of the [CoroutineContext].
 An element of the coroutine context is a singleton context by itself.
 */
 public interface Element {
 CoroutineContext {
 /**
 * A key of this coroutine context element.
 */
 public val key:
 Key<*>
 }
 public override operator fun <E : Element> get(key: Key<E>): E? =
 @Suppress("UNCHECKED_CAST")
 if (this.key == key) this as E else null
 public override fun
 <R> fold(initial: R, operation: (R, Element) ->
 R): R =
 operation(initial, this)
 public override fun minusKey(key: Key<*>): CoroutineContext =
 if (this.key == key) EmptyCoroutineContext else this
 }
 }
}
"/>**
 * Copyright 2010-2020 JetBrains s.r.o.
and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.
 */
package kotlin.coroutines
import
kotlin.coroutines.CoroutineContext.Element
import kotlin.coroutines.CoroutineContext.Key
/**
 * Base class
for [CoroutineContext.Element] implementations.
 */
@SinceKotlin("1.3")
public abstract class
AbstractCoroutineContextElement(public override val key: Key<*>) : Element
/**
 * Base class for
[CoroutineContext.Key] associated with polymorphic [CoroutineContext.Element] implementation.
 */
Polymorphic element implementation implies delegating its [get][Element.get] and
[minusKey][Element.minusKey] to [getPolymorphicElement]
and [minusPolymorphicKey] respectively.
 * Polymorphic elements can be extracted from the coroutine
context using both element key and its supertype key.
 * Example of polymorphic elements:
 */
open class
BaseElement : CoroutineContext.Element {
 /**
 * companion object Key : CoroutineContext.Key<BaseElement>
 */
 override val key: CoroutineContext.Key<*> get() = Key
 /**
 * // It is important to use getPolymorphicKey and
minusPolymorphicKey
 */
 override fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>):
E? = getPolymorphicElement(key)
 /**
 * override fun minusKey(key: CoroutineContext.Key<*>):
CoroutineContext = minusPolymorphicKey(key)
 */
}
 * class DerivedElement : BaseElement() {
 /**
 * companion object Key : AbstractCoroutineContextKey<BaseElement, DerivedElement>(BaseElement, { it as?
DerivedElement })
 */
}
 * // Now it is possible to query both `BaseElement` and `DerivedElement`
someContext[BaseElement] // Returns BaseElement?,
non-null both for BaseElement and DerivedElement instances
 * someContext[DerivedElement] // Returns
DerivedElement?, non-null only for DerivedElement instance
 */
 * @param B base class of a polymorphic
element
 * @param baseKey an instance of base key
 * @param E element type associated with the current key
 * @param safeCast a function that can safely cast abstract [CoroutineContext.Element] to the concrete [E] type
and return the element if it is a subtype of [E] or `null` otherwise.
 */
@SinceKotlin("1.3")
@ExperimentalStdlibApi
public abstract class AbstractCoroutineContextKey<B :
Element, E : B> {
 /**
 * baseKey: Key,
 private val safeCast: (element: Element) -> E?
 */
 private val topmostKey: Key<*> = if (baseKey is AbstractCoroutineContextKey<*, *>) baseKey.topmostKey else
baseKey
 /**
 * internal fun tryCast(element: Element): E? = safeCast(element)
 internal fun isSubKey(key:
Key<*>): Boolean = key === this || topmostKey
=== key
 */
}
/**
 * Returns the current element if it is associated with the given [key] in a polymorphic manner
or `null` otherwise.
 * This method returns non-null value if either [Element.key] is equal to the given [key] or if
the [key] is associated
 * with [Element.key] via [AbstractCoroutineContextKey].
 */
 * See
[AbstractCoroutineContextKey] for the example of usage.
 */
@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun <E : Element>
Element.getPolymorphicElement(key: Key<E>): E? {
 if (key is AbstractCoroutineContextKey<*, *>) {
 @Suppress("UNCHECKED_CAST")
 return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null
 }
 @Suppress("UNCHECKED_CAST")
 return if (this.key === key) this as E else null
}
/**
 * Returns empty coroutine context if the element is associated with the given [key] in a polymorphic manner
or `null` otherwise.
 * This method returns empty context if either [Element.key] is equal to the

```

given [key] or if the [key] is associated\n \* with [Element.key] via [AbstractCoroutineContextKey].\n \* See [AbstractCoroutineContextKey] for the example of usage.\n

```

\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Element.minusPolymorphicKey(key: Key<>):
CoroutineContext {\n if (key is AbstractCoroutineContextKey<*, *>) {\n return if (key.isSubKey(this.key)
&& key.tryCast(this) != null) EmptyCoroutineContext else this\n }\n return if (this.key === key)
EmptyCoroutineContext else this\n}\n\n/*\n * An empty coroutine context.\n */\n@SinceKotlin("1.3")\npublic
object EmptyCoroutineContext : CoroutineContext, Serializable {\n private const val serialVersionUID: Long =
0\n private fun readResolve(): Any = EmptyCoroutineContext\n\n public override fun <E : Element> get(key:
Key<E>): E? = null\n public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n public
override fun plus(context: CoroutineContext): CoroutineContext
= context\n public override fun minusKey(key: Key<*>): CoroutineContext = this\n public override fun
hashCode(): Int = 0\n public override fun toString(): String = "EmptyCoroutineContext"\n}\n\n//-----
- internal impl -----\n\n// this class is not exposed, but is hidden inside implementations\n// this is a left-
biased list, so that `plus` works naturally\n@SinceKotlin("1.3")\ninternal class CombinedContext(\n private val
left: CoroutineContext,\n private val element: Element\n) : CoroutineContext, Serializable {\n override fun <E
: Element> get(key: Key<E>): E? {\n var cur = this\n while (true) {\n cur.element[key]?.let { return
it }\n val next = cur.left\n if (next is CombinedContext) {\n cur = next\n }
else {\n return next[key]\n }\n }\n }\n public override fun <R> fold(initial: R, operation: (R, Element)
-> R):
R =\n operation(left.fold(initial, operation), element)\n\n public override fun minusKey(key: Key<*>):
CoroutineContext {\n element[key]?.let { return left }\n val newLeft = left.minusKey(key)\n return
when {\n newLeft === left -> this\n newLeft === EmptyCoroutineContext -> element\n else ->
CombinedContext(newLeft, element)\n }\n }\n\n private fun size(): Int {\n var cur = this\n var size
= 2\n while (true) {\n cur = cur.left as? CombinedContext ?: return size\n size++\n }\n }\n\n private fun contains(element: Element): Boolean =\n get(element.key) == element\n\n private fun
containsAll(context: CombinedContext): Boolean {\n var cur = context\n while (true) {\n if
(!contains(cur.element)) return false\n val next = cur.left\n if (next is CombinedContext) {\n
 cur = next\n }\n else {\n return contains(next as Element)\n }\n }\n }\n\n override fun equals(other: Any?):
Boolean =\n this === other || other is CombinedContext && other.size() == size() &&
other.containsAll(this)\n\n override fun hashCode(): Int = left.hashCode() + element.hashCode()\n\n override
fun toString(): String =\n "[" + fold("") { acc, element ->\n if (acc.isEmpty()) element.toString() else
"\$acc, \$element"\n } + "]\n\n private fun writeReplace(): Any {\n val n = size()\n val elements =
arrayOfNulls<CoroutineContext>(n)\n var index = 0\n fold(Unit) { _, element -> elements[index++] =
element }\n check(index == n)\n @Suppress("UNCHECKED_CAST")\n return Serialized(elements
as Array<CoroutineContext>)\n }\n\n private class Serialized(val elements: Array<CoroutineContext>) :
Serializable {\n companion object {\n private const val serialVersionUID:
Long = 0L\n }\n private fun readResolve(): Any = elements.fold(EmptyCoroutineContext,
CoroutineContext::plus)\n }\n}\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("IntrinsicsKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.coroutines.intrinsics\n\nimport kotlin.contracts.*\nimport kotlin.coroutines.*\nimport
kotlin.internal.InlineOnly\n\n/*\n * Obtains the current continuation instance inside suspend functions and either
suspends\n * currently running coroutine or returns result immediately without suspension.\n * If the [block]
returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the execution
and will\n * not return any result immediately. In this case, the [Continuation] provided to the [block] shall

```

be resumed by invoking [Continuation.resumeWith] at some moment in the future when the result becomes available to resume the computation. Otherwise, the return value of the [block] must have a type assignable to [T] and represents the result of this suspend function. It means that the execution was not suspended and the [Continuation] provided to the [block] shall not be invoked. As the result type of the [block] is declared as `Any?` and cannot be correctly type-checked, its proper return type remains on the conscience of the suspend function's author. Invocation of [Continuation.resumeWith] resumes coroutine directly in the invoker's thread without going through the [ContinuationInterceptor] that might be present in the coroutine's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. [Continuation.intercepted] can be used to acquire the intercepted continuation. Note that it is not recommended to call either [Continuation.resume] nor [Continuation.resumeWithException] functions synchronously in the same stackframe where suspension function is run. Use [suspendCoroutine] as a safer way to obtain current continuation instance.

```
*\n@SinceKotlin("1.3")\n@InlineOnly\n@Suppress("UNUSED_PARAMETER",
"RedundantSuspendModifier")\npublic suspend inline fun <T>
suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T {\n contract {
callsInPlace(block, InvocationKind.EXACTLY_ONCE) }\n throw NotImplementedError("Implementation of
suspendCoroutineUninterceptedOrReturn is intrinsic")\n}\n\n/**\n * This value is used as a return value of
[suspendCoroutineUninterceptedOrReturn] `block` argument to state that the execution was suspended and will
not return any result immediately.\n *\n * **Note: this value should not be used in general code.** Using it outside
of the context of `suspendCoroutineUninterceptedOrReturn`
function return value (including, but not limited to, storing this value in other properties, returning it from other
functions, etc) can lead to unspecified behavior of the code.\n */\n// It is implemented as property with getter to
avoid ProGuard <clint> problem with multifile IntrinsicsKt class\n@SinceKotlin("1.3")\npublic val
COROUTINE_SUSPENDED: Any get() = CoroutineSingletons.COROUTINE_SUSPENDED\n\n// Using enum
here ensures two important properties:\n// 1. It makes SafeContinuation serializable with all kinds of serialization
frameworks (since all of them natively support enums)\n// 2. It improves debugging experience, since you clearly
see toString() value of those objects and what package they come from\n@SinceKotlin("1.3")\n@PublishedApi //
This class is Published API via serialized representation of SafeContinuation, don't rename/move\ninternal enum
class CoroutineSingletons { COROUTINE_SUSPENDED, UNDECIDED, RESUMED }\n", /*\n * Copyright
2010-2018
```

JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. \n\npackage kotlin.experimental\n\n/\*\*  
Performs a bitwise AND operation between the two values.

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.and(other: Byte): Byte =
(this.toInt() and other.toInt()).toByte()\n\n/** Performs a bitwise OR operation between the two values.
```

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.or(other: Byte): Byte =
(this.toInt() or other.toInt()).toByte()\n\n/** Performs a bitwise XOR operation between the two values.
```

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.xor(other: Byte): Byte =
(this.toInt() xor other.toInt()).toByte()\n\n/** Inverts the bits in this value.
```

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte =
(this.toInt().inv()).toByte()\n\n/**
```

Performs a bitwise AND operation between the two values.

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short =
(this.toInt() and other.toInt()).toShort()\n\n/** Performs a bitwise OR operation between the two values.
```

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short =
(this.toInt() or other.toInt()).toShort()\n\n/** Performs a bitwise XOR operation between the two values.
```

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short =
(this.toInt() xor other.toInt()).toShort()\n\n/** Inverts the bits in this value.
```

```

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv(): Short =
(this.toInt().inv()).toShort()\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache
2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.experimental\n\n/**\n * The
experimental marker for type inference augmenting annotations.\n *\n * Any usage of a declaration annotated with
`@ExperimentalTypeInference` must be accepted either by\n * annotating that usage with the [OptIn] annotation,
e.g. `@OptIn(ExperimentalTypeInference::class)`,\n * or by using the compiler argument ` -opt-
in=kotlin.experimental.ExperimentalTypeInference`.\n */\n\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(A
nnotationTarget.ANNOTATION_CLASS)\n@SinceKotlin("1.3")\npublic annotation class
ExperimentalTypeInference\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding
type should be ignored during type inference.\n */\n\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
NoInfer\n\n/**\n * Specifies that the constraint built for the type during type inference should be an equality one.\n */\n\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
Exact\n\n/**\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n */\n\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY,
AnnotationTarget.CONSTRUCTOR)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
LowPriorityInOverloadResolution\n\n/**\n * Specifies that the corresponding member has the highest priority in
overload resolution. Effectively this means that\n * an extension annotated with this annotation will win in overload
resolution over a member with the same signature.\n */\n\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal
annotation class HidesMembers\n\n/**\n * The value of this type parameter should be mentioned in input types
(argument types, receiver type or expected type).\n */\n\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal
annotation class OnlyInputTypes\n\n/**\n * Specifies that this function should not be called directly without
inlining\n */\n\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY,
AnnotationTarget.PROPERTY_GETTER,
AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
InlineOnly\n\n/**\n * Specifies that this declaration can have dynamic receiver type.\n */\n\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
DynamicExtension\n\n/**\n * The value of this parameter should be a property reference expression (`this::foo`),
referencing a `lateinit` property,\n * the backing
field of which is accessible at the point where the corresponding argument is passed.\n */\n\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceK
otlin("1.2")\ninternal annotation class AccessibleLateinitPropertyLiteral\n\n/**\n * Specifies that this declaration is
only completely supported since the specified version.\n *\n * The Kotlin compiler of an earlier version is going to
report a diagnostic on usages of this declaration.\n * The diagnostic message can be specified with [message], or via
[errorCode] (takes less space, but might not be immediately clear\n * to the user). The diagnostic severity can be
specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported,
HIDDEN means that the declaration is going to be removed\n from resolution completely.\n *\n * [versionKind]
specifies which version should be compared with the [version] value, when compiling the usage of the annotated
declaration.\n */\n

```

Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE\_VERSION] was supported, so the Kotlin compiler before 1.2 is going to\n \* treat any [RequireKotlin] as if it requires the language version. Since 1.2, the

```

Kotlin compiler supports\n * [RequireKotlinVersionKind.LANGUAGE_VERSION],
[RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\n * If the
actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n *
Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a
requirement\n * on the language version.\n *\n * This annotation is erased at compile time; its arguments are stored
in a more compact form in the Kotlin metadata.\n *\n @Target(AnnotationTarget.CLASS,
AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR,
AnnotationTarget.TYPEALIAS)\n @Retention(AnnotationRetention.SOURCE)\n @Repeatable\n @SinceKotlin("1.
2")\n internal
annotation class RequireKotlin(\n val version: String,\n val message: String = "",\n val level:
DeprecationLevel = DeprecationLevel.ERROR,\n val versionKind: RequireKotlinVersionKind =
RequireKotlinVersionKind.LANGUAGE_VERSION,\n val errorCode: Int = -1)\n\n /**\n * The kind of the
version that is required by [RequireKotlin].\n *\n @SinceKotlin("1.2")\n internal enum class
RequireKotlinVersionKind {\n LANGUAGE_VERSION,\n COMPILER_VERSION,\n
API_VERSION,\n }\n\n /**\n * Specifies that this declaration is a part of special DSL, used for constructing
function's contract.\n *\n @Retention(AnnotationRetention.BINARY)\n @SinceKotlin("1.2")\n internal annotation
class ContractsDsl\n\n /**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\n package kotlin.properties\n\n import kotlin.reflect.KProperty\n\n /**\n
* Standard property delegates.\n *\n public object Delegates {\n /**\n * Returns a property delegate for a
read/write property with a non-`null` value that is initialized not during\n * object construction time but at a later
time. Trying to read the property before the initial value has been\n * assigned results in an exception.\n *\n
* @sample samples.properties.Delegates.notNullDelegate\n *\n public fun <T : Any> notNull():
ReadWriteProperty<Any?, T> = NotNullVar()\n *\n /**\n * Returns a property delegate for a read/write property
that calls a specified callback function when changed.\n * @param initialValue the initial value of the property.\n
 * @param onChange the callback which is called after the change of the property is made. The value of the
property\n * has already been changed when this callback is invoked.\n *\n * @sample
samples.properties.Delegates.observableDelegate\n *\n public
inline fun <T> observable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue:
T) -> Unit):\n ReadWriteProperty<Any?, T> =\n object : ObservableProperty<T>(initialValue) {\n
override fun afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue,
newValue)\n }\n }\n /**\n * Returns a property delegate for a read/write property that calls a specified
callback function when changed,\n * allowing the callback to veto the modification.\n * @param initialValue
the initial value of the property.\n * @param onChange the callback which is called before a change to the
property value is attempted.\n * The value of the property hasn't been changed yet, when this callback is
invoked.\n * If the callback returns `true` the value of the property is being set to the new value,\n * and if the
callback returns `false` the new value is discarded and the property remains
its old value.\n *\n * @sample samples.properties.Delegates.vetoableDelegate\n * @sample
samples.properties.Delegates.throwVetoableDelegate\n *\n public inline fun <T> vetoable(initialValue: T,
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n
ReadWriteProperty<Any?, T> =\n object : ObservableProperty<T>(initialValue) {\n override fun
beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue,
newValue)\n }\n }\n\n private class NotNullVar<T : Any>(): ReadWriteProperty<Any?, T> {\n private var
value: T? = null\n public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n return value
?: throw IllegalStateException("Property ${property.name} should be initialized before get.")\n }\n public
override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n this.value = value\n
}\n }\n\n /**\n

```

```

* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Base interface that can be used for implementing
property delegates of read-only properties.\n *\n * This is provided only for convenience; you don't have to extend
this interface\n * as long as your property delegate has methods with the same signatures.\n *\n * @param T the
type of object which owns the delegated property.\n * @param V the type of the property value.\n */\n\npublic fun
interface ReadOnlyProperty<in T, out V> {\n /**\n * Returns the value of the property for the given object.\n
 * @param thisRef the object for which the value is requested.\n * @param property the metadata for the
property.\n * @return the property value.\n */\n public operator fun getValue(thisRef:
T, property: KProperty<*>): V\n}\n\n/**\n * Base interface that can be used for implementing property delegates of
read-write properties.\n *\n * This is provided only for convenience; you don't have to extend this interface\n *
as long as your property delegate has methods with the same signatures.\n *\n * @param T the type of object which
owns the delegated property.\n * @param V the type of the property value.\n */\n\npublic interface
ReadWriteProperty<in T, V> : ReadOnlyProperty<T, V> {\n /**\n * Returns the value of the property for the
given object.\n * @param thisRef the object for which the value is requested.\n * @param property the
metadata for the property.\n * @return the property value.\n */\n public override operator fun
getValue(thisRef: T, property: KProperty<*>): V\n\n /**\n * Sets the value of the property for the given
object.\n * @param thisRef the object for which the value is requested.\n * @param property the metadata
for the property.\n * @param value the value to set.\n */\n public operator fun setValue(thisRef: T,
property: KProperty<*>, value: V)\n}\n\n/**\n * Base interface that can be used for implementing property delegate
providers.\n *\n * This is provided only for convenience; you don't have to extend this interface\n * as long as
your delegate provider has a method with the same signature.\n *\n * @param T the type of object which owns the
delegated property.\n * @param D the type of property delegates this provider provides.\n */\n\n@SinceKotlin("1.4")\n\npublic fun interface PropertyDelegateProvider<in T, out D> {\n /**\n * Returns the
delegate of the property for the given object.\n *\n * This function can be used to extend the logic of
creating the object (e.g. perform validation checks)\n * to which the property implementation is delegated.\n
 *\n * @param thisRef the object for which property delegate is requested.\n * @param property the
metadata for the property.\n * @return the property delegate.\n */\n public operator fun provideDelegate(thisRef: T,
property: KProperty<*>): D\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n *
Implements the core logic of a property delegate for a read/write property that calls callback functions when
changed.\n * @param initialValue the initial value of the property.\n */\n\npublic abstract class
ObservableProperty<V>(initialValue: V) : ReadWriteProperty<Any?, V> {\n private var value = initialValue\n\n /**\n * The callback which is called before a change to the property value is attempted.\n * The value of the
property hasn't been changed yet, when this callback is invoked.\n * If the callback returns `true` the value of
the property is being set to the new value,\n * and if the callback returns `false` the new value is discarded and
the property remains its old value.\n */\n protected open fun beforeChange(property: KProperty<*>, oldValue:
V, newValue: V): Boolean = true\n\n /**\n * The callback which is called after the change of the property is
made. The value of the property\n * has already been changed when this callback is invoked.\n */\n protected open fun afterChange(property: KProperty<*>, oldValue: V, newValue: V): Unit {} \n\n public override fun
getValue(thisRef: Any?, property: KProperty<*>): V {\n return value\n }\n\n public override fun
setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n val oldValue = this.value\n if
(!beforeChange(property, oldValue, value)) {\n return\n }\n this.value = value\n afterChange(property, oldValue, value)\n }\n}\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress("PackageDirectoryMismatch")\n\npackage
kotlin\n\nimport kotlin.reflect.*\n\n/**\n * An extension operator that allows delegating a read-only property of type

```



```

IllegalArgumentException if [until] is negative or zero.\n *\n * @sample
samples.random.Randoms.nextIntFromUntil\n */\n public open fun nextInt(until: Int): Int = nextInt(0, until)\n\n
/**\n * Gets the next random `Int` from the random number generator in the specified range.\n *\n *
Generates an `Int` random value uniformly distributed between the specified [from] (inclusive) and [until]
(exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
*\n * @sample samples.random.Randoms.nextIntFromUntil\n */\n public open fun nextInt(from: Int, until:
Int): Int {\n checkRangeBounds(from, until)\n val n = until - from\n if (n > 0 || n == Int.MIN_VALUE)
{\n val rnd = if (n and -n == n) {\n val bitCount = fastLog2(n)\n nextBits(bitCount)\n
 } else {\n var v: Int\n do {\n val bits = nextInt().ushr(1)\n v = bits % n\n
 } while (bits - v + (n - 1) < 0)\n v\n }\n return from + rnd\n } else {\n while
(true) {\n val rnd = nextInt()\n if (rnd in from until until) return rnd\n }\n }\n }\n\n
/**\n * Gets the next random `Long` from the random number generator.\n *\n * Generates a `Long` random
value uniformly distributed between `Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).\n *\n *
@sample samples.random.Randoms.nextLong\n */\n public open fun nextLong():
Long = nextInt().toLong().shl(32) + nextInt()\n\n
/**\n * Gets the next random non-negative `Long` from the
random number generator less than the specified [until] bound.\n *\n * Generates a `Long` random value
uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @param until
must be positive.\n *\n * @throws IllegalArgumentException if [until] is negative or zero.\n *\n *
@sample samples.random.Randoms.nextLongFromUntil\n */\n public open fun nextLong(until: Long): Long =
nextLong(0, until)\n\n
/**\n * Gets the next random `Long` from the random number generator in the specified
range.\n *\n * Generates a `Long` random value uniformly distributed between the specified [from] (inclusive)
and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to
[until].\n *\n * @sample samples.random.Randoms.nextLongFromUntil\n
*/\n public open fun nextLong(from: Long, until: Long): Long {\n checkRangeBounds(from, until)\n
val n = until - from\n if (n > 0) {\n val rnd: Long\n if (n and -n == n) {\n val nLow =
n.toInt()\n val nHigh = (n ushr 32).toInt()\n rnd = when {\n nLow != 0 -> {\n
 val bitCount = fastLog2(nLow)\n // toUInt().toLong()\n
 nextBits(bitCount).toLong() and 0xFFFF_FFFF\n }\n nHigh == 1 -> {\n
 //
 toUInt().toLong()\n nextInt().toLong() and 0xFFFF_FFFF\n } else -> {\n val
bitCount = fastLog2(nHigh)\n nextBits(bitCount).toLong().shl(32) + (nextInt().toLong() and
0xFFFF_FFFF)\n }\n }\n } else {\n var v: Long\n
 do {\n val bits = nextLong().ushr(1)\n v = bits % n\n } while (bits - v + (n - 1)
< 0)\n rnd = v\n }\n return from + rnd\n } else {\n while (true) {\n val
rnd = nextLong()\n if (rnd in from until until) return rnd\n }\n }\n }\n }\n\n
/**\n * Gets the
next random [Boolean] value.\n *\n * @sample samples.random.Randoms.nextBoolean\n */\n public open
fun nextBoolean(): Boolean = nextBits(1) != 0\n\n
/**\n * Gets the next random [Double] value uniformly
distributed between 0 (inclusive) and 1 (exclusive).\n *\n * @sample samples.random.Randoms.nextDouble\n
*/\n public open fun nextDouble(): Double = doubleFromParts(nextBits(26), nextBits(27))\n\n
/**\n * Gets
the next random non-negative `Double` from the random number generator less than the specified [until] bound.\n
*\n
*\n * Generates a `Double` random value uniformly distributed between 0 (inclusive) and [until] (exclusive).\n
*\n
*\n * @throws IllegalArgumentException if [until] is negative or zero.\n *\n * @sample
samples.random.Randoms.nextDoubleFromUntil\n */\n public open fun nextDouble(until: Double): Double =
nextDouble(0.0, until)\n\n
/**\n * Gets the next random `Double` from the random number generator in the
specified range.\n *\n * Generates a `Double` random value uniformly distributed between the specified [from]
(inclusive) and [until] (exclusive) bounds.\n *\n * [from] and [until] must be finite otherwise the behavior is
unspecified.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n *\n
*\n * @sample samples.random.Randoms.nextDoubleFromUntil\n */\n public open fun nextDouble(from: Double,

```



```

XorWowRandom(seed, seed.shr(31))\n\n**\n * Returns a repeatable random number generator seeded with the
given [seed] `Long` value.\n *\n * Two generators with the same seed produce the same sequence of values within
the same version of Kotlin runtime.\n *\n * *Note:* Future versions of Kotlin may change the algorithm of this
seeded number generator so that it will return\n * a sequence of values different from the current one for a given
seed.\n *\n * On JVM the returned generator is NOT thread-safe. Do not invoke it from multiple threads without
proper synchronization.\n *\n * @sample samples.random.Randoms.seededRandom\n
*\n@SinceKotlin("1.3")\npublic fun Random(seed: Long): Random = XorWowRandom(seed.toInt(),
seed.shr(32).toInt())\n\n**\n * Gets the next random `Int` from the random number generator in the specified
[range].\n *\n * Generates an `Int` random value uniformly distributed in the specified [range]:\n * from `range.start`
inclusive to `range.endInclusive` inclusive.\n
*\n * @throws IllegalArgumentException if [range] is empty.\n *\n@SinceKotlin("1.3")\npublic fun
Random.nextInt(range: IntRange): Int = when {\n range.isEmpty() -> throw IllegalArgumentException("Cannot
get random in empty range: $range")\n range.last < Int.MAX_VALUE -> nextInt(range.first, range.last + 1)\n
range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\n else -> nextInt()\n}\n\n**\n * Gets the
next random `Long` from the random number generator in the specified [range].\n *\n * Generates a `Long` random
value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive`
inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n *\n@SinceKotlin("1.3")\npublic fun
Random.nextLong(range: LongRange): Long = when {\n range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n range.last < Long.MAX_VALUE ->
nextLong(range.first, range.last
+ 1)\n range.first > Long.MIN_VALUE -> nextLong(range.first - 1, range.last) + 1\n else ->
nextLong()\n}\n\ninternal expect fun defaultPlatformRandom(): Random\ninternal expect fun
doubleFromParts(hi26: Int, low27: Int): Double\n\ninternal fun fastLog2(value: Int): Int = 31 -
value.countLeadingZeroBits()\n\n**\n Takes upper [bitCount] bits (0..32) from this number. *\n\ninternal fun
Int.takeUpperBits(bitCount: Int): Int =\n this.ushr(32 - bitCount) and (-bitCount).shr(31)\n\ninternal fun
checkRangeBounds(from: Int, until: Int) = require(until > from) { boundsErrorMessage(from, until) }\n\ninternal fun
checkRangeBounds(from: Long, until: Long) = require(until > from) { boundsErrorMessage(from, until) }\n\ninternal fun
checkRangeBounds(from: Double, until: Double) = require(until > from) { boundsErrorMessage(from, until)
}\n\ninternal fun boundsErrorMessage(from: Any, until: Any) = "Random range is empty: [$from,
$until)."\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n@npackage kotlin.random\n\n**\n * Gets the next random [UInt]
from the random number generator.\n *\n * Generates a [UInt] random value uniformly distributed between
[UInt.MIN_VALUE] and [UInt.MAX_VALUE] (inclusive).\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(): UInt = nextInt().toUInt()\n\n**\n * Gets the next random [UInt] from the random number
generator less than the specified [until] bound.\n *\n * Generates a [UInt] random value uniformly distributed
between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if
[until] is zero.\n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(until: UInt): UInt = nextUInt(0u, until)\n\n**\n * Gets the next random
[UInt] from the random number generator in the specified range.\n *\n * Generates a [UInt] random value
uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws
IllegalArgumentException if [from] is greater than or equal to [until].\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(from: UInt, until: UInt): UInt {\n checkUIntRangeBounds(from, until)\n val signedFrom =
from.toInt() xor Int.MIN_VALUE\n val signedUntil = until.toInt() xor Int.MIN_VALUE\n val signedResult =
nextInt(signedFrom, signedUntil) xor Int.MIN_VALUE\n return signedResult.toUInt()\n}\n\n**\n * Gets the next
random [UInt] from the random number generator in the specified [range].\n *\n * Generates a [UInt] random value

```

```

uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n
*\n * @throws IllegalArgumentException if [range] is
empty.\n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextInt(range: UIntRange): UInt = when {\n range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n range.last < UInt.MAX_VALUE ->
nextInt(range.first, range.last + 1u)\n range.first > UInt.MIN_VALUE -> nextInt(range.first - 1u, range.last) +
1u\n else -> nextInt()\n}\n\n/**\n * Gets the next random [ULong] from the random number generator.\n *\n * Generates a [ULong] random value uniformly distributed between [ULong.MIN_VALUE] and
[ULong.MAX_VALUE] (inclusive).\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(): ULong = nextLong().toULong()\n\n/**\n * Gets the next random [ULong] from the random
number generator less than the specified [until] bound.\n *\n * Generates a [ULong] random value uniformly
distributed between `0` (inclusive) and the specified [until] bound
(exclusive).\n *\n * @throws IllegalArgumentException if [until] is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(until: ULong): ULong = nextULong(0uL, until)\n\n/**\n * Gets the next random [ULong] from
the random number generator in the specified range.\n *\n * Generates a [ULong] random value uniformly
distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws
IllegalArgumentException if [from] is greater than or equal to [until].\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(from: ULong, until: ULong): ULong {\n checkULongRangeBounds(from, until)\n\n val
signedFrom = from.toLong() xor Long.MIN_VALUE\n val signedUntil = until.toLong() xor
Long.MIN_VALUE\n\n val signedResult = nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE\n
return signedResult.toULong()\n}\n\n/**\n * Gets the next random
[ULong] from the random number generator in the specified [range].\n *\n * Generates a [ULong] random value
uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n
*\n * @throws IllegalArgumentException if [range] is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(range: ULongRange): ULong = when {\n range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n range.last < ULong.MAX_VALUE -
> nextULong(range.first, range.last + 1u)\n range.first > ULong.MIN_VALUE -> nextULong(range.first - 1u,
range.last) + 1u\n else -> nextULong()\n}\n\n/**\n * Fills the specified unsigned byte [array] with random bytes
and returns it.\n *\n * @return [array] filled with random bytes.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray):
UByteArray {\n nextBytes(array.asByteArray())\n
return array\n}\n\n/**\n * Creates an unsigned byte array of the specified [size], filled with random bytes.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(size: Int): UByteArray
= nextBytes(size).asUByteArray()\n\n/**\n * Fills a subrange of the specified `UByte` [array] starting from
[fromIndex] inclusive and ending [toIndex] exclusive with random UBytes.\n *\n * @return [array] with the
subrange filled with random bytes.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Random.nextUBytes(array: UByteArray, fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {\n
nextBytes(array.asByteArray(), fromIndex, toIndex)\n return array\n}\n\n\ninternal fun
checkUIntRangeBounds(from: UInt, until: UInt) = require(until > from) { boundsErrorMessage(from, until)
}\ninternal fun checkULongRangeBounds(from: ULong, until: ULong) = require(until > from) {
boundsErrorMessage(from, until) }\n", "/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n@n\npackage kotlin.random\n\n/**\n *
Random number generator, using Marsaglia's "xorwow" algorithm\n *\n * Cycles after 2^192 - 2^32 repetitions.\n

```

\*\n \* For more details, see Marsaglia, George (July 2003). "Xorshift RNGs". Journal of Statistical Software. 8 (14). doi:10.18637/jss.v008.i14\n \*\n \* Available at <https://www.jstatsoft.org/v08/i14/paper>\n \*\n \*/\n\n internal class XorWowRandom internal constructor(\n private var x: Int,\n private var y: Int,\n private var z: Int,\n private var w: Int,\n private var v: Int,\n private var addend: Int)\n : Random(), Serializable {\n\n internal constructor(seed1: Int, seed2: Int) :\n this(seed1, seed2, 0, 0, seed1.inv(), (seed1 shl 10) xor (seed2 ushr 4))\n\n init {\n require((x or y or z or w or v) != 0) { "Initial state must have at least one non-zero element." }\n\n // some trivial seeds can produce several values with zeroes in upper bits, so we discard first 64\n repeat(64) { nextInt() }\n\n override fun nextInt(): Int {\n // Equivalent to the xorxow algorithm\n // From Marsaglia, G. 2003. Xorshift RNGs. J. Statis. Soft. 8, 14, p. 5\n var t = x\n t = t xor (t ushr 2)\n x = y\n y = z\n z = w\n val v0 = v\n w = v0\n t = (t xor (t shl 1)) xor v0 xor (v0 shl 4)\n v = t\n addend += 362437\n return t + addend\n }\n\n override fun nextBits(bitCount: Int): Int =\n nextInt().takeUpperBits(bitCount)\n\n private companion object {\n private const val serialVersionUID: Long = 0L\n }\n\n"/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n\*/\n\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage kotlin.ranges\n\n/\*\*\n \* Represents a range of [Comparable] values.\n \*/\n\nprivate open class ComparableRange<T> : Comparable<T> >{\n override val start: T,\n override val endInclusive: T\n} : ClosedRange<T> {\n\n override fun equals(other: Any?): Boolean {\n return other is ComparableRange<\*> && (isEmpty() && other.isEmpty()) ||\n start == other.start && endInclusive == other.endInclusive\n }\n\n override fun hashCode(): Int {\n return if (isEmpty()) -1 else 31 \* start.hashCode() + endInclusive.hashCode()\n }\n\n override fun toString(): String = "\$start..\$endInclusive"\n}\n\n\n/\*\*\n \* Creates a range from this [Comparable] value to the specified [that] value.\n \*\n \* This value needs to be smaller than or equal to [that] value, otherwise the returned range will be empty.\n \*\n \* @sample samples.ranges.Ranges.rangeFromComparable\n \*/\n\npublic operator fun <T> : Comparable<T>> T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)\n\n\n/\*\*\n \* Represents a range of floating point numbers.\n \*\n \* Extends [ClosedRange] interface providing custom operation [lessThanOrEquals] for comparing values of range domain type.\n \*\n \* This interface is implemented by floating point ranges returned by [Float.rangeTo] and [Double.rangeTo] operators to\n \* achieve IEEE-754 comparison order instead of total order of floating point numbers.\n \*/\n\n@SinceKotlin("1.1")\n\npublic interface ClosedFloatingPointRange<T> : Comparable<T> > : ClosedRange<T> {\n\n override fun contains(value: T): Boolean = lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\n\n override fun isEmpty(): Boolean = !lessThanOrEquals(start, endInclusive)\n\n /\*\*\n \* Compares two values of range domain type and returns true if first is less than or equal to second.\n \*/\n\n fun lessThanOrEquals(a: T, b: T): Boolean\n}\n\n\n/\*\*\n \* A closed range of values of type `Double`.\n \*\n \* Numbers are compared with the ends of this range according to IEEE-754.\n \*/\n\nprivate class ClosedDoubleRange(\n start: Double,\n endInclusive: Double\n) : ClosedFloatingPointRange<Double> {\n\n private val \_start = start\n private val \_endInclusive = endInclusive\n\n override val start: Double get() = \_start\n override val endInclusive: Double get() = \_endInclusive\n\n override fun lessThanOrEquals(a: Double, b: Double): Boolean = a <= b\n\n override fun contains(value: Double): Boolean = value >= \_start && value <= \_endInclusive\n\n override fun isEmpty(): Boolean = !(\_start <= \_endInclusive)\n\n override fun equals(other: Any?): Boolean {\n return other is ClosedDoubleRange && (isEmpty() && other.isEmpty()) ||\n \_start == other.\_start && \_endInclusive == other.\_endInclusive\n }\n\n override fun hashCode(): Int {\n return if (isEmpty()) -1 else 31 \* \_start.hashCode() + \_endInclusive.hashCode()\n }\n\n override fun toString(): String = "\$\_start..\$\_endInclusive"\n}\n\n\n/\*\*\n \* Creates a range from this [Double] value to the specified [that] value.\n \*\n \* Numbers are compared with the ends of this range according to IEEE-754.\n \*\n \* @sample samples.ranges.Ranges.rangeFromDouble\n \*/\n\n@SinceKotlin("1.1")\n\npublic operator fun Double.rangeTo(that: Double): ClosedFloatingPointRange<Double>

```

= ClosedDoubleRange(this, that)\n\n/**\n * A closed range of values of type `Float`.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n *\nprivate class ClosedFloatRange(\n start: Float,\n endInclusive: Float)\n : ClosedFloatingPointRange<Float> {\n private val _start = start\n private val _endInclusive = endInclusive\n override val start: Float get() = _start\n override val endInclusive: Float get() = _endInclusive\n\n override fun lessThanOrEquals(a: Float, b: Float): Boolean = a <= b\n\n override fun contains(value: Float): Boolean = value >= _start && value <= _endInclusive\n\n override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n override fun equals(other: Any?): Boolean {\n return other is ClosedFloatRange && (isEmpty() && other.isEmpty() ||\n _start == other._start && _endInclusive == other._endInclusive)\n }\n\n override fun hashCode(): Int {\n return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n }\n\n override fun toString(): String = "$_start..$_endInclusive"\n}\n\n/**\n * Creates a range from this [Float] value to the specified [that] value.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n *\n @sample samples.ranges.Ranges.rangeFromFloat\n *\n @SinceKotlin("1.1")\npublic operator fun Float.rangeTo(that: Float): ClosedFloatingPointRange<Float> = ClosedFloatRange(this, that)\n\n/**\n * Returns `true` if this iterable range contains the specified [element].\n *\n * Always returns `false` if the [element] is `null`.\n *\n @SinceKotlin("1.3")\n @kotlin.internal.InlineOnly\npublic inline operator fun <T, R> R.contains(element: T?): Boolean where T : Any, R : Iterable<T>, R : ClosedRange<T> =\n element != null && contains(element)\n\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n if (!isPositive) throw IllegalArgumentException("Step must be positive, was: $step.")\n}\n\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n @file:kotlin.jvm.JvmName("KClasses")\n @file:Suppress("UNCHECKED_CAST")\n\npackage kotlin.reflect\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Casts the given [value] to the class represented by this [KClass] object.\n * Throws an exception if the value is `null` or if it is not an instance of this class.\n *\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on JVM.\n *\n * @see [KClass.isInstance]\n * @see [KClass.safeCast]\n *\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n @LowPriorityInOverloadResolution\nfun <T : Any> KClass<T>.cast(value: Any?): T {\n if (!isInstance(value)) throw ClassCastException("Value cannot be cast to $qualifiedOrSimpleName")\n return value as T\n}\n\n// TODO: replace with qualifiedName when it is fully supported in K/JS\ninternal expect val KClass<*>.qualifiedOrSimpleName: String?\n\n/**\n * Casts the given [value] to the class represented by this [KClass] object.\n * Returns `null` if the value is `null` or if it is not an instance of this class.\n *\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on JVM.\n *\n * @see [KClass.isInstance]\n * @see [KClass.cast]\n *\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n @LowPriorityInOverloadResolution\nfun <T : Any> KClass<T>.safeCast(value: Any?): T? {\n return if (isInstance(value)) value as T else null\n}\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.reflect\n\nimport kotlin.jvm.JvmField\nimport kotlin.jvm.JvmStatic\n\n/**\n * Represents a type projection. Type projection is usually the argument to another type in a type usage.\n * For example, in the type `Array<out Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.\n *\n * Type projection is either the star projection, or an entity consisting of a specific type plus optional variance.\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#type-projections)\n * for more information.\n *\n @SinceKotlin("1.1")\npublic data class KTypeProjection constructor(\n /**\n * The use-site variance specified in the projection, or `null` if this is a star projection.\n *\n public val variance: KVariance?,\n /**\n * The type specified in the

```

```

projection, or `null` if this is a star projection.
 */
 public val type: KType?() {
 init {
 require((variance == null) == (type == null)) {
 if (variance == null)
 "\"Star projection must have no type specified.\"
 else
 "\"The projection variance $variance requires type to be specified.\"
 }
 }
 override fun toString(): String = when (variance) {
 null -> "\"*\n KVariance.INVARIANT -> type.toString()\n KVariance.IN -> \"in $type\"\n KVariance.OUT -> \"out $type\"\n }
 public companion object {
 // provided for compiler access
 @JvmField
 @PublishedApi
 internal val
 star: KTypeProjection = KTypeProjection(null, null)
 /**
 * Star projection, denoted by the `*` character.
 * For example, in the type `KClass<*>`, `*` is the star projection.
 * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#star-projections) for more information.
 */
 public val STAR: KTypeProjection get() = star
 /**
 * Creates an invariant projection of a given type. Invariant projection is just the type itself,
 * without any use-site variance modifiers applied to it.
 * For example, in the type `Set<String>`, `String` is an invariant projection of the type represented by the class `String`.
 */
 @JvmStatic
 public fun invariant(type: KType): KTypeProjection =
 KTypeProjection(KVariance.INVARIANT, type)
 /**
 * Creates a contravariant projection of a given type, denoted by the `in` modifier applied to a type.
 * For example, in the type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.
 */
 @JvmStatic
 public fun contravariant(type: KType): KTypeProjection =
 KTypeProjection(KVariance.IN, type)
 /**
 * Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.
 * For example, in the type `Array<out Number>`, `out Number` is a covariant projection of the type of class `Number`.
 */
 @JvmStatic
 public fun covariant(type: KType): KTypeProjection =
 KTypeProjection(KVariance.OUT, type)
 }
 }
}
/**
 * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.reflect
/**
 * Represents variance applied to a type parameter on the declaration site (*declaration-site variance*),
 * or to a type in a projection (*use-site variance*).
 */
enum class KVariance {
 /**
 * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#variance) for more information.
 */
 @see [KTypeParameter.variance]
 @see [KTypeProjection]
 @SinceKotlin("1.1")
 IN,
 /**
 * The affected type parameter or type is *invariant*, which means it has no variance applied to it.
 */
 INVARIANT,
 /**
 * The affected type parameter or type is *contravariant*. Denoted by the `in` modifier in the source code.
 */
 IN,
 /**
 * The affected type parameter or type is *covariant*. Denoted by the `out` modifier in the source code.
 */
 OUT,
}
/**
 * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.reflect
/**
 * Returns a runtime representation of the given reified type [T] as an instance of [KType].
 * Note that on JVM, the created type has no annotations ([KType.annotations] returns an empty list)
 * even if the type in the source code is annotated. Support for type annotations might be added in a future version.
 */
@SinceKotlin("1.6")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun <reified T> typeOf(): KType =
 throw UnsupportedOperationException("This function is implemented as an intrinsic on all supported platforms.")
/**
 * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.jvm
package kotlin.jvm
/**
 * An object to which char sequences and values can be appended.
 */
expect interface Appendable {
 /**
 * Appends the specified character [value] to this Appendable and returns this instance.
 */
 @param value the character to append
 fun append(value: Char): Appendable
 /**
 * Appends the specified character sequence [value] to this

```

```

Appendable and returns this instance.\n * \n * @param value the character sequence to append. If [value] is
`null`, then the four characters `"\n\n\n\n"` are appended to this Appendable.\n * \n fun append(value:
CharSequence?): Appendable\n\n /**\n * Appends a subsequence of the specified character sequence [value] to
this Appendable and returns this instance.\n * \n * @param value the character sequence from which a
subsequence is appended. If [value] is `null`,\n * then characters are appended as if [value] contained the four
characters `"\n\n\n\n"`. \n * @param startIndex the beginning (inclusive) of the subsequence to append.\n
* @param endIndex the end (exclusive) of the subsequence to append.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex > endIndex`.\n * \n fun append(value: CharSequence?,
startIndex: Int, endIndex: Int): Appendable\n\n\n/**\n * Appends a subsequence of the specified character
sequence [value] to this Appendable and returns this instance.\n * \n * @param value the character sequence from
which a subsequence is appended.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n
* @param endIndex the end (exclusive) of the subsequence to append.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex > endIndex`.\n
\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
fun <T : Appendable> T.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): T {\n
@Suppress("UNCHECKED_CAST")\n return append(value, startIndex, endIndex) as T}\n\n/**\n * Appends
all arguments to the given [Appendable].\n * \n public fun <T : Appendable> T.append(vararg value:
CharSequence?): T {\n for (item in value)\n append(item)\n return this}\n\n\n/**\n * Appends a line feed
character (`\n`) to this Appendable. *\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
Appendable.appendLine(): Appendable = append("\n")\n\n/**\n * Appends value to the given Appendable and a line
feed character (`\n`) after it. *\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
Appendable.appendLine(value: CharSequence?): Appendable = append(value).appendLine()\n\n/**\n * Appends value
to the given Appendable and a line feed character (`\n`) after it.
\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun Appendable.appendLine(value:
Char): Appendable = append(value).appendLine()\n\n\ninternal fun <T> Appendable.appendElement(element: T,
transform: ((T) -> CharSequence)?) {\n when {\n transform != null -> append(transform(element))\n
element is CharSequence? -> append(element)\n element is Char -> append(element)\n else ->
append(element.toString())\n } }\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n\n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source
string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n * \n * Doesn't
affect a line if it doesn't contain [marginPrefix] except the first and
the last blank lines.\n * \n * Doesn't preserve the original line endings.\n * \n * @param marginPrefix non-blank
string, which is used as a margin delimiter. Default is `|` (pipe character).\n * \n * @sample
samples.text.Strings.trimMargin\n * @see trimIndent\n * @see kotlin.text.isWhitespace\n * \n public fun
String.trimMargin(marginPrefix: String = "|"): String =\n replaceIndentByMargin("|", marginPrefix)\n\n\n/**\n *
Detects indent by [marginPrefix] as it does [trimMargin] and replace it with [newIndent].\n * \n * @param
marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n * \n public fun
String.replaceIndentByMargin(newIndent: String = "|", marginPrefix: String = "|"): String {\n
require(marginPrefix.isNotBlank()) { "marginPrefix must be non-blank string." }\n val lines = lines()\n\n return
lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line ->\n val
firstNonWhitespaceIndex
= line.indexOfFirst { !it.isWhitespace() }\n\n when {\n firstNonWhitespaceIndex == -1 -> null\n
line.startsWith(marginPrefix, firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex +

```

```

marginPrefix.length)\n else -> null\n }\n }\n)\n\n/**\n * Detects a common minimal indent of all the
input lines, removes it from every line and also removes the first and the last\n * lines if they are blank (notice
difference blank vs empty).\n *\n * Note that blank lines do not affect the detected indent level.\n *\n * In case if
there are non-blank lines with no leading whitespace characters (no indent at all) then the\n * common indent is 0,
and therefore this function doesn't change the indentation.\n *\n * Doesn't preserve the original line endings.\n *\n *
@sample samples.text.Strings.trimIndent\n * @see trimMargin\n * @see kotlin.text.isBlank\n */\npublic fun
String.trimIndent(): String = replaceIndent("\\")\n\n/**\n * Detects a common
minimal indent like it does [trimIndent] and replaces it with the specified [newIndent].\n */\npublic fun
String.replaceIndent(newIndent: String = "\\"): String {\n val lines = lines()\n val minCommonIndent = lines\n
 .filter(String::isNotBlank)\n .map(String::indentWidth)\n .minOrNull() ?: 0\n return
lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line ->
line.drop(minCommonIndent) })\n}\n\n/**\n * Prepends [indent] to every line of the original string.\n *\n * Doesn't
preserve the original line endings.\n */\npublic fun String.prependIndent(indent: String = " "): String =\n
lineSequence()\n .map {\n when {\n it.isBlank() -> {\n when {\n
it.length < indent.length -> indent\n else -> it\n }\n }\n else -> indent +
it\n }\n }\n .joinToString("\\n")\n\nprivate
fun String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }\n\nprivate fun
getIndentFunction(indent: String) = when {\n indent.isEmpty() -> { line: String -> line }\n else -> { line: String -
> indent + line }\n}\n\nprivate inline fun List<String>.reindent(\n resultSizeEstimate: Int,\n indentAddFunction:
(String) -> String,\n indentCutFunction: (String) -> String?): String {\n val lastIndex = lastIndex\n return
mapIndexedNotNull { index, value ->\n if ((index == 0 || index == lastIndex) && value.isBlank())\n null\n else\n indentCutFunction(value)?.let(indentAddFunction) ?: value\n }\n
.joinTo(StringBuilder(resultSizeEstimate), "\\n")\n .toString()\n}\n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin.text\n\n/**\n * Defines names for Unicode symbols used in proper Typography.\n */\npublic object Typography {\n /** The character " \u2013 quotation mark */\n public const val quote:
Char = "\u0022"\n /** The character $ \u2013 dollar sign */\n public const val dollar: Char = "\u0024"\n
 /** The character & \u2013 ampersand */\n public const val amp: Char = "\u0026"\n /** The character
< \u2013 less-than sign */\n public const val less: Char = "\u003C"\n /** The character > \u2013
greater-than sign */\n public const val greater: Char = "\u003E"\n /** The non-breaking space character */\n
 public const val nbsp: Char = "\u00A0"\n /** The character × */\n public const val times: Char =
"\u00D7"\n /** The character ¢ */\n public const val cent: Char = "\u00A2"\n /** The character £
*/\n public const val pound: Char = "\u00A3"\n /** The character § */\n public const val section:
Char = "\u00A7"\n /** The character © */\n public const val copyright:
Char = "\u00A9"\n /** The character « */\n @SinceKotlin("1.6")\n public const val leftGuillemet:
Char = "\u00AB"\n /** The character » */\n @SinceKotlin("1.6")\n public const val rightGuillemet:
Char = "\u00BB"\n /** The character ® */\n public const val registered: Char = "\u00AE"\n /** The
character ° */\n public const val degree: Char = "\u00B0"\n /** The character ± */\n public const
val plusMinus: Char = "\u00B1"\n /** The character ¶ */\n public const val paragraph: Char = "\u00B6"\n
 /** The character · */\n public const val middleDot: Char = "\u00B7"\n /** The character ½ */\n
 public const val half: Char = "\u00BD"\n /** The character – */\n public const val ndash: Char =
"\u2013"\n /** The character — */\n public const val mdash:
Char = "\u2014"\n /** The character ‘ */\n public const val leftSingleQuote: Char = "\u2018"\n /**
The character ’ */\n public const val rightSingleQuote: Char = "\u2019"\n /** The character ‚
*/\n public const val lowSingleQuote: Char = "\u201A"\n /** The character “ */\n public const val
leftDoubleQuote: Char = "\u201C"\n /** The character ” */\n public const val rightDoubleQuote: Char
= "\u201D"\n /** The character „ */\n public const val lowDoubleQuote: Char = "\u201E"\n /** The

```

```

character † */\n public const val dagger: Char = "\u2020\n" /** The character ‡ */\n public
const val doubleDagger: Char = "\u2021\n" /** The character • */\n public const val bullet: Char =
"\u2022\n" /** The character … */\n public const val ellipsis: Char = "\u2026\n" /** The character
′ */\n public const val prime: Char = "\u2032\n" /** The character
″ */\n public const val doublePrime: Char = "\u2033\n" /** The character € */\n public
const val euro: Char = "\u20AC\n" /** The character ™ */\n public const val tm: Char = "\u2122\n" /**
The character ≈ */\n public const val almostEqual: Char = "\u2248\n" /** The character ≠ */\n
public const val notEqual: Char = "\u2260\n" /** The character ≤ */\n public const val lessOrEqual:
Char = "\u2264\n" /** The character ≥ */\n public const val greaterOrEqual: Char = "\u2265\n\n" /**
The character « */\n @Deprecated("This constant has a typo in the name. Use leftGuillemet instead."),
ReplaceWith("Typography.leftGuillemet("))\n @DeprecatedSinceKotlin("1.6")\n public const val
leftGuillemete: Char = "\u00AB\n\n" /** The character » */\n @Deprecated("This constant has a typo in
the name. Use rightGuillemet instead.", ReplaceWith("Typography.rightGuillemet("))\n
@DeprecatedSinceKotlin("1.6")\n public const val rightGuillemete: Char = "\u00BB\n\n" /*\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n *
Represents a collection of captured groups in a single match of a regular expression.\n *\n * This collection has size
of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n *\n * Groups are indexed
from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n *\n * An element of the
collection at the particular index can be `null` if the corresponding group in the regular expression is optional
and\n *\n * there was no match captured by that group.\n */\n\npublic interface MatchGroupCollection :
Collection<MatchGroup?> {\n\n /** Returns a group with the specified [index].\n *\n * @return
An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise.\n *\n *
Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0\n *\n
corresponds to the entire match.\n */\n\n public operator fun get(index: Int): MatchGroup?\n\n /**\n * Extends
[MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.\n */\n\n
@SinceKotlin("1.1")\n\npublic interface MatchNamedGroupCollection : MatchGroupCollection {\n\n /**\n *
Returns a named group with the specified [name].\n *\n * @return An instance of [MatchGroup] if the group with the
specified [name] was matched or `null` otherwise.\n *\n * @throws IllegalArgumentException if there is no group
with the specified [name] defined in the regex pattern.\n *\n * @throws UnsupportedOperationException if getting
named groups isn't supported on the current platform.\n */\n\n public operator fun get(name:
String): MatchGroup?\n\n /**\n * Represents the results from a single regular expression match.\n */\n\npublic
interface MatchResult {\n\n /** The range of indices in the original string where match was captured. */\n\n public
val range: IntRange\n\n /** The substring from the input string captured by this match. */\n\n public val value:
String\n\n /**\n * A collection of groups matched by the regular expression.\n *\n * This collection has size
of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n *\n * Groups are indexed
from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n */\n\n public val groups:
MatchGroupCollection\n\n /**\n * A list of matched indexed group values.\n *\n * This list has size of
`groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n *\n * Groups are indexed
from 1 to `groupCount` and group with the index 0 corresponds to the entire
match.\n *\n * If the group in the regular expression is optional and there were no match captured by that
group,\n *\n * corresponding item in [groupValues] is an empty string.\n *\n * @sample
samples.text.Regexps.matchDestructuringToGroupValues\n */\n\n public val groupValues: List<String>\n\n
/**\n * An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment
of group values.\n *\n * component1 corresponds to the value of the first group, component2\n \u2014 of the
second, and so on.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n\n
public val destructured: Destructured get() = Destructured(this)\n\n /** Returns a new [MatchResult] with the
results for the next match, starting at the position\n *\n * at which the last match ended (at the character after the last

```

```

matched character).\n *\n public fun next(): MatchResult?\n /**\n * Provides components
for destructuring assignment of group values.\n *\n * [component1] corresponds to the value of the first group,
[component2] \u2014 of the second, and so on.\n *\n * If the group in the regular expression is optional and
there were no match captured by that group,\n * corresponding component value is an empty string.\n *\n *
@sample samples.text.Regexps.matchDestructuringToGroupValues\n *\n public class Destructured internal
constructor(public val match: MatchResult) {\n @kotlin.internal.InlineOnly\n public operator inline fun
component1(): String = match.groupValues[1]\n @kotlin.internal.InlineOnly\n public operator inline fun
component2(): String = match.groupValues[2]\n @kotlin.internal.InlineOnly\n public operator inline fun
component3(): String = match.groupValues[3]\n @kotlin.internal.InlineOnly\n public operator inline fun
component4(): String = match.groupValues[4]\n @kotlin.internal.InlineOnly\n
 public operator inline fun component5(): String = match.groupValues[5]\n @kotlin.internal.InlineOnly\n
 public operator inline fun component6(): String = match.groupValues[6]\n @kotlin.internal.InlineOnly\n
public operator inline fun component7(): String = match.groupValues[7]\n @kotlin.internal.InlineOnly\n
public operator inline fun component8(): String = match.groupValues[8]\n @kotlin.internal.InlineOnly\n
public operator inline fun component9(): String = match.groupValues[9]\n @kotlin.internal.InlineOnly\n
public operator inline fun component10(): String = match.groupValues[10]\n\n /**\n * Returns
destructured group values as a list of strings.\n * First value in the returned list corresponds to the value of the
first group, and so on.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n
*/\n public fun
toList(): List<String> = match.groupValues.subList(1, match.groupValues.size)\n }\n}", "/*\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass()\n@file:kotlin.jvm.JvmName("DurationUnitKt")\n\npackage
kotlin.time\n\n/**\n * The list of possible time measurement units, in which a duration can be expressed.\n *\n *
The smallest time unit is [NANOSECONDS] and the largest is [DAYS], which corresponds to exactly 24
[HOURS].\n *\n @SinceKotlin("1.6")\n @WasExperimental(ExperimentalTime::class)\n public expect enum class
DurationUnit {\n /**\n * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n *\n
NANOSECONDS,\n /**\n * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n
*\n MICROSECONDS,\n /**\n * Time unit representing
one millisecond, which is 1/1000 of a second.\n *\n MILLISECONDS,\n /**\n * Time unit representing
one second.\n *\n SECONDS,\n /**\n * Time unit representing one minute.\n *\n MINUTES,\n
/**\n * Time unit representing one hour.\n *\n HOURS,\n /**\n * Time unit representing one day, which
is always equal to 24 hours.\n *\n DAYS;\n}\n\n/**\n * Converts the given time duration [value] expressed in the
specified [sourceUnit] into the specified [targetUnit].\n *\n @SinceKotlin("1.3")\n internal expect fun
convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double\n\n// overflown
result is unspecified\n @SinceKotlin("1.5")\n internal expect fun convertDurationUnitOverflow(value: Long,
sourceUnit: DurationUnit, targetUnit: DurationUnit): Long\n\n// overflown result is coerced in the Long range
boundaries\n @SinceKotlin("1.5")\n internal expect fun convertDurationUnit(value: Long, sourceUnit:
DurationUnit, targetUnit: DurationUnit):
Long\n\n\n @SinceKotlin("1.3")\n @Suppress("REDUNDANT_ELSE_IN_WHEN")\n internal fun
DurationUnit.shortName(): String = when (this) {\n DurationUnit.NANOSECONDS -> "ns"\n
DurationUnit.MICROSECONDS -> "us"\n DurationUnit.MILLISECONDS -> "ms"\n
DurationUnit.SECONDS -> "s"\n DurationUnit.MINUTES -> "m"\n DurationUnit.HOURS -> "h"\n
DurationUnit.DAYS -> "d"\n else -> error("Unknown unit: $this")\n}\n\n @SinceKotlin("1.5")\n internal fun
durationUnitByShortName(shortName: String): DurationUnit = when (shortName) {\n "ns" ->
DurationUnit.NANOSECONDS\n "us" -> DurationUnit.MICROSECONDS\n "ms" ->
DurationUnit.MILLISECONDS\n "s" -> DurationUnit.SECONDS\n "m" -> DurationUnit.MINUTES\n
"h" -> DurationUnit.HOURS\n "d" -> DurationUnit.DAYS\n else -> throw

```

```

IllegalArgumentException("Unknown duration unit short name:
$shortName")\n}\n\n@SinceKotlin("1.5")\ninternal fun durationUnitByIsoChar(isoChar:
Char, isTimeComponent: Boolean): DurationUnit =\n when {\n !isTimeComponent -> {\n when
(isoChar) {\n 'D' -> DurationUnit.DAYS\n else -> throw IllegalArgumentException("Invalid or
unsupported duration ISO non-time unit: $isoChar")\n }\n } else -> {\n when (isoChar) {\n
 'H' -> DurationUnit.HOURS\n 'M' -> DurationUnit.MINUTES\n 'S' ->
DurationUnit.SECONDS\n else -> throw IllegalArgumentException("Invalid duration ISO time unit:
$isoChar")\n }\n }\n },"/**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.time\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This annotation marks the experimental preview of
the standard library API for measuring time and working with durations.\n */\n * > Note that this API is in a preview
state and has a very high chance of being changed in the future.\n * Do not use it if you develop a library since your
library will become binary incompatible\n * with the future versions of the standard library.\n */\n * Any usage of a
declaration annotated with `@ExperimentalTime` must be accepted either by\n * annotating that usage with the
[OptIn] annotation, e.g. `@OptIn(ExperimentalTime::class)`,\n * or by using the compiler argument `-opt-
in=kotlin.time.ExperimentalTime`.\n */\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(\n
CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n
VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n
PROPERTY_SETTER,\n TYPEALIAS)\n\n@SinceKotlin("1.3")\npublic annotation class
ExperimentalTime\n"/**\n
* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage
kotlin.time\n\n/**\n * A source of time for measuring time intervals.\n */\n * The only operation provided by the
time source is [markNow]. It returns a [TimeMark], which can be used to query the elapsed time later.\n */\n * @see
[measureTime]\n * @see [measureTimedValue]\n */\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic
interface TimeSource {\n /**\n * Marks a point in time on this time source.\n */\n * The returned
[TimeMark] instance encapsulates the captured time point and allows querying\n * the duration of time interval
[elapsed][TimeMark.elapsedNow] from that point.\n */\n * public fun markNow(): TimeMark\n\n /**\n *
The most precise time source available in the platform.\n */\n * This time source returns its readings from a
source of monotonic time when it is available in a target platform,\n * and resorts to a non-monotonic time source
otherwise.\n */\n * public object Monotonic : TimeSource by MonotonicTimeSource {\n override fun
toString(): String = MonotonicTimeSource.toString()\n }\n\n * public companion object {\n /**\n *
Represents a time point notched on a particular [TimeSource]. Remains bound to the time source it was taken from\n
 * and allows querying for the duration of time elapsed from that point (see the function [elapsedNow]).\n
 */\n * @SinceKotlin("1.3")\n * @ExperimentalTime\n * public abstract class TimeMark {\n
 /**\n * Returns the amount of time passed from this mark measured with the time source from
which this mark was taken.\n */\n * Note that the value returned by this function can change
on subsequent invocations.\n */\n * public abstract fun
elapsedNow(): Duration\n\n /**\n * Returns a time mark on the same time source that is
ahead of this time mark by the specified [duration].\n */\n * The returned time mark is more
late when the [duration] is positive, and more _early_ when the [duration] is negative.\n */\n *
public open operator fun plus(duration: Duration): TimeMark = AdjustedTimeMark(this, duration)\n\n /**\n
 * Returns a time mark on the same time source that is behind this time mark by the specified [duration].\n
 */\n * The returned time mark is more _early_ when the [duration] is positive, and more
late when the [duration] is negative.\n */\n * public open operator fun minus(duration:
Duration): TimeMark = plus(-duration)\n\n /**\n * Returns true if this time mark has passed
according to the time source from which this mark was taken.\n */\n * Note that the value
returned by this function can change on subsequent invocations.\n * If the time source is monotonic, it can
change

```

only from `false` to `true`, namely, when the time mark becomes behind the current point of the time source.

```

 * public fun hasPassedNow(): Boolean =
 !elapsedNow().isNegative()
 * Returns false if this time mark has not passed according to the time source from which this mark was taken.
 * Note that the value returned by this function can change on subsequent invocations.
 * If the time source is monotonic, it can change only from `true` to `false`, namely, when the time mark becomes behind the current point of the time source.
 * public fun hasNotPassedNow(): Boolean =
 elapsedNow().isNegative()
}
@ExperimentalTime
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
@Deprecated(" Subtracting one TimeMark from another is not a well defined operation because these time marks could have been obtained from the different time sources.", level =
 DeprecationLevel.ERROR)
@Suppress("UNUSED_PARAMETER")
public inline operator fun
TimeMark.minus(other: TimeMark): Duration = throw Error("Operation
is disallowed.")
@ExperimentalTime
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
@Deprecated(" Comparing one TimeMark to another is not a well defined operation because these time marks could have been obtained from the different time sources.", level =
 DeprecationLevel.ERROR)
@Suppress("UNUSED_PARAMETER")
public inline operator fun
TimeMark.compareTo(other: TimeMark): Int = throw Error("Operation is
disallowed.")
@ExperimentalTime
private class AdjustedTimeMark(val mark: TimeMark, val adjustment:
 Duration) : TimeMark() {
 override fun elapsedNow(): Duration = mark.elapsedNow() - adjustment
 override fun plus(duration: Duration): TimeMark = AdjustedTimeMark(mark, adjustment + duration)
}
"/
*
Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
*/
package
kotlin.time
@SinceKotlin("1.3")
@ExperimentalTime
internal
expect object MonotonicTimeSource : TimeSource {
 * An abstract class used to implement time sources that return their readings as [Long] values in the specified [unit].
 * @property unit The unit in which this time source's readings are expressed.
}
@SinceKotlin("1.3")
@ExperimentalTime
public abstract class
AbstractLongTimeSource(protected val unit: DurationUnit) : TimeSource {
 /* This protected method should be overridden to return the current reading of the time source expressed as a [Long] number
 * in the unit specified by the [unit] property.
 * protected abstract fun read(): Long
}
private class
LongTimeMark(private val startedAt: Long, private val timeSource: AbstractLongTimeSource, private val offset:
 Duration) : TimeMark() {
 override fun elapsedNow(): Duration = (timeSource.read() -
 startedAt).toDuration(timeSource.unit) - offset
 override fun plus(duration:
 Duration): TimeMark = LongTimeMark(startedAt, timeSource, offset + duration)
}
override fun
markNow(): TimeMark = LongTimeMark(read(), this, Duration.ZERO)
}
/* An abstract class used to implement time sources that return their readings as [Double] values in the specified [unit].
 * @property unit The unit in which this time source's readings are expressed.
}
@SinceKotlin("1.3")
@ExperimentalTime
public abstract class AbstractDoubleTimeSource(protected val
 unit: DurationUnit) : TimeSource {
 /* This protected method should be overridden to return the current reading of the time source expressed as a [Double] number
 * in the unit specified by the [unit] property.
 * protected abstract fun read(): Double
}
private class
DoubleTimeMark(private val startedAt: Double, private val timeSource: AbstractDoubleTimeSource, private val offset: Duration) : TimeMark() {
 override fun
 elapsedNow(): Duration = (timeSource.read()
 - startedAt).toDuration(timeSource.unit) - offset
 override fun plus(duration: Duration): TimeMark =
 DoubleTimeMark(startedAt, timeSource, offset + duration)
}
override fun
markNow(): TimeMark =
 DoubleTimeMark(read(), this, Duration.ZERO)
}
/* A time source that has programmatically updatable readings. It is useful as a predictable source of time in tests.
 * The current reading value can be advanced by the specified duration amount with the operator [plusAssign]:
 * val timeSource = TestTimeSource()
 * timeSource += 10.seconds
 * Implementation note: the current reading value is stored as a [Long]

```

number of nanoseconds, \n \* thus it's capable to represent a time range of approximately \u00b11292 years. \n \*

Should the reading value overflow as the result of [plusAssign] operation, an [IllegalStateException] is thrown. \n

```

*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic class TestTimeSource : AbstractLongTimeSource(unit
= DurationUnit.NANOSECONDS) {\n private var reading: Long = 0L\n\n override fun read(): Long =
reading\n\n /**\n * Advances the current reading value of this time source by the specified [duration]. \n *\n * [duration] value is rounded down towards zero when converting it to a [Long] number of nanoseconds. \n * For
example, if the duration being added is `0.6.nanoseconds`, the reading doesn't advance because \n * the duration
value is rounded to zero nanoseconds. \n *\n * @throws IllegalStateException when the reading value
overflows as the result of this operation. \n */\n public operator fun plusAssign(duration: Duration) {\n val
longDelta = duration.toLong(unit)\n reading = if (longDelta != Long.MIN_VALUE && longDelta !=
Long.MAX_VALUE) {\n // when delta fits in long, add it as long\n val newReading = reading +
longDelta\n if (reading xor longDelta >= 0 && reading xor newReading < 0) overflow(duration)\n
 newReading\n } else {\n val delta = duration.toDouble(unit)\n // when delta is greater than
long, add it as double\n val newReading = reading + delta\n if (newReading > Long.MAX_VALUE ||
newReading < Long.MIN_VALUE) overflow(duration)\n newReading.toLong()\n }\n }\n\n private
fun overflow(duration: Duration) {\n throw IllegalStateException("TestTimeSource will overflow if its reading
${reading}ns is advanced by $duration.")\n }\n}
\n\n"/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file. \n */\n\npackage kotlin.time\n\nimport kotlin.contracts.*\n\n/**\n * Executes
the given function [block] and returns the duration of elapsed time interval. \n * \n * The elapsed time is measured
with [TimeSource.Monotonic]. \n */\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic
inline fun measureTime(block: () -> Unit): Duration {\n contract {\n callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n }\n return TimeSource.Monotonic.measureTime(block)\n}\n\n/**\n * Executes
the given function [block] and returns the duration of elapsed time interval. \n * \n * The elapsed time is
measured with the specified `this` [TimeSource] instance. \n */\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic
inline fun TimeSource.measureTime(block: () -> Unit):
Duration {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n val mark =
markNow()\n block()\n return mark.elapsedNow()\n}\n\n/**\n * Data class representing a result of executing
an action, along with the duration of elapsed time interval. \n * \n * @property value the result of the action. \n *
@property duration the time elapsed to execute the action. \n */\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic data class TimedValue<T>(val value:
T, val duration: Duration)\n\n/**\n * Executes the given function [block] and returns an instance of [TimedValue]
class, containing both \n * the result of the function execution and the duration of elapsed time interval. \n * \n * The
elapsed time is measured with [TimeSource.Monotonic]. \n */\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic
inline fun <T> measureTimedValue(block: () -> T): TimedValue<T> {\n contract {\n callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n }\n\n return
TimeSource.Monotonic.measureTimedValue(block)\n}\n\n/**\n * Executes the given [block] and returns an
instance of [TimedValue] class, containing both \n * the result of function execution and the duration of elapsed time
interval. \n * \n * The elapsed time is measured with the specified `this` [TimeSource] instance. \n */\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic
inline fun <T> TimeSource.measureTimedValue(block: ()
-> T): TimedValue<T> {\n contract {\n callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n }\n\n val mark = markNow()\n val result = block()\n return
TimedValue(result, mark.elapsedNow())\n}\n}
\n\n"/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file. \n */\n\npackage kotlin\n\nimport kotlin.coroutines.*\nimport
kotlin.coroutines.intrinsics.*\nimport kotlin.native.concurrent.SharedImmutable\n\n/**\n * Defines deep recursive
function that keeps its stack on the heap, \n * which allows very deep recursive computations that do not use the
actual call stack. \n * To initiate a call to this deep recursive function use its [invoke] function. \n * As a rule of

```



```

DeepRecursiveScope<*, *>.(<Any?> -> Any?)\n\n@SharedImmutable\nprivate val UNDEFINED_RESULT =
Result.success(COROUTINE_SUSPENDED)\n\n@Suppress("\UNCHECKED_CAST")\n\n@ExperimentalStdlibAp
i\nprivate class DeepRecursiveScopeImpl<T, R>(\n block: suspend DeepRecursiveScope<T, R>.(T) -> R,\n value: T\n) : DeepRecursiveScope<T, R>(), Continuation<R> {\n // Active function block\n private var
function: DeepRecursiveFunctionBlock
= block as DeepRecursiveFunctionBlock\n\n // Value to call function with\n private var value: Any? = value\n\n
 // Continuation of the current call\n private var cont: Continuation<Any?>? = this as Continuation<Any?>\n\n
 // Completion result (completion of the whole call stack)\n private var result: Result<Any?> =
UNDEFINED_RESULT\n\n override val context: CoroutineContext\n get() = EmptyCoroutineContext\n\n
 override fun resumeWith(result: Result<R>) {\n this.cont = null\n this.result = result\n }\n\n
 override suspend fun callRecursive(value: T): R = suspendCoroutineUninterceptedOrReturn { cont ->\n // calling the
same function that is currently active\n this.cont = cont as Continuation<Any?>\n this.value = value\n
COROUTINE_SUSPENDED\n }\n\n override suspend fun <U, S> DeepRecursiveFunction<U,
S>.callRecursive(value: U): S = suspendCoroutineUninterceptedOrReturn { cont ->\n // calling
another recursive function\n val function = block as DeepRecursiveFunctionBlock\n
with(this@DeepRecursiveScopeImpl) {\n val currentFunction = this.function\n if (function !==
currentFunction) {\n // calling a different function -- create a trampoline to restore function ref\n
this.function = function\n this.cont = crossFunctionCompletion(currentFunction, cont as
Continuation<Any?>)\n } else {\n // calling the same function -- direct\n this.cont = cont
as Continuation<Any?>\n }\n this.value = value\n }\n COROUTINE_SUSPENDED\n }\n\n
 private fun crossFunctionCompletion(\n currentFunction: DeepRecursiveFunctionBlock,\n cont:
Continuation<Any?>\n): Continuation<Any?> = Continuation(EmptyCoroutineContext) {\n this.function =
currentFunction\n // When going back from a trampoline we cannot just call
cont.resume (stack usage!)\n // We delegate the cont.resumeWith(it) call to runCallLoop\n this.cont =
cont\n this.result = it\n }\n\n @Suppress("\UNCHECKED_CAST")\n fun runCallLoop(): R {\n while
(true) {\n // Note: cont is set to null in DeepRecursiveScopeImpl.resumeWith when the whole computation
completes\n val result = this.result\n val cont = this.cont\n ?: return (result as
Result<R>).getOrThrow() // done -- final result\n // The order of comparison is important here for that case of
rogue class with broken equals\n if (UNDEFINED_RESULT == result) {\n // call "function" with
"value" using "cont" as completion\n val r = try {\n // This is block.startCoroutine(this,
value, cont)\n function.startCoroutineUninterceptedOrReturn(this, value, cont)\n } catch (e:
Throwable) {\n cont.resumeWithException(e)\n continue\n }\n // If the function returns without
suspension -- calls its continuation immediately\n if (r !== COROUTINE_SUSPENDED)\n cont.resume(r as R)\n } else {\n // we returned from a crossFunctionCompletion trampoline -- call
resume here\n this.result = UNDEFINED_RESULT // reset result back\n cont.resumeWith(result)\n }\n }\n }\n }\n\n /**\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n /**\n * Auto-generated file. DO NOT
EDIT!\n */\n\n @file:kotlin.jvm.JvmName("\NumbersKt")\n @file:kotlin.jvm.JvmMultifileClass\n package
kotlin\n\n import kotlin.math.sign\n\n /**\n * Divides this value by the other value, flooring the result to an integer that is
closer
to negative infinity.\n */\n\n @SinceKotlin("1.5")\n @kotlin.internal.InlineOnly\n public inline fun Byte.floorDiv(other:
Byte): Int = \n this.toInt().floorDiv(other.toInt())\n\n /**\n * Calculates the remainder of flooring division of this
value by the other value.\n * The result is either zero or has the same sign as the _divisor_ and has the absolute
value less than the absolute value of the divisor.\n */\n\n @SinceKotlin("1.5")\n @kotlin.internal.InlineOnly\n public
inline fun Byte.mod(other: Byte): Byte = \n this.toInt().mod(other.toInt()).toByte()\n\n /**\n * Divides this value by
the other value, flooring the result to an integer that is closer to negative infinity.

```

```

*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Byte.floorDiv(other: Short): Int = \n
this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_
and has the absolute value less than the absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Short): Short = \n
this.toInt().mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity. *^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Byte.floorDiv(other: Int): Int = \n this.toInt().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring
division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and
has the absolute value less than the absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Int): Int = \n
this.toInt().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to
negative infinity. *^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic
inline fun Byte.floorDiv(other: Long): Long = \n this.toLong().floorDiv(other)\n\n/**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign
as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Long): Long = \n
this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer
to negative infinity. *^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other:
Byte): Int = \n this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this
value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute
value less than the absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Byte): Byte = \n
this.toInt().mod(other.toInt()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity. *^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Short.floorDiv(other: Short): Int = \n this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring
division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and
has the absolute value less than the absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Short): Short = \n
this.toInt().mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity. *^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline
fun Short.floorDiv(other: Int): Int = \n this.toInt().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring
division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and
has the absolute value less than the absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Int): Int = \n
this.toInt().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to
negative infinity. *^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other:
Long): Long = \n this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this
value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute
value less than the absolute value of the divisor.\n *^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic
inline fun Short.mod(other: Long): Long = \n this.toLong().mod(other)\n\n/** Divides this value by the other
value, flooring the result to an integer that is closer to negative infinity.
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Byte): Int = \n
this.floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the
absolute value of the divisor.\n *^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Int.mod(other: Byte): Byte = \n this.mod(other.toInt()).toByte()\n\n/** Divides this value by the other value,
flooring the result to an integer that is closer to negative infinity.

```

```

*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Short): Int = \n
this.floorDiv(other.toInt())\n\n/**\n * Calculates
the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same
sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Short): Short = \n
this.mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is
closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun
Int.floorDiv(other: Int): Int {\n var q = this / other\n if (this xor other < 0 && q * other != this) q-- \n return
q\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is
either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the
divisor.\n *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other:
Int): Int {\n val r = this % other\n return r + (other and (((r xor other) and (r or -r)) shr 31))\n}\n\n/** Divides
this value by the other value, flooring the result to an integer that is closer to negative infinity.
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Long): Long = \n
this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the
absolute value of the divisor.\n *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun
Int.mod(other: Long): Long = \n this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring
the result to an integer that is closer to negative infinity.
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Byte): Long = \n
this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or
has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Byte): Byte = \n
this.mod(other.toLong()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that
is closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun
Long.floorDiv(other: Short): Long = \n this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of
flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the
divisor and has the absolute value less than the absolute value of the divisor.\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Short): Short
= \n this.mod(other.toLong()).toShort()\n\n/** Divides this value by the other value, flooring the result to an
integer that is closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun
Long.floorDiv(other: Int): Long = \n this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring
division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and
has the absolute value less than the absolute value of the divisor.\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Int): Int = \n
this.mod(other.toLong()).toInt()\n\n/** Divides this value by the other value, flooring the result to an integer that is
closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun
Long.floorDiv(other: Long): Long {\n var q = this / other\n if (this xor other < 0 && q * other != this) q-- \n
return
q\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is
either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the
divisor.\n *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Long): Long
{\n val r = this % other\n return r + (other and (((r xor other) and (r or -r)) shr 63))\n}\n\n/**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign
as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be
represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result
can be less than or _equal to_ the absolute value of the divisor.\n

```

```

*\/n@SinceKotlin("1.5")\/n@kotlin.internal.InlineOnly\/npublic inline fun Float.mod(other: Float):
Float {\/n val r = this % other\/n return if (r != 0.0.toFloat() && r.sign != other.sign) r + other else r\/n}\/n\/n**\/n *
Calculates the remainder of flooring division of this value by the other value.\/n *\/n * The result is either zero or has
the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\/n *\/n * If the
result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value
of the result can be less than or _equal to_ the absolute value of the divisor.\/n
*\/n@SinceKotlin("1.5")\/n@kotlin.internal.InlineOnly\/npublic inline fun Float.mod(other: Double): Double =\/n
this.toDouble().mod(other)\/n\/n**\/n * Calculates the remainder of flooring division of this value by the other
value.\/n *\/n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the
absolute value of the divisor.\/n *\/n * If the result cannot be represented exactly,
it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or
equal to the absolute value of the divisor.\/n
*\/n@SinceKotlin("1.5")\/n@kotlin.internal.InlineOnly\/npublic inline
fun Double.mod(other: Float): Double =\/n this.mod(other.toDouble())\/n\/n**\/n * Calculates the remainder of
flooring division of this value by the other value.\/n *\/n * The result is either zero or has the same sign as the
divisor and has the absolute value less than the absolute value of the divisor.\/n *\/n * If the result cannot be
represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result
can be less than or _equal to_ the absolute value of the divisor.\/n
*\/n@SinceKotlin("1.5")\/n@kotlin.internal.InlineOnly\/npublic inline fun Double.mod(other: Double): Double {\/n
val r = this % other\/n return if (r != 0.0 && r.sign != other.sign) r + other else r\/n}\/n\/n",**\/n * Copyright 2010-
2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\/n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\/n
*\/n@SinceKotlin("1.3")\/n@kotlin.internal.InlineOnly\/npublic inline fun Any?.hashCode(): Int =
this?.hashCode() ?: 0\/n",**\/n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\/n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\/n
*\/n@SinceKotlin("1.1")\/npublic
class KotlinVersion(val major: Int, val minor: Int, val patch: Int) : Comparable<KotlinVersion> {\/n /**\/n *
Creates a version from [major] and [minor] components, leaving [patch] component zero.\/n *\/n public
constructor(major: Int, minor: Int) : this(major, minor, 0)\/n private val version = versionOf(major, minor,
patch)\/n private fun versionOf(major: Int, minor: Int, patch: Int): Int {\/n require(major in
0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in
0..MAX_COMPONENT_VALUE) {\/n "Version components are out of range: $major.$minor.$patch"\/n
}\/n return major.shl(16) + minor.shl(8) + patch\/n }\/n /**\/n * Returns the string representation of this
version\/n *\/n override fun toString(): String = "$major.$minor.$patch"\/n\/n override fun equals(other:
Any?): Boolean {\/n if (this === other) return true\/n val otherVersion = (other as? KotlinVersion) ?: return
false\/n
 return this.version == otherVersion.version\/n }\/n\/n override fun hashCode(): Int = version\/n\/n override
fun compareTo(other: KotlinVersion): Int = version - other.version\/n\/n /**\/n * Returns `true` if this version is
not less than the version specified\/n * with the provided [major] and [minor] components.\/n *\/n public fun
isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\/n this.major > major ||
(this.major == major &&\/n this.minor >= minor)\/n\/n /**\/n * Returns `true` if this version is not less
than the version specified\/n * with the provided [major], [minor] and [patch] components.\/n *\/n public fun
isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor, patch)\/n
this.major > major || (this.major == major &&\/n (this.minor > minor || this.minor == minor &&\/n

```

```

 this.patch >= patch))\n\n
 companion object {\n /**\n * Maximum value a version component can have, a constant value 255.\n *\n // NOTE: Must be placed before CURRENT because its initialization requires this field being initialized
in JS\n public const val MAX_COMPONENT_VALUE = 255\n\n /**\n * Returns the current version
of the Kotlin standard library.\n *\n @kotlin.jvm.JvmField\n public val CURRENT: KotlinVersion =
KotlinVersionCurrentValue.get()\n }\n\n// this class is ignored during classpath normalization when
considering whether to recompile dependencies in Kotlin build\nprivate object KotlinVersionCurrentValue {\n
@kotlin.jvm.JvmStatic\n fun get(): KotlinVersion = KotlinVersion(1, 6, 21) // value is written here automatically
during build\n}"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found
in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmName("LateinitKt")\n@file:Suppress("unused")\n\npackage kotlin\n\nimport
kotlin.internal.InlineOnly\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\nimport
kotlin.reflect.KProperty0\n\n/**\n * Returns `true` if this lateinit property has been assigned a value, and `false`
otherwise.\n *\n * Cannot be used in an inline function, to avoid binary compatibility issues.\n
*\n@SinceKotlin("1.2")\n@InlineOnly\ninline val @receiver:AccessibleLateinitPropertyLiteral
KProperty0<*>.isInitialized: Boolean\n get() = throw NotImplementedError("Implementation is
intrinsic")\n}"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmName("LazyKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin\n\nimport
kotlin.reflect.KProperty\n\n/**\n
 * Represents a value with lazy initialization.\n *\n * To create an instance of [Lazy] use the [lazy] function.\n
*\npublic interface Lazy<out T> {\n /**\n * Gets the lazily initialized value of the current Lazy instance.\n *\n
Once the value was initialized it must not change during the rest of lifetime of this Lazy instance.\n *\n public
val value: T\n\n /**\n * Returns `true` if a value for this Lazy instance has been already initialized, and `false`
otherwise.\n *\n * Once this function has returned `true` it stays `true` for the rest of lifetime of this Lazy instance.\n
*\n public fun isInitialized(): Boolean\n}\n\n/**\n * Creates a new instance of the [Lazy] that is already
initialized with the specified [value].\n *\npublic fun <T> lazyOf(value: T): Lazy<T> =
InitializedLazyImpl(value)\n\n/**\n * An extension to delegate a read-only property of type [T] to an instance of
[Lazy].\n *\n * This extension allows to use instances of Lazy for property
delegation:\n *\n`val property: String by lazy { initializer }`\n *\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Lazy<T>.getValue(thisRef: Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a [Lazy]
instance synchronizes initialization among multiple threads.\n *\npublic enum class LazyThreadSafetyMode {\n\n
/**\n * Locks are used to ensure that only a single thread can initialize the [Lazy] instance.\n *\n
SYNCHRONIZED,\n\n /**\n * Initializer function can be called several times on concurrent access to
uninitialized [Lazy] instance value,\n *\n * but only the first returned value will be used as the value of [Lazy]
instance.\n *\n PUBLICATION,\n\n /**\n * No locks are used to synchronize an access to the [Lazy]
instance value; if the instance is accessed from multiple threads, its behavior is undefined.\n *\n * This mode
should not be used unless the [Lazy] instance is guaranteed never to be initialized
from more than one thread.\n *\n NONE,\n}\n\n\ninternal object UNINITIALIZED_VALUE\n\n// internal to
be called from lazy in JS\ninternal class UnsafeLazyImpl<out T>(initializer: () -> T) : Lazy<T>, Serializable {\n
private var initializer: (() -> T)? = initializer\n private var _value: Any? = UNINITIALIZED_VALUE\n\n
override val value: T\n get() {\n if (_value === UNINITIALIZED_VALUE) {\n _value =
initializer!()\n initializer = null\n }\n @Suppress("UNCHECKED_CAST")\n return
_value as T\n }\n\n override fun isInitialized(): Boolean = _value != UNINITIALIZED_VALUE\n\n
override fun toString(): String = if (isInitialized()) value.toString() else "Lazy value not initialized yet."\n\n
private fun writeReplace(): Any = InitializedLazyImpl(value)\n}\n\ninternal class InitializedLazyImpl<out
T>(override val value: T) : Lazy<T>, Serializable {\n override fun isInitialized():

```

```

Boolean = true\n\n override fun toString(): String = value.toString()\n\n}\n\n", "/*\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("NumbersKt")\npackage kotlin\n\n/**\n *
Counts the number of set bits in the binary representation of this [Int] number.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary
representation of this [Int] number.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [Int] number.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
expect fun Int.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the
most significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.takeHighestOneBit(): Int\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.takeLowestOneBit(): Int\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified
[bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least
significant bits on the right side.\n * Rotating the number left by a negative bit count is the same
as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating
by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 32)`\n
*/\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.rotateLeft(bitCount: Int): Int\n\n/**\n * Rotates the binary representation of this [Int] number right by the
specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number
as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as
rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a
multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) ==
number.rotateRight(n % 32)`\n
*/\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
expect fun Int.rotateRight(bitCount: Int): Int\n\n/**\n * Counts the number of set bits in the binary representation
of this [Long] number.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
expect fun Long.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero
in the binary representation of this [Long] number.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [Long] number.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
expect fun Long.takeHighestOneBit(): Long\n\n/**\n * Returns a number having a single bit set in the position of
the least significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.takeLowestOneBit(): Long\n\n/**\n * Rotates the binary representation of this [Long] number left by the
specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as

```

the least significant bits on the right side.\n \* Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n \* `number.rotateLeft(-n) == number.rotateRight(n)`\n \* Rotating by a multiple of [Long.SIZE\_BITS] (64) returns the same number, or more generally\n \* `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n

```
\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.rotateLeft(bitCount: Int): Long\n\n Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n
```

```
\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.rotateRight(bitCount: Int): Long\n\n Counts the number of set bits in the binary representation of this [Byte] number.\n
```

```
\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countOneBits(): Int = (toInt() and 0xFF).countOneBits()\n\n Counts the number of consecutive most significant bits that are zero in the binary representation of this [Byte] number.\n
```

```
\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countLeadingZeroBits(): Int = (toInt() and 0xFF).countLeadingZeroBits() - (Int.SIZE_BITS - Byte.SIZE_BITS)\n\n Counts the number of consecutive least significant bits that are zero in the binary representation of this [Byte] number.\n
```

```
\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countTrailingZeroBits(): Int = (toInt() or 0x100).countTrailingZeroBits()\n\n Returns a number having a single bit set in the position of the most significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n
```

```
\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.takeHighestOneBit(): Byte = (toInt() and 0xFF).takeHighestOneBit().toByte()\n\n Returns a number having a single bit set in the position of the least significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n
```

```
\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.takeLowestOneBit(): Byte = toInt().takeLowestOneBit().toByte()\n\n Rotates the binary representation of this [Byte] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
```

```
\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Byte.rotateLeft(bitCount: Int): Byte =\n (toInt().shl(bitCount and 7) or (toInt() and 0xFF).ushr(8 - (bitCount and 7))).toByte()\n\n Rotates the binary representation of this [Byte] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n
```

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Byte.rotateRight(bitCount: Int): Byte =\n (toInt()).shl(8
```

```

- (bitCount and 7)) or (toInt() and 0xFF).ushr(bitCount and 7)).toByte()\n\n/**\n * Counts the number of set bits in
the binary representation of this [Short] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Short.countOneBits(): Int = (toInt() and 0xFFFF).countOneBits()\n\n/**\n * Counts the number of
consecutive most significant bits that are zero in the binary representation of this [Short] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Short.countLeadingZeroBits(): Int =\n (toInt() and 0xFFFF).countLeadingZeroBits() - (Int.SIZE_BITS
- Short.SIZE_BITS)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary
representation of this [Short] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Short.countTrailingZeroBits():
Int = (toInt() or 0x10000).countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the
position of the most significant set bit of this [Short] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Short.takeHighestOneBit(): Short = (toInt() and 0xFFFF).takeHighestOneBit().toShort()\n\n/**\n *
Returns a number having a single bit set in the position of the least significant set bit of this [Short] number,\n *
or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Short.takeLowestOneBit(): Short = toInt().takeLowestOneBit().toShort()\n\n/**\n * Rotates the binary
representation of this [Short] number left by the specified [bitCount] number of bits.\n * The most significant bits
pushed out from the left side reenter the number
as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as
rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a
multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 16)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
Short.rotateLeft(bitCount: Int): Short =\n (toInt().shl(bitCount and 15) or (toInt() and 0xFFFF).ushr(16 - (bitCount
and 15))).toShort()\n\n/**\n * Rotates the binary representation of this [Short] number right by the specified
[bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the
most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as rotating
it left by the negated bit count:\n * `number.rotateRight(-n) ==
number.rotateLeft(n)`\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more
generally\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
Short.rotateRight(bitCount: Int): Short =\n (toInt().shl(16 - (bitCount and 15)) or (toInt() and
0xFFFF).ushr(bitCount and 15)).toShort()\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmName("TuplesKt")\n\npackage
kotlin\n\n/**\n * Represents a generic pair of two values.\n * There is no meaning attached to values in this
class, it can be used for any purpose.\n * Pair exhibits value semantics, i.e. two pairs are equal if both components
are equal.\n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.pairDestructuring\n

```

```

*\n * @param A type of the first value.\n * @param B type of the second value.\n * @property first First value.\n *
@property second Second value.\n * @constructor Creates a new instance of Pair.\n */\npublic data class Pair<out
A, out B>(\n public val first: A,\n public val second: B\n) : Serializable {\n /**\n * Returns
string representation of the [Pair] including its [first] and [second] values.\n */\n public override fun toString():
String = \"($first, $second)\"\n}\n\n/**\n * Creates a tuple of type [Pair] from this and [that].\n */\n * This can be
useful for creating [Map] literals with less noise, for example:\n * @sample
samples.collections.maps.instantiation.mapFromPairs\n */\npublic infix fun <A, B> A.to(that: B): Pair<A, B> =
Pair(this, that)\n\n/**\n * Converts this pair into a list.\n */\n * @sample samples.misc.tuples.pairToList\n */\npublic
fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n\n/**\n * Represents a triad of values\n */\n * There is
no meaning attached to values in this class, it can be used for any purpose.\n * Triple exhibits value semantics, i.e.
two triples are equal if all three components are equal.\n * An example of decomposing it into values:\n * @sample
samples.misc.tuples.tripleDestructuring\n */\n * @param A type of the first value.\n * @param B type
of the second value.\n * @param C type of the third value.\n * @property first First value.\n * @property second
Second value.\n * @property third Third value.\n */\npublic data class Triple<out A, out B, out C>(\n public val
first: A,\n public val second: B,\n public val third: C\n) : Serializable {\n /**\n * Returns string
representation of the [Triple] including its [first], [second] and [third] values.\n */\n public override fun
toString(): String = \"($first, $second, $third)\"\n}\n\n/**\n * Converts this triple into a list.\n */\n * @sample
samples.misc.tuples.tripleToList\n */\npublic fun <T> Triple<T, T, T>.toList(): List<T> = listOf(first, second,
third)\n", "*/\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n//
Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport kotlin.internal.*\n\n/**\n * A range of values of type `UInt`.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic class UIntRange(start:
UInt, endInclusive: UInt) : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\n override val start:
UInt get() = first\n override val endInclusive: UInt get() = last\n\n override fun contains(value: UInt): Boolean =
first <= value && value <= last\n\n /**\n * Checks if the range is empty.\n */\n * The range is empty if its
start value is greater than the end value.\n */\n override fun isEmpty(): Boolean = first > last\n\n override fun
equals(other: Any?): Boolean =\n other is UIntRange && (isEmpty() && other.isEmpty()) ||\n first ==
other.first && last == other.last\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * first.toInt()
+ last.toInt())\n\n override fun toString(): String = \"$first..$last\"\n\n companion object {\n /**\n * An empty range of values of type UInt. */\n public val EMPTY: UIntRange =
UIntRange(UInt.MAX_VALUE, UInt.MIN_VALUE)\n }\n}\n\n/**\n * A progression of values of type `UInt`.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic open class
UIntProgression\n\ninternal constructor(\n start: UInt,\n endInclusive: UInt,\n step: Int\n) : Iterable<UInt> {\n init {\n if (step == 0.toInt()) throw kotlin.IllegalArgumentException("Step must be non-zero.")\n if (step
== Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than Int.MIN_VALUE to
avoid overflow on negation.")\n }\n\n /**\n * The first element in the progression.\n */\n public val first:
UInt = start\n\n /**\n * The last element in the progression.\n */\n public val last: UInt =
getProgressionLastElement(start, endInclusive, step)\n\n /**\n * The step of the progression.\n */\n public
val step:
Int = step\n\n final override fun iterator(): Iterator<UInt> = UIntProgressionIterator(first, last, step)\n\n /**\n * Checks if the progression is empty.\n */\n * Progression with a positive step is empty if its first element is
greater than the last element.\n * Progression with a negative step is empty if its first element is less than the last
element.\n */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun
equals(other: Any?): Boolean =\n other is UIntProgression && (isEmpty() && other.isEmpty()) ||\n first ==
other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if
(isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step.toInt())\n\n override fun toString(): String = if (step
> 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n *

```

Creates UIntProgression

within the specified bounds of a closed range.  
\* The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].  
\* In order to go backwards the [step] must be negative.  
\* [step] must be greater than `Int.MIN\_VALUE` and not equal to zero.

```
public fun fromClosedRange(rangeStart: UInt, rangeEnd: UInt, step: Int): UIntProgression =
 UIntProgression(rangeStart, rangeEnd, step)
}

/** An iterator over a progression of values of type
`UInt`.
* @property step the number by which the value is incremented on each step.
*/
@SinceKotlin("1.3")
@Suppress("DEPRECATION_ERROR")
private class UIntProgressionIterator(first:
 UInt, last: UInt, step: Int) : UIntIterator() {
 private val finalElement = last
 private var hasNext: Boolean = if
 (step > 0) first <= last else first >= last
 private val step = step.toUInt() // use
 2-complement math for negative steps
 private var next = if (hasNext) first else finalElement
 override fun
 hasNext(): Boolean = hasNext
 override fun nextUInt(): UInt {
 val value = next
 if (value ==
 finalElement) {
 if (!hasNext) throw kotlin.NoSuchElementException()
 hasNext = false
 }
 else {
 next += step
 }
 return value
 }
}

/** Copyright 2010-2022 JetBrains s.r.o.
and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.
*/
@AutoGenerated
package
kotlin.collections

/** An iterator over a sequence of values of type `UByte`.
*/
@Deprecated("This class is not
going to be stabilized and is to be removed soon.", level =
 DeprecationLevel.ERROR)
@SinceKotlin("1.3")
public abstract class UByteIterator : Iterator<UByte> {
 final override
 fun next() = nextUByte()

 /** Returns the next value in the sequence without boxing.
*/
 public abstract fun
 nextUByte(): UByte

 /** An iterator over a sequence of values of type `UShort`.
*/
 @Deprecated("This class
is not going to be stabilized and is to be removed soon.", level =
 DeprecationLevel.ERROR)
 @SinceKotlin("1.3")
 public abstract class UShortIterator : Iterator<UShort> {
 final override fun
 next() = nextUShort()

 /** Returns the next value in the sequence without boxing.
*/
 public abstract fun
 nextUShort(): UShort

 /** An iterator over a sequence of values of type `UInt`.
*/
 @Deprecated("This class
is not going to be stabilized and is to be removed soon.", level =
 DeprecationLevel.ERROR)
 @SinceKotlin("1.3")
 public abstract class UIntIterator : Iterator<UInt> {
 final
 override fun next() = nextUInt()

 /** Returns the next value in the sequence without boxing.
*/
 public
 abstract fun nextUInt(): UInt

 /** An
 iterator over a sequence of values of type `ULong`.
*/
 @Deprecated("This class
is not going to be stabilized and is to be removed soon.", level =
 DeprecationLevel.ERROR)
 @SinceKotlin("1.3")
 public abstract class
 ULongIterator : Iterator<ULong> {
 final override fun
 next() = nextULong()

 /** Returns the next value in
 the sequence without boxing.
*/
 public abstract fun
 nextULong(): ULong

 /** Copyright 2010-2022
 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the
 Apache 2.0 license that can be found in the
 license/LICENSE.txt file.
 */
 @AutoGenerated
 package
 kotlin.ranges

 import kotlin.internal

 /** A range of values of type `ULong`.
*/
 @SinceKotlin("1.5")
 @WasExperimental(ExperimentalUnsignedTypes::class)
 public class
 ULongRange(start: ULong, endInclusive: ULong) : ULongProgression(start, endInclusive, 1),
 ClosedRange<ULong> {
 override val start:
 ULong get() = first
 override val endInclusive: ULong get() = last
 override fun contains(value: ULong):
 Boolean = first <= value && value <= last

 /** Checks if the range is empty.
*/
 * The range is
 empty if its start value is greater than the end value.
*/
 override fun isEmpty(): Boolean = first > last

 override fun equals(other: Any?): Boolean =
 other is ULongRange && (isEmpty() && other.isEmpty()) ||
 first == other.first && last == other.last

 override fun hashCode(): Int =
 if (isEmpty()) -1 else (31
 * (first xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt())

 override fun toString(): String =
 "$first..$last"

 companion object {
 /** An empty range of values of type ULong.
*/
 public val
 EMPTY: ULongRange = ULongRange(ULong.MAX_VALUE, ULong.MIN_VALUE)
 }
 }
}

/** A
```

```

progression of values of type `ULong`.
*/@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)
public
open class ULongProgression(
 internal constructor(
 start: ULong,
 endInclusive: ULong,
 step: Long
) :
 Iterable<ULong> {
 init {
 if (step == 0.toLong()) throw kotlin.IllegalArgumentException("Step must be
 non-zero.")
 if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater
 than Long.MIN_VALUE to avoid overflow on negation.")
 }
 /**
 * The first element in the
 progression.
 */
 public val first: ULong = start
 /**
 * The last element in the progression.
 */
 public val last: ULong = getProgressionLastElement(start, endInclusive, step)
 /**
 * The step of the
 progression.
 */
 public val step: Long = step
 final override fun iterator(): Iterator<ULong> =
 ULongProgressionIterator(first, last, step)
 /**
 * Checks if the progression is empty.
 */
 fun isEmpty(): Boolean {
 Progression with a positive
 step is empty if its first element is greater than the last element.
 * Progression with a negative step is empty if
 its first element is less than the last element.
 */
 public open fun isEmpty(): Boolean = if (step > 0) first > last
 else first < last
 override fun equals(other: Any?): Boolean =
 other is ULongProgression && (isEmpty()
 && other.isEmpty() ||
 first == other.first && last == other.last && step == other.step)
 override fun
 hashCode(): Int =
 if (isEmpty()) -1 else (31 * (31 * (first xor (first shr 32)).toInt()) + (last xor (last shr
 32)).toInt()) + (step xor (step ushr 32)).toInt()
 override fun toString(): String =
 if (step > 0) "$first..$last step
 $step" else "$first downTo $last step ${-step}"
 companion object {
 /**
 * Creates
 ULongProgression within the specified bounds of a closed range.
 * The progression starts with the
 [rangeStart] value and goes toward the
 [rangeEnd] value not excluding it, with the specified [step].
 * In order to go backwards the [step] must be
 negative.
 * [step] must be greater than `Long.MIN_VALUE` and not equal to zero.
 */
 public fun fromClosedRange(rangeStart: ULong, rangeEnd: ULong, step: Long): ULongProgression =
 ULongProgression(rangeStart, rangeEnd, step)
 }
 }
 /**
 * An iterator over a progression of values of type
 `ULong`.
 */
 @property step the number by which the value is incremented on each step.
}
*/@SinceKotlin("1.3")@Suppress("DEPRECATION_ERROR")
private class
ULongProgressionIterator(first: ULong, last: ULong, step: Long) : ULongIterator() {
 private val finalElement =
 last
 private var hasNext: Boolean = if (step > 0) first <= last else first >= last
 private val step =
 step.toULong() // use 2-complement math for negative steps
 private var next = if (hasNext) first else
 finalElement
 override fun hasNext(): Boolean
 = hasNext
 override fun nextULong(): ULong {
 val value = next
 if (value == finalElement) {
 if (!hasNext) throw kotlin.NoSuchElementException()
 hasNext = false
 } else {
 next +=
 step
 }
 return value
 }
}
/*
Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
*/
package kotlin.math
/**
 * Returns the smaller of two values.
 */
*/@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)@kotlin.internal.InlineOnly
public inline fun min(a: UInt, b: UInt): UInt {
 return minOf(a, b)
}
/**
 * Returns the smaller of two
values.
 */
*/@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)@kotlin.internal.InlineOnly
public inline fun min(a: ULong, b: ULong): ULong {
 return minOf(a,
 b)
}
/**
 * Returns the greater of two values.
 */
*/@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)@kotlin.internal.InlineOnly
public inline fun max(a: UInt, b: UInt): UInt {
 return maxOf(a, b)
}
/**
 * Returns the greater of two
values.
 */
*/@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)@kotlin.internal.InlineOnly
public inline fun max(a: ULong, b: ULong): ULong {
 return maxOf(a, b)
}
/*
Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */

```

```

*\n\n@file:kotlin.jvm.JvmName("\UNumbersKt")\npackage kotlin\n\n/**\n * Counts the number of set bits in the
binary representation of this [UInt] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countOneBits():
Int = toInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [UInt] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countLeadingZeroBits(): Int =
toInt().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the
binary representation of this [UInt] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countTrailingZeroBits(): Int =
toInt().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeHighestOneBit(): UInt =
toInt().takeHighestOneBit().toUInt()\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeLowestOneBit(): UInt =
toInt().takeLowestOneBit().toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number left by the
specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as
the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as
rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a
multiple of [UInt.SIZE_BITS]
(32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateLeft(bitCount: Int):
UInt = toInt().rotateLeft(bitCount).toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number
right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter
the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is
the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *
Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n *
`number.rotateRight(n) == number.rotateRight(n % 32)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun UInt.rotateRight(bitCount: Int): UInt = toInt().rotateRight(bitCount).toUInt()\n\n/**\n * Counts the
number of set bits in the binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countOneBits(): Int =
toLong().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countLeadingZeroBits(): Int =
toLong().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero
in the binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,

```

```

ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countTrailingZeroBits(): Int
= toLong().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeHighestOneBit(): ULong
= toLong().takeHighestOneBit().toULong()\n\n/**\n * Returns a number having a single bit set in the position of the
least significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeLowestOneBit(): ULong
= toLong().takeLowestOneBit().toULong()\n\n/**\n * Rotates the binary representation
of this [ULong] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out
from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left
by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) ==
number.rotateRight(n)`\n *\n * Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or
more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateLeft(bitCount:
Int): ULong = toLong().rotateLeft(bitCount).toULong()\n\n/**\n * Rotates the binary representation of this [ULong]
number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side
reenter the number as the most significant bits
on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the
negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of
[ULong.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) ==
number.rotateRight(n % 64)`\n
*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateRight(bitCount:
Int): ULong = toLong().rotateRight(bitCount).toULong()\n\n/**\n * Counts the number of set bits in the binary
representation of this [UByte] number.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countOneBits(): Int =
toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of
this [UByte] number.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countLeadingZeroBits(): Int =
toByte().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [UByte] number.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countTrailingZeroBits(): Int =
toByte().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeHighestOneBit(): UByte
= toInt().takeHighestOneBit().toUByte()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeLowestOneBit(): UByte =
toInt().takeLowestOneBit().toUByte()\n\n/**\n * Rotates the binary representation of this [UByte] number left by
the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the

```

```

number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the
same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *
Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n *
`number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateLeft(bitCount:
Int): UByte = toByte().rotateLeft(bitCount).toUByte()\n\n/**\n * Rotates the binary representation of this [UByte]
number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side
reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit
count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n
*\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n *
`number.rotateRight(n) == number.rotateRight(n % 8)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateRight(bitCount:
Int): UByte = toByte().rotateRight(bitCount).toUByte()\n\n/**\n * Counts the number of set bits in the binary representation of this [UShort] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countOneBits(): Int =
toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [UShort] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countLeadingZeroBits(): Int =
toShort().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero
in the binary representation of this [UShort] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countTrailingZeroBits():
Int = toShort().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the
most significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeHighestOneBit(): UShort =
toInt().takeHighestOneBit().toUShort()\n\n/**\n * Returns a number having a single bit set in the position of the
least significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeLowestOneBit(): UShort =
toInt().takeLowestOneBit().toUShort()\n\n/**\n * Rotates the binary representation of this [UShort] number left
by the specified [bitCount] number of bits.\n * The most significant bits pushed out
from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left
by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) ==
number.rotateRight(n)`\n *\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or
more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateLeft(bitCount:
Int): UShort = toShort().rotateLeft(bitCount).toUShort()\n\n/**\n * Rotates the binary representation of this
[UShort] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the
right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a
negative bit count is the same as rotating it left by the
negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of
[UShort.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateRight(n) ==

```

```

number.rotateRight(n % 16)`n *^n@SinceKotlin("1.6")`n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)`n@kotlin.internal.InlineOnly`npublic inline fun UShort.rotateRight(bitCount:
Int): UShort = toShort().rotateRight(bitCount).toUShort()`n", /*`n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.`n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.`n *^n`npackage kotlin.internal`n`n// (a - b) mod c`nprivate fun
differenceModulo(a: UInt, b: UInt, c: UInt): UInt {`n val ac = a % c`n val bc = b % c`n return if (ac >= bc) ac -
bc else ac - bc + c`n}`n`nprivate fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {`n val ac = a %
c`n val bc
= b % c`n return if (ac >= bc) ac - bc else ac - bc + c`n}`n`n/**`n * Calculates the final element of a bounded
arithmetic progression, i.e. the last element of the progression which is in the range`n * from [start] to [end] in case
of a positive [step], or from [end] to [start] in case of a negative`n * [step].`n *`n * No validation on passed
parameters is performed. The given parameters should satisfy the condition:`n *`n * - either `step > 0` and `start <=
end`,`n * - or `step < 0` and `start >= end`.`n *`n * @param start first element of the progression`n * @param end
ending bound for the progression`n * @param step increment, or difference of successive elements in the
progression`n * @return the final element of the progression`n * @suppress`n
*^n@PublishedApi`n@SinceKotlin("1.3")`ninternal fun getProgressionLastElement(start: UInt, end: UInt, step:
Int): UInt = when {`n step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())`n
step <
0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())`n else -> throw
kotlin.IllegalArgumentException("Step is zero.")`n}`n`n/**`n * Calculates the final element of a bounded
arithmetic progression, i.e. the last element of the progression which is in the range`n * from [start] to [end] in case
of a positive [step], or from [end] to [start] in case of a negative`n * [step].`n *`n * No validation on passed
parameters is performed. The given parameters should satisfy the condition:`n *`n * - either `step > 0` and `start <=
end`,`n * - or `step < 0` and `start >= end`.`n *`n * @param start first element of the progression`n * @param end
ending bound for the progression`n * @param step increment, or difference of successive elements in the
progression`n * @return the final element of the progression`n * @suppress`n
*^n@PublishedApi`n@SinceKotlin("1.3")`ninternal fun getProgressionLastElement(start: ULong, end: ULong,
step: Long): ULong = when {`n
step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toULong())`n step < 0 -> if (start <=
end) end else end + differenceModulo(start, end, (-step).toULong())`n else -> throw
kotlin.IllegalArgumentException("Step is zero.")`n}`n`n", /*`n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.`n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.`n *^n`n@file:kotlin.jvm.JvmName("UStringsKt") // string representation
of unsigned numbers`n`npackage kotlin.text`n`n/**`n * Returns a string representation of this [Byte] value in the
specified [radix].`n *`n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string
conversion.`n
*^n@SinceKotlin("1.5")`n@WasExperimental(ExperimentalUnsignedTypes::class)`n//@kotlin.internal.InlineOnly
`npublic /*inline*/ fun UByte.toString(radix: Int): String = this.toInt().toString(radix)`n`n/**`n * Returns
a string representation of this [Short] value in the specified [radix].`n *`n * @throws IllegalArgumentException
when [radix] is not a valid radix for number to string conversion.`n
*^n@SinceKotlin("1.5")`n@WasExperimental(ExperimentalUnsignedTypes::class)`n//@kotlin.internal.InlineOnly
`npublic /*inline*/ fun UShort.toString(radix: Int): String = this.toInt().toString(radix)`n`n/**`n * Returns a string
representation of this [Int] value in the specified [radix].`n *`n * @throws IllegalArgumentException when [radix] is
not a valid radix for number to string conversion.`n
*^n@SinceKotlin("1.5")`n@WasExperimental(ExperimentalUnsignedTypes::class)`n//@kotlin.internal.InlineOnly
`npublic /*inline*/ fun UInt.toString(radix: Int): String = this.toLong().toString(radix)`n`n/**`n * Returns a string
representation of this [Long] value in the specified [radix].`n *`n * @throws IllegalArgumentException when [radix]
is not a valid radix for number to string conversion.`n

```



```

IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUShortOrNull(radix: Int): UShort? {\n val int = this.toUIntOrNull(radix) ?: return null\n if (int >
UShort.MAX_VALUE) return null\n return int.toUShort()\n}\n\n/**\n * Parses the string as an [UInt] number and
returns the result\n * or `null` if the string is not
a valid representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUIntOrNull(): UInt? = toUIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [UInt] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUIntOrNull(radix: Int): UInt? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0)
return null\n\n val limit: UInt = UInt.MAX_VALUE\n val start: Int\n val firstChar = this[0]\n if (firstChar
< '0') {\n if (length == 1 || firstChar != '+') return null\n start = 1\n } else {\n start = 0\n }\n\n val
limitForMaxRadix = 119304647u // limit / 36\n var limitBeforeMul = limitForMaxRadix\n val uradix = radix.toUInt()\n var result = 0u\n for (i in start until length) {\n val digit = digitOf(this[i],
radix)\n\n if (digit < 0) return null\n if (result > limitBeforeMul) {\n if (limitBeforeMul ==
limitForMaxRadix) {\n limitBeforeMul = limit / uradix\n\n if (result > limitBeforeMul) {\n
 return null\n }\n } else {\n return null\n }\n }\n result *= uradix\n\n val beforeAdding = result\n result += digit.toUInt()\n if (result < beforeAdding) return null // overflow
has happened\n }\n\n return result\n}\n\n/**\n * Parses the string as an [ULong] number and returns the result\n
* or `null` if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toULongOrNull(): ULong? = toULongOrNull(radix = 10)\n\n/**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if the string is not a valid representation
of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toULongOrNull(radix: Int): ULong? {\n checkRadix(radix)\n\n val length = this.length\n if (length ==
0) return null\n\n val limit: ULong = ULong.MAX_VALUE\n val start: Int\n val firstChar = this[0]\n if
(firstChar < '0') {\n if (length == 1 || firstChar != '+') return null\n start = 1\n } else {\n start = 0\n }\n\n val limitForMaxRadix = 512409557603043100uL // limit / 36\n var limitBeforeMul =
limitForMaxRadix\n val uradix = radix.toULong()\n var result = 0uL\n for (i in start until length) {\n val
digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n\n if (result > limitBeforeMul) {\n if (limitBeforeMul == limitForMaxRadix) {\n limitBeforeMul =
limit / uradix\n\n if (result > limitBeforeMul) {\n return null\n }\n } else {\n return null\n }\n }\n result *= uradix\n\n val beforeAdding = result\n result +=
digit.toUInt()\n if (result < beforeAdding) return null // overflow has happened\n }\n\n return
result\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\npackage kotlin\nimport
kotlin.annotation.AnnotationTarget.\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\n\n/**\n * Marks the API that is dependent on the
experimental unsigned types, including those types themselves.\n * @Usages of such API will be reported as
warnings unless an explicit opt-in with\n * the [OptIn] annotation, e.g.
`@OptIn(ExperimentalUnsignedTypes::class)`\n * or with the `--opt-in=kotlin.ExperimentalUnsignedTypes`
compiler option is given.\n * It's recommended to propagate the experimental status to the API that depends on
unsigned types by annotating it with this annotation.\n *\n@RequiresOptIn(level =
RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Target(CLASS, ANNOTATION_CLASS,

```

PROPERTY, FIELD, LOCAL\_VARIABLE, VALUE\_PARAMETER, CONSTRUCTOR, FUNCTION,  
PROPERTY\_GETTER, PROPERTY\_SETTER,

TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind =  
RequireKotlinVersionKind.COMPILER\_VERSION)\npublic annotation class ExperimentalUnsignedTypes\n", /\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code  
is governed by

the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

\*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MathKt")\n\n\npackage

kotlin.math\n\n\n// constants, can't use them from nativeMath as they are not constants there\n\n/\*\* Ratio of the  
circumference of a circle to its diameter, approximately 3.14159. \*\n\n@SinceKotlin("1.2")\n\npublic const val PI:  
Double = 3.141592653589793\n\n/\*\* Base of the natural logarithms, approximately 2.71828.

\*\n\n@SinceKotlin("1.2")\n\npublic const val E: Double = 2.718281828459045\n\n\n// region =====  
Double Math =====\n\n\n/\*\* Computes the sine of the angle [x]  
given in radians.\n \* \n \* Special cases:\n \* - `sin(NaN|+Inf|-Inf)` is `NaN`\n \*\n\n@SinceKotlin("1.2")\n\npublic expect fun sin(x: Double): Double\n\n\n/\*\* Computes the cosine of the angle [x] given in radians.\n \* \n \* Special  
cases:\n \* - `cos(NaN|+Inf|-Inf)` is `NaN`\n \*\n\n@SinceKotlin("1.2")\n\npublic expect

fun cos(x: Double): Double\n\n\n/\*\* Computes the tangent of the angle [x] given in radians.\n \* \n \* Special cases:\n \* - `tan(NaN|+Inf|-Inf)` is `NaN`\n \*\n\n@SinceKotlin("1.2")\n\npublic expect fun tan(x: Double): Double\n\n\n/\*\* Computes the arc sine of the value [x];\n \* the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$   
radians.\n \* \n \* Special cases:\n \* - `asin(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n

\*\n\n@SinceKotlin("1.2")\n\npublic expect fun asin(x: Double): Double\n\n\n/\*\* Computes the arc cosine of the  
value [x];\n \* the returned value is an angle in the range from  $0.0$  to  $\pi$  radians.\n \* \n \* Special cases:\n \* -  
`acos(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n \*\n\n@SinceKotlin("1.2")\n\npublic expect fun acos(x: Double):

Double\n\n\n/\*\* Computes the arc tangent of the value [x];\n \* the returned value is an angle in the range from  $-\pi/2$   
to  $\pi/2$  radians.\n \* \n \* Special cases:\n \* - `atan(NaN)` is `NaN`\n \*\n\n@SinceKotlin("1.2")\n\npublic expect fun atan(x: Double): Double\n\n\n/\*\* Returns the angle  $\theta$  of the polar coordinates  $(r, \theta)$  that  
correspond\n \* to the rectangular coordinates  $(x, y)$  by computing the arc tangent of the value  $y / x$ ;\n \* the  
returned value is an angle in the range from  $-\pi$  to  $\pi$  radians.\n \* \n \* Special cases:\n \* - `atan2(0.0, 0.0)` is  
 $0.0$ \n \* - `atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$ \n \* - `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$   
for  $x < 0$ \n \* - `atan2(y, +Inf)` is  $0.0$  for  $0 < y < +Inf$  and  $-0.0$  for  $-Inf < y < 0$ \n \* - `atan2(y, -Inf)` is  $\pi$   
for  $0 < y < +Inf$  and  $-\pi$  for  $-Inf < y < 0$ \n \* - `atan2(y, 0.0)` is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$ \n \* -  
`atan2(+Inf, x)` is  $\pi/2$  for finite  $x \neq 0$ \n \* - `atan2(-Inf, x)` is  $-\pi/2$  for finite  $x \neq 0$ \n \* - `atan2(NaN, x)` and  
`atan2(y, NaN)` is `NaN`\n \*\n\n@SinceKotlin("1.2")\n\npublic expect fun atan2(y: Double, x: Double):

Double\n\n\n/\*\* Computes  
the hyperbolic sine of the value [x].\n \* \n \* Special cases:\n \* - `sinh(NaN)` is `NaN`\n \* - `sinh(+Inf)` is  $+Inf$ \n \*  
- `sinh(-Inf)` is  $-Inf$ \n \*\n\n@SinceKotlin("1.2")\n\npublic expect fun sinh(x: Double): Double\n\n\n/\*\* Computes the hyperbolic cosine of the value [x].\n \* \n \* Special cases:\n \* - `cosh(NaN)` is `NaN`\n \* -  
`cosh(+Inf|-Inf)` is  $+Inf$ \n \*\n\n@SinceKotlin("1.2")\n\npublic expect fun cosh(x: Double): Double\n\n\n/\*\* Computes the hyperbolic tangent of the value [x].\n \* \n \* Special cases:\n \* - `tanh(NaN)` is `NaN`\n \* -  
`tanh(+Inf)` is  $1.0$ \n \* - `tanh(-Inf)` is  $-1.0$ \n \*\n\n@SinceKotlin("1.2")\n\npublic expect fun tanh(x: Double):

Double\n\n\n/\*\* Computes the inverse hyperbolic sine of the value [x].\n \* \n \* The returned value is  $y$  such that  
 $\sinh(y) = x$ .\n \* \n \* Special cases:\n \* - `asinh(NaN)` is `NaN`\n \* - `asinh(+Inf)` is  $+Inf$ \n \* - `asinh(-Inf)`  
is  $-Inf$ \n \*\n\n@SinceKotlin("1.2")\n\npublic expect fun asinh(x: Double): Double\n\n\n/\*\* Computes the inverse hyperbolic cosine of the value [x].\n \* \n \* The returned value is positive  $y$  such that  
 $\cosh(y) = x$ .\n \* \n \* Special cases:\n \* - `acosh(NaN)` is `NaN`\n \* - `acosh(x)` is `NaN` when  $x < 1$ \n \* -  
`acosh(+Inf)` is  $+Inf$ \n \*\n\n@SinceKotlin("1.2")\n\npublic expect fun acosh(x: Double): Double\n\n\n/\*\* Computes the inverse hyperbolic tangent of the value [x].\n \* \n \* The returned value is  $y$  such that  $\tanh(y) =$   
 $x$ .\n \* \n \* Special cases:\n \* - `tanh(NaN)` is `NaN`\n \* - `tanh(x)` is `NaN` when  $x > 1$  or  $x < -1$ \n \* -

`tanh(1.0)` is `+Inf` \* `-tanh(-1.0)` is `-Inf` \* `^` `@SinceKotlin("1.2")` `public expect fun atanh(x: Double): Double` \* Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow. \* Special cases: \* `-` returns `+Inf` if any of arguments is infinite \* `-` returns `NaN` if any of arguments is `NaN` and the other is not infinite \* `^` `@SinceKotlin("1.2")` `public expect fun hypot(x: Double, y: Double): Double` \* Computes the positive square root of the value `[x]`. \* Special cases: \* `-` `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN` \* `^` `@SinceKotlin("1.2")` `public expect fun sqrt(x: Double): Double` \* Computes Euler's number `e` raised to the power of the value `[x]`. \* Special cases: \* `-` `exp(NaN)` is `NaN` \* `-` `exp(+Inf)` is `+Inf` \* `-` `exp(-Inf)` is `0.0` \* `^` `@SinceKotlin("1.2")` `public expect fun exp(x: Double): Double` \* Computes `exp(x) - 1`. \* This function can be implemented to produce more precise result for `[x]` near zero. \* Special cases: \* `-` `expm1(NaN)` is `NaN` \* `-` `expm1(+Inf)` is `+Inf` \* `-` `expm1(-Inf)` is `-1.0` \* `^` `@see [exp] function.` \* `^` `@SinceKotlin("1.2")` `public expect fun expm1(x: Double): Double` \* Computes the logarithm of the value `[x]` to the given `[base]`. \* Special cases: \* `-` `log(x, b)` is `NaN` if either `x` or `b` are `NaN` \* `-` `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0` \* `-` `log(+Inf, +Inf)` is `NaN` \* `-` `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1` \* `-` `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1` \* `^` `@see also logarithm functions for common fixed bases: [ln], [log10] and [log2].` \* `^` `@SinceKotlin("1.2")` `public expect fun log(x: Double, base: Double): Double` \* Computes the natural logarithm (base `E`) of the value `[x]`. \* Special cases: \* `-` `ln(NaN)` is `NaN` \* `-` `ln(x)` is `NaN` when `x < 0.0` \* `-` `ln(+Inf)` is `+Inf` \* `-` `ln(0.0)` is `-Inf` \* `^` `@SinceKotlin("1.2")` `public expect fun ln(x: Double): Double` \* Computes the common logarithm (base 10) of the value `[x]`. \* `^` `@see [ln] function for special cases.` \* `^` `@SinceKotlin("1.2")` `public expect fun log10(x: Double): Double` \* Computes the binary logarithm (base 2) of the value `[x]`. \* `^` `@see [ln] function for special cases.` \* `^` `@SinceKotlin("1.2")` `public expect fun log2(x: Double): Double` \* Computes `ln(x + 1)`. \* This function can be implemented to produce more precise result for `[x]` near zero. \* Special cases: \* `-` `ln1p(NaN)` is `NaN` \* `-` `ln1p(x)` is `NaN` where `x < -1.0` \* `-` `ln1p(-1.0)` is `-Inf` \* `-` `ln1p(+Inf)` is `+Inf` \* `^` `@see [ln] function` \* `^` `@see [expm1] function` \* `^` `@SinceKotlin("1.2")` `public expect fun ln1p(x: Double): Double` \* Rounds the given value `[x]` to an integer towards positive infinity. \* `^` `@return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.` \* Special cases: \* `-` `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer. \* `^` `@SinceKotlin("1.2")` `public expect fun ceil(x: Double): Double` \* Rounds the given value `[x]` to an integer towards negative infinity. \* `^` `@return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.` \* Special cases: \* `-` `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer. \* `^` `@SinceKotlin("1.2")` `public expect fun floor(x: Double): Double` \* Rounds the given value `[x]` to an integer towards zero. \* `^` `@return the value [x] having its fractional part truncated.` \* Special cases: \* `-` `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer. \* `^` `@SinceKotlin("1.2")` `public expect fun truncate(x: Double): Double` \* Rounds the given value `[x]` towards the closest integer with ties rounded towards even integer. \* Special cases: \* `-` `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer. \* `^` `@SinceKotlin("1.2")` `public expect fun round(x: Double): Double` \* Returns the absolute value of the given value `[x]`. \* Special cases: \* `-` `abs(NaN)` is `NaN` \* `^` `@see absoluteValue extension property for [Double]` \* `^` `@SinceKotlin("1.2")` `public expect fun abs(x: Double): Double` \* Returns the sign of the given value `[x]`: \* `-` `-1.0` if the value is negative, \* `-` zero if the value is zero, \* `-` `1.0` if the value is positive \* Special case: \* `-` `sign(NaN)` is `NaN` \* `^` `@SinceKotlin("1.2")` `public expect fun sign(x: Double): Double` \* Returns the smaller of two values. \* `^` `@If either value is NaN, then the result is NaN.` \* `^` `@SinceKotlin("1.2")` `public expect fun min(a: Double, b: Double): Double` \* Returns the greater of two values. \* `^` `@If either value is NaN, then the result is NaN.` \* `^` `@SinceKotlin("1.2")` `public expect fun max(a: Double, b: Double): Double` // extensions \* Raises this value to the power `[x]`. \* Special cases: \* `-` `b.pow(0.0)` is `1.0` \* `-`

`b.pow(1.0) == b`n * - `b.pow(NaN)` is `NaN`n * - `NaN.pow(x)` is  
NaN` for `x != 0.0`n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`n * - `b.pow(x)` is `NaN` for `b < 0` and `x`  
is finite and not an integern */n@SinceKotlin("1.2")npublic expect fun Double.pow(x: Double): Doublen/n/**n  
* Raises this value to the integer power [n].n */n * See the other overload of [pow] for details.n  
*/n@SinceKotlin("1.2")npublic expect fun Double.pow(n: Int): Doublen/n/**n * Returns the absolute value of  
this value.n */n * Special cases:n * - `NaN.absoluteValue` is `NaN`n */n * @see abs functionn  
*/n@SinceKotlin("1.2")npublic expect val Double.absoluteValue: Doublen/n/**n * Returns the sign of this  
value:n * - `-1.0` if the value is negative,n * - zero if the value is zero,n * - `1.0` if the value is positiven */n *  
Special case:n * - `NaN.sign` is `NaN`n */n@SinceKotlin("1.2")npublic expect val Double.sign:  
Doublen/n/**n * Returns this value with the sign bit same as of the [sign] value.n */n * If [sign] is `NaN`  
the sign of the result is undefined.n */n@SinceKotlin("1.2")npublic expect fun Double.withSign(sign: Double):  
Doublen/n/**n * Returns this value with the sign bit same as of the [sign] value.n  
*/n@SinceKotlin("1.2")npublic expect fun Double.withSign(sign: Int): Doublen/n/**n * Returns the ulp (unit in  
the last place) of this value.n */n * An ulp is a positive distance between this value and the next nearest [Double]  
value larger in magnitude.n */n * Special Cases:n * - `NaN.ulp` is `NaN`n * - `x.ulp` is `+Inf` when `x` is `+Inf`  
or `-Inf`n * - `0.0.ulp` is `Double.MIN_VALUE`n */n@SinceKotlin("1.2")npublic expect val Double.ulp:  
Doublen/n/**n * Returns the [Double] value nearest to this value in direction of positive infinity.n  
*/n@SinceKotlin("1.2")npublic expect fun Double.nextUp(): Doublen/n/**n * Returns the [Double] value  
nearest to this value in direction of negative infinity.n */n@SinceKotlin("1.2")npublic expect fun  
Double.nextDown():  
Doublen/n/**n * Returns the [Double] value nearest to this value in direction from this value towards the value  
[to].n */n * Special cases:n * - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`n * -  
`x.nextTowards(x) == x`n */n@SinceKotlin("1.2")npublic expect fun Double.nextTowards(to: Double):  
Doublen/n/**n * Rounds this [Double] value to the nearest integer and converts the result to [Int].n * Ties are  
rounded towards positive infinity.n */n * Special cases:n * - `x.roundToInt() == Int.MAX_VALUE` when `x >  
Int.MAX_VALUE`n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`n */n * @throws  
IllegalArgumentException when this value is `NaN`n */n@SinceKotlin("1.2")npublic expect fun  
Double.roundToInt(): Intn/n/**n * Rounds this [Double] value to the nearest integer and converts the result to  
[Long].n * Ties are rounded towards positive infinity.n */n * Special cases:n * - `x.roundToLong() ==  
Long.MAX_VALUE` when `x > Long.MAX_VALUE`n  
* - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`n */n * @throws  
IllegalArgumentException when this value is `NaN`n */n@SinceKotlin("1.2")npublic expect fun  
Double.roundToLong(): Longn/n// endregionn/n/n// region ===== Float Math  
=====n/n/** Computes the sine of the angle [x] given in  
radians.n */n * Special cases:n * - `sin(NaN|+Inf|-Inf)` is `NaN`n */n@SinceKotlin("1.2")npublic expect fun  
sin(x: Float): Floatn/n/** Computes the cosine of the angle [x] given in radians.n */n * Special cases:n * -  
`cos(NaN|+Inf|-Inf)` is `NaN`n */n@SinceKotlin("1.2")npublic expect fun cos(x: Float): Floatn/n/** Computes  
the tangent of the angle [x] given in radians.n */n * Special cases:n * - `tan(NaN|+Inf|-Inf)` is `NaN`n  
*/n@SinceKotlin("1.2")npublic expect fun tan(x: Float): Floatn/n/**n * Computes the arc sine of the value  
[x];n * the returned value is an angle in the range from  
`-PI/2` to `PI/2` radians.n */n * Special cases:n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`n  
*/n@SinceKotlin("1.2")npublic expect fun asin(x: Float): Floatn/n/**n * Computes the arc cosine of the value  
[x];n * the returned value is an angle in the range from `0.0` to `PI` radians.n */n * Special cases:n * - `acos(x)`  
is `NaN`, when `abs(x) > 1` or x is `NaN`n */n@SinceKotlin("1.2")npublic expect fun acos(x: Float):  
Floatn/n/**n * Computes the arc tangent of the value [x];n * the returned value is an angle in the range from `  
PI/2` to `PI/2` radians.n */n * Special cases:n * - `atan(NaN)` is `NaN`n */n@SinceKotlin("1.2")npublic  
expect fun atan(x: Float): Floatn/n/**n * Returns the angle `theta` of the polar coordinates `(r, theta)` that  
correspondn * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];n * the`

returned value is an angle in the range from  $-\pi$  to  $\pi$  radians.

**Special cases:**

- $\text{atan2}(0.0, 0.0)$  is  $0.0$
- $\text{atan2}(0.0, x)$  is  $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$
- $\text{atan2}(-0.0, x)$  is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$
- $\text{atan2}(y, +\text{Inf})$  is  $0.0$  for  $0 < y < +\text{Inf}$  and  $-0.0$  for  $-\text{Inf} < y < 0$
- $\text{atan2}(y, -\text{Inf})$  is  $\pi$  for  $0 < y < +\text{Inf}$  and  $-\pi$  for  $-\text{Inf} < y < 0$
- $\text{atan2}(y, 0.0)$  is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$
- $\text{atan2}(+\text{Inf}, x)$  is  $\pi/2$  for finite  $x$
- $\text{atan2}(-\text{Inf}, x)$  is  $-\pi/2$  for finite  $x$
- $\text{atan2}(\text{NaN}, x)$  and  $\text{atan2}(y, \text{NaN})$  is  $\text{NaN}$

```

@SinceKotlin("1.2")
public expect fun atan2(y: Float, x: Float): Float

```

**Computes the hyperbolic sine of the value [x].**

**Special cases:**

- $\sinh(\text{NaN})$  is  $\text{NaN}$
- $\sinh(+\text{Inf})$  is  $+\text{Inf}$
- $\sinh(-\text{Inf})$  is  $-\text{Inf}$

```

@SinceKotlin("1.2")
public expect fun sinh(x: Float): Float

```

**Computes the hyperbolic cosine of the value [x].**

**Special cases:**

- $\cosh(\text{NaN})$  is  $\text{NaN}$
- $\cosh(+\text{Inf}-\text{Inf})$  is  $+\text{Inf}$

```

@SinceKotlin("1.2")
public expect fun cosh(x: Float): Float

```

**Computes the hyperbolic tangent of the value [x].**

**Special cases:**

- $\tanh(\text{NaN})$  is  $\text{NaN}$
- $\tanh(+\text{Inf})$  is  $1.0$
- $\tanh(-\text{Inf})$  is  $-1.0$

```

@SinceKotlin("1.2")
public expect fun tanh(x: Float): Float

```

**Computes the inverse hyperbolic sine of the value [x].**

The returned value is  $y$  such that  $\sinh(y) = x$ .

**Special cases:**

- $\text{asinh}(\text{NaN})$  is  $\text{NaN}$
- $\text{asinh}(+\text{Inf})$  is  $+\text{Inf}$
- $\text{asinh}(-\text{Inf})$  is  $-\text{Inf}$

```

@SinceKotlin("1.2")
public expect fun asinh(x: Float): Float

```

**Computes the inverse hyperbolic cosine of the value [x].**

The returned value is positive  $y$  such that  $\cosh(y) = x$ .

**Special cases:**

- $\text{acosh}(\text{NaN})$  is  $\text{NaN}$
- $\text{acosh}(x)$  is  $\text{NaN}$  when  $x < 1$
- $\text{acosh}(+\text{Inf})$  is  $+\text{Inf}$

```

@SinceKotlin("1.2")
public expect fun acosh(x: Float): Float

```

**Computes the inverse hyperbolic tangent of the value [x].**

The returned value is  $y$  such that  $\tanh(y) = x$ .

**Special cases:**

- $\text{atanh}(\text{NaN})$  is  $\text{NaN}$
- $\text{atanh}(x)$  is  $\text{NaN}$  when  $x > 1$  or  $x < -1$
- $\text{atanh}(1.0)$  is  $+\text{Inf}$
- $\text{atanh}(-1.0)$  is  $-\text{Inf}$

```

@SinceKotlin("1.2")
public expect fun atanh(x: Float): Float

```

**Computes  $\sqrt{x^2 + y^2}$  without intermediate overflow or underflow.**

**Special cases:**

- returns  $+\text{Inf}$  if any of arguments is infinite
- returns  $\text{NaN}$  if any of arguments is  $\text{NaN}$  and the other is not infinite

```

@SinceKotlin("1.2")
public expect fun hypot(x: Float, y: Float): Float

```

**Computes the positive square root of the value [x].**

**Special cases:**

- $\sqrt{x}$  is  $\text{NaN}$  when  $x < 0$  or  $x$  is  $\text{NaN}$

```

@SinceKotlin("1.2")
public expect fun sqrt(x: Float): Float

```

**Computes Euler's number  $e$  raised to the power of the value [x].**

**Special cases:**

- $\exp(\text{NaN})$  is  $\text{NaN}$
- $\exp(+\text{Inf})$  is  $+\text{Inf}$
- $\exp(-\text{Inf})$  is  $0.0$

```

@SinceKotlin("1.2")
public expect fun exp(x: Float): Float

```

**Computes  $\exp(x) - 1$ .**

This function can be implemented to produce more precise result for [x] near zero.

**Special cases:**

- $\text{expm1}(\text{NaN})$  is  $\text{NaN}$
- $\text{expm1}(+\text{Inf})$  is  $+\text{Inf}$
- $\text{expm1}(-\text{Inf})$  is  $-1.0$

```

@SinceKotlin("1.2")
public expect fun expm1(x: Float): Float

```

**Computes the logarithm of the value [x] to the given [base].**

**Special cases:**

- $\log(x, b)$  is  $\text{NaN}$  if either  $x$  or  $b$  are  $\text{NaN}$
- $\log(x, b)$  is  $\text{NaN}$  when  $x < 0$  or  $b \leq 0$  or  $b = 1.0$
- $\log(+\text{Inf}, +\text{Inf})$  is  $\text{NaN}$
- $\log(+\text{Inf}, b)$  is  $+\text{Inf}$  for  $b > 1$  and  $-\text{Inf}$  for  $b < 1$
- $\log(0.0, b)$  is  $-\text{Inf}$  for  $b > 1$  and  $+\text{Inf}$  for  $b < 1$

See also logarithm functions for common fixed bases: [ln], [log10] and [log2].

```

@SinceKotlin("1.2")
public expect fun log(x: Float, base: Float): Float

```

**Computes the natural logarithm (base  $E$ ) of the value [x].**

**Special cases:**

- $\ln(\text{NaN})$  is  $\text{NaN}$
- $\ln(x)$  is  $\text{NaN}$  when  $x < 0.0$
- $\ln(+\text{Inf})$  is  $+\text{Inf}$
- $\ln(0.0)$  is  $-\text{Inf}$

```

@SinceKotlin("1.2")
public expect fun ln(x: Float): Float

```

**Computes the common logarithm (base 10) of the value [x].**

@see [ln] function for special cases.

```

@SinceKotlin("1.2")
public expect fun log10(x: Float): Float

```

**Computes the binary logarithm (base 2) of the value [x].**

@see [ln] function for special cases.

```

@SinceKotlin("1.2")
public expect fun log2(x: Float): Float

```

**Computes  $\ln(a + 1)$ .**

This function can be implemented to produce more precise result for [x] near zero.

**Special cases:**

- $\ln1p(\text{NaN})$  is  $\text{NaN}$
- $\ln1p(x)$  is  $\text{NaN}$  where  $x < -1.0$
- $\ln1p(-1.0)$  is  $-\text{Inf}$
- $\ln1p(+\text{Inf})$  is  $+\text{Inf}$

@see [ln] function

```

@SinceKotlin("1.2")
public expect fun ln1p(x: Float): Float

```

**Rounds the given value [x] to an integer towards positive infinity.**

@return the smallest Float value that is greater than

or equal to the given value [x] and is a mathematical integer.  
Special cases: `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
@SinceKotlin("1.2")\npublic expect fun ceil(x: Float): Float  
Rounds the given value [x] to an integer towards negative infinity.  
@return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.  
Special cases:  
`floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
@SinceKotlin("1.2")\npublic expect fun floor(x: Float): Float  
Rounds the given value [x] to an integer towards zero.  
@return the value [x] having its fractional part truncated.  
Special cases:  
`truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
@SinceKotlin("1.2")\npublic expect fun truncate(x: Float): Float  
Rounds the given value [x] towards the closest integer with ties rounded towards even integer.  
Special cases:  
`round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
@SinceKotlin("1.2")\npublic expect fun round(x: Float): Float  
Returns the absolute value of the given value [x].  
Special cases:  
`abs(NaN)` is `NaN`  
@see absoluteValue extension property for [Float]  
@SinceKotlin("1.2")\npublic expect fun abs(x: Float): Float  
Returns the sign of the given value [x]:  
`-1.0` if the value is negative,  
`0` if the value is zero,  
`1.0` if the value is positive  
Special case:  
`sign(NaN)` is `NaN`  
@SinceKotlin("1.2")\npublic expect fun sign(x: Float): Float  
Returns the smaller of two values.  
If either value is `NaN`, then the result is `NaN`.  
@SinceKotlin("1.2")\npublic expect fun min(a: Float, b: Float): Float  
Returns the greater of two values.  
If either value is `NaN`, then the result is `NaN`.  
@SinceKotlin("1.2")\npublic expect fun max(a: Float, b: Float): Float  
// extensions  
Raises this value to the power [x].  
Special cases:  
`b.pow(0.0)` is `1.0`  
`b.pow(1.0) == b`  
`b.pow(NaN)` is `NaN`  
`NaN.pow(x)` is `NaN` for `x != 0.0`  
`b.pow(Inf)` is `NaN` for `abs(b) == 1.0`  
`b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer  
@SinceKotlin("1.2")\npublic expect fun Float.pow(x: Float): Float  
Raises this value to the integer power [n].  
See the other overload of [pow] for details.  
@SinceKotlin("1.2")\npublic expect fun Float.pow(n: Int): Float  
Returns the absolute value of this value.  
Special cases:  
`NaN.absoluteValue` is `NaN`  
@see abs function  
@SinceKotlin("1.2")\npublic expect val Float.absoluteValue: Float  
Returns the sign of this value:  
`-1.0` if the value is negative,  
`0` if the value is zero,  
`1.0` if the value is positive  
Special case:  
`NaN.sign` is `NaN`  
@SinceKotlin("1.2")\npublic expect val Float.sign: Float  
Returns this value with the sign bit same as of the [sign] value.  
If [sign] is `NaN` the sign of the result is undefined.  
@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Float): Float  
Returns this value with the sign bit same as of the [sign] value.  
@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Int): Float  
Rounds this [Float] value to the nearest integer and converts the result to [Int].  
Ties are rounded towards positive infinity.  
Special cases:  
`x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`  
`x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`  
@throws IllegalArgumentException when this value is `NaN`  
@SinceKotlin("1.2")\npublic expect fun Float.roundToInt(): Int  
Rounds this [Float] value to the nearest integer and converts the result to [Long].  
Ties are rounded towards positive infinity.  
Special cases:  
`x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`  
`x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`  
@throws IllegalArgumentException when this value is `NaN`  
@SinceKotlin("1.2")\npublic expect fun Float.roundToLong(): Long  
// endregion  
// Integer Math  
Returns the absolute value of the given value [n].  
Special cases:  
`abs(Int.MIN_VALUE)` is `Int.MIN_VALUE`  
due to an overflow  
@see absoluteValue extension property for [Int]  
@SinceKotlin("1.2")\npublic expect fun abs(n: Int): Int  
Returns the smaller of two values.  
@SinceKotlin("1.2")\npublic expect

```

fun min(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n *\n@SinceKotlin("1.2")\npublic expect
fun max(a: Int, b: Int): Int\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * -
`Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n
*\n@SinceKotlin("1.2")\npublic expect val Int.absoluteValue: Int\n\n/**\n * Returns the sign of this value:\n * -
`-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n
*\n@SinceKotlin("1.2")\npublic expect val Int.sign: Int\n\n\n/**\n * Returns the absolute value of the given
value [n].\n *\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n
*\n * @see absoluteValue extension property for [Long]\n *\n@SinceKotlin("1.2")\npublic expect fun abs(n:
Long): Long\n\n/**\n * Returns the smaller of two values.\n *\n@SinceKotlin("1.2")\npublic expect fun min(a:
Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n *\n@SinceKotlin("1.2")\npublic expect fun
max(a: Long, b: Long): Long\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * -
`Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n
*\n@SinceKotlin("1.2")\npublic expect val Long.absoluteValue: Long\n\n/**\n * Returns the sign of this value:\n
* - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n
*\n@SinceKotlin("1.2")\npublic expect val Long.sign: Int\n\n\n//
endregion\n\n", "names": [], "mappings": "AAWC,CAXA,yB;EACG,IAAI,OAAO,MAAO,KAAI,UAAW,IAAG,MAA
M,IAA1C,C;IACI,MAAM,CAAC,QAAD,EAAW,CAAC,SAAD,CAAX,EAAwB,OAAxB,C;SAEL,IAAI,OAAO,O
AAQ,KAAI,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC
,IAAI,OAAL,C;;CAEd,CAAC,IAAD,EAAO,kB;EACJ,IAAI,IAAI,M;ECPZ,MAAM,eAAgB,GAAE,a;IACpB,OA
AoD,CAA5C,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAE,YAAW,SAAW,KAAg,CAAC,OAAQ,KAAI,c;G
;EAGxE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,SAAU,IAAG,CAAC,OAAQ,KAAI,c;G;EAGID,M
AAM,aAAc,GAAE,a;IACiB,OAAO,CAAE,YAAW,U;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,Y
AAW,WAAY,IAAG,CAAC,OAAQ,KAAI,W;G;EAGpD,MAAM,WAAY,GAAE,a;IACbB,OAAO,CAAE,YAAW,
U;G;EAGxB,MAAM,aAAc,GAAE,a;IACiB,OAAO,CAAE,YAAW,Y;G;EAGxB,MAAM,cAAe,GAAE,a;IACnB,O
AAO,CAAE,YAAW,Y;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,IA
AG,CAAC,OAAQ,KAAI,W;G;EAG5C,MAAM,QAAS,GAAE,a;IACb,OAAO,KAAK,QAAQ,CAAC,CAAD,CAA
L,IAAG,CAAC,CAAC,O;G;EAGjC,MAAM,WAAY,GAAE,a;IACbB,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,
IAAG,WAAW,OAAO,CAAC,CAAD,C;G;EAGjD,MAAM,cAAe,GAAE,a;IACnB,IAAI,CAAE,KAAI,IAAV,C;M
AAgB,OAAO,M;IACvB,IAAI,WAAW,MAAM,YAAY,CAAC,CAAD,CAAI,GAAE,MAAM,aAAR,GAAwB,MA
AM,S;IACnE,OAAO,GAAl,GAAE,KAAK,UAAU,IAAI,KAAK,CAAC,CAAD,EAAl,a;MAAc,OAAO,QAAQ,CA
AC,CAAD,C;KAAjC,CAAwC,KAAK,CAAC,IAAD,CAAO,GAAE,G;G;EAG/F,MAAM,kBAAmB,GAAE,e;IACv
B,OAAO,MAAM,OAAO,YAAY,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,YAAa,GAAE,gB;IACjB,IAAI,C
AAE,KAAI,CAAV,C;MACl,OAAO,I;;IAEX,IAAI,CAAE,KAAI,IAAK,IAAG,CAAE,KAAI,IAAK,IAAG,CAAC,
MAAM,WAAW,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAI,CAAC,OAAvE,C;MACl,OAAO,K;;IAGX,KA
AK,IAAI,IAAI,CAAR,EAAW,IAAI,CAAC,OAArB,EAA8B,CAAE,GAAE,CAAIC,EAAqC,CAAC,EAAtC,C;MA
Cl,IAAI,CAAC,MAAM,OAAO,CAAC,CAAC,CAAC,CAAD,CAAF,EAAO,CAAC,CAAC,CAAD,CAAR,CAAIB
,C;QACl,OAAO,K;;;IAGf,OAAO,I;G;EAGX,MAAM,gBAAiB,GAAE,gB;IACrB,OAAO,MAAM,OAAO,YAAY,s
BAAsB,CAAC,CAAD,EAAl,CAAJ,C;G;EAGID,MAAM,cAAe,GAAE,e;IACnB,IAAI,GAAl,KAAI,IAAZ,C;MA
AkB,OAAO,C;IACzB,IAAI,SAAS,C;IACb,KAAK,IAAI,IAAI,CAAR,EAAW,IAAI,GAAG,OAAvB,EAAgC,CAA
E,GAAE,CAApC,EAAuC,CAAC,EAAX,C,C;MACl,MAAO,GAAqB,CAAjB,EAAG,GAAE,MAAO,GAAE,CAAG
,IAAE,MAAM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CAAU,GAAE,C;;IAE7D,OAAO,M;G;EAGX,MAAM,
kBAAmB,GAAE,e;IACvB,OAAO,MAAM,OAAO,YAAY,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,mBAA
oB,GAAE,iB;IACxB,KAAK,KAAK,CAAC,MAAM,gBAAP,C;G;ECPFd,MAAM,eAAgB,GAAE,mB;IACpB,CA
AC,aAAc,GAAE,I;IACjB,OAAO,C;G;EAGX,MAAM,uBAAwB,GAAE,4C;IAC5B,MAAM,IAAK,GAAE,M;IAC
b,MAAM,IAAK,GAAE,M;IACb,MAAM,aAAc,GAAE,I;IACtB,OAAO,mBAAmB,CAAC,MAAD,EAAS,MAAT,
EAAl,6BAA6B,CAAC,UAAD,CAA9C,C;G;EAG9B,iD;IACl,GAAG,WAAY,GAAE,sBAAsB,CAAC,OAAO,M
AAO,KAAI,UAAW,GAAE,KAAK,QAAP,GAakB,KAAK,UAArD,C;IACvC,GAAG,YAAa,GAAE,G;IACiB,OA
AO,G;G;EAGX,IAAI,gCAAgC,CACcC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,k

```

B;GADvB,CADb,aAIe,QAAS,IAAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CADgC ,EAShC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADvB,CADb,aAIe,QAAS,I AAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CATgC,C;EAmBpC,uC;IACI,IAAI,KA AK,MAAO,KAAI,IAApB,C;MACI,KAAK,MAAO,GAAE,aACE,CAAC,KAAK,qBAAqB,EAA3B,CADF,aAEC,I AFD,aAGC,EAHD,cAIE,EAJF,SAKH,EALG,iBAMK,EANL,C;;IASIB,OAAO,KAAK,M;G;EChDhB,MAAM,QA AS,GAAE,a;IACb,OAAoB,CAAZ,CAAE,GAAE,KAAQ,KAAG,EAAG,IAAG,E;G;EAGjC,MAAM,OAAQ,GAA E,a;IACZ,OAAkB,CAAV,CAAE,GAAE,GAAM,KAAG,EAAG,IAAG,E;G;EAG/B,MAAM,OAAQ,GAAE,a;IAC Z,OAAO,CAAE,GAAE,K;G;EAGf,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,MAAM,KAAM,GAAE, CAAF,GAAM,MAAM,KAAK,WAAW,CAAC,CAAD,C;G;EAGhE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE ,YAAW,MAAM,KAAM,GAAE,CAAC,MAAM,EAAT,GAAC,MAAM,YAAY,CAAC,CAAD,C;G;EAGpE,MAA M,cAAe,GAAE,a;IACnB,OAAO,MAAM,QAAQ,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGzB,MA AM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGxB,M AAM,eAAgB,GAAE,a;IACpB,OAAO,CAAC,C;G;EAGZ,MAAM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO, CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,GAAE,U AAR,C;MAAoB,OAAO,U;IAC3B,IAAI,CAAE,GAAE,WAAR,C;MAAqB,OAAO,W;IAC5B,OAAO,CAAE,GAA E,C;G;EAGf,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,IAAI,CAAE,Y AAW,MAAM,UAAvB,C;MAAmC,OAAO,C;IAC1C,OAAO,IAAI,MAAM,UAAV,CAAqB,CAArB,C;G;EAGX,M AAM,UAAW,GAAE,a;IACf,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,OAAO,MAAM,OAAO,CAAC, CAAD,C;G;ECIDxB,MAAM,OAAQ,GAAE,sB;IACZ,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,I;I AGnB,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,K;;IAGX,IAAI,IAAK,KAAI,IAAb,C;MACI,OAAO,IAAK,KAA LI;;IAGpB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAI,OAAQ,KAAI,UAAvD,C;MACI,OAAO,IAAI,O AAO,CAAC,IAAD,C;;IAGtB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAK,KAAI,QAAdD,C;MACI,OA AO,IAAK,KAAI,IAAK,KAAI,IAAK,KAAI,CAAE,IAAG,CAAE,GAAE,IAAK,KAAI,CAAE,GAAE,IAAnC,C;;I AGzB,OAAO,IAAK,KAAI,I;G;EAGpB,MAAM,SAAU,GAAE,e;IACd,IAAI,GAAL,IAAG,IAAX,C;MACI,OAAO, C;;IAEX,IAAI,UAAU,OAAO,G;IACrB,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,UAAW,KAAI,OAAO,GAA G,SAAU,GAAE,GAAG,SAAS,EAAd,GAAMb,iBAAiB,CAAC,GAAD,C;;IAEIF,IAAI,UAAW,KAAI,OAAAnB,C; MACI,OAAO,iBAAiB,CAAC,GAAD,C;;IAE5B,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,MAAM,eAAe,CAA C,GAAD,C;;IAEhC,IAAI,SAAU,KAAI,OAAiB,C;MACI,OAAO,MAAM,CAAC,GAAD,C;;IAGjB,IAAI,MAAM, MAAM,CAAC,GAAD,C;IACHb,OAAO,iBAAiB,CAAC,GAAD,C;G;EAI5B,MAAM,SAAU,GAAE,a;IACd,IAAI, CAAE,IAAG,IAAT,C;MACI,OAAO,M;WAEN,IAAI,MAAM,WAAW,CAAC,CAAD,CAArB,C;MACD,OAAO,O ;;MAGP,OAAO,CAAC,SAAS,E;G;EAKzB,IAAI,WAAW,a;EAGf,IAAI,iCAAiC,sB;EAErC,gC;IACI,IAAI,EAAE ,8BAA+B,IAAG,GAApC,CAAJ,C;MACI,IAAI,OAAQ,IAAI,OAAO,EAAG,GAAE,QAAU,GAAE,C;MACxC,MA AM,eAAe,CAAC,GAAD,EAAM,8BAAN,EAAc,QAAU,IAAV,cAA4B,KAA5B,CAAtC,C;;IAEzB,OAAO,GAA G,CAAC,8BAAD,C;G;EAGd,gC;IACL,IAAI,OAAO,C;IACX,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,G AAG,OAAvB,EAAGC,CAAC,EAajC,C;MACI,IAAI,OAAQ,GAAG,WAAW,CAAC,CAAD,C;MACIB,IAAM,G AAG,IAAK,GAAE,EAAG,GAAE,IAAM,GAAE,C;;IAEjC,OAAO,I;G;EAGX,MAAM,iBAaKB,GAAE,iB;EC9C1 B,MAAM,KAAM,GAAE,qB;IAKZ,IAAI,KAAM,GAAE,GAAL,GAAE,C;IAMIB,IAAI,MAAO,GAAE,IAAK,GA AE,C;G;EAGtB,MAAM,KAAK,WAAW,GAAE,OAcF,OADe,cAET,MAFS,cAGV,EAHU,C;EAgBzB,MAAM,KA AK,UAAW,GAAE,E;EAQxB,MAAM,KAAK,QAAS,GAAE,iB;IACpB,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM, GAAE,GAA7B,C;MACE,IAAI,YAAY,MAAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,O AAO,S;;IAIX,IAAI,MAAM,IAAI,MAAM,KAAV,CAAGB,KAAM,GAAE,CAAxB,EAA2B,KAAM,GAAE,CAA E,GAAE,EAAF,GAAO,CAA5C,C;IACV,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,MA AM,KAAK,UAAU,CAAC,KAAD,CAAQ,GAAE,G;;IAEjC,OAAO,G;G;EAYT,MAAM,KAAK,WAAW,GAAE,iB ;IACvB,IAAI,KAAK,CAAC,KAAD,CAAT,C;MACE,OAAO,MAAM,KAAK,K;WACb,IAAI,KAAM,IAAG,CAA C,MAAM,KAAK,gBAAzB,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAE,IAAG,MAA M,KAAK,gBAA5B,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAZ,C;MACL,OAAO,MA AM,KAAK,WAAW,CAAC,CAAC,KAAF,CAAQ,OAAO,E;;MAE5C,OAAO,IAAI,MAAM,KAAV,CACF,KAAM ,GAAE,MAAM,KAAK,gBAaKB,GAAE,CADrC,EAef,KAAM,GAAE,MAAM,KAAK,gBAaKB,GAAE,CAFrC,

C;;G;EAcX,MAAM,KAAK,SAAU,GAAE,6B;IACrB,OAAO,IAAI,MAAM,KAAV,CAAgB,OAAhB,EAAyB,QA  
AzB,C;G;EAWT,MAAM,KAAK,WAAY,GAAE,0B;IACvB,IAAI,GAAG,OAAQ,IAAG,CAAIB,C;MACE,MAAM  
,KAAK,CAAC,mCAAD,C;;IAGb,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAIE,IAAG,EAAG,  
GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;;IAGb,IAAI,GAAG,OAAO,CAAC,C  
AAD,CAAI,IAAG,GAARb,C;MACE,OAAO,MAAM,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CAAd  
,EAAmB,KAAmB,CAAyB,OAAO,E;WACxD,IAAI,GAAG,QAAQ,CAAC,GAAD,CAAM,IAAG,CAAxB,C;MAC  
L,MAAM,KAAK,CAAC,+CAAgD,GAAE,GAAnD,C;;IAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IA  
AI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAA  
b,EAAgB,CAAIE,GAAE,GAAG,OAAvB,EAAGC,CAAIE,IAAG,CAArC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC  
,CAAD,EAAI,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ,QAAQ,CAAC,GAAG,UAAU,CAAC,CAA  
D,EAAI,CAAIE,GAAE,IAAR,CAAd,EAA6B,KAA7B,C;MACpB,IAAI,IAAK,GAAE,CAAX,C;QACE,IAAI,QAA  
Q,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,IAAR,CAAT,C;QACIC,MAAO,GAAE,MAA  
M,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;;QAEhC,MAAO,  
GAAE,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MAAM,IAAI,CAAC,MAAM,KAAK,WAAW,CA  
AC,KAAD,CAAvB,C;;IAGvB,OAAO,M;G;EAcT,MAAM,KAAK,gBAAiB,GAAE,CAAIE,IAAG,E;EAOnc,MA  
AM,KAAK,gBAAiB,GAAE,CAAIE,IAAG,E;EAOnc,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,  
GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EAOIC,  
MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gB  
AAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAAiB,GACxB,MA  
AM,KAAK,gBAAiB,GAAE,C;EAIIC,MAAM,KAAK,KAAM,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EA  
IIC,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIrC,MAAM,KAAK,QAAS,GAAE,  
MAAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KAAK,UAAW,GACIB,MAAM,KAAK,SAAS,CAAC,aA  
AW,GAAE,CAAd,EAAiB,UAAW,GAAE,CAA9B,C;EAIxB,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SA  
S,CAAC,CAAD,EAAI,aAAW,GAAE,CAAjB,C;EAO5C,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,C  
AAC,CAAIE,IAAG,EAAN,C;EAI7C,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAO,IAAI,K;G;EAKb,M  
AAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAAiB,GACzC,IAAI  
,mBAAmB,E;G;EAIhC,MAAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,IAAI,K;G;E  
AQ1B,MAAM,KAAK,UAAU,SAAU,GAAE,qB;IAC/B,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE  
,CAAIE,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;;IAGb,IAAI,I  
AAI,OAAO,EAAf,C;MACE,OAAO,G;;IAGT,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC,  
MAAM,KAAK,UAAZ,CAAnB,C;QAGE,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,KAAD,C;QACIC,IAAI,M  
AAM,IAAI,IAAI,CAAC,SAAD,C;QACIB,IAAI,MAAM,GAAG,SAAS,CAAC,SAAD,CAAW,SAAS,CAAC,IAA  
D,C;QACIC,OAAO,GAAG,SAAS,CAAC,KAAD,CAAQ,GAAE,GAAG,MAAM,EAAE,SAAS,CAAC,KAAD,C;;  
QAEjD,OAAO,GAAI,GAAE,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,C;;IAMvC,IAAI,eAAe,MAAM,KAAK,  
WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IA  
Cb,OAAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;MACpB,IAAI,SAAS,GAAG,SAAS,CAAC  
,MAAM,SAAS,CAAC,YAAD,CAAhB,CAA+B,MAAM,E;MAC9D,IAAI,SAAS,MAAM,SAAS,CAAC,KAAD,C;  
MAE5B,GAAL,GAAE,M;MACN,IAAI,GAAG,OAAO,EAAd,C;QACE,OAAO,MAAO,GAAE,M;;QAEhB,OAAO,  
MAAM,OAAQ,GAAE,CAAvB,C;UACE,MAAO,GAAE,GAAL,GAAE,M;;QAEjB,MAAO,GAAE,EAAG,GAAE,  
MAAO,GAAE,M;;G;EAO7B,MAAM,KAAK,UAAU,YAAa,GAAE,Y;IACIC,OAAO,IAAI,M;G;EAKb,MAAM,K  
AAK,UAAU,WAAY,GAAE,Y;IACjC,OAAO,IAAI,K;G;EAKb,MAAM,KAAK,UAAU,mBAAoB,GAAE,Y;IACz  
C,OAAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM,KAAK,gBAAiB,GAAE,IAAI,K;G;E  
AQpD,MAAM,KAAK,UAAU,cAAe,GAAE,Y;IACpC,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,  
CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QACE,OAAO,E;;QAEp,OAAO,IAAI,OAAO,EAAE,cAAc,E;;MAGpC,  
IAAI,MAAM,IAAI,MAAO,IAAG,CAAIE,GAAE,IAAI,MAAN,GAAe,IAAI,K;MAC7C,KAAK,IAAI,MAAM,EA  
Af,EAAmB,GAAL,GAAE,CAAzB,EAA4B,GAAG,EAA/B,C;QACE,IAAuB,CAAIB,GAAL,GAAG,CAAIE,IAAG,  
GAAM,KAAG,CAA1B,C;UACE,K;;MAGJ,OAAO,IAAI,MAAO,IAAG,CAAIE,GAAE,GAAL,GAAE,EAAR,GA  
Aa,GAAL,GAAE,C;;G;EAM9C,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,OAAO,IAAI,MAAO,IAAG,CAA

E,IAAG,IAAI,KAAM,IAAG,C;G;EAKzC,MAAM,KAAM,UAUU,WAAY,GAAE,Y;IACjC,OAAO,IAAI,MAAO,  
GAAE,C;G;EAKtB,MAAM,KAAM,UAUU,MAAO,GAAE,Y;IAC5B,OAAuB,CAAf,IAAI,KAAM,GAAE,CAAG,  
KAAG,C;G;EAQ5B,MAAM,KAAM,UAUU,WAAY,GAAE,iB;IACjC,OAAQ,IAAI,MAAO,IAAG,KAAM,MAAQ  
,IAAI,IAAI,KAAM,IAAG,KAAM,K;G;EAQ3D,MAAM,KAAM,UAUU,cAAe,GAAE,iB;IACpC,OAAQ,IAAI,MA  
AO,IAAG,KAAM,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAM,K;G;EAQ3D,MAAM,KAAM,UAUU,SAAU,GAAE,i  
B;IAC/B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAM,UAUU,gBAAiB,GAAE,  
iB;IACtC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAM,UAUU,YAAa,GAAE,iB  
;IACiC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAM,UAUU,mBAaOB,GAAE,i  
B;IACzC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAUhC,MAAM,KAAM,UAUU,QAAS,GAAE,iB  
;IAC9B,IAAI,IAAI,WAAW,CAAC,KAAD,CAAnB,C;MACE,OAAO,C;;IAGT,IAAI,UAUU,IAAI,WAAW,E;IAC  
7B,IAAI,WAAW,KAAM,WAAW,E;IAC/B,IAAI,OAAQ,IAAG,CAAC,QAahB,C;MACE,OAAO,E;;IAET,IAAI,C  
AAC,OAAQ,IAAG,QAahB,C;MACE,OAAO,C;;IAIT,IAAI,IAAI,SAAS,CAAC,KAAD,CAAO,WAAW,EAAnC,  
C;MACE,OAAO,E;;MAEP,OAAO,C;;G;EAMX,MAAM,KAAM,UAUU,OAAQ,GAAE,Y;IAC7B,IAAI,IAAI,WA  
AW,CAAC,MAAM,KAAM,UAUZ,CAAnB,C;MACE,OAAO,MAAM,KAAM,U;;MAEiB,OAAO,IAAI,IAAI,EA  
E,IAAI,CAAC,MAAM,KAAM,IAAZ,C;;G;EAUzB,MAAM,KAAM,UAUU,IAAK,GAAE,iB;IAG1B,IAAI,MAAM  
,IAAI,MAAO,KAAl,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAl,E;I  
ACxB,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAM,MAAO,KAAl,E;IAC1B,IAAI,MAAM,K  
AAK,MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAM,KAAM,KAAl,E;IACzB,IAAI,MAAM,KAAM,KAAM,GAA  
E,K;IAEvB,IAAI,MAAM,CAAV,EAaA,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EAa+B,MAAM,C;IACrC,GA  
AI,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GA  
AE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,I  
AAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,K;IACP,OAAO  
,MAAM,KAAM,SAAS,CAAE,GAAl,IAAG,EAAl,GAAE,GAaf,EAaqB,GAAl,IAAG,EAAl,GAAE,GAAlC,C;G;  
EAS7B,MAAM,KAAM,UAUU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,IAAI,CAAC,KAAM,OAAO,EAAb,C;G;EA  
SjB,MAAM,KAAM,UAUU,SAAU,GAAE,iB;IAC/B,IAAI,IAAI,OAAO,EAaf,C;MACE,OAAO,MAAM,KAAM,K  
;WACb,IAAI,KAAM,OAAO,EAahB,C;MACL,OAAO,MAAM,KAAM,K;;IAGpB,IAAI,IAAI,WAAW,CAAC,MA  
AM,KAAM,UAUZ,CAAnB,C;MACE,OAAO,KAAM,MAAM,EAAG,GAAE,MAAM,KAAM,UAAb,GAA0B,MA  
AM,KAAM,K;WACrD,IAAI,KAAM,WAAW,CAAC,MAAM,KAAM,UAUZ,CAApB,C;MACL,OAAO,IAAI,MA  
AM,EAAG,GAAE,MAAM,KAAM,UAAb,GAA0B,MAAM,KAAM,K;;IAG3D,IAAI,IAAI,WAAW,EAAnB,C;MA  
CE,IAAI,KAAM,WAAW,EAApB,C;QACE,OAAO,IAAI,OAAO,EAaE,SAAS,CAAC,KAAM,OAAO,EAAb,C;;Q  
AE7B,OAAO,IAAI,OAAO,EAaE,SAAS,CAAC,KAAD,CAAO,OAAO,E;;WAExC,IAAI,KAAM,WAAW,EAAPB  
,C;MACL,OAAO,IAAI,SAAS,CAAC,KAAM,OAAO,EAAb,CAAgB,OAAO,E;;IAI7C,IAAI,IAAI,SAAS,CAAC,  
MAAM,KAAM,YAAZ,CAA0B,IACvC,KAAM,SAAS,CAAC,MAAM,KAAM,YAAZ,CADiB,C;MAEE,OAAO,M  
AAM,KAAM,WAAW,CAAC,IAAI,SAAS,EAAG,GAAE,KAAM,SAAS,EAajC,C;;IAM/B,IAAI,MAAM,IAAI,M  
AAO,KAAl,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAl,E;IACxB,I  
AAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAM,MAAO,KAAl,E;IAC1B,IAAI,MAAM,KAAM,  
MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAM,KAAM,KAAl,E;IACzB,IAAI,MAAM,KAAM,KAAM,GAAE,K;I  
AEvB,IAAI,MAAM,CAAV,EAaA,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EAa+B,MAAM,C;IACrC,GAAl,IA  
AG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;I  
ACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,G  
AAI,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,G  
AAI,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,  
GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,  
GAAE,GAAl,GAAE,GAAl,GAAE,GAAl,GAAE,GAAl,GAAE,GAAl,GAAE,GAAl,GAAE,G;IACjD,GAAl,IAA  
G,K;IACP,OAAO,MAAM,KAAM,SAAS,CAAE,GAAl,IAAG,EAAl,GAAE,GAaf,EAaqB,GAAl,IAAG,EAAl,G  
AAE,GAAlC,C;G;EAS7B,MAAM,KAAM,UAUU,IAAK,GAAE,iB;IAC1B,IAAI,KAAM,OAAO,EAahB,C;MACE  
,MAAM,KAAM,CAAC,kBAAD,C;WACN,IAAI,IAAI,OAAO,EAaf,C;MACL,OAAO,MAAM,KAAM,K;;IAGpB,  
IAAI,IAAI,WAAW,CAAC,MAAM,KAAM,UAUZ,CAAnB,C;MACE,IAAI,KAAM,WAAW,CAAC,MAAM,KAA

K,IAAZ,CAAkB,IACIC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CADpB,C;QAEEOAAO,MAAM,KAAK,U;aACb,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OAAO,MAAM,KAAK,I;;QAGIB,IAAI,WAAW,IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,CAAO,UAAU,CAAC,CAAD,C;QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAArB,C;UACE,OAAO,KAAK,WAAW,EAAG,GAAE,MAAM,KAAK,IAAb,GAAoB,MAAM,KAAK,Q;;UAezD,IAAI,MAAM,IAAI,SAAS,CAAC,KAAK,SAAS,CAAC,MAAD,CAAf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CAAR,C;UACvB,OAAO,M;;;WAGN,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,MAAM,KAAK,K;;IAGpB,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,KAAK,WAAW,EAAPB,C;QACE,OAAO,IAAI,OAAO,EAAE,IAAI,CAAC,KAAK,OAAO,EAAb,C;;QAExB,OAAO,IAAI,OAAO,EAAE,IAAI,CAAC,KAAD,CAAO,OAAO,E;;WAEnC,IAAI,KAAK,WAAW,EAAPB,C;MACL,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,CAAgB,OAAO,E;;IAQxC,IAAI,MAAM,MAAM,KAAK,K;IACrB,IAAI,MAAM,I;IACV,OAAO,GAAG,mBAAmB,CAAC,KAAD,CAA7B,C;MAGE,IAAI,SAAS,IAAI,IAAI,CAAC,CAAD,EAAl,IAAI,MAAM,CAAC,GAAG,SAAS,EAAG,GAAE,KAAK,SAAS,EAhC,CAAd,C;MAIrB,IAAI,OAAO,IAAI,KAAK,CAAC,IAAI,IAAI,CAAC,MAAD,CAAS,GAAE,IAAI,IAAxB,C;MACpB,IAAI,QAAS,IAAK,IAAG,EAAl,GAAE,CAAF,GAAM,IAAI,IAAI,CAAC,CAAD,EAAl,IAAK,GAAE,EAAX,C;MAIvC,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,MAAD,C;MACtC,IAAI,YAAY,SAAS,SAAS,CAAC,KAAD,C;MACIC,OAAO,SAAS,WAAW,EAAG,IAAG,SAAS,YAAY,CAAC,GAAD,CAAtD,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KAAK,WAAW,CAAC,MAAD,C;QACIC,SAAU,GAAE,SAAS,SAAS,CAAC,KAAD,C;;MAKhC,IAAI,SAAS,OAAO,EAAPB,C;QACE,SAAU,GAAE,MAAM,KAAK,I;;MAGzB,GAAl,GAAE,GAAG,IAAI,CAAC,SAAD,C;MACb,GAAl,GAAE,GAAG,SAAS,CAAC,SAAD,C;;IAEpB,OAAO,G;G;EAST,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC7B,OAAO,IAAI,SAAS,CAAC,IAAI,IAAI,CAAC,KAAD,CAAO,SAAS,CAAC,KAAD,CAAzB,C;G;EAKtB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAC,IAAI,KAAK,EAaA,CAAC,IAAI,MAAlB,C;G;EAS7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,GAAl,GAAE,iB;IACzB,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,UAAW,GAAE,mB;IAChC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;MAEP,IAAI,MAAM,IAAI,K;MACd,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,OAAO,IAAI,M;QACf,OAAO,MAAM,KAAK,SAAS,CACvB,GAAl,IAAG,OADgB,EAEtB,IAAK,IAAG,OAAS,GAAG,GAAl,KAAK,EAAG,GAAE,OAFZ,C;;QAI3B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAD,EAAl,GAAl,IAAI,OAAQ,GAAE,EAAtB,C;;;G;EAWjC,MAAM,KAAK,UAAU,WAAW,GAAE,mB;IACjC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAI,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,IAAG,OAFc,C;;QAI3B,OAAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,OAAQ,GAAE,EADl,EAEvB,IAAK,IAAG,CAAE,GAAE,CAAF,GAAM,EAFO,C;;;G;EAejC,MAAM,KAAK,UAAU,mBAAoB,GAAE,mB;IACzC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAI,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,KAAI,OAFc,C;aAGtB,IAAI,OAAQ,IAAG,EAaf,C;QACL,OAAO,MAAM,KAAK,SAAS,CAAC,IAAD,EAao,CAAP,C;;QAE3B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAK,KAAK,OAAQ,GAAE,EAArB,EAa0B,CAA1B,C;;;G;EAMjC,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC3B,OAAO,KAAM,YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,KAAD,C;G;EAG1D,MAAM,KAAK,UAAU,gBAAiB,GAAE,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,IAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,QAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,QAAS,GAAE,Y;IAC5B,OAAO,IAAI,SAAS,E;G;EAGxB,MAAM,KAAK,UAAU,UAAW,GAAE,Y;IAC9B,OAAO,I;G;EAGX,MAAM,KAAK,UAAU,WAAW,GAAE,MAAM,KAAK,UAAU,O;EACxD,MAAM,KAAK,UAAU,IAAK,GAAE,MAAM,KAAK,UAAU,I;EAEjD,MAAM,KAAK,UAAU,QAAS,GAAE,iB;IAC5B,OAAO,IAAI,MAAM,OAAO,OAAO,UAAxB,CAAmC,IAAnC,E

AAyC,KAAzC,C;G;EC1zBX,MAAM,aAAc,GAAE,2B;G;EAGtB,MAAM,qBAAsB,GAAE,oB;IAC1B,OAAO,G;  
G;EAGX,MAAM,aAAc,GAAE,e;IAC1B,IAAI,IAAI,Y;MACJ,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MA  
AM,CAAC,IAAD,EAAO,SAAP,C;K;IAE1B,OAAO,Y;MACH,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP  
,C;K;G;EAI7B,MAAM,SAAU,GAAE,gB;IACd,OAAO,kB;MACH,OAAO,OAAO,MAAO,KAAI,I;K;G;EAIjC,MA  
AM,aAAc,GAAE,iB;IAC1B,OAAO,kB;MACH,OAAO,MAAM,OAAO,CAAC,MAAD,EAAS,KAAT,C;K;G;EAI5  
B,MAAM,OAAQ,GAAE,c;IACZ,OAAO,kB;MACH,OAAO,MAAO,IAAG,IAAK,IAAG,EAAE,CAAC,MAAD,C;  
K;G;EAI7C,MAAM,aAAc,GAAE,gB;IAC1B,OAAO,kB;MACH,OAAO,CAAC,CAAC,MAAD,CAAS,IAAG,CAA  
C,CAAC,MAAD,C;K;G;EAI7B,MAAM,qBAAsB,GAAE,wC;G;EAG9B,MAAM,YAAa,GAAE,iB;IACjB,OAAO,  
K;G;EAGX,MAAM,gBAAiB,GAAE,qB;IACrB,gBAAgB,E;G;EAGpB,MAAM,oBAAqB,GAAE,qB;IACzB,gBA  
AgB,E;G;EAGpB,MAAM,kBAAmB,GAAE,qB;IACvB,gBAAgB,E;G;EAGpB,MAAM,mBAAoB,GAAE,4B;IACx  
B,gBAAgB,E;G;EAGpB,MAAM,6BAA8B,GAAE,yB;IACIC,gBAAgB,E;G;EAGpB,4B;IACI,MAAM,IAAI,KA  
AJ,CACF,iDAAKD,GACID,qDAAsD,GACtD,uDAHE,C;G;EAMV,MAAM,gBAAiB,GAAE,4B;IACrB,OAAO,Y;M  
ACH,OAAO,Y;K;G;ECJfF,MAAM,UAAW,GAAE,gB;IACf,IAAI,QAAQ,OAAO,C;IACnB,IAAI,KAAM,KAAI,Q  
AAd,C;MACI,IAAI,OAAO,CAAE,KAAI,QAAjB,C;QACI,OAAO,MAAM,gBAAgB,CAAC,CAAD,EAAI,CAAJ,  
C;;MAEjC,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAI,CAAJ,C;;IAEpC,IAAI,KAAM,KAAI,QAAS,IAAG,K  
AAM,KAAI,SAAP,C;MACI,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAI,CAAJ,C;;IAEpC,OAAO,CAAC,g  
BAAgB,CAAC,CAAD,C;G;EAG5B,MAAM,mBAAoB,GAAE,gB;IACxB,OAAO,CAAE,GAAE,CAAE,GAAE,E  
AAF,GAAO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,C;G;EAGpC,MAAM,gBAAiB,GAAE,gB;IACrB,IAAI,C  
AAE,GAAE,CAAR,C;MAAW,OAAO,E;IAC1B,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,C;IAE1B,IAAI,CA  
AE,KAAI,CAAV,C;MACI,IAAI,CAAE,KAAI,CAAV,C;QAAa,OAAO,C;MAEpB,IAAI,KAAK,CAAE,GAAE,C;  
MACb,OAAO,EAAG,KAAI,CAAE,GAAE,CAAE,GAAE,CAAF,GAAO,EAAG,GAAE,CAAE,GAAE,EAAF,GA  
AO,C;;IAG7C,OAAO,CAAE,KAAI,CAAE,GAAG,CAAE,KAAI,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E;  
G;EAGzC,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,MA  
AM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,MAAM,KAAM,G  
AAE,IAAI,KAAM,IAAG,I;EAE3B,MAAM,aAAc,GAAE,I;EAEtB,oB;IACI,OAAyB,CAAhB,CAAE,GAAE,YAA  
Y,KAAg,CAAE,GAAE,KAAP,CAAE,GAAe,CAAZ,CAAE,GAAE,KAAQ,KAAg,CAAE,GAAE,CAAP,CAAW,  
GAAE,C;G;EA6DtE,CA1DD,Y;IACG,IAAI,MAAM,IAAI,WAAJ,CAAgB,CAAhB,C;IACV,IAAI,aAAa,IAAI,YA  
AJ,CAAiB,GAAjB,C;IACjB,IAAI,aAAa,IAAI,YAAJ,CAAiB,GAAjB,C;IACjB,IAAI,WAAW,IAAI,UAAJ,CAAe,  
GAAf,C;IACf,IAAI,WAAW,C;IACf,IAAI,YAA,Y,C;IAEhB,UAAU,CAAC,CAAD,CAAI,GAAE,E;IACb,IAAI,Q  
AAQ,CAAC,QAAD,CAAW,KAAI,CAA3B,C;MACI,QAAS,GAAE,C;MACX,SAAU,GAAE,C;;IAGhB,MAAM,a  
AAc,GAAE,iB;MACIB,OAAO,MAAM,gBAAgB,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAFF,GAAQ,KA  
AtB,C;K;IAGjC,MAAM,gBAAiB,GAAE,iB;MACrB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHB,OAAO,MA  
AM,KAAK,SAAS,CAAC,QAAQ,CAAC,QAAD,CAAT,EAAqB,QAAQ,CAAC,SAAD,CAA7B,C;K;IAG/B,MAA  
M,eAAgB,GAAE,iB;MACpB,QAAQ,CAAC,QAAD,CAAW,GAAE,KAAK,K;MAC1B,QAAQ,CAAC,SAAD,CA  
AY,GAAE,KAAK,M;MAC3B,OAAO,UAAU,CAAC,CAAD,C;K;IAGrB,MAAM,YAAa,GAAE,iB;MACjB,OAA  
O,MAAM,eAAe,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAFF,GAAQ,KAAtB,C;K;IAGhC,MAAM,eAAgB  
,GAAE,iB;MACpB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHB,OAAO,QAAQ,CAAC,CAAD,C;K;IAGnB,M  
AAM,cAAe,GAAE,iB;MACnB,QAAQ,CAAC,CAAD,CAAI,GAAE,K;MACd,OAAO,UAAU,CAAC,CAAD,C;K;I  
AIrB,MAAM,cAAe,GAAE,iB;MACnB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHB,OAAO,QAAQ,CAAC,SA  
AD,CAAY,GAAE,a;K;IAGjC,MAAM,eAAgB,GAAE,e;MACpB,IAAc,CAAT,GAAl,GAAE,CAAG,MAAl,GAAl  
B,C;QACI,OAAO,GAAl,GAAE,C;;QAGb,UAAU,CAAC,CAAD,CAAI,GAAE,G;QACHB,OAAc,CAA9B,QAA  
Q,CAAC,SAAD,CAAY,GAAE,EAAG,GAAE,CAAG,IAAE,QAAQ,CAAC,QAAD,CAAW,GAAE,C;;K;GAGvE,  
G;EAEF,MAAM,cAAe,GAAE,a;IACnB,OAAO,CAAE,IAAG,IAAK,GAAE,CAAF,GAAM,MAAM,SAAS,E;G;E  
C7G1C,IAAI,OAAO,MAAM,UAAU,WAA,Y,KAAI,WAA3C,C;IACI,MAAM,eAAe,CAAC,MAAM,UAAP,EA  
mB,YAAAnB,EAAlC,QAC3C,kC;MACH,QAAS,GAAE,QAAS,IAAG,C;MACvB,OAAO,IAAI,YAA,Y,CAAC,YA  
AD,EAAe,QAaf,CAAyB,KAAI,Q;KAHN,CAAjC,C;;EAOzB,IAAI,OAAO,MAAM,UAAU,SAAU,KAAI,WAAz  
C,C;IACI,MAAM,eAAe,CAAC,MAAM,UAAP,EAAmB,YAAAnB,EAA+B,QACzC,kC;MACH,IAAI,gBAAgB,IA  
Al,SAAS,E;MACjC,IAAI,QAAS,KAAI,SAAU,IAAG,QAAS,GAAE,aAAa,OAAtD,C;QACI,QAAS,GAAE,aAAa,

O;;MAE5B,QAAS,IAAG,YAAY,O;MACxB,IAAI,YAAY,aAAa,QAAQ,CAAC,YAAD,EAAe,QAAf,C;MACrC,O  
AAO,SAAU,KAAI,EAAG,IAAG,SAAU,KAAI,Q;KARG,CAA/B,C;;EAazB,IAAI,OAAO,IAAI,KAAM,KAAI,W  
AAzB,C;IACI,IAAI,KAAM,GAAE,a;MACR,CAAE,GAAE,CAAC,C;MACL,IAAI,CAAE,KAAI,CAAE,IAAG,K  
AAK,CAAC,CAAD,CAApB,C;QACI,OAAO,MAAM,CAAC,CAAD,C;;MAEjB,OAAO,CAAE,GAAE,CAAE,GA  
AE,CAAF,GAAM,E;K;;EAG3B,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT  
,IAAI,KAAK,CAAC,CAAD,CAAT,C;QACI,OAAO,G;;MAEX,IAAI,CAAE,GAAE,CAAR,C;QACI,OAAO,IAAI,  
MAAM,CAAC,CAAD,C;;MAErB,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;;EAuKtB,CAnKD,Y;IACG,IAAI,UA  
AU,qB;IACd,IAAI,iBAaiB,IAAI,KAAK,CAAC,OAAD,C;IAC9B,IAAI,iBAaiB,IAAI,KAAK,CAAC,cAAD,C;IA  
C9B,IAAI,uBAAuB,CAAC,GAAC,c;IAC7B,IAAI,uBAAuB,CAAC,GAAC,c;IAE7B,IAAI,OAAO,IAAI,KAAM,K  
AAI,WAAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UA  
CI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAA  
E,CAAE,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;UAEP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;UACb,IA  
AI,KAAK,CAAE,GAAE,C;UACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAb,C;YAAkB,OAAO,IAAI,IAAI,CAA  
C,CAAE,GAAE,IAAI,IAAT,C;UACjC,IAAI,CAAC,QAAQ,CAAC,EAAD,CAAAb,C;YAAmB,OAAO,CAAC,IAAI  
,IAAI,CAAC,CAAC,CAAE,GAAE,IAAI,IAAV,C;UACnC,OAAGB,CAAR,CAAE,GAAE,EAAl,IAAE,C;;O;;IAI9  
B,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,IAAI,CAA  
C,CAAD,C;QACb,IAAI,KAAK,CAAE,GAAE,C;QACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC  
,QAAQ,CAAC,EAAD,CAA7B,C;UAAmC,OAAO,IAAI,IAAI,CAAC,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IA  
AI,IAAnB,C;QACID,OAAGB,CAAR,CAAE,GAAE,EAAl,IAAE,C;O;;IAI1B,IAAI,OAAO,IAAI,KAAM,KAAI,W  
AAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI  
,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAA  
E,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;UAGP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,CAAhB,EAAs  
B,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,C;UACIC,OAAO,CAAE,KAAI,QAAS,GAAE,CAAF,GAAM,CAAE,KA  
AI,QAAS,GAAE,EAfF,GAAe,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,C;;O;;IAQeI,IAAI,OA  
AO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,QAAQ,a;QACR,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAEI,IAAI  
,CAAE,GAAE,oBAAR,C;YAEI,IAAI,CAAE,GAAE,oBAAR,C;cAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GA  
AE,IAAI,I;;cAKzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAE,GAAG,CAAE,IAAG,CAAE,GAAE,CAAP,C  
AAZ,C;;YAKnB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CA  
AT,CAAd,C;;eAGIB,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAED,OAAO,CAAC,KAAK,CAAC,CAAC,CAAF,C;;  
UAKb,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,IAAG,cAAAnB,C;YAEI,IAAI,KAAK,CAAE,G  
AAE,CAAE,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,C;;UAEEnB,OAAO,M;;O;MAGf,IAAI,MAAO,GAAE,  
K;;IAEjB,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,CAAE,GAAE,  
CAAR,C;UAEI,OAAO,G;eAEN,IAAI,CAAE,GAAE,CAAE,IAAG,cAAAb,C;UAED,IAAI,CAAE,GAAE,oBAAR,C  
;YAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;YAlzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,I  
AAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;UAKnB,IAAI,IAAI,IAAI,KAAK,CAAC,CAA  
E,GAAE,CAAL,C;UAEjB,IAAI,SAAS,C;UACb,IAAI,CAAE,IAAG,cAAT,C;YAEI,IAAI,KAAK,CAAE,GAAE,C  
AAE,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,E;;UAGnB,OAAO,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE  
,M;;O;;IAIIC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,  
CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,  
cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;QAEX,OAAO,I  
AAI,IAAI,CAAS,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,CAAT,CAAoB,GAAE,C;O;;IAG7C,I  
AAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,  
CAAI,GAAE,cAAIB,C;UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,K  
AAK,EAAG,GAAE,C;UAEd,OAAG,CAAC,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,G  
AAE,CAAE,GAAE,C;;QAExC,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAL,C;O;;IAGvB,IAAI,OAAO,IAAI,  
MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cA  
AIB,C;UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GA  
AE,C;UAEd,OAAG,EAAG,GAAE,EAAG,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;;Q

AExC,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,C;O;;GAG/B,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAI,W  
AA1B,C;IACI,IAAI,MAAO,GAAE,Y;MACT,IAAI,IAAI,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IA  
AI,CAAb,EAAGB,CAAE,GAAE,MAApB,EAA4B,CAAC,EAA7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KA  
AI,QAAS,IAAG,SAAS,CAAC,CAAD,CAAI,KAAI,CAAC,QAAnD,C;UACI,OAAO,Q;;QAEX,CAAE,IAAG,SA  
AS,CAAC,CAAD,CAAI,GAAE,SAAS,CAAC,CAAD,C;;MAEjC,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;;EAGx  
B,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,CAAC,CA  
AD,CAAI,GAAE,IAAI,O;K;;EAGjC,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,GAAE,a;M  
ACR,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,M;K;;EAGjC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA  
1B,C;IACI,IAAI,MAAO,GAAG,oB;MACV,OAAO,a;QACH,IAAI,SAAS,CAAE,KAAI,C;QACnB,IAAI,MAAO,  
KAAI,CAAf,C;UACI,OAAO,E;;QAEX,OAAO,EAAG,IAAG,GAAG,CAAC,MAAD,CAAS,GAAE,GAAI,GAAE,  
CAAvB,CAA0B,GAAE,C;O;KAE5C,CAAC,IAAI,IAAL,EAAW,IAAI,IAAf,C;;EAIN,IAAI,OAAO,WAAW,OAA  
Q,KAAI,WAAIC,C;IACI,WAAW,OAAQ,GAAE,a;MACjB,OAAO,CAAE,IAAG,IAAK,IAAG,CAAC,UAAW,IA  
AG,IAAK,IAAG,CAAC,UAAU,UAAW,KAAI,SAAS,UAAU,U;K;;EAIhG,IAAI,OAAO,KAAK,UAAU,KAAM,K  
AAI,WAApC,C;IAEI,MAAM,eAAe,CAAC,KAAK,UAAW,EAAB,MAAIB,EAA0B,QACpC,iB;MAGH,IAAI,IA  
AK,IAAG,IAAZ,C;QACI,MAAM,IAAI,SAAJ,CAAc,6BAAd,C;;MAGV,IAAI,IAAI,MAAM,CAAC,IAAD,C;MA  
Gd,IAAI,MAAM,CAAC,OAAQ,KAAI,C;MAGvB,IAAI,QAAQ,SAAS,CAAC,CAAD,C;MACrB,IAAI,gBAAGB,  
KAAM,IAAG,C;MAG7B,IAAI,IAAI,aAAc,GAAE,CAAE,GACIB,IAAI,IAAI,CAAC,GAAI,GAAE,aAAP,EAA5B  
,CAAtB,CADU,GAEIB,IAAI,IAAI,CAAC,aAAD,EAAGB,GAAhB,C;MAGhB,IAAI,MAAM,SAAS,CAAC,CAAD  
,C;MACnB,IAAI,cAAc,GAAI,KAAI,SAAU,GACIB,GADkB,GACZ,GAAI,IAAG,C;MAG/B,IAAI,aAAa,WAAy,  
GAAE,CAAE,GACHB,IAAI,IAAI,CAAC,GAAI,GAAE,WAAP,EAAoB,CAApB,CADQ,GAeHB,IAAI,IAAI,CAA  
C,WAAD,EAAC,GAAd,C;MAGzB,OAAO,CAAE,GAAE,UAAx,C;QACI,CAAC,CAAC,CAAD,CAAI,GAAE,K;  
QACP,CAAC,E;;MAIL,OAAO,C;KAvcGc,CAA1B,C;;EA4HvB,CahFD,Y;IACG,yC;MACI,IAAI,MAAO,GAAE  
,CAAb,C;QAAGB,OAAO,IAAI,IAAI,CAAC,CAAD,EAAI,MAAO,GAAE,MAAb,C;MAC/B,OAAO,IAAI,IAAI,C  
AAC,MAAD,EAAS,MAAT,C;K;IAEnB,qC;MACI,IAAI,OAAO,GAAI,KAAI,WAAAnB,C;QACI,GAAI,GAAE,IA  
AI,O;;MAEd,KAAM,GAAE,eAAe,CAAC,KAAM,IAAG,CAAV,EAAa,IAAI,OAAjB,C;MACvB,GAAI,GAAE,IA  
AI,IAAI,CAAC,KAAD,EAAQ,eAAe,CAAC,GAAD,EAAM,IAAI,OAAV,CAAvB,C;MACd,OAAO,IAAI,IAAI,Y  
AAR,CAAqB,IAAI,SAAS,CAAC,KAAD,EAAQ,GAAR,CAAI,C;K;IAGX,IAAI,SAAS,CAAC,SAAD,EAAY,U  
AAZ,EAAwB,WAAxB,EAAqC,UAArC,EAAdiD,YAAjD,EAA+D,YAA/D,C;IACb,KAAK,IAAI,IAAI,CAAb,EAA  
gB,CAAE,GAAE,MAAM,OAA1B,EAAMc,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACv  
B,IAAI,OAAO,UAAU,UAAU,KAAM,KAAI,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAx,EAAuB,MA  
AvB,EAA+B,QACzC,KAAK,UAAU,KAD0B,CAA/B,C;;MAIzB,IAAI,OAAO,UAAU,UAAU,MAAO,KAAI,WA  
A1C,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAx,EAAuB,OAAvB,EAAGC,QAC1C,eAD0C,CAAhC,C;;;MAQJ,  
CAApB,Y;OAAc,MAAM,CAAC,IAAD,EAAO,IAAI,UAAJ,CAAE,CAAf,CAAP,E;;MAErB,IAAI,QAAQ,QAAQ,  
UAAU,M;MAC9B,MAAM,eAAe,CAAC,QAAQ,UAAE,EAAqB,OAArB,EAA8B,QACxC,uB;QACH,OAAO,KA  
AK,KAAK,CAAC,IAAD,EAAO,IAAP,EAAa,EAAE,MAAM,KAAK,CAAC,KAAD,CAA1B,C;OAF0B,CAA9B,C  
;;IASzB,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,GAAE,MAAM,OAA1B,EAAMc,EAAE,CAArC,C;MACI,IAAI  
,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,IAAK,KAAI,WAAxC,C;QACI,MAAM,eA  
Ae,CAAC,UAAU,UAAx,EAAuB,KAAvB,EAA8B,QACxC,0B;UACH,OAAO,EAAE,MAAM,KAAK,CAAC,IAA  
D,CAAM,IAAI,CAAC,QAAD,EAAW,IAAX,C;SAFa,CAA9B,C;;IAU7B,IAAI,uBAAuB,gB;MACvB,IAAI,CAA  
E,GAAE,CAAR,C;QAAW,OAAO,E;MACIB,IAAI,CAAE,GAAE,CAAR,C;QAAW,OAAO,C;MAEIB,IAAI,CAA  
E,KAAI,CAAV,C;QACI,IAAI,CAAE,KAAI,CAAV,C;UAAa,OAAO,C;QAEpB,IAAI,KAAK,CAAE,GAAE,C;QA  
Cb,OAAO,EAAG,KAAI,CAAE,GAAE,CAAE,GAAE,CAAF,GAAG,EAAG,GAAE,CAAE,GAAE,EAFF,GAAG,  
C;;MAG7C,OAAO,CAAE,KAAI,CAAE,GAAG,CAAE,KAAI,CAAE,GAAE,CAAF,GAAM,CAAjB,GAASB,E;K;  
IAGzC,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,GAAE,MAAM,OAA1B,EAAMc,EAAE,CAArC,C;MACI,IAAI,  
aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,KAAM,KAAI,WAAzC,C;QACI,MAAM,eA  
Ae,CAAC,UAAU,UAAx,EAAuB,MAAvB,EAA+B,QACzC,2B;UACH,OAAO,KAAK,UAAU,KAAK,KAAK,CA  
AC,IAAD,EAAO,eAAgB,IAAG,oBAA1B,C;SAFY,CAA/B,C;;GAO/B,G;ECxXF,MAAM,KAAM,GAAE,QACH,  
OADG,aAEC,WAFD,UAGF,QAHE,C;EAMd,MAAM,WAAy,GAAE,2C;IACb,IAAI,qBAAGB,MAAM,yBAAY

B,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;  
MACI,OAAO,kBAAkB,IAAI,KAAC,CAAC,UAAD,C;;IAGtC,kBAAmB,GAAE,MAAM,yBAAYB,CAAC,UAAD  
,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,OAAO,UAAU,CA  
AC,YAAD,C;;IAGrB,OAAO,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAC,CAAIC,EAA2  
C,YAA3C,C;G;EAG5B,MAAM,WAAW,GAAE,kD;IACHb,IAAI,qBAAqB,MAAM,yBAAYB,CAAC,KAAD,EAA  
Q,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,kBAAkB,IAAI,K  
AAK,CAAC,UAAD,EAAa,KAAb,C;MAC3B,M;;IAGJ,kBAAmB,GAAE,MAAM,yBAAYB,CAAC,UAAD,EAAa,  
YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,UAAU,CAAC,YAAD,CA  
Ae,GAAE,K;MAC3B,M;;IAGJ,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAC,CAAIC,EAA  
2C,YAA3C,EAAyD,KAAzD,C;G;EAGrB,iD;IACI,IAAI,IAAK,KAAL,KAAb,C;MAAOB,OAAO,I;IAE3B,IAAI,W  
AAW,IAAI,W;IACnB,IAAI,QAAS,IAAG,IAAhB,C;MACI,IAAI,aAAa,QAAQ,W;MACzB,KAAC,IAAI,IAAI,CA  
Ab,EAAgB,CAAE,GAAE,UAAU,OAA9B,EAAuC,CAAC,EAAxC,C;QACI,IAAI,0BAA0B,CAAC,UAAU,CAAC  
,CAAD,CAAX,EAAgB,KAAhB,CAA9B,C;UACI,OAAO,I;;;IAKnB,IAAI,iBAAiB,IAAI,UAAW,IAAG,IAAK,G  
AAE,MAAM,eAAe,CAAC,IAAI,UAAU,CAA9B,GAA0C,I;IACtF,IAAI,mBAAmB,cAAe,IAAG,IAAK,GAAE,cA  
Ac,YAAhB,GAA+B,I;IAC7E,OAAO,gBAAiB,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAAMB,KAAhB,C;  
G;EASjE,MAAM,OAAQ,GAAE,yB;IACZ,IAAI,KAAM,KAAL,MAAd,C;MACI,QAAQ,OAAO,MAAf,C;aACS,Q;  
aACA,Q;aACA,S;aACA,U;UACD,OAAO,I;;UAEP,OAAO,MAAO,YAAW,M;;IAIrC,IAAI,MAAO,IAAG,IAAK,  
IAAG,KAAM,IAAG,IAAK,KAAL,OAAO,MAAO,KAAL,QAAS,IAAG,OAAO,MAAO,KAAL,UAApD,CAApC,C;  
MACI,OAAO,K;;IAGX,IAAI,OAAO,KAAM,KAAL,UAAW,IAAG,MAAO,YAAW,KAArD,C;MACI,OAAO,I;;IA  
GX,IAAI,QAAQ,MAAM,eAAe,CAAC,KAAD,C;IACjC,IAAI,cAAc,KAAM,IAAG,IAAK,GAAE,KAAC,YAAP,  
GAAhB,I;IACtD,IAAI,WAAW,IAAG,IAAK,IAAG,YAAa,IAAG,WAA3C,C;MACI,IAAI,WAAW,WAAW,W;MA  
C1B,IAAI,QAAQ,KAAM,KAAL,MAAM,KAAC,OAAjC,C;QACI,OAAO,MAAO,KAAL,K;;IAI1B,IAAI,gBAAg  
B,KAAC,W;IAGzB,IAAI,aAAc,IAAG,IAArB,C;MACI,OAAO,MAAO,YAAW,K;;IAG7B,IAAI,aAAa,KAAM,K  
AAI,MAAM,KAAC,UAAW,IAAG,MAAM,YAAa,IAAG,IAA1E,C;MACI,OAAO,0BAA0B,CAAC,MAAM,YAA  
P,EAAqB,KAARb,C;;IAGrC,OAAO,K;G;EAGX,MAAM,SAAU,GAAE,a;IACd,OAAO,OAAO,CAAE,IAAG,QA  
AS,IAAG,CAAE,YAAW,MAAM,K;G;EAGtD,MAAM,OAAQ,GAAE,iB;IACZ,OAAO,KAAM,YAAW,MAAM,  
U;G;EAGlC,MAAM,aAAc,GAAE,iB;IACIB,IAAI,OAAO,OAAO,K;IAE1B,OAAO,IAAK,KAAL,QAAS,IACIB,IA  
AK,KAAL,SAAU,IACnB,MAAM,SAAS,CAAC,KAAD,CAAQ,IACvB,MAAM,OAAO,CAAC,KAAD,EAAQ,MA  
AM,OAAO,WAArB,C;G;EAGxB,MAAM,eAAgB,GAAE,iB;IACpB,OAAO,OAAO,KAAM,KAAL,QAAS,IAAG,  
MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,aAArB,C;G;;aCnDV,gB;;;ICrE3C,gB;MAkBI,4B;MA  
jBA,aAA6C,E;MAC7C,gBAAgD,C;K;4EAG5C,Y;MAAQ,iB;K;+EAGR,Y;MAAQ,oB;K;qCAEZ,iB;MAAyC,OA  
AQ,0BAAR,YAAQ,EAAU,KAAM,QAAhB,C;K;4BAEjD,iB;MAAmC,gBAAS,K;K;8BAE5C,Y;MAA+B,OAAhC  
,MAAmC,kBAA8B,IAA9B,C;K;8BAE/B,Y;MAA0B,gB;K;IAE1B,0B;MAAA,8B;K;;IAAA,sC;MAAA,qC;QAA  
A,oB;;MAAA,8B;K;;IDfJ,mC;MAC4C,oBAAa,MAAS,IAAT,CAAb,EAA6B,SAA7B,C;K;gEAE5C,yB;MAAA,m  
B;MAAA,6B;QAC2D,YAAa,QAAS,IAAT,C;QAIvD,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAA  
U,CAAV,iB;UACI,MAAM,CAAN,IALgF,IAKrE,CAAK,CAAL,C;;QALwC,OAOhD,K;O;KARX,C;gEAGA,uB;  
MAEiB,Q;MAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,  
KAAC,CAAL,C;;MAEf,OAAO,K;K;IAGX,kC;MAIiB,IAAN,I;MAFP,aAAsB,MAAe,IAAf,C;MACtB,gBAAkB,c;  
MAEd,IADS,IACt,mBADs,IACt,EAAM,IAAN,E;QAAC,oBAAa,MAAb,EAAqB,KAARb,C;WACd,WAFS,IAET  
,S;QAAS,a;;QAZA,U;QAAA,SAaqB,Mabf,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UAakC,MAZ9B,CA  
AM,CAAN,IAYS,C,IAZ3B,CAAC,CAAL,C;;QAYH,OAAhB,M;;MAHIC,W;K;2EAOJ,yB;MAAA,iC;MAAA,6B;  
QACoF,YAAa,aAAa,IAAb,EAAMB,KAAhB,C;QAIbHf,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,a  
AAU,CAAV,iB;UACI,MAAM,CAAN,IAiBoH,IAjBzG,CAAC,CAAL,C;;QAIbIE,OafzE,K;O;KAcX,C;IAGA,+B  
;MAKiB,IAAN,I;MAFP,aAAa,IAAb,WAAa,CAAD,IAAC,C;MACb,gBAAkB,W;MAEd,IADS,IACt,mBADs,IA  
CT,EAAM,IAAN,YADS,IACt,EAAY,KAAZ,E;QAAqB,a;;QAIbZ,U;QAAA,SA2BkB,MA3BZ,OAAN,GAAa,C  
AAb,I;QAAb,aAAU,CAAV,mB;UA2B+B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAC,CAAL,C;;QA0BH,  
OAAmB,M;;MAF/B,W;K;qEAMJ,yB;MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAW,UAAU,IAAV,  
EAAgB,IAAhB,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CA

AL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;mFAWA,yB;MAAA,mB;M  
AAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAy,QAAY,IAAZ,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QA  
Ab,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAA  
O,K;O;KARX,C;IAWA,+B;MAIiB,IAAN,I;MAFP,aAAsB,MAAY,IAAZ,C;MACTb,gBAakB,W;MAEd,IADS,IA  
CT,mBADs,IACT,EAAM,IAAN,E;QAAC,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;;QA3DA,U;QAAA,S  
A4DKB,MA5DZ,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA4D+B,MA3D3B,CAAM,CAAN,IA2DmC,I  
A3DxB,CAAK,CAAL,C;;QA2DH,OAAMB,M;;MAH/B,W;K;qEAOJ,yB;MAAA,2B;MAAA,6B;QAC2E,YAAa,U  
AAU,IAAV,EAAGB,KAAhB,C;QAJEvE,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB  
;UACI,MAAM,CAAN,IAgEwG,IAhE7F,CAAK,CAAL,C;;QAgEwD,OA9DhE,K;O;KA6DX,C;IAGA,wC;MACiB  
,Q;MAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,S;;MAEf  
,OAAO,K;K;IEIFX,iC;MAAA,qC;MAEI,iBAC8B,Q;MAE9B,iBAC8B,sB;MAE9B,yBAEsC,MAAM,G;MAE5C,y  
BAEsC,CAAC,GAAD,GAAO,G;MAE7C,WAEwB,EAAE,MAAM,GAAR,C;MAExB,kBACuB,C;MAEvB,iBACs  
B,E;K;;IAxB1B,6C;MAAA,4C;QAAA,2B;;MAAA,qC;K;IA2BA,gC;MAAA,oC;MAEI,iBAC6B,O;MAE7B,iBAC  
6B,Y;MAE7B,yBAEqC,MAAO,G;MAE5C,yBAEqC,CAAC,GAAD,GAAQ,G;MAE7C,WAEuB,EAAE,MAAO,G  
AAT,C;MAEvB,kBACuB,C;MAEvB,iBACsB,E;K;;IAxB1B,4C;MAAA,2C;QAAA,0B;;MAAA,oC;K;IA2BA,8B;  
MAAA,kC;MAEI,iBACqB,W;MAErB,iBACqB,U;MAErB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,0C;MAAA,  
yC;QAAA,wB;;MAAA,kC;K;IAeA,+B;MAAA,mC;MAEI,iBACJ,MAAM,KAAoB,U;MAEtB,iBACJ,MAAM,KA  
AoB,U;MAEtB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;IAeA,gC;M  
AAA,oC;MAEI,iBACuB,U;MAEvB,iBACuB,K;MAEvB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,4C;MAAA,2  
C;QAAA,0B;;MAAA,oC;K;IAeA,+B;MAAA,mC;MAEI,iBACsB,Q;MAEtB,iBACsB,G;MAEtB,kBACuB,C;MAE  
vB,iBACsB,C;K;;IAZ1B,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;IAeA,+B;MAAA,mC;MAEI,iBACmC,C;MAE  
nC,iBACmC,K;MAEnC,0BAC4C,K;MAE5C,0BAC4C,K;MAE5C,yBAC2C,K;MAE3C,yBAC2C,K;MAE3C,qBA  
CuC,uB;MAEvC,qBACuC,sB;MAEvC,kBACuB,C;MAEvB,iBACsB,E;K;;IA9B1B,2C;MAAA,0C;QAAA,yB;;M  
AAA,mC;K;IAiCA,iC;MAAA,qC;K;;IAAA,6C;MAAA,4C;QAAA,2B;;MAAA,qC;K;IAEA,kC;MAAA,sC;K;;IA  
AA,8C;MAAA,6C;QAAA,4B;;MAAA,sC;K;;aCkkuBoB,gB;;cC/ntB0C,mB;;gBAyEvC,  
yB;eAAyB,wB;;uBAgBzB,gC;sBAAwB,+B;mCA4Jc,qB;mCA5ImC,qB;kBAQ1B,2B;iBAA0B,0B;;eC3YgB,  
wB;sBCoBA,sB;iBcNBA,0B;;aC5P8B,e;;gCCIDhD,yC;+BCVA,uC;+BCAA,sC;;gCCyJ/B,+B;+BAIW,sC  
;gCCqWc,+B;0BAHvB,kC;uBAr6BO,gC;yBA8WD,iC;0BACA,mC;yBA4JA,iC;gCAmZP,oC;+BAbc,oC;+BAEC  
,+B;yBAEQ,kC;;gBCr0C6C,yB;;  
;IC/ErF,kD;MAMuF,wC;K;IANvF,4CAOI,  
Y;MAAuC,8B;K;IAP3C,8E;ICGA,kD;MAQuF,wC;K;IARvF,4CASI,Y;MAAuC,8B;K;IAT3C,8E;0FbOA,qB;MA  
QI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,  
C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,  
OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;  
K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,O  
AAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;  
4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OA  
AO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0  
FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAA  
O,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4F  
AGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,  
UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAG  
X,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UA  
AI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,  
qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAA  
I,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB  
;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,C  
AAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;M

AQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;IAGX,sC;MAII,OAAO,mBAAQ,OAA  
R,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,K  
AAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAA  
oB,C;K;IAG/B,wC;MAOI,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAOI,OAAO,qBAAQ,OAAR,KAAo  
B,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C  
;K;oGAK/E,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,CAAJ  
,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAA  
c,SAAS,wBAA3B,GAAcC,UAAI,CAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MA  
AA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,CAAJ,CAAtC,GAAcD,aAAa,KAAb,C;  
O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAA  
I,CAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CA  
AT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,CAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,  
8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,CAAJ,CAAtC,GAAcD,aAAa,K  
AAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc  
C,UAAI,CAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SA  
AS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,CAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;  
MAAA,8D;MAAA,gC;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,CAAJ,CAA  
tC,GAAcD,uBAAa,KAAb,E;O;KAPjE,C;oGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,  
KAAV,C;O;KAPhB,C;qGAUA,yB;MAAA,qD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;O;KAP  
hB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;  
MAAA,sD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAA  
A,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAA  
W,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,E  
AAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;O;  
KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;8EAUA  
,gC;MAOW,sB;;QAyB,S,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAzbH,SAybO,CAAU,OAAV,CAAJ,C;YAAwB  
,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MA1bP,yB;K;gFAGJ,gC;MAOW,sB;;QAubS,Q;QAaHb,iD;UAAgB,  
cAAhB,e;UAAsB,IAvbH,SAubO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;M  
AxbP,yB;K;gFAGJ,gC;MAOW,sB;;QAqbS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IArbH,SAqbO,CAAU,OAA  
V,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MATbP,yB;K;gFAGJ,gC;MAOW,sB;;QAmbS,Q;  
QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IANbH,SambO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;Q  
AC9C,qBAAO,I;;;MAPbP,yB;K;gFAGJ,gC;MAOW,sB;;QAibS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAjbH,S  
AibO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MA1bP,yB;K;gFAGJ,gC;MAO  
W,sB;;QA+aS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IA+aH,SA+aO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,  
O;YAAP,uB;;;QAC9C,qBAAO,I;;;MAhbP,yB;K;gFAGJ,gC;MAOW,sB;;QA6aS,Q;QAaHb,iD;UAAgB,cAAhB,e;  
UAAsB,IA7aH,SA6aO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MA9aP,yB;K  
;gFAGJ,gC;MAOW,sB;;QA2aS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IA3aH,SA2aO,CAAU,OAAV,CAAJ,C;  
YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MA5aP,yB;K;gFAGJ,yB;MA4aA,oC;MAAA,gC;MA5aA,uC;  
QAOW,sB;;UAyaS,Q;UAaHb,iD;YAAgB,cAAhB,0B;YAAsB,IAzaH,SAyaO,CAAU,oBAAV,CAAJ,C;cAAwB,q  
BAAO,O;cAAP,uB;;;UAC9C,qBAAO,I;;;QA1aP,yB;O;KAPJ,C;sFAUA,yB;MAw1CA,0D;MAAA,+C;MAx1CA,u  
C;QAOW,qB;;UAu1CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc  
,UAAK,KAAL,C;YACd,IAz1Cc,SAy1CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAA  
O,I;;;QA31CP,wB;O;KAPJ,C;wFAUA,yB;MA21CA,0D;MAAA,+C;MA31CA,uC;QAOW,qB;;UA01CO,Q;UAAA  
,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA51Cc,  
SA41CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA91CP,wB;O;KAPJ,C;wF  
AUA,yB;MA81CA,0D;MAAA,+C;MA91CA,uC;QAOW,qB;;UA61CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;  
UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA1CC,SA+1CV,CAAU,OAAV,CAAJ,C;  
cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAj2CP,wB;O;KAPJ,C;wFAUA,yB;MAi2CA,0D;MAAA,+C;

MAj2CA,uC;QAOW,qB;;UA g2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAI2Cc,Sak2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp2CP,wB;O;KAPJ,C;wFAUA,yB;MAo2CA,0D;MAAA,+C;Map2CA,uC;QAOW,qB;;UAm2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAr2Cc,SAq2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAv2CP,wB;O;KAPJ,C;wFAUA,yB;MAu2CA,0D;MAAA,+C;MAv2CA,uC;QAOW,qB;;UAs2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAx2Cc,SAw2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA12CP,wB;O;KAPJ,C;wFAUA,yB;MA02CA,0D;MAAA,+C;MA12CA,uC;QAOW,qB;;UAY2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA32Cc,SA22CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA72CP,wB;O;KAPJ,C;wFAUA,yB;MA62CA,0D;MAAA,+C;MA72CA,uC;QAOW,qB;;UA42CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA92Cc,SA82CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh3CP,wB;O;KAPJ,C;wFAUA,yB;MAg3CA,0D;MAAA,+C;MAAA,oC;MAh3CA,uC;QAOW,qB;;UA+2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAj3Cc,SAi3CV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAn3CP,wB;O;KAPJ,C;IAUA,0B;MAKI,IA4uNO,qBAAQ,CA5uNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA0uNO,qBAAQ,CA1uNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAwuNO,qBAAQ,CAxuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IASuNO,qBAAQ,CAtuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAouNO,qBAAQ,CApuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAkuNO,qBAAQ,CAluNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAguNO,qBAAQ,CAhuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA8tNO,qBAAQ,CA9tNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA4tNO,qBAAQ,CA5tNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;kFAGX,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;kFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;kGASA,yB;MAAA,iE;MAAA,uC;QASW,Q;QAAA,+B;;UAYS,U;UAAhB,uD;YAAgB,cAAhB,iB;YACI,aAbwB,SAaX,CAAU,OAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;;UAGR,8BAAO,I;;;QAIbA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,8DAAvB,C;;QAAhD,OAAO,I;O;KATX,C;8GAYA,gC;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OAAO,M;;;MAGf,OAAO,I;K;IAGX,gC;MAIL,OAoiNO,qBAAQ,CApiNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAIL,OAqiNO,qBAAQ,CARiNR,GAAe,IA



W,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;8FAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK  
,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,K  
AAL,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KA  
AL,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAA  
L,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,  
CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,C  
AAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CA  
AV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,yB;MAAA,oC;MAAA,uC;QAI,wD;UACI,IAAI,UAAU  
,sBAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,0D;MAAA,+  
C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,U  
AAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAA  
A,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IA  
AI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;  
MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UAC  
V,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,  
0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;U  
ACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MA  
AA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,u  
B;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;  
MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;U  
AAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FA  
YA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;  
UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FA  
YA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;  
UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8F  
AYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd  
,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8  
FAYA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QA  
Ad,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,sBAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAA  
O,E;O;KATX,C;IA YA,yB;MAQI,IAg7LO,qBAAQ,CAh7Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO  
,UAAK,wBAAL,C;K;IAGX,2B;MAQI,IA26LO,qBAAQ,CA36Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,  
OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA56LO,qBAAQ,CAt6Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MA  
CV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAi6LO,qBAAQ,CAj6Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;  
MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA45LO,qBAAQ,CA55Lf,C;QACI,MAAM,2BAAuB,iBA  
AvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAu5LO,qBAAQ,CAv5Lf,C;QACI,MAAM,2BAAuB,i  
BAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAk5LO,qBAAQ,CAI5Lf,C;QACI,MAAM,2BA  
AuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAw4LO,qBAAQ,CAx4Lf,C;QACI,MA  
AM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;gFAGX,yB;MAAA,0D;MAAA,+C;MAAA,iE;M  
AAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UAC  
V,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mD  
AAvB,C;O;KAZV,C;gFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,Y  
AAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAA  
U,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;IFaEa,yB;MAAA,0D;  
MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,  
cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEn  
C,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;IFaEa,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;  
QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAA  
L,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;i

FAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,C  
AAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YA  
AwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;  
MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UA  
CV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,m  
DAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,  
YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UA  
AU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0  
D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAA  
c,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QA  
EnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,  
uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAA  
c,UAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB  
,C;O;KAZV,C;IAeA,yC;MAKsB,UAMA,M;MAPIB,IAAI,eAAJ,C;QACKB,OAAQ,WAAR,sBAAQ,CAAR,W;QA  
Ad,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAK,KAAL,SAAJ,C;YACI,OAAO,K;;;QAID,SAAQ,WAAR,sBAA  
Q,CAAR,W;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAI,gBAAW,UAAK,OAAAL,CAAX,CAAJ,C;YACI,OAA  
O,O;;;MAInB,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,  
C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,  
Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAA  
L,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;  
MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;  
K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,  
gBAAW,UAAK,KAAL,CAAX,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,2C;MAMkB,Q;MAAA,OAA  
Q,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UA  
CI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,2C;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,  
cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,2C;  
MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UA  
AK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,C  
AAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,  
OAAO,E;K;IAGX,+B;MAMI,OA8jLO,qBAAQ,CA9jLR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;K;  
IAGpC,iC;MAMI,OA6jLO,qBAAQ,CA7jLR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;  
MAMI,OA4jLO,qBAAQ,CA5jLR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OA  
2jLO,qBAAQ,CA3jLR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OA0jLO,qBA  
AQ,CA1jLR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OAyjLO,qBAAQ,CAzjL  
R,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OAwjLO,qBAAQ,CAXjLR,GAAe,I  
AAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OAujLO,qBAAQ,CAvjLR,GAAe,IAAf,GAAY  
B,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OAsjLO,qBAAQ,CAtjLR,GAAe,IAAf,GAAYB,UAAK,m  
BAAO,CAAP,IAAL,C;K;4FAGpC,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL  
,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OA  
AV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QA  
MkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UA  
AK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;  
MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,  
cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE  
nC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,S  
AAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OA  
AV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAM  
kB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK



gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,M  
AAM,gCAAYB,kCAAZB,C;;MAHIB,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,  
MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAYB,kCAAZB,C;;  
MAHIB,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;  
aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAYB,kCAAZB,C;;MAHIB,W;K;IAOJ,6B;MAliB  
,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAA  
L,C;UAAL,K;;UACQ,MAAM,gCAAYB,kCAAZB,C;;MAHIB,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBA  
AN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM  
,gCAAYB,kCAAZB,C;;MAHIB,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAA  
M,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAYB,kCAAZB,C;;MAHI  
B,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,  
C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAYB,kCAAZB,C;;MAHIB,W;K;IAOJ,6B;MAliB,IAAN  
,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UA  
AL,K;;UACQ,MAAM,gCAAYB,kCAAZB,C;;MAHIB,W;K;oFAOJ,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8  
B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,S  
AAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,  
SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,  
6E;O;KafX,C;oFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QA  
CpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YAC  
I,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,K  
AAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;  
MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAg  
B,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,  
C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEI  
B,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aA  
AmB,I;QACnB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CA  
AJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI  
,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;M  
AAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,g  
B;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,  
gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAv  
B,C;QAEIB,OAAO,iE;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;Q  
AXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OA  
AV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAG  
hB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MA  
AA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAsB,I;QACtB,YAAY,K;QACZ,wBAAgB,S  
AAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8  
BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,  
mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,U  
AST,M;QAXP,aAAuB,I;QACvB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,U  
AAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ  
,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,4D;O;KafX,C;qFakBA  
,yB;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QAC  
pB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAA  
J,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,  
CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,4E;O;KafX,C;IAkBA,iC;MAII,OAAW,q  
BAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,  
CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IA

GvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAA Q,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAA L,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC, mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CA AZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;gGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB,YAAy,K;MACZ ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAA W,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO, M;K;gGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,S AAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QA AQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aA AqB,I;MACrB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CA AJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;Q AAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAmB,I;MACnB,YAAy,K;MACZ,wBAA gB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAA O,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGA GX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M; QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;M AGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAqB,I;M ACrB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UA CI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OA AAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAaB,I;MACtB,YAAy,K;MACZ,wBAAgB,SAAhB ,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB ,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;M AMoB,Q;MAFhB,aAAuB,I;MACvB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IA AI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IA AI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMo B,Q;QAFhB,aAAoB,I;QACpB,YAAy,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI, IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;CAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;QAGhB,I AAI,CAAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,4B;McvqGI,IAAI,Ed+qGI,KAAK,Cc /qGT,CAAJ,C;QACI,cd8qGc,sD;Qc7qGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md8qGV,OAAO,oBAAoB,gBAA V,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;McnrGI,IAAI,Ed2rGI,KAAK,Cc3rGT,CAAJ,C;QA CI,cd0rGc,sD;QczrGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md0rGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,I AAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc/rGI,IAAI,EdusGI,KAAK,CcvsGT,CAAJ,C;QACI,cdssGc,sD;Qcrs Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdssGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd, CAAPB,C;K;IAGX,8B;Mc3sGI,IAAI,EdmtGI,KAAK,CcntGT,CAAJ,C;QACI,cdktGc,sD;QcjtGd,MAAM,gCAAy B,OAAQ,WAAjC,C;;MdktGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX, 8B;McvtGI,IAAI,Ed+tGI,KAAK,Cc/tGT,CAAJ,C;QACI,cd8tGc,sD;Qc7tGd,MAAM,gCAAyB,OAAQ,WAAjC,C;; Md8tGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;McnuGI,IAAI,Ed 2uGI,KAAK,Cc3uGT,CAAJ,C;QACI,cd0uGc,sD;QczuGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md0uGV,OAAO, sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc/uGI,IAAI,EduvGI,KAAK,Ccuv GT,CAAJ,C;QACI,cdsvGc,sD;QcrvGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdsvGV,OAAO,sBAAoB,gBAAV, mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc3vGI,IAAI,EdmwGI,KAAK,CcnwGT,CAAJ,C;Q ACI,cdkwGc,sD;QcjhGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdkwGV,OAAO,sBAAoB,gBAAV,mBAAO,CA AP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;McvwGI,IAAI,Ed+wGI,KAAK,Cc/wGT,CAAJ,C;QACI,cd8wGc,s D;Qc7wGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md8wGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EA AC,CAAd,CAApB,C;K;IAGX,gC;McnxGI,IAAI,Ed2xGI,KAAK,Cc3xGT,CAAJ,C;QACI,cd0xGc,sD;QczxGd,MA AM,gCAAyB,OAAQ,WAAjC,C;;Md0xGV,OAAO,gBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAh B,C;K;IAGX,kC;Mc/xGI,IAAI,EduyGI,KAAK,CcuyGT,CAAJ,C;QACI,cdsyGc,sD;QcryGd,MAAM,gCAAyB,OA

AQ,WAAjC,C;;MdsyGV,OAAO,kBAAGB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;  
Mc3yGI,IAAI,EdmzGI,KAAK,CcnzGT,CAAJ,C;QACI,cdkzGc,sD;QcJzGd,MAAM,gCAAYB,OAAQ,WAAjC,C;;  
MdkzGV,OAAO,kBAAGB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;McvzGI,IAAI,Ed  
+zGI,KAAK,Cc/zGT,CAAJ,C;QACI,cd8zGc,sD;Qc7zGd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md8zGV,OAAO,k  
BAAGB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mcn0GI,IAAI,Ed20GI,KAAK,Cc30  
GT,CAAJ,C;QACI,cd00Gc,sD;QcZ0Gd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md00GV,OAAO,kBAAGB,gBAAV,  
mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mc/0GI,IAAI,Edu1GI,KAAK,Ccv1GT,CAAJ,C;QAC  
I,cds1Gc,sD;Qcr1Gd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mds1GV,OAAO,kBAAGB,gBAAV,mBAAO,CAAP,IA  
AU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mc31GI,IAAI,Edm2GI,KAAK,Ccn2GT,CAAJ,C;QACI,cdk2Gc,sD;Qcj2  
Gd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mdk2GV,OAAO,kBAAGB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd  
,CAAhB,C;K;IAGX,kC;Mcv2GI,IAAI,Ed+2GI,KAAK,Cc/2GT,CAAJ,C;QACI,cd82Gc,sD;Qc72Gd,MAAM,gCA  
AYB,OAAQ,WAAjC,C;;Md82GV,OAAO,kBAAGB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IA  
GX,kC;Mcn3GI,IAAI,Ed23GI,KAAK,Cc33GT,CAAJ,C;QACI,cd03Gc,sD;Qcz3Gd,MAAM,gCAAYB,OAAQ,WA  
AjC,C;;Md03GV,OAAO,kBAAGB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;gGAGX,yB;MAAA  
,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UA  
AK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA  
,yB;MAAA,8D;MAAA,2C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,  
UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAX  
X,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,I  
AAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO  
,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/  
B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;Q  
AGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WA  
A+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,  
IAAL,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,  
wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,Q  
AAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;Q  
AMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAA  
O,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;  
MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C  
;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,oC;  
MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,  
KAAL,EA AV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAXX,C;wFAcA,yB;  
MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SA  
Ab,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAL,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,  
WAAL,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QA  
Fb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IA  
AK,WAAL,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAL,IAAJ,C;YACL,WAAW,I;;;Q  
AE nB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QAC  
X,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAL,IAAJ,C;eACJ,IAAI,CAA  
C,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAL,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;O;KafX,C;0FAkBA,  
yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,  
SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAL,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IA  
AK,WAAL,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q  
;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,  
IAAK,WAAL,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAL,IAAJ,C;YACL,WAAW,I;;;  
QAE nB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QA  
CX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAL,IAAJ,C;eACJ,IAAI,CA

AC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAL,IAAJ,C;YACL,WAAW,I;;;QAEEnB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAA A,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAL,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,I AAK,WAAL,IAAJ,C;YACL,WAAW,I;;;QAEEnB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB, Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YA CI,IAAK,WAAL,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAL,IAAJ,C;YACL,WAAW, I;;;QAEEnB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAQiB,Q;QAFb,eAA e,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,QAAJ,C;YACI,IAA K,WAAL,iBAAJ,C;eACJ,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACD,IAAK,WAAL,iBAAJ,C;YACL,WAAW,I;;; QAEEnB,OAAO,I;O;KafX,C;kFAkBA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmgBA,Q;QAaHb,iD;U AAgB,cAAhB,e;UAAsB,IAngBU,SAmgBN,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAngB1D ,OAogBO,W;O;KA1gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAogBA,Q;QAaHb,iD;UAA gB,cAAhB,e;UAAsB,IApgBa,SAogBT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QApG1D,OAq gBO,W;O;KA3gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqgBA,Q;QAaHb,iD;UAAgB,c AAhB,e;UAAsB,IArgBc,SAqgBV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QArgB1D,OAsgBO, W;O;KA5gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAsgBA,Q;QAaHb,iD;UAAgB,cAAhB, e;UAAsB,IAtgBY,SAsgBR,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAtgB1D,OAuGBO,W;O; KA7gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAugBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UA AsB,IAvgBa,SAugBT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAvG1D,OAwgBO,W;O;KA9 gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwgBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAs B,IAxgBc,SAwgBV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAxgB1D,OAygBO,W;O;KA/gB X,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAYgBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IA zgBe,SAygBX,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAzgB1D,OA0gBO,W;O;KAhhBX,C;o FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0gBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IA1gBg B,SA0gBZ,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QA1gB1D,OA2gBO,W;O;KAjhBX,C;oFA SA,yB;MAAA,+D;MA2gBA,oC;MAAA,gC;MA3gBA,uC;QAMW,kBAAS,gB;QA2gBA,Q;QAaHb,iD;UAAgB,c AAhB,0B;UAAsB,IA3gBa,SA2gBT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,WAAI,oBAAJ,C;;QA3gB1D,OA4 gBO,W;O;KAlhBX,C;gGASA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QASgTV,gB;QADb,YAAy,C;QA CZ,iD;UAAa,WAAb,e;UA16SI,IApGmC,SAoG/B,EAk6SkB,cAl6SIB,EAk6SkB,sBA16SIB,Wak6S2B,IA16S3B,C AAJ,C;YAA2C,sBAk6SZ,IA16SY,C;;QApG/C,OAsGO,W;O;KA9GX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQ W,kBAAGB,gB;QAqgTV,gB;QADb,YAAy,C;QACZ,iD;UAAa,WAAb,e;UA95SI,IAvGsC,SAuG1C,EA85SkB,cA 95SIB,EA85SkB,sBA95SIB,WA85S2B,IA95S3B,CAAJ,C;YAA2C,sBA85SZ,IA95SY,C;;QAvG/C,OAYGO,W;O; KAjHX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAogTV,gB;QADb,YAAy,C;QACZ,iD;UA Aa,WAAb,e;UA15SI,IA1GuC,SA0GnC,EA05SkB,cA15SIB,EA05SkB,sBA15SIB,WA05S2B,IA15S3B,CAAJ,C;Y AA2C,sBA05SZ,IA15SY,C;;QA1G/C,OA4GO,W;O;KApHX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBA AgB,gB;QAmgTV,gB;QADb,YAAy,C;QACZ,iD;UAAa,WAAb,e;UA5SI,IA7GqC,SA6GjC,EAs5SkB,cAt5SIB,E As5SkB,sBA5SIB,WAs5S2B,IA5S3B,CAAJ,C;YAA2C,sBA5SZ,IA5SY,C;;QA7G/C,OA+GO,W;O;KAvHX,C; kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAKgTV,gB;QADb,YAAy,C;QACZ,iD;UAAa,WAAb, e;UA15SI,IAhHsC,SAgHIC,EAk5SkB,cAl5SIB,EAk5SkB,sBA15SIB,Wak5S2B,IA15S3B,CAAJ,C;YAA2C,sBAk5 SZ,IA15SY,C;;QAhh/C,OAKHO,W;O;KA1HX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAig TV,gB;QADb,YAAy,C;QACZ,iD;UAAa,WAAb,e;UA94SI,IANHuC,SAmHnC,EA84SkB,cA94SIB,EA84SkB,sBA 94SIB,WA84S2B,IA94S3B,CAAJ,C;YAA2C,sBA84SZ,IA94SY,C;;QAnH/C,OAqHO,W;O;KA7HX,C;kGAWA,y B;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAggTV,gB;QADb,YAAy,C;QACZ,iD;UAAa,WAAb,e;UA14SI, IAtHwC,SAsHpC,EA04SkB,cA14SIB,EA04SkB,sBA14SIB,WA04S2B,IA14S3B,CAAJ,C;YAA2C,sBA04SZ,IA14 SY,C;;QAtH/C,OAwhO,W;O;KAhIX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QA+/SV,gB;Q ADb,YAAy,C;QACZ,iD;UAAa,WAAb,e;UA4SI,IAzHyC,SAyHrC,EAs4SkB,cAt4SIB,EAs4SkB,sBA4SIB,WAs 4S2B,IA4S3B,CAAJ,C;YAA2C,sBA4SZ,IA4SY,C;;QAzh/C,OA2HO,W;O;KANIX,C;kGAWA,yB;MAAA,+D; MA2HA,gC;MAo4SA,oC;MA//SA,uC;QAQW,kBAAGB,gB;QA8/SV,gB;QADb,YAAy,C;QACZ,iD;UAAa,WAA





C;QAAe,OAAO,W;MACtB,WAAW,iBAAGB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAA K,WAAI,UAAI,KA AJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAA wB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;M AAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KA AJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB ,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACt B,WAAW,iBAakB,IAAlB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KA AJ,CA AJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IA AI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAmB,IAAnB,C;MACG,yB;MAAd,OAAc,cAAd,C;QA Ac,uB;QACV,IAAK,WAAI,UAAI,KA AJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wB AAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAGB,IAA hB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KA AJ,EAAJ,C;;MAET,OAAO,I; K;IAGX,wC;MAMwB,UACT,M;MAHX,aAAa,aAAa,SAAb,EAAmB,OAAQ,KAA3B,C;MACb,kBAakB,C;MAC E,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C; ;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,cAAU,OAAQ,KAAIB,C;MACb,kBAakB,C;M ACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL ,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,eAAW,OAAQ,KAAmB,C;MACb,kBAakB, C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,W AAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,eAAS,OAAQ,KAAjB,C;MACb,kBAA kB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK ,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,k BAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,U AAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAW,OAAQ,KAAmB,C;M ACb,kBAakB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YA AwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAY,OAAQ,KAAp B,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAA P,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,oBAAa,OAAQ,K AArB,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4 BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OA AQ,KAAIB,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EA AO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OA AO,yBAAY,CAAZ,EAAe,CAAf,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CA AvB,IAA3B,C;K;IAGX,0C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,cAAU,CAAV,C;MAC9B,OAAO,yBAA Y,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;Q AAuB,OAAO,eAAW,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB ,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAAS,CAAT,C;MAC9B,OAAO,yBAAY,OA AQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB ,OAAO,iBAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA 3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAW,CAAX,C;MAC9B,OAAO,yBAAY,OAA Q,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB, OAAO,iBAAY,CAAZ,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3 B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,oBAAa,CAAb,C;MAC9B,OAAO,0BAAY,OAAQ, MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OA AO,iBAAU,CAAV,C;MAC9B,OAAO,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C ;K;IAGX,4B;MAciB,Q;Mc3nJb,IAAI,EdqnJI,KAAK,CernJT,CAAJ,C;QACI,cdonJc,sD;QcnnJd,MAAM,gCAAYB, OAAQ,WAAjC,C;;MdonJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OA AO,iB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAA Y,C;MACZ, WAAW,iBAaA,CAAb,C;MACX,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,I AAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;McjpJb,IAAI,Ed2oJI,KAAK,Cc3oJT,CA

AJ,C;QACI,cd0oJc,sD;QczoJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md0oJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAGB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;McvqJb,IAAI,EdiqJI,KAAK,CcjqJT,CAAJ,C;QACI,cdgqJc,sD;Qc/pJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MdgqJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc7rJb,IAAI,EdurJI,KAAK,CcvtJT,CAAJ,C;QACI,cdsrJc,sD;QcrrJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MdsrJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAae,CAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc7sJb,IAAI,Ed6sJI,KAAK,Cc7sJT,CAAJ,C;QACI,cd4sJc,sD;Qc3sJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md4sJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc7vJb,IAAI,EdyvJI,KAAK,CczvJT,CAAJ,C;QACI,cdwvJc,sD;QcvvJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MdwvJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAIb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc7wJb,IAAI,EdwJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md8wJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAmB,CAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc7yJb,IAAI,EdqyJI,KAAK,CcryJT,CAAJ,C;QACI,cdoyJc,sD;QcnyJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MdoyJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,EAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAGB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QACI,IAAK,WAAI,iBAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,gC;MenzJI,IAAI,Ed2zJI,KAAK,Cc3zJT,CAAJ,C;QACI,cd0zJc,sD;QczzJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md0zJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,iB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAaa,CAAb,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mct0JI,IAAI,Ed80JI,KAAK,Cc90JT,CAAJ,C;QACI,cd60Jc,sD;Qc50Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md60JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAGB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcz1JI,IAAI,Edi2JI,KAAK,Ccj2JT,CAAJ,C;QACI,cdg2Jc,sD;Qc/1Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mdg2JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CA

AJ,C;MACT,OAAO,I;K;IAGX,kC;Mc52JI,IAAI,Edo3JI,KAAK,Ccp3JT,CAAJ,C;QACI,cdm3Jc,sD;Qcl3Jd,MAA  
M,gCAAYB,OAAQ,WAAjC,C;;Mdm3JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,I  
AAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CA  
AP,IAAL,CAAP,C;MACnB,WAAW,iBA Ae,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QA  
CI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc/3JI,IAAI,Edu4JI,KAAK,Ccv4JT,CAAJ,  
C;QACI,cds4Jc,sD;Qcr4Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mds4JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,  
W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAY,  
OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA AgB,CAAhB,C;MACX,iBAAc,OAAO  
,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcl5JI  
,IAAI,Ed05JI,KAAK,Cc15JT,CAAJ,C;QACI,cdy5Jc,sD;Qcx5Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mdy5JV,IA  
AI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MA  
CtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA Ai  
B,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;  
MACT,OAAO,I;K;IAGX,kC;Mcr6JI,IAAI,Ed66JI,KAAK,Cc76JT,CAAJ,C;QACI,cd46Jc,sD;Qc36Jd,MAAM,gCA  
AyB,OAAQ,WAAjC,C;;Md46JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KA  
AK,IAAT,C;QA Ae,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAA  
L,CAAP,C;MACnB,WAAW,iBA AkB,CAAiB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IA  
AK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcx7JI,IAAI,Edg8JI,KAAK,Cch8JT,CAAJ,C;Q  
ACI,cd+7Jc,sD;Qc97Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md+7JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;  
MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAY,OA  
AO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA AmB,CAAnB,C;MACX,iBAAc,OAAO,C  
AAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc38JI,I  
AAI,Edm9JI,KAAK,Ccn9JT,CAAJ,C;QACI,cdk9Jc,sD;Qcj9Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mdk9JV,IAA  
I,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACT  
B,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBA AK,OAAO,CAAP,IAAL,EAAP,C;MACnB,WAAW,iBA AgB  
,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBA AK,KAAL,EAJ,C;  
MACT,OAAO,I;K;gGAGX,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,C  
AA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBA AK,QAAQ,CAAR,IAAL,  
C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,2C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAA  
d,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBA AK,QAAQ,C  
AAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iB  
AAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAA  
K,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,u  
C;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,O  
AAO,gBA AK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,g  
D;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL  
,C;YACI,OAAO,gBA AK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4  
C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,C  
AAV,CAAL,C;YACI,OAAO,gBA AK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,  
8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UA  
AK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBA AK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA  
,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,  
UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBA AK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAX  
X,C;kGAcA,yB;MAAA,8D;MAAA,oC;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/  
B,U;UACI,IAAI,CAAC,UAAU,sBA AK,KAAL,EA AV,CAAL,C;YACI,OAAO,gBA AK,QAAQ,CAAR,IAAL,C;;  
QAGf,OAAO,iB;O;KAXX,C;wFAcA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S  
AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S

AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S  
AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S  
AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S  
AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S  
AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S  
AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAOiB,Q;QADb,WAA  
W,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YAC  
I,K;UACJ,IAAK,WAAI,iBAAJ,C;;QAET,OAAO,I;O;KAZX,C;IAeA,4B;MAII,eAAe,CAAC,mBAAO,CAAP,IAA  
D,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAaKB,M;MACIB,mBAAmB,wB;MACnB,iBAAc,CAAd,WAAi  
B,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,I  
AAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,  
CAAf,C;QAaKB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAA  
L,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,  
eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAaKB,M;MACIB,mBAAmB,  
0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK  
,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IA  
Aa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAaKB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QA  
AjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB  
,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,  
C;QAaKB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;Q  
ACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,  
CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAaKB,M;MACIB,mBAAmB,0B;M  
ACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAA  
L,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CA  
Ab,I;MACf,IAAI,WAAW,CAAf,C;QAaKB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;  
QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QA  
CrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QA  
AkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,  
UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAA  
C,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAaKB,M;MACIB,mBAAmB,0B;MACnB,  
iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;Q  
ACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,kD;MAWI,oCAAA,2BAaKB,SAaIB,EAA6B,OAA7B,EAAc,  
gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;  
MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;Q  
ACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,kD;MAWI,oCA  
Aa,2BAaKB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CA  
AxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA  
8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,  
IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAaKB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,  
eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAm

B,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAA  
L,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAA  
IB,EAA6B,OAA7B,EAAcC,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,  
cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QAC  
I,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,  
mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAAIB,EAA6B,OAA7B,EAAcC,gBAAtC,C;MACb,eAAe,CAAC,YAA  
Y,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;  
MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,Y  
AAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAAIB,EAA6B,OAA7  
B,EAAcC,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;  
QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,  
KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;  
MAWI,oCAAA,2BAAkB,SAAIB,EAA6B,OAA7B,EAAcC,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,I  
AAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,S  
AAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UA  
AK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAAIB,EAA6B,OAA7B,EAAcC,gBAAt  
C,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3  
B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,U  
AAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2B  
AAkB,SAAIB,EAA6B,OAA7B,EAAcC,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;  
MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QA  
A9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAq  
B,G;QACrB,mC;;K;IAIR,6B;MAII,IA+nEO,qBAAQ,CA/nEf,C;QAAe,OAAO,W;MACtB,WAAW,wB;MACN,W  
AAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IA6nEO,qBAAQ,CA7nEf,C;QAAe,OAAO,W;MACtB,WAAW,  
0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IA2nEO,qBAAQ,CA3nEf,C;QAAe,OAAO,W;M  
ACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAynEO,qBAAQ,CAznEf,C;QAAe  
,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAunEO,qBAAQ,CA  
vnEf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAqnE  
O,qBAAQ,CArnEf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B  
;MAII,IAmnEO,qBAAQ,CAnnEf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO  
,I;K;IAGX,+B;MAII,IAinEO,qBAAQ,CAjnEf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;M  
ACL,OAAO,I;K;IAGX,+B;MAII,IA+mEO,qBAAQ,CA/mEf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WA  
AL,IAAK,C;MACL,OAAO,I;K;IAGX,kC;MAII,IAqiEO,qBAAQ,CAriEf,C;QAAe,OAAO,S;MACtB,aAAa,aAAa,  
SAAb,EAAmB,gBAAnB,C;MACb,gBAAgB,wB;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,C  
AAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAiiEO,qBAAQ,CAjiiEf,C;QAAe,OA  
AO,S;MACtB,aAAa,cAAU,gBAAV,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,  
YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IA6hEO,qBAAQ,CA7hEf,C;  
QAAe,OAAO,S;MACtB,aAAa,eAAW,gBAAX,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;Q  
ACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAyhEO,qBAA  
Q,CAzhEf,C;QAAe,OAAO,S;MACtB,aAAa,eAAS,gBAAT,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,  
SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAqh  
EO,qBAAQ,CArhEf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MACHb,aAAU,CA  
AV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;  
MAII,IAihEO,qBAAQ,CAjhEf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAW,gBAAX,C;MACb,gBAAgB,0B;MACHb  
,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K  
;IAGX,oC;MAII,IA6gEO,qBAAQ,CA7gEf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAy,gBAAZ,C;MACb,gBAAgB,  
0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,  
OAAO,M;K;IAGX,oC;MAII,IAygEO,qBAAQ,CAzgEf,C;QAAe,OAAO,S;MACtB,aAAa,oBAAa,gBAAb,C;MAC

b,gBAAgB,0B;MACHB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAIL,IAqgEO,qBAAQ,CArgEf,C;QAAe,OAAO,S;MACTb,aAAa,iBAAU,gBA AV,C;MACb,gBAAgB,0B;MACHB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,U AAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,4B;MAKI,qBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,qBAAQ,4BAAR,C; K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR, C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR, C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR, C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,sC;MAOI,aAAU,wBAAV,OAA2B,CAA3B,M;QACI,QAAQ, MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL, C;QACV,UAAK,CAAL,IAAU,I;K;IAIIB,sC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iB AAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV, UAAK,CAAL,IAAU,I;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAA I,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,C AAL,IAAU,I;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,I AAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAA U,I;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;Q ACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;K;IA IIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WA AW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;K;IAIIB,uC;M AOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAA K,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;K;IAIIB,uC;MAOI,aAA U,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL, C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;K;IAIIB,uC;MAOI,aAAU,0BAA V,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX ,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;K;IAIIB,yB;MAAA,oD;MgBn5LA,sC;M AAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB, CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB44Lf,sC;QAMI,IAAI,mBAAO,CAAX,C ;UAAc,oBgB15Ld,eAAW,iBhBk5LsB,QgB15LtB,CAAX,ChBk5Lc,C;O;KANIB,C;S;GASA,yB;MAAA,oD;MgBz4 LA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,S A+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBk4Lf,sC;QAMI,IAAI,mBAAO,C AAX,C;UAAc,oBgBx4Ld,eAAW,2BhBw4LgC,QgBx4LhC,CAAX,ChBw4Lc,C;O;KANIB,C;IASA,mC;MAMI,o BAAS,cAAT,C;K;IAGJ,qC;MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;K;IAIR,qC;MAIL,IAAI,mBAAO,C AAX,C;QACI,e;QACA,oB;K;IAIR,qC;MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;K;IAIR,qC;MAIL,IAAI ,mBAAO,CAAX,C;QACI,iB;QACA,oB;K;IAIR,qC;MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;K;IAIR,q C;MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;K;IAIR,qC;MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,o B;K;IAIR,2B;MAMI,OAAqB,OAAAd,sBAAc,C;K;IAGzB,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC, OiB5gMhC,WjB4gMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBnhMhC,WjBmhM gC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB1hMhC,WjB0hMgC,C;K;IAG3C,6B;M AI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBjiMhC,WjBiiMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAu B,mB;MAA9B,OAAuC,OiBxiMhC,WjBwiMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAu C,OiB/iMhC,WjB+iMgC,C;K;IAG3C,6B;MAI0B,kBAAf,0B;MAAuB,mB;MAA9B,OAAuC,OiBtjMhC,WjBsjMg C,C;K;IAG3C,gC;MAMI,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,SepjKiB,Q;MfojKK,mB; MAA7B,OiBhkMO,W;K;IjBmkMX,kC;MAIL,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,SeljK iB,Q;MfjkKK,iB;MAA7B,OiBxkMO,W;K;IjB2kMX,kC;MAIL,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MA CD,kBAAd,SehjKiB,Q;MfgjKK,iB;MAA7B,OiBhIMO,W;K;IjBmlMX,kC;MAIL,IA6kDO,qBAAQ,CA7kDf,C;QA Ae,OAAO,S;MACD,kBAAd,Se9iKiB,Q;Mf8iKK,iB;MAA7B,OiBxIMO,W;K;IjB2IMX,kC;MAIL,IA6kDO,qBAA Q,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAAL,SAAK,C;MAAiB,mB;MAA7B,OiBhmMO,W;K;IjBmmMX ,kC;MAIL,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,Se3iKiB,Q;Mf2iKK,iB;MAA7B,OiBxm MO,W;K;IjB2mMX,kC;MAIL,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,SeziKiB,Q;MfyiKK,i

B;MAA7B,OiBhnMO,W;K;IjBmnMX,kC;MAIL,IAqlDO,qBAAQ,CARldf,C;QAAe,OAAO,S;MACD,kBAAT,UAA  
AL,SAAK,C;MAAiB,iB;MAA7B,OiBxnMO,W;K;IjB2nMX,0C;MAMI,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAA  
O,S;MACD,kBAAd,SetnKiB,Q;MfsnKK,sBAAS,cAAT,C;MAA7B,OiBloMO,W;K;IjBqoMX,4C;MAIL,IA2gDO,q  
BAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SeprKiB,Q;MfonKK,6B;MAA7B,OiBloMO,W;K;IjB6oMX,4  
C;MAIL,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SelnKiB,Q;MfknKK,6B;MAA7B,OiBlpMO  
,W;K;IjBqpMX,4C;MAIL,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SehnKiB,Q;MfgnKK,6B;  
MAA7B,OiBlpMO,W;K;IjB6pMX,4C;MAIL,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAT,UAA  
L,SAAK,C;MAAiB,6B;MAA7B,OiBlqMO,W;K;IjBqqMX,4C;MAIL,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S  
;MACD,kBAAd,Se7mKiB,Q;Mf6mKK,6B;MAA7B,OiBlqMO,W;K;IjB6qMX,4C;MAIL,IA2gDO,qBAAQ,CA3gD  
f,C;QAAe,OAAO,S;MACD,kBAAd,Se3mKiB,Q;Mf2mKK,6B;MAA7B,OiBlrMO,W;K;IjBqrMX,4C;MAIL,IAmh  
DO,qBAAQ,CAnhDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAAL,SAAK,C;MAAiB,6B;MAA7B,OiBlrMO,W;K;Ij  
B6rMX,gD;MAMI,IAy8CO,qBAAQ,CAz8Cf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,iC;MAA7B  
,OiBpsMO,W;K;sFjBusMX,yB;MAAA,wD;MgB5rMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;U  
AAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C  
;W;S;OA4DI,C;MhBqrMf,sC;QAQI,OAAO,sBgB7rMP,eAAW,iBhB6rMiB,QgB7rMjB,CAAX,ChB6rMO,C;O;KA  
RX,C;wFAWA,yB;MAAA,wD;MgBvsMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;Y  
AAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4  
DI,C;MhBgsMf,sC;QAMI,OAAO,sBgBtsMP,eAAW,iBhBssMiB,QgBtsMjB,CAAX,ChBssMO,C;O;KANX,C;wF  
ASA,yB;MAAA,wD;MgBhtMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAs  
B,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBy  
sMf,sC;QAMI,OAAO,sBgB/sMP,eAAW,iBhB+sMiB,QgB/sMjB,CAAX,ChB+sMO,C;O;KANX,C;wFASA,yB;M  
AAA,wD;MgBztMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAA  
tB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBktMf,sC;QA  
MI,OAAO,sBgBxtMP,eAAW,iBhBwtMiB,QgBxtMjB,CAAX,ChBwtMO,C;O;KANX,C;wFASA,yB;MAAA,wD;  
MgBluMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5D  
d,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB2tMf,sC;QAMI,OAAO,  
sBgBjuMP,eAAW,iBhBiuMiB,QgBjuMjB,CAAX,ChBiuMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgB3uMA,s  
C;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4  
DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBouMf,sC;QAMI,OAAO,sBgB1uM  
P,eAAW,iBhB0uMiB,QgB1uMjB,CAAX,ChB0uMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBpvMA,sC;MAA  
A,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA  
5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB6uMf,sC;QAMI,OAAO,sBgBnvMP,eAAW,  
iBhBmvMiB,QgBnvMjB,CAAX,ChBmvMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgB7vMA,sC;MAAA,oC;M  
AAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,C  
AAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBsvMf,sC;QAMI,OAAO,sBgB5vMP,eAAW,iBhB4v  
MiB,QgB5vMjB,CAAX,ChB4vMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBtwMA,sC;MAAA,oC;MAAA,uB  
AOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA  
A2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB+vMf,sC;QAMI,OAAO,sBgBrwMP,eAAW,iBhBqwMiB,Qg  
BrwMjB,CAAX,ChBqwMO,C;O;KANX,C;0GASA,yB;MAAA,wD;MgB5vMA,sC;MAAA,oC;MAAA,iCAOe,yB;  
QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+  
EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBqvMf,sC;QAMI,OAAO,sBgB3vMP,eAAW,2BhB2vM2B,QgB3vM3B,  
CAAX,ChB2vMO,C;O;KANX,C;4GASA,yB;MAAA,wD;MgBrwMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8  
D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/E  
N,CAA3B,C;W;S;OA+EI,C;MhB8vMf,sC;QAMI,OAAO,sBgBlwMP,eAAW,2BhBkwM2B,QgBlwM3B,CAAX,Ch  
BkwMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB5wMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,  
4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3  
B,C;W;S;OA+EI,C;MhBqwMf,sC;QAMI,OAAO,sBgBzwMP,eAAW,2BhBywM2B,QgBzwM3B,CAAX,ChBywMO  
,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBnxMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAA



;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMb,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMb,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMb,OAAnB,C;K;IA2B0B,oD;MAAA,wB;QAAW,2BAAK,KAAL,C;O;K;IAJzC,mC;MAII,OAAO,qBAAa,gBAAb,EAAMb,gCAAnB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,+BAAU,gBAAV,GAAGB,6BAAhB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,kBAAU,gBAAV,EAAGB,6BAAhB,C;K;IAOkB,kD;MAAA,wB;QAAW,0BAAK,KAAL,C;O;K;IAJxC,kC;MAII,OAAO,kCAAY,gBAAZ,GAakB,+BAAIB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII,OAAO,kCAAW,gBAAx,GAAiB,8BAAjB,C;K;IAOe,4C;MAAA,wB;QAAW,uBAAK,KAAL,C;O;K;IAJrC,+B;MAII,OAAO,gCAAS,gBAAT,GAAe,4BAAf,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,kBAAU,gBAAV,EAAGB,6BAAhB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII,OAAO,gCAAW,gBAAx,GAAiB,8BAAjB,C;K;wFA2CX,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAakB,EAAC,EAAD,C;QAC1B,kBAAy,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOx+QnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP8zPA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAakB,EAAC,EAAD,C;QAC1B,kBAAy,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOv/QnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP60PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAakB,EAAC,EAAD,C;QAC1B,kBAAy,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOtRnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP41PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAakB,EAAC,EAAD,C;QAC1B,kBAAy,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOrhRnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP22PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAakB,EAAC,EAAD,C;QAC1B,kBAAy,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOlkRnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPw5PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAakB,EAAC,EAAD,C;QAC1B,kBAAy,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOjlRnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPu6PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAakB,EAAC,EAAD,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAmQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aApQoC,WAOqHC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QApQhB,OASqO,W;O;KAIRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAakB,EAAC,EAAD,C;QAC1B,kBAAc,mBAAuB,QAAvB,C;QAOQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aArQuC,WaqQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QArQhB,OAuQO,W;O;KANRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAakB,EAAC,EAAD,C;QAC1B,kBAAc,mBAAwB,QAAxB,C;QAqQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aAtQwC,WASqPC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAtQhB,OAuQO,W;O;KAPRX,C;8FAeA,yB;MAAA,0D;M

AAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAA Y,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,m  
BAAsB,QAA1B,C;QAsQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvQsC,WAuQIC,CAAY,OAAZ,CAA  
J,EAA0B,OAA1B,C;;QAvQhB,OAYQO,W;O;KARRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC  
;QAWI,eAAiC,cAAIB,YAA Y,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAuB,QAAvB,C;QAUQL,Q;  
QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxQuC,WAwQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAxQ  
hB,OA0QO,W;O;KATRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAA  
Y,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAwB,QAAxB,C;QAwQL,Q;QAAhB,iD;UAAgB,cAAhB  
,e;UACI,WAAY,aAzQwC,WAYqPC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAZQhB,OA2QO,W;O;KAVRX,C  
;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAA Y,gBAAZ,CAAkB,EAAC,E  
AAd,C;QAC1B,kBAAC,mBAAyB,QAAzB,C;QAYQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1QyC,W  
A0QrC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA1QhB,OA4QO,W;O;KAXRX,C;8FAeA,yB;MAAA,0D;MAA  
A,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAA Y,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBA  
A0B,QAA1B,C;QA0QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3Q0C,WA2QtC,CAAY,OAAZ,CAAJ,  
EAA0B,OAA1B,C;;QA3QhB,OA6QO,W;O;KAZRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA6QA,oC  
;MAAA,gC;MA7QA,yC;QAWI,eAAiC,cAAIB,YAA Y,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAu  
B,QAAvB,C;QA2QL,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAAY,aA5QuC,WA4QnC,CAAY,oBAAZ,CAAJ,  
EAA0B,oBAA1B,C;;QA5QhB,OA8QO,W;O;KA1RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD  
;QAU1,eAAiC,cAAIB,YAA Y,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QA6QL,Q;Q  
AAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9QoC,WA8QhC,CAAY,OAAZ,CAAJ,EA9QiD,cA8QvB,CAAe,OA  
Af,CAA1B,C;;QA9QhB,OA9RO,W;O;KA3RX,C;8FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAU  
I,eAAiC,cAAIB,YAA Y,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QA+QL,Q;QAAhB  
,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhRoC,WAgRhC,CAAY,OAAZ,CAAJ,EAhRiD,cAgRvB,CAAe,OAAf,CA  
A1B,C;;QAHRhB,OAkRO,W;O;KA7RX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAU1,eAAi  
C,cAAIB,YAA Y,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAiRL,Q;QAAhB,iD;U  
AAgB,cAAhB,e;UACI,WAAY,aAIrOC,WakRhC,CAAY,OAAZ,CAAJ,EAIRiD,cAkRvB,CAAe,OAAf,CAA1B,C  
;;QAIRhB,OAoRO,W;O;KA/RX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAU1,eAAiC,cAAI  
B,YAA Y,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAmRL,Q;QAAhB,iD;UAAgB,  
cAAhB,e;UACI,WAAY,aApRoC,WaORhC,CAAY,OAAZ,CAAJ,EApRiD,cAoRvB,CAAe,OAAf,CAA1B,C;;QAp  
RhB,OA sRO,W;O;KAjSX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAU1,eAAiC,cAAIB,YA  
AY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAqRL,Q;QAAhB,iD;UAAgB,cAAh  
B,e;UACI,WAAY,aAtRoC,WAsRhC,CAAY,OAAZ,CAAJ,EAtrID,cAsRvB,CAAe,OAAf,CAA1B,C;;QAtRhB,O  
AwRO,W;O;KANsX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAU1,eAAiC,cAAIB,YAA Y,gB  
AAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAUrL,Q;QAAhB,iD;UAAgB,cAAhB,e;UA  
CI,WAAY,aAxRoC,WAwRhC,CAAY,OAAZ,CAAJ,EAxRiD,cAwRvB,CAAe,OAAf,CAA1B,C;;QAxRhB,OA0R  
O,W;O;KARsX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAU1,eAAiC,cAAIB,YAA Y,gBAAZ,  
CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAYrL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,W  
AAY,aA1RoC,WA0RhC,CAAY,OAAZ,CAAJ,EA1RiD,cA0RvB,CAAe,OAAf,CAA1B,C;;QA1RhB,OA4RO,W;O  
;KAVsX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAU1,eAAiC,cAAIB,YAA Y,gBAAZ,CAAk  
B,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QA2RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,a  
A5RoC,WA4RhC,CAAY,OAAZ,CAAJ,EA5RiD,cA4RvB,CAAe,OAAf,CAA1B,C;;QA5RhB,OA8RO,W;O;KAZs  
X,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA8RA,oC;MAAA,gC;MA9RA,yD;QAU1,eAAiC,cAAIB,YA  
AY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QA6RL,Q;QAAhB,iD;UAAgB,cAAh  
B,0B;UACI,WAAY,aA9RoC,WA8RhC,CAAY,oBAAZ,CAAJ,EA9RiD,cA8RvB,CAAe,oBAAf,CAA1B,C;;QA9R  
hB,OA gSO,W;O;KA3SX,C;gGAcA,+C;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA  
CI,WAAY,aAAI,YAA Y,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB  
,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAA Y,OAAZ,CAAJ,EAA0B,OAA1B,C;;  
MAEhB,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,W  
AAY,aAAI,YAA Y,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;iGAGX,+C;MAUoB,Q;MAAhB,wBA





ACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;;UACa,uBAAL,SAAK,C;  
UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,  
C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;;UACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MA  
IiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAA  
P,C;UAAL,K;;UACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,  
C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;;UACa,uBAAL,SAAK,  
C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aAC  
A,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;;UACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;  
MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,C  
AAP,C;UAAL,K;;UACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBA  
AN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,sBAAK,CAAL,EAAP,C;UAAL,K;;UACa,uBAAL,S  
AAK,C;UAHV,K;;MAAP,W;K;IAOJ,kC;MAII,OAAO,iBA Ae,aAAL,SAAK,CAAf,C;K;IAGX,oC;MAKiB,Q;MA  
Db,WAAW,iBAAgB,gBAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ  
,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAiB,gBAAjB,C;MACX,wBAAa,SAAb,gB;QAA  
a,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBA  
Ae,gBAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,  
I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAgB,gBAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M  
;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAiB,gBAAjB,C;M  
ACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;  
MAKiB,Q;MADb,WAAW,iBAAkB,gBAAlB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAA  
K,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAmB,gBAAnB,C;MACX,wBAA  
a,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;M  
ADb,WAAW,iBAAgB,gBAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QAAMB,IAAK,WA  
AI,iBAAJ,C;;MACxB,OAAO,I;K;IAGX,0B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAA  
L,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,+BAAa,qBAAiB,YAAY,gBAAZ,CAAjB,  
CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAA  
L,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAoB,YAAY,gBAAZ,CAApB,C  
AAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAA  
L,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAqB,YAAY,gBAAZ,CAArB,CA  
Ab,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAA  
L,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAmB,YAAY,gBAAZ,CAAnB,CAA  
b,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAA  
L,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,  
C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAA  
L,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;  
UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAA  
L,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAuB,YAAY,gBAAZ,CAAvB,CAAb,C;U  
AHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAA  
L,K;aACA,C;UAAK,aAAM,sBAAK,CAAL,EAAN,C;UAAL,K;;UACQ,iCAAa,qBAAoB,YAAiB,eAAL,gBAAK,EAAa,GAAb,  
CAAjB,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;oFAOJ,yB;MAAA,+D;MAwaA,gD;MAxA,uC;QAMW,kBAA  
U,gB;QAsaD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,WAvA6B,SAualB,CAAU,OAAV,C;UACC,OAAZ,WAA Y,E  
AAO,IAAP,C;;QAxahB,OA0aO,W;O;KAhbX,C;sFASA,yB;MAAA,+D;MA0aA,gD;MA1aA,uC;QAMW,kBAAU,  
gB;QAwaD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,WAZa6B,SAyalB,CAAU,OAAV,C;UACC,OAAZ,WAA Y,EA  
AO,IAAP,C;;QA1ahB,OA4aO,W;O;KA1bX,C;sFASA,yB;MAAA,+D;MA4aA,gD;MA5aA,uC;QAMW,kBAAU,g  
B;QA0aD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,WA3a6B,SA2alB,CAAU,OAAV,C;UACC,OAAZ,WAA Y,EAA  
O,IAAP,C;;QA5ahB,OA8aO,W;O;KApbX,C;sFASA,yB;MAAA,+D;MA8aA,gD;MA9aA,uC;QAMW,kBAAU,gB;

QA4aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7a6B,SA6a1B,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9ahB,OAgbO,W;O;KAtbX,C;sFASA,yB;MAAA,+D;MAgbA,gD;MAhbA,uC;QAMW,kBAAU,gB;QA8aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/a6B,SA+alB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhbB,OakbO,W;O;KAxbX,C;sFASA,yB;MAAA,+D;MAkbA,gD;MALbA,uC;QAMW,kBAAU,gB;QA9bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjb6B,SAib1B,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlbhB,OAobO,W;O;KA1bX,C;sFASA,yB;MAAA,+D;MAobA,gD;MAPbA,uC;QAMW,kBAAU,gB;QAkbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnb6B,SAmblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApbhB,OAsbO,W;O;KA5bX,C;sFASA,yB;MAAA,+D;MAsbA,gD;MATbA,uC;QAMW,kBAAU,gB;QAobD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArb6B,SAqblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtbhB,OAwbO,W;O;KA9bX,C;sFASA,yB;MAAA,+D;MAwbA,oC;MAAA,gD;MAAA,gC;MAxbA,uC;QAMW,kBAAU,gB;QAsbD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAvb6B,SAublB,CAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxhbB,OA0bO,W;O;KAhcX,C;sFASA,yB;MAAA,+D;MA0bA,gD;MA1bA,uC;QAUW,kBAAU,gB;QAwbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,Wazb6B,SAyblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1bhB,OA4bO,W;O;KAtcX,C;kGAaA,yB;MAAA,+D;MA5JA,gD;MATJA,uC;QAYW,kBAAiB,gB;QAqJR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WAtJoC,SAsJzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAvJhB,OAYJO,W;O;KArKX,C;oGAeA,yB;MAAA,+D;MAyJA,gD;MAzJA,uC;QAYW,kBAAiB,gB;QAwJR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WazJoC,SAYzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1JhB,OA4JO,W;O;KAxKX,C;oGAeA,yB;MAAA,+D;MA4JA,gD;MA5JA,uC;QAYW,kBAAiB,gB;QA2JR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA5JoC,SA4JzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7JhB,OA+JO,W;O;KA3KX,C;oGAeA,yB;MAAA,+D;MA+JA,gD;MA/JA,uC;QAYW,kBAAiB,gB;QA8JR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA/JoC,SA+JzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhKhB,OAKKO,W;O;KA9KX,C;oGAeA,yB;MAAA,+D;MAKKA,gD;MAIKA,uC;QAYW,kBAAiB,gB;QAIKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WAlKoC,SakKzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAnKhB,OAqKO,W;O;KAjLX,C;oGAeA,yB;MAAA,+D;MAKA,gD;MARKA,uC;QAYW,kBAAiB,gB;QAoKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WArKoC,SAqKzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtKhB,OAwKO,W;O;KApLX,C;oGAeA,yB;MAAA,+D;MAwKA,gD;MAxKA,uC;QAYW,kBAAiB,gB;QAUKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WaxKoC,SAwKzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAZhB,OA2KO,W;O;KAvLX,C;oGAeA,yB;MAAA,+D;MA2KA,gD;MA3KA,uC;QAYW,kBAAiB,gB;QA0KR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA3KoC,SA2KzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5KhB,OA8KO,W;O;KA1LX,C;oGAeA,yB;MAAA,+D;MA8KA,oC;MAAA,gD;MAAA,gC;MA9KA,uC;QAYW,kBAAiB,gB;QA6KR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,0B;UACI,WA9KoC,SA8KzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,oBAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA/KhB,OAILO,W;O;KA7LX,C;oGAeA,yB;MAAA,+D;MAiLA,gD;MAjLA,uC;QAYW,kBAAiB,gB;QAgLR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WajLoC,SAiLzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlhB,OAoLO,W;O;KAhMX,C;sGAeA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;uGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;



D;MArPA,yC;QASW,kBAAU,oB;QAqPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsPIC,CAAY,OA  
AZ,C;UOx9UP,U;UADP,YP09Ue,WO19UH,WP09UwB,GO19UxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9UuC,gB;  
YAA5B,Wov9UX,aPu9UgC,GOv9UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9UA,iB;UACA,IAAK,WAAI,O  
AAJ,C;;QAxPT,OA0PO,W;O;KAnQX,C;sFAYA,yB;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA  
0PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3PqD,WA2P3C,CAAY,OAAZ,C;UOz+UP,U;UADP,YP2+Ue,WO  
3+UH,WP2+UwB,GO3+UxB,C;UACL,IAAI,aAAJ,C;YACH,aPy+UuC,gB;YAA5B,Wox+UX,aPw+UgC,GOx+U  
hC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq+UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;O;KAxQ  
X,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QASW,kBAAU,oB;QA+PD,Q;QAAhB,iD;UAAgB,cAAhB,e  
;UACI,UAhQsD,WAgQ5C,CAAY,OAAZ,C;UO1/UP,U;UADP,YP4/Ue,WO5/UH,WP4/UwB,GO5/UxB,C;UACL,  
IAAI,aAAJ,C;YACH,aP0/UuC,gB;YAA5B,Woz/UX,aPy/UgC,GOz/UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP  
s/UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAIQT,OAoQO,W;O;KA7QX,C;sFAYA,yB;MAAA,wE;MAoQA,+D;M  
ApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArQuD,WAqQ7C,CAAY,OAAZ,  
C;UO3gVP,U;UADP,YP6gVe,WO7gVH,WP6gVwB,GO7gVxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gVuC,gB;YA  
A5B,WO1gVX,aP0gVgC,GO1gVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugVA,iB;UACA,IAAK,WAAI,OAA  
J,C;;QAvQT,OAYQO,W;O;KAIRX,C;sFAYA,yB;MAAA,wE;MAyQA,oC;MAAA,+D;MAAA,gC;MAzQA,yC;QA  
SW,kBAAU,oB;QAyQD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,UA1QoD,WA0Q1C,CAAY,oBAAZ,C;UO5hV  
P,U;UADP,YP8hVe,WO9hVH,WP8hVwB,GO9hVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hVuC,gB;YAA5B,WO3  
hVX,aP2hVgC,GO3hVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5  
QT,OA8QO,W;O;KAvRX,C;sFAYA,yB;MAAA,wE;MA8QA,+D;MA9QA,yD;QAUW,kBAAU,oB;QA8QD,Q;Q  
AAhB,iD;UAAgB,cAAhB,e;UACI,UA/QiD,WA+QvC,CAAY,OAAZ,C;UO9iVP,U;UADP,YPgjVe,WOhjVH,WP  
gjVwB,GOhjVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8iVuC,gB;YAA5B,WO7iVX,aP6iVgC,GO7iVhC,EAAS,MA  
AT,C;YACA,e;;YAEA,c;;UP0iVA,iB;UACA,IAAK,WajRyD,cAiRrD,CAAe,OAaf,CAAJ,C;;QAJRT,OAmRO,W  
;O;KA7RX,C;sFAaA,yB;MAAA,wE;MAmRA,+D;MAmRA,yD;QAUW,kBAAU,oB;QAmRD,Q;QAAhB,iD;UAA  
gB,cAAhB,e;UACI,UApRiD,WaOrvC,CAAY,OAAZ,C;UOhkVP,U;UADP,YPkkVe,WOlkVH,WPkkVwB,GOlk  
VxB,C;UACL,IAAI,aAAJ,C;YACH,aPkgVuC,gB;YAA5B,WO/jVX,aP+jVgC,GO/jVhC,EAAS,MAAT,C;YACA,e  
;;YAEA,c;;UP4jVA,iB;UACA,IAAK,WAtRyD,cAsRrD,CAAe,OAaf,CAAJ,C;;QAtRT,OAwRO,W;O;KAISX,C;u  
FAaA,yB;MAAA,wE;MAwRA,+D;MAxRA,yD;QAUW,kBAAU,oB;QAwRD,Q;QAAhB,iD;UAAgB,cAAhB,e;U  
ACI,UAzRiD,WAYrVc,CAAY,OAAZ,C;UOllVP,U;UADP,YPolVe,WOplVH,WPolVwB,GOplVxB,C;UACL,IA  
AI,aAAJ,C;YACH,aPklVuC,gB;YAA5B,WOjlVX,aPilVgC,GOjlVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8kV  
A,iB;UACA,IAAK,WA3RyD,cA2RrD,CAAe,OAaf,CAAJ,C;;QA3RT,OA6RO,W;O;KAvSX,C;uFAaA,yB;MAA  
A,wE;MA6RA,+D;MA7RA,yD;QAUW,kBAAU,oB;QA6RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9RiD,W  
A8RvC,CAAY,OAAZ,C;UOpmVP,U;UADP,YPsmVe,WOtmVH,WPsmVwB,GOtmVxB,C;UACL,IAAI,aAAJ,C;  
YACH,aPomVuC,gB;YAA5B,WOnmVX,aPmmVgC,GOnmVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgmVA,i  
B;UACA,IAAK,WAhSyD,cAgSrD,CAAe,OAaf,CAAJ,C;;QAhST,OakSO,W;O;KA5SX,C;uFAaA,yB;MAAA,wE  
;MAkSA,+D;MAISA,yD;QAUW,kBAAU,oB;QAKSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnSiD,WAmSvC,  
CAAY,OAAZ,C;UOtmVP,U;UADP,YPwnVe,WOxnVH,WPwnVwB,GOxnVxB,C;UACL,IAAI,aAAJ,C;YACH,aP  
snVuC,gB;YAA5B,WOrnVX,aPqnVgC,GOrnVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPknVA,iB;UACA,IAAK  
,WArSyD,cAqSrD,CAAe,OAaf,CAAJ,C;;QArST,OAuSO,W;O;KAjTX,C;uFAaA,yB;MAAA,wE;MAuSA,+D;M  
AvSA,yD;QAUW,kBAAU,oB;QAUdS,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAXSiD,WAwSvC,CAAY,OAAZ,  
C;UOxoVP,U;UADP,YP0oVe,WO1oVH,WP0oVwB,GO1oVxB,C;UACL,IAAI,aAAJ,C;YACH,aPwoVuC,gB;YA  
A5B,WovoVX,aPuoVgC,GOvoVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPooVA,iB;UACA,IAAK,WA1SyD,cA  
0SrD,CAAe,OAaf,CAAJ,C;;QA1ST,OA4SO,W;O;KAiTX,C;uFAaA,yB;MAAA,wE;MA4SA,+D;MA5SA,yD;QA  
UW,kBAAU,oB;QA4SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7SiD,WA6SvC,CAAY,OAAZ,C;UO1pVP,U;  
UADP,YP4pVe,WO5pVH,WP4pVwB,GO5pVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0pVuC,gB;YAA5B,WOzpVX,  
aPypVgC,GOzpVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPspVA,iB;UACA,IAAK,WA/SyD,cA+SrD,CAAe,OA  
Af,CAAJ,C;;QA/ST,OaiTO,W;O;KA3TX,C;uFAaA,yB;MAAA,wE;MAiTA,+D;MAjTA,yD;QAUW,kBAAU,oB;  
QAItd,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAlTiD,WakTvC,CAAY,OAAZ,C;UO5qVP,U;UADP,YP8qVe,  
WO9qVH,WP8qVwB,GO9qVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4qVuC,gB;YAA5B,WO3qVX,aP2qVgC,GO3q

VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwqVA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAe,OAAf,CAAJ,C;;QApTT,OAsTO,W;O;KAhUX,C;uFAaA,yB;MAAA,wE;MAsTA,oC;MAAA,+D;MAAA,gC;MatTA,yD;QAUW,kBAAU,oB;QAsTD,Q;QAaHb,iD;UAAgB,cAAhB,0B;UACI,UAvTiD,WAuTvC,CAAY,oBAAZ,C;UO9rVP,U;UADP,YPgsVe,WOhsvH,WPgsVwB,GOhsVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8rVuC,gB;YAA5B,WO7rVX,aP6rVgC,GO7rVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0rVA,iB;UACA,IAAK,WAZTyD,cAyTrD,CAAe,oBAAf,CAAJ,C;;QAZTT,OA2TO,W;O;KArUX,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOp5UP,U;UADP,YPs5Ue,Wot5UH,WP5UwB,GOt5UxB,C;UACL,IAAI,aAAJ,C;YACH,aPo5UuC,gB;YAA5B,WOn5UX,aPm5UgC,GOn5UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg5UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOr6UP,U;UADP,YPu6Ue,Wov6UH,WPu6UwB,GOv6UxB,C;UACL,IAAI,aAAJ,C;YACH,aPq6UuC,gB;YAA5B,WOp6UX,aPo6UgC,GOp6UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPi6UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOt7UP,U;UADP,YPw7Ue,Wox7UH,WPw7UwB,GOx7UxB,C;UACL,IAAI,aAAJ,C;YACH,aPs7UuC,gB;YAA5B,WOr7UX,aPq7UgC,GOr7UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk7UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOv8UP,U;UADP,YPy8Ue,Woz8UH,WPY8UwB,GOz8UxB,C;UACL,IAAI,aAAJ,C;YACH,aPu8UuC,gB;YAA5B,Wot8UX,aPs8UgC,GOt8UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPm8UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOx9UP,U;UADP,YP09Ue,Wo19UH,WP09UwB,GO19UxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9UuC,gB;YAA5B,Wov9UX,aPu9UgC,Gov9UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOz+UP,U;UADP,YP2+Ue,Wo3+UH,WP2+UwB,GO3+UxB,C;UACL,IAAI,aAAJ,C;YACH,aPy+UuC,gB;YAA5B,Wox+UX,aPw+UgC,GOx+UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq+UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UO1/UP,U;UADP,YP4/Ue,Wo5/UH,WP4/UwB,GO5/UxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/UuC,gB;YAA5B,Woz/UX,aPy/UgC,GOz/UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UO3gVP,U;UADP,YP6gVe,Wo7gVH,WP6gVwB,GO7gVxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gVuC,gB;YAA5B,Wo1gVX,aP0gVgC,GO1gVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAhB,UAAgB,SAaHb,O;UACI,UAAU,YAAY,oBAAZ,C;UO5hVP,U;UADP,YP8hVe,Wo9hVH,WP8hVwB,GO9hVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hVuC,gB;YAA5B,Wo3hVX,aP2hVgC,GO3hVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UO9iVP,U;UADP,YPgjVe,WohjVH,WPgjVwB,GOhjVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8iVuC,gB;YAA5B,Wo7iVX,aP6iVgC,GO7iVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0iVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOhkVP,U;UADP,YPkkVe,WolkVH,WPkkVwB,GOlkVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkgVuC,gB;YAA5B,Wo/jVX,aP+jVgC,GO/jVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4jVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOllVP,U;UADP,YPolVe,WoplVH,WPoIVwB,GOplVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkIVuC,gB;YAA5B,WojlVX,aPilVgC,GOjlVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8kVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wB















IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAaA,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8D;MAAA,oC;MA9LA,sC;QAGW,sB;;UakMP,IAx4LO,qBAAQ,CAw4Lf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAtMmB,QAsMJ,CAAS,oBAAT,C;UACf,aAAU,CAAV,OAaA,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzMe,QAyMP,CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/MP,yB;O;KAHJ,C;4FAMA,yB;MAAA,8D;MAAA,sC;QAOI,IAhxLO,qBAAQ,CAgxLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAaA,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;UAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA/xLO,qBAAQ,CA+xLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAaA,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;UAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA9yLO,qBAAQ,CA8yLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAaA,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;UAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA7zLO,qBAAQ,CA6zLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAaA,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;UAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA50LO,qBAAQ,CA40Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAaA,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;UAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA31LO,qBAAQ,CA21Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAaA,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;UAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA2LO,qBAAQ,CA02Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAaA,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;UAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAz3LO,qBAAQ,Cay3Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAaA,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;UAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAx4LO,qBAAQ,CAw4Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAaA,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;UAGnB,OAAO,O;O;KApBX,C;gFAuBA,yB;MAAA,sE;MAAA,8D;MkBhnbA,iB;MIBgnbA,sC;QAEiB,Q;QAFb,IAr+LO,qBAAQ,CAq+Lf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBznbG,MAAO,KlBynbO,QkBznbP,ElBynbI,B,CkznbjB,C;;QIB2nbd,OAAO,Q;O;KANBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBtobA,iB;MIBsobA,sC;QAEiB,Q;QAFb,IAN/LO,qBAAQ,CAM/Lf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR

,WkB/obG,MAAO,KIB+obO,QkB/obP,EIB+obiB,CkB/objB,C;;QIBipbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5pbA,iB;MIB4pbA,sC;QAeiB,Q;QAFb,IAjgMO,qBAAQ,CAigMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrqbG,MAAO,KIBqqbO,QkBrqbP,EIBqqbiB,CkBBrqbB,C;;QIBuqbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB1rbA,iB;MIBkrbA,sC;QAeiB,Q;QAFb,IA/gMO,qBAAQ,CA+gMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3rbG,MAAO,KIB2rbO,QkB3rbP,EIB2rbiB,CkB3rbjB,C;;QIB6rbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxsbA,iB;MIBwsbA,sC;QAeiB,Q;QAFb,IA7hMO,qBAAQ,CA6hMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjtbG,MAAO,KIBitbO,QkBjtbP,EIBitbiB,CkBjtbjB,C;;QIBmtbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB9tbA,iB;MIB8tbA,sC;QAeiB,Q;QAFb,IA3iMO,qBAAQ,CA2iMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvubG,MAAO,KIBuubO,QkBvubP,EIBuubiB,CkBvubjB,C;;QIByubd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBpvbA,iB;MIBovbA,sC;QAeiB,Q;QAFb,IAzjMO,qBAAQ,CAyjMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7vbG,MAAO,KIB6vbO,QkB7vbP,EIB6vbiB,CkB7vbjB,C;;QIB+vbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB1wbA,iB;MIB0wbA,sC;QAeiB,Q;QAFb,IAvkMO,qBAAQ,CAukMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBnxbG,MAAO,KIBmxbO,QkBnxbP,EIBmxbiB,CkBnxbjB,C;;QIBqxbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBhybA,iB;MIBgybA,sC;QAeiB,Q;QAFb,IArlMO,qBAAQ,CAqlMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBzybG,MAAO,KIByybO,QkBzybP,EIByybiB,CkBzybjB,C;;QIB2ybd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBj0bA,iB;MIBi0bA,sC;QAeiB,Q;QAFb,IA3qMO,qBAAQ,CA2qMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB10bG,MAAO,KIB00bO,QkB10bP,EIB00biB,CkB10bjB,C;;QIB40bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBv1bA,iB;MIBu1bA,sC;QAeiB,Q;QAFb,IAzrMO,qBAAQ,CAyrMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBh2bG,MAAO,KIBg2bO,QkBh2bP,EIBg2biB,CkBh2bjB,C;;QIBk2bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB72bA,iB;MIB62bA,sC;QAeiB,Q;QAFb,IAvsMO,qBAAQ,CAusMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBt3bG,MAAO,KIBs3bO,QkBt3bP,EIBs3biB,CkBt3bjB,C;;QIBw3bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBn4bA,iB;MIBm4bA,sC;QAeiB,Q;QAFb,IArtMO,qBAAQ,CAqtMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB54bG,MAAO,KIB44bO,QkB54bP,EIB44biB,CkB54bjB,C;;QIB84bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBz5bA,iB;MIBy5bA,sC;QAeiB,Q;QAFb,IANuMO,qBAAQ,CAmuMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB16bG,MAAO,KIBk6bO,QkB16bP,EIBk6biB,CkB16bjB,C;;QIBo6bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB/6bA,iB;MIB+6bA,sC;QAeiB,Q;QAFb,IAjvMO,qBAAQ,CAivMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx7bG,MAAO,KIBw7bO,QkBx7bP,EIBw7biB,CkBx7bjB,C;;QIB07bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB8bA,iB;MIBq8bA,sC;QAeiB,Q;QAFb,IA/vMO,qBAAQ,CA+vMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB98bG,MAAO,KIB88bO,QkB98bP,EIB88biB,CkB98bjB,C;;QIBg9bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB39bA,iB;MIB29bA,sC;QAeiB,Q;QAFb,IA7wMO,qBAAQ,CA6wMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp+bG,MAAO,KIBo+bO,QkBp+bP,EI

Bo+biB,Ckbp+bjB,C;;QIBs+bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBJ/bA,iB;MIBi/bA,sC;QAeiB,Q;QAFb,IA3xMO,qBAAQ,CA2xMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkB1/bG,MAAO,KIB0/bO,QkB1/bP,ElB0/biB,CkB1/bjB,C;;QIB4/bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA/2MO,qBAAQ,CA+2Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA73MO,qBAAQ,CA63Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA34MO,qBAAQ,CA24Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAz5MO,qBAAQ,CAy5Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAr7MO,qBAAQ,CAq7Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA8MO,qBAAQ,CAm8Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAj9MO,qBAAQ,CAi9Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;4FAsBA,yB;MAAA,8D;MkBlscA,iB;MIBkscA,sC;QAaiB,Q;QAFb,IArjNO,qBAAQ,CAqjNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzscG,MAAO,KIByscO,QkBzscP,ElBysciB,CkBzscjB,C;;QIB2scd,OAAO,Q;O;KajBX,C;8FAoBA,yB;MAAA,8D;Mkbtta,iB;MIBstcA,sC;QAaiB,Q;QAFb,IAjkNO,qBAAQ,CAikNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7tcG,MAAO,KIB6tcO,QkB7tcP,ElB6tciB,CkB7tcjB,C;;QIB+tcD,OAAO,Q;O;KajBX,C;8FAoBA,yB;MAAA,8D;MkBlucA,iB;MIB0ucA,sC;QAaiB,Q;QAFb,IA7kNO,qBAAQ,CA6kNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjvcG,MAAO,KIBivcO,QkBjvcP,ElBivciB,CkBjvcjB,C;;QIBmvcd,OAAO,Q;O;KajBX,C;8FAoBA,yB;MAAA,8D;MkB9vcA,iB;MIB8vcA,sC;QAaiB,Q;QAFb,IAzlnO,qBAAQ,CAylnf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7ycG,MAAO,KIB6ycO,QkB7ycP,ElB6yciB,CkB7ycjB,C;;QIB+ycd,

OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlzcA,iB;MIB0zcA,sC;QAaiB,Q;QAFb,IA7nNO,qBAAQ,CA6nNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBJ0cG,MAAO,KIBi0cO,QkBJ0cP,EIBi0ciB,CkBJ0cjB,C;;QIBm0cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB90cA,iB;MIB80cA,sC;QAaiB,Q;QAFb,IAzoNO,qBAAQ,CAYoNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr1cG,MAAO,KIBq1cO,QkBr1cP,EIBq1ciB,CkBr1cjB,C;;QIBu1cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MkBl2cA,iB;MIBk2cA,sC;QAaiB,Q;QAFb,IArPN O,qBAAQ,CAqpNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBz2cG,MAAO,KIBy2cO,QkBz2cP,EIBy2ciB,CkBz2cjB,C;;QIB22cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBJ4cA,iB;MIBi4cA,sC;QAaiB,Q;QAFb,IAzuNO,qBAAQ,CAYuNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx4cG,MAAO,KIBw4cO,QkBx4cP,EIBw4ciB,CkBx4cjB,C;;QIB04cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr5cA,iB;MIBq5cA,sC;QAaiB,Q;QAFb,IArvNO,qBAAQ,CAqvNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB55cG,MAAO,KIB45cO,QkB55cP,EIB45ciB,CkB55cjB,C;;QIB85cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBz6cA,iB;MIBy6cA,sC;QAaiB,Q;QAFb,IAjwNO,qBAAQ,CAiwNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBh7cG,MAAO,KIBg7cO,QkBh7cP,EIBg7ciB,CkBh7cjB,C;;QIBk7cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB77cA,iB;MIB67cA,sC;QAaiB,Q;QAFb,IA7wNO,qBAAQ,CA6wNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp8cG,MAAO,KIBo8cO,QkBp8cP,EIBo8ciB,CkBp8cjB,C;;QIBs8cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBj9cA,iB;MIBi9cA,sC;QAaiB,Q;QAFb,IAzxNO,qBAAQ,CAYxNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx9cG,MAAO,KIBw9cO,QkBx9cP,EIBw9ciB,CkBx9cjB,C;;QIB09cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBr+cA,iB;MIBq+cA,sC;QAaiB,Q;QAFb,IAryNO,qBAAQ,CAqyNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5+cG,MAAO,KIB4+cO,QkB5+cP,EIB4+ciB,CkB5+cjB,C;;QIB8+cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBz/cA,iB;MIBy/cA,sC;QAaiB,Q;QAFb,IAjzNO,qBAAQ,CAizNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhgdG,MAAO,KIBggdO,QkBhgdP,EIBggdiB,CkBhgdjB,C;;QIBkgdd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB7gdA,iB;MIB6gdA,sC;QAaiB,Q;QAFb,IA7zNO,qBAAQ,CA6zNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBphdG,MAAO,KIBohdO,QkBphdP,EIBohdiB,CkBphdjB,C;;QIBshdd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MkBJidA,iB;MIBiidA,sC;QAaiB,Q;QAFb,IAz0NO,qBAAQ,CAY0Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxidG,MAAO,KIBwidO,QkBxidP,EIBwidiB,CkBxidjB,C;;QIB0idd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA35NO,qBAAQ,CA25Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv6NO,qBAAQ,CAu6Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAN7NO,qBAAQ,CAM7Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA/7NO,qBAAQ,CA+7Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;

MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA38NO,qBAAQ,CA28Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv9NO,qBAAQ,CAu9Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA+nNO,qBAAQ,CAm+Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA/+NO,qBAAQ,CA++Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAj100,qBAAQ,CAi1Of,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA/100,qBAAQ,CA+1Of,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA/100,qBAAQ,CA+1Of,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA7m00,qBAAQ,CA6mOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA3n00,qBAAQ,CA2nOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAzo00,qBAAQ,CAYoOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAvp00,qBAAQ,CAvpOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAr00,qBAAQ,CAqqOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAAnr00,qBAAQ,CAnrOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAjs00,qBAAQ,CAjsOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0GAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IArx00,qBAAQ,CAqxOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAjy00,qBAAQ,CAiyOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,a





UAAK,CAAL,C;YACR,QArIe,QAqIP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cA  
CV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3IP,yB;O;KAHJ,C;kFAMA,yB;MA2IA,8D;MA3IA,sC;QAGW,sB;;UA+I  
P,IA98PO,qBAAQ,CA88Pf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UA  
CrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAnJmB,QAmJJ,CAAS,OAAT,C;UACf,aAAU  
,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAtJe,QAsJP,CAAS,CAAT,C;YACR,IAAI,2BAA  
W,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5JP,yB;O;KAHJ,C;kFAMA,yB;M  
A4JA,8D;MA5JA,sC;QAGW,sB;;UAgKP,IA79PO,qBAAQ,CA69Pf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,U  
AAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eApK  
mB,QAoKJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAvKe,  
QAUkP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBA  
AO,O;;;QA7KP,yB;O;KAHJ,C;kFAMA,yB;MA6KA,8D;MA7KA,sC;QAGW,sB;;UAI LP,IA5+PO,qBAAQ,CA4+P  
f,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;  
YAAoB,qBAAO,O;YAAP,uB;;UACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;Y  
ACI,QAAQ,UAAK,CAAL,C;YACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cAC  
I,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8D;MAAA,oC;M  
A9LA,sC;QAGW,sB;;UAKMP,IA3/PO,qBAAQ,CA2/Pf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAA  
L,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAtMmB,QAsMJ,  
CAAS,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzMe,QAyMP,C  
AAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA  
/MP,yB;O;KAHJ,C;4FAMA,yB;MAAA,8D;MAAA,sC;QAOI,IA4PO,qBAAQ,CAM4Pf,C;UAAe,OAAO,I;QACt  
B,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC  
3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SA  
AS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KA  
pBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA15PO,qBAAQ,Cak5Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAA  
K,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SA  
AS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;  
UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAu  
BA,yB;MAAA,8D;MAAA,sC;QAOI,IAj6PO,qBAAQ,CAi6Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;Q  
ACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;Q  
ACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2  
BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA  
,8D;MAAA,sC;QAOI,IAh7PO,qBAAQ,Cag7Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAq  
B,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,  
CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CA  
AX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAA  
A,sC;QAOI,IA7PO,qBAAQ,CA+7Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,S  
AAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OA  
Aa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,  
C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,  
IA98PO,qBAAQ,CA88Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QA  
CrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,  
M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,U  
AAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA79PO,q  
BAAQ,CA69Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,  
cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,Q  
AAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YA  
CV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA5+PO,qBAAQ,CA4  
+Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAj

B,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IA3/PO,qBAAQ,CA2/Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;KApBX,C;gFAuBA,yB;MAAA,sE;MAAA,8D;MkB/gfA,iB;MIB+gfA,sC;QAeiB,Q;QAFb,IAxlQO,qBAAQ,CAwlQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxhfG,MAAO,KIBwhfO,QkBxhfP,EIBwhfiB,CkBxhfjB,C;;QIB0hfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBrifA,iB;MIBqifA,sC;QAeiB,Q;QAFb,IAtmQO,qBAAQ,CAsmQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB9ifG,MAAO,KIB8ifO,QkB9ifP,EIB8ifiB,CkB9ifjB,C;;QIBgdfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB3jfA,iB;MIB2jfA,sC;QAeiB,Q;QAFb,IApnQO,qBAAQ,CAonQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpkfG,MAAO,KIBokfO,QkBpkfP,EIBokfiB,CkBpkfjB,C;;QIBskfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBjlfA,iB;MIBilfA,sC;QAeiB,Q;QAFb,IAloQO,qBAAQ,CAkoQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB1lfG,MAAO,KIB0lfO,QkB1lfP,EIB0lfiB,CkB1lfjB,C;;QIB4lfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBvmfA,iB;MIBumfA,sC;QAeiB,Q;QAFb,IAhpQO,qBAAQ,CAgpQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhmfG,MAAO,KIBgnfO,QkBhmfP,EIBgnfiB,CkBhmfjB,C;;QIBknfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB7nfA,iB;MIB6nfA,sC;QAeiB,Q;QAFb,IA9pQO,qBAAQ,CA8pQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBtofG,MAAO,KIBsofO,QkBtofP,EIBsofiB,CkBtofiB,C;;QIBwofd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBnfpA,iB;MIBmpfA,sC;QAeiB,Q;QAFb,IA5qQO,qBAAQ,CA4qQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5pfG,MAAO,KIB4pfO,QkB5pfP,EIB4pfiB,CkB5pfjB,C;;QIB8pfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBzqfA,iB;MIByqfA,sC;QAeiB,Q;QAFb,IA1rQO,qBAAQ,CA0rQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB1rfG,MAAO,KIBkrfO,QkB1rfP,EIBkrfiB,CkB1rfjB,C;;QIBorfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkB/rfA,iB;MIB+rfA,sC;QAeiB,Q;QAFb,IAxsQO,qBAAQ,CAwsQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxsfG,MAAO,KIBwsfO,QkBxsfP,EIBwsfiB,CkBxsfjB,C;;QIB0sfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhufA,iB;MIBgufA,sC;QAeiB,Q;QAFb,IA9xQO,qBAAQ,CA8xQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzufG,MAAO,KIByufO,QkBzufP,EIByufiB,CkBzufjB,C;;QIB2ufd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBtvfA,iB;MIBsvfA,sC;QAeiB,Q;QAFb,IA5yQO,qBAAQ,CA4yQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/vfG,MAAO,KIB+vfO,QkB/vfP,EIB+vfB,CkB/vfjB,C;;QIBiwfd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB5wfA,iB;MIB4wfA,sC;QAeiB,Q;QAFb,IA1zQO,qBAAQ,CA0zQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxrfG,MAAO,KIBqxfO,QkBxrfP,EIBqxfiB,CkBxrfjB,C;;QIBuxfd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBlyfA,iB;MIBkyfA,sC;QAeiB,Q;QAFb,IAx0QO,qBAAQ,CAw0Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3yfG,MAAO,KIB2yfO,QkB3yfP,EIB2yfiB,CkB3yfiB,C;;QIB6yfd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBzxfA,iB;MIBwzfA,sC;QAeiB,Q;QAFb,IA1QO,qBAA



gBA,sC;QAaiB,Q;QAFb,IAhsRO,qBAAQ,CAGsRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,  
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhpgBG,MAAO,KI  
BgpgBO,QkBhpgBP,ElBgpgBiB,CkBhpgBjB,C;;QlBkpgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7  
pgBA,iB;MlB6pgBA,sC;QAaiB,Q;QAFb,IA5sRO,qBAAQ,CA4sRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAA  
K,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp  
qgBG,MAAO,KlBoqgBO,QkBpqgBP,ElBoqgBiB,CkBpqgBjB,C;;QlBsqgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;  
MAAA,8D;MkBjrgBA,iB;MlBirgBA,sC;QAaiB,Q;QAFb,IAxtRO,qBAAQ,CAwtRf,C;UAAe,OAAO,I;QACtB,eA  
Ae,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,  
C;UACR,WkBxrgBG,MAAO,KlBwrgBO,QkBxrgBP,ElBwrgBiB,CkBxrgBjB,C;;QlB0rgBd,OAAO,Q;O;KAjBX,C  
;8FAoBA,yB;MAAA,8D;MkBrsgBA,iB;MlBqsgBA,sC;QAaiB,Q;QAFb,IApuRO,qBAAQ,CAouRf,C;UAAe,OAA  
O,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,  
CAAL,CAAT,C;UACR,WkB5sgBG,MAAO,KlB4sgBO,QkB5sgBP,ElB4sgBiB,CkB5sgBjB,C;;QlB8sgBd,OAAO,  
Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBztgBA,iB;MlBytgBA,sC;QAaiB,Q;QAFb,IAhvRO,qBAAQ,CAGvRf,  
C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,  
SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhugBG,MAAO,KlBgugBO,QkBhugBP,ElBgugBiB,CkBhugBjB,C;;Ql  
BkugBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7ugBA,iB;MlB6ugBA,sC;QAaiB,Q;QAFb,IA5vRO,  
qBAAQ,CA4vRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,  
iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpvgBG,MAAO,KlBovgBO,QkBpvgBP,ElBovgBiB,C  
kBpvgBjB,C;;QlBsvgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MkBjwgBA,iB;MlBiwgBA,s  
C;QAaiB,Q;QAFb,IAxwRO,qBAAQ,CAwwRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;Q  
ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxwgBG,MAAO,KlB  
wwgBO,QkBxwgBP,ElBwwgBiB,CkBxwgBjB,C;;QlB0wgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;Mk  
BhygBA,iB;MlBgygBA,sC;QAaiB,Q;QAFb,IA51RO,qBAAQ,CA41Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UA  
AK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,Wk  
BvygBG,MAAO,KlBuygBO,QkBvygBP,ElBuygBiB,CkBvygBjB,C;;QlByygBd,OAAO,Q;O;KAjBX,C;8FAoBA,y  
B;MAAA,8D;MkBpzgBA,iB;MlBozgBA,sC;QAaiB,Q;QAFb,IAx2RO,qBAAQ,CAw2Rf,C;UAAe,OAAO,I;QACt  
B,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,C  
AAT,C;UACR,WkB3zgBG,MAAO,KlB2zgBO,QkB3zgBP,ElB2zgBiB,CkB3zgBjB,C;;QlB6zgBd,OAAO,Q;O;KA  
jBX,C;+FAoBA,yB;MAAA,8D;MkBx0gBA,iB;MlBw0gBA,sC;QAaiB,Q;QAFb,IAp3RO,qBAAQ,CAo3Rf,C;UA  
Ae,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS  
,UAAK,CAAL,CAAT,C;UACR,WkB/0gBG,MAAO,KlB+0gBO,QkB/0gBP,ElB+0gBiB,CkB/0gBjB,C;;QlBi1gBd,  
OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB51gBA,iB;MlB41gBA,sC;QAaiB,Q;QAFb,IAh4RO,qBAAQ,  
CAG4Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UAC  
I,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn2gBG,MAAO,KlBm2gBO,QkBn2gBP,ElBm2gBiB,CkBn2g  
BjB,C;;QlBq2gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBh3gBA,iB;MlBg3gBA,sC;QAaiB,Q;QAFb  
,IA54RO,qBAAQ,CA44Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAA  
U,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv3gBG,MAAO,KlBu3gBO,QkBv3gBP,ElB  
u3gBiB,CkBv3gBjB,C;;QlBy3gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBp4gBA,iB;MlBo4gBA,sC;  
QAaiB,Q;QAFb,IAx5RO,qBAAQ,CAw5Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QAC  
F,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB34gBG,MAAO,KlB24gB  
O,QkB34gBP,ElB24gBiB,CkB34gBjB,C;;QlB64gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBx5gBA,  
iB;MlBw5gBA,sC;QAaiB,Q;QAFb,IAp6RO,qBAAQ,CAo6Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CA  
AL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/5gBG,  
MAAO,KlB+5gBO,QkB/5gBP,ElB+5gBiB,CkB/5gBjB,C;;QlBi6gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,  
8D;MkB56gBA,iB;MlB46gBA,sC;QAaiB,Q;QAFb,IAh7RO,qBAAQ,CAG7Rf,C;UAAe,OAAO,I;QACtB,eAAe,SA  
AS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UA  
CR,WkBn7gBG,MAAO,KlBm7gBO,QkBn7gBP,ElBm7gBiB,CkBn7gBjB,C;;QlBq7gBd,OAAO,Q;O;KAjBX,C;+  
FAoBA,yB;MAAA,oC;MAAA,8D;MkBh8gBA,iB;MlBg8gBA,sC;QAaiB,Q;QAFb,IA57RO,qBAAQ,CA47Rf,C;U

AAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBV8gBG,MAAO,KIBu8gBO,QkBv8gBP,ElBu8gBiB,CkBv8gBjB,C;;QlBy8gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9gSO,qBAAQ,CA8gSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1hSO,qBAAQ,CA0hSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAtiSO,qBAAQ,CAsiSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAIjSO,qBAAQ,CAkjSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAI9jSO,qBAAQ,CA8jSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1kSO,qBAAQ,CA0kSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAImSO,qBAAQ,CAkmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9mSO,qBAAQ,CA8mSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IApsSO,qBAAQ,CAosSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAItSO,qBAAQ,CAktSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAhuSO,qBAAQ,CAGuSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA9uSO,qBAAQ,CA8uSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA5vSO,qBAAQ,CA4vSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA1wSO,qBAAQ,CA0wSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAxxSO,qBAAQ,CAwxSf,C;UAAe,MAAM,6B;QACrB,eAAe

,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;  
UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO  
,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAtySO,qBAAQ,CAsySf,C;UAA  
e,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAA  
S,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,  
WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,kD;QAaiB,Q;  
QAFb,IApzSO,qBAAQ,CAozSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAak,CAAL,EAAT,C;QACF,+B;Q  
AAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAak,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,  
CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;M  
AAA,kD;QAWiB,Q;QAFb,IAx4SO,qBAAQ,CAw4Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAA  
T,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,  
QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KajBX,C;sGAoBA,yB  
;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAp5SO,qBAAQ,CAo5Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAA  
K,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,  
UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KajBX  
,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAh6SO,qBAAQ,CAg6Sf,C;UAAe,OAAO,I;QACtB,eA  
Ae,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,  
C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OA  
AO,Q;O;KajBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA56SO,qBAAQ,CA46Sf,C;UAAe,OA  
AO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAA  
K,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,  
C;;;QAGnB,OAAO,Q;O;KajBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx7SO,qBAAQ,CAw7  
Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAA  
Q,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;  
YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KajBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAp8SO,  
qBAAQ,CAo8Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,  
iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAA  
kC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KajBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;  
QAFb,IAh9SO,qBAAQ,CAg9Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAA  
b,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CA  
AIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KajBX,C;sGAoBA,yB;MAAA,8D;MAA  
A,kD;QAWiB,Q;QAFb,IA59SO,qBAAQ,CA49Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;  
QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QA  
AR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KajBX,C;sGAoBA,yB;M  
AAA,oC;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx+SO,qBAAQ,CAw+Sf,C;UAAe,OAAO,I;QACtB,eAAe,SA  
AS,sBAak,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAak,CAAL,EAAT,C;UA  
CR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;  
O;KajBX,C;IAoBA,8B;MASiB,Q;MAFb,IA1jTO,qBAAQ,CA0jTf,C;QAAe,OAAO,I;MActB,UAAU,UAAK,CA  
AL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB1/hBG,MAAO,KIB0/hBE,  
GkB1/hBF,ElB0/hBO,CkB1/hBP,C;;MIB4/hBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IA1kTO,qBAAQ,CA0kTf  
,C;QAAe,OAAO,I;MActB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,C  
AAL,C;QACR,MkBrhiBG,MAAO,KIBqhiBE,GkBrhiBF,ElBqhiBO,CkBrihBP,C;;MIBuhiBd,OAAO,G;K;IAGX,g  
C;MAOiB,Q;MAFb,IAx1TO,qBAAQ,CAw1Tf,C;QAAe,OAAO,I;MActB,UAAU,UAAK,CAAL,C;MACG,+B;MA  
Ab,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MA  
EvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA9ITO,qBAAQ,CA8ITf,C;QAAe,OAAO,I;MActB,UAAU,UAAK,  
CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAA  
a,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IApmTO,qBAAQ,CAomTf,C;QAAe,OAAO,I;MA  
CtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MA

AM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA1mTO,qBAAQ,CA0mTf,C;  
QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL  
,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAhnTO,q  
BAAQ,CAgnTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QA  
AQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,KAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;M  
ASiB,Q;MAFb,IAxnTO,qBAAQ,CAwnTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,a  
AAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,Mk3miBG,MAAO,KIB2miBE,Gk3miBF,EIB2miBO,Ck  
B3miBP,C;;MIB6miBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAhoTO,qBAAQ,CAgoTf,C;QAAe,OAAO,I;MA  
CtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkBhniB  
G,MAAO,KIBgniBE,GkBhniBF,EIBgniBO,CkBhniBP,C;;MIBkniBd,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA9  
nTO,qBAAQ,CA8nTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QA  
CI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,wC;MA  
GI,OAAO,yBAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAA  
d,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,  
OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,  
C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,8C;MAOiB,Q;MAFb,IAlwTO,qBAAQ,CAkwTf,C;QAAe  
,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;Q  
ACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;  
K;IAGX,gD;MAOiB,Q;MAFb,IAxwTO,qBAAQ,CAwwTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;M  
ACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAA  
b,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9wTO,qBA  
AQ,CA8wTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAA  
Q,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,  
C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IApxTO,qBAAQ,CAoxTf,C;QAAe,OAAO,I;MAcTb,UAAU,  
UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,  
GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;M  
AFb,IA1xTO,qBAAQ,CA0xTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAA  
V,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;  
UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAhyTO,qBAAQ,CAgyTf,C;QAAe,OAAO,  
I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAA  
I,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,  
gD;MAOiB,Q;MAFb,IAtyTO,qBAAQ,CAstyTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MA  
Ab,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GA  
A6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA5yTO,qBAAQ,CA4yTf,C  
;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAA  
L,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OA  
AO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAlzTO,qBAAQ,CAkzTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,  
C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,  
cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,yB;MAMI,OAj4TO,qBAAQ,C;  
K;IAo4TnB,2B;MAMI,OA14TO,qBAAQ,C;K;IAq4TnB,2B;MAMI,OAn4TO,qBAAQ,C;K;IAS4TnB,2B;MAMI,O  
Ap4TO,qBAAQ,C;K;IAu4TnB,2B;MAMI,OAr4TO,qBAAQ,C;K;IAw4TnB,2B;MAMI,OAt4TO,qBAAQ,C;K;IAy  
4TnB,2B;MAMI,OA v4TO,qBAAQ,C;K;IA04TnB,2B;MAMI,OA x4TO,qBAAQ,C;K;IA24TnB,2B;MAMI,OA z4T  
O,qBAAQ,C;K;gFA44TnB,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IA  
AI,UAAU,OA AV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;gFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,S  
AAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OA AV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;  
K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OA AV,  
CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,c  
AAA,SAAhB,M;QAAsB,IAAI,UAAU,OA AV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAM



B,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA11UO,qBAAQ,CAk1Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAh2UO,qBAAQ,CAg2Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA7UO,qBAAQ,CA7Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAp8UO,qBAAQ,CAo8Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9UO,qBAAQ,CA9Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh+UO,qBAAQ,CAg+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9+UO,qBAAQ,CA8+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5/UO,qBAAQ,CA4/Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1gVO,qBAAQ,CA0gVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1gVO,qBAAQ,CA0gVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAtiVO,qBAAQ,CAsiVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,sBAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;4GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5nVO,qBAAQ,CA4nVf,C;UACI,OAAO,I;QACX,kBAaqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1oVO,qBAAQ,CA0oVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxpVO,qBAAQ,CAwpVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtsVO,qBAAQ,CAksVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhtVO,qBAAQ,CAgtVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAC,CAAd







AAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp3XO,qBAAQ,CAo3Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzhnBO,W;QjB0hnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp4XO,qBAAQ,CAo4Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjnnBO,W;QjBknnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp5XO,qBAAQ,CAo5Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzknBO,W;QjB0knBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp6XO,qBAAQ,CAo6Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjmnBO,W;QjBkmnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp7XO,qBAAQ,CAo7Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBznnBO,W;QjB0nnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp8XO,qBAAQ,CAo8Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjpnBO,W;QjBkpnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAcI,IA5hYO,qBAAQ,CA4hYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzqnBO,W;QjB0qnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4GAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IA7iYO,qBAAQ,CA6iYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBlsnBO,W;QjBmsnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IA9jYO,qBAAQ,CA8jYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB3tnBO,W;QjB4tnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IAkYO,qBAAQ,CA+kYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBpvnBO,W;QjBqvnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IAhnYO,qBAAQ,CAgmYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7wnBO,W;QjB8wnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IAjnYO,qBAAQ,CAinYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBtynBO,W;QjBuynBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IAloYO,qBAAQ,CAkoYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB/znBO,W;QjBg0nBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IANpYO,qBAAQ,CAnpYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBx1nBO,W;QjBy1nBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;U

Cd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAA  
A,gD;QAEI,IApqYO,qBAAQ,CAoqYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,I  
AAb,C;QAA+B,8B;QAA5C,aiBj3nBO,W;QjBk3nBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KA AV,EA AiB  
,WAAjB,EAA8B,sBAAK,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;gGay  
BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QACI,IA5vYO,qBAAQ,CA4vYf,C;UAAe,OAAO,W;QACtB,sBAAqB,  
UAAK,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,aiB14nBO,W;QjB2  
4nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EA AuB,UAAK,KAAL,CAAvB,C;UACd,M  
AAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;kGAwBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAz  
wYO,qBAAQ,CAywYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,  
gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiB/5nBO,W;QjBg6nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g  
BAAc,UAAU,aAAV,EA AuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIB  
X,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAtxYO,qBAAQ,CAsxYf,C;UAAe,OAAO,W;QACtB  
,sBAAkB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBp7n  
BO,W;QjBq7nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EA AuB,UAAK,KAAL,CAAvB  
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;  
QAWI,IAAnyYO,qBAAQ,CAmyYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACkC,kBAAr  
B,eAAe,gBAAf,C;QAA6B,sBAAI,aAAJ,C;QAA1C,aiBz8nBO,W;QjB08nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;U  
ACI,gBAAc,UAAU,aAAV,EA AuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;  
KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAhzYO,qBAAQ,CAGzYf,C;UAAe,OAAO,W;  
QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3  
C,aiB99nBO,W;QjB+9nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EA AuB,UAAK,KAAL,  
CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;M  
AAA,uC;QAWI,IA7zYO,qBAAQ,CA6zYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACoC  
,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBn/nBO,W;QjBo/nBP,iBAAc,CAAd,UAAsB,gB  
AAtB,U;UACI,gBAAc,UAAU,aAAV,EA AuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,O  
AAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IA10YO,qBAAQ,CA00Yf,C;UAAe,  
OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,gBAAlB,C;QAAgC,sBAAI,aAAJ,  
C;QAA7C,aiBxgoBO,W;QjBygoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EA AuB,UAA  
K,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAA  
A,gE;MAAA,uC;QAWI,IAv1YO,qBAAQ,CAu1Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C  
;QACsC,kBAAZB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB7hoBO,W;QjB8hoBP,iBAAc,CAAd,U  
AAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EA AuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;  
QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAWI,IAp  
2YO,qBAAQ,CAo2Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,g  
BAAhB,C;QAA8B,sBAAI,0BAAJ,C;QAA3C,aiBljoBO,W;QjBmjoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g  
BAAc,oBAAU,0BAAV,EA AuB,sBAAK,KAAL,EA AvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;  
KAIBX,C;8GAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QACI,IA57YO,qBAAQ,CA47Yf,C;UAAe,OAAO,W;Q  
ACtB,sBAAqB,UAAK,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,aiB  
1koBO,W;QjB2koBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KA AV,EA AiB,aAAjB,EAA8B,UA  
AK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gHAWBA,yB;MAAA,qD;M  
AAA,gE;MAAA,uC;QAYI,IA18YO,qBAAQ,CA08Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAA  
IB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBhmoBO,W;QjBimoBP,iBAAc,CA  
Ad,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KA AV,EA AiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,M  
AAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAx9  
YO,qBAAQ,CAw9Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gB  
AAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBtnoBO,W;QjBunoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBA  
Ac,UAAU,KA AV,EA AiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAA  
O,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IA+YO,qBAAQ,CAs+Yf,C;UAAe,OA

AO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACkC,kBAArB,eAAe,gBAAf,C;QAA6B,sBAAI,aAAJ,C;QA  
A1C,aiB5ooBO,W;QjB6ooBP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EA  
A8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAA  
A,qD;MAAA,gE;MAAA,uC;QAYI,IAP/YO,qBAAQ,CAo/Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,  
CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBlqoBO,W;QjBmqoBP,iBAA  
c,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UAC  
d,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,I  
AlgZO,qBAAQ,CAkgZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,  
gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxroBO,W;QjByroBP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gB  
AAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OA  
AO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAhhZO,qBAAQ,CAghZf,C;UAAe,O  
AAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,gBAAlB,C;QAAgC,sBAAI,aAAJ,C  
;QAA7C,aiB9soBO,W;QjB+soBP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB  
,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;M  
AAA,qD;MAAA,gE;MAAA,uC;QAYI,IA9hZO,qBAAQ,CA8hZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,C  
AAL,CAAIB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBpuoBO,W;QjBquoBP,i  
BAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;  
UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;M  
AAA,gC;MAAA,uC;QAYI,IA5iZO,qBAAQ,CA4iZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,  
C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,0BAAJ,C;QAA3C,aiB1voBO,W;QjB2voBP,iBAAc,CA  
Ad,UAAAsB,gBAAtB,U;UACI,gBAAc,oBAAU,KAAV,EAAiB,0BAAjB,EAA8B,sBAAK,KAAL,EAA9B,E;UACd,  
MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;8EAsBA,yB;MA/zBA,gD;MAAA,gE;MA+zBA,gD;QAc  
W,sB;;UA7zBS,Q;UAHhB,IAP0XO,qBAAQ,CAo0Xf,C;YAAe,qBAAO,OA00BH,OA00BG,C;YAAP,uB;;UACqB  
,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+zBzB,OA/zByB,C;UAA5C,aiBj9mBO,W;UjBk9mBP,kB  
A8zBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cA4zBwB,SA5zBV,CAAU,WAAV,EAAuB,OA0vB,C;YACd,  
MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAYzBP,yB;O;KADJ,C;gFAiBA,yB;MAzzBA,gD;MAAA,gE;MAyz  
BA,gD;QAeW,sB;;UA7zBS,Q;UAHhB,IAP1XO,qBAAQ,CAo1Xf,C;YAAe,qBAAO,OA0zBH,OA1zBG,C;YAAP,  
uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyzBzB,OAzzByB,C;UAA5C,aiBz+mBO,W;Uj  
B0+mBP,kBAwzBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cAszBwB,SAtzBV,CAAU,WAAV,EAAuB,OA0  
vB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmzBP,yB;O;KAFJ,C;gFAkBA,yB;MANzBA,gD;MA  
AA,gE;MAmzBA,gD;QAeW,sB;;UA7zBS,Q;UAHhB,IAP2XO,qBAAQ,CAo2Xf,C;YAAe,qBAAO,OA0zBH,OA  
zBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyzBzB,OAyzByB,C;UAA5C,ai  
BjgnBO,W;UjBkgnBP,kBAkzBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cAgzBwB,SAhzBV,CAAU,WAAV,  
EAAuB,OA0vB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6yBP,yB;O;KAFJ,C;gFAkBA,yB;MA  
7yBA,gD;MAAA,gE;MA6yBA,gD;QAeW,sB;;UA3yBS,Q;UAHhB,IAP3XO,qBAAQ,CAo3Xf,C;YAAe,qBAAO,  
OA8yBH,OA9yBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6yBzB,OA7yBy  
B,C;UAA5C,aiBzhnBO,W;UjB0hnBP,kBA4yBmB,O;UA3yBnB,iD;YAAgB,cAAhB,e;YACI,cA0yBwB,SA1yBV,  
CAAU,WAAV,EAAuB,OA0vB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAuyBP,yB;O;KAFJ,C;g  
FAkBA,yB;MAvyBA,gD;MAAA,gE;MAuyBA,gD;QAeW,sB;;UAryBS,Q;UAHhB,IAP4XO,qBAAQ,CAo4Xf,C;Y  
AAe,qBAAO,OAwyBH,OAxyBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuy  
BzB,OAvyByB,C;UAA5C,aiBjnnBO,W;UjBknnBP,kBA5yBmB,O;UAryBnB,iD;YAAgB,cAAhB,e;YACI,cAoyBw  
B,SApyBV,CAAU,WAAV,EAAuB,OA0vB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiyBP,yB;  
O;KAFJ,C;gFAkBA,yB;MAjyBA,gD;MAAA,gE;MAiyBA,gD;QAeW,sB;;UA/xBS,Q;UAHhB,IAP5XO,qBAAQ,C  
Ao5Xf,C;YAAe,qBAAO,OAkyBH,OAlyBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA  
+B,sBAiyBzB,OAjyByB,C;UAA5C,aiBzknBO,W;UjB0knBP,kBAgyBmB,O;UA/xBnB,iD;YAAgB,cAAhB,e;YAC  
I,cA8xBwB,SA9xBV,CAAU,WAAV,EAAuB,OA0vB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA  
2xBP,yB;O;KAFJ,C;gFAkBA,yB;MA3xBA,gD;MAAA,gE;MA2xBA,gD;QAeW,sB;;UAzxBS,Q;UAHhB,IAP6XO,  
qBAAQ,CAo6Xf,C;YAAe,qBAAO,OA4xBH,OA5xBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IA

Ab,C;UAA+B,sBA2xBzB,OA3xByB,C;UAA5C,aiBjmnBO,W;UjBkmnBP,kBA0xBmB,O;UAzxBnB,iD;YAAgB,cAAhB,e;YACI,cAwxBwB,SAxxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAqxBP,yB;O;KafJ,C;gFAkBA,yB;MArxBA,gD;MAAA,gE;MAqxBA,gD;QAeW,sB;;UANxBS,Q;UAHhB,IAp7XO,qBAAQ,CAo7Xf,C;YAAe,qBAAO,OAsxBH,OAtxBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAqxzBzB,OArxByB,C;UAA5C,aiBznnBO,W;UjB0nnBP,kBAoxBmB,O;UANxBnB,iD;YAAgB,cAAhB,e;YACI,cAkxBwB,SAIxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA+wBP,yB;O;KafJ,C;gFAkBA,yB;MA/wBA,gD;MAAA,gE;MAAA,oC;MAAA,gC;MA+wBA,gD;QAeW,sB;;UA7wBS,Q;UAHhB,IAp8XO,qBAAQ,CAo8Xf,C;YAAe,qBAAO,OAGxBH,OAhxBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+wBzB,OA/wByB,C;UAA5C,aiBjpnBO,W;UjBkpnBP,kBA8wBmB,O;UA7wBnB,iD;YAAgB,cAAhB,0B;YACI,cA4wBwB,SA5wBV,CAAU,WAAV,EAAuB,oBAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAYwBP,yB;O;KafJ,C;4FAkBA,yB;MAzwBA,gD;MAAA,gE;MAywBA,gD;QAeW,6B;;UA1wBP,IA5hYO,qBAAQ,CA4hYf,C;YAAe,4BAAO,OA0wBI,OA1wBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAywBIB,OAzwBkB,C;UAA5C,aiBzqnBO,W;UjB0qnBP,kBAwwB0B,O;UAvwB1B,wD;YACI,cAswB+B,SAtwBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAmwBP,gC;O;KAfJ,C;8FAkBA,yB;MANwBA,gD;MAAA,gE;MAMwBA,gD;QAgBW,6B;;UApwBP,IA7iYO,qBAAQ,CA6iYf,C;YAAe,4BAAO,OAowBI,OApwBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmwBIB,OAAnwBkB,C;UAA5C,aiBlSnBO,W;UjBmsnBP,kBAkwB0B,O;UAjwB1B,wD;YACI,cAgwB+B,SAhwBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA6vBP,gC;O;KAhBJ,C;8FAMBA,yB;MA7vBA,gD;MAAA,gE;MA6vBA,gD;QAgBW,6B;;UA9vBP,IA9jYO,qBAAQ,CA8jYf,C;YAAe,4BAAO,OA8vBI,OA9vBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6vBIB,OA7vBkB,C;UAA5C,aiB3tnBO,W;UjB4tnBP,kBA4vB0B,O;UA3vB1B,wD;YACI,cA0vB+B,SA1vBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAuvBP,gC;O;KAhBJ,C;8FAMBA,yB;MAvvBA,gD;MAAA,gE;MAuvBA,gD;QAgBW,6B;;UAxvBP,IA/kYO,qBAAQ,CA+kYf,C;YAAe,4BAAO,OAwwBI,OAxvBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuvBIB,OAvvBkB,C;UAA5C,aiBpvnBO,W;UjBqvnBP,kBAsvB0B,O;UArvB1B,wD;YACI,cAovB+B,SAPvBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAivBP,gC;O;KAhBJ,C;8FAMBA,yB;MAjvBA,gD;MAAA,gE;MAivBA,gD;QAgBW,6B;;UAlvBP,IAhmYO,qBAAQ,CAgmYf,C;YAAe,4BAAO,OAkvBI,OA1vBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAivBIB,OAjvBkB,C;UAA5C,aiB7wnBO,W;UjB8wnBP,kBAgvB0B,O;UA/uB1B,wD;YACI,cA8uB+B,SA9uBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA2uBP,gC;O;KAhBJ,C;8FAMBA,yB;MA3uBA,gD;MAAA,gE;MA2uBA,gD;QAgBW,6B;;UA5uBP,IAjnYO,qBAAQ,CAinYf,C;YAAe,4BAAO,OA4uBI,OA5uBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2uBIB,OA3uBkB,C;UAA5C,aiBtynBO,W;UjBuynBP,kBA0uB0B,O;UAzuB1B,wD;YACI,cAuwB+B,SAxuBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAquBP,gC;O;KAhBJ,C;8FAMBA,yB;MARuBA,gD;MAAA,gE;MAquBA,gD;QAgBW,6B;;UAtuBP,IAloYO,qBAAQ,CAkoYf,C;YAAe,4BAAO,OAsubI,OAtuBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAquBIB,OAruBkB,C;UAA5C,aiB/znBO,W;UjBg0nBP,kBAouB0B,O;UANuB1B,wD;YACI,cAkuB+B,SAluBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA+tBP,gC;O;KAhBJ,C;8FAMBA,yB;MA/tBA,gD;MAAA,gE;MA+tBA,gD;QAgBW,6B;;UAhuBP,IANpYO,qBAAQ,CAmpYf,C;YAAe,4BAAO,OAguBI,OAhuBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+tBIB,OA/tBkB,C;UAA5C,aiBx1nBO,W;UjBy1nBP,kBA8tB0B,O;UA7tB1B,wD;YACI,cA4tB+B,SA5tBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAYtBP,gC;O;KAhBJ,C;8FAMBA,yB;MAztBA,gD;MAAA,gE;MAAA,oC;MAytBA,gD;QAgBW,6B;;UA1tBP,IApqYO,qBAAQ,CAoqYf,C;YAAe,4BAAO,OA0tBI,OA1tBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAytBIB,OAztBkB,C;UAA5C,aiBj3nBO,W;UjBk3nBP,kBAwtB0B,O;UAvtB1B,wD;YACI,cAstB+B,SAttBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,EAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAE

X,4BAAO,M,;;QAmTBP,gC;O;KAhBJ,C;gFAMBA,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB ;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I,;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MA D hB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I,;;MAE J,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;Q ACI,YAAO,SAAS,OAAT,CAAP,I,;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAg B,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I,;;MAEJ,OAAO,G;K;kFAGX,+B;M AOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,C AAP,I,;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA ,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I,;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;M ACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I,;;MAEJ,OAAO,G;K;kF AGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SA AS,OAAT,CAAP,I,;;MAEJ,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAe, C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CAAP,I,;;QAEJ, OAAO,G;O;KAVX,C;4FAaA,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,S AAhB,M;QACI,OAAO,SAAS,OAAT,C,;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB, wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C,;;MAEX,OAAO,G;K;8FAGX,+B; MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OA AT,C,;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cA AA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C,;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;M ACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C,;;MAEX,OAAO,G;K;8FAG X,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SA AS,OAAT,C,;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QA AgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C,;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAA kB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C,;;MAEX,OAAO,G; K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAkB,G;QACIB,wBAAgB,SAAhB,gB;UA AgB,cAAhB,UAAgB,SAAhB,O;UACI,OAAO,SAAS,oBAAT,C,;;QAEJ,OAAO,G;O;KAVX,C;gFAaA,+B;MAUo B,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C, ;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAGB,cAAA,S AAhB,M;QACI,OAAO,SAAS,OAAT,C,;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C,;;MAEX,OAAO,G;K;kFAGX,+B; MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,O AAT,C,;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAGB,c AAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C,;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C; MACpB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C,;;MAEX,OAAO,G;K;kF AGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO, SAAS,OAAT,C,;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB; QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C,;;MAEX,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC; MAAA,sC;QAUoB,Q;QADhB,UAAoB,C;QACpB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UA CI,OAAO,SAAS,oBAAT,C,;;QAEJ,OAAO,G;O;KAVX,C;gFAaA,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBA AgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I,;;MAEJ,OAAO,G;K;kFAGX,+B; MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT ,CAAP,I,;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cA AA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I,;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe, C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I,;;MAEJ,OAAO,G; K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAA O,SAAS,OAAT,CAAP,I,;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB, gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I,;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q; MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I,;



enB65qBnD,GmB75qB8D,KAAK,KnB65qB5D,SAAS,OAAT,CmB75qBuE,KAAH,CAAhB,C;;QnB+5qBvD,OA  
AO,G;O;KAdX,C;mFAiBA,yB;MmB1mqBA,+B;MnB0mqBA,sC;QAWoB,Q;QADhB,UmBzmqBqC,eAAW,oBn  
BymqB/B,CmBzmqB+B,CAAX,C;QnB0mqBrC,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,MmB96q  
BmD,enB86qBnD,GmB96qB8D,KAAK,KnB86qB5D,SAAS,OAAT,CmB96qBuE,KAAH,CAAhB,C;;QnB7qBvD  
,OAAO,G;O;KAdX,C;kFAiBA,yB;MmB3nqBA,+B;MnB2nqBA,sC;QAWoB,Q;QADhB,UmB1nqBqC,eAAW,oBn  
B0nqB/B,CmB1nqB+B,CAAX,C;QnB2nqBrC,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,MmB/7qB  
mD,enB+7qBnD,GmB/7qB8D,KAAK,KnB+7qB5D,SAAS,OAAT,CmB/7qBuE,KAAH,CAAhB,C;;QnBi8qBvD,O  
AAO,G;O;KAdX,C;mFAiBA,yB;MmB5oqBA,+B;MnB4oqBA,sC;QAWoB,Q;QADhB,UmB3oqBqC,eAAW,oBnB  
2oqB/B,CmB3oqB+B,CAAX,C;QnB4oqBrC,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,MmBh9qBm  
D,enBg9qBnD,GmBh9qB8D,KAAK,KnBg9qB5D,SAAS,OAAT,CmBh9qBuE,KAAH,CAAhB,C;;QnBk9qBvD,O  
AAO,G;O;KAdX,C;mFAiBA,yB;MmB7pqBA,+B;MnB6pqBA,sC;QAWoB,Q;QADhB,UmB5pqBqC,eAAW,oBnB  
4pqB/B,CmB5pqB+B,CAAX,C;QnB6pqBrC,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,MmBj+qBm  
D,enBi+qBnD,GmBj+qB8D,KAAK,KnBi+qB5D,SAAS,OAAT,CmBj+qBuE,KAAH,CAAhB,C;;QnBm+qBvD,OA  
AO,G;O;KAdX,C;mFAiBA,yB;MmB9qqBA,+B;MnB8qqBA,sC;QAWoB,Q;QADhB,UmB7qqBqC,eAAW,oBnB6  
qqB/B,CmB7qqB+B,CAAX,C;QnB8qqBrC,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,MmBl/qBmD,  
enBk/qBnD,GmBl/qB8D,KAAK,KnBk/qB5D,SAAS,OAAT,CmBl/qBuE,KAAH,CAAhB,C;;QnBo/qBvD,OAAO,  
G;O;KAdX,C;kFAiBA,yB;MmB/rqBA,+B;MnB+rqBA,sC;QAWoB,Q;QADhB,UmB9rqBqC,eAAW,oBnB8rqB/B,  
CmB9rqB+B,CAAX,C;QnB+rqBrC,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,MmBngrBmD,enBmg  
rBnD,GmBngrB8D,KAAK,KnBmgrB5D,SAAS,OAAT,CmBngrBuE,KAAH,CAAhB,C;;QnBqgrBvD,OAAO,G;O;  
KAdX,C;mFAiBA,yB;MAAA,oC;MAAA,gC;MmBhtqBA,+B;MnBgtqBA,sC;QAWoB,Q;QADhB,UmB/sqBqC,e  
AAW,oBnB+sqB/B,CmB/sqB+B,CAAX,C;QnBgtqBrC,wBAAGB,SAAhB,gB;UAGB,cAAhB,UAGB,SAAhB,O  
;UACI,MmBphrBmD,enBohrBnD,GmBphrB8D,KAAK,KnBohrB5D,SAAS,oBAAT,CmBphrBuE,KAAH,CAAhB,  
C;;QnBshrBvD,OAAO,G;O;KAdX,C;IAiBA,mC;MAIoB,UAMT,M;MANP,wBAAGB,SAAhB,gB;QAAGB,cAAA,  
SAAhB,M;QACI,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAAXB,MAAZB,C;;MAId,OAAO,0D;K;wFA  
GX,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,SAAh  
B,gB;UAGB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAA  
O,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6  
B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAh  
B,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,  
OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;  
QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,IAAI,UAAU,  
OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EA  
AY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,  
aAAa,gB;QACb,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KA  
AM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0  
FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,  
SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,  
MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MA  
AA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,SAAhB,gB;UAGB,cAAA,  
SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;Q  
AGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB  
,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,IAAI,UAA  
U,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,  
EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QAC  
Z,aAAa,gB;QACb,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,K  
AAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,  
C;0FAoBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,a  
AAa,gB;QACb,wBAAGB,SAAhB,gB;UAGB,cAAhB,UAGB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;Y

ACI,KAAM,WAAI,oBAAJ,C;;YAEN,MAAO,WAAI,oBAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAA Y,MAAZ,C;O;KAjBX,C;IAoBA,+B;MAkGI,WkB3orBO,MAAO,KIB2orBG,gBkB3orBH,ElBjrbh,KA2FkB,OkB3orBf,C;MIB4orBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9FqB,GA8FP,UAAK,CAAL,CA9FO,EAAnB,KA8FqB,CAAM,CAAN,CA9FF,CA8FrB,C;;MA9FT,OAGGO,I;K;IA7FX,iC;MAwGI,WkB3prBO,MAAO,KIB2prBG,gBkB3prBH,ElB0jrbh,KAiGkB,OkB3prBf,C;MIB4prBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WApGqB,GAoGP,UAAK,CAAL,CApGO,EAAnB,KAoGqB,C;AAM,CAAN,CApGF,CAoGrB,C;;MApGT,OAsGO,I;K;IANGX,iC;MA8GI,WkB3qrBO,MAAO,KIB2qrBG,gBkB3qrBH,ElBokrBH,KAuGkB,OkB3qrBf,C;MIB4qrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1GqB,GA0GP,UAAK,CAAL,CA1GO,EAAnB,KA0GqB,CAAM,CAAN,CA1GF,CA0GrB,C;;MA1GT,OA4GO,I;K;IAzGX,iC;MAoHI,WkB3rrBO,MAAO,KIB2rrBG,gBkB3rrBH,ElB8krBH,KA6GkB,OkB3rrBf,C;MIB4rrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAhHqB,GAGHP,UAAK,CAAL,CAhHO,EAAnB,KAgHqB,CAAM,CAAN,CAhHF,CAGHrB,C;;MAhHT,OAKHO,I;K;IA/GX,iC;MA0HI,WkB3srBO,MAAO,KIB2srBG,gBkB3srBH,ElBwlrBH,KAmHkB,OkB3srBf,C;MIB4srBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAtHqB,GAsHP,UAAK,CAAL,CAtHO,EAAnB,KAsHqB,CAAM,CAAN,CAtHF,CAsHrB,C;;MAtHT,OAwhO,I;K;IARHX,iC;MAGII,WkB3trBO,MAAO,KIB2trBG,gBkB3trBH,ElBkmrBH,KAyHkB,OkB3trBf,C;MIB4trBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5HqB,GA4HP,UAAK,CAAL,CA5HO,EAAnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB,C;;MA5HT,OA8HO,I;K;IA3HX,iC;MA5II,WkB3urBO,MAAO,KIB2urBG,gBkB3urBH,ElB4mrBH,KA+HkB,OkB3urBf,C;MIB4urBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAlIqB,GAKIP,UAAK,CAAL,CAIIO,EAAnB,KAKIqB,CAAM,CAAN,CAIIF,CakIrB,C;;MAIIT,OAoIO,I;K;IAjIX,iC;MA4II,WkB3vrBO,MAAO,KIB2vrBG,gBkB3vrBH,ElBsnrBH,KAQIkB,OkB3vrBf,C;MIB4vrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAxIqB,GAwIP,UAAK,CAAL,CaxIO,EAAnB,KAwIqB,CAAM,CAAN,CaxIF,CAwIrB,C;;MAXIT,OA0IO,I;K;IAvIX,iC;MAkJI,WkB3wrBO,MAAO,KIB2wrBG,gBkB3wrBH,ElBgorBH,KA2IkB,OkB3wrBf,C;MIB4wrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9IqB,GA8IP,sBAAK,CAAL,EA9IO,EAAnB,KA8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;MA9IT,OAGJO,I;K;8EA7IX,yB;MAAA,gE;MkBzorBA,iB;MIByorBA,8C;QAQI,WkB3orBO,MAAO,KIB2orBG,gBkB3orBH,ElB2orBS,KAAM,OkB3orBf,C;QIB4orBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;8EAgBA,yB;MAAA,gE;MkBzprBA,iB;MIByprBA,8C;QAQI,WkB3prBO,MAAO,KIB2prBG,gBkB3prBH,ElB2prBS,KAAM,OkB3prBf,C;QIB4prBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzqrBA,iB;MIByqrBA,8C;QAQI,WkB3qrBO,MAAO,KIB2qrBG,gBkB3qrBH,ElB2qrBS,KAAM,OkB3qrBf,C;QIB4qrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;8EAgBA,yB;MAAA,gE;MkBzrrBA,iB;MIByrrBA,8C;QAQI,WkB3rrBO,MAAO,KIB2rrBG,gBkB3rrBH,ElB2rrBS,KAAM,OkB3rrBf,C;QIB4rrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzsrBA,iB;MIBysrBA,8C;QAQI,WkB3srBO,MAAO,KIB2srBG,gBkB3srBH,ElB2srBS,KAAM,OkB3srBf,C;QIB4srBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBztrBA,iB;MIBytrBA,8C;QAQI,WkB3trBO,MAAO,KIB2trBG,gBkB3trBH,ElB2trBS,KAAM,OkB3trBf,C;QIB4trBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzurBA,iB;MIByurBA,8C;QAQI,WkB3urBO,MAAO,KIB2urBG,gBkB3urBH,ElB2urBS,KAAM,OkB3urBf,C;QIB4urBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzvrBA,iB;MIByvrBA,8C;QAQI,WkB3vrBO,MAAO,KIB2vrBG,gBkB3vrBH,ElB2vrBS,KAAM,OkB3vrBf,C;QIB4vrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAA

K,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MkBzwrBA,iB;MlBywrBA,8C;QAQI,WkB3wrBO,MAAO,KlB2wrBG,gBk3wrBH,ElB2wrBS,KAA M,OkB3wrBf,C;QlB4wrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI, UAAU,sBAAK,CAAL,EA AV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAGBA,kC; MAqGoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBkbt3rBJ,MAAO,KlBs3rBsB,wBA5FzB,KA4FyB,EAAwB ,EAAxB,Ckbt3rBtB,ElBs3rBmD,SkBt3rBnD,CIBs3rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB, OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhGqB,GAgGP,UAAK ,UAAL,EAAK,kBAAL,SAhGO,EAgGI,OA hGJ,CAGrB,C;;MAhGT,OakGO,I;K;IA/FX,kC;MA6GoB,gB;MAHh B,gBAAGB,gB;MACHb,WAAW,iBkx4rBJ,MAAO,KlBw4rBsB,wBApGzB,KAoGyB,EAAwB,EAAxB,Ckx4rB tB,ElBw4rBmD,SkBx4rBnD,CIBw4rBH,C;MACX,QAAQ,C;MACQ,OAtGL,KAsGK,W;MAAhB,OAAgB,cAAhB ,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxGqB,GAwGP,UAAK,UAAL,EAAK, kBAAL,SAxGO,EAwGI,OA xGJ,CAGrB,C;;MAxGT,OA0GO,I;K;IAvGX,kC;MAqHoB,gB;MAHhB,gBAAGB,g B;MACHb,WAAW,iBk15rBJ,MAAO,KlB05rBsB,wBA5GzB,KA4GyB,EAAwB,EAAxB,Ck15rBtB,ElB05rBm D,SkB15rBnD,CIB05rBH,C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,y B;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhHqB,GAgHP,UAAK,UAAL,EAAK,kBAAL,SAh HO,EAgHI,OA hHJ,CAGrB,C;;MAhHT,OakHO,I;K;IA/GX,kC;MA6HoB,gB;MAHhB,gBAAGB,gB;MACHb,W AAW,iBk56rBJ,MAAO,KlB46rBsB,wBApHzB,KAoHyB,EAAwB,EAAxB,Ck56rBtB,ElB46rBmD,SkB56rBn D,CIB46rBH,C;MACX,QAAQ,C;MACQ,OAtHL,KAsHK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAA I,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxHqB,GAwHP,UAAK,UAAL,EAAK,kBAAL,SAxHO,EAwHI,O AxHJ,CAGrB,C;;MAxHT,OA0HO,I;K;IAvHX,kC;MAqIoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBk97r BJ,MAAO,KlB87rBsB,wBA5HzB,KA4HyB,EAAwB,EAAxB,Ck97rBtB,ElB87rBmD,SkB97rBnD,CIB87rBH,C; MACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT ,C;UAAoB,K;QACpB,IAAK,WAhIqB,GAgIP,UAAK,UAAL,EAAK,kBAAL,SAhIO,EAGII,OA hIJ,CAGrB,C;;MA hIT,OakIO,I;K;IA/HX,kC;MA6IoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBk9rBJ,MAAO,KlB9rBsB,w BApIzB,KAoIyB,EAAwB,EAAxB,Ck9rBtB,ElB9rBmD,SkB9rBnD,CIB9rBH,C;MACX,QAAQ,C;MACQ, OAtIL,KAsIK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK ,WAxIqB,GAwIP,UAAK,UAAL,EAAK,kBAAL,SAxIO,EAwII,OA xIJ,CAGrB,C;;MAxIT,OA0IO,I;K;IAvIX,kC; MAqJoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBk1+rBJ,MAAO,KlBk+rBsB,wBA5IzB,KA4IyB,EAAwB, EAAxB,Ck1+rBtB,ElBk+rBmD,Sk1+rBnD,CIBk+rBH,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB, OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhJqB,GAgJP,UAAK, UAAL,EAAK,kBAAL,SAhJO,EAGJI,OA hJJ,CAGrB,C;;MAhJT,OakJO,I;K;IA/IX,kC;MA6JoB,gB;MAHhB,gBA AgB,gB;MACHb,WAAW,iBkbp/rBJ,MAAO,KlBo/rBsB,wBApJzB,KAoJyB,EAAwB,EAAxB,Ckbp/rBtB,ElBo/r BmD,Skbp/rBnD,CIBo/rBH,C;MACX,QAAQ,C;MACQ,OAtJL,KAsJK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,y B;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxJqB,GAwJP,UAAK,UAAL,EAAK,kBAAL,SAxJ O,EAwJI,OA xJJ,CAGrB,C;;MAxJT,OA0JO,I;K;IAvJX,kC;MAqKoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW, iBkbtgsBJ,MAAO,KlBsgsBsB,wBA5JzB,KA4JyB,EAAwB,EAAxB,CkbtgsBtB,ElBsgsBmD,SkbtgsBnD,CIBsgsB H,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SA AT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAgKP,sBAAK,UAAL,EAAK,kBAAL,UAhKO,EAGKI,OA hKJ,CAG KrB,C;;MAhKT,OakKO,I;K;+EA/JX,yB;MAAA,kF;MAAA,gE;Mkbn3rBA,iB;MlBm3rBA,8C;QAWoB,UAEY, M;QAL5B,gBAAGB,gB;QACHb,WAAW,ekbt3rBJ,MAAO,KlBs3rBsB,wBAAN,KAAM,EAAwB,EAAxB,Ckbt3r BtB,ElBs3rBmD,Skbt3rBnD,CIBs3rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U ACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAq B,OAARb,CAAJ,C;;QAET,OAAO,I;O;KAFX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBr4rBA,iB;MlBq4rBA,8C ;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHb,WAAW,ekBx4rBJ,MAAO,KlBw4rBsB,wBAAN,KAAM,EAA wB,EAAxB,Ckx4rBtB,ElBw4rBmD,SkBx4rBnD,CIBw4rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cA AhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK, kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KAFX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBv5 rBA,iB;MlBu5rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHb,WAAW,ekB15rBJ,MAAO,KlB05rBsB,w

BAAN,KAAM,EAAwB,EAAxB,CkB15rBtB,ElB05rBmD,SkB15rBnD,CIB05rBH,C;QACX,QAAQ,C;QACQ,uB; QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,U AAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,k F;MAAA,gE;MkBz6rBA,iB;MlBy6rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekB56rBJ, MAAO,KIB46rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB56rBtB,ElB46rBmD,SkB56rBnD,CIB46rBH,C;QACX, QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IA AK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+ EakBA,yB;MAAA,kF;MAAA,gE;MkB37rBA,iB;MlB27rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACH B,WAAW,ekB97rBJ,MAAO,KIB87rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB97rBtB,ElB87rBmD,SkB97rBnD ,CIB87rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C; YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET, OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB78rBA,iB;MlB68rBA,8C;QAWoB,UAEY,M;QAL5 B,gBAAGB,gB;QACHB,WAAW,ekBh9rBJ,MAAO,KIBg9rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBh9rBtB,El Bg9rBmD,SkBh9rBnD,CIBg9rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,I AAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OA ARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB/9rBA,iB;MlB+9rBA,8C;QA WoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekBl+rBJ,MAAO,KIBk+rBsB,wBAAN,KAAM,EAAwB,E AAxB,CkBl+rBtB,ElBk+rBmD,SkBl+rBnD,CIBk+rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C ;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAA L,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBj/rBA,iB; MlBi/rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekBp/rBJ,MAAO,KIBo/rBsB,wBAAN,K AAM,EAAwB,EAAxB,CkBp/rBtB,ElBo/rBmD,SkBp/rBnD,CIBo/rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OA AGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL ,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE; MAAA,oC;MkBngsBA,iB;MlBmgsBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekBtgsBJ,M AAO,KIBsgsBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBtgsBtB,ElBsgsBmD,SkBtgsBnD,CIBsgsBH,C;QACX,QA AQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK, WAAI,UAAU,sBAAK,UAAAL,EAAK,kBAAL,UAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;IAkB A,kC;MAwFI,WkBvmsBO,MAAO,KIBumsBG,gBkBvmsBH,ElBshsBH,KAiFkB,OkBvmsBf,C;MlBwmsBd,WAA W,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WApFqB,GAoFP,UAAK,CAAL,CAPF O,EAAnB,KAoFqB,CAAM,CAAN,CAPFF,CAoFrB,C;;MApFT,OAsFO,I;K;IANFX,kC;MA8FI,WkBvnsBO,MAA O,KIBunsBG,gBkBvnsBH,ElBgisBH,KAuFkB,OkBvnsBf,C;MlBwnsBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,C AAV,MAAkB,IAAIB,M;QACI,IAAK,WA1FqB,GA0FP,UAAK,CAAL,CA1FO,EAAnB,KA0FqB,CAAM,CAAN, CA1FF,CA0FrB,C;;MA1FT,OA4FO,I;K;IAzFX,kC;MAoGI,WkBvosBO,MAAO,KIBuosBG,gBkBvosBH,ElB0isB H,KA6FkB,OkBvosBf,C;MlBwosBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IA AK,WAhGqB,GAGP,UAAK,CAAL,CAhGO,EAAnB,KAgGqB,CAAM,CAAN,CAhGF,CAGrB,C;;MAhGT,OA kGO,I;K;IA/FX,kC;MA0GI,WkBvpsBO,MAAO,KIBupsBG,gBkBvpsBH,ElBojsBH,KAmGkB,OkBvpsBf,C;MlBw psBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAtGqB,GAsGP,UAAK,C AAL,CAtGO,EAAnB,KAsGqB,CAAM,CAAN,CAtGF,CAsGrB,C;;MATGT,OAwoGO,I;K;IARGX,kC;MAGHI,WkB vqsBO,MAAO,KIBuqsBG,gBkBvqsBH,ElB8jsBH,KAyGkB,OkBvqsBf,C;MlBwqsBd,WAAW,iBAAa,IAAb,C;M ACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5GqB,GA4GP,UAAK,CAAL,CA5GO,EAAnB,KA4GqB, CAAM,CAAN,CA5GF,CA4GrB,C;;MA5GT,OA8GO,I;K;IA3GX,kC;MAshI,WkBvrsBO,MAAO,KIBursBG,gBk BvrsBH,ElBwksBH,KA+GkB,OkBvrsBf,C;MlBwrsBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IA AIB,M;QACI,IAAK,WAlHqB,GakHP,UAAK,CAAL,CAIHO,EAAnB,KAKHqB,CAAM,CAAN,CAIHF,CakHrB, C;;MAIHT,OAoHO,I;K;IAjHX,kC;MA4HI,WkBvssBO,MAAO,KIBussBG,gBkBvssBH,ElBklsBH,KaqHkB,OkB vssBf,C;MlBwssBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAxHqB,GA wHP,UAAK,CAAL,CAXHO,EAAnB,KAWHqB,CAAM,CAAN,CAXHF,CAWHrB,C;;MAxHT,OA0HO,I;K;IAvHX ,kC;MAkII,WkBvtsBO,MAAO,KIButsBG,gBkBvtsBH,ElB4lsBH,KA2HkB,OkBvtsBf,C;MlBwtsBd,WAAW,iBA

Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9HqB,GA8HP,sBAAK,CAAL,EA9HO,EA8HE,YA9HrB,KA8HqB,CAAM,CAAN,EA9HF,CA8HrB,C;;MA9HT,OAgIO,I;K;+EA7HX,yB;MAAA,gE;MkBrmsBA,iB;MIBqmsBA,8C;QAQI,WkBvmsBO,MAAO,KIBumsBG,gBkBvmsBH,ElBumsBS,KAAM,OkBvmsBf,C;QlBwmsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAbM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MkBrmsBA,iB;MIBqnsBA,8C;QAQI,WkBvnsBO,MAAO,KIBunsBG,gBkBvnsBH,ElBunsBS,KAAM,OkBvnsBf,C;QlBwnsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAbM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MkBrmsBA,iB;MIBqosBA,8C;QAQI,WkBvosBO,MAAO,KIBuosBG,gBkBvosBH,ElBuosBS,KAAM,OkBvosBf,C;QlBwosBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAbM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MkBrmsBA,iB;MIBqpsBA,8C;QAQI,WkBvpsBO,MAAO,KIBupsBG,gBkBvpsBH,ElBupsBS,KAAM,OkBvpsBf,C;QlBwpsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAbM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MkBrmsBA,iB;MIBqqsBA,8C;QAQI,WkBvqsBO,MAAO,KIBuqsBG,gBkBvqsBH,ElBuqsBS,KAAM,OkBvqsBf,C;QlBwqsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAbM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MkBrmsBA,iB;MIBqrsBA,8C;QAQI,WkBvrsBO,MAAO,KIBursBG,gBkBvrsBH,ElBursBS,KAAM,OkBvrsBf,C;QlBwrsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAbM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MkBrmsBA,iB;MIBqssBA,8C;QAQI,WkBvssBO,MAAO,KIBussBG,gBkBvssBH,ElBussBS,KAAM,OkBvssBf,C;QlBwssBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAbM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MAAA,oC;MkBrtsBA,iB;MIBqtsBA,8C;QAQI,WkBvtsBO,MAAO,KIButsBG,gBkBvtsBH,ElButsBS,KAAM,OkBvtsBf,C;QlBwtsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EA9V,EAAbM,kBAAM,CAAN,EAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IA9gBA,4F;MAQ8D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGvN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,EAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAP,CAAP,C;;YAEP,MAAO,gBAAO,OAAP,WAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQuD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAP,CAAP,C;;YAEP,MAAO,gBAAO,OAAP,WAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQuD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAAsC,I;MAGIN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAP,CAAP,C;;YAEP,MAAO,gBAAO,

OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuB,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQ0D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQ2D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuB,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAhB,UAAgB,SAAhB,O;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,oBAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,0F;MAQyC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACIN,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuB,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQiC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAc,I;MAC5M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuB,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,



gB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCA  
AO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB  
,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAA  
O,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,  
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAA  
O,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,S  
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAA  
O,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SA  
AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAA  
O,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAA  
hB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAA  
O,IAAvB,GAAgC,MAAM,K;K;IAGjD,wB;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,S  
AAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,  
gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MA  
Cf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAMo  
B,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G  
;K;IAGX,0B;MAMoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OA  
AO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cA  
AA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SA  
AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;  
MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,  
Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAA  
O,G;K;IAGX,0B;MAKoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,O  
AAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAA  
A,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAKoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,S  
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;Ia5uuBX,oD;MAQuF,wC;K;IARvF,8C  
ASI,Y;MAAuC,8B;K;IAT3C,gF;4FOOA,qB;MAOI,OAAO,sBAAL,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAL,  
CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAL,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAL,CAAJ,C;K;4FAGX,q  
B;MAOI,OAAO,sBAAL,CAAJ,C;K;IAGX,wC;MAII,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OA  
AO,qBAAQ,OAAR,KAAoB,C;K;IAWG,yC;MAAA,qB;QAAE,MAAM,8BAA0B,iDAA8C,aAA9C,MAA1B,C;O;  
K;IAR1C,qC;MAMI,IAAI,8BAAJ,C;QACI,OAAO,sBAAL,KAAJ,C;MACX,OAAO,6BAAgB,KAAhB,EAAuB,uB  
AAvB,C;K;0FAGX,4B;MAOI,OAAO,sBAAL,KAAJ,C;K;IAGX,2D;MAcqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OA  
AsB,KA4Lf,IAAS,CAAT,IA5Le,KA4LD,IAAS,iBA5LvB,SA4LuB,CAA3B,GA5LI,SA4LkC,aA5LnB,KA4LmB,C  
AAtC,GA5L0B,YA4L4B,CA5LnC,KA4LmC,C;;MA3L7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;M  
ACX,eAAe,oB;MACf,YAAy,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,Y  
AAT,EAAS,oBAAT,OA AJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;sGAGX,yB;MAAA,8D;MAAA,i  
D;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAL,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;K  
APjE,C;IAUA,6C;MAcqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAy,YAAL,SAAK,EAAU,KAAV,C;MACHB,IAA  
I,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAy,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAA  
c,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OA AJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;sGAGX,yB;  
MAAA,sD;MAAA,mC;QAOI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;gFAUA,gC;MAOW,sB;;QAU  
HS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UAAM,IAvHH,SAuHO,CAAU,OA AV,CAAJ,C;YAAw  
B,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MAxHP,yB;K;wFAGJ,gC;MA2VoB,Q;MADhB,WAAe,I;MACC,2B  
;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IARVc,SAqVV,CAAU,OA AV,CAAJ,C;UACI,OAAO,O;;MATVf,  
OAYVO,I;K;wFAtVX,gC;MAOW,qB;;QAwVP,eAAoB,+BAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,  
cAAc,QAAS,W;UACvB,IA3Vc,SA2VV,CAAU,OA AV,CAAJ,C;YAAwB,oBAAO,O;YAAP,sB;;QAE5B,oBAAO  
,I;;MA7VP,wB;K;IAGJ,6B;MAMQ,kBADE,SACF,Q;QAAW,OAAY,SAAL,SAAK,C;;QAE5B,eAAe,oB;QACf,I  
AAI,CAAC,QAAS,UAA d,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,OAAO,QAAS,O;;K;IAK5B,6B;MAKI,I

AAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,CAAL,C;K;mFAGX,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;O;KANV,C;oGASA,yB;MAAA,iE;MAAA,uC;QASW,Q;QAAA,+B;;UAYS,U;UAAA,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAbwB,SAaX,CAAU,OAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;;UAGR,8BAAO,I;;;QAIBA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,mEAAvB,C;;QAAhD,OAAO,I;O;KATX,C;gHAYA,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OAAO,M;;;MAGf,OAAO,I;K;IAGX,mC;MAKQ,kBADE,SACF,Q;QACI,IAAI,mBAAJ,C;UACI,OAAO,I;;UAEP,OAAO,sBAAK,CAAL,C;;QAGX,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX,OAAO,QAAS,O;;K;IAK5B,mC;MAII,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;+FAGpC,gC;MAIoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;0FAGX,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,sBAAI,KAAJ,CAATc,GAAcD,aAAa,KAAb,C;O;KALjE,C;IAQA,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAc,sBAAI,KAAJ,CAATc,GAAcD,I;K;IAGjE,uC;MAMiB,Q;MAFb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,eAAQ,OAAR,C;MAC9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;IAGX,uC;MAKI,OAAO,wBAAQ,OAAR,C;K;gGAGX,yB;MAAA,wE;MAAA,uC;QAKiB,Q;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAXX,C;gGAcA,gC;MAKiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;8FAGX,yB;MAAA,wE;MAAA,uC;QAMiB,Q;QAFb,gBAAgB,E;QACHb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UACHb,qB;;QAEJ,OAAO,S;O;KAZX,C;8FAeA,gC;MAII,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,IAAI,UAAU,QAAS,WAAAnB,CAAJ,C;UACI,OAAO,QAAS,Y;;;MAGxB,OAAO,E;K;IAGX,4B;MASQ,kBADE,SACF,Q;QAAW,OAAy,QAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAKnB,4B;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,2BAAL,C;K;iFAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAUoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,wDAAvB,C;QAEIB,OAAO,2E;O;KAIBX,C;iFAqBA,yB;MAAA,iE;MAAA,uC;QAQI,eAAe,SAAK,sBAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,kDAAvB,C;O;KAbV,C;IAGBA,2C;MAOiB,Q;MAHb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,mBAAY,OAAZ,C;MAC9B,gBAAgB,E;MACHb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QACHb,qB;;MAEJ,OAAO,S;K;IAGX,2C;MAKI,OAAO,4BAAY,OAAZ,C;K;IAGX,kC;MAOQ,kBADE,SACF,Q;QAAW,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;;QAEvC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAKnB,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,gC;MAOoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MAGf,OAAO,I;K;6FAGX,gC;MAMI,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,cAAc,QAAS,W;QACvB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MAEnC,OAAO,I;K;qFAGX,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,sBAAvB,C;MACV,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJ,C;K;iGAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJ,C;K;IAGX,8B;MAKQ,kBADE,SACF,Q;QAAW,OAAy,UAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,aAAa,QAAS,O;QACTb,IAAI,QAAS,UAAb,C;UACI,MAAM,gCAAyB,uCAAZB,C;QACV,OAAO,M;;K;IAKnB,8B;MAIiB,IAAN,I;MAAA,QAAM,cAAN,C;aACH,C;UAAK,MAAM,2BAAuB,gBAAvB,C;

aACX,C;UAAK,6BAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAYB,iCAAzB,C;;MAHIB,W;K;qFAOJ,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAAM,gCAAuB,wDAAvB,C;QAEIB,OAAO,6E;O;KafX,C;IAkBA,oC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,C;AAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;;QAEIC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,OAAO,I;QACX,OAAO,M;;K;IAKnB,oC;MAII,OA AW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;iGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAAY,OAAO,I;MACnB,OAAO,M;K;IAGX,8B;MAoBsC,UAGT,MAHS,EAarB,M;MN7pBb,IAAI,EMooBI,KAAK,CNpoBT,CAAJ,C;QACI,cMmoBc,sD;QNloBd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MMmoBV,IAAI,MAAK,CAAT,C;QAAAY,OA AO,mB;MACnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAIB,C;UACI,OAAO,W;QACX,IAAI,eAAc,CAAIB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAb,C;QACP,IAAI,8BAAJ,C;UACI,IAAI,sCAAJ,C;YACOB,qB;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,C;AAJ,C;;YAEI,wCAAa,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;UAEb,OAAO,I;;QAIx,OAAO,gB;;MAEX,YAAY,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,SAAS,CAAb,C;UAAgB,IAAK,WAAI,MAAJ,C;;UAAe,qB;;MAExC,OAAAY,qBAAL,IAAK,C;K;IAGhB,kC;MNNqBI,IAAI,EM2qBI,KAAK,CN3qBT,CAAJ,C;QACI,cM0qBc,sD;QNzqBd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MM0qBV,OAAO,kBAAGB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;kGAGX,yB;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,IAAI,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAAC,UAAU,QAAS,WAAAnB,CAAL,C;cACI,OAAO,gBAAK,QAAS,YAAT,GAAuB,CAAvB,IAAL,C;;;QAIInB,OAAO,W;O;KAdX,C;0FAiBa,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QA AJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YA CL,WAAW,I;;QAE nB,OAAO,I;O;KafX,C;oFAkBA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2FA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3FU,SA2FN,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QA3FID,OA4FO,W;O;KAIGX,C;kGASA,yB;MAAA,+D;MA6jCA,wE;MA7jCA,uC;QAQW,kBAAGB,gB;QA4jCV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAhjCT,IAZmC,SAY/B,CAgjCkB,oBAAMb,cAAAnB,EAAMb,sBAAnB,UAhjCIB,EAjC+C,IAhjC/C,CAAJ,C;YAA2C,sBAgjCQ,IAhjCR,C;;QAZ/C,OAcO,W;O;KATBX,C;sGAWA,yB;MAkjCA,wE;MALjCA,oD;QAYjCiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAhjCT,IAAI,UAGjCkB,oBAAMb,cAAAnB,EAAMb,sBAAnB,UAhjCIB,EAjC+C,IAhjC/C,CAAJ,C;YAA2C,sBAgjCQ,IAhjCR,C;;QAE/C,OAAO,W;O;KAXX,C;wGAcA,yB;MAAA,+D;MAAA,sC;QAMW,kBAAMb,gB;QASV,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,YAAJ,C;YAAkB,WAA Y,WAAI,OAAJ,C;;QATpD,OA UO,W;O;KAhBX,C;4GASA,4C;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAA Y,WAAI,OAAJ,C;;MACpD,OAAO,W;K;0FAGX,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QA4BH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CA5BS,SA4BR,CAAU,OAAV,CAAL,C;YAAyB,WAA Y,WAAI,OAAJ,C;;QA5B3D,OA6BO,W;O;KANCX,C;IASA,oC;MAMI,OAAO,6BAAGB,gBAAhB,C;K;IAGX,mD;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAA Y,WAAI,OAAJ,C;;MACvD,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAA Y,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAA Y,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,Od3wBe,W;;Mc4wBtC,OA A6D,SAAtD,SAAK,iBAAQ,OAAQ,MAAhB,EAAuB,OAAQ,aAAR,GAAuB,CAA vB,IAAvB,CAAiD,C;K;IAGjE,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EA AwB,EA AxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OA AO,W;MActB,WAAW,iBAAa,IAAb,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,8B;MAGBiB,Q;MN51Bb,IAAI,EMo1BI,KAAK,CNp1BT,CAAJ,C;QACI,cMm1Bc,sD;QN11Bd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MMm1BV,IAAI,MAAK,CAAT,C;QAAAY,OAAO,

W;MACnB,IAAI,oCAAJ,C;QACI,IAAI,KAAK,cAAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAA  
Y,OAAO,OAAO,mBAAP,C;;MAEvB,YAAy,C;MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,  
C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAy,qBAAL,IAAK,  
C;K;IAGhB,kC;MAeqC,IAGhB,I;Mnt3BjB,IAAI,EM42BI,KAAK,CN52BT,CAAJ,C;QACI,cM22Bc,sD;QN12Bd,  
MAAM,gCAAyB,OAAQ,WAAjC,C;;MM22BV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,WAAW,c;MA  
CX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAy,OAAO,OAAO,kBAAP,C;M  
ACnB,WAAW,iBAAa,CAAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;UA  
CI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;;QAEI,sCAAa,OAAO,CAAP,IAAb,C;QAAb,OAAa,cAAb,C;UAAa,sB;  
UACT,IAAK,WAAI,IAAJ,C;;MAEb,OAAO,I;K;kGAGX,yB;MAAA,qD;MAAA,gE;MAAA,gD;MAAA,uC;QA  
MI,IAAI,mBAAJ,C;UACI,OAAO,W;QACX,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,IAAI,C  
AAC,UAAU,QAAS,WAAhB,CAAL,C;YACI,QAAS,O;YACT,mBAAmB,iBAAO,QAAS,YAAhB,I;YACnB,IAAI  
,iBAAGb,CAApB,C;cAAuB,OAAO,W;YACI,kBAA3B,eAAa,YAAb,C;YACH,OAAGb,kBAAhB,C;cACI,sBAAa,  
eAAb,C;YAFR,OH11BD,W;;;QGg2BP,OAAO,iB;O;KApBX,C;0FAuBA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;Q  
ADb,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K  
;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;IAoBA,+B;MAII,IAAI,wCAAsB,kBAAQ,CAAI,C;Q  
AAqC,OAAO,mB;MAC5C,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;IAGX,uC;MAOI,aAAU,2BA  
AV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,sBAAK,CAAL,EAAU,SAAK,  
aAAI,CAAJ,EAAO,sBAAK,CAAL,CAAP,CAAF,C;;K;oFAIR,yB;MAAA,oD;MJn4BA,sC;MAAA,oC;MAAA,uB  
AOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA  
A2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MI43Bf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,oBJl4Bd,eAA  
W,iBIk4BsB,QJl4BtB,CAAX,CIk4Bc,C;;O;KANIB,C;wGASA,yB;MAAA,oD;MJz3BA,sC;MAAA,oC;MAAA,iC  
AOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA  
2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MIk3Bf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,oBJx3Bd,eAAW,  
2BIw3BgC,QJx3BhC,CAAX,CIw3Bc,C;;O;KANIB,C;IASA,sC;MAMI,sBAAS,cAAT,C;K;IAGJ,6B;MASgB,Q;M  
AHZ,IAAI,oCAAJ,C;QACI,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEwB,kBAA3C,sBC5+BsD,  
sBD4+BtD,uB;QAAmD,mB;QAA3D,OAAoE,OHl7BjE,WGk7BiE,C;;MAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,  
OHp7BO,W;K;wFGu7BX,yB;MAAA,wD;MJ56BA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAA  
A,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;  
S;OA4DI,C;MIq6Bf,sC;QAQI,OAAO,sBJ76BP,eAAW,iBI66BiB,QJ76BjB,CAAX,CI66BO,C;O;KARX,C;4GAW  
A,yB;MAAA,wD;MJp6BA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB  
;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MI65Bf,sC;Q  
AMI,OAAO,sBJn6BP,eAAW,2BI66B2B,QJn6B3B,CAAX,CI66BO,C;O;KANX,C;IASA,uC;MAMI,OAAO,wBA  
AW,cAAX,C;K;IAGX,6C;MASE,Q;MAHX,IAAI,oCAAJ,C;QACG,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,  
SAAK,C;QAEe,kBAAlC,sBCvhCuD,sBDuhCvD,uB;QAA0C,iC;QAAID,OAAyE,OH79BtE,WG69BqE,C;;MAEr  
D,kBAAhB,0B;MAAwB,mC;MAA/B,OH/9BO,W;K;IGk+BX,qC;MAMoB,UACL,M;MAHX,aAAa,oBAAa,cAAb  
,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAA  
kB,O;;MAcTb,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,cAAU,cAAV,C;MACb,YAAy,C;MACI,2  
B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAcTb,OAAO,M;K;I  
AGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAGb,cAAhB  
,C;QAAGb,oC;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAcTb,OAAO,M;K;IAGX,oC;MAMoB,UACL,  
M;MAHX,aAAa,iBAAy,cAAZ,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,OA  
AO,cAAP,EAAO,sBAAP,YAAkB,O;;MAcTb,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,iBAAW,  
cAAX,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,OAAO,cAAP,EAAO,sBAAP  
,YAAkB,O;;MAcTb,OAAO,M;K;IAGX,iC;MAMoB,UACL,M;MAHX,aAAa,eAAS,cAAT,C;MACb,YAAy,C;M  
ACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAcTb,OAAO,  
M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAGb,c  
AAhB,C;QAAGb,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAcTb,OAAO,M;K;IAGX,mC;MAMoB,U  
ACL,M;MAHX,aAAa,eAAW,cAAX,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QAC

Z,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAcTb,OAAO,M;K;0FAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;M  
AAA,uE;MAAA,uC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAyC,EAAC,EAAD,C;QACjD,k  
BAAY,mBAAoB,QAAPB,C;QAYEH,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WA1E8C,SA0  
E/B,CAAU,OAAV,C;UbpkBnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;Qa0fA,OA4EO,W;O;KAXFX,C;  
+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,E  
AAXB,CAAZ,CAAyC,EAAC,EAAD,C;QACjD,kBAAC,mBAAoB,QAAPB,C;QA2BL,Q;QAAA,2B;QAAhB,OAAG  
B,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA5BoC,WA4BhC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA5BhB,O  
A8BO,W;O;KA1CX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAwD,cAAz  
C,YAAY,mCAAwB,EAAXB,CAAZ,CAAyC,EAAC,EAAD,C;QACjD,kBAAC,mBAAoB,QAAPB,C;QA6BL,Q;QA  
AA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA9BoC,WA8BhC,CAAY,OAAZ,CAAJ,EA9BiD,  
cA8BvB,CAAe,OAaf,CAA1B,C;;QA9BhB,OAAGCO,W;O;KA3CX,C;mGAcA,+C;MAUoB,Q;MAAA,2B;MAAhB  
,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEHb,OAAO,  
W;K;mGAGX,+D;MAUoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,YAAY,O  
AAZ,CAAJ,EAA0B,eAAe,OAaf,CAA1B,C;;MAEHb,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,O  
AAGB,cAAhB,C;QAAGB,yB;QACZ,WAAe,UAAU,OAAV,C;QbpkBnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OA  
ARb,C;;MaskBA,OAAO,W;K;kGAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAYI,aAAa,  
mBAA6D,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAyC,EAAC,EAAD,CAA7D,C;QAcG,Q;QAAA,2B;QAAh  
B,OAAGB,cAAhB,C;UAAgB,yB;UAbO,MAcP,aAAI,OAaj,EAde,aAcF,CAAc,OAAd,CAAb,C;;QadhB,OAauB,  
M;O;KAb3B,C;sGAgBA,iD;MAUoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,  
OAaj,EAAa,cAAc,OAAd,CAAb,C;;MAEHb,OAAO,W;K;IAGX,gD;MAliB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;  
QAAa,sB;QACT,WAAy,WAAI,IAAJ,C;;MAEHb,OAAO,W;K;IAGX,gC;MAII,OAAO,0BAAa,eAAW,YAAY,m  
CAAwB,EAAXB,CAAZ,CAAX,CAAb,C;K;IAGX,6B;MAKqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,c  
AAN,C;eACH,C;YAAK,kB;YAAL,K;eACA,C;YAAK,cAAW,8BAAJ,GAakB,sBAAI,CAAJ,CAAIB,GAA8B,oB  
AAW,OAAhD,C;YAAL,K;;YACa,uBAAL,SAAK,C;YAHV,K;;QAAP,W;;MAMJ,OAA4B,qBAAhB,gBAAL,SA  
AK,CAAGB,C;K;IAGhC,oC;MAII,IAAI,oCAAJ,C;QACI,OAAy,gBAAL,SAAK,C;MACHb,OAAO,0BAAa,gBA  
Ab,C;K;IAGX,oC;MAII,OAAO,iBAAU,SAAV,C;K;IAGX,4B;MAOqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,Q  
AAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIB,GA  
A+B,oBAAW,OAAhD,C;YAAL,K;;YACQ,iCAAA,qBAAiB,YAAY,cAAZ,CAAjB,CAAb,C;YAhL,K;;QAAP,W;;  
MAMJ,OAAwC,oBAAjC,0BAAa,sBAAb,CAAI,C;K;sFAG5C,yB;MAAA,+D;MAwFA,gD;MAxFA,uC;QAMW,  
kBAAU,gB;QASFD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAvf6B,SAuFIB,CAAU,OAA  
V,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAxFhB,OA0FO,W;O;KAhGX,C;uFASA,yB;MAAA,+D;MA0FA,g  
D;MA1FA,uC;QAUW,kBAAU,gB;QAwFD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAzF6  
B,SAyFIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA1FhB,OA4FO,W;O;KAAtGX,C;oGAaA,yB;  
MAAA,+D;MA8BA,wE;MAAA,gD;MA9BA,uC;QAYW,kBAAiB,gB;QA6BR,gB;QADhb,YAAY,C;QACI,2B;Q  
AAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WA9BoC,SA8BzB,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UA  
AV,EAAuC,OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA/BhB,OAIcO,W;O;KA7CX,C;oGAeA,yB;MA  
AA,+D;MAiCA,wE;MAAA,gD;MAjCA,uC;QAYW,kBAAiB,gB;QAgCR,gB;QADhb,YAAY,C;QACI,2B;QAAh  
B,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WajCoC,SAiCzB,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,E  
AAuC,OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA1ChB,OAoCO,W;O;KAhDX,C;wGAeA,yB;MAAA,  
wE;MAAA,gD;MAAA,oD;QAWoB,UAC4B,M;QAF5C,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,  
yB;UACZ,WAAW,UAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAy  
,EAAO,IAAP,C;;QAEhb,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAWoB,UAC4B  
,M;QAF5C,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAnB  
,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhb,OAAO,W;O;KafX  
,C;0FAkBA,yB;MAAA,gD;MAAA,oD;QAioB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAA  
W,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhb,OAAO,W;O;KARX,C;2FAWA,yB;MAAA,g  
D;MAAA,oD;QAQoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UA  
CC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhb,OAAO,W;O;KAZX,C;uFAeA,yB;MAAA,wE;MAyBA,+D;MAzBA,y

C;QASW,kBAAU,oB;QAYBD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1BiD,WA0BvC,C  
AAy,OAAZ,C;UbnvCP,U;UADP,YaynCe,WbznCH,WaynCwB,GbnzCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCu  
C,gB;YAA5B,WbznCX,aasnCgC,GbznChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UamnCA,iB;UACA,IAAK,WAAI  
,OAAJ,C;;QA5BT,OA8BO,W;O;KAvCX,C;uFAYA,yB;MAAA,wE;MA8BA,+D;MA9BA,yD;QAUW,kBAAU,oB  
;QA8BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/BiD,WA+BvC,CAAY,OAAZ,C;UbzoC  
P,U;UADP,Ya2oCe,Wb3oCH,Wa2oCwB,Gb3oCxB,C;UACL,IAAI,aAAJ,C;YACH,aaYoCuC,gB;YAA5B,WbxoC  
X,aaWoCgC,GbxoChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UaqoCA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAe,O  
AAf,CAAJ,C;;QAJCT,OAmCO,W;O;KA7CX,C;0FAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,  
OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UbnvCP,U;UADP,YaynCe,WbznCH,WaynCwB,G  
bnzCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbznCX,aasnCgC,GbznChC,EAAS,MAAT,C;YAC  
A,e;;YAEA,c;;UamnCA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KADx,C;2FAiBA,yB;MAAA,+D;  
MAAA,sE;QAUoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UbzoC  
P,U;UADP,Ya2oCe,Wb3oCH,Wa2oCwB,Gb3oCxB,C;UACL,IAAI,aAAJ,C;YACH,aaYoCuC,gB;YAA5B,WbxoC  
X,aaWoCgC,GbxoChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UaqoCA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,  
C;;QAET,OAAO,W;O;KAFx,C;4FAkBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,  
oDASQ,Y;QAA6C,OAAA,oBAAgB,W;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAV5C,gF;MAAA,  
yC;QAQL,2D;O;KARJ,C;8EAca,yB;MAAA,kF;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,mCAAwB,EAAXB  
,CAAb,C;QAuEA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WaxEwC,SAwEpC,CAAU,IAA  
V,CAAJ,C;;QAxEhB,OAYEO,W;O;KAhFX,C;4FAUA,yB;MAAA,kF;MAAA,gE;MA+BA,wE;MA/BA,uC;QAO  
W,kBAaA,eAAa,mCAAwB,EAAXB,CAAb,C;QAgCP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAA  
a,sB;UACT,WAAy,WajC+C,SAiC3C,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ  
,C;;QAJChB,OAKCO,W;O;KAZCX,C;0GAUA,yB;MAAA,+D;MAoSA,wE;MApSA,uC;QAOW,kBAAoB,gB;QAO  
Sd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1RsB,U;UAAA,cAVQ,SAUR,CAORT,oB  
AAmB,cAAnB,EAAMb,sBAAnB,UA1RS,EA0RoB,IA1RpB,W;YAA6C,6B;;;QAVhF,OAWO,W;O;KAlBX,C;8G  
AUA,yB;MA0RA,wE;MA1RA,oD;QAIiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1  
RsB,U;UAAA,wBA0RT,oBAAMb,cAAnB,EAAMb,sBAAnB,UA1RS,EA0RoB,IA1RpB,W;YAA6C,6B;;;QACHF,  
OAAO,W;O;KARX,C;+FAWA,yB;MAAA,wE;MAAA,oD;QAQiB,UACoC,M;QAFjD,YAAY,C;QACC,2B;QAA  
b,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAAI,UAAU,oBAAMb,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,IA  
AvC,CAAJ,C;;QACHB,OAAO,W;O;KAVX,C;4FAaA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAa,gB;QAwPJ,Q;Q  
AAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UahPK,U;UAAA,cARe,SAQf,CAGPQ,OAHPR,W;YAA5C,6B;;;  
QAR3D,OASO,W;O;KAhBX,C;gGAUA,yB;MAAA,oD;QAqPoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAg  
B,yB;UahPK,U;UAAA,wBAgPQ,OAHPR,W;YAA5C,6B;;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;  
MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;  
IAQiB,4C;MAAA,mB;QAAE,gC;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAGX,+B;MASI,OAA2B,  
SAAf,eAAL,SAAK,CAAe,C;K;4FAG/B,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAYc,Q;QAFV,UAAU,c;QACV,  
WAAW,gB;QACD,2B;QAAV,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAL,W  
AAI,GAAL,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAjBX,C;IAoBA,uC;MAQI,UAAe,eAAL,S  
AAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MAC  
X,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,mC;MAMI,IAAN,I;MACH,kBADs,SACT,c;QAAoB  
,4BAAc,SAAd,C;;QACZ,iCAAA,sBAAb,C;MAFZ,W;K;IAMJ,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,G  
AAI,EAAO,KAAp,C;MACJ,OAAO,G;K;8EAGX,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,  
mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAAC,UAAU,O  
AAV,CAAL,C;YAAyB,OAAO,K;;QACiD,OAAO,I;O;KARX,C;IAWA,2B;MAMI,IAAI,oCAAJ,C;QAAwB,OAA  
O,CAAC,mB;MACHC,OAAO,oBAAW,U;K;+EAGtB,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAA  
sB,mBAA1B,C;UAAqC,OAAO,K;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAA  
V,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;KARX,C;IAWA,6B;MAMoB,Q;MAFhB,IAAI,oCAAJ,C;QAA  
wB,OAAO,c;MAC/B,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,oBAAMb,qBAAnB,E  
AAmB,KAAAnB,E;;MACTB,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,yB;MAAA,gD;MAAA,wE;MAA

A,uC;QAMoB,Q;QAFhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,C;QAC5C,YAAY,C;QACI,2B;QAAhB,OA  
AgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAmB,KAAhB,  
E;;QAC9C,OAAO,K;O;KAPX,C;gFAUA,yC;MAUoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAh  
B,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;8FAGX,yB;MAAA,wE;  
MAAA,gD;QAYoB,UAAiD,M;QAFjE,YAAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAg  
B,yB;UAAM,cAAc,UAAU,oBAAmB,cAAhB,EAAmB,sBAAnB,UAAV,EAAuB,WAAvC,EAAoD,OAApD,C;;Q  
ACpC,OAAO,W;O;KAbX,C;OFAGBA,yC;MASI,kBAAkB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAA  
a,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAhB,EAA+B,WAA/B,C;;MAGtB,OA  
AO,W;K;wGAGX,yC;MAUI,kBAAkB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,O  
AAO,QAAS,cAAhB,C;UACI,YAAY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAc,W  
AAtC,C;;MAGtB,OAAO,W;K;sFAGX,6B;MAKoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAA  
M,OAAO,OAAP,C;;K;OGAG1B,yB;MAAA,wE;MAAA,oC;QAOiB,UAAgC,M;QAD7C,YAAY,C;QACC,2B;QA  
Ab,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAhB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;O;K  
APvB,C;IAUA,0B;MAII,OAAO,sB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;kFAGX,+B;M  
AGW,sB;;QAUP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QA  
AS,O;QACvB,IAAI,CAAC,QAAS,UAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB,eAdmB,QAcJ,CAAS,OAAT,  
C;;UAEX,QAAQ,QAAS,O;UACjB,QAjBe,QAiBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,  
UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MAvBP,yB;K;8FAGJ,+B;MAOI,eAA  
e,oB;MACf,IAAI,CAAC,QAAS,UAd,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS  
,UAd,C;QAAyB,OAAO,O;MACHc,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAA  
T,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,  
OAAO,O;K;mFAGX,yB;MAAA,sE;MF/yDA,iB;ME+yDA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C  
;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,  
QAAS,OAAIB,C;UACR,WFzzDG,MAAO,KEyzDO,QFzzDP,EEyzDiB,CFzzDjB,C;;QE2zDd,OAAO,Q;O;KApB  
X,C;mFAuBA,yB;MAAA,sE;MFj1DA,iB;MEi1DA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C;UAAy  
B,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,  
OAAIB,C;UACR,WF31DG,MAAO,KE21DO,QF31DP,EE21DiB,CF31DjB,C;;QE61Dd,OAAO,Q;O;KApBX,C;m  
FAuBA,yB;MAAA,sE;MAAA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C;UAAyB,MAAM,6B;QAC  
/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,I  
AAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;+FAuBA,yB;MFp3DA,iB;MEo  
3DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C;UAAyB,OAAO,I;QACHc,eAAe,SAAS,QAAS,OA  
AIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF53DG,MAAO,KE43DO,  
QF53DP,EE43DiB,CF53DjB,C;;QE83Dd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MFp5DA,iB;MEo5DA,sC;QAWI,e  
AAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C;UAAyB,OAAO,I;QACHc,eAAe,SAAS,QAAS,OAAIB,C;QACf,OA  
AO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF55DG,MAAO,KE45DO,QF55DP,EE45Di  
B,CF55DjB,C;;QE85Dd,OAAO,Q;O;KAIBX,C;+FAqBA,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAd,C  
;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,  
QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;OFAGX,yB;MA  
AA,sE;MAAA,kD;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS  
,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,S  
AAQ,QAAR,EAAkB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;sGAu  
BA,2C;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAd,C;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAI  
B,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,E  
AAkB,CAAIB,CAAX,GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,gC;MAOI,eAAe,oB;MA  
Cf,IAAI,CAAC,QAAS,UAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;Q  
ACI,QAAQ,QAAS,O;QACjB,MFn+DG,MAAO,KEm+DE,GFn+DF,EE+DO,CFn+DP,C;;MEq+Dd,OAAO,G;K;  
IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MAC  
nB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MF//DG,MAAO,KE+/DE,GF//DF,EE+/DO,CF//DP,

C;;MEigEd,OAAO,G;K;IAGX,iC;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC ,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAJ, C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,gD;MAKI,eAAe,oB ;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB ,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC, MAAM,C;;MAE9C,OAAO,G;K;IAGX,0B;MAIL,OAAO,sB;K;IAGX,2B;MAIL,OAAO,uB;K;IAGX,2B;MAGI,OA AO,uB;K;kFAGX,+B;MAGW,sB;;QAUP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAYB,qBAAO,I;UAAP ,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAYB,qBAAO,O;UAAP,uB;;QACzB,eAdm B,QAcJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAjBe,QAiBP,CAAS,CAAT,C;UACR,IAAI,2BAAW, CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MAvBP,yB;K; 8FAGJ,+B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,cAAc,QAAS,O;MAC vB,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QA CjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,Q AAT,QAAS,W;MACIB,OAAO,O;K;mFAGX,yB;MAAA,sE;MF14DA,iB;MEk4DA,sC;QAaI,eAAe,oB;QACf,IAA I,CAAC,QAAS,UAAAd,C;UAYB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAaIB,C;QACf,OAAO,QAAS,UAAh B,C;UACI,QAAQ,SAAS,QAAS,OAaIB,C;UACR,WF54DG,MAAO,KE44DO,QF54DP,EE44DiB,CF54DjB,C;;Q E84Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MFp6DA,iB;MEo6DA,sC;QAaI,eAAe,oB;QACf,IAAI,C AAC,QAAS,UAAAd,C;UAYB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAaIB,C;QACf,OAAO,QAAS,UAAhB,C ;UACI,QAAQ,SAAS,QAAS,OAaIB,C;UACR,WF96DG,MAAO,KE86DO,QF96DP,EE86DiB,CF96DjB,C;;QEg7 Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAAA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd ,C;UAYB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAaIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SA AS,QAAS,OAaIB,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;+ FAuBA,yB;MFv8DA,iB;MEu8DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAYB,OAAO,I;QA ChC,eAAe,SAAS,QAAS,OAaIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAaIB,C;UACR ,WF/8DG,MAAO,KE+8DO,QF/8DP,EE+8DiB,CF/8DjB,C;;QEi9Dd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MFv+D A,iB;MEu+DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAYB,OAAO,I;QAChC,eAAe,SAAS,Q AAS,OAaIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAaIB,C;UACR,WF/+DG,MAAO, KE++DO,QF/+DP,EE++DiB,CF/+DjB,C;;QEi/Dd,OAAO,Q;O;KAIBX,C;+FAqBA,+B;MASI,eAAe,oB;MACf,IA AI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAaIB,C;MACf,OAAO,QAAS,UAAh B,C;QACI,QAAQ,SAAS,QAAS,OAaIB,C;QACR,IAAI,2BAAW,CAAX,KAJ,C;UACI,WAAW,C;;MAGnB,OA AO,Q;K;0FAGX,yB;MAAA,sE;MAAA,kD;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAYB,MAAM ,6B;QAC/B,eAAe,SAAS,QAAS,OAaIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAaIB,C ;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAA O,Q;O;KApBX,C;SgAuBA,2C;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,e AAe,SAAS,QAAS,OAaIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAaIB,C;QACR,IAAI ,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX, gC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OA AO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MFtjEG,MAAO,KEsjEE,GFtjEF,EEsjEO,CFtjEP,C;;MEwj Ed,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,UAAU, QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MFIIEG,MAAO,KEkIEE,GFIIIEF,EE kIEO,CFIIIEP,C;;MEoIEd,OAAO,G;K;IAGX,iC;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OA AO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM, CAAN,KAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,gD;M AKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO, QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAA jC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,mB;MAC/B,OA AO,CAAC,oBAAW,U;K;iFAGvB,yB;MAAA,gD;MAAA,uC;QAOb,Q;QADhB,IAAI,wCAASB,mBAA1B,C;UA AqC,OAAO,I;QAC5B,2B;QAaHb,OAAGB,cAAhB,C;UAAGB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,

OAAO,K;;QACrD,OAAO,I;O;KARX,C;oFAWA,6B;MAKmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MArnBA,wE;MAqnBA,2BAQiB,yB;QA7nBjB,wE;eA6nBiB,0B;UAAA,4B;YAAE,aAAe,c;YAtnBjB,gB;YADb,YAAY,C;YACC,2B;YAAb,OAAa,cAAb,C;cAAa,sB;cAAM,OAAO,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;YAsnBmB,W;W;S;OAAzB,C;MARjB,oC;QA9mBiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;QAsnBnB,gB;O;KARJ,C;oFAWA,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAKbMD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,EAAmB,oBAAnB,QAAV,EAAuB,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KApBX,C;8GAuBA,yB;MAAA,wE;MAAA,uC;QAKbMD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHC,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,EAAmB,oBAAnB,QAAV,EAAuB,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KApBX,C;8GAuBA,gC;MACI,eAAe,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,kBAAqB,QAAS,O;MAC9B,OAAO,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAEIB,OAAO,W;K;8FAGX,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;QAEIB,OAAO,W;O;KApBX,C;4GAuBA,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,YAAY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAc,WAA1C,C;;QAEIB,OAAO,W;O;KArBX,C;wHAwBA,gC;MAaI,eAAe,+BAAa,cAAb,C;MACf,IAAI,CAAC,QAAS,cAAAd,C;QACI,OAAO,I;MACX,kBAAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,YAAY,QAAS,gB;QACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAc,WAA1C,C;;MAEIB,OAAO,W;K;0GAGX,gC;MACI,eAAe,+BAAa,cAAb,C;MACf,IAAI,CAAC,QAAS,cAAAd,C;QACI,OAAO,I;MACX,kBAAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;MAEIB,OAAO,W;K;8FAGX,yB;MAAA,kF;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAJhB,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OAAO,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAgB,CAAhB,IAAb,C;QAAwC,8B;QAARd,aHjJFO,W;QGkjFP,kBAaKB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4GAwBA,yB;MAAA,kF;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,UACY,M;QAN5B,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OAAO,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAgB,CAAhB,IAAb,C;QAAwC,8B;QAARd,aH1kFO,W;QG2kFP,YAAY,C;QACZ,kBAaKB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;kGA0BA,yB;MAAA,qD;MAAA,kF;MAAA,gE;MAAA,uC;QAcI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,W;QACHC,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb,C;QAAkD,sBAAI,aAAJ,C;QAA/D,aHrmFO,W;QGsmFP,OAAO,QAAS,UAAhB,C;UACI,gBAAc,UAAU,aAAV,EAAuB,QAAS,OAAhC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KATBX,C;gHAyBA,yB;MAAA,qD;MAAA,kF;MAAA,gE;MAAA,uC;QAoBgC,Q;QAN5B,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,W;QACHC,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb,C;QAAkD,sBAAI,aAAJ,C;QAA/D,aH9nFO,W;QG+nFP,YAAY,C;QACZ,OAAO,QAAS,UAAhB,C;UACI,gBAAc,WAAU,YAAV,EAAU,oBAAV,SAAmB,aAAnB,EAAgC,QAAS,OAAzC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;gFA0BA,yB;MARGA,kF;MAAA,gD;MAAA,gE;MAqGA,gD;QAcW,sB;;UAIGS,Q;UAJhB,oBAAoB,mCAAwB,CAAxB,C;UACpB,IAAI,kBAAiB,CAArB,C;YAAwB,qBAAO,OAgZ,OArGY,C;YAAP,uB;;UACqB,kBAAhC,eAAa,gBAAgB,CAAhB,IAAb,C;UAAwC,sBAoGIC,OApGkC,C;UAArD,aHjJFO,W;UGkjFP,kBAAmGmB,O;UAIGH,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAiGwB,SAjGV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;QA8FP,yB;

O;KAdJ,C;8FAiBA,yB;MA9FA,kF;MAAA,gD;MAAA,gE;MA8FA,gD;QAeW,6B;;UA1FS,gB;UALhB,oBAAoB, mCAAwB,CAAxB,C;UACpB,IAAI,kBAaIB,CAArB,C;YAAwB,4BAAO,OA8FL,OA9FK,C;YAAP,8B;;UACqB, kBAAhC,eAAa,gBAAgB,CAAhB,IAAb,C;UAAwC,sBA6F3B,OA7F2B,C;UAArD,aH1kFO,W;UG2kFP,YAAY,C ;UACZ,kBA2F0B,O;UA1FV,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAyF+B,SazFjB,EAAU,cAAV,E AAU,sBAAV,WAAmB,WAAhB,EAAGC,OAAhC,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAsFP, gC;O;KafJ,C;kfAkBA,+B;MAOoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QA CZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MA AhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAUoB,Q; MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,O AAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ, YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADh B,Y;QACgB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O ;KAbX,C;mFagBA,yB;MjB/7EA,6B;MiB+7EA,sC;QAWoB,Q;QADhB,UjB/7EmC,ciB+7EnB,CjB/7EmB,C;QiBg 8EnB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,MjBnwFiD,ciBmwFjD,GjBnwF2D,KAAK,GiBmwFzD,S AAS,OAAT,CjBnwFoE,KAAX,IAAf,C;;QiBqwFrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MD78EA,+B;MC68EA,s C;QAWoB,Q;QADhB,UD58EqC,eAAW,oBC48E/B,CD58E+B,CAAX,C;QC68ErB,2B;QAAhB,OAAGB,cAAhB, C;UAAgB,yB;UACZ,MDjxFmD,eCixFnD,GDjxF8D,KAAK,KCixF5D,SAAS,OAAT,CDjxFuE,KAAX,CAAhB,C; ;QCmxFvD,OAAO,G;O;KAdX,C;IAiBA,qC;MAIoB,UAMT,M;MANS,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,y B;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAAXB,MAAZB,C;;;MAId,OAAO,mE;K;IAGX,qC;M AIoB,UAMT,M;MANS,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAYB ,2BAAwB,SAAXB,MAAZB,C;;;MAId,OAAO,+D;K;IAGX,kC;MAWI,OAAO,oBAAS,IAAT,EAAe,IAAf,EAAc, IAAT,C;K;IAGX,+C;MAGBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAT,C,EAAwD,SAAXD,C;K;IAGX,mC; MAIL,aAAa,iBAAa,mCAAwB,EAAXB,CAAb,C;MACb,kBAAc,KAAd,C;MAnIEgB,Q;MAAA,OAoIET,SApIES, W;MAAhB,OAAGB,cAAhB,C;QAAGB,2B;QAAU,oB;QAoIEK,IAAI,CAAC,SAAD,IAAY,OAplEX,SAoIEW,UA AhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;;UAAjD,mBAA8D,I;;QAplEvE,qB;UAoIED,MAplEqC,WAAI,SAA J,C;;MAoEID,OAAqB,M;K;IAGzB,sC;MAQI,IAAI,QpB0yJG,YAAQ,CoB1yJf,C;QAAwB,OAAY,SAAL,SAAK, C;MACpC,YAAqB,8BAAT,QAAS,C;MAtoEd,kBAAY,gB;MA4BH,Q;MAAA,OA2mET,SA3mES,W;MAAhB,O AAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CA2mEF,qBA3mEa,OA2mEb,CA3mEF,C;UAAyB,WAAy,WAAI,O AAJ,C;;MA2mE3D,OA1mEO,W;K;IA6mEX,sC;MAQI,YAAqB,gCAAT,QAAS,EAAGC,SAAhC,C;MACrB,IAAI, KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MAppET,kBAAY,gB;MA4BH,Q;MAAA,OAynET,SAznES,W; MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAynEF,qBAznEa,OAynEb,CAznEF,C;UAAyB,WAAy,W AAI,OA AJ,C;;MAynE3D,OAxnEO,W;K;IA2nEX,sC;MAQI,YAAqB,8BAAT,QAAS,C;MACrB,IAAI,KAAM,UA AV,C;QACI,OAAY,SAAL,SAAK,C;MAIqET,kBAAY,gB;MA4BH,Q;MAAA,OAuoET,SAvoES,W;MAAhB,OA AgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAuoEF,qBAvoEa,OAuoEb,CAvoEF,C;UAAyB,WAAy,WAAI,OA AJ, C;;MAuoE3D,OAtoEO,W;K;8FAyoEX,yB;MAAA,8C;MAAA,qC;QAKI,OAAO,iBAAM,OAAN,C;O;KALX,C;0F AQA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,O AAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OA AV,CAAJ,C;YACI,KAAM,WAAI,OA AJ,C;;YAEN,MAAO, WAAI,OA AJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;IAoBA,kC;MAIL,IAAI,oCAAJ,C;QA AwB,OAAY,OAAL,SAAK,EA AK,OAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACP,M AAO,WAAI,OA AJ,C;MACP,OAAO,M;K;IAGX,oC;MAIL,aAAa,iBAAa,iBAAO,CAAP,IAAb,C;MACb,MAAO,g BAAO,SAAP,C;MACP,MAAO,WAAI,OA AJ,C;MACP,OAAO,M;K;IAGX,qC;MAIL,IAAI,oCAAJ,C;QAAwB,O AAY,OAAL,SAAK,EA AK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,M AAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAIL,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,OAARb,IA Ab,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MA II,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EA AK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAA O,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAIL,IAAI,mCAAJ,C;QACI,a AAa,iBAAa,SAAK,KAAL,GAAY,QAAS,KAARb,IAAb,C;QACb,MAAO,gBAAO,SAAP,C;QACP,MAAO,gBAA O,QAAP,C;QACP,OAAO,M;;QAEP,eAAa,iBAAa,SAAb,C;QACN,OAAP,QAAO,EAAO,QAAP,C;QACP,OAAO

,Q;;K;IAIf,qC;MAII,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MA  
CP,OAAO,M;K;IAGX,qC;MAII,aAAa,iBAaA,SAAK,KAAL,GAAY,EA AZ,IAAb,C;MACb,MAAO,gBAAO,SA  
P,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;4FAGX,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,  
gBAAK,OAAL,C;O;KALX,C;8FAQA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;IA  
QA,yD;MAgB+C,oB;QAAA,OAA Y,C;MAAG,8B;QAAA,iBAA0B,K;MAOzE,Q;MANX,oBAAoB,IAApB,EAA0  
B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAAsB,  
WAAW,IAAX,KAAMb,CAA vB,GAA0B,CAA1B,GAAiC,CAAnD,K;QACrB,aAAa,iBAAMb,cAA nB,C;QACb,g  
BAAY,CAAZ,C;QACA,Y;UAAO,c;UAAP,MAAgB,CAAT,mBAAiB,QAAXB,E;YAAA,K;UACI,iBAAsB,eAAL,  
IAAK,EAAa,WAAW,OAAX,IAAb,C;UACtB,IAAI,aAAa,IAAb,IAAqB,CAAC,cAA1B,C;YAA0C,K;Ud59FID,W  
AAW,iBc69Fa,Ud79Fb,C;UWCX,mBAAc,CAAd,YG49FwB,UH59FxB,Y;YXA6B,ec49FS,sBH39F3B,OG29FgC,  
GAAK,OAAL,IAAL,Cd59FT,C;;Uc49FrB,MAAO,Wd39FR,Ic29FQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;;  
MAEX,eAAa,gB;MACiE,kBAA9E,iBAAiB,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAYC,cAAZC,EAAuE,K  
AAvE,C;ME5IGA,OAAGb,qBAAhB,C;QAAGb,gC;QF6lGL,mBE7lGqB,OF6lGrB,C;;MAEX,OAAO,Q;K;IAGX,s  
E;MAkBkD,oB;QAAA,OAA Y,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MA  
CA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,K  
AAmB,CAA vB,GAA0B,CAA1B,GAAiC,CAAnD,K;QACrB,aAAa,iBAaA,cAA b,C;QACb,eAAa,kBAAc,SAAd,C;  
QACb,YAAY,C;QACZ,OAAGb,CAAT,qBAAiB,QAAXB,C;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,KAAX,I  
AAb,C;UACtB,IAAI,CAAC,cAAD,IAAmB,aAAa,IAApC,C;YAA0C,K;UAC1C,QAAO,cAAK,KAAL,EAAY,QA  
AQ,UAAR,IAAZ,C;UACP,MAAO,WAAI,UAAU,QA AV,CAAJ,C;UACP,gBAAS,IAAT,I;;QAEJ,OAAO,M;;MA  
EX,eAAa,gB;MACgE,kBAA7E,iBAAiB,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAYC,cAAZC,EAAuE,IAAv  
E,C;MEtoGA,OAAGb,qBAAhB,C;QAAGb,gC;QFuoGL,mBAAI,UEvoGiB,OFuoGjB,CAAJ,C;;MAEX,OAAO,Q;  
K;IAGX,kC;MAqBoB,gB;MAHhB,gBAXW,KAWW,O;MACtB,WAAW,iBF17FJ,MAAO,KE07FgB,mCAAwB,E  
AAxB,CF17FhB,EE07F6C,SF17F7C,CE07FH,C;MACX,QAAQ,C;MACQ,2B;MAAhB,OAAGb,cAAhB,C;QAAG  
B,yB;QACZ,IAAI,KA AK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhBqB,GAgBP,OAhBO,EAAnB,KAgBqB,CAA  
M,UAAN,EAAM,kBAAN,SAhBF,CAGBrB,C;;MAhBT,OAKBO,I;K;+EafX,yB;MAAA,kF;MAAA,gE;MFv7FA,i  
B;MEu7FA,8C;QAWoB,UAEsB,M;QALtC,gBAAGb,KAAM,O;QACtB,WAAW,eF17FJ,MAAO,KE07FgB,mCA  
AwB,EAAxB,CF17FhB,EE07F6C,SF17F7C,CE07FH,C;QACX,QAAQ,C;QACQ,2B;QAAhB,OAAGb,cAAhB,C;  
UAAgB,yB;UACZ,IAAI,KA AK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,OA AV,EAAMb,MAAM,UAA  
N,EAAM,kBAAN,SAAnB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;IAkBA,kC;MAkBI,YAAY,oB;MACZ,aAZW,KA  
YQ,W;MACnB,WAAW,iBFv9FJ,MAAO,KEu9FgB,mCAAwB,EAAxB,CFv9FhB,EEu9FmD,wBAbtD,KAAsD,EA  
AwB,EAAxB,CFv9FnD,CEu9FH,C;MACX,OAAO,KAAM,UAAN,IAAmB,MAAO,UAAjC,C;QACI,IAAK,Wafq  
B,GAeP,KAAM,OAfC,EAeO,MAAO,OAfd,CAerB,C;;MAfT,OAIBo,I;K;+EAdX,yB;MAAA,kF;MAAA,gE;MFn  
9FA,iB;MEM9FA,8C;QAQI,YAAY,oB;QACZ,aAAa,KAAM,W;QACnB,WAAW,eFv9FJ,MAAO,KEu9FgB,mCA  
AwB,EAAxB,CFv9FhB,EEu9FmD,wBAAN,KAAM,EAAwB,EAAxB,CFv9FnD,CEu9FH,C;QACX,OAAO,KAA  
M,UAAN,IAAmB,MAAO,UAAjC,C;UACI,IAAK,WAAI,UAAU,KAAM,OA AhB,EAAwB,MAAO,OA A/B,CAAJ  
C;;QAET,OAAO,I;O;KAdX,C;IAiBA,gC;MASW,sB;;QAAP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAA d,C;UAAy  
B,qBAAO,W;UAAP,uB;;QACzB,ad/pGoD,gB;QcggGpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI  
,WAAW,QAAS,O;UACpB,MAAO,WAnBkB,GAmBJ,OAnBI,EAmBK,IAnBL,CAMBiB,C;UACP,UAAU,I;;QAE  
d,qBAAO,M;;;MATBP,yB;K;8FAGJ,yB;MAAA,qD;MdZpGA,+D;McyPGa,uC;QAUI,eAAe,oB;QACf,IAAI,CAA  
C,QAAS,UAA d,C;UAAyB,OAAO,W;QAChC,ad/pGoD,gB;QcggGpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UA  
AhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAAI,UAAU,OA AV,EAAMb,IAAnB,CAAJ,C;UACP,UAAU,I;  
;QAE d,OAAO,M;O;KAnBX,C;IASBA,8F;MAQ6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;  
QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGtN  
,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ  
,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;U  
ACW,gBAAP,MAAO,EAAC,OAAd,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1  
B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,4F;MAQwC  
,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MA

AI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC  
,MAAnC,EAA2C,OAA3C,EAAoD,KAAPD,EAA2D,SAA3D,EAASe,SAATe,CAAI,F,W;K;4FAG5F,qB;MAKI,OA  
AO,S;K;IASS,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAN3B,iC;MAMI,oCAAgB,8BAAhB,C;K;IAGJ,+B;  
MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OA  
AO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAGB,wCAAO,IAAvB,GA  
AgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAA  
hB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,  
GAAGB,wCAAO,IAAvB,GAAGC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MA  
CD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;  
MAEJ,OAAW,UAAS,CAAb,GAAGB,wCAAO,IAAvB,GAAGC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAA  
kB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,q  
BAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAGB,wCAAO,IAAvB,GAAGC,MAAM,K;K;IAGjD,  
+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,  
OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAGB,wCAAO,IAAvB,  
GAAGC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,c  
AAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAS,CA  
Ab,GAAGB,wCAAO,IAAvB,GAAGC,MAAM,K;K;IAGjD,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,  
OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;M  
ACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;M  
ADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;K;I  
AGX,2B;MAMoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,cAAO,OAAP,C;;M  
AEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q  
ACZ,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAh  
B,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IGn1GX,uC;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,C  
AAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAaK,UAAIC,C;K;IAGX,oC;MAOI,OAAW,UAAW,SAAQ,CAAR,E  
AAW,CAAX,CAAX,IAA4B,CAAhC,GAAMC,CAAnC,GAA0C,C;K;IAmDrD,wC;MAQc,Q;MADV,UAAU,C;M  
ACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GA  
A6B,CAAjC,C;UAAoC,MAAM,C;;MAC3D,OAAO,G;K;IA+GX,uC;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,  
CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAaK,UAAIC,C;K;IAGX,oC;MAOI,OAAW,UAAW,SAAQ,CAAR,  
EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAMC,CAAnC,GAA0C,C;K;IAmDrD,wC;MAQc,Q;MADV,UAAU,C;  
MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,G  
AA6B,CAAjC,C;UAAoC,MAAM,C;;MAC3D,OAAO,G;K;oGcNXX,yB;MAAA,iE;MAAA,uC;QASW,Q;QAAA,  
+B;;UAYS,U;UAAA,SjB4UoE,iBAAQ,W;UiB5U5F,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAbwB,SAAx,CAA  
U,OAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;QAIbA,kC;QAAA,iB;UAAmC,  
MAAM,gCAAuB,4DAAvB,C;;QAAhD,OAAO,I;O;KATX,C;gHAYA,gC;MASoB,Q;MAAA,OAAA,SjB4UoE,Q  
AAQ,W;MiB5U5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OA  
AO,M;;MAGf,OAAO,I;K;IAGX,6B;MAII,IAAI,mBAAQ,CAAZ,C;QACI,OAAO,W;MACX,eAAe,iBAAQ,W;M  
ACvB,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,W;MACX,YAAy,QAAS,O;MACrB,IAAI,CAAC,QAAS,UAA  
Ad,C;QACI,OAAO,OjB8PiD,SiB9PiC,KjB8P+C,IAAL,EiB9PiC,KjB8PoD,MAAV,CiB9PiD,C;;MACX,aAAa,iBA  
AsB,cAAiB,C;MACb,MAAO,WjB4PqD,SiB5PjD,KjB4PsD,IAAL,EiB5PjD,KjB4P2D,MAAV,CiB5PrD,C;;QAEw  
B,kBAAhB,QAAS,O;QAAPB,MAAO,WjB0PiD,SAAK,eAAL,EAAU,iBAAV,CiB1PiD,C;;MACO,QAAT,QAAS,  
W;MACIB,OAAO,M;K;uFAGX,yB;MAAA,+D;MASBA,gD;MatBA,uC;QAMW,kBAAU,gB;QAoBD,Q;QAAA,  
OjBqRoE,iBAAQ,W;QiBrR5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArB6B,SAqBIB,CAAU,OAAV,C;UACC,  
OAAZ,WAAy,EAAO,IAAP,C;;QAtBhB,OAwbO,W;O;KA9BX,C;uFASA,yB;MAAA,+D;MAwBA,gD;MAxBA,  
uC;QAUW,kBAAU,gB;QASBD,Q;QAAA,OjBsQoE,iBAAQ,W;QiBtQ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,  
WAvB6B,SAuBIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAxBhB,OA0BO,W;O;KApCX,C;2F  
AaA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAA,OAAA,SjBqRoE,QAAQ,W;QiBrR5F,OAAgB,cAAhB,C;UAAg  
B,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;2F

AWA,yB;MAAA,gD;MAAA,oD;QAQoB,Q;QAAA,OAAA,SjBsQoE,QAAQ,W;QiBtQ5F,OAAgB,cAAhB,C;UA  
AgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAA,Y,EA AO,IAAP,C;;QAEhB,OAAO,W;O;KAZX,C;  
8EAeA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,cAAb,C;QA2BA,Q;QAAA,OjB6NuE,iBAAQ,W;QiB7  
N5F,OAAa,cAAb,C;UAAa,sB;UACT,WAA,Y,WA5BiB,SA4Bb,CAAU,IAAV,CAAJ,C;;QA5BhB,OA6BO,W;O;K  
ApCX,C;4FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAa,gB;QA4EJ,Q;QAAA,OjBkKoE,iBAAQ,W;QiBIK5F,  
OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,cARe,SAQf,CAoEQ,OApER,W;YAA,sC,6B;;;QAR3D,OASO,W  
;O;KAhBX,C;gGAUA,yB;MAAA,oD;QAYeOB,Q;QAAA,OjBkKoE,iBAAQ,W;QiBIK5F,OAAgB,cAAhB,C;UAA  
gB,yB;UApEK,U;UAAA,wBAoEQ,OApER,W;YAA,sC,6B;;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,  
Q;MAAA,OAAA,SjB6NuE,QAAQ,W;MiB7N5F,OAAa,cAAb,C;QAAa,sB;QACT,WAA,Y,WAAI,UAAU,IAAV,C  
AAJ,C;;MACHB,OAAO,W;K;8EAGX,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QA Ae,OAAO,I;MACN,OAAA,Sj  
BiNoE,QAAQ,W;MiBjN5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB  
,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;MAMI,OAAO,CAAC,mB;K;+EAGZ,gC;MAOoB,Q;MADhB,IAAI,mB  
AAJ,C;QA Ae,OAAO,K;MACN,OAAA,SjB6LoE,QAAQ,W;MiB7L5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IA  
AI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,gC;  
MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QA Ae,OAAO,C;MACtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;MiB3  
K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFA  
GX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBIK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,  
OAAp,C;;K;kFAGIb,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAA d,C;  
UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAA d,C;UAAyB,qBAAO,O;  
UAAP,uB;;QACzB,eIjpDmB,QJipDJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIppDe,QJopDP,CAAS,C  
AAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QAC  
IB,qBAAO,O;;MI1pDP,yB;K;8FAGJ,+B;MAQmB,kBAAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,  
QAAS,UAA d,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAA d,C;UA  
AyB,qBAAO,O;UAAP,uB;;QACzB,eItoD2B,QJsoDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIzoDuB  
,QJyoDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QA A  
T,QAAS,W;QACIB,qBAAO,O;;MI/oDP,yB;K;mFAGJ,yB;MJ+oDA,sE;MF/yDA,iB;MMgKA,sC;QJ4pDI,eI/oDO,  
iBJ+oDQ,W;QACf,IAAI,CAAC,QAAS,UAA d,C;UAAyB,MAAM,6B;QAC/B,eIjpDqB,QJipDN,CAAS,QAAS,OA  
AIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QImpDiB,QJmpDT,CAAS,QAAS,OAAIB,C;UACR,WFzzDG,MAA  
O,KEyzDO,QFzzDP,EEyzDiB,CFzzDjB,C;;QMqKd,OJspDO,Q;O;KInqDX,C;mFAGBA,yB;MJspDA,sE;MFj1DA,  
iB;MM2LA,sC;QJmqDI,eItpDO,iBjSpDQ,W;QACf,IAAI,CAAC,QAAS,UAA d,C;UAAyB,MAAM,6B;QAC/B,eI  
pDqB,QJwpDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI1pDiB,QJ0pDT,CAAS,QAAS,  
OAAIB,C;UACR,WF31DG,MAAO,KE21DO,QF31DP,EE21DiB,CF31DjB,C;;QMgMd,OJ6pDO,Q;O;KI1qDX,C;  
mFAGBA,yB;MJ6pDA,sE;MI7pDA,sC;QJwqDI,eI7pDO,iBj6pDQ,W;QACf,IAAI,CAAC,QAAS,UAA d,C;UAAyB  
,MAAM,6B;QAC/B,eI/pDqB,QJ+pDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIjqDiB,Q  
JiqDT,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QInqDnB,OJsqDO,Q;O;  
KIjrDX,C;+FAcA,yB;MN9MA,iB;MM8MA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJsqDf,eAAe,sB;UACf,IAAI,C  
AAC,QAAS,UAA d,C;YAAyB,qBAAO,I;YAAP,uB;;UACzB,eIxD2B,QJwqDZ,CAAS,QAAS,OAAIB,C;UACf,O  
AAO,QAAS,UAAhB,C;YACI,QI1qDuB,QJ0qDf,CAAS,QAAS,OAAIB,C;YACR,WF53DG,MAAO,KE43DO,QF5  
3DP,EE43DiB,CF53DjB,C;;UE83Dd,qBAAO,Q;;QI7qDP,yB;O;KAXJ,C;+FAcA,yB;MNvOA,iB;MMuOA,sC;QA  
WmB,kBAAR,iB;QAAQ,sB;;UJ6qDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAA d,C;YAAyB,qBAAO,I;YAAP,uB;  
;UACzB,eI/qD2B,QJ+qDZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QIjrDuB,QJirDf,CAA  
S,QAAS,OAAIB,C;YACR,WF55DG,MAAO,KE45DO,QF55DP,EE45DiB,CF55DjB,C;;UE85Dd,qBAAO,Q;;QIpr  
DP,yB;O;KAXJ,C;+FAcA,+B;MASmB,kBAAR,iB;MAAQ,sB;;QJorDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAA  
d,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,eItrD2B,QJsrDZ,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAh  
B,C;UACI,QIxrDuB,QJwrDf,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;Q  
AGnB,qBAAO,Q;;MI7rDP,yB;K;0FAGJ,yB;MJ6rDA,sE;MI7rDA,kD;QJwsDI,eI7rDO,iBj6rDQ,W;QACf,IAAI,C  
AAC,QAAS,UAA d,C;UAAyB,MAAM,6B;QAC/B,eI/rDqC,QJ+rDtB,CAAS,QAAS,OAAIB,C;QACf,OAAO,QA A  
S,UAAhB,C;UACI,QIjsDiC,QJisDzB,CAAS,QAAS,OAAIB,C;UACR,IIIsDqB,UJksDN,SAAQ,QAAR,EAakB,C

AAIB,CAAX,GAAC,CAAT,C;YACI,WAAW,C;;;QInsDnB,OJssDO,Q;O;KIjtDX,C;sGAcA,2C;MASmB,kBAA  
R,iB;MAAQ,0B;;QJssDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,yBAAO,I;UAAP,2B;;QACzB,eI  
sD2C,QJwsD5B,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIIsDuC,QJ0sD/B,CAAS,QAAS  
,OAAIB,C;UACR,II3sD2B,UJ2sDZ,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAC,CAAT,C;YACI,WAAW,C;;;  
QAGnB,yBAAO,Q;;;MI/sDP,6B;K;sFAGJ,yB;MAOA,8D;MAPA,wC;QAIL,OASe,cAAR,iBAAQ,EATM,UASN,C  
;O;KAbnB,C;kGAOA,yB;MAAA,8D;MAAA,wC;QAMI,OAAe,cAAR,iBAAQ,EAAC,UAAAd,C;O;KANnB,C;kFA  
SA,+B;MAcMB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;  
UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB  
,eIvyDmB,QJuyDJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI1yDe,QJ0yDP,CAAS,CAAT,C;UACR,IA  
AI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;M  
IhzDP,yB;K;8FAGJ,+B;MAQmB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;U  
AAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;U  
AAP,uB;;QACzB,eI5xD2B,QJ4xDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI/xDuB,QJ+xDf,CAAS,C  
AAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAC  
IB,qBAAO,O;;;MIryDP,yB;K;mFAGJ,yB;MJqyDA,sE;MF14DA,iB;MM6FA,sC;QJkzDI,eIryDO,iBJqyDQ,W;QAC  
f,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIvyDqB,QJuyDN,CAAS,QAAS,OAAIB,C;QACf,OA  
AO,QAAS,UAAhB,C;UACI,QIzyDiB,QJyyDT,CAAS,QAAS,OAAIB,C;UACR,WF54DG,MAAO,KE44DO,QF54  
DP,EE44DiB,CF54DjB,C;;QMkGd,OJ4yDO,Q;O;KIzDX,C;mFAGBA,yB;MJ4yDA,sE;MFp6DA,iB;MMwHA,sC;  
QJyzDI,eI5yDO,iBJ4yDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI9yDqB,QJ8yDN,  
CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIhzDiB,QJgzDT,CAAS,QAAS,OAAIB,C;UACR  
,WF96DG,MAAO,KE86DO,QF96DP,EE86DiB,CF96DjB,C;;QM6Hd,OJmzDO,Q;O;KIh0DX,C;mFAGBA,yB;MJ  
mzDA,sE;MInzDA,sC;QJ8zDI,eInzDO,iBJmzDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QA  
C/B,eIrdqB,QJqzDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIvzDiB,QJuzDT,CAAS,Q  
AAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QIzzDnB,OJ4zDO,Q;O;KIv0DX,C;+FA  
cA,yB;MN3IA,iB;MM2IA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJ4zDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAA  
d,C;YAAyB,qBAAO,I;YAAP,uB;;UACzB,eI9zD2B,QJ8zDZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAA  
hB,C;YACI,QIh0DuB,QJg0Df,CAAS,QAAS,OAAIB,C;YACR,WF/8DG,MAAO,KE+8DO,QF/8DP,EE+8DiB,CF/  
8DjB,C;;UEi9Dd,qBAAO,Q;;;QIn0DP,yB;O;KAXJ,C;+FAcA,yB;MNpKA,iB;MMoKA,sC;QAWmB,kBAAR,iB;Q  
AAQ,sB;;UJm0Df,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;;UACzB,eI90D2B,  
QJq0DZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QIv0DuB,QJu0Df,CAAS,QAAS,OAAIB,  
C;YACR,WF/+DG,MAAO,KE++DO,QF/+DP,EE++DiB,CF/+DjB,C;;UEi/Dd,qBAAO,Q;;;QI10DP,yB;O;KAXJ,C  
;+FAcA,+B;MASmB,kBAAR,iB;MAAQ,sB;;QJ00Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBA  
AO,I;UAAP,uB;;QACzB,eI50D2B,QJ40DZ,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI90  
DuB,QJ80Df,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,qBAAO,  
Q;;;MIIn1DP,yB;K;0FAGJ,yB;MJm1DA,sE;MIIn1DA,kD;QJ81DI,eIn1DO,iBJm1DQ,W;QACf,IAAI,CAAC,QAAS,  
UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI91DqC,QJq1DtB,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C  
;UACI,QIv1DiC,QJu1DzB,CAAS,QAAS,OAAIB,C;UACR,IIx1DqB,UJw1DN,SAAQ,QAAR,EAakB,CAAIB,CA  
AX,GAAC,CAAT,C;YACI,WAAW,C;;;QIz1DnB,OJ41DO,Q;O;KIv2DX,C;sGAcA,2C;MASmB,kBAAR,iB;M  
AAQ,0B;;QJ41Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,yBAAO,I;UAAP,2B;;QACzB,eI91D2C,  
QJ81D5B,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIh2DuC,QJg2D/B,CAAS,QAAS,OAA  
IB,C;UACR,IIj2D2B,UJi2DZ,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAC,CAAT,C;YACI,WAAW,C;;;QAGn  
B,yBAAO,Q;;;MIr2DP,6B;K;IAGJ,0C;MAGI,OASe,gBAAR,iBAAQ,EATM,UASN,C;K;kGANnB,yB;MAAA,8D;  
MAAA,wC;QAMI,OAAe,cAAR,iBAAQ,EAAC,UAAAd,C;O;KANnB,C;IASA,4B;MAMI,OAAO,mB;K;iFAGX,gC;  
MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,SjBnJoE,QAAQ,W;MiBmJ5F,OAAGB,cAAh  
B,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAS,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;oFAGX,6B;MAK  
mC,Q;MAAA,OjB5JqD,iBAAQ,W;MiB4J7E,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,g  
B;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MJwyCA,wE;MIxyCA,2BAQIB,yB;QJgyCjB,wE;eIhyCiB,0B;UAAA,4B;  
YAAU,kBAAR,iB;YAAQ,aAAe,c;YJuyCzB,gB;YADb,YAAY,C;YACC,6B;YAAb,OAAa,cAAb,C;cAAa,sB;cAA

M,OAAO,oBAAmB,cAAAnB,EAAMb,sBAAnB,UAAP,EAAoC,IAApC,C;;YIvyC2B,W;W;S;OAAjC,C;MARjB,oC ;QJ+yCiB,gB;QADb,YAAy,C;QACC,OIvyCE,iBJuyCF,W;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBA AmB,cAAAnB,EAAMb,sBAAnB,UAAP,EAAoC,IAApC,C;;QIvyCnB,gB;O;KARJ,C;4FAWA,qB;MAKI,OAAO,iB ;K;IAGX,iC;MAII,OAAe,aAAR,iBAAQ,C;K;IC9hBnB,kC;MAEI,gBCmE2D,8BAAy,c;MDIEvE,IAAI,SAAU,OA AV,GAAMb,CAAvB,C;QACW,Q;QAAA,IAAI,cAAQ,GAZ,C;UAAA,OAAsB,S;;uBAAe,qBAAU,CAAV,C;UA AA,YAAe,SEiNc,WFjNM,CEiNN,Caff,c;UFIMnD,OG8MoD,2BAAL,GAakB,K;;QH9MxE,W;;MAEJ,OAAuB,o BAAhB,wBAAgB,C;K;gFxBD3B,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KAR X,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;gFAWA,yB;MA AA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;;QAQQ,OAAc,QAAP,MA AO,EAAQ,SAAR,C;;QACbB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;IAOJ,sC;;QAQQ,OA Ac,SAAP,MAAO,EAAS,SAAT,C;;QACbB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;IAOJ,sC ;QAQQ,OAAiD,OAA1C,MAAO,iBAAQ,e4BtCgB,I5BsCxB,EAAoB,CAAA,c4BtCI,I5BsCJ,IAAY,CAAZ,IAAp B,CAAmC,C;;QACnD,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAA A,uD;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QA OI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAQI,OAAO,wBAAa,cA Ab,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,QAAP,MAAO,EAAQ,SAAR, C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,SAAP,MAAO,EAAS,SAAT,C;K;IAGIB,4C ;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAiD,OAA1C,MAAO,iBAAQ,e4BxGoB,I5BwG5B,EAAoB,C AAA,c4BxGQ,I5BwGR,IAAY,CAAZ,IAApB,CAAmC,C;K;mFAGrD,8B;MAQI,OAAO,mBAAmB,2BAAS,OAA T,C;K;oFAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS, OAAT,C;K;IAG9B,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAf, C;K;IAGX,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAOI,O AAO,2BAAe,KAAf,C;K;IAGX,uC;MgBzHW,ShBgIM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAA S,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;MgBnIW,ShB0IM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2 BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgB7IW,ShBoJM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GA AgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBvJW,ShB8JM,qBAAN,KAAM,C;MAAb,OAA4C,UAA J,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MgBzKW ,ShBgLM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;M gBnLW,ShB0LM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E ,uC;MgB7LW,ShBoMM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K; IAG7E,uC;MgBvMW,ShB8MM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAA kC,K;K;IAG9E,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C; K;IAGX,uC;MgBjOW,ShBsOM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAA kC,K;K;IAG7E,uC;MgBzOW,ShB8OM,mBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAh B,GAakC,K;K;IAG9E,uC;MAOI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BAAe,KAAf,C;K;IAGX,u C;MgBrQW,ShB0QM,iBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IA G5E,uC;MgB7QW,ShBkRM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC, K;K;IAG7E,uC;MgBrRW,ShB0RM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,G AakC,K;K;IAG9E,uC;MAOI,OAAO,2BAAS,KAAM,WAAf,C;K;IAGX,uC;MAOI,OAAO,2BAAS,KAAM,WAA f,C;K;IAGX,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C;K;I AGX,uC;MgBjUW,ShBsUM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC, K;K;IAG7E,uC;MAOI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BAAe,KAAf,C;K;IAGX,+B;MAOI,O AAO,sCAAe,yBAAgB,SAAhB,EAAYB,EAzB,EAakC,EAaIC,C;K;IAG1B,iC;MAOI,OAAO,uCAAqB,yBAAg B,SAAhB,EAAYB,oBAAH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI,OAAO,sCAAe,yBAAQb,SAArB,EAAiC,EAAj C,EAA0C,EAA1C,C;K;IAG1B,iC;MAOI,OAAO,sCAAe,yBAAQb,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;I AG1B,iC;MAOI,OAAO,uCAAqB,yBAAgB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;K;IAG3B,iC;MAOI,OAA O,sCAAe,yBAAgB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;K;IAG1B,iC;MAOI,OAAO,uCAAqB,yBAAgB,S AAhB,EAAYB,oBAAH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI,OAAO,sCAAe,yBAAQb,SAArB,EAA8B,EAA9B,



B, YAAzB, GAA2C, S; K; IAGtD, kD; MAQI, OAAW, YAAO, YAAX, GAAyB, YAAzB, GAA2C, S; K; IAGtD, kD; MAQI, OAAW, 0BAAO, YAAP, KAAJ, GAAyB, YAAzB, GAA2C, S; K; IAGtD, kD; MAQI, OAAW, YAAO, YAAX, GAAyB, YAAzB, GAA2C, S; K; IAGtD, kD; MAQI, OAAW, YAAO, YAAX, GAAyB, YAAzB, GAA2C, S; K; IAGtD, +C; MAQI, OAAW, 4BAAO, YAAP, KAAJ, GAAyB, YAAzB, GAA2C, S; K; IAGtD, iD; MAQI, OAAW, YAAO, YAAX, GAAyB, YAAzB, GAA2C, S; K; IAGtD, iD; MAQI, OAAW, YAAO, YAAX, GAAyB, YAAzB, GAA2C, S; K; IAGtD, iD; MAQI, OAAW, 0BAAO, YAAP, KAAJ, GAAyB, YAAzB, GAA2C, S; K; IAGtD, iD; MAQI, OAAW, YAAO, YAAX, GAAyB, YAAzB, GAA2C, S; K; IAGtD, iD; MAQI, OAAW, YAAO, YAAX, GAAyB, YAAzB, GAA2C, S; K; IAGtD, yD; MAQI, IAAI, iBAAiB, IAAjB, IAAYB, iBAAiB, IAA9C, C; QACI, IAAI, +BAAe, YAAf, KAAJ, C; UAAiC, MAAM, gCAAYB, 6DAAiD, YAAjD, wCAAoF, YAApF, OAAzB, C; QACvC, IAAI, 4BAAO, YAAP, KAAJ, C; UAAyB, OAAO, Y; QAChC, IAAI, 4BAAO, YAAP, KAAJ, C; UAAyB, OAAO, Y; QAGhC, IAAI, iBAAiB, IAAjB, IAAYB, 4BAAO, YAAP, KAA7B, C; UAAkD, OAAO, Y; QACzD, IAAI, iBAAiB, IAAjB, IAAYB, 4BAAO, YAAP, KAA7B, C; UAAkD, OAAO, Y; MAE7D, OAAO, S; K; IAGX, 2D; MAQI, IAAI, eAAe, YAAAnB, C; QAAiC, MAAM, gCAAYB, oDAAiD, YAAjD, 8BAAoF, YAApF, MAAzB, C; MACvC, IAAI, YAAO, YAAX, C; QAAyB, OAAO, Y; MACHC, IAAI, YAAO, YAAX, C; QAAyB, OAAO, Y; MACHC, OAAO, S; K; IAGX, 2D; MAQI, IAAI, eAAe, YAAAnB, C; QAAiC, MAAM, gCAAYB, oDAAiD, YAAjD, 8BAAoF, YAApF, MAAzB, C; MACvC, IAAI, YAAO, YAAX, C; QAAyB, OAAO, Y; MACHC, IAAI, YAAO, YAAX, C; QAAyB, OAAO, Y; MACHC, OAAO, S; K; IAGX, 2D; MAQI, IAAI, eAAe, YAAAnB, C; QAAiC, MAAM, gCAAYB, oDAAiD, YAAjD, 8BAAoF, YAApF, MAAzB, C; MACvC, IAAI, YAAO, YAAX, C; QAAyB, OAAO, Y; MACHC, IAAI, YAAO, YAAX, C; QAAyB, OAAO, Y; MACHC, OAAO, S; K; IAGX, 2D; MAQI, IAAI, 6BAAe, YAAf, KAAJ, C; QAAiC, MAAM, gCAAYB, oDAAiD, YAAjD, yCAAoF, YAApF, iBAAzB, C; MACvC, IAAI, 0BAAO, YAAP, KAAJ, C; QAAyB, OAAO, Y; MACHC, IAAI, 0BAAO, YAAP, KAAJ, C; QAAyB, OAAO, Y; MACHC, OAAO, S; K; IAGX, 2D; MAQI, IAAI, eAAe, YAAAnB, C; QAAiC, MAAM, gCAAYB, oDAAiD, YAAjD, 8BAAoF, YAApF, MAAzB, C; MACvC, IAAI, YAAO, YAAX, C; QAAyB, OAAO, Y; MACHC, OAAO, S; K; IAGX, 2D; MAQI, IAAI, eAAe, YAAAnB, C; QAAiC, MAAM, gCAAYB, oDAAiD, YAAjD, 8BAAoF, YAApF, MAAzB, C; MACvC, IAAI, YAAO, YAAX, C; QAAyB, OAAO, Y; MACHC, OAAO, S; K; IAGX, sC; MAUW, Q; MADP, IAAI, KAAM, UAAV, C; QAAqB, MAAM, gCAAYB, 4CAAyC, KAAzC, MAAzB, C; MAGvB, IAAA, KAAM, 0BAAiB, SAAjB, EAAuB, KAAM, MAA7B, CAAN, IAA6C, CAAC, KAAM, 0BAAiB, KAAM, MAAvB, EAA8B, SAA9B, CAAPD, C; QAAiG, OAAO, KAAM, M; WAEjG, IAAA, KAAM, 0BAAiB, KAAM, aAAvB, EAAqC, SAARc, CAAN, IAAoD, CAAC, KAAM, 0BAAiB, SAAjB, EAAuB, KAAM, aAA7B, CAA3D, C; QAA+G, OAAO, KAAM, a; QACvG, gB; MALZ, W; K; IASJ, sC; MAYW, Q; MAJP, IAAI, 8CAAJ, C; QACI, OAAO, WAAL, SAAK, EAAy, KAAZ, C; MAEhB, IAAI, KAAM, UAAV, C; QAAqB, MAAM, gCAAYB, 4CAAyC, KAAzC, MAAzB, C; MAEvB, gCAAO, KAAM, MAAb, M; QAA4B, OAAO, KAAM, M; WAC5B, gCAAO, KAAM, aAAb, M; QAAmC, OAAO, KAAM, a; QAC3B, gB; MAHZ, W; K; IAOJ, sC; MAYW, Q; MAJP, IAAI, 8CAAJ, C; QACI, OAAO, WAAL, SAAK, EAAc, KAAf, C; MAEhB, IAAI, KAAM, UAAV, C; QAAqB, MAAM, gCAAYB, 4CAAyC, KAAzC, MAAzB, C; MAEvB, gBAAO, KAAM, MAAb, C; QAA4B, OAAO, KAAM, M; WAC5B, gBAAO, KAAM, aAAb, C; QAAmC, OAAO, KAAM, a; QAC3B, gB; MAHZ, W; K; IAOJ, sC; MAYW, Q; MAJP, IAAI, 8CAAJ, C; QACI, OAAO, WAAL, SAAK, EAAe, KAAf, C; MAEhB, IAAI, KAAM, UAAV, C; QAAqB, MAAM, gCAAYB, 4CAAyC, KAAzC, MAAzB, C; MAEvB, 8BAAO, KAAM, MAAb, M; QAA4B, OAAO, KAAM, M; WAC5B, 8BAAO, KAAM, aAAb, M; QAAmC, OAAO, KAAM, a; QAC3B, gB; MAHZ, W; K; IW1rCJ, oD; MAMuF, wC; K; IANvF, 8CAOI, Y; MAAuC, 8B; K; IAP3C, gF; IkbQA, yC; MAMI, OAAO, sBAAQ, OAAO, KAAoB, C; K; IAWG, 2C; MAAA, qB; QAAE, MAAM, 8BAA0B, +CAA4C, aAA5C, MAA1B, C; O; K; IAR1C, uC; MAQI, OAAO, 8BAAgB, KAAhB, EAAuB, yBAAvB, C; K; IAGX, 4D; MACqB, Q; MANjB, IAAI, QAAQ, CAAZ, C; QACI, OAAO, aAAa, KAAb, C; MACX, eAAe, oB; MACf, YAAy, C; MACZ, OAAO, QAAS, UAAhB, C; QACI, cAAc, QAAS, O; QACvB, IAAI, WAAS, YAAT, EAAS, oBAAT, OAAJ, C; UACI, OAAO, O; MAEf, OAAO, aAAa, KAAb, C; K; IAGX, 8C; MACqB, Q; MANjB, IAAI, QAAQ, CAAZ, C; QACI, OAAO, I; M ACX, eAAe, oB; MACf, YAAy, C; MACZ, OAAO, QAAS, UAAhB, C; QACI, cAAc, QAAS, O; QACvB, IAAI, WAAS, YAAT, EAAS, oBAAT, OAAJ, C; UACI, OAAO, O; MAEf, OAAO, I; K; 8EAGX, gC; MASW, sB; QA2FS, Q; QAAA, 2B; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UAAM, IA3FH, SA2FO, CAAU, OAAV, CAAJ, C; YAAwB, qBAAO, O; YAAP, uB; QAC9C, qBAAO, I; MA5FP, yB; K; uFAGJ, gC; MAkOoB, Q; MADhB, WAAe, I; MACC, 2B; MAAhB, OAAgB, cAAhB, C; QAAgB, yB; QACZ, IA1Nc, SA0NV, CAAU, OAAV, CAAJ, C; UACI, OAAO, O; MA3Nf, OA8NO, I; K; IA3NX,

6B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAUb,oBAAvB,C;MACV,OAAO,QAAS,O;K;iFAGpB,yB;MAAA,iE;MAAA,uC;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,sDAAvB,C;O;KARV,C;kGAWA,yB;MAAA,iE;MAAA,uC;QAWW,Q;QAAA,+B;;UAcS,U;UAAA,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aFwB,SAeX,CAAU,OAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;;UAGR,8BAAO,I;;;QApBA,kC;QAAA,iB;UAAmC,MAAM,gCAAUb,iEAAvB,C;;QAAhD,OAAO,I;O;KAXX,C;8GAcA,gC;MAWob,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OAAO,M;;;MAGf,OAAO,I;K;IAGX,mC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,OAAO,QAAS,O;K;6FAGpB,gC;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;IAGX,wC;MAOiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAhB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;+FAGX,yB;MAAA,wE;MAAA,uC;QAOiB,Q;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAhB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAbX,C;6FAGBA,yB;MAAA,wE;MAAA,uC;QAQiB,Q;QAFb,gBAAGB,E;QACHB,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAhB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UACHB,qB;;QAEJ,OAAO,S;O;KAdX,C;IAiBA,4B;MAUI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAUb,oBAAvB,C;MACV,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;+EAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAYoB,UAQTM;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAA,Y,MAAM,gCAAUb,sDAAvB,C;QAEIB,OAAO,2E;O;KApBX,C;IAuBA,4C;MAQiB,Q;MAFb,gBAAGB,E;MACHB,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAhB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QACHB,qB;;MAEJ,OAAO,S;K;IAGX,kC;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;2FAGX,gC;MASoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MAGf,OAAO,I;K;IAGX,8B;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAUb,oBAAvB,C;MACV,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAb,C;QACI,MAAM,gCAAYb,qCAAzB,C;MACV,OAAO,M;K;mFAGX,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAQoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYb,mDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAA,Y,MAAM,gCAAUb,sDAAvB,C;QAEIB,OAAO,6E;O;KAjBX,C;IAoBA,oC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAb,C;QACI,OAAO,I;MACX,OAAO,M;K;+FAGX,gC;MAQoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;IAGX,8B;MAWW,Q;MhBhXP,IAAI,EgB+WI,KAAK,ChB/WT,CAAJ,C;QACI,cgB8Wc,sD;QhB7Wd,MAAM,gCAAYb,OAAQ,WAAjC,C;;MgB+WN,UAAK,CAAL,C;QAAU,gB;WACV,+C;QAAiC,OAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAAa,SAAb,EAAmB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sBAAkB,SAIb,EAAwB,SAAxB,C;K;IAGX,wC;MAQI,OAAO,sBAAkB,SAIb,EAAwB,IAAxB,EAA8B,SAA9B,C;K;IacqE,iD;MAAA,qB;QAAE,yBAAU,EAAG,MAAb,EAAoB,EAAG,MAAvB,C;O;K;IAAkC,oC;MAAE,OAAA,EAAG,M;K;IAXzH,+C;MAWI,OAAO,yBAAqB,sBAAkB,qBAAiB,SAAjB,CAAIb,EAA0C,IAA1C,EAAGD,+BAAhD,CAArB,EAAYG,sBAAzG,C;K;oGAGX,yB;MA80BA,wE;MA90BA,oD;QAu1BiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA50BT,IAAI,UA40BkB,oBAAmB,cAAhB,EAAmB,sBAAnB,UA50BIB,EA40B+C,IA50B/C,CAAJ,C;YAA2C,sBA40BQ,IA50BR,C;;QAE/C,OAAO,W;O;KAbX,C;sGAgBA,yB;MAAA,8C;MAAA,0C;MAAA,8B;MASkB,qD;QAAA,qB;UAAE,c;S;O;MATpB,sC;QASW,Q;QAAP,OAAO,uCAAo,iCAAP,gC;O;KATX,C;0GAYA,4C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAA,Y,WAAl,OAAJ,C;;MACpD,OAAO,W;K;IAGX,2C;MAQI,OAAO,sBAAkB,SAIb,EAAwB,KAAxB,EAA+B,SAAB,C;K;IAYU,kC;MAAE,iB;K;IATvB,oC;MASW,Q;MAAP,OAAO,4CAAU,oBAAV,kC;K;IAGX,mD;MAQoB,Q;MA

AA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAY,WAAI,OAAJ,C;;MACvD,  
OAAO,W;K;4FAGX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UA  
AU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;sFAGX,6C;MAQoB,Q;MAAA,2B;  
MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;  
MAC1D,OAAO,W;K;IAGX,8B;MAWW,Q;MhBzgBP,IAAI,EgBwgBI,KAAK,ChBxgBT,CAAJ,C;QACI,cgBugBc  
,sD;QhBtgBd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MgBwgBN,UAAK,CAAL,C;QAAU,sB;WACV,+C;QAAiC,O  
AAL,SAAK,cAAK,CAAL,C;;QACzB,wBAAa,SAAb,EAAMb,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sB  
AAkB,SAAlB,EAAwB,SAAxB,C;K;IAWA,2C;MAAA,8B;K;8CACH,Y;MACI,iBAA6B,iBAAZ,gBAAy,C;MAC  
IB,QAAX,UAAW,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6B;MAQI,0C;K;sFASJ,yB;MAAA,sD;MdjFA,sC;MAA  
A,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA  
5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mc0ef,sC;QAUI,OAAO,sBdpfP,eAAW,iBcofiB,  
QdpfjB,CAAX,CcofO,C;O;KAVX,C;0GAaA,yB;MAAA,sD;Md3eA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;  
eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,  
CAA3B,C;W;S;OA+EI,C;Mcoef,sC;QAQI,OAAO,sBd5eP,eAAW,2Bc4e2B,Qd5e3B,CAAX,Cc4eO,C;O;KARX,C;  
IAWA,uC;MAQI,OAAO,wBAAW,cAAAX,C;K;IAWA,uE;MAAA,sC;MAAA,4C;K;kDACH,Y;MACI,iBAAiC,iBA  
AhB,oBAAGB,C;MACtB,WAAX,UAAW,EAAS,uBAAT,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6C;MAQI,0D;K;  
wFASJ,yB;MAAA,wE;MAAA,uC;QAaW,kBAAy,oB;QAI FH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,y  
B;UACZ,WAlFsC,SAkFvB,CAAU,OAAV,C;UvBnEnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QuBfA,  
OAoFO,W;O;KAjGX,C;6FAGBA,yB;MAAA,wE;MAAA,yC;QAaW,kBAAc,oB;QA8BL,Q;QAAA,2B;QAAhB,O  
AAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA/B4B,WA+BxB,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA/Bh  
B,OAIcO,W;O;KA9CX,C;6FAGBA,yB;MAAA,wE;MAAA,yD;QAYW,kBAAc,oB;QAIcL,Q;QAAA,2B;QAAhB,  
OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAlC4B,WakCxB,CAAY,OAAZ,CAAJ,EAlCyC,cAkCf,CAAe,OA  
Af,CAA1B,C;;QAIChB,OAoCO,W;O;KAhDX,C;iGAeA,+C;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;Q  
AAgB,yB;QACZ,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;iGAGX,+D;MAY  
oB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eA  
Ae,OAaf,CAA1B,C;;MAEhB,OAAO,W;K;4FAGX,6C;MAWob,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAA  
gB,yB;QACZ,WAAe,UAAU,OAAV,C;QvBnEnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;MuBqEA,OA  
AO,W;K;gGAGX,yB;MAAA,wE;MAAA,2C;QAcI,aAAa,oB;QAgBG,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U  
AAgB,yB;UafO,MAgBP,aAAI,OAAJ,EAhBe,aAgBF,CAAc,OAAd,CAAb,C;;QAhBhB,OAAuB,M;O;KAf3B,C;o  
GakBA,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cA  
Ac,OAAd,CAAb,C;;MAEhB,OAAO,W;K;IAGX,gD;MAMiB,Q;MAAA,2B;MAAb,OAaa,cAAb,C;QAAa,sB;QA  
CT,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gC;MAMI,OAAO,0BAAa,cAAb,C;K;IAGX,8B;MAMI,O  
AA4B,qBAAhB,iBAAL,SAAK,CAAGB,C;K;IAGhC,qC;MAMI,OAAO,0BAAa,gBAAb,C;K;IAGX,4B;MAQI,OA  
AwC,oBAAjC,0BAAa,sBAAb,CAAI,C;K;IAG5C,0C;MAYI,OAAO,uBAAMb,SAAnB,EAAYB,SAAZB,6BAAo  
C,qB;;OAApC,E;K;IAGX,0C;MAQI,OAAO,uBAAMb,SAAnB,EAAYB,SAAZB,6BAAoC,qB;;OAApC,E;K;IAGX  
,iD;MAaI,OAAO,kBAaE,SAAf,EAAqB,SAARb,6BAAgC,qB;;OAAhC,E;K;IAGX,iD;MAaI,OAAO,kBAaE,SAAf  
,EAAqB,SAARb,6BAAgC,qB;;OAAhC,E;K;sGAGX,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAaoB,UAC4B,M;Q  
AF5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAMb,cAAnB,EA  
mB,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAjBX,C;u  
GAoBA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAaoB,UAC4B,M;QAF5C,YAAY,C;QACI,2B;QAAhB,OAAgB,  
cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAMb,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;U  
ACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAjBX,C;yFAoBA,yB;MAAA,gD;MAAA,oD;QUo  
B,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,E  
AAO,IAAP,C;;QAEhB,OAAO,W;O;KAdX,C;yFAiBA,yB;MAAA,gD;MAAA,oD;QAMoB,Q;QAAA,2B;QAAhB,  
OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,  
OAAO,W;O;KAVX,C;qFAaA,yB;MAAA,wE;MA6BA,+D;MA7BA,yC;QAWW,kBAAU,oB;QA6BD,Q;QAAA,2  
B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA9BiD,WA8BvC,CAAY,OAAZ,C;UvBjoBP,U;UADP,YuBm  
oBe,WvBnoBH,WuBmoBwB,GvBnoBxB,C;UACL,IAAI,aAAJ,C;YACH,auBioBuC,gB;YAA5B,WvBhoBX,auBg

oBgC,GvBhoBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhCT,Oak  
CO,W;O;KA7CX,C;qFAcA,yB;MAAA,wE;MAkCA,+D;MAICA,yD;QAYW,kBAAU,oB;QAKCD,Q;QAAA,2B;Q  
AAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAnCiD,WAmCvC,CAAY,OAAZ,C;UvBrpBP,U;UADP,YuBupBe,  
WvBvpBH,WuBupBwB,GvBvpBxB,C;UACL,IAAI,aAAJ,C;YACH,auBqpBuC,gB;YAA5B,WvBppBX,auBopBg  
C,GvBppBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuBipBA,iB;UACA,IAAK,WArCyD,cAqCrD,CAAe,OAAf,C  
AAJ,C;;QArCT,OAUco,W;O;KAnDX,C;yFAeA,yB;MAAA,+D;MAAA,sD;QAWoB,Q;QAAA,2B;QAAhB,OAA  
gB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UvBjoBP,U;UADP,YuBmoBe,WvBnoBH,WuBmoBwB  
,GvBnoBxB,C;UACL,IAAI,aAAJ,C;YACH,auBioBuC,gB;YAA5B,WvBhoBX,auBgoBgC,GvBhoBhC,EAAS,MA  
AT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAhBX,C;yFAmBA,y  
B;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OA  
AZ,C;UvBrpBP,U;UADP,YuBupBe,WvBvpBH,WuBupBwB,GvBvpBxB,C;UACL,IAAI,aAAJ,C;YACH,auBqpBu  
C,gB;YAA5B,WvBppBX,auBopBgC,GvBppBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuBipBA,iB;UACA,IAAK  
,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAjBX,C;0FAoBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QA  
UW,sC;QAAA,8C;O;MAVX,oDAWQ,Y;QAA6C,OAAA,oBAAgB,W;O;MAXrE,iDAYQ,mB;QAAoC,gCAAY,O  
AAZ,C;O;MAZ5C,gF;MAAA,yC;QAUI,2D;O;KAVJ,C;IAGBA,sC;MASI,OAAO,yBAAqB,SAArB,EAA2B,SAA3  
B,C;K;IAGX,4C;MASI,OAAO,gCAA4B,SAA5B,EAakC,SAaIC,C;K;IAGX,mD;MASI,OAAoD,gBAA7C,gCAA  
4B,SAA5B,EAakC,SAaIC,CAA6C,C;K;4GAGxD,yB;MAuNA,wE;MAvNA,oD;QAgOiB,gB;QADb,YAAY,C;Q  
ACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAvNsB,U;UAAA,wBAuNT,oBAAmB,cAAAnB,EAAMb,sBAAnB,UA  
vNS,EAuNoB,IAvNpB,W;YAA6C,6B;;;QACHF,OAAO,W;O;KAVX,C;8FAaA,yB;MAAA,wE;MAAA,oD;QAUI  
B,UACoC,M;QAFjD,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAAI,UAAU,oBAA  
mB,cAAAnB,EAAMb,sBAAnB,UAAV,EAAC,IAAvC,CAAJ,C;;QACHB,OAAO,W;O;KAZX,C;IAeA,4C;MASI,O  
AA6C,gBAAAtC,yBAAqB,SAArB,EAA2B,SAA3B,CAAsC,C;K;8FAGjD,yB;MAAA,oD;QA4KoB,Q;QAAA,2B;Q  
AAhB,OAAgB,cAAhB,C;UAAgB,yB;UArKK,U;UAAA,wBAqKQ,OArKR,W;YAAAsC,6B;;;QAC3D,OAAO,W;O;  
KARX,C;iFAWA,6C;MAOiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAA  
V,CAAJ,C;;MACHB,OAAO,W;K;IAGX,gC;MAOI,OAAO,qBAAiB,SAAjB,C;K;IAGB,6B;MAAE,S;K;IAX7B,+  
B;MAWI,OAAy,aAAL,SAAK,EAAW,eAAX,C;K;IAGhB,2C;MAYI,OAAO,qBAAiB,SAAjB,EAAuB,QAAvB,C;  
K;IAGX,mC;MASiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,GAAl,WAAI,IAA  
J,C;;MACvB,OAAO,G;K;6EAGX,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IA  
AI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;MAQI,OAAO,oBAAW,U;K  
;6EAGtB,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,  
C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;IAGX,6B;MAOoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,c  
AAhB,C;QAAgB,yB;QAAM,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;MACtB,OAAO,K;K;iFAGX,yB;MAAA,w  
E;MAAA,uC;QAOoB,Q;QADhB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAA  
U,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;QAC9C,OAAO,K;O;KARX,C;8EAWA,yC;  
MAYoB,Q;MADhB,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAA  
V,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;4FAGX,yB;MAAA,wE;MAAA,gD;QAcOB,UAAiD,M;QAFjE,YAA  
Y,C;QACZ,kBAakB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAAn  
B,EAAMb,sBAAnB,UAAV,EAAC,WAAvC,EAAoD,OAApD,C;;QACpC,OAAO,W;O;KAFx,C;qFAkBA,6B;M  
AMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;kGAG1B,yB;MAAA,w  
E;MAAA,oC;QASiB,UAAgC,M;QAD7C,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,o  
BAAmB,cAAAnB,EAAMb,sBAAnB,UAAP,EAAoC,IAAP,C,C;;O;KATvB,C;IAYA,2B;MAII,OAAO,uB;K;IAGX,2  
B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;iFAGX,+B;MAGW,sB;;QAYP,eAAe,oB;QACf,IAAI,CAAC,  
QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAp,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UA  
AyB,qBAAO,O;UAAp,uB;;QACzB,eAhBmB,QAgBJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAnBe,  
QAmBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAA  
T,QAAS,W;QACIB,qBAAO,O;;MAzBP,yB;K;6FAGJ,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;Q  
AAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHc,eAAe,  
SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;

UACI,UAAU,C;UACV,WAAW,C;;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;iFAGX,yB;MAAA,sE;MZpwC  
A,iB;MYowCA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,  
QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZhxCG,MAA  
O,KYgxCO,QZhxCP,EYgxCiB,CZhxCjB,C;;QYkxCd,OAAO,Q;O;KAtBX,C;iFAyBA,yB;MAAA,sE;MZxyCA,iB  
;MYwyCA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QA  
AS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZpzCG,MAAO,K  
YozCO,QZpzCP,EYozCiB,CZpzCjB,C;;QYszCd,OAAO,Q;O;KAtBX,C;iFAyBA,yB;MAAA,sE;MAAA,sC;QAaI,  
eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,  
OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,W  
AAW,C;;;QAGnB,OAAO,Q;O;KAtBX,C;6FAyBA,yB;MZ/0CA,iB;MY+0CA,sC;QAaI,eAAe,oB;QACf,IAAI,CA  
AC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UA  
CI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZz1CG,MAAO,KYy1CO,QZz1CP,EYy1CiB,CZz1CjB,C;;QY21Cd,  
OAAO,Q;O;KApBX,C;6FAuBA,yB;MZj3CA,iB;MYi3CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C  
;UAAyB,OAAO,I;QACChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,Q  
AAS,OAAIB,C;UACR,WZ33CG,MAAO,KY23CO,QZ33CP,EY23CiB,CZ33CjB,C;;QY63Cd,OAAO,Q;O;KApB  
X,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,eAAe,SAAS,Q  
AAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,2BAAW,CA  
AX,KAAJ,C;UACI,WAAW,C;;;MAGnB,OAAO,Q;K;yFAGX,yB;MAAA,sE;MAAA,kD;QAaI,eAAe,oB;QACf,IA  
AI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAA  
hB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GAAkC,  
CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAtBX,C;qGAyBA,2C;MAWI,eAAe,oB;MACf,IAAI,CAAC,Q  
AAS,UAAAd,C;QAAyB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,Q  
AAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GAAkC,CAAtC,C;UA  
CI,WAAW,C;;;MAGnB,OAAO,Q;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OA  
AO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZ18CG,MA  
AO,KY08CE,GZ18CF,EY08CO,CZ18CP,C;;MY48Cd,OAAO,G;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,  
QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QA  
AS,O;QACjB,MZx+CG,MAAO,KYw+CE,GZx+CF,EYw+CO,CZx+CP,C;;MY0+Cd,OAAO,G;K;IAGX,iC;MAOI  
eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QA  
S,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;  
K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;Q  
AAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAA  
I,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,  
2B;MAII,OAAO,uB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;iFAGX,+B;MAGW,sB;;QAY  
P,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,I  
AAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB,eAhBmB,QAgBJ,CAAS,OAAT,C;;UAEX,Q  
AAQ,QAAS,O;UACjB,QAnBe,QAmBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;  
YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MAzBP,yB;K;6FAGJ,+B;MASI,eAAe,oB;MAC  
f,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;  
QAAyB,OAAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QAC  
R,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;;MAED,QAAT,QAAS,W;MACIB,OAAO,O  
;K;iFAGX,yB;MAAA,sE;MZj3CA,iB;MYi3CA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,  
MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,O  
AAIB,C;UACR,WZ73CG,MAAO,KY63CO,QZ73CP,EY63CiB,CZ73CjB,C;;QY+3Cd,OAAO,Q;O;KAtBX,C;iFA  
yBA,yB;MAAA,sE;MZr5CA,iB;MYq5CA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAA  
M,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB  
,C;UACR,WZj6CG,MAAO,KYi6CO,QZj6CP,EYi6CiB,CZj6CjB,C;;QYm6Cd,OAAO,Q;O;KAtBX,C;iFAyBA,yB;  
MAAA,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SA

AS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAtBX,C;6FAyBA,yB;MZ57CA,iB;MY47CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZt8CG,MAAO,KYs8CO,QZt8CP,EYs8CiB,CZt8CjB,C;;QYw8Cd,OAAO,Q;O;KApBX,C;6FAuBA,yB;MZ99CA,iB;MY89CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZx+CG,MAAO,KYw+CO,QZx+CP,EYw+CiB,CZx+CjB,C;;QY0+Cd,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAJ,C;UACI,WAAW,C;;;MAGnB,OAAO,Q;K;yFAGX,yB;MAAA,sE;MAAA,kD;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAtBX,C;qGAYBA,2C;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;UACI,WAAW,C;;;MAGnB,OAAO,Q;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZvjDG,MAAO,KYujDE,GZvjDF,EYujDO,CZvjDP,C;;MYyjDd,OAAO,G;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZrIDG,MAAO,KYqlDE,GZrIDF,EYqlDO,CZrIDP,C;;MYuIDd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO,W;O;KArBX,C;gGAWBA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAoBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,YAAy,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAAnB,EAAmB,oBAAAnB,QAaV,EAAuB,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KAtBX,C;4GAYBA,yB;MAAA,wE;MAAA,uC;QAoBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QAChC,YAAy,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAAnB,EAAmB,oBAAAnB,QAaV,EAAuB,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KAtBX,C;8FAyBA,gC;MAGBI,eAAe,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,kBAAqB,QAAS,O;MAC9B,OAAO,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAEIB,OAAO,W;K;IAoBS,2I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,gD;MAAA,kD;MAAA,wB;MAAA,+B;MAAA,kC;K;;;sDAAA,Y;;;cACZ,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;uCACkB,0B;cACF,wD;cAAhB,gB;;;cAAA,KAAGB,yBAAhB,C;gBAAA,gB;;;cAAGB,oC;cACZ,yBAAc,6BAAU,sBAAV,EAAuB,OAAvB,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;cAFJ,gB;;;cAIJ,W;;;K;IAPgB,wF;MAAA,yD;uBAAA,+H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAjBpB,sD;MAiBIOAAO,SAAS,iDAAT,C;K;IA4BS,yJ;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,8D;MAAA,kD;MAAA,wB;MAAA,yB;MAAA,+B;MAAA,kC;K;;;6DAAA,Y;;;kBAKMc,I;cAJ/C,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;iCACY,C;uCACM,0B;cACF,+D;cAAhB,gB;;;cAAA,KAAGB,yBAAhB,C;gBAAA,

gB;;;cAAgB,oC;cACZ,yBAAc,6BAAU,oBAAmB,uBAAnB,EAAMb,+BAAnB,QAaV,EAaUC,sBAaVc,EAaOD  
,OAApD,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;;;  
K;IARgB,sG;MAAA,yD;uBAAA,6I;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAIBpB,6D;MAkBI,OAAO,SAAS,wD  
AAT,C;K;IA2BS,4H;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,oD;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,k  
C;K;;;wDAAA,Y;;;;oCACG,wC;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAA  
M,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;;cAGI,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gB  
AAA,gB;;;cACI,yBAAc,6BAAU,sBAaV,EAaUB,mBAAS,OAAhC,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBA  
AA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAHJ,gB;;;cAQJ,W;;;;;;;K;IAVgB,yE;MAAA,yD;uBAAA,gH;YAA  
A,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,+C;MAgBI,OAAO,SAAS,0CAAT,C;K;IA6BS,0I;MAAA,wC;MAAA,6B  
;MAAA,yB;MAAA,kE;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,yB;MAAA,kC;K;;;+DAAA,Y;;;;cAOuC,Q;oC  
ANpC,+C;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2  
C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;;cAGgB,C;cACZ,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;  
cACI,yBAAc,6BAAU,oBAAmB,uBAAnB,EAAMb,+BAAnB,QAaV,EAaUC,sBAaVc,EAaOD,mBAAS,OAA7D  
,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAJJ,gB;;;cASJ,W;;;;;;;  
;K;IAXgB,uF;MAAA,yD;uBAAA,8H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,sD;MAgBI,OAAO,SAAS,iD  
AAT,C;K;IACx,+C;MAkBI,OAAO,yBAAY,OAAZ,EAaQb,SAArB,C;K;IAGX,sD;MAmBI,OAAO,gCAAmB,OA  
AnB,EAa4B,SAa5B,C;K;gFAGX,+B;MASoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAA  
gB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;4FAGX,+B;MASoB,Q;MADhB,UAAkB,G;MAC  
F,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;iFAGX,+B;MA  
YoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;M  
AEX,OAAO,G;K;iFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q  
ACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;iFAGX,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;Q  
ADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO  
,G;O;KafX,C;iFakBA,yB;M3B15DA,6B;M2B05DA,sC;QAaoB,Q;QADhB,U3B55DmC,c2B45DnB,C3B55DmB,  
C;Q2B65DnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M3BhuEiD,c2BguEjD,G3BhuE2D,KAAK,G2Bg  
uEzD,SAAS,OAAT,C3BhuEoE,KAAX,IAAf,C;;Q2BkuErD,OAAO,G;O;KAhBX,C;iFamBA,yB;MX16DA,+B;M  
W06DA,sC;QAaoB,Q;QADhB,UX36DqC,eAAW,oBW26D/B,CX36D+B,CAAX,C;QW46DrB,2B;QAAhB,OAAg  
B,cAAhB,C;UAAgB,yB;UACZ,MXhVEmD,eWgvEnD,GXhV8D,KAAK,KWgvE5D,SAAS,OAAT,CXhVeuE,KA  
AX,cAAhB,C;;QWkvEvD,OAAO,G;O;KAhBX,C;IAyBe,oD;MAAA,qB;QAAE,e;UAAM,MAAM,gCAAYB,2BA  
AwB,mBAAXB,MAAZB,C;;QAAZ,S;O;K;IANjB,qC;MAMI,OAAO,kBAAL,gCAAJ,C;K;IAGX,oC;MAaI,OAAO,  
sBAAS,IAAT,EAaE,IAAf,EAAsC,IAAtC,C;K;IAGX,+C;MAkBI,OAAO,sBAAS,IAAT,EAaE,IAAf,EAAsC,IAAt  
C,EAawD,SAAXD,C;K;IASA,0D;MAAA,4B;MAAA,sC;K;IAG0B,+E;MAAA,qB;QAAE,IAAI,CAAC,iBAAD,IA  
AY,WAAM,eAAN,cAAhB,C;UAAiC,oBAAU,I;UAA3C,OAAiD,K;;UAAjD,OAA8D,I;O;K;6CAF7F,Y;MACI,k  
BAAc,KAAc,C;MACA,OAAkB,SAAX,eAAW,EAaO,kEAAP,CAA8E,W;K;;IAT5G,qC;MAMI,kD;K;IASBo,6D;  
MAAA,wC;MAAA,4B;K;IAG6B,8D;MAAA,qB;QAAE,OAAM,aAN,mB;O;K;+CAFIC,Y;MACI,YAAqB,8BA  
AT,qBAAS,C;MACrB,OAAkB,YAAX,eAAW,EAaU,4CAAV,CAA0B,W;K;;IAjBxD,sC;MAaI,IAAI,Q9B80KG,  
YAAQ,C8B90Kf,C;QAAwB,OAAO,S;MAC/B,qD;K;IAqBO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;  
QAAE,OAAM,aAN,mB;O;K;+CALtC,Y;MACI,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QA  
CI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAAW,EAaU,4CAAV,CAA0B,W;K;;IANB5D,sC;MAaI,qD;K;IAw  
BO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAAM,aAN,mB;O;K;+CALtC,Y;MACI,YAAq  
B,8BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAAW,E  
AAU,4CAAV,CAA0B,W;K;;IANB5D,sC;MAaI,qD;K;8FAWJ,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,iBAAM,O  
AAN,C;O;KAPX,C;wFAUA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAYoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,g  
B;QACG,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAL,  
OAAJ,C;;YAEN,MAAO,WAAL,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KANBX,C;IASBA,oC;  
MAMI,OAA6C,UAAtC,YAAW,SAAX,EAaiB,YAAW,OAAx,EAajB,EAAsC,C;K;IAGjD,qC;MASI,OAAy,OA  
AL,SAAK,EAac,OAAT,QAAS,CAAd,C;K;IAGhB,qC;MASI,OAA+C,UAAx,C,YAAW,SAAX,EAa0B,aAAT,QA  
AS,CAA1B,EAawC,C;K;IAGnD,sC;MASI,OAAkC,UAA3B,YAAW,SAAX,EAaiB,QAAjB,EAa2B,C;K;4FAGt

C,yB;MAAA,0C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;IAUA,2D;MAgB+C,oB;QAAA,OAAY,  
C;MAAG,8B;QAAA,iBAA0B,K;MACpF,OAAO,8BAaIB,IAAJB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,KAA3  
D,C;K;IAGX,sE;MAkBkD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,OAAwE,OAajE,8BAaIB  
,IAAJB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,CAAIe,EAAI,SAAJ,C;K;IAYpC,4B;MAAY,cAAM,EA  
AN,C;K;IATpD,kC;MASI,OAAO,oBAAgB,SAAhB,EAAsB,KAAtB,EAA6B,UAA7B,C;K;IAGX,6C;MAUI,OAA  
O,oBAAgB,SAAhB,EAAsB,KAAtB,EAA6B,SAA7B,C;K;IacY,kC;MAAU,aAAK,CAAL,C;K;IAXjC,kC;MAWI,  
OAAO,yBAAY,kBAAZ,C;K;IAeiB,wH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,gD;MAAA,kD;MAAA,4B;M  
AAA,2B;MAAA,wB;MAAA,kC;K;;;sDAAA,Y;;;;oCACL,sC;cACf,IAAI,CAAC,mBAAS,UAAAd,C;gBAAYB,M;;  
gBAAZB,gB;;;;;;mCACc,mBAAS,O;cACvB,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;gCACe,mBAA  
S,O;cACpB,gB;8BAAA,iCAAM,6BAAU,kBAAV,EAAmB,eAAnB,CAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;c  
ACA,qBAAU,e;cAHd,gB;;;cAKJ,W;;;;K;IATwB,uE;MAAA,yD;uBAAA,4G;YAAA,S;iBAAA,Q;;iBAAA,  
uB;O;K;IAZ5B,6C;MAYI,OAAO,SAAS,0CAAT,C;K;IAYX,8F;MAU6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA  
,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QA  
AA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAh  
B,C;QAAGB,yB;QACZ,IAAI,CAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IA  
Aa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CA  
AT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,  
M;K;IAGX,4F;MAUwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,  
qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,E  
AAwB,SAAXB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;  
K;IAOXE,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAJ3B,kC;MAII,oCAAgB,8BAAhB,C;K;2FAGJ,qB;MAK  
I,OAAO,S;K;IAGX,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;  
QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAg  
B,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;  
MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,  
OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;  
MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAn  
B,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;M  
ASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAA  
O,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAA  
gC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAh  
B,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,G  
AAGB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MAC  
D,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;M  
AEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,2B;MAQoB,Q;MADhB,UAAe,  
C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q  
;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAG  
X,2B;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,OAAP,I;;  
MAEJ,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,  
cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAGB,cAAh  
B,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAA  
hB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IC71FX,qC;MAMI,aAAa,qBAaIB,YAA  
Y,cAAZ,CAAjB,C;MACb,kBAAC,KAAAd,C;MX4zBgB,Q;MAAA,OW3zBT,SX2zBS,W;MAAhB,OAAGB,cAAhB  
,C;QAAGB,2B;QAAU,oB;QW3zBK,IAAI,CAAC,SAAD,IAAY,OX2zBX,SW3zBW,UAAhB,C;UAAiC,YAAU,I;  
UAA3C,mBAAiD,K;;UAAjD,mBAA8D,I;;QX2zBvE,qB;UW3zBD,MX2zBqC,WAAI,SAAJ,C;;MW3zB1D,OAA  
qB,M;K;IAGzB,sC;MAUI,aAAa,qBAaIB,SAAJB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;K;  
IAGX,sC;MAUI,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,QAAL  
,SAAK,C;MACHB,IAAI,yBAAJ,C;QACgB,kBAAY,sB;QXixBZ,Q;QAAA,OWjxBL,SXixBK,W;QAAhB,OAAGB

,cAAhB,C;UAAgB,yB;UAAM,IAAI,CWjxBwB,qBXixBb,OWjxBa,CXixB5B,C;YAAyB,WAAY,WAAI,OAAJ,C;  
;QWjxBvD,OXkxBG,W;;MWjxBP,aAAa,qBAAiB,SAAjB,C;MACb,MAAO,mBAAU,KAaV,C;MACP,OAAO,M;  
K;IAGX,uC;MAUI,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAaV,C;MACP,OAAO,M;K;gGAG  
X,yB;MAAA,8C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;KAPX,C;IAUA,qC;MAMI,aAAa,qBAAiB,YAA  
Y,iBAAO,CAAP,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAA  
O,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAAy,SAAK,KAAL,GAAY,QAAS,OAaRb,IAAZ,CAAjB,C;MACb,MA  
AO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;MAMuD,UAAT,M;  
MAAIC,aAAa,qBAAiB,YAAy,WAAS,4BAAT,QAAS,CAAT,YAA4C,cAAL,WAAvC,4BAA2D,SAAK,KAAL,  
GAAY,CAAZ,IAAvE,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,  
OAAO,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAAy,SAAK,KAAL,GAAY,CAAZ,IAAZ,CAAjB,C;MACb,MAA  
O,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;8FAGX,yB;MAAA,4C;MAAA,q  
C;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;InBnIA,oD;MAMuF,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K;IAP3  
C,gF;ICGA,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;gGmBYA,yB;MAAA,uD;MAAA,gC;M  
AAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAaJ,CAAtC,GAAsD,uBAAa,KA  
Ab,E;O;KAPjE,C;gGAUA,yB;MAAA,+C;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAaV,C;O;KAPhB,C;  
0EAUA,yB;MA4EA,6C;MAAA,oC;MAAA,gC;MA5EA,uC;QAOW,sB;;UAyES,Q;UAAA,0B;UAAhB,OAAGB,c  
AAhB,C;YAAgB,oC;YAAM,IAzEH,SAyEO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;;UAC9C,qB  
AAO,I;;;QA1EP,yB;O;KAPJ,C;kFAUA,yB;MAwJA,mD;MAAA,+C;MAAA,oC;MAxJA,uC;QAOW,qB;;;UAuJO,  
Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAC,cAAd,C;YAAc,uB;YACV,cAAc,qBAAK,KAAL,C;YAC  
d,IAzJc,SAyJV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA3JP,wB;O;KAPJ,  
C;IAUA,6B;MAKI,ICkOgD,qBAAU,CDIO1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,CA  
AL,C;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,0B;QAaHb,OA  
AgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,  
6DAAvB,C;O;KANV,C;6FASA,yB;MAAA,iE;MAYA,6C;MAAA,oC;MAAA,gC;MAZA,uC;QASW,Q;QAAA,+B  
;;UAYS,U;UAAA,4B;UAAhB,OAAGB,gBAAhB,C;YAAgB,sC;YACZ,aAbwB,SAaX,CAAU,oBAAV,C;YACb,IA  
AI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;;UAGR,8BAAO,I;;;QAIBA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,sEA  
AvB,C;;QAaHd,OAAO,I;O;KATX,C;yGAYA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QASoB,Q;QAA  
A,0B;QAaHb,OAAGB,cAAhB,C;UAAgB,oC;UACZ,aAAa,UAAU,oBAAV,C;UACb,IAAI,cAAJ,C;YACI,OAAO,  
M;;;QAGf,OAAO,I;O;KafX,C;IAkBA,mC;MAII,OCkLgD,qBAAU,CDILnD,GAae,IAAf,GAAYB,qBAAK,CAAL  
,C;K;wFAGpC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAIOB,Q;QAAA,0B;QAaHb,OAAGB,cAAhB,C  
;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;mFAQA,yB  
;MAAA,uD;MAAA,gC;MAAA,iD;QAKI,OAaW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAaJ,CA  
AtC,GAAsD,uBAAa,KAAb,E;O;KALjE,C;IAQA,uC;MAMI,OAaW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAsC  
,qBAAI,KAaJ,CAAtC,GAAsD,I;K;0FAGjE,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAikB,gC;QAAA,6B;QAAA,  
mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,  
OAAO,E;O;KATX,C;wFAYA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAikB,Q;QAAA,OAAQ,SAAR  
,sBAAQ,CAAR,W;QAAd,OAAC,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,O  
AAO,K;;;QAGf,OAAO,E;O;KATX,C;IAYA,4B;MAQI,ICsHgD,qBAAU,CDtH1D,C;QACI,MAAM,2BAAuB,yB  
AAvB,C;MACV,OAAO,qBAAK,2BAAL,C;K;0EAGX,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,  
uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAd,C;UAAc,uB;UACV,cAA  
c,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,6DAAv  
B,C;O;KAZV,C;IAeA,kC;MAMI,OC4FgD,qBAAU,CD5FnD,GAae,IAAf,GAAYB,qBAAK,mBAAS,CAAT,IAAL  
,C;K;sFAGpC,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,  
CAAQ,CAAb,W;QAAd,OAAC,cAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,C  
AAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;8EAaA,yB;MAAA,mC;MAAA,yC;MAAA,4B;QAQI,O  
AAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IC0DgD,qBAAU,CD1D1D,C;QACI,MAAM,2BAAuB,yBA  
AvB,C;MACV,OAAO,qBAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;0FAGX,yB;MAAA,mC;MAAA,qD;MAAA,4  
B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,ICqCgD,qBAAU,CDrC1D,C;QACI,OAAO,I;MA

CX,OAAO,qBAAl,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,8B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aA  
CH,C;UAAK,MAAM,2BAAuB,yBAAvB,C;aACX,C;UAAK,4BAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAY  
B,0CAAzB,C;;MAHIB,W;K;8EAOJ,yB;MAAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MA  
AA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;U  
ACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAyB,wDAAzB,C;YACjB,SAAS,O;  
YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,6DAAvB,C;QAEIB,OAAO,4E;O;Kaf  
X,C;IAkBA,oC;MAII,OAAW,qBAAU,CAAd,GAAiB,qBAAK,CAAL,CAAjB,GAA8B,I;K;0FAGzC,yB;MAAA,6  
C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,c  
AAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,OAAO,I;YACIB,SAAS,  
O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,+B;MI  
BzRI,IAAI,EkBiSI,KAJK,CIBjST,CAAJ,C;QACI,ckBgSc,wD;QIB/Rd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MkB  
gSV,OAAO,8BAAC,eAAF,CAAE,EAAa,gBAAb,CAAd,EAAoC,gBAAPC,C;K;IAGX,+B;MIbSI,IAAI,EkB6SI,K  
AAK,CIB7ST,CAAJ,C;QACI,ckB4Sc,wD;QIB3Sd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MkB4SV,OLhH6E,oBKg  
HID,eAAF,CAAE,EAAa,gBAAb,CLhH0D,C;K;IKmHjF,kC;MIbjTI,IAAI,EkByTI,KAJK,CIBzTT,CAAJ,C;QAC  
I,ckBwTc,wD;QIBvTd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MkBwTV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT  
,IAAY,EAAc,CAAd,CAAIb,C;K;IAGX,mC;MIb7TI,IAAI,EkBqUI,KAJK,CIBrUT,CAAJ,C;QACI,ckBoUc,wD;  
QIBnUd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MkBoUV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,  
CAAd,CAAIb,C;K;2FAGX,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UA  
CI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,CAAZ,EAAe,QAAQ,CAAR,IAAf,  
C;QACf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CA  
A/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OL5JoF,oBK4JnE,CL5JmE,EK4JhE,QA  
AQ,CAAR,IL5JgE,C;;QK6J5F,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UA  
AL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI  
,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,KAZ,EAAmB,gBAAnB,C;QACf,O  
AAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,MAAK,EAAL  
,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KA  
AL,EAAV,CAAL,C;YACI,OLvLqE,oBKuLpD,KLvLoD,C;;QKwL7E,OAAO,E;O;KATX,C;8EAYA,yB;MAAA,y  
D;MAkFA,oC;MAIFa,uC;QAMW,kBAAS,oB;QAKFM,Q;QAAA,uB;QAAtB,iBAAC,CAAd,wB;UACI,cAAc,qBA  
AI,KAJ,C;UACd,IApF6B,SAoFzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QApFxC,OAsF  
O,W;O;KA5FX,C;8EASA,yB;MAAA,yD;MAyEA,oC;MAzEA,uC;QAMW,kBAAS,oB;QAYEM,Q;QAAA,uB;QA  
AtB,iBAAC,CAAd,wB;UACI,cAAc,qBAAI,KAJ,C;UACd,IA3E6B,SA2EzB,CAAU,oBAAV,CAAJ,C;YAAwB,  
WAAy,gBAAO,OAAP,C;;QA3ExC,OA6EO,WA7EqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MASBA,gC;MA+  
sBA,6C;MAAA,oC;MARuBA,uC;QAQW,kBAAGB,oB;QAouBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cA  
Ab,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UA7sB/B,IAvBoC,SAuBhC,CAAU,OA  
AV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAvB/C,OAYBO,W;O;KAjCX,C;4FAWA,yB;MAAA,y  
D;MAWA,gC;MA+sBA,6C;MAAA,oC;MAItBA,uC;QAQW,kBAAGB,oB;QAYtBV,gB;QADb,YAAY,C;QACC,0  
B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UA7sB/B,IAZoC,SA  
YhC,CAAU,OAIV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAZ/C,OAcO,WAd4C,W;O;KARvD,C  
;gGAWA,yB;MAAA,gC;MA+sBA,6C;MAAA,oC;MA/sBA,oD;QAstBiB,gB;QADb,YAAY,C;QACC,0B;QAAb,O  
AAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UA7sB/B,IAAI,UAAU,OAIV,  
EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAE/C,OAAO,W;O;KAXX,C;oFAcA,yB;MAAA,yD;MAK  
BA,6C;MAAA,oC;MAAA,gC;MAIBA,uC;QAMW,kBAAY,oB;QAKBH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;  
UAAgB,oC;UAAM,IAAI,CAIBU,SAkBT,CAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAIB3D,  
OAmBO,W;O;KAZBX,C;oFASA,yB;MAAA,yD;MASA,6C;MAAA,oC;MAAA,gC;MATA,uC;QAMW,kBAAY,o  
B;QASH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CATU,SAST,CAAU,oBAAV,CAAL  
,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAT3D,OAuO,WAVwC,W;O;KANnD,C;wFASA,yB;MAAA,6C;MAAA,  
oC;MAAA,gC;MAAA,oD;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,U  
AAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAC3D,OAAO,W;O;KAPX,C;kFAUA,yB;MAAA,o

C;MAAA,oD;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAl,KAaJ,C;UACd,IAAI,UAAU,  
oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QAExC,OOAO,W;O;KAVX,C;IAaA,sC;MAII,IAAI,OOAQ  
,UAAZ,C;QAAuB,OOAO,E;MAC9B,OOAO,yBAAY,OOAZ,C;K;IAGX,sC;MAII,IAAI,OOAQ,UAAZ,C;QAAuB  
,OOAO,E;MAC9B,OOAO,uBAAU,OOAV,C;K;IAGX,sC;MAOc,Q;MAHV,WAAmB,wBAAR,OOAQ,EAAwB,E  
AAxB,C;MACnB,IAAI,SAaQ,CAAZ,C;QAAe,OOAO,E;MACTB,aAAa,mBAAc,IAAd,C;MACH,yB;MAAV,OA  
AU,cAAV,C;QAAU,mB;QACN,MAAO,gBAAO,qBAAl,CAAJ,CAAP,C;;MAEX,OOAO,M;K;4EAGX,yB;MAA  
A,8B;MAAA,uC;MAAA,qC;QAKY,Q;QAAR,OOA8B,MAAtB,2DAAsB,EAAM,OOAN,CAAe,W;O;KALjD,C;I  
AQA,+B;MIB7fI,IAAI,EkBqgBI,KAAK,CIBrgBT,CAAJ,C;QACI,ckBogBc,wD;QIBngBd,MAAM,gCAAYB,OOA  
Q,WAAjC,C;;MkBoGbv,OOAO,8BAAY,CAAZ,EAAiB,eAAF,CAAe,EAAa,gBAAb,CAAjB,C;K;IAGX,+B;MIB  
zgBI,IAAI,EkBihBI,KAAK,CIBjhBT,CAAJ,C;QACI,ckBghBc,wD;QIB/gBd,MAAM,gCAAYB,OOAQ,WAAjC,C;  
;MkBgHbV,OLjV4F,oBKiv3E,CLjV2E,EkivtE,eAAF,CAAe,EAAa,gBAAb,CLjVsE,C;K;IKoVhG,kC;MIBrhBI,I  
AAI,EkB6hBI,KAAK,CIB7hBT,CAAJ,C;QACI,ckB4hBc,wD;QIB3hBd,MAAM,gCAAYB,OOAQ,WAAjC,C;;Mk  
B4hBV,aAAa,gB;MACb,OOAO,8BAAY,SAAW,eAAF,CAAe,EAAa,MAAb,CAAX,IAAZ,EAA6C,MAA7C,C;K;  
IAGX,mC;MIBliBI,IAAI,EkB0iBI,KAAK,CIB1iBT,CAAJ,C;QACI,ckByiBc,wD;QIBxiBd,MAAM,gCAAYB,OOA  
Q,WAAjC,C;;MkByiBV,aAAa,gB;MACb,OL9W6E,oBK8W5D,SAAW,eAAF,CAAe,EAAa,MAAb,CAAX,IL9W  
4D,C;K;2FKiXjF,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,C  
AAC,UAAU,iCAAK,KAAL,EA AV,CAAL,C;YACI,OOAO,8BAAY,QAAQ,CAAR,IAAZ,EAAuB,gBAAvB,C;;Q  
AGf,OOAO,8BAAY,CAAZ,EAAe,gBAaf,C;O;KAXX,C;4FAcA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iB  
AAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EA AV,CAAL,C;YACI,OLvYqE,oB  
KuYpD,QAAQ,CAAR,ILvYoD,C;;QK0Y7E,OOAO,S;O;KAXX,C;oFAcA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;  
QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAaJ,EA AV,CAAL,C;YACI,OOAO,8B  
AAY,CAAZ,EAAe,KAaf,C;;QAEf,OOAO,8BAAY,CAAZ,EAAe,gBAaf,C;O;KAVX,C;oFAaA,yB;MAAA,oC;M  
AAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAaJ,EA AV,CAA  
L,C;YACI,OL/ZoF,oBK+ZnE,CL/ZmE,Ek+ZhE,KL/ZgE,C;;QKia5F,OOAO,S;O;KAVX,C;IAaA,gC;MAII,OOAO  
,qBAAc,SAAd,CAAoB,U;K;kFAG/B,yB;MAAA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAAR,OOA8B,SAAtB,2D  
AAsB,CAAW,W;O;KAL7C,C;oFAQA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4EA,6C;MAAA,oC;MAAA,gC;  
MA5EA,uC;QAWI,eAAmC,cAaPb,YAAY,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAY,mBAAoB,QAApB,  
C;QAYEH,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAGB,oC;UACZ,WA1E8C,SA0E/B,CAAU,oBAAV,C;UzB  
9EnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAAR,C;;QyBIA,OA4EO,W;O;KAXFX,C;wFAeA,yB;MAAA,0D;M  
AAA,yD;MAAA,uE;MA6BA,6C;MAAA,oC;MAAA,gC;MA7BA,yC;QAWI,eAAmC,cAaPb,YAAY,gBAAZ,CA  
AoB,EAAC,EAAd,C;QAC5B,kBAAc,mBAAuB,QAAvB,C;QA2BL,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UA  
AGB,oC;UACZ,WAAy,aA5BuC,WA4BnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5BhB,OA8BO,W;O;K  
A1CX,C;wFAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA8BA,6C;MAAA,oC;MAAA,gC;MA9BA,yD;QAUl,e  
AAmC,cAaPb,YAAY,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAc,mBAAoB,QAApB,C;QA6BL,Q;QAAA,  
0B;QAAhB,OAAGB,cAAhB,C;UAAGB,oC;UACZ,WAAy,aA9BoC,WA8BhC,CAAY,oBAAZ,CAAJ,EA9BiD,cA  
8BvB,CAAe,oBAaf,CAA1B,C;;QA9BhB,OAAGCO,W;O;KA3CX,C;4FAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;  
MAAA,sD;QAUoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAGB,oC;UACZ,WAAy,aAAI,YAAY,oBAAZ,C  
AAJ,EAA0B,oBAA1B,C;;QAEhB,OOAO,W;O;KAbX,C;4FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,  
sE;QAUoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAGB,oC;UACZ,WAAy,aAAI,YAAY,oBAAZ,CAAJ,EA  
A0B,eAAe,oBAaf,CAA1B,C;;QAEhB,OOAO,W;O;KAbX,C;wFAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;M  
AAA,oD;QASoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAGB,oC;UACZ,WAAe,UAAU,oBAAV,C;UzB9En  
B,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAAR,C;;QyBgFA,OOAO,W;O;KAZX,C;4FAeA,yB;MAAA,uD;MAA  
A,0D;MAAA,yD;MAAA,uE;MAGBA,6C;MAAA,oC;MAAA,gC;MAhBA,2C;QAYI,aAAa,mBAA6D,cAAtC,YA  
AmB,aAAP,gBAAO,EAAa,GAAb,CAAnB,CAAsC,EAAC,EAAd,CAA7D,C;QAcG,Q;QAAA,0B;QAAhB,OAAGB  
,cAAhB,C;UAAGB,oC;UAbO,MAcP,aAAI,oBAAJ,EAd,eAcF,CAAc,oBAAd,CAAb,C;;QAdhB,OOAuB,M;O;KA  
b3B,C;+FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,wD;QAUoB,Q;QAAA,0B;QAAhB,OAAGB,cAAh  
B,C;UAAGB,oC;UACZ,WAAy,aAAI,oBAAJ,EAAa,cAAc,oBAAd,CAAb,C;;QAEhB,OOAO,W;O;KAbX,C;IAGB  
A,iD;MAliB,Q;MAAA,4B;MAAb,OOAa,cAAb,C;QAAa,iC;QACT,WAAy,WAAI,iBAAJ,C;;MAEhB,OOAO,W;

K;IAGX,iC;MAII,OAAO,2BAAa,eAAc,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAAd,CAAb,C;K;IAGX,8  
B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL  
,EAAP,C;UAAL,K;;UACa,wBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,qC;MAII,OAAO,2BAAa,iBAAgB,gB  
AAhB,CAAb,C;K;IAGX,6B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;U  
AAK,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;;UACQ,kCAAa,qBAAoB,YAAmB,eAAP,gBAAO,EAAa,GAAb,  
CAAnB,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;gFAOJ,yB;MAAA,+D;MA0CA,6C;MAAA,oC;MAAA,gD;MA  
AA,gC;MA1CA,uC;QAMW,kBAAU,gB;QA wCD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,W  
AzC6B,SAyCIB,CAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1ChB,OA4CO,W;O;KAIDX,C;8FA  
SA,yB;MAAA,+D;MAeA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAfA,uC;QAYW,kBAAiB,gB;QAcR,gB;QADh  
B,YAAY,C;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,Wafoc,SAezB,EAAU,cAAV,EAAU,sBAA  
V,WAAmB,oBAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhBhB,OakBO,W;O;KA9BX,C;kGAeA,yB;M  
AAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,0B;QAAhB,O  
AAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,oBAAnB,C;UACC,OAAZ,  
WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;oFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,g  
C;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,UAAU,oBAAV,C;UA  
CC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;gFAWA,yB;MAAA,wE;MAyBA,6C;MAAA,o  
C;MAAA,+D;MAAA,gC;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAA  
gB,oC;UACZ,UA1BoD,WA0B1C,CAAY,oBAAZ,C;UzBrjBP,U;UADP,YyBujBe,WzBvjBH,WyBujBwB,GzBvjB  
xB,C;UACL,IAAI,aAAJ,C;YACH,ayBqjBuC,gB;YAA5B,WzBpjBX,ayBojBgC,GzBpjBhC,EAAS,MAAT,C;YAC  
A,e;;YAEA,c;;UyBijBA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;O;KA vCX,C;gFAYA,yB;MAAA,  
wE;MA8BA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;QAAh  
B,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA/BiD,WA+BvC,CAAY,oBAAZ,C;UzBvkBP,U;UADP,YyBykBe,WzB  
zkBH,WyBykBwB,GzBzkBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBukBuC,gB;YAA5B,WzBtkBX,ayBskBgC,GzBt  
kBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UyBmkBA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAE,oBAAf,CAAJ,C;  
;QAJCT,OAmCO,W;O;KA7CX,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q  
;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;UzBrjBP,U;UADP,YyBujBe  
,WzBvjBH,WyBujBwB,GzBvjBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBqjBuC,gB;YAA5B,WzBpjBX,ayBojBgC,G  
zBpjBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UyBijBA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;K  
AdX,C;oFAiBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OA  
AgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;UzBvkBP,U;UADP,YyBykBe,WzBzkBH,WyBykBw  
B,GzBzkBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBukBuC,gB;YAA5B,WzBtkBX,ayBskBgC,GzBtkBhC,EAAS,MA  
AT,C;YACA,e;;YAEA,c;;UyBmkBA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,  
C;qFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDAS  
Q,Y;QAAGD,OAAgB,SAAhB,oBAAgB,C;O;MATxE,iDAUQ,mB;QAAuC,gCAAY,oBAAZ,C;O;MAV/C,gF;MA  
AA,yC;QAQI,2D;O;KARJ,C;wEAeA,yB;MAAA,gE;MAyEA,6C;MAAA,oC;MAAA,gC;MAzEA,uC;QAOW,kBA  
AM,eAAa,gBAAb,C;QAUeA,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WAXEmB,SAwEf,CA  
AU,iBAAV,CAAJ,C;;QAxehB,OAYEO,W;O;KAhFX,C;sFAUA,yB;MAAA,gE;MA+BA,6C;MAAA,oC;MAAA,g  
C;MA/BA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA gCP,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UA  
Aa,iC;UACT,WAAY,WAjC0B,SAiCtB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAJChB,OAK  
CO,W;O;KAZCX,C;mGAUA,yB;MAAA,+D;MAUA,gC;MAoLA,6C;MAAA,oC;MA9LA,uC;QAOW,kBAAoB,g  
B;QA8Ld,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UApLsB,U;UAAA,cAVQ,SAUR,EAo  
LT,cApLS,EAoLT,sBApLS,WAO LA,iBApLA,W;YAA6C,6B;;;QAVhF,OAwo,W;O;KAIBX,C;uGAUA,yB;MAA  
A,gC;MAoLA,6C;MAAA,oC;MApLA,oD;QA2LiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,i  
C;UApLsB,U;UAAA,yBAoLT,cApLS,EAoLT,sBApLS,WAO LA,iBApLA,W;YAA6C,6B;;;QACHF,OAAO,W;O;K  
ARX,C;0FAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACC,0  
B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ  
,C;;QACHB,OAAO,W;O;KAVX,C;qFAaA,yB;MAAA,+D;MAUA,gC;MA2IA,6C;MAAA,oC;MARJA,uC;QAOW,  
kBAAa,gB;QAKJJ,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA1IK,U;UAAA,cARe,SAQf,CA0IQ,oB

A1IR,W;YAAAsC,6B;;;QAR3D,OASO,W;O;KAhBX,C;yFAUA,yB;MAAA,gC;MA2IA,6C;MAAA,oC;MA3IA,oD;  
QA+IoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA1IK,U;UAAA,wBA0IQ,oBA1IR,W;YAAAsC,6B  
;;;QAC3D,OAAO,W;O;KANX,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B;  
QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAAl,UAAU,iBAAV,CAAJ,C;;QAChB,OAAO,W;O;KAPX,C;I  
Ae4B,4C;MAAA,mB;QAAE,iC;O;K;IAL9B,iC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;wEAGX,yB;MAAA,6C;MA  
AA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAA  
C,UAAU,oBAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;KAPX,C;IAUA,2B;MAMI,OAAO,ECrwByC,  
qBAAU,CDqwBnD,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAh  
B,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;  
KAPX,C;4EAU,qB;MAKI,OAAO,gB;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;Q  
ADhB,YAAy,C;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAw  
B,qB;;QAC9C,OAAO,K;O;KANX,C;0EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAUoB,Q;QADh  
B,kBAaKB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,UAAU,WAAV,EAAuB,oBAAvB,  
C;;QACpC,OAAO,W;O;KAXX,C;wFACa,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAYoB,UAA8B,M;  
QAF9C,YAAy,C;QACZ,kBAaKB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,WAAU,cA  
AV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,oBAAhC,C;;QACpC,OAAO,W;O;KAbX,C;mFAGBA,yB;MAAA,  
uD;MAAA,oC;MAAA,gD;QAYoC,Q;QAHhC,YAAy,wB;QACZ,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;U  
ACI,cAAc,UAAU,kCAAI,YAAJ,EAAI,oBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;iGaiB  
A,yB;MAAA,uD;MAAA,oC;MAAA,gD;QAUI,YAAy,wB;QACZ,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;U  
ACI,cAAc,UAAU,KAAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhB  
X,C;gFAMBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;  
UAAgB,oC;UAAM,OAAO,oBAAP,C;;O;KAJ1B,C;8FAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QA  
OiB,UAAa,M;QAD1B,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP  
,WAAgB,iBAAhB,C;;O;KAPvB,C;IAUA,2B;MAGI,OAAO,uB;K;4EAGX,yB;MAMA,uD;MAAA,oC;MANA,sC;  
QAGW,sB;;UAUP,ICz4BgD,qBAAU,CDy4B1D,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,qBAAK,CAAL,C;U  
ACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAJB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAdmB,QAcJ,CAAS,oB  
AAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,qBAAK,CAAL,C;YACR,QAjBe,QAiBP,CAAS,cAAT  
,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAvBP,yB;O;  
KAHJ,C;wFAMA,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAOI,ICz4BgD,qBAAU,CDy4B1D,C;UAAe,OAAO,I;Q  
ACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAJB,C;UAAoB,OAAO,O;  
QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK,CAAL,C;UACR,QA  
AQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O  
;O;KApBX,C;4EAuBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MdzncA,iB;McynCA,sC;QAEiB,Q;QAFb,ICt6BgD,  
qBAAU,CDs6B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,C  
AAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdloCG,MAAO,KckoCO,QdloCP,EckoCiB,CdloCj  
B,C;;QcooCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;Md1pCA,iB;Mc0pCA,sC;Q  
AeiB,Q;QAFb,IC57BgD,qBAAU,CD47B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;Q  
ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdnqCG,MAAO,KcmqC  
O,QdnqCP,EcmqCiB,CdnqCjB,C;;QcqqCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD  
;MAAA,sC;QAaiB,Q;QAFb,IC9B9BgD,qBAAU,CDg9B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CA  
AL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAA  
W,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;wFAsBA,yB;MAAA,oC;MAAA,uD;Md3r  
CA,iB;Mc2rCA,sC;QAaiB,Q;QAFb,ICt+BgD,qBAAU,CDs+B1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,  
CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdlsCG  
,MAAO,KcksCO,QdlsCP,EcksCiB,CdlsCjB,C;;QcosCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,u  
D;Md1tCA,iB;Mc0tCA,sC;QAaiB,Q;QAFb,IC1/BgD,qBAAU,CD0/B1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,i  
CAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,  
WdjuCG,MAAO,KciuCO,QdjuCP,EciuCiB,CdjuCjB,C;;QcmuCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;

MAAA,uD;MAAA,sC;QAWiB,Q;QAFb,IC5gCgD,qBAAU,CD4gC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iC  
AAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IA  
AI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,sE;MAAA,o  
C;MAAA,uD;MAAA,kD;QAaiB,Q;QAFb,ICliCgD,qBAAU,CDkiC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,i  
CAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,I  
AAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;K  
AnBX,C;gGAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICtjCgD,qBAAU,CDsjC1D,C;UAAe,  
OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iC  
AAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WA  
AW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICtkCgD,qBAAU,CDskC1D,C;QAAe,OAA  
O,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR  
,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAc,C;K;IAG  
X,iD;MAOiB,Q;MAFb,IC1lCgD,qBAAU,CD0lC1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,  
kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAaa,cAAb,C  
AAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAGI,OAAO,uB;K;4EAGX,yB;MA  
MA,uD;MAAA,oC;MANA,sC;QAGW,sB;;UAUP,ICtnCgD,qBAAU,CDsnC1D,C;YAAe,qBAAO,I;YAAP,uB;;UA  
Cf,cAAc,qBAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UA  
CpB,eAdmB,QAcJ,CAAS,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,qBAAK,CAAL,C;YAC  
R,QAjBe,QAiBP,CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAG  
nB,qBAAO,O;;;QAvBP,yB;O;KAHJ,C;wFAMA,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAOI,ICtnCgD,qBAAU,C  
DsnC1D,C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,  
CAAjB,C;YAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,  
qBAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,  
WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;4EAuBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MdlpCA,iB;MckpCA  
,sC;QAEiB,Q;QAFb,ICnpCgD,qBAAU,CDmpC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EA  
AT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,Wd3pCG,MAAO,  
Kc2pCO,Qd3pCP,Ec2pCiB,Cd3pCjB,C;;Qc6pCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MA  
AA,uD;MdnrCA,iB;McmrCA,sC;QAEiB,Q;QAFb,ICzqCgD,qBAAU,CDyqC1D,C;UAAe,MAAM,6B;QACrB,eAA  
e,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C  
;UACR,Wd5rCG,MAAO,Kc4rCO,Qd5rCP,Ec4rCiB,Cd5rCjB,C;;Qc8rCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MA  
AA,sE;MAAA,oC;MAAA,uD;MAAA,sC;QAaiB,Q;QAFb,IC7rCgD,qBAAU,CD6rC1D,C;UAAe,MAAM,6B;QAC  
rB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,  
EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;wFAsBA,yB;  
MAAA,oC;MAAA,uD;MdptCA,iB;McotCA,sC;QAaiB,Q;QAFb,ICntCgD,qBAAU,CDmtC1D,C;UAAe,OAAO,I;  
QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CA  
AL,EAAT,C;UACR,Wd3tCG,MAAO,Kc2tCO,Qd3tCP,Ec2tCiB,Cd3tCjB,C;;Qc6tCd,OAAO,Q;O;KAjBX,C;wFAo  
BA,yB;MAAA,oC;MAAA,uD;MdnvCA,iB;McmvCA,sC;QAaiB,Q;QAFb,ICvuCgD,qBAAU,CDuuC1D,C;UAAe,  
OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iC  
AAK,CAAL,EAAT,C;UACR,Wd1vCG,MAAO,Kc0vCO,Qd1vCP,Ec0vCiB,Cd1vCjB,C;;Qc4vCd,OAAO,Q;O;KAj  
BX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,sC;QAWiB,Q;QAFb,ICzvCgD,qBAAU,CDyvC1D,C;UAAe,O  
AAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCA  
AK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oF  
AoBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,kD;QAaiB,Q;QAFb,IC/wCgD,qBAAU,CD+wC1D,C;UAAe,  
MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS  
,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,W  
AAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;gGAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICny  
CgD,qBAAU,CDmyC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAA  
U,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,C

AAX,GAaKc,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICnzCgD ,qBAAU,CDmzC1D,C;QAAe,OAAO,I;MAcTb,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QA CI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;M AGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOiB,Q;MAFb,ICv0CgD,qBAAU,CDu0C1D,C;QAAe,OAAO,I;MA CtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI, UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4 B;MAMI,OCt1CgD,qBAAU,C;K;0EDy1C9D,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAA A,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD, OAAO,I;O;KAPX,C;8EAUA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAKmC,Q;QAAA,0B;QAAhB,O AAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAARc,gB;O;KALJ,C;4FAQA,yB;MAAA,6B;MAAA,sC ;MA/fA,6C;MAAA,oC;MAAA,gC;MA+fA,2BAQiB,yB;QAvGbjB,6C;QAAA,oC;QAAA,gC;eAugBiB,0B;UAAA, 4B;YAAE,aAAe,c;YAhGbjB,gB;YADb,YAAY,C;YACC,0B;YAAb,OAAa,cAAb,C;cAAa,iC;cAAM,QAAO,cAAP ,EAAO,sBAAP,WAAgB,iBAhB,C;;YAgGbmB,W;W;S;OAAzB,C;MARjB,oC;QAxfiB,gB;QADb,YAAY,C;QA CC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAhB,C;;QAgGbnB,gB; O;KARJ,C;8EAWA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICn4CgD,q BAAU,CDm4C1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAaKB,qBAaK,CAAL,C;QACD,+B;QAAjB ,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KAnBX ,C;4FAsBA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICz5CgD,qBAAU, CDy5C1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAaKB,qBAaK,CAAL,C;QACD,+B;QAAjB,iBAAc, CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O; KAnBX,C;wGAsBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IC/6CgD,qBAAU,CD +6C1D,C;UACI,OAAO,I;QACX,kBAaKB,qBAaK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,o BAAU,KAAV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;0FAsBA,yB; MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAIbqB,Q;QAHjB,ICt8CgD,qBAAU,CDs8C1D,C;UACI,OAAO,I; QACX,kBAaKB,qBAaK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,i CAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KApBX,C;uFAuBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA, gC;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCA A9B,C;QACrB,kBAaKB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,k CAAI,cAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O;KAnBX,C;qGAsBA,yB;MAAA,uD ;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAE0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe, MAAM,mCAA8B,uCAA9B,C;QACrB,kBAaKB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C; UACI,cAAc,oBAAU,KAAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;K ApBX,C;iHAuBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAE0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,Q AAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C; UACI,cAAc,oBAAU,KAAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;K ApBX,C;mGAuBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAY,wB;QA CZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS ,CAAhB,C;UACI,cAAc,oBAAU,kCAAI,cAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O; KApBX,C;wFAuBA,yB;MAAA,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAgBoB,Q;QAHh B,ICvjDgD,qBAAU,CDujD1D,C;UAAe,OAAO,OAAO,OAAP,C;QACgB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C ;QAAiC,8B;QAA9C,af5wDO,W;Qe6wDP,kBAaKB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,c AAAC,UAAU,WAAV,EAAuB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KApBX,C;sGAuB A,yB;MAAA,gD;MAAA,gE;MAAA,mD;MAAA,oC;MAAA,gD;QAIbKB,gC;QAHd,IC/kDgD,qBAAU,CD+kD1D ,C;UAAe,OAAO,OAAO,OAAP,C;QACgB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,afpyDO, W;QeqyDP,kBAaKB,O;QACJ,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAi B,WAAjB,EAA8B,iCAAK,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4FA wBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,Q;QAHtB,ICtmDgD,qBAAU,CDsm D1D,C;UAAe,OAAO,W;QACtB,sBAaKB,qBAaK,CAAL,CAAI,C;QACqC,kBAAxB,eAAgB,gBAAhB,C;QAA

gC,sBAAI,0BAAJ,C;QAA7C,af5zDO,W;Qe6zDe,uB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,oBAAU,0BAAV,E  
AAuB,iCAAK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;M  
AAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAIb0B,Q;QAHtB,IC9nDgD,qBAAU,CD8nD1D,C;UAA  
e,OAAO,W;QACtB,sBAaKB,qBAaK,CAAL,CAAlB,C;QACqC,kBAAXB,eAAgB,gBAAhB,C;QAAgC,sBAAI,0B  
AAJ,C;QAA7C,afp1DO,W;Qeq1De,uB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,oBAAU,KAAV,EAAiB,0BAAJ  
B,EAA8B,iCAAK,KAAL,EAA9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KArBX,C;0EAwBA,y  
B;MA9FA,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MA8FA,gD;QAcW,sB;;UA5FS,Q;UAHhB,ICvjDgD,  
qBAAU,CDujD1D,C;YAAe,qBAAO,OA+FH,OA/FG,C;YAAP,uB;;UACuB,kBAAZB,eAAa,mBAAS,CAAT,IAAb  
,C;UAAiC,sBA8F3B,OA9F2B,C;UAA9C,af5wDO,W;Ue6wDP,kBA6FmB,O;UA5FH,0B;UAAhB,OAAgB,cAAh  
B,C;YAAgB,oC;YACZ,cA2FwB,SA3FV,CAAU,WAAV,EAAuB,oBAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UA  
EX,qBAAO,M;;;QAwFP,yB;O;KAdJ,C;wFAiBA,yB;MAxFA,gD;MAAA,gE;MAAA,mD;MAAA,oC;MAwFA,gD;  
QAEW,6B;;UAtFO,gC;UAHd,IC/kDgD,qBAAU,CD+kD1D,C;YAAe,4BAAO,OAyFI,OAzFJ,C;YAAP,8B;;UACu  
B,kBAAZB,eAAa,mBAAS,CAAT,IAAb,C;UAAiC,sBAwFpB,OAxFoB,C;UAA9C,afpyDO,W;UeqyDP,kBAuF0B,  
O;UAtFZ,6B;UAAA,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAQf+B,SArFjB,CAAU,KAAV,EAAiB,WAAjB  
,EAA8B,iCAAK,KAAL,EAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAKFP,gC;O;KafJ,C;4E  
AkBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAgB  
,cAAhB,C;UAAgB,oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KAVX,C;wFAaA,yB;MAAA,6  
C;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAkB,G;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAg  
B,oC;UACZ,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAVX,C;4EAaA,yB;MAAA,6C;MAAA,oC;MAAA,g  
C;MAAA,sC;QAUoB,Q;QADhB,UAAoB,C;QACJ,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,OAAO,SA  
AS,oBAAT,C;;QAEX,OAAO,G;O;KAbX,C;4EAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,  
Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;Q  
AEJ,OAAO,G;O;KAbX,C;4EAgBA,yB;MAAA,SASoB,gB;MATpB,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUo  
B,Q;QADhB,Y;QACgB,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,cAAO,SAAS,oBAAT,CAAP,C;;QAEJ  
,OAAO,G;O;KAbX,C;4EAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;M7BppDA,6B;M6BopDA,sC;QAWoB,Q;Q  
ADhB,U7BppDmC,c6BopDnB,C7BppDmB,C;Q6BqpDnB,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,M7  
Bx9DiD,c6Bw9DjD,G7Bx9D2D,KAAK,G6Bw9DzD,SAAS,oBAAT,C7Bx9DoE,KAAK,IAAf,C;;Q6B09DrD,OA  
AO,G;O;KAdX,C;4EAiBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MblqDA,+B;MakqDA,sC;QAWoB,Q;QADhB,  
UbjqDqC,eAAW,oBaiqD/B,CbjqD+B,CAAX,C;QakqDrB,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,Mbt  
+DmD,eas+DnD,Gbt+D8D,KAAK,Kas+D5D,SAAS,oBAAT,Cbt+DuE,KAAK,CAAhB,C;;Qaw+DvD,OAAO,G;O  
;KAdX,C;IAiBA,oC;MAWI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAt,C;K;IAGX,+C;MAGBI,OAAO,sBA  
AS,IAAT,EAAe,IAAf,EAAc,IAAt,C,EAAwD,SAAXD,C;K;IAcsB,oC;MAAE,OAAA,EAAG,W;K;IAXtC,0C;MA  
WI,OAAO,6BAAgB,IAAhB,EAAc,sBAAtB,C;K;IAGX,uD;MAGBI,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EA  
A8C,IAA9C,EAAgE,SAAhE,C;K;oFAGX,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,u  
C;QAUoB,Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI  
,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAA  
K,KAAL,EAAy,MAAZ,C;O;KAjBX,C;oFAoBA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;M  
AAA,uC;QAUoB,Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAC  
Z,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAA  
O,cAAK,KAAM,WAAK,EAAuB,MAAO,WAA9B,C;O;KAjBX,C;IAqCgD,6B;MAAE,OAAA,EAAG,W;K;IAjBr  
D,2D;MAGB4C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACjF,OAAO,sBAAS,IAAT,EAAe,IAAf,E  
AAqB,cAArB,EAAqC,eAArC,C;K;IAGX,sE;MAkBgD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAQ  
hE,Q;MAPrB,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,eAAe,SAAK,O;MACpB,qBAAqB,YAAW,IAAX,SAAS  
B,WAAW,IAAX,KAAmB,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,K;MACrB,aAAa,iBAAa,cAAb,C;MACb,Y  
AAY,C;MACZ,OAAgB,CAAT,qBAAiB,QAAXB,C;QACI,UAAU,QAAQ,IAAR,I;QACO,IAAI,MAAM,CAAN,IA  
AW,MAAM,QAAR,C;UAAiC,IAAI,cAAJ,C;YAAoB,e;;YAAc,K;;UAAa,U;QAAjG,qB;QACA,MAAO,WAAI,U  
AAU,8BAAy,KAAZ,EAAMB,UAAmB,CAAV,CAAJ,C;QACP,gBAAS,IAAT,I;;MAEJ,OAAO,M;K;IAoB6C,qC;  
MAAE,OAAA,EAAG,W;K;IAjB7D,iE;MAGBoD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACzF,O

AAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;K;IAwByB,2F;MAAA,wB;QAC5B,U  
AAU,QAAQ,YAAR,I;QACV,iBAAqB,MAAM,CAAN,IAAW,MAAM,4BAArB,GAA6B,4BAA7B,GAAyC,G;QA  
D1D,OAEA,kBAAU,0CAA,Y,KAaZ,EAAM,B,UAAAnB,CAAV,C;O;K;IAxBR,gF;MAkBwD,sB;QAAA,SAAY,C;  
MAAG,8B;QAAA,iBAA0B,K;MAC7F,oBAAoB,IAApB,EAA0B,MAA1B,C;MACA,cAAc,KAAK,cAAJ,GAAoB,  
yBAApB,GAAiC,WAAQ,mBAAS,IAAT,GAAgB,CAAhB,IAAR,CAAIC,EAAkE,MAAIE,C;MACd,OAA4B,OA  
Ab,aAAR,OAAQ,CAAA,eAAI,qDAAJ,C;K;IAOhC,kC;MAkBI,ad3hEO,MAAO,Kc2hEU,gBd3hEV,EcghEH,KA  
W2B,Od3hExB,C;Mc4hEd,WAAW,iBAAa,MAAb,C;MACX,aAAU,CAAV,MAAkB,MAAIB,M;QACI,IAAK,WA  
dqB,GAcP,iCAAK,CAAL,EAdO,EAcE,YAdrB,KAcqB,YAAM,CAAN,EAdF,CACrB,C;;MAdT,OAgBO,I;K;wEA  
bX,yB;MAAA,gE;MAAA,oC;MdzHEA,iB;McyhEA,8C;QAQI,ad3hEO,MAAO,Kc2hEK,SAAK,Od3hEV,Ec2hEk  
B,KAAM,Od3hExB,C;Qc4hEd,WAAW,eAAa,MAAb,C;QACX,aAAU,CAAV,MAAkB,MAAIB,M;UACI,IAAK,  
WAAI,UAAU,iCAAK,CAAL,EAAV,EAAM,B,6BAAM,CAAN,EAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAg  
BA,kC;MASW,sB;;QAaP,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,qBAAO,W;UAAP,uB;;  
QACd,aAAa,iBAAa,IAAb,C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WajBkB,GAiBJ,iCAAK,KA  
AL,EAjBI,EAiBS,iCAAK,QAAQ,CAAR,IAAL,EAjBT,CaiBIB,C;;QAEX,qBAAO,M;;MANBP,yB;K;uFAGJ,yB;  
MAAA,qD;MAAA,gE;MAAA,oC;MAAA,uC;QAUI,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UA  
Ac,OAAO,W;QACrB,aAAa,eAAa,IAAb,C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WAAI,UAAU,i  
CAAK,KAAL,EAAV,EAAuB,iCAAK,QAAQ,CAAR,IAAL,EAAvB,CAAJ,C;;QAEX,OAAO,M;O;KAhBX,C;IA  
wBoB,8C;MAAA,mB;QAAE,OAAK,WAAL,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;QAAkB,OCniE0B,qB  
AAU,C;;MDmiE1D,S;QAAiC,OAAO,W;MACxC,oCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,  
WAAL,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;QAAkB,OC3iE0B,qBAAU,C;;MD2iE1D,S;QAAiC,OAAO,  
e;MACxC,oCAAgB,8BAAhB,C;K;IEpwEkC,yC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,ChCsLV,K;O;K;LiCtL  
H,wC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,ChC8NV,K;O;K;liC9NC,yC;MAAA,wB;QAAW,OAAA,aAAK,  
KAAL,CjByOV,K;O;K;IkBzOC,0C;MAAA,wB;QAAW,OAAA,aAAK,KAAL,CjCiMV,K;O;K;4FkC5PzC,qB;MA  
UI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CA  
AJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;M  
AUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,C  
AAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;  
MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,  
CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,q  
B;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBA  
AI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;uGAuC  
X,yB;MA8gHI,8D;MA9gHJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAqgHT,cAAR,iBAAQ,C;;QArgHhB,OAAO,  
OAAsC,sBAAI,KAJ,CAATC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYA,yB;MA0gHI,8D;MA1gHJ,iD;QASe,o  
BAAS,C;QAAT,S;UAAc,gBAigHT,cAAR,iBAAQ,C;;QAjgHhB,OAAO,OAAsC,sBAAI,KAJ,CAATC,GAAsD,a  
AAa,KAAb,C;O;KATjE,C;uGAYA,yB;MAsgHI,8D;MATgHJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBA6/GT,cAA  
R,iBAAQ,C;;QA7/GhB,OAAO,OAAsC,sBAAI,KAJ,CAATC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYA,yB;M  
AkgHI,8D;MAIlgHJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAy/GT,cAAR,iBAAQ,C;;QAz/GhB,OAAO,OAAsC,s  
BAAI,KAJ,CAATC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAA  
L,SAAK,EAAU,KAAV,C;O;KAThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAAL,SAAK,EAAU,KAAV,  
C;O;KAThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;iFAYA,gC;MA  
SW,sB;;QA8NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9NH,SA8NO,CAAU,OAAV,CA  
AJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA/NP,yB;K;iFAGJ,gC;MASW,sB;;QA6NS,Q;QAAA,  
2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7NH,SA6NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;  
YAAP,uB;;QAC9C,qBAAO,I;;MA9NP,yB;K;iFAGJ,gC;MASW,sB;;QA4NS,Q;QAAA,2B;QAAhB,OAAgB,cAA  
hB,C;UAAgB,yB;UAAM,IA5NH,SA4NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAA  
AO,I;;MA7NP,yB;K;iFAGJ,gC;MASW,sB;;QA2NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAA  
M,IA3NH,SA2NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA5NP,yB;K;yF

AGJ,yB;MA4nBA,+C;MAkuFI,0D;MA91GJ,uC;QASW,qB;;UA4nBO,Q;UAAA,OAAa,SAytFX,YAAR,iBAAQ,C  
AztFW,CAAb,W;UAAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9nBc,SA8nBV,CAA  
U,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhoBP,wB;O;KATJ,C;yFAYA,yB;Mago  
BA,+C;MA0tFI,0D;MA11GJ,uC;QASW,qB;;UAgoBO,Q;UAAA,OAAa,SAitFX,YAAR,iBAAQ,CAjtFW,CAAb,  
W;UAAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAloBc,SAkoBV,CAAU,OAAV,CAAJ  
,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApoBP,wB;O;KATJ,C;yFAYA,yB;MAooBA,+C;MAktFI,  
0D;MA1t1GJ,uC;QASW,qB;;UAooBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAAd,OAAc,  
cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtoBc,SAsoBV,CAAU,OAAV,CAAJ,C;cAAwB,oBA  
AO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxoBP,wB;O;KATJ,C;yFAYA,yB;MAwoBA,+C;MA0sFI,0D;MA11GJ,uC  
;QASW,qB;;UAwoBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAAd,OAAc,cAAd,C;YAAc,  
uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1oBc,SA0oBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB  
;;;UAE5B,oBAAO,I;;;QA5oBP,wB;O;KATJ,C;mFAYA,yB;MAAA,8C;MnCpHA,6B;MmCoHA,4B;QAQI,OnCIH  
mC,cmCkHpB,MAAR,iBAAQ,CnCIHoB,C;O;KmC0GvC,C;mFAWA,yB;MAAA,8C;MnBhHA,+B;MmBgHA,4B;  
QAQI,OnB9GsC,emB8GvB,MAAR,iBAAQ,CnB9GuB,C;O;KmBsG1C,C;mFAWA,yB;MAAA,8C;MpCxLA,+B;  
MoCwLA,4B;QAQI,OpCtLsC,eoCsLvB,MAAR,iBAAQ,CpCtLuB,C;O;KoC8K1C,C;mFAWA,yB;MAAA,8C;MI  
CtLA,iC;MkCsLA,4B;QAQI,OICpLyC,gBkCoL1B,MAAR,iBAAQ,CICpL0B,C;O;KkC4K7C,C;mFAWA,yB;MA  
AA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CA  
AJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;mFAYA,yB;MAAA,iE;MAAA,uC;  
QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OA  
AO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,  
2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MA  
AM,gCAAuB,mDAAvB,C;O;KATV,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,OAAgB  
,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDA  
AvB,C;O;KATV,C;IAYA,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;IAGpC,mC;MA  
MI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,G  
AAyB,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;+FAGp  
C,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAA  
wB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q  
AAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;  
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAA  
O,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,C  
AAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;2FAGX,yB;MAkqGI,8D;MALqGJ,iD;QAQoE,oBAAS,C;QAAT,S;U  
AAc,gBA2pGT,cAAR,iBAAQ,C;;QA3pGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;K  
APjE,C;2FAUA,yB;MAGqGI,8D;MAhGJ,iD;QAQoE,oBAAS,C;QAAT,S;UAAc,gBAypGT,cAAR,iBAAQ,C;;QA  
z  
pGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA8pGI,8D;MA9p  
GJ,iD;QAQoE,oBAAS,C;QAAT,S;UAAc,gBAupGT,cAAR,iBAAQ,C;;QAvpGhB,OAAO,OAAc,sBAAI,KAAJ,C  
AAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA4pGI,8D;MA5pGJ,iD;QAQoE,oBAAS,C;QAAT,S;UAA  
c,gBAqpGT,cAAR,iBAAQ,C;;QArpGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE  
,C;IAUA,wC;MAQe,oBAAS,C;MAAT,S;QAAC,gBAknGT,gBAAR,iBAAQ,C;;MALnGhB,OAAO,OAAc,sBAAI,  
KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAQe,oBAAS,C;MAAT,S;QAAC,gBA+mGT,gBAAR,iBAAQ,C;;MA/mG  
hB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAQe,oBAAS,C;MAAT,S;QAAC,gBA4mGT,g  
BAAR,iBAAQ,C;;MA5mGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAQe,oBAAS,C;M  
AAT,S;QAAC,gBAymGT,gBAAR,iBAAQ,C;;MAzmGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,I;K;uFA  
GjE,yB;MAAA,kD;MAAA,qC;QAQOI,OAAe,QAAR,iBAAQ,EAAQ,OnBrdY,KmBqdpB,C;O;KAPnB,C;uFAUA,yB  
;MAAA,kD;MAAA,qC;QAQOI,OAAe,QAAR,iBAAQ,EAAQ,OpClhBY,KoCkhBpB,C;O;KAPnB,C;uFAUA,yB;MAA  
A,kD;MAAA,qC;QAQOI,OAAe,QAAR,iBAAQ,EAAQ,OICjhBc,KkCihBtB,C;O;KAPnB,C;iGAUA,yB;MAAA,sC;Mn  
C5ZA,6B;MmC4ZA,0BAOGC,yB;QnCnahC,6B;emCmagC,6B;UAAA,qB;YAAE,yBnCzZK,cmCyZK,EnCzZL,C

mCyZL,C;W;S;OAAF,C;MAPhC,uC;QAOMB,kBAAR,iB;QAAQ,uB;;UtC40Bf,0D;YACI,IsC70B0B,UnCzZK,cH  
suCjB,YAAK,KAAL,CGtuCiB,CmCyZL,CtC60B1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCj1BP,  
0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MnBvZA,+B;MmBuZA,0BAOgC,yB;QnB9ZhC,+B;emB8ZgC,6B;UAAA,q  
B;YAAE,yBnBpZQ,emBoZE,EnBpZF,CmBoZR,C;W;S;OAAF,C;MAPhC,uC;QAOMB,kBAAR,iB;QAAQ,uB;;Ut  
C80Bf,0D;YACI,IsC/0B0B,UnBpZQ,enBmuCpB,YAAK,KAAL,CmBnuCoB,CmBoZR,CtC+0B1B,C;cACI,sBAA  
O,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCn1BP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MpC9dA,+B;MoC8dA,0BA  
OgC,yB;QpCrehC,+B;eoCqegC,6B;UAAA,qB;YAAE,yBpC3dQ,eoC2dE,EpC3dF,CoC2dR,C;W;S;OAAF,C;MAP  
hC,uC;QAOMB,kBAAR,iB;QAAQ,uB;;UtCgyBf,0D;YACI,IsCjyB0B,UpC3dQ,eF4vCpB,YAAK,KAAL,CE5vCo  
B,CoC2dR,CtCiyB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCryBP,0B;O;KAPJ,C;iGAUA,yB;MA  
AA,sC;MIC3dA,iC;MkC2dA,0BAOgC,yB;QlClehC,iC;ekCkegC,6B;UAAA,qB;YAAE,yBICxdW,gBkCwdD,ElC  
dC,CkCwdX,C;W;S;OAAF,C;MAPhC,uC;QAOMB,kBAAR,iB;QAAQ,uB;;UtCkyBf,0D;YACI,IsCnyB0B,UlCxd  
W,gBJ2vCvB,YAAK,KAAL,CI3vCuB,CkCwdX,CtCmyB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;Q  
sCvyBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCm5BA,0D;MAAA,+C;MGv1CA,6B;MmCocA,yBAO+B,yB;Q  
nC3c/B,6B;emC2c+B,6B;UAAA,qB;YAAE,yBnBcjM,cmCicI,EnCjeJ,CmCicN,C;W;S;OAAF,C;MAP/B,uC;QA  
OMB,kBAAR,iB;QAAQ,sB;;UtCg5BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,u  
B;YACV,IsCj5ByB,UnCjcM,cHk1CjB,YAAK,KAAL,CGl1CiB,CmCicN,CtCi5BzB,C;cACI,qBAAO,K;cAAP,uB;  
;;UAGR,qBAAO,E;;;QsCr5BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCq5BA,0D;MAAA,+C;MmBp1CA,+B;M  
mB+bA,yBAO+B,yB;QnBtc/B,+B;emBsc+B,6B;UAAA,qB;YAAE,yBnB5bS,emB4bC,EnB5bD,CmB4bT,C;W;S;  
OAAF,C;MAP/B,uC;QAOMB,kBAAR,iB;QAAQ,sB;;UtCk5BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UA  
Ad,OAAc,cAAAd,C;YAAc,uB;YACV,IsCn5ByB,UnB5bS,enB+0CpB,YAAK,KAAL,CmB/0CoB,CmB4bT,CtCm5  
BzB,C;cACI,qBAAO,K;cAAP,uB;;;UAGR,qBAAO,E;;;QsCv5BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCu2B  
A,0D;MAAA,+C;ME72CA,+B;MoCsgBA,yBAO+B,yB;QpC7gB/B,+B;eoC6gB+B,6B;UAAA,qB;YAAE,yBpCng  
BS,eoCmgBC,EpCngBD,CoCmgBT,C;W;S;OAAF,C;MAP/B,uC;QAOMB,kBAAR,iB;QAAQ,sB;;UtCo2BD,Q;U  
AAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IsCr2ByB,UpCngBS,eFw2CpB,  
YAAK,KAAL,CEx2CoB,CoCmgBT,CtCq2BzB,C;cACI,qBAAO,K;cAAP,uB;;;UAGR,qBAAO,E;;;QsCz2BP,yB;  
O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCy2BA,0D;MAAA,+C;MI52CA,iC;MkCmgBA,yBAO+B,yB;QIC1gB/B,iC;  
eKc0gB+B,6B;UAAA,qB;YAAE,yBIChgBY,gBkCggBF,ElChgBE,CkCggBZ,C;W;S;OAAF,C;MAP/B,uC;QAOMB  
,kBAAR,iB;QAAQ,sB;;UtCs2BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;Y  
ACV,IsCv2ByB,UlChgBY,gBJu2CvB,YAAK,KAAL,CiV2CuB,CkCggBZ,CtCu2BzB,C;cACI,qBAAO,K;cAAP,u  
B;;;UAGR,qBAAO,E;;;QsC32BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,4C;MnC5eA,6B;MmC4eA,4B;QAWI,OnC7e  
mC,cmC6epB,KAAR,iBAAQ,CnC7eoB,C;O;KmCkevC,C;iFAcA,yB;MAAA,4C;MnB3eA,+B;MmB2eA,4B;QAW  
I,OnB5esC,emB4evB,KAAR,iBAAQ,CnB5euB,C;O;KmBie1C,C;iFAcA,yB;MAAA,4C;MpCtjBA,+B;MoCsjBA,4  
B;QAWI,OpCvjBsC,eoCujBvB,KAAR,iBAAQ,CpCvjBuB,C;O;KoC4iB1C,C;iFAcA,yB;MAAA,4C;MICvjBA,iC;  
MkCujBA,4B;QAWI,OICxjByC,gBkCwjB1B,KAAR,iBAAQ,CICxjB0B,C;O;KkC6iB7C,C;iFAcA,yB;MAAA,+C;  
MAAA,iE;MA83FI,0D;MA93FJ,uC;QAWkB,Q;QAAA,OAAa,SAm3FX,YAn3FF,SAm3FN,QAAQ,CAAn3FW,CA  
Ab,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YA  
AwB,OAAO,O;;QAEnc,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MAo3FI,0  
D;MAp3FJ,uC;QAWkB,Q;QAAA,OAAa,SAy2FX,YAz2FF,SAy2FN,QAAQ,CAz2FW,CAAb,W;QAAd,OAAc,cA  
Ad,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnc,  
MAAM,gCAAuB,mDAAvB,C;O;KafV,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MA02FI,0D;MA12FJ,uC;QAWkB,  
Q;QAAA,OAAa,SA+1FX,YA/1FF,SA+1FN,QAAQ,CA/1FW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,c  
AAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnc,MAAM,gCAAuB,mDA  
AvB,C;O;KafV,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MAg2FI,0D;MAh2FJ,uC;QAWkB,Q;QAAA,OAAa,SAq1F  
X,YAr1FF,SAq1FN,QAAQ,CAr1FW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;  
UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnc,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;+FAk  
BA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAY,OnC9sBM,KmC8sBIB,C;O;KAPnB,C;+FAU  
A,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAY,OpC1wBQ,KoC0wBpB,C;O;KAPnB,C;+FAUA,y





I,IAAJ,C;YAACL,WAAW,I;;;QAE nB,OAAO,I;O;KAIBX,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,g  
B;QAgRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhRa,SAgRT,CAAU,OAAV,CAAJ,C;Y  
AAwB,WAAY,WAAL,OAAJ,C;;QAhR1D,OAIRO,W;O;KA1RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kB  
AAS,gB;QAIrA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjRc,SAiRV,CAAU,OAAV,CAA  
J,C;YAAwB,WAAY,WAAL,OAAJ,C;;QAJR1D,OAKRO,W;O;KA3RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QAS  
W,kBAAS,gB;QAKRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAIRc,SAkRV,CAAU,OAA  
V,CAAJ,C;YAAwB,WAAY,WAAL,OAAJ,C;;QAIr1D,OAmRO,W;O;KA5RX,C;qFAYA,yB;MAAA,+D;MAAA,  
uC;QASW,kBAAS,gB;QAmRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IANRe,SAmRX,CA  
AU,OAAV,CAAJ,C;YAAwB,WAAY,WAAL,OAAJ,C;;QAnR1D,OAoRO,W;O;KA7RX,C;kGAYA,yB;MAAA,+D  
;MAAA,uC;QAWW,kBAAGB,gB;QAm5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA  
11HT,IAzDsC,SAyDIC,EA01HkB,cA11HIB,EA01HkB,sBA11HIB,WA01H2B,IA11H3B,CAAJ,C;YAA2C,sBA01  
HZ,IA11HY,C;;QAzD/C,OA2DO,W;O;KAtEX,C;mGAcA,yB;MAAA,+D;MAAA,uC;QAWW,kBAAGB,gB;QAK5  
HV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAt1HT,IA5DuC,SA4DnC,EAs1HkB,cAt1H  
lB,EAs1HkB,sBA11HIB,WA11H2B,IA11H3B,CAAJ,C;YAA2C,sBA11HZ,IA11HY,C;;QA5D/C,OA8DO,W;O;KAZ  
EX,C;mGAcA,yB;MAAA,+D;MAAA,uC;QAWW,kBAAGB,gB;QAI5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,O  
AAa,cAAb,C;UAAa,sB;UAl1HT,IA/DuC,SA+DnC,EAK1HkB,cAl1HIB,EAK1HkB,sBA11HIB,WAK1H2B,IA11H3  
B,CAAJ,C;YAA2C,sBAk1HZ,IA11HY,C;;QA/D/C,OAIEO,W;O;KA5EX,C;mGAcA,yB;MAAA,+D;MAAA,uC;Q  
AWW,kBAAGB,gB;QAg5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA90HT,IAIEwC,  
SAkEpC,EA80HkB,cA90HIB,EA80HkB,sBA90HIB,WA80H2B,IA90H3B,CAAJ,C;YAA2C,sBA80HZ,IA90HY,C  
;;QAIE/C,OAoEO,W;O;KA/EX,C;uGAcA,6C;MAS2HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;  
QAAa,sB;QA11HT,IAAI,WA01HkB,cA11HIB,EA01HkB,sBA11HIB,WA01H2B,IA11H3B,CAAJ,C;UAA2C,sBA  
01HZ,IA11HY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MAK2HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cA  
Ab,C;QAAa,sB;QAt1HT,IAAI,WA11HkB,cAt1HIB,EAs1HkB,sBA11HIB,WA11H2B,IA11H3B,CAAJ,C;UAA2C,s  
BA11HZ,IA11HY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MA81HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,c  
AAb,C;QAAa,sB;QAI1HT,IAAI,WAK1HkB,cAl1HIB,EAK1HkB,sBA11HIB,WAK1H2B,IA11H3B,CAAJ,C;UAA2  
C,sBAk1HZ,IA11HY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MA01HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OA  
Aa,cAAb,C;QAAa,sB;QA90HT,IAAI,WA80HkB,cA90HIB,EA80HkB,sBA90HIB,WA80H2B,IA90H3B,CAAJ,C;  
UAA2C,sBA80HZ,IA90HY,C;;MAE/C,OAAO,W;K;2FAGX,yB;MAAA,+D;MAAA,uC;QASW,kBAAY,gB;QAg  
DH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAhDY,SAgDX,CAAU,OAAV,CAAL,C;  
YAAyB,WAAY,WAAL,OAAJ,C;;QAhD3D,OAI DO,W;O;KA1DX,C;2FAYA,yB;MAAA,+D;MAAA,uC;QASW,k  
BAAY,gB;QAI DH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAjDa,SAiDZ,CAAU,OA  
AV,CAAL,C;YAAyB,WAAY,WAAL,OAAJ,C;;QAJD3D,OAKDO,W;O;KA3DX,C;2FAYA,yB;MAAA,+D;MAAA,  
uC;QASW,kBAAY,gB;QAKDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAIDa,SAk  
DZ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAL,OAAJ,C;;QAID3D,OAmDO,W;O;KA5DX,C;2FAYA,yB;M  
AAA,+D;MAAA,uC;QASW,kBAAY,gB;QAmDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,I  
AAI,CAnDc,SAmDb,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAL,OAAJ,C;;QAnD3D,OAoDO,W;O;KA7DX,  
C;+FAYA,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV  
,CAAL,C;UAAyB,WAAY,WAAL,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OA  
AgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAL,OAAJ,C;;MAC  
3D,OAAO,W;K;+FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,  
UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAL,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MASoB,Q;MAAA,2  
B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAL,  
OAAJ,C;;MAC3D,OAAO,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAA  
M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAL,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MASoB,Q;  
MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAA  
L,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAA  
M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAL,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MASoB,Q;  
MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAA

I,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvjEe,W;;MgCwjEtC,OAA4D,SA0iDrD,cAAkB,cAAR,iBAAQ,EA1iDN,OAAQ,MA0iDF,EA1iDS,OAAQ,aAAR,GAAuB,CAAvB,IA0iDT,C AAIb,CA1iDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjkEe,W;;MgCkkEtC,OAA4D,SAgjDr D,eAAmB,cAAR,iBAAQ,EAhjDP,OAAQ,MAgjDD,EAhjDQ,OAAQ,aAAR,GAAuB,CAAvB,IAgjDR,CAAnB,C AhjDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3kEe,W;;MgC4kEtC,OAA4D,UAsjDrD,eAA mB,cAAR,iBAAQ,EAjtDP,OAAQ,MAstDD,EAjtDQ,OAAQ,aAAR,GAAuB,CAAvB,IASjDR,CAAnB,CAtjDqD,C ;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCrlEe,W;;MgCslEtC,OAA4D,UA4jDrD,gBAAoB,cAAR,i BAAQ,EA5jDR,OAAQ,MA4jDA,EA5jDO,OAAQ,aAAR,GAAuB,CAAvB,IA4jDP,CAApB,CA5jDqD,C;K;IAGh E,sC;MASKB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OA AO,W;MACTB,WAAW,iBAAGB,IAAhB,C;MACG,yB;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAK,WAAI,sB AAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MASKB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB, C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAC,c AAAd,C;QAAC,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MASKB,Q;MAHd,W AA mB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iB AAiB,IAAjB,C;MACG,yB;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET ,OAAO,I;K;IAGX,sC;MASKB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CA AZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAAkB,IAAiB,C;MACG,yB;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,I AAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,2C;MAMI,OAAO,cAAkB,aAAR,iBAAQ,EA AW,OAAQ,CAAIB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EA AW,OAAQ,CAAnB,C;K;IAGX,2C;MA MI,OAAO,eAAmB,aAAR,iBAAQ,EA AW,OAAQ,CAAnB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,aAAR,iBAAQ ,EA AW,OAAQ,CAApB,C;K;IAGX,2C;MAMI,OAAO,cAAkB,cAAR,iBAAQ,EA AW,OAAQ,CAAIB,C;K;IAGX, 2C;MAMI,OAAO,eAAmB,cAAR,iBAAQ,EA AW,OAAQ,CAAnB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,i BAAQ,EA AW,OAAQ,CAAnB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,cAAR,iBAAQ,EA AW,OAAQ,CAApB,C; K;IAGX,+B;MAGBiB,Q;MxB7xEb,IAAI,EwBuxEI,KAAK,CxBvxET,CAAJ,C;QACI,cwBsxEc,sD;QxBrxEd,MA AM,gCAAYB,OAAQ,WAAjC,C;;MwBsxEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAA T,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,Y AAY,C;MACZ,WAAW,iBAAGB,CAAhB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IA AJ,C;QACL,IAAI,mCAAW,CAAF,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MxB7zEb,IAAI,EwB+yE I,KAAK,CxB/yET,CAAJ,C;QACI,cwB8yEc,sD;QxB7yEd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MwB8yEV,IAAI, MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAA T,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACE ,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAF,C;UACI,K;;MAE R,OAAO,I;K;IAGX,+B;MAGBiB,Q;MxB70Eb,IAAI,EwBu0EI,KAAK,CxBv0ET,CAAJ,C;QACI,cwBs0Ec,sD;Qx Br0Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;;MwBs0EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI, KAAK,cAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP, C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAA K,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAF,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MxB2Eb,IA AI,EwB+1EI,KAAK,CxB/1ET,CAAJ,C;QACI,cwB81Ec,sD;QxB71Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;;MwB 81EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACTB,IAAI, MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CA AIB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAF,C; UACI,K;;MAER,OAAO,I;K;IAGX,mC;MxB72EI,IAAI,EwBu3EI,KAAK,CxBv3ET,CAAJ,C;QACI,cwBs3Ec,sD; QxB3Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;;MwBs3EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WA AW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sB AAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAGB,CAAhB,C;MACX,iBAAC,OAAO,CAAP,IAAd,U AA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MxB14EI,IAAI,EwB 44EI,KAAK,CxB54ET,CAAJ,C;QACI,cwB24Ec,sD;QxB14Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;;MwB24EV,I AAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MA

CtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAA  
iB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;  
MACT,OAAO,I;K;IAGX,mC;MxBv5EI,IAAI,EwBi6EI,KAAK,CxBj6ET,CAAJ,C;QACI,cwBg6Ec,sD;QxB/5Ed,  
MAAM,gCAAyB,OAAQ,WAAjC,C;;MwBg6EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;M  
ACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OA  
AO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA  
7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MxB56EI,IAAI,EwBs7EI,KAA  
K,CxBt7ET,CAAJ,C;QACI,cwBq7Ec,sD;QxBp7Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MwBq7EV,IAAI,MAA  
K,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,  
MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAkB,CAAI  
B,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,  
OAAO,I;K;mGAGX,yB;MAAA,4C;MAAA,gD;MA s2CI,8D;Mat2CJ,uC;QASI,iBA61CgB,cAAR,iBAAQ,CA71C  
hB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ  
,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;KAdX,C;mGAIbA,yB;MAAA,4C;MAAA,gD;MA61CI,8D;MA71CJ,uC;QA  
SI,iBAo1CgB,cAAR,iBAAQ,Cap1ChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,C  
AAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;KAdX,C;mGAIbA,yB;MAAA,4C;M  
AAA,gD;MAo1CI,8D;MAp1CJ,uC;QASI,iBA20CgB,cAAR,iBAAQ,CA30ChB,WAA+B,CAA/B,U;UACI,IAAI,C  
AAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;O  
;KAdX,C;mGAIbA,yB;MAAA,4C;MAAA,gD;MA20CI,8D;MA30CJ,uC;QASI,iBAk0CgB,cAAR,iBAAQ,CA10C  
hB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ  
,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;  
QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,W  
AAI,IAAJ,C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QAC  
E,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,I  
AAJ,C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;  
QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAA  
b,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QA  
ET,OAAO,I;O;KafX,C;uFAkBA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MA  
AA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAA  
Q,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;  
MAAA,gD;QAaY,QAAR,iBAAQ,EAAQ,SAAR,EAAMB,OAAAnB,C;O;KAbZ,C;uFAgBA,yB;MAAA,kD;MAAA,gD;QAa  
Y,QAAR,iBAAQ,EAAQ,SAAR,EAAMB,OAAAnB,C;O;KAbZ,C;SFAgBA,yB;MAAA,kD;MAAA,gD;QAaY,QAA  
R,iBAAQ,EAAQ,SAAR,EAAMB,OAAAnB,C;O;KAbZ,C;IAGBA,gC;MAMI,IAAI,mBAAJ,C;QA Ae,OAAO,W;MA  
CtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QA Ae,OAAO,W;  
MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QA Ae,OA  
AO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;kGAGX,yB;MAAA,8D;MAAA,uC;MAA  
A,4B;QAOI,OAAO,mBAAkB,cAAR,iBAAQ,CAAI B,C;O;KAPX,C;kGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4  
B;QAOI,OAAO,oBAAMB,cAAR,iBAAQ,CAAnB,C;O;KAPX,C;mGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4B;  
QAOI,OAAO,oBAAMB,cAAR,iBAAQ,CAAnB,C;O;KAPX,C;mGAUA,yB;MAAA,8D;MAAA,2C;MAAA,4B;Q  
AOI,OAAO,qBAAoB,cAAR,iBAAQ,CAApB,C;O;KAPX,C;IAUA,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,+B;MA  
MI,sBAAQ,4BAAR,C;K;IAGJ,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,uC;  
MAQI,aA8+BgB,gBAAR,iBAAQ,CA9+BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAA  
R,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CA  
AL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aAs+BgB,gBAAR,iBAAQ,CAt+BhB,OAA2B,CAA3B,M;QACI,QAAQ,M  
AAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAA

L,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aA89BgB,gBAAR,iBAAQ,CA99BhB,OA  
A2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBA  
AK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aAs9BgB,  
gBAAR,iBAAQ,CAt9BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW  
,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C  
;;K;IAIR,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QApSI,UAAR,iBAAQ,C;;K;IAySZ,sC;MAMI,IAAI,iBAAO  
,CAAX,C;QACI,iB;QAtSI,UAAR,iBAAQ,C;;K;IA2SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QAxSI,UAAR  
,iBAAQ,C;;K;IA6SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QA1SI,UAAR,iBAAQ,C;;K;IA+SZ,6B;MAMoB  
,kBA+nBT,cAAU,iBvB58EO,QuB48EjB,C;MA/nBiB,mB;MAAxB,OAAiC,SrBv3F1B,WqBu3F0B,C;K;IAGrC,8B  
;MAMoB,kBAkoBT,eAAmB,UAAR,iBAAQ,CAAnB,C;MAl0BiB,mB;MAAxB,OAAiC,SrBh4F1B,WqBg4F0B,C;  
K;IAGrC,8B;MAMoB,kBAqoBT,eAAW,iBvBx/EM,QuBw/EjB,C;MAroBiB,mB;MAAxB,OAAiC,UrBz4F1B,Wq  
By4F0B,C;K;IAGrC,8B;MAMoB,kBAwoBT,gBAAY,iBvB1/EK,QuB0/EjB,C;MAxoBiB,mB;MAAxB,OAAiC,Ur  
B15F1B,WqBk5F0B,C;K;IAGrC,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA01Bd,cA11BA,SA01BU,  
QvB58EO,QuB48EjB,C;MA11BsB,mB;MAA7B,OrB55FO,W;K;IqB+5FX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OA  
AO,S;MACD,kBA41Bd,eAAmB,UA51BnB,SA41BW,QAAQ,CAAnB,C;MA51BsB,mB;MAA7B,OrBt6FO,W;K;Iq  
By6FX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA81Bd,eA91BA,SA81BW,QvBx/EM,QuBw/EjB,C;  
MA91BsB,mB;MAA7B,OrBh7FO,W;K;IqBm7FX,mC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgmbd  
,gBAhmBA,SagmBY,QvB1/EK,QuB0/EjB,C;MAhmBsB,mB;MAA7B,OrB17FO,W;K;IqB67FX,4C;MAMI,IAAI,  
mBAAJ,C;QAAe,OAAO,S;MACD,kBAkjBd,cAljBA,SAkjBU,QvB58EO,QuB48EjB,C;MALjBsB,8B;MAA7B,Or  
Bp8FO,W;K;IqBu8FX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAojBd,eAAmB,UApjBnB,SAojBW,  
QAAQ,CAAnB,C;MApjBsB,8B;MAA7B,OrB98FO,W;K;IqBi9FX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;M  
ACD,kBASjBd,eAtjBA,SAsjBW,QvBx/EM,QuBw/EjB,C;MATjBsB,8B;MAA7B,OrBx9FO,W;K;IqB29FX,6C;MA  
MI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwjBd,gBAxjBA,SAwjBY,QvB1/EK,QuB0/EjB,C;MAXjBsB,8B;  
MAA7B,OrBl+FO,W;K;IqBq+FX,uC;MAQoB,kBAygbT,cAAU,iBvB58EO,QuB48EjB,C;MAzgBiB,mB;MAAxB  
,OAAiC,YrB7+F1B,WqB6+F0B,C;K;IAGrC,wC;MAQoB,kBA0gBT,eAAmB,UAAR,iBAAQ,CAAnB,C;MA1gBi  
B,mB;MAAxB,OAAiC,YrBx/F1B,WqBw/F0B,C;K;IAGrC,wC;MAQoB,kBA2gBT,eAAW,iBvBx/EM,QuBw/EjB,  
C;MA3gBiB,mB;MAAxB,OAAiC,YrBngG1B,WqBmgG0B,C;K;IAGrC,wC;MAQoB,kBA4gBT,gBAAY,iBvB1/E  
K,QuB0/EjB,C;MA5gBiB,mB;MAAxB,OAAiC,YrB9gG1B,WqB8gG0B,C;K;4FAGrC,qB;MAQI,OAAO,iB;K;0F  
AGX,qB;MAQI,OAAO,iB;K;4FA+BX,qB;MAQI,OAAO,iB;K;8FAGX,qB;MAQI,OAAO,iB;K;8FAGX,yB;MAA  
A,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;4FAWA,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,  
mBAAU,SAAV,C;O;KARX,C;8FAWA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;g  
GAWA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SAAZ,C;O;KARX,C;IAWA,2C;MASI,OAAAY,gBAAL,  
SAAK,EAAC,KAAd,C;K;IAGhB,2C;MASI,OAAAY,gBAAL,SAAK,EAAC,KAAd,C;K;IAGhB,2C;MASI,OAAAY,g  
BAAL,SAAK,EAAC,KAAd,C;K;IAGhB,2C;MASI,OAAAY,gBAAL,SAAK,EAAC,KAAd,C;K;IAGhB,2C;MAOI,O  
AAqB,cAAAd,4CAAc,EAAC,oCAAd,C;K;IAGzB,2C;MAOI,OAAqB,cAAAd,4CAAc,EAAC,oCAAd,C;K;IAGzB,2C;  
MAOI,OAAqB,cAAAd,4CAAc,EAAC,oCAAd,C;K;IAGzB,2C;MAOI,OAAqB,cAAAd,4CAAc,EAAC,oCAAd,C;K;IA  
GzB,sC;MAQI,OAAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAA  
Y,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAMI,OAAqB,gBAAd,4CAAc,  
C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;  
MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAUI,OAAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAAY,kBA  
AL,SAAK,C;K;IAGhB,sC;MAUI,OAAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAAY,kBAAL,SAAK,C;K;IAGh  
B,sC;MAQW,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAYB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MA  
QW,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAYB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;M  
AAP,OAAO,sDAAmB,IAAnB,EAAYB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IFAGjD,yB;MvBxhFA,8C;MuBwhFA,kF;  
QAmB6D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF1H,UuBwhF  
A,iBvBxhFA,EuBwhFiB,WAAAY,QvBxhF7B,EuBwhFsC,iBvBxhFtC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhF  
rE,C;QuByhFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxhFA,8C;MuBwhFA,kF;QAmB+D,iC;UAAA,oBAAY

B,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF5H,UuBwhFA,iBvBxhFA,EuBwhFiB,W  
AAY,QvBxhF7B,EuBwhFsC,iBvBxhFtC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhFrE,C;QuByhFA,OAAO,W;  
O;KArBX,C;wFAwBA,yB;MvBxnFA,8C;MuBwnFA,kF;QAmB+D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAA  
kB,C;QAAG,wB;UAAA,WAAgB,c;QvBvnF5H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAy,QvBxnF7B,EuBwnFsC  
,iBvBxnFtC,EuBwnFyD,UvBxnFzD,EuBwnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;wFAwBA,yB;M  
vBxnFA,8C;MuBwnFA,kF;QAmBiE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WA  
AgB,c;QvBvnF9H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAy,QvBxnF7B,EuBwnFsC,iBvBxnFtC,EuBwnFyD,UvB  
xnFzD,EuBwnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;kFAwBA,yB;MAAA,uC;MAAA,4B;QASI,OA  
AO,mBAAU,iBvB58EO,QuB48EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,yC;MAAA,4B;QASI,OAAO,o  
BAAmB,OAAR,iBAAQ,CAAnB,C;O;KATX,C;oFAYA,yB;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAW,iBvBx/  
EM,QuBw/EjB,C;O;KATX,C;oFAYA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAY,iBvB1/EK,QuB0/EjB,C;O  
;KATX,C;oFAYA,yB;MAAA,gD;MAAA,uC;MAAA,qC;QAWI,OAAO,mBAAkB,OAAR,iBAAQ,EAAO,OAAP,  
CAAIB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,EA  
AO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,  
iBAAQ,EAAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,2C;MAAA,qC;QAWI,OAAO,qBAA  
oB,OAAR,iBAAQ,EAAO,OAAP,CAApB,C;O;KAXX,C;4FAcA,yB;MAAA,0D;MAAA,uC;MAAA,gD;QAaI,OA  
AO,mBAAkB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAIB,C;O;KAbX,C;8FAgBA,yB;MAAA,0D;MA  
AA,yC;MAAA,gD;QAaI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAnB,C;O;KAbX,C;  
8FAgBA,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAaI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,O  
AAvB,CAAnB,C;O;KAbX,C;6FAgBA,yB;MAAA,0D;MAAA,2C;MAAA,gD;QAaI,OAAO,qBAAoB,YAAR,iBA  
AQ,EAAY,SAAZ,EAAuB,OAAvB,CAApB,C;O;KAbX,C;IAGBA,sD;MAWYc,yB;QAAA,YAAiB,C;MAAG,uB;  
QAAA,UAAe,c;MACIE,OAAR,iBAAQ,EAAC,OnCv8GoB,KmCu8GzB,EAAaB,SAAtB,EAaiC,OAAjC,C;K;IA  
GZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACIE,OAAR,iBAAQ,EAAC,OnB38GsB,K  
mB28G3B,EAAuB,SAAvB,EAaKc,OAAIC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U  
AAe,c;MACIE,OAAR,iBAAQ,EAAC,OpC7gHsB,KoC6gH3B,EAAuB,SAAvB,EAaKc,OAAIC,C;K;IAGZ,wD;M  
AW6C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACpE,OAAR,iBAAQ,EAAC,OICjhHwB,KkCihH7B,E  
AAwB,SAAxB,EAAMc,OAAnc,C;K;8FASR,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KA  
AhB,C;8FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;  
MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YA  
AR,iBAAQ,C;O;KAAhB,C;kGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;kG  
AQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4  
B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAA  
Q,C;O;KAAhB,C;iFAEJ,yB;MAAA,uC;MvBvoEA,iD;MuBuoEA,qC;QAOqB,4B;QAAA,gBAAU,OnC9jHM,K;Q  
mC8jHjC,OAAO,mBvBzoEA,2BAxIK,gBAAW,SAAX,EAwIL,CuByoEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;M  
vBzoEA,iD;MuByoEA,qC;QAOI,OAAO,oBvB3oEA,qBuB2oEW,iBvB3oEX,EAxIK,mBuBmxEGb,OnB7jHO,KJ0  
yCvB,CAwIL,CuB2oEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvB3qEA,iD;MuB2qEA,qC;QAOsB,4B;QAAA,g  
BAAU,OpC1nHO,K;QoC0nHnC,OAAO,oBvB7qEA,2BAxIK,eAAY,SAAZ,EAwIL,CuB6qEA,C;O;KAPX,C;iFA  
UA,yB;MAAA,2C;MvB7qEA,iD;MuB6qEA,qC;QAOuB,4B;QAAA,gBAAU,OICznHQ,K;QkCynHrC,OAAO,qBv  
B/qEA,2BAxIK,gBAAa,SAAb,EAwIL,CuB+qEA,C;O;KAPX,C;IAUA,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;  
MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;Q  
AAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OnCvmHX,K;;MmCwmHjC,OAAO,cAAU,MAAV,C;K;I  
AGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IA  
AP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OnBxmH  
T,K;;MmBymHnC,OAAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,U  
AAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,  
OAAO,cAAP,EAAO,sBAAP,YAAkB,OpCvqHT,K;;MoCwqHnC,OAAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB,  
UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;M  
AAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OICxqHP,K;;MkCyqHrC,OA

AO,gBAAY,MAAZ,C;K;iFAGX,yB;MAAA,uC;MvB/tEA,iD;MuB+tEA,sC;QAOI,OAAO,mBvBjuEA,qBuBiuEU,  
iBvBjuEV,EuBiuEoB,QAAS,QvBjuE7B,CuBiuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvBjuEA,iD;MuBiuEA,s  
C;QAOI,OAAO,oBvBnuEA,qBuBmuEW,iBvBnuEX,EuBmuEqB,QAAS,QvBnuE9B,CuBmuEA,C;O;KAPX,C;iF  
AUA,yB;MAAA,yC;MvBnwEA,iD;MuBmwEA,sC;QAOI,OAAO,oBvBrwEA,qBuBqwEW,iBvBrwEX,EuBqwEq  
B,QAAS,QvBrwE9B,CuBqwEA,C;O;KAPX,C;iFAUA,yB;MAAA,2C;MvBrwEA,iD;MuBqwEA,sC;QAOI,OAAO  
,qBvBvwEA,qBuBuwEY,iBvBvwEZ,EuBuwEsB,QAAS,QvBvwE/B,CuBuwEA,C;O;KAPX,C;IAUA,2B;MAQI,I  
AAI,iBAAO,CAAX,C;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAMb,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAA  
O,CAAX,C;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAMb,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C  
;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAMb,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YA  
AU,SAAV,EAAGB,CAAhB,EAAMb,cAAnB,C;K;IAGIB,+C;MAA0B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U  
AAe,c;MACzD,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAh  
B,EAA2B,OAA3B,C;K;IAGJ,+C;MAA2B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC1D,oCAAA,2BA  
AkB,SAAlB,EAA6B,OAA7B,EAAsC,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAG  
J,+C;MAA2B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC1D,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7  
B,EAAsC,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,+C;MAA4B,yB;QAAA,YA  
AiB,C;MAAG,uB;QAAA,UAAe,c;MAC3D,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,cAAtC,C;MACb,  
YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,0D;MAaI,kBAAK,SAAL,EAAGB,OAAhB,C;MAh8C  
Q,WAAR,iBAAQ,EAi8CA,SAj8CA,EAi8CW,OAJ8CX,C;K;IAo8CZ,0D;MAaI,kBAAK,SAAL,EAAGB,OAAhB,C  
;MAj8CQ,WAAR,iBAAQ,EAk8CA,SAI8CA,EAk8CW,OAI8CX,C;K;IAq8CZ,0D;MAaI,kBAAK,SAAL,EAAGB,  
OAAhB,C;MAI8CQ,UAAAR,iBAAQ,EA8CA,SA8CA,EA8CW,OAN8CX,C;K;IAS8CZ,0D;MAaI,kBAAK,SA  
AL,EAAGB,OAAhB,C;MAN8CQ,WAAR,iBAAQ,EAo8CA,SAP8CA,EAo8CW,OAP8CX,C;K;8FAu8CZ,qB;MAQ  
I,OAAO,iBvB3jGiB,Q;K;4FuB8jG5B,qB;MAQI,OAAO,iBvBljGiB,Q;K;8FuBqjG5B,yB;MAAA,gD;MAAA,4B;Q  
AQI,OAAe,OAAR,iBAAQ,C;O;KARnB,C;gGAWA,qB;MAQI,OAAO,iBvBljGiB,Q;K;IuB2lIGL,gD;MAAA,wB;Q  
AAW,qCAAK,KAAL,C;O;K;IANIC,iC;MAMI,OAAO,iBAAM,cAAN,EAAY,8BAAZ,C;K;IASY,kD;MAAA,wB;  
QAAW,qCAAK,KAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASY,kD;MAAA,w  
B;QAAW,qCAAK,KAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASY,kD;MAAA  
,wB;QAAW,qCAAK,KAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASiB,gD;MA  
AA,wB;QAAW,yBAAK,KAAL,C;O;K;IANvC,iC;MAMI,OJnqIO,eAAW,+BImqIA,gBJnqIA,GAAgB,kBImqIV,8  
BJnqIU,CAAhB,CAAX,C;K;gGIsqIX,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SvBppGM,QuBopGjB,C;  
O;KARX,C;IAiB2B,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IANtC,gC;MAMI,OHvrIO,cAAU,gCGurIA,g  
BHvrIA,GAAe,iBGurIT,6BHvrIS,CAAF,CAAV,C;K;8FG0rIX,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,  
SvBppGO,QuBopGjB,C;O;KARX,C;IAiB4B,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IANvC,iC;MAMI,OF  
3sIO,eAAW,kBE2sIA,gBF3sIA,EAAGB,kBE2sIV,8BF3sIU,CAAhB,CAAX,C;K;gGE8sIX,yB;MAAA,gD;MAAA,  
yC;MAAA,4B;QAQI,OAAO,oBAAGB,OAAL,SAAK,CAAhB,C;O;KARX,C;IAiB6B,kD;MAAA,wB;QAAW,0BA  
AK,KAAL,C;O;K;IANxC,kC;MAMI,OD/tIO,gBAAY,gCC+tIA,gBD/tIA,GAAiB,mBC+tIX,+BD/tIW,CAAjB,CA  
AZ,C;K;kGCKuIX,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SvBtsGK,QuBssGjB,C;O;KARX,C;mGAWA  
,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAAyC,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EA  
Ad,CAAzC,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,a  
AsEF,CAAc,OAAd,CAAb,C;;QAtEhB,OAaUB,M;O;Kaf3B,C;mGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;  
MAAA,2C;QAcI,aAAa,mBAA0C,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EAAd,CAA1C,C;QAsEG,Q;QAAA,2B;Q  
AAhB,OAAGB,cAAhB,C;UAAgB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,aAsEF,CAAc,OAAd,CAAb,C;;QAtEh  
B,OAaUB,M;O;Kaf3B,C;kGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA0C,cAA  
IB,YAAY,cAAZ,CAAKB,EAAC,EAAd,CAA1C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;  
UArEO,MAsEP,aAAI,OAAJ,EAtEe,aAsEF,CAAc,OAAd,CAAb,C;;QAtEhB,OAaUB,M;O;Kaf3B,C;mGakBA,y  
B;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA2C,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EA  
Ad,CAA3C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,a  
AsEF,CAAc,OAAd,CAAb,C;;QAtEhB,OAaUB,M;O;Kaf3B,C;uGakBA,iD;MAyOB,Q;MAAA,2B;MAAhB,OA  
gB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAG

X,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uFAGX,yB;MAAA,+D;MAoLA,gD;MApLA,uC;QASW,kBAAU,gB;QAKLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAnL6B,SAmLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApLhB,OAsLO,W;O;KA/LX,C;uFAYA,yB;MAAA,+D;MAsLA,gD;MatLA,uC;QASW,kBAAU,gB;QAoLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WArL6B,SAqLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtLhB,OAwLO,W;O;KAjMX,C;uFAYA,yB;MAAA,+D;MAwLA,gD;MAxLA,uC;QASW,kBAUAU,gB;QAsLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAvL6B,SAuLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxLhB,OAoLO,W;O;KAnMX,C;uFAYA,yB;MAAA,+D;MA0LA,gD;MAiLA,uC;QASW,kBAAU,gB;QAwLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAzL6B,SAyLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1LhB,OA4LO,W;O;KArMX,C;qGAYA,yB;MAAA,+D;MA4DA,gD;MA5DA,uC;QAYW,kBAAiB,gB;QA2DR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WA5DoC,SA4DzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7DhB,OA+DO,W;O;KA3EX,C;qGAeA,yB;MAAA,+D;MA+DA,gD;MA/DA,uC;QAYW,kBAAiB,gB;QA8DR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WA/DoC,SA+DzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhEhB,OAkEO,W;O;KA9EX,C;qGAeA,yB;MAAA,+D;MAkEA,gD;MAiEA,uC;QAYW,kBAAiB,gB;QAIER,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAIeOC,SAkEzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAnEhB,OAqEO,W;O;KAjFX,C;qGAeA,yB;MAAA,+D;MAqEA,gD;MArEA,uC;QAYW,kBAAiB,gB;QAoER,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WArEOC,SAqEzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtEhB,OAweO,W;O;KApFX,C;yGAeA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;2FakBA,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;2FACa,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;2FACa,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;uFACa,yB;MAAA,wE;MA4HA,+D;MA5HA,yC;QAYW,kBAAU,oB;QA4HD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UA7HoD,WA6H1C,CAAY,OAAZ,C;U/B59IP,U;UADP,Y+B89Ie,W/B99IH,W+B89IwB,G/B99IxB,C;UACL,IAAI,aAAJ,C;YACH,a+B49IuC,gB;YAA5B,W/B39IX,a+B29IgC,G/B39IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bw9IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/HT,OAIIO,W;O;KA7IX,C;uFAeA,yB;MAAA,wE;MAiIA,+D;MAjIA,yC;QAYW,kBAAU,oB;QAIID,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAlIqD,WakI3C,CAAY,OAAZ,C;U/Bh/IP,U;UADP,Y+Bk/Ie,W/BI/IH,W+Bk/IwB,G/BI/IxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bg/IuC,gB;YAA5B,W/B/+IX,a+B++IgC,G/B/+IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4+IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApIT,OAsIO,W;O;KAIJX,C;sFAeA,yB;MAAA,wE;MAsIA,+D;MatIA,y

C;QAYW,kBAAU,oB;QAsID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAvIqD,WAuI3C,CAAY,OAAZ,C;U/BpgJP,U;UADP,Y+BsgJe,W/BtgJH,W+BsgJwB,G/BtgJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BogJuC,gB;YAA5B,W/BngJX,a+BmgJgC,G/BngJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BggJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAZIT,OA2IO,W;O;KAvJX,C;uFAeA,yB;MAAA,wE;MA2IA,+D;MA3IA,yC;QAYW,kBAAU,oB;QA2ID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA5IsD,WA4I5C,CAAY,OAAZ,C;U/BxhJP,U;UADP,Y+B0hJe,W/B1hJH,W+B0hJwB,G/B1hJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwhJuC,gB;YAA5B,W/BvhJX,a+BuhJgC,G/BvhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BohJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9IT,OAgJO,W;O;KA5JX,C;uFAeA,yB;MAAA,wE;MAgJA,+D;MAhJA,yD;QAaW,kBAAU,oB;QA9JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAJjID,WaiJvC,CAAY,OAAZ,C;U/B7iJP,U;UADP,Y+B+iJe,W/B/iJH,W+B+iJwB,G/B/iJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B6iJuC,gB;YAA5B,W/B5iJX,a+B4iJgC,G/B5iJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+ByiJA,iB;UACA,IAAK,WAnJyD,cAmJrD,CAAe,OAAf,CAAJ,C;;QAnJT,OAgJO,W;O;KAIKX,C;uFAGBA,yB;MAAA,wE;MAqJA,+D;MArJA,yD;QAaW,kBAAU,oB;QAqJD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAtjID,WAsJvC,CAAY,OAAZ,C;U/BlkJP,U;UADP,Y+BokJe,W/BpkJH,W+BokJwB,G/BpkJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkkJuC,gB;YAA5B,W/BjkJX,a+BikJgC,G/BjkJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B8jJA,iB;UACA,IAAK,WaxJyD,cAwJrD,CAAe,OAAf,CAAJ,C;;QAxJT,OA0JO,W;O;KAvKX,C;uFAGBA,yB;MAAA,wE;MA0JA,+D;MA1JA,yD;QAaW,kBAAU,oB;QA0JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA3JiD,WA2JvC,CAAY,OAAZ,C;U/BvIJP,U;UADP,Y+BvIJe,W/BzIjH,W+BvIjwB,G/BzIjxB,C;UACL,IAAI,aAAJ,C;YACH,a+BulJuC,gB;YAA5B,W/BtlJX,a+BslJgC,G/BtlJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BmlJA,iB;UACA,IAAK,WA7JyD,cA6JrD,CAAe,OAAf,CAAJ,C;;QA7JT,OA+JO,W;O;KA5KX,C;uFAGBA,yB;MAAA,wE;MA+JA,+D;MA/JA,yD;QAaW,kBAAU,oB;QA+JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAhKiD,WAgKvC,CAAY,OAAZ,C;U/B5mJP,U;UADP,Y+B8mJe,W/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX,a+B2mJgC,G/B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwmJA,iB;UACA,IAAK,WAlKyD,cAkKrD,CAAe,OAAf,CAAJ,C;;QAIKT,OAoKO,W;O;KAjLX,C;2FAGBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/B59IP,U;UADP,Y+B89Ie,W/B99IH,W+B89IwB,G/B99IxB,C;UACL,IAAI,aAAJ,C;YACH,a+B49IuC,gB;YAA5B,W/B39IX,a+B29IgC,G/B39IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bw9IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/Bh/IP,U;UADP,Y+Bk/Ie,W/Bi/IH,W+Bk/IwB,G/Bi/IxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bg/IuC,gB;YAA5B,W/B+IX,a+B+IgC,G/B+IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4+IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BpgJP,U;UADP,Y+BsgJe,W/BtgJH,W+BsgJwB,G/BtgJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BogJuC,gB;YAA5B,W/BngJX,a+BmgJgC,G/BngJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BggJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BxhJP,U;UADP,Y+B0hJe,W/B1hJH,W+B0hJwB,G/B1hJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwhJuC,gB;YAA5B,W/BvhJX,a+BuhJgC,G/BvhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BohJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/B7iJP,U;UADP,Y+B+iJe,W/B/iJH,W+B+iJwB,G/B/iJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B6iJuC,gB;YAA5B,W/B5iJX,a+B4iJgC,G/B5iJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+ByiJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BlkJP,U;UADP,Y+BokJe,W/BpkJH,W+BokJwB,G/BpkJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkkJuC,gB;YAA5B,W/BjkJX,a+BikJgC,G/BjkJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B8jJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BvIJP,U;UADP,Y+BvIJe,W/BzIjH,W+BvIjwB,G/BzIjxB,C;UACL,IAAI,aAAJ,C;YACH,a+BulJuC,gB;YAA5B,W/BtlJX,a+BslJgC,G/BtlJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BmlJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAA

A,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAAY,OAAZ,C;U/B5mJP,U;UADP,Y+B8mJe,W/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YA A5B,W/B3mJX,a+B2mJgC,G/B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwmJA,iB;UACA,IAAK,WAAI,e AAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAlBX,C;+EAqBA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,c AAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAAY,WAvKiB,SAuKb,CAAU,IAAV,CA AJ,C;;QAvKhB,OAwKO,W;O;KAILX,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAs KA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAv KhB,OAwKO,W;O;KAILX,C;8EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAA A,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwK O,W;O;KAILX,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb ,OAAa,cAAb,C;UAAa,sB;UACT,WAAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAI LX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QAqDP,gB;QADb,YAAAY,C;QACC,2B;Q AAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAAY,WAtDwB,SAsDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB ,CAAJ,C;;QAtDhB,OAuDO,W;O;KAjEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA wDP,gB;QADb,YAAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAAY,WAZDwB,SAYDpB,EAAU, cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAZDhB,OA0DO,W;O;KApEX,C;6FAaA,yB;MAAA,gE;MAA A,uC;QAUW,kBAaA,eAAa,cAAb,C;QA2DP,gB;QADb,YAAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA CT,WAAAY,WA5DwB,SA4DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5DhB,OA6DO,W;O ;KAvEX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA8DP,gB;QADb,YAAAY,C;QACC, 2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAAY,WA/DwB,SA+DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,I AAnB,CAAJ,C;;QA/DhB,OAgEO,W;O;KA1EX,C;iGAaA,6C;MAWiB,UACiB,M;MAF9B,YAAAY,C;MACC,2B; MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C; ;MACHB,OAAO,W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAA a,sB;QACT,WAAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;iGAG X,6C;MAWiB,UACiB,M;MAF9B,YAAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAAY,WAAI, WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;iGAGX,6C;MAWiB,UACiB,M; MAF9B,YAAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAAY,WAAI,WAAU,cAAV,EAAU,sBA AV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;Q AAa,sB;QACT,WAAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B; MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6 C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB ,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAAY,WAAI,UAAU,I AAV,CAAJ,C;;MACHB,OAAO,W;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8B AAjB,C;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAUiB,6C;MA AA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IA P9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QA AgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;+EAGX,gC;MASo B,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,O AAO,K;;MACtD,OAAO,I;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IA AI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;+EAGX,gC;MASoB,Q;MAAA,2B;M AAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD, OAAO,I;K;+EAGX,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C ;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iB AAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,gC; MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,O AAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IA AI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB, OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+E

AGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;U  
AAwB,OAAO,I;;MACrD,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cA  
AhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAQo  
B,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;  
UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAh  
B,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAQoB,Q  
;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UA  
AwB,qB;;MAC9C,OAAO,K;K;iFAGX,yC;MAaoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C  
;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAaoB,Q;MAD  
hB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB  
,C;;MACpC,OAAO,W;K;iFAGX,yC;MAaoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QA  
AgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAaoB,Q;MADhB,kB  
AAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;M  
ACpC,OAAO,W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MACF,2B;MAAhB,O  
AAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;  
;MACpC,OAAO,W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MACF,2B;MAAhB,  
OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,  
C;;MACpC,OAAO,W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MACF,2B;MAAh  
B,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAh  
C,C;;MACpC,OAAO,W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MACF,2B;MA  
AhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OA  
AhC,C;;MACpC,OAAO,W;K;0FAGX,yB;MA1uDI,8D;MA0uDJ,gD;QAeoC,Q;QAHhC,YAtvDgB,cAAR,iBAAQ,  
C;QAuvDhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAA  
V,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MATvDI,8D;MAsvDJ,gD;QAeoC,Q;QAHhC,  
YAlwDgB,cAAR,iBAAQ,C;QAmwDhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAA  
I,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAIwDI,8D;MA  
kwDJ,gD;QAeoC,Q;QAHhC,YA9wDgB,cAAR,iBAAQ,C;QA+wDhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,  
C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;2  
FAoBA,yB;MA9wDI,8D;MA8wDJ,gD;QAeoC,Q;QAHhC,YA1xDgB,cAAR,iBAAQ,C;QA2xDhB,kBAAkB,O;Q  
ACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QA  
EIB,OAAO,W;O;KAjBX,C;yGAoBA,yB;MA1zDI,8D;MA0zDJ,gD;QAaI,YAv0DgB,cAAR,iBAAQ,C;QAw0DhB,  
kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,  
WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MAx0DI,8D;MAw0DJ,gD;QAaI,YAr1DgB,cA  
AR,iBAAQ,C;QAs1DhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAA  
I,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MAT1DI,8D;MA  
s1DJ,gD;QAaI,YAn2DgB,cAAR,iBAAQ,C;QAo2DhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAA  
U,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,y  
B;MAp2DI,8D;MAo2DJ,gD;QAaI,YAj3DgB,cAAR,iBAAQ,C;Qak3DhB,kBAAkB,O;QACIB,OAAO,SAAS,CAA  
hB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;  
O;KAnBX,C;uFAsBA,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,  
C;;K;uFAG1B,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;uF  
AG1B,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;qGAG1B,6B;MAU  
iB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP  
,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAA  
a,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,  
C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAG  
vB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,E

AAO,sBAAP,WAAgB,IAAhB,C;;K;IAGvB,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gEI,8D;MA8gEJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jEgB,cAAR,iBAAQ,C;UA8jEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApDP,yB;O;KANJ,C;mFASA,yB;MA/gEI,8D;MA+gEJ,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA9kEgB,cAAR,iBAAQ,C;UA+kEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3DmB,QA2DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8DP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApEP,yB;O;KANJ,C;mFASA,yB;MAhhEI,8D;MAghEJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/IEgB,cAAR,iBAAQ,C;UAGmEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ee,QA8EP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApFP,yB;O;KANJ,C;mFASA,yB;MAjhEI,8D;MAihEJ,sC;QAMW,sB;;UAuFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAhnEgB,cAAR,iBAAQ,C;UainEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3FmB,QA2FJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApGP,yB;O;KANJ,C;+FASA,yB;MALjEI,8D;MAkjEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA7jEgB,cA6jEA,SA7jER,QAAQ,C;QA8jEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAnkEI,8D;MAmkEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA9kEgB,cA8kEA,SA9kER,QAAQ,C;QA+kEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAplEI,8D;MAolEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA/IEgB,cA+IEA,SA/IER,QAAQ,C;QAGmEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MArmEI,8D;MAqmEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhnEgB,cAgnEA,SAhnER,QAAQ,C;QainEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtpEI,8D;MpBnwHJ,iB;MoBy5LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqEG,cAAR,iBAAQ,C;QAsqEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBn6LG,MAAO,KoBm6LO,QpBn6LP,EoBm6LiB,CpBn6LjB,C;;QoBq6Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MARqEI,8D;MpB3wHJ,iB;MoBg7LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArrEG,cAAR,iBAAQ,C;QAqrEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB17LG,MAAO,KoB07LO,QpB17LP,EoB07LiB,CpB17LjB,C;;QoB47Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAprEI,8D;MpBnxHJ,iB;MoBu8LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAPsEG,cAAR,iBAAQ,C;QAosEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBj9LG,MAAO,KoBi9LO,QpBj9LP,EoBi9LiB,CpBj9LjB,C;;QoBm9Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAnsEI,8D;MpB3xHJ,iB;MoB89LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntEG,cAAR,iBAAQ,C;QAMtEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBx+LG,MAAO,KoBw+L

O,QpBx+LP,EoBw+LiB,CpBx+LjB,C;;QoB0+Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAIvEI,8D;M  
pB9wHJ,iB;MoBggMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,C  
AAL,CAAT,C;QACF,OAlwEG,cAAR,iBAAQ,C;QakwEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAA  
L,CAAT,C;UACR,WpB1gMG,MAAO,KoB0gMO,QpB1gMP,EoB0gMiB,CpB1gMjB,C;;QoB4gMd,OAAO,Q;O;  
KApBX,C;mFAuBA,yB;MAAA,sE;MAjwEI,8D;MpBtxHJ,iB;MoBuhMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;  
UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAJxEG,cAAR,iBAAQ,C;QAixEhB,aA  
AU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBjiMG,MAAO,KoBiiMO,QpBjiMP,EoBii  
MiB,CpBjiMjB,C;;QoBmiMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxEI,8D;MpB9xHJ,iB;MoB8i  
MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QAC  
F,OAhYEG,cAAR,iBAAQ,C;QAgYehB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,W  
pBxjMG,MAAO,KoBwjMO,QpBxjMP,EoBwjMiB,CpBxjMjB,C;;QoB0jMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;  
MAAA,sE;MA/xEI,8D;MpBtyHJ,iB;MoBqkMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB  
,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/yEG,cAAR,iBAAQ,C;QA+yEhB,aAAU,CAAV,iB;UACI,QAA  
Q,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB/kMG,MAAO,KoB+kMO,QpB/kMP,EoB+kMiB,CpB/kMjB,C;;Qo  
BilMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA90EI,8D;MA80EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C  
;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51EG,cAAR,iBAAQ,C;QA41EhB,a  
AAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WA  
AW,C;;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA71EI,8D;MA61EJ,sC;QAcIB,Q;QAFb,IAAI,  
mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32EG,cAAR,iBAAQ,C;Q  
A22EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;Y  
ACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA52EI,8D;MA42EJ,sC;QAcIB,Q;QA  
Fb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA13EG,cAAR,iBA  
AQ,C;QA03EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K  
AAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA33EI,8D;MA23EJ,sC;QAc  
iB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz4EG,cA  
AR,iBAAQ,C;QAY4EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,C  
AAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;8FAuBA,yB;MA16EI,8D;MpBnwHJ,iB;MoB6q  
MA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QAcTb,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,O  
Ax7EG,cAAR,iBAAQ,C;QAw7EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBr  
rMG,MAAO,KoBqrMO,QpBrrMP,EoBqrMiB,CpBrrMjB,C;;QoBurMd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAv7  
EI,8D;MpB3wHJ,iB;MoBksMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QAcTb,eAAe,SAAS,sBAA  
K,CAAL,CAAT,C;QACF,OA8r8EG,cAAR,iBAAQ,C;QAq8EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,C  
AAL,CAAT,C;UACR,WpB1sMG,MAAO,KoB0sMO,QpB1sMP,EoB0sMiB,CpB1sMjB,C;;QoB4sMd,OAAO,Q;O  
;KAlBX,C;+FAqBA,yB;MAp8EI,8D;MpBnxHJ,iB;MoButMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,  
I;QAcTb,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA19EG,cAAR,iBAAQ,C;QAk9EhB,aAAU,CAAV,iB;UA  
CI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB/tMG,MAAO,KoB+tMO,QpB/tMP,EoB+tMiB,CpB/tMjB,  
C;;QoBiuMd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAj9EI,8D;MpB3xHJ,iB;MoB4uMA,sC;QAcIB,Q;QAFb,IAAI,  
mBAAJ,C;UAAe,OAAO,I;QAcTb,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/9EG,cAAR,iBAAQ,C;QA+9  
EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpvMG,MAAO,KoBovMO,QpBp  
vMP,EoBovMiB,CpBpvMjB,C;;QoBsvMd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA9/EI,8D;MpB9wHJ,iB;MoB4w  
MA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QAcTb,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,O  
A5gFG,cAAR,iBAAQ,C;QA4gFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp  
xMG,MAAO,KoBoxMO,QpBpxMP,EoBoxMiB,CpBpxMjB,C;;QoBsxMd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;M  
A3gFI,8D;MpBtxHJ,iB;MoBiyMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QAcTb,eAAe,SAAS,sBA  
AK,CAAL,CAAT,C;QACF,OAzhFG,cAAR,iBAAQ,C;QAYhFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,  
CAAL,CAAT,C;UACR,WpBzyMG,MAAO,KoByyMO,QpBzyMP,EoByyMiB,CpBzyMjB,C;;QoB2yMd,OAAO,Q  
;O;KAlBX,C;+FAqBA,yB;MAxhFI,8D;MpB9xHJ,iB;MoBszMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAA  
O,I;QAcTb,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtiFG,cAAR,iBAAQ,C;QAsiFhB,aAAU,CAAV,iB;U

ACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB9zMG,MAAO,KoB8zMO,QpB9zMP,EoB8zMiB,CpB9z MjB,C;;QoBg0Md,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MArIFl,8D;MpBtyHJ,iB;MoB20MA,sC;QAcIB,Q;QAFb,I AAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9jFG,cAAR,iBAAQ,C;Q AmjFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBn1MG,MAAO,KoBm1MO, QpBn1MP,EoBm1MiB,CpBn1MjB,C;;QoBq1Md,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAlIFI,8D;MAkIFJ,sC;QA YiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9IFG,cAA R,iBAAQ,C;QA8IFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CA AX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAIFI,8D;MA+IFJ,sC;QAYiB,Q;Q AFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mFG,cAAR,iBA AQ,C;QA2mFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K AAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5mFI,8D;MA4mFJ,sC;QAYiB,Q;QAF b,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxnFG,cAAR,iBAAQ, C;QAwnFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAznFI,8D;MAynFJ,sC;QAYiB,Q;QAFb,IAA I,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAroFG,cAAR,iBAAQ,C;QAq oFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAC I,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;2FAqBA,yB;MAAA,sE;MAtqFI,8D;MASqFJ,kD;QAcIB,Q;QAFb,IA AI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprFG,cAAR,iBAAQ,C; QAorFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EA AkB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;0FAuBA,yB;MAAA,s E;MArrFI,8D;MAqrFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAA L,CAAT,C;QACF,OA9nsFG,cAAR,iBAAQ,C;QAmsFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,C AAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGn B,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MApsFI,8D;MAosFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAA e,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAItFG,cAAR,iBAAQ,C;QaktFhB,aAAU,CA AV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX, GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MAntFI,8D;MAmt FJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF, OAjuFG,cAAR,iBAAQ,C;QAiuFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI, UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApB X,C;uGAuBA,yB;MAlwFI,8D;MAkwFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAA S,sBAAK,CAAL,CAAT,C;QACF,OA9wFG,cAAR,iBAAQ,C;QA8wFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,s BAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,W AAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;sGAqBA,yB;MA/wFI,8D;MA+wFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ, C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3xFG,cAAR,iBAAQ,C;QA2xFhB,aA AU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB, CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA5xFI,8D;MA4xFJ, kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxy FG,cAAR,iBAAQ,C;QAwyFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UA AW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C; uGAqBA,yB;MAzyFI,8D;MAyyFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sB AAK,CAAL,CAAT,C;QACF,OA9rzFG,cAAR,iBAAQ,C;QAqzFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK, CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C; ;QAGnB,OAAO,Q;O;KAlBX,C;IAqBA,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UAAU,sB AAK,CAAL,C;MACG,OA9IFG,gBAAR,iBAAQ,C;MA8IFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C; QACR,InC5mN8D,YmC4mN1D,GnC5mN2E,KAAjB,EmC4mNpD,CnC5mNiF,KAA7B,CmC4mN1D,IAAJ,C;UA Aa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UAAU,sB AAK,CAAL,C;MACG,OA92FG,gBAAR,iBAAQ,C;MAq2FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C

;QACR,InBnnN+D,amBmnN3D,GnBnnN6E,KAAiB,EmBmnNrD,CnBnnNmF,KAA9B,CmBmnN3D,IAAJ,C;UA  
Aa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,s  
BAAK,CAAL,C;MACG,OA52FG,gBAAR,iBAAQ,C;MA42FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C  
;QACR,IpC1pN4E,0BoC0pNxE,GpC/6M8B,KAAAL,GAAiB,GA3O8B,EoC0pNIE,CpC/6MwB,KAAAL,GAAiB,GA  
3O8B,CoC0pNxE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;Q  
AAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OA3n3FG,gBAAR,iBAAQ,C;MAm3FhB,aAAU,CAAV,iB  
;QACI,QAAQ,sBAAK,CAAL,C;QACR,IICjqN6E,0BkCiqNzE,GIC77M8B,KAAAL,GAAiB,KApO+B,EkCiqNnE,C  
IC77MwB,KAAAL,GAAiB,KApO+B,CkCiqNzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAKI,  
OAAO,4BAAc,UAAc,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAc,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAc,  
C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAc,C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;M  
AcTb,UAAU,sBAAK,CAAL,C;MACG,OA17FG,gBAAR,iBAAQ,C;MA07FhB,aAAU,CAAV,iB;QACI,QAAQ,s  
BAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;  
MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL,  
C;MACG,OAj8FG,gBAAR,iBAAQ,C;MAi8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,U  
AAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;  
MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OAx8FG,gBAAR,iB  
AAQ,C;MAw8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,C  
AAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mB  
AAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OA/8FG,gBAAR,iBAAQ,C;MA+8FhB,aAAU,CA  
AV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,  
C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2  
B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gGI,8D;MA8gGJ,sC;QAMW,sB;;UAuCP,  
IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jGgB,cAAR,iBAAQ,C;U  
A8jGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,a  
AAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IA  
AI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApDP,yB;O;KANJ,C;mFA  
SA,yB;MA/gGI,8D;MA+gGJ,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,s  
BAAK,CAAL,C;UACd,gBA9kGgB,cAAR,iBAAQ,C;UA+kGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP  
,uB;;UACpB,eA3DmB,QA2DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAA  
L,C;YACR,QA9De,QA8DP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAA  
W,C;;UAGnB,qBAAO,O;;QApEP,yB;O;KANJ,C;mFASA,yB;MAhhGI,8D;MAghGJ,sC;QAMW,sB;;UAuEP,IA  
AI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/IGgB,cAAR,iBAAQ,C;UAg  
mGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aA  
AU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ee,QA8EP,CAAS,CAAT,C;YACR,IAAI,  
2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApFP,yB;O;KANJ,C;mFASA  
,yB;MAjhGI,8D;MAihGJ,sC;QAMW,sB;;UAuFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAA  
K,CAAL,C;UACd,gBAhnGgB,cAAR,iBAAQ,C;UAinGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;  
UACpB,eA3FmB,QA2FJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;  
YACR,QA9Fe,QA8FP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;  
UAGnB,qBAAO,O;;QApGP,yB;O;KANJ,C;+FASA,yB;MALjGI,8D;MAkjGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,O  
AAO,I;QAcTb,cAAc,sBAAK,CAAL,C;QACd,gBA7jGgB,cA6jGA,SA7jGR,QAAQ,C;QA8jGhB,IAAI,cAAa,CA  
AjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAA  
AK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAA  
W,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAnkGI,8D;MAmkGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAA  
O,I;QAcTb,cAAc,sBAAK,CAAL,C;QACd,gBA9kGgB,cA8kGA,SA9kGR,QAAQ,C;QA+kGhB,IAAI,cAAa,CAAj  
B,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAA  
K,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAA  
W,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAplGI,8D;MAolGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO

,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA/IGgB,cA+IGA,SA/IGR,QAAQ,C;QAgmGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;::QAGnB,OAAO,O;KAtBX,C;+FAyBA,yB;MArmGI,8D;MAqmGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhnGgB,cAgnGA,SAhnGR,QAAQ,C;QAinGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;::;QAGnB,OAAO,O;KAtBX,C;+kFAyBA,yB;MAAA,sE;MAtpGI,8D;MpB/iHJ,iB;MoBqsNA,sC;QAGBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqGG,cAAR,iBAAQ,C;QAsqGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB/sNG,MAAO,KoB+sNO,QpB/sNP,EoB+sNiB,CpB/sNjB,C;::QoBitNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MArqGI,8D;MpB/vjHJ,iB;MoB4tNA,sC;QAGBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArGG,cAAR,iBAAQ,C;QAqrGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBtuNG,MAAO,KoBsuNO,QpBtuNP,EoBsuNiB,CpBtuNjB,C;::QoBwuNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAprGI,8D;MpB/jHJ,iB;MoBmvNA,sC;QAGBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApGG,cAAR,iBAAQ,C;QAosGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB7vNG,MAAO,KoB6vNO,QpB7vNP,EoB6vNiB,CpB7vNjB,C;::QoB+vNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAAnsGI,8D;MpBvkHJ,iB;MoB0wNA,sC;QAGBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntGG,cAAR,iBAAQ,C;QAmtGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpxNG,MAAO,KoBoxNO,QpBpxNP,EoBoxNiB,CpBpxNjB,C;::QoBsxNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAlvGI,8D;MpB1jHJ,iB;MoB4yNA,sC;QAGBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlwGG,cAAR,iBAAQ,C;QAkwGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBtzNG,MAAO,KoBszNO,QpBtzNP,EoBszNiB,CpBtzNjB,C;::QoBwzNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAjwGI,8D;MpBlkHJ,iB;MoBm0NA,sC;QAGBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAJxGG,cAAR,iBAAQ,C;QAixGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB70NG,MAAO,KoB60NO,QpB70NP,EoB60NiB,CpB70NjB,C;::QoB+0Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxGI,8D;MpB1kHJ,iB;MoB01NA,sC;QAGBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhGG,cAAR,iBAAQ,C;QAgYgHb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp2NG,MAAO,KoBo2NO,QpBp2NP,EoBo2NiB,CpBp2NjB,C;::QoBs2Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/xGI,8D;MpBlIHJ,iB;MoBi3NA,sC;QAGBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/yGG,cAAR,iBAAQ,C;QA+yGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB33NG,MAAO,KoB23NO,QpB33NP,EoB23NiB,CpB33NjB,C;::QoB63Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA90GI,8D;MA80GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51GG,cAAR,iBAAQ,C;QA41GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;::;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA71GI,8D;MA61GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32GG,cAAR,iBAAQ,C;QA22GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;::;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA52GI,8D;MA42GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA13GG,cAAR,iBAAQ,C;QA03GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;::;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA33GI,8D;MA23GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz4GG,cAAR,iBAAQ,C;QAy4GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;::;QAGnB,OAAO,Q;O;KApBX,C;8FAuBA,yB;MA16GI,8D;MpB/iHJ,iB;MoBy9NA,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAA

T,C;QACF,OAx7GG,cAAR,iBAAQ,C;QAw7GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBj+NG,MAAO,KoBi+NO,QpBj+NP,EoBi+NiB,CpBj+NjB,C;;QoBm+Nd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAv7GI,8D;MpBvjHJ,iB;MoB8+NA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr8GG,cAAR,iBAAQ,C;QAq8GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBt/NG,MAAO,KoBs/NO,QpBt/NP,EoBs/NiB,CpBt/NjB,C;;QoBw/Nd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAp8GI,8D;MpB/jHJ,iB;MoBmgOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAI9GG,cAAR,iBAAQ,C;QAk9GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB3gOG,MAAO,KoB2gOO,QpB3gOP,EoB2gOiB,CpB3gOjB,C;;QoB6gOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAj9GI,8D;MpBvkHJ,iB;MoBwhOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9GG,cAAR,iBAAQ,C;QA+9GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBhiOG,MAAO,KoBgiOO,QpBhiOP,EoBgiOiB,CpBhiOjB,C;;QoBkiOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA9/GI,8D;MpB1jHJ,iB;MoBwjOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5gHG,cAAR,iBAAQ,C;QA4gHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBhkOG,MAAO,KoBgkOO,QpBhkOP,EoBgkOiB,CpBhkOjB,C;;QoBkkOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA3gHI,8D;MpBlkHJ,iB;MoB6kOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAzhHG,cAAR,iBAAQ,C;QAYhHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBrlOG,MAAO,KoBqlOO,QpBrlOP,EoBqlOiB,CpBrlOjB,C;;QoBulOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxhHI,8D;MpB1kHJ,iB;MoBkmOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtiHG,cAAR,iBAAQ,C;QAsiHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB1mOG,MAAO,KoB0mOO,QpB1mOP,EoB0mOiB,CpB1mOjB,C;;QoB4mOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAriHI,8D;MpBlIHJ,iB;MoBunOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAnjHG,cAAR,iBAAQ,C;QAmjHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB/nOG,MAAO,KoB+nOO,QpB/nOP,EoB+nOiB,CpB/nOjB,C;;QoBioOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAIHI,8D;MAkiHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9IHG,cAAR,iBAAQ,C;QA8IHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/IHI,8D;MA+IHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mHG,cAAR,iBAAQ,C;QA2mHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5mHI,8D;MA4mHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxnHG,cAAR,iBAAQ,C;QAwnHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAznHI,8D;MAynHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArHG,cAAR,iBAAQ,C;QAqoHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;2FAqBA,yB;MAAA,sE;MAAtqHI,8D;MASqHJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprHG,cAAR,iBAAQ,C;QAorHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAlB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;0FAuBA,yB;MAAA,sE;MArrHI,8D;MAqrHJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAnsHG,cAAR,iBAAQ,C;QAmshhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAlB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MApsHI,8D;MAosHJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAltHG,cAAR,iBAAQ,C;QAktHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAlB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MAntHI,8D;MAmtHJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;

QACF,OAjuHG,cAAR,iBAAQ,C;QAiuHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;uGAuBA,yB;MAIwHI,8D;MAkwHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9wHG,cAAR,iBAAQ,C;QA8wHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;sGAqBA,yB;MA/wHI,8D;MA+wHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3xHG,cAAR,iBAAQ,C;QA2xHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA5xHI,8D;MA4xHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyHG,cAAR,iBAAQ,C;QAwyHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzyHI,8D;MAyyHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArzHG,cAAR,iBAAQ,C;QAqzHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;IAqBA,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OA91HG,gBAAR,iBAAQ,C;MA81HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InC5mP8D,YmC4mP1D,GnC5mP2E,KAAjB,EmC4mPpD,CnC5mPiF,KAA7B,CmC4mP1D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OAr2HG,gBAAR,iBAAQ,C;MAq2HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InBnnP+D,amBmnP3D,GnBnnP6E,KAAIB,EmBmnPrD,CnBnnPmF,KAA9B,CmBmnP3D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OA52HG,gBAAR,iBAAQ,C;MA42HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IpC1pP4E,0BoC0pPxE,GpC/6O8B,KAAL,GAAiB,GA3O8B,EoC0pPIE,CpC/6OwB,KAAL,GA AiB,GA3O8B,CoC0pPxE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OAn3HG,gBAAR,iBAAQ,C;MAm3HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IICjqP6E,0BkCiqPzE,GIC77O8B,KAAL,GAAiB,KApO+B,EkCiqPnE,CIC77OwB,KAAL,GAAiB,KApO+B,CkCiqPzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OA17HG,gBAAR,iBAAQ,C;MA07HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OAj8HG,gBAAR,iBAAQ,C;MAi8HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OAx8HG,gBAAR,iBAAQ,C;MAw8HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;qFAGX,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K

;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB  
;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,  
gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAAr  
C,gB;K;mGAGJ,6B;MAtREiB,gB;MADb,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,c  
AAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAgsEnB,gB;K;mGAGJ,6B;MAtREiB,gB;MADb,YAAy,C;MACC,2B;  
MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAgsEnB,gB;K;mGA  
GJ,6B;MAtREiB,gB;MADb,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,s  
BAAP,WAAgB,IAAhB,C;;MAgsEnB,gB;K;mGAGJ,6B;MAtREiB,gB;MADb,YAAy,C;MACC,2B;MAAb,OAAa,  
cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAgsEnB,gB;K;qFAGJ,yB;MAAA,  
4F;MA9qII,8D;MA8qIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kB  
AAkB,sBAAK,CAAL,C;QACD,OAJsID,cAAR,iBAAQ,C;QAisIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV  
,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MA+rII,8D;MA+rII,u  
C;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;  
QACD,OAltID,cAAR,iBAAQ,C;QAktIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,  
CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MAhtII,8D;MAGtIJ,uC;QAmBqB,Q;QAHjB,I  
AAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAnuID,cAAR,i  
BAAQ,C;QAmulhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,O  
AAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MAjuII,8D;MAiuIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,  
MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OApvID,cAAR,iBAAQ,C;QAovIhB,iB  
AAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;m  
GAYBA,yB;MAAA,4F;MALxII,8D;MAKxIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+B  
AA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OArYID,cAAR,iBAAQ,C;QAqyIhB,iBAAc,CAAd,yB;UACI,  
cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYB  
A,yB;MAAA,4F;MAnyII,8D;MAmyIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9  
B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAtzID,cAAR,iBAAQ,C;QAszIhB,iBAAc,CAAd,yB;UACI,cAAc,  
UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYBA,yB;  
MAAA,4F;MApzII,8D;MAozIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;Q  
ACV,kBAAkB,sBAAK,CAAL,C;QACD,OAv0ID,cAAR,iBAAQ,C;Qau0IhB,iBAAc,CAAd,yB;UACI,cAAc,UAA  
U,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYBA,yB;MAA  
A,4F;MAr0II,8D;MAq0IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,k  
BAAkB,sBAAK,CAAL,C;QACD,OAx1ID,cAAR,iBAAQ,C;QAw1IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA  
AV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;+GAYBA,yB;MAT3II,8D;  
MAS3IJ,uC;QAKBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAx4  
ID,cAAR,iBAAQ,C;QAw4IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,K  
AAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAWBA,yB;MAT4II,8D;MAS4IJ,uC;QAKBqB,Q;QAHjB,IAAI,  
mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAx5ID,cAAR,iBAAQ,C;QAw5IhB,iBAAc  
,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;  
KArBX,C;+GAWBA,yB;MAT5II,8D;MAS5IJ,uC;QAKBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBA  
AkB,sBAAK,CAAL,C;QACD,OAx6ID,cAAR,iBAAQ,C;QAw6IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV  
,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAWBA,yB;MAT6II,8D;M  
As6IJ,uC;QAKBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAx7ID  
,cAAR,iBAAQ,C;QAw7IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAA  
L,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;iGAWBA,yB;MAT9II,8D;MAS9IJ,uC;QAmBqB,Q;QAHjB,IAAI,mB  
AAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAz+ID,cAAR,iBAAQ,C;QAY+IhB,iBAAc,CA  
Ad,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;iGAYBA,y  
B;MAv+II,8D;MAu+IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,  
C;QACD,OAl/ID,cAAR,iBAAQ,C;QA0/IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KA  
AL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;iGAYBA,yB;MAx/II,8D;MAw/IJ,uC;QAmBqB,Q;QAHjB,IAAI,m

BAAJ,C;UACI,OAAO,I;QACX,kBAaKb,sBAaK,CAAL,C;QACD,OA3gJD,cAAR,iBAAQ,C;QA2gJhB,iBAAc,C  
AAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAaK,KAAL,CAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;iGAYBA  
,yB;MAzgJI,8D;MAygJJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAaKb,sBAaK,CAA  
L,C;QACD,OA5hJD,cAAR,iBAAQ,C;QA4hJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAaK,  
KAAL,CAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1jJI,8D;MA0jJJ,uC;QakB0B,UAE  
U,M;QAJhC,YA1kJgB,cAAR,iBAAQ,C;QA2kJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;  
QACrB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cA  
AJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3kJI,8D  
;MA2kJJ,uC;QakB0B,UAEU,M;QAJhC,YA3IJgB,cAAR,iBAAQ,C;QA4IJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAA  
M,mCAA8B,+BAA9B,C;QACrB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UAC  
I,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;+FAyBA,  
yB;MAAA,4F;MA5IJI,8D;MA4IJJ,uC;QakB0B,UAEU,M;QAJhC,YA5mJgB,cAAR,iBAAQ,C;QA6mJhB,IAAI,Q  
AAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,O  
AAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OA  
AO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7mJI,8D;MA6mJJ,uC;QakB0B,UAEU,M;QAJhC,YA7nJgB,cAA  
R,iBAAQ,C;QA8nJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKb,uBAAI,YA  
AJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EA  
AwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;6GAyBA,yB;MAAA,4F;MA9pJI,8D;MA8pJJ,uC;QakB0B,Q;Q  
AFtB,YA9qJgB,cAAR,iBAAQ,C;QA+qJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,  
kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sB  
AAI,KAaJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAvBX,C;6GA0BA,yB;MAAA,4F;MAhrJ  
I,8D;MAgrJJ,uC;QakB0B,Q;QAFtB,YAhsJgB,cAAR,iBAAQ,C;QAisJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,  
mCAA8B,+BAA9B,C;QACrB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,c  
AAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAvBX,C;6  
GA0BA,yB;MAAA,4F;MAIsJI,8D;MAksJJ,uC;QakB0B,Q;QAFtB,YAltJgB,cAAR,iBAAQ,C;QAmTJhB,IAAI,QA  
AQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OA  
AO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;Q  
AEJ,OAAO,W;O;KAvBX,C;6GA0BA,yB;MAAA,4F;MAptJI,8D;MAotJJ,uC;QakB0B,Q;QAFtB,YApuJgB,cAAR  
,iBAAQ,C;QAquJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKb,uBAAI,YAA  
J,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EA  
A6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAvBX,C;yHA0BA,yB;MATwJI,8D;MASwJJ,uC;QaiB0B,Q;QAF  
tB,YArxJgB,cAAR,iBAAQ,C;QAsxJhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,E  
AAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EAA6  
B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAtBX,C;yHAyBA,yB;MAxyJI,8D;MAwyJJ,uC;QaiB0B,Q;QAFtB,  
YAtyJgB,cAAR,iBAAQ,C;QAuyJhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EA  
AI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EAA6B,  
WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAtBX,C;yHAyBA,yB;MAxyJI,8D;MAwyJJ,uC;QaiB0B,Q;QAFtB,Y  
AvzJgB,cAAR,iBAAQ,C;QAwzJhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EAAI  
,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EAA6B,W  
AA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAtBX,C;yHAyBA,yB;MAzzJI,8D;MAyzJJ,uC;QaiB0B,Q;QAFtB,YAx0  
JgB,cAAR,iBAAQ,C;QAY0JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EAAI,oB  
AAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EAA6B,WAA  
7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAtBX,C;2GAyBA,yB;MA12JI,8D;MA02JJ,uC;QakB0B,UAEU,M;QAJhC,  
YA13JgB,cAAR,iBAAQ,C;QA23JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EA  
AI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,  
WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;2GAyBA,yB;MA33JI,8D;MA23JJ,uC;QakB0B,UAEU,M;QAJhC,YA  
34JgB,cAAR,iBAAQ,C;QA44JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EAAI,o  
BAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAA

xB,C;;QAEIB,OAAO,W;O;KAtBX,C;2GAyBA,yB;MA54JI,8D;MA44JJ,uC;QakB0B,UAEU,M;QAJhC,YA55JgB,cAAR,iBAAQ,C;QA65JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;2GAyBA,yB;MA75JI,8D;MA65JJ,uC;QakB0B,UAEU,M;QAJhC,YA76JgB,cAAR,iBAAQ,C;QA86JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBrRO,W;QqBstRP,kBAakB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OA AvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arB9uRO,W;QqB+uRP,kBAakB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,y B;UACZ,cAAc,UAAU,WAAV,EAAuB,OA AvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C ;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBvwRO,W;QqBwwRP,kBAakB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OA AvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;6GAyBA,yB;MAAA,g D;MAAA,gE;MAIIKI,0D;MAkIKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QAC c,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arB1zRO,W;QqB2zRP,kBAakB,O;QACJ,OArmK E,YAAR,iBAAQ,C;QAqmKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB, EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB; MAAA,gD;MAAA,gE;MApmKI,0D;MAomKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OA AP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBp1RO,W;QqBq1RP,kBAakB,O;Q ACJ,OAvnKE,YAAR,iBAAQ,C;QAunKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAi B,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6G A0BA,yB;MAAA,gD;MAAA,gE;MATnKI,0D;MASnKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OA AO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arB92RO,W;QqB+2RP,kBAA kB,O;QACJ,OAZoKE,YAAR,iBAAQ,C;QAyoKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAA V,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvB X,C;6GA0BA,yB;MAAA,gD;MAAA,gE;MAxoKI,0D;MAwoKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe, OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBx4RO,W;QqBy4 RP,kBAakB,O;QACJ,OA3pKE,YAAR,iBAAQ,C;QA2pKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UA AU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M ;O;KAvBX,C;mGA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QakB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAA O,W;QACtB,sBAakB,sBAakB,CAAL,CAAIb,C;QACmC,kBAAtB,eAAgB,cAAhB,C;QAA8B,sBAAI,aAAJ,C;Q AA3C,arBl6RO,W;QqBm6Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAakB,KAAL ,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;M AAA,uC;QakB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAakB,CAAL,CAAIb,C;QAC oC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arB37RO,W;QqB47Re,qB;QAAtB,iBAAc,CAAd, wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAakB,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAA O,M;O;KAtBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QakB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,O AAO,W;QACtB,sBAakB,sBAakB,CAAL,CAAIb,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C; QAA5C,arBp9RO,W;QqBq9Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAakB,KAA L,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE; MAAA,uC;QakB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAakB,CAAL,CAAIb,C;QA

CqC,kBAAXB,eAAkB,cAAIB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arB7+RO,W;QqB8+Re,qB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,UAAU,AAAV,EAAuB,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KATBX,C;iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,cAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBvgSO,W;QqBwgSe,qB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,UAAU,AAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAVBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arBjiSO,W;QqBkiSe,qB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,UAAU,AAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAVBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arB3jSO,W;QqB4jSe,qB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,UAAU,AAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAVBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACqC,kBAAXB,eAAkB,cAAIB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arBrlSO,W;QqBslSe,qB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,UAAU,AAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAVBX,C;iFA0BA,yB;MAxZA,gD;MAAA,gE;MAwZA,gD;QAgBW,sB;;UAtZS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAYZH,OAzZG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAwZzB,OAxZyB,C;UAA5C,arBrRO,W;UqBstRP,kBAuZmB,O;UAtZH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAqZwB,SArZV,CAAU,WAAV,EAAuB,OAavB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAKZP,yB;O;KAhBJ,C;iFAMBA,yB;MAIZA,gD;MAAA,gE;MAkZA,gD;QAgBW,sB;;UAhZS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAmZH,OAnZG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAkZzB,OAIzyB,C;UAA5C,arB9uRO,W;UqB+uRP,kBAiZmB,O;UAhZH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cA+YwB,SA/YV,CAAU,WAAV,EAAuB,OAavB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA4YP,yB;O;KAhBJ,C;iFAMBA,yB;MA5YA,gD;MAAA,gE;MA4YA,gD;QAgBW,sB;;UA1YS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OA6YH,OA7YG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA4YzB,OA5YyB,C;UAA5C,arBvwRO,W;UqBwwRP,kBA2YmB,O;UA1YH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAyYwB,SAzYV,CAAU,WAAV,EAAuB,OAavB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAsYP,yB;O;KAhBJ,C;iFAMBA,yB;MA1YA,gD;MAAA,gE;MA5YA,gD;QAgBW,sB;;UApYS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAUyH,OAyYG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA5YzB,OA1YyB,C;UAA5C,arBhyRO,W;UqBiyRP,kBAqYmB,O;UApYH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAmYwB,SAyYV,CAAU,WAAV,EAAuB,OAavB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAgYP,yB;O;KAhBJ,C;+FAMBA,yB;MAhYA,gD;MAAA,gE;MA1KI,0D;MAK9KJ,gD;QAIbW,6B;;UA9XO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OAiYI,OAjYJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAgyIB,OAhykB,C;UAA5C,arB1zRO,W;UqB2zRP,kBA+X0B,O;UA9XZ,OArMKE,YAAR,iBAAQ,C;UAqmKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cA6X+B,SA7XjB,CAAU,AAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA0XP,gC;O;KAjBJ,C;+FAoBA,yB;MA1XA,gD;MAAA,gE;MApMKI,0D;MA89KJ,gD;QAIbW,6B;;UAxXO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OA2XI,OA3XJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA0XIB,OA1XkB,C;UAA5C,arBp1RO,W;UqBq1RP,kBAyX0B,O;UAxXZ,OAvnKE,YAAR,iBAAQ,C;UAunKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAuX+B,SAvXjB,CAAU,AAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAoXP,gC;O;KAjBJ,C;+FAoBA,yB;MApXA,gD;MAAA,gE;MAtnKI,0D;MA0+KJ,gD;QAIbW,6B;;UAIXO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OAqXIOArXJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAoXIB,OApxkB,C;UAA5C,arB92RO,W;UqB+2RP,kBAmX0B,O;UAIXZ,OAzoKE,YAAR,iBAAQ,C;UAyoKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAiX+B,SAjXjB,CAAU,AAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA8WP,gC;O;KAjBJ,C;+FAoBA,yB;MA9WA,gD;MAAA,gE;MAxoKI,0D;MA5KJ,gD;QAIbW,6B;;UA5

WO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OA+WI,OA/WJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,iBAAO,C  
AAP,IAAb,C;UAA+B,sBA8WIB,OA9WkB,C;UAA5C,arBx4RO,W;UqBy4RP,kBA6W0B,O;UA5WZ,OA3pKE,Y  
AAR,iBAAQ,C;UA2pKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cA2W+B,SA3WjB,CAAU,KAAV,EAAiB,  
WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAwwP,gC;O;  
KAjBJ,C;mFAoBA,yB;MAAA,wB;MAAA,sC;QAUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAh  
B,C;UAAgB,yB;UACZ,MnCvWsiD,SmCuWsjD,GnCvWsiD,KAAC,GmCuWszD,SAAS,OAAT,CnCvWsoE,KAA  
X,IAAf,C;;QmCyySrD,OAAO,G;O;KAbX,C;mFAgBA,yB;MAAA,wB;MAAA,sC;QAUoB,Q;QADhB,UAAgB,W  
;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCvxSiD,SmCuxSjD,GnCvxS2D,KAAC,GmCuxSz  
D,SAAS,OAAT,CnCvxSoE,KAAAX,IAAf,C;;QmCyxSrD,OAAO,G;O;KAbX,C;mFAgBA,yB;MAAA,wB;MAAA,s  
C;QAUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCvySiD,SmCuySj  
D,GnCvyS2D,KAAC,GmCuySzD,SAAS,OAAT,CnCvySoE,KAAAX,IAAf,C;;QmCyySrD,OAAO,G;O;KAbX,C;m  
FAgBA,yB;MAAA,wB;MAAA,sC;QAUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB  
,yB;UACZ,MnCvzSiD,SmCuzSjD,GnCvzS2D,KAAC,GmCuzSzD,SAAS,OAAT,CnCvzSoE,KAAAX,IAAf,C;;QmC  
yzSrD,OAAO,G;O;KAbX,C;8FAgBA,+B;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;  
QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAUoB,Q;MADhB,UAAkB,G;MA  
CF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;  
MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,  
C;;MAEX,OAAO,G;K;+FAGX,+B;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAg  
B,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;  
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYo  
B,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAE  
X,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q  
ACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAh  
B,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYoB,Q;M  
ADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,  
OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ  
,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB  
,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAYoB,Q  
;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MA  
EJ,OAAO,G;K;mFAGX,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,  
cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KafX,C;mFAkBA,yB;MAAA,S  
AWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,S  
AAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KafX,C;mFAkBA,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QA  
DhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,  
G;O;KafX,C;mFAkBA,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,c  
AAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KafX,C;mFAkBA,yB;MnC5xSA,  
6B;MmC4xSA,sC;QAaoB,Q;QADhB,UnC9xSmC,cmC8xSnB,CnC9xSmB,C;QmC+xSnB,2B;QAAhB,OAAgB,cA  
AhB,C;UAAgB,yB;UACZ,MnCImTiD,cmCkmTjD,GnCImT2D,KAAC,GmCkmTzD,SAAS,OAAT,CnCImToE,K  
AAX,IAAf,C;;QmComTrD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnC/ySA,6B;MmC+ySA,sC;QAaoB,Q;QADhB  
,UnCjzSmC,cmCizSnB,CnCjzSmB,C;QmCkzSnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCrmTiD,c  
mCqnTjD,GnCrmT2D,KAAC,GmCqnTzD,SAAS,OAAT,CnCrmToE,KAAAX,IAAf,C;;QmCunTrD,OAAO,G;O;KA  
hBX,C;mFAmBA,yB;MnC10SA,6B;MmCk0SA,sC;QAaoB,Q;QADhB,UnCp0SmC,cmCo0SnB,CnCp0SmB,C;Qm  
Cq0SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCxoTiD,cmCwoTjD,GnCxoT2D,KAAC,GmCwoT  
zD,SAAS,OAAT,CnCxoToE,KAAAX,IAAf,C;;QmC0oTrD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnC1SA,6B;M  
mCq1SA,sC;QAaoB,Q;QADhB,UnCv1SmC,cmCu1SnB,CnCv1SmB,C;QmCw1SnB,2B;QAAhB,OAAgB,cAAhB,  
C;UAAgB,yB;UACZ,MnC3pTiD,cmC2pTjD,GnC3pT2D,KAAC,GmC2pTzD,SAAS,OAAT,CnC3pToE,KAAAX,IA  
Af,C;;QmC6pTrD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnC2SA,+B;MmBq2SA,sC;QAaoB,Q;QADhB,UnBt2S  
qC,eAAW,oBmBs2S/B,CnCt2S+B,CAAX,C;QmBu2SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB

3qTmD,emB2qTnD,GnB3qT8D,KAAK,KmB2qT5D,SAAS,OAAT,CnB3qTuE,KAAH,CAAhB,C;;QmB6qTvD,O  
AAO,G;O;KAhBX,C;mFamBA,yB;MnBx3SA,+B;MmBw3SA,sC;QAaoB,Q;QADhB,UnBz3SqC,eAAW,oBmBy3  
S/B,CnBz3S+B,CAAX,C;QmB03SrB,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB9rTmD,emB8rTnD,  
GnB9rT8D,KAAK,KmB8rT5D,SAAS,OAAT,CnB9rTuE,KAAH,CAAhB,C;;QmBgsTvD,OAAO,G;O;KAhBX,C;  
mFamBA,yB;MnB34SA,+B;MmB24SA,sC;QAaoB,Q;QADhB,UnB54SqC,eAAW,oBmB44S/B,CnB54S+B,CAA  
X,C;QmB64SrB,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBjtTmD,emBitTnD,GnBjtT8D,KAAK,Km  
BitT5D,SAAS,OAAT,CnBjtTuE,KAAH,CAAhB,C;;QmBmtTvD,OAAO,G;O;KAhBX,C;mFamBA,yB;MnB95SA  
,+B;MmB85SA,sC;QAaoB,Q;QADhB,UnB/5SqC,eAAW,oBmB+5S/B,CnB/5S+B,CAAX,C;QmBg6SrB,2B;QAaH  
B,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpuTmD,emBouTnD,GnBpuT8D,KAAK,KmBouT5D,SAAS,OAAT,  
CnBpuTuE,KAAH,CAAhB,C;;QmBsuTvD,OAAO,G;O;KAhBX,C;IAmBA,kC;MA2DI,WpBnnTO,MAAO,KoBm  
nTG,cpBnnTH,EoBikTH,KAkDkB,OpBnnTf,C;MoBonTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB  
,IAAIB,M;QACI,IAAK,WArDqB,GAqDP,sBAAK,CAAL,CARDO,EAAAnB,KAqDqB,CAAM,CAAN,CARDF,CAq  
DrB,C;;MArDT,OAuDO,I;K;IApDX,kC;MAkEI,WpBtoTO,MAAO,KoBsoTG,cpBtoTH,EoB6kTH,KAyDkB,OpBt  
oTf,C;MoBuoTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5DqB,GA4D  
P,sBAAK,CAAL,CA5DO,EAAAnB,KA4DqB,CAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;K;IA3DX,kC  
;MAyEI,WpBzpTO,MAAO,KoBypTG,cpBzpTH,EoBylTH,KAgEkB,OpBzpTf,C;MoB0pTd,WAAW,iBAaA,IAAb  
,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAAnB,KA  
mEqB,CAAM,CAAN,CAnEF,CAmErB,C;;MANET,OAqEO,I;K;IALEX,kC;MAGFI,WpB5qTO,MAAO,KoB4qTG,  
cpB5qTH,EoBqmTH,KAuEkB,OpB5qTf,C;MoB6qTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IA  
AIB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EAAAnB,KA0EqB,CAAM,CAAN,CA1EF,CA0ErB  
,C;;MA1ET,OA4EO,I;K;+EAzEX,yB;MAAA,gE;MpB9mTA,iB;MoB8mTA,8C;QAWI,WpBnnTO,MAAO,KoBm  
nTG,cpBnnTH,EoBmnTS,KAAM,OpBnnTf,C;QoBonTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IA  
AAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,O  
AAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBjoTA,iB;MoBioTA,8C;QAWI,WpBtoTO,MAAO,KoBsoTG,cp  
BtoTH,EoBsoTS,KAAM,OpBtoTf,C;QoBuoTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;U  
ACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;K  
AhBX,C;+EAmBA,yB;MAAA,gE;MpBppTA,iB;MoBopTA,8C;QAWI,WpBzpTO,MAAO,KoBypTG,cpBzpTH,E  
oBypTS,KAAM,OpBzpTf,C;QoB0pTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IA  
AK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,  
C;+EAmBA,yB;MAAA,gE;MpBvqTA,iB;MoBuqTA,8C;QAWI,WpB5qTO,MAAO,KoB4qTG,cpB5qTH,EoB4qT  
S,KAAM,OpB5qTf,C;QoB6qTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,W  
AAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAm  
BA,kC;MA8DoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,iBpBhvTJ,MAAO,KoBgvTsB,wBAnDzB,KAmDyB,E  
AAwB,EAAXB,CpBhvTtB,EoBgvTmD,SpBhvTnD,CoBgvTH,C;MACX,QAAQ,C;MACQ,OArDL,KAqDK,W;M  
AAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAvDqB,GAuDP,  
uBAAK,UAAAL,EAAK,kBAAL,UAvDO,EAuDI,OAuDJ,CAuDrB,C;;MAvDT,OAyDO,I;K;IAtdX,kC;MAuEoB,g  
B;MAHhB,gBAAgB,c;MACHB,WAAW,iBpBrwTJ,MAAO,KoBqwTsB,wBA5DzB,KA4DyB,EAAwB,EAAXB,Cp  
BrwTtB,EoBqwTmD,SpBrwTnD,CoBqwTH,C;MACX,QAAQ,C;MACQ,OA9DL,KA8DK,W;MAAhB,OAAgB,c  
AAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhEqB,GAgEP,uBAAK,UAAAL,E  
AAK,kBAAL,UAhEO,EAgEI,OAHEJ,CAGErB,C;;MAhET,OAkEO,I;K;IA/DX,kC;MAGFoB,gB;MAHhB,gBAAG  
B,c;MACHB,WAAW,iBpB1xTJ,MAAO,KoB0xTsB,wBArEzB,KAqEyB,EAAwB,EAAXB,CpB1xTtB,EoB0xTmD,  
SpB1xTnD,CoB0xTH,C;MACX,QAAQ,C;MACQ,OA9EL,KAuEK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;Q  
ACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAZEqB,GAYEP,uBAAK,UAAAL,EAAK,kBAAL,UAEZO,  
EAYEI,OAzeJ,CAYErB,C;;MAzET,OA2EO,I;K;IAxEX,kC;MAyFoB,gB;MAHhB,gBAAGB,c;MACHB,WAAW,iB  
pB/yTJ,MAAO,KoB+yTsB,wBA9EzB,KA8EyB,EAAwB,EAAXB,CpB/yTtB,EoB+yTmD,SpB/yTnD,CoB+yTH,C;  
MACX,QAAQ,C;MACQ,OA9FL,KA9FK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,  
C;UAAoB,K;QACpB,IAAK,WAlFqB,GakFP,uBAAK,UAAAL,EAAK,kBAAL,UAlFO,EakFI,OAIFJ,CakFrB,C;;  
MAIFT,OAoFO,I;K;+EAjFX,yB;MAAA,kF;MAAA,gE;MpB1uTA,iB;MoB0uTA,8C;QAcOB,UAEY,M;QAL5B,g

BAAgB,c;QACHB,WAAW,epBhvTJ,MAAO,KoBgvTsB,wBAAN,KAAM,EAAwB,EAAXB,CpBhvTtB,EoBgvTmD,SpBhvTnD,CoBgvTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB/vTA,iB;MoB+vTA,8C;QAcOB,UAEY,M;QAL5B,gBAAgB,c;QACHB,WAAW,epBrwTJ,MAAO,KoBqwTsB,wBAAN,KAAM,EAAwB,EAAXB,CpBrwTtB,EoBqwTmD,SpBrwTnD,CoBqwTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBpxTA,iB;MoBoxTA,8C;QAcOB,UAEY,M;QAL5B,gBAAgB,c;QACHB,WAAW,epB1xTJ,MAAO,KoB0xTsB,wBAAN,KAAM,EAAwB,EAAXB,CpB1xTtB,EoB0xTmD,SpB1xTnD,CoB0xTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;8EAqBA,yB;MAAA,kF;MAAA,gE;MpBzyTA,iB;MoByyTA,8C;QAcOB,UAEY,M;QAL5B,gBAAgB,c;QACHB,WAAW,epB/yTJ,MAAO,KoB+yTsB,wBAAN,KAAM,EAAwB,EAAXB,CpB/yTtB,EoB+yTmD,SpB/yTnD,CoB+yTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;IAqBA,kC;MA2DI,WpBn3TO,MAAO,KoBm3TG,cpBn3TH,EoBi0TH,KAKdKB,KpBn3Tf,C;MoBo3Td,WAAW,iBAAa,IAAb,C;MACX,AAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WArDqB,GAqDP,sBAAK,CAAL,CARDO,EAAAnB,KAqDqB,aAAM,CAAN,CARDF,CAqDrB,C;;MARDT,OAuDO,I;K;IAPDX,kC;MAkEI,WpBt4TO,MAAO,KoBs4TG,cpBt4TH,EoB60TH,KAYdKB,KpBt4Tf,C;MoBu4Td,WAAW,iBAAa,IAAb,C;MACX,AAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EAAAnB,KA4DqB,aAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;K;IA3DX,kC;MAyEI,WpBz5TO,MAAO,KoBy5TG,cpBz5TH,EoBy1TH,KAgEkB,KpBz5Tf,C;MoB05Td,WAAW,iBAAa,IAAb,C;MACX,AAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAAnB,KAmEqB,aAAM,CAAN,CAnEF,CAMerB,C;;MANET,OAqEO,I;K;IAIEX,kC;MAGFI,WpB56TO,MAAO,KoB46TG,cpB56TH,EoBq2TH,KAuEkB,KpB56Tf,C;MoB66Td,WAAW,iBAAa,IAAb,C;MACX,AAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EAAAnB,KA0EqB,aAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;K;+EAzEX,yB;MAAA,gE;MpB92TA,iB;MoB82TA,8C;QAWI,WpBn3TO,MAAO,KoBm3TG,cpBn3TH,EoBm3TS,KAAM,KpBn3Tf,C;QoBo3Td,WAAW,eAAa,IAAb,C;QACX,AAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBj4TA,iB;MoBi4TA,8C;QAWI,WpBt4TO,MAAO,KoBs4TG,cpBt4TH,EoBs4TS,KAAM,KpBt4Tf,C;QoBu4Td,WAAW,eAAa,IAAb,C;QACX,AAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBv6TA,iB;MoBu6TA,8C;QAWI,WpB56TO,MAAO,KoB46TG,cpB56TH,EoB46TS,KAAM,KpB56Tf,C;QoB66Td,WAAW,eAAa,IAAb,C;QACX,AAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAmBA,2B;MAQoB,Q;MADhB,UAAgB,W;MACHB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnCjnUiD,SmCinUjD,GnCjnU2D,KAAK,GmCinUzD,OnCjnUoE,KAAAX,IAAf,C;;MmCmnUrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MACjB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnB5nUmD,UmB4nUnD,GnB5nU8D,KAAK,KmB4nU5D,OnB5nUuE,KAAAX,CAAhB,C;;MmB8nUvD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACHB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnC7oUiD,SmC6oUjD,GnC7oU2D,KAAK,GAAW,CD2O5C,SoCk6TxB,OpCl6TkC,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;MmC+oUrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACHB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnC3pUiD,SmC2pUjD,GnC3pU2D,KAAK,GAAW,CC4O5C,SkC+6TxB,OI C/6TkC,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;;MmC6pUrD,OAAO,G;K;+EAGX,yB;MAAA,0C;MnC x2TA,6B;MmCw2TA,4B;QAOI,OnCr2TmC,cmCq2TpB,IAAR,iBAAQ,CnCr2ToB,C;O;KmC81TvC,C;+EAUA,y

B;MAAA,0C;MnBn2TA,+B;MmBm2TA,4B;QAOI,OnBh2TsC,emBg2TvB,IAAR,iBAAQ,CnBh2TuB,C;O;KmBy  
1T1C,C;+EAUA,yB;MAAA,sC;MnC53TA,6B;MmC43TA,iBAOiB,yB;QpCz9Tb,6B;eoCy9Ta,c;UAAE,OpCh9To  
B,coCg9TpB,EpCh9T8B,KAAL,GAAiB,GAAtB,C;S;OoCg9TtB,C;MAPjB,4B;QA7iBoB,Q;QADhB,UnCp0SmC,  
cmCo0SnB,CnCp0SmB,C;QmCq0SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCxoTiD,cmCwoTjD,  
GnCxoT2D,KAAK,GAAW,CD2O5C,coC65Sf,OpC75SyB,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;Qm  
C2rUrD,OAjJBO,G;O;KA0iBX,C;+EAUA,yB;MAAA,sC;MnCt4TA,6B;MmCs4TA,iBAOiB,yB;QlCl+Tb,6B;ekCk  
+Ta,c;UAAE,OiCz9ToB,ckCy9TpB,ElCz9T8B,KAAL,GAAiB,KAAtB,C;S;OkCy9TtB,C;MAPjB,4B;QApiBoB,Q;  
QADhB,UnCv1SmC,cmCu1SnB,CnCv1SmB,C;QmCw1SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M  
nC3pTiD,cmC2pTjD,GnC3pT2D,KAAK,GAAW,CC4O5C,ckC+6Sf,OiC/6SyB,KAAL,GAAiB,KAAtB,CD5O4C,  
MAAX,IAAf,C;;QmCqsUrD,OAXiBO,G;O;KaiiBX,C;IC3vUA,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cA  
AX,C;MACb,YAA Y,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,  
WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,kC;MAQoB,UACL,M;MAHX,aAAa,eAAU,cAAV,C;MACb,YAA  
Y,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;  
;MACJ,OAAO,M;K;IAGX,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAA X,C;MACb,YAA Y,C;MACI,2B;M  
AAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M  
;K;IAGX,oC;MAQoB,UACL,M;MAHX,aAAa,iBAA Y,cAAZ,C;MACb,YAA Y,C;MACI,2B;MAAhB,OAAgB,cA  
AhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,2B;MA  
QoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MpCAiD,SoCAjD,GpCA  
2D,KAAK,GoCAzD,OpCAoE,KAAX,IAAf,C;;MoCERd,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;  
MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MpBXmD,UoBwN D,GpBX8D,KAAK,KoBW5D,OpB  
XuE,KAAX,CAAhB,C;;MoBavD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OA  
AgB,cAAhB,C;QAAgB,yB;QACZ,MpC5BiD,SoC4BjD,GpC5B2D,KAAK,GAAW,CD2O5C,SqC/MxB,OrC+MkC  
,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;MoC8BrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB  
,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MpC1CiD,SoC0CjD,GpC1C2D,KAAK,GAAW,CC  
4O5C,SmCIMxB,OnCkMkC,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;;MoC4CrD,OAAO,G;K;IC3GX,w  
B;MAMI,OrCuCkE,YqCvCvD,CrCuCwE,KAAjB,EqCvCiD,CrCuC+E,KAA7B,CqCvCvD,KAAJ,GAAY,CAAZ,G  
AAmB,C;K;IAG9B,wB;MAMI,OrBsCmE,aqBtCxD,CrBsC0E,KAAiB,EqBtCnD,CrBsCiF,KAA9B,CqBtCxD,KA  
AJ,GAAY,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,OtCKgF,0BsCLrE,CtCgP2B,KAAAL,GAAiB,GA3O8B,EsCLh  
E,CtCgPsB,KAAAL,GAAiB,GA3O8B,CsCLrE,KAAJ,GAAY,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,OpClfI,0Bo  
CjTE,CpCwO2B,KAAAL,GAAiB,KApO+B,EoCjJE,CpCwOsB,KAAAL,GAAiB,KApO+B,CoCjTE,KAAJ,GAAY,CA  
AZ,GAAmB,C;K;mFAG9B,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAA  
S,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,C  
AAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAA  
S,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,C  
AAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,4B;MAOc,Q;MADV,UAAU,C;MACA,uB  
;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAG  
X,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,  
EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C  
;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,U  
AAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACv  
B,OAAO,G;K;IAGX,wB;MAMI,OrCjFkE,YqCiFvD,CrCjFwE,KAAjB,EqCiFiD,CrCjF+E,KAA7B,CqCiFvD,KAA  
J,GAAY,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,OrBIFmE,aqBkFxD,CrBIF0E,KAAiB,EqBkFnD,CrBIFiF,KAA9  
B,CqBkFxD,KAAJ,GAAY,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,OtCnHgF,0BsCmHrE,CtCwH2B,KAAAL,GAA  
iB,GA3O8B,EsCmHhE,CtCwHsB,KAAAL,GAAiB,GA3O8B,CsCmHrE,KAAJ,GAAY,CAAZ,GAAmB,C;K;IAG9B  
,wB;MAMI,OpCpHiF,0BoCoHtE,CpCgH2B,KAAAL,GAAiB,KApO+B,EoCoHjE,CpCgHsB,KAAAL,GAAiB,KApO  
+B,CoCoHtE,KAAJ,GAAY,CAAZ,GAAmB,C;K;mFAG9B,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CA  
AN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,  
MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QA

OI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAA X,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB; QAAO,MAAM,SAAM,GAAN,EAAW,CAA X,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MA CA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAA X,C;;MACvB,OAAO,G; K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM, GAAN,EAAW,CAA X,C;;MACvB,OAAO,G;K;gFC7OX,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kB AAO,cAAP,C;O;KATX,C;gFAYA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KAT X,C;;IAYA,sC;;QASQ,OAAc,WAAP,MAAO,EAAS,SAAT,C;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE,QAAz B,C;;UAHV,O;;K;IAOJ,sC;;QASQ,OAAc,YAAP,MAAO,EAAU,SAAV,C;;QACHB,+C;UACE,MAAM,2BAAuB, CAAE,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O; KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;M AMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,WAAP,MAAO,EAAS,SAAT,C;K;IAGIB,4C;MAMI,IAAI,m BAAJ,C;QACI,OAAO,I;MACX,OAAc,YAAP,MAAO,EAAU,SAAV,C;K;oFAGIB,8B;MASI,OAAO,WAAW,IA AX,IAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;IAG9B,u C;MAMI,OAAO,2BvC4K4B,SuC5KnB,KvC4K6B,KAAL,GAAiB,GAAtB,CuC5K5B,C;K;IAGX,uC;MAMI,OAA O,2BvC6K8B,UAAW,oBuC7KhC,KvC6K2B,KAAC,CAAL,UAAN,CuC7K9B,C;K;IAGX,uC;MAMI,OAAO,2Bt CwL8B,UAAW,oBsCxLhC,KtCwL2B,KAAC,CAAL,iBAAN,CsCxL9B,C;K;IAGX,uC;MAMY,Q;MAAD,cAAC, OtBqF4C,UsBrF5C,KtBqFkD,yBsBrFxC,EtBqFwC,CAAN,CsBrF7C,wBAA8B,2BAA9B,Q;MAAA,W;QAAqC,o CtCoPR,SsCpPiB,KtB6KIB,KhBuEW,QAAV,CsCpPQ,C;;MAA5C,a;K;IAGJ,uC;MAMI,OAAO,2BrCyI4B,SqCzI nB,KrCyI6B,KAAL,GAAiB,KAAtB,CqCzI5B,C;K;IAGX,uC;MAMI,OAAO,2BrC0I8B,UAAW,oBqC1IhC,KrC0I 2B,KAAC,CAAL,YAAN,CqC1I9B,C;K;IAGX,kC;MASI,OAAO,uCAAgB,yBvCmHY,SuCnHI,SvCmHM,KAAL, GAAiB,GAAtB,CuCnHZ,EvCmHY,SuCnHmB,EvCmHT,KAAL,GAAiB,GAAtB,CuCnHZ,EAA4C,EAA5C,C;K;I AG3B,kC;MASI,OAAO,uCAAgB,yBAAGB,SAAhB,EAA5B,EAAtB,EAA0B,EAA1B,C;K;IAG3B,kC;MASI,OAA O,wCAAiB,yBAAGB,SAAhB,EAA5B,EAAtB,M;K;IAG5B,kC;MASI,OAAO,uCAAgB,yBrCgFY,SqChFI,SrCgF M,KAAL,GAAiB,KAAtB,CqChFZ,ErCgFY,SqChFmB,ErCgFT,KAAL,GAAiB,KAAtB,CqChFZ,EAA4C,EAA5C, C;K;IAG3B,gC;MAMI,OAAO,uCAAgB,yBAAGB,cAAhB,EAA5B,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;K;IA G3B,gC;MAMI,OAAO,wCAAiB,yBAAGB,cAAhB,EAA5B,eAAtB,EAA8B,cAAD,aaa7B,C;K;IAG5B,iC;MAMI, oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,S AAK,KAAL,GAAy,CAAhB,GAAmB,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,iC;MAMI,oBAAoB,kB AAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,wCAAiB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAA L,cAAy,CAAhB,GAAmB,IAAnB,GAA8B,IAAD,aaa1D,C;K;IAG5B,iC;MAQI,IvC/OgF,0BuC+O5E,EvCJkC,K AAL,GAAiB,GA3O8B,EUc+Ote,6BAAM,UvCJsB,KAAL,GAAiB,GA3O8B,CuC+O5E,KAAJ,C;QAA2B,OAAO, iCAAU,M;MACHC,WvC6BuB,SuC7B5B,SvC6BsC,KAAL,GAAiB,GAAtB,C;MuC7BV,YAAK,W;MAA9B,OtCj D6D,oBAhJP,SAAU,CD8N7B,SuC7BV,EvC6BoB,KAAL,GAAiB,GAAtB,CC9N6B,MAAK,GDAK,KCAO,KAA Z,IAAf,CAGJO,C;K;IsCoDjE,iC;MAQI,ItC3OkE,YsC2O9D,EtC3O+E,KAAjB,EsC2OxD,4BAAK,UtC3OgF,KAA 7B,CsC2O9D,KAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OtC7D6D,csC6DtD,StC7DsD,EAhJP,SsC6MtC,EtC7 MgD,KAAK,GAAy,CsC6M5D,WtC7M4D,MAAZ,IAAf,CAGJO,C;K;IsCgEjE,iC;MAQI,ItB/OmE,asB+O/D,EtB/ OiF,KAAIB,EsB+OzD,6BAAM,UtB/OiF,KAA9B,CsB+O/D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OtBzE +D,iBsByExD,StBzEwD,EA7IP,UsBsNx,C,EtBtNmD,KAAK,UAAy,ChByP/C,UAAW,oBAAL,CsCnCb,WtCmC sB,MAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,CA6IO,C;K;IsB4EnE,iC;MAQI,IrC3QiF,0BqC2Q7E,ErCvC kC,KAAL,GAAiB,KApO+B,EqC2QvE,8BAAO,UrCvCqB,KAAL,GAAiB,KApO+B,CqC2Q7E,KAAJ,C;QAA4B, OAAO,iCAAU,M;MACjC,WrCNuB,SqCM5B,SrCnS,C,KAAL,GAAiB,KAAtB,C;MqCMV,YAAK,W;MAA9B,Ot CrF6D,oBAhJP,SAAU,CC+N7B,SqCMV,ErCnOB,KAAL,GAAiB,KAAtB,CD/N6B,MAAK,GCAK,KDAO,KAA Z,IAAf,CAGJO,C;K;IsCwFjE,kD;MAUI,OtCjRkE,YsCiRvD,StCjRwE,KAAjB,EsCiRhD,YtCjR6E,KAA7B,CsCiR vD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OtBtRmE,asBsRxD,StBtR0E,KAAIB,EsBsRjD,YtBtR+ E,KAA9B,CsBsRxD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OvC3TgF,0BuC2TrE,SvChF2B,KAA



MmBjC1C,iBAAmC,YAAO,CAAX,GAAC,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAA5B,GAAqC,KnB  
gCK,ImBhC1C,GAAqD,mB;K;gDAErD,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YAAAY,W;MACZ,IAAI,UAAS,mBA  
Ab,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAa,O  
AAN,KAAM,C;K;;IAQgB,mD;MAAyC,sB;MAAjB,gB;MACzD,sBAAgC,I;MAChC,iBAAmC,YAAO,CAAX,GA  
Ac,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAAJ,GAAa,KAAb,GAAwB,mB;K;+CAEhD,Y;MAAkC,qB;  
K;+CAEIC,Y;MACI,YAAAY,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QA  
C3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAO,K;K;;IAQuB,oD;MAA4C,uB;MAAIB,gB;MAC5D,sBAA  
iC,I;MACjC,iBAAmC,uBAAO,CAAX,GAAC,sBAAS,IAAT,MAAd,GAAiC,sBAAS,IAAT,M;MAChE,cAA6B,cA  
AJ,GAAa,KAAb,GAAwB,mB;K;gDAEjD,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YAAAY,W;MACZ,IAAI,cAAS,mBA  
AT,CAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,8BAAQ,SAAR,C;;MAEJ,  
OAAO,K;K;;IC9DX,oD;MA6CA,uC;MAtCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAyB,wBAAzB,C;MAC5B,I  
AAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAyB,wEAzB,C;MAG5C,aAGyB,K;MAEzB,YAGuF,OAA/D,0BAA0  
B,KpBcR,IoBdlB,EAAcC,YpBcpB,IoBdlB,EAAyD,IAAzD,CAA+D,C;MAEvF,YAGuB,I;K;yCAEvB,Y;MAAwC,  
mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MAMqC,OAAI,YAAO,CAAX,GAAC,aAA  
Q,SAATB,GAAgC,aAAQ,S;K;uCAE7E,iB;MACI,iDAA6B,kBAAa,KAAM,UAAAnB,KAC7B,eAAS,KAAM,MAAf  
,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KAAM,KAD/B,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,  
EAAf,GAAwB,OAAM,OAAC,UpBRG,IoBQR,UAAkB,SpBRV,IoBQR,KAAN,SAAqC,SAArC,I;K;yCAE5B,Y;  
MAAkC,OAAI,YAAO,CAAX,GAAC,oBAAE,UAAF,+BAAU,SAAV,eAAqB,SAAnC,GAA8C,oBAAE,UAAF,qC  
AAgB,SAAhB,gBAA4B,CAAC,SAAD,IAA5B,C;K;IAEhF,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2BAAgB,UAAh  
B,EAA4B,QAA5B,EAAcC,IAAtC,C;K;;IAT/F,iD;MAAA,gD;QAAA,+B;;MAAA,yC;K;;IAiBA,mD;MA6CA,sC;  
MAtCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAyB,wBAAzB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAA  
a,gCAAyB,wEAzB,C;MAG5C,aAGwB,K;MAExB,YAGuB,0BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C  
;MAEvB,YAGuB,I;K;wCAEvB,Y;MAAuC,kCAAuB,UAAvB,EAA8B,SAA9B,EAAoC,SAAPC,C;K;uCAEvC,Y;  
MAMqC,OAAI,YAAO,CAAX,GAAC,aAAQ,SAATB,GAAgC,aAAQ,S;K;sCAE7E,iB;MACI,gDAA4B,kBAAa,KA  
AM,UAAAnB,KAC5B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KAAM,KADhC,CAA5  
B,C;K;wCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,UAAAL,QAAa,SAAb,IAAN,SAA2B,S  
AA3B,I;K;wCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAGB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,GAAgD,U  
AAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;IAEhF,oC;MAAA,wC;K;iEACI,sC;MAQwF,0BAAe,U  
AAf,EAA2B,QAA3B,EAAqC,IAArC,C;K;;IAT5F,gD;MAAA,+C;QAAA,8B;;MAAA,wC;K;;IAiBA,oD;MA6CA,  
uC;MAtCI,IAAI,gBAAJ,C;QAAgB,MAAa,gCAAyB,wBAAzB,C;MAC7B,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAy  
B,yEAzB,C;MAG7C,aAGyB,K;MAEzB,YAGwB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAExB,  
YAGwB,I;K;yCAExB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MAMqC  
,OAAI,uBAAO,CAAX,GAAC,2BAAQ,SAAR,KAAAd,GAAgC,2BAAQ,SAAR,K;K;uCAErE,iB;MACI,iDAA6B,k  
BAAa,KAAM,UAAAnB,KAC7B,mBAAS,KAAM,MAAf,KAawB,kBAAQ,KAAM,KAAd,CAAxB,IAA8C,kBAA  
Q,KAAM,KAAd,CADjB,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,iCAAM,eAA  
W,8BAAW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BAAU,EAUV,CAAV,CAAPC,CAAN,MAAuE,cAAU,6BAA  
U,EAUV,CAAV,CAAvE,CAAiG,Q;K;yCAE7H,Y;MAAkC,OAAI,uBAAO,CAAX,GAAGB,UAAF,qBAAU,SAA  
V,yBAAqB,SAArB,WAAAd,GAAgD,UAAF,2BAAgB,SAAhB,yBAA6B,SAAD,aAA5B,W;K;IAEhF,qC;MAAA,y  
C;K;kEACI,sC;MAQ4F,2BAAgB,UAAhB,EAA4B,QAA5B,EAAcC,IAAtC,C;K;;IAThG,iD;MAAA,gD;QAAA,+  
B;;MAAA,yC;K;;;6CCIKa,iB;MAGkD,+BAAS,UAAT,UAAkB,wBAAS,iBAAT,M;K;oCAEpE,Y;MAKgC,oCA  
AQ,iBAAR,K;K;;I7CpBd,wC;MAkBIB,iC;MAtBsD,2BAAgB,KAAhB,EAAuB,YAAvB,EAAqC,CAArC,C;K;kFA  
C7B,Y;MAAQ,8B;K;yFACD,Y;MAAQ,6B;K;2CAExC,iB;MAA8C,qBAAS,KAAT,IAAkB,SAAS,S;K;kCAEzE,Y  
;MAKkC,oBAAQ,S;K;iCAE1C,iB;MACI,2CAAuB,kBAAa,KAAM,UAAAnB,KACvB,eAAS,KAAM,MAAf,IAAw  
B,cAAQ,KAAM,KADf,CAAvB,C;K;mCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAC,UwBkBS,IxBI  
Bd,UAAkB,SwBkJ,IxBIBd,K;K;mCAE5B,Y;MAAkC,2BAAE,UAAF,+BAAU,SAAV,C;K;IAEIC,+B;MAAA,m  
C;MACI,aAC8B,cAAY,OAAF,CAAE,CAAZ,EAAwB,OAAF,CAAE,CAAxB,C;K;;IAFIC,2C;MAAA,0C;QAAA,  
yB;;MAAA,mC;K;;IASiB,uC;MAkBjB,gC;MAtBmD,0BAAe,KAAf,EAAcB,YAAATB,EAAoC,CAAPC,C;K;iFAC3  
B,Y;MAAQ,iB;K;wFACD,Y;MAAQ,gB;K;0CAEvC,iB;MAA6C,qBAAS,KAAT,IAAkB,SAAS,S;K;iCAExE,Y;M

AKkC,oBAAQ,S;K;gCAE1C,iB;MACI,0CAAsB,kBAAa,KAAM,UAAAnB,KACtB,eAAS,KAAM,MAAf,IAAwB,c  
AAQ,KAAM,KADhB,CAAtB,C;K;kCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAAL,QAAA,SA  
Ab,I;K;kCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5C,8B;MAAA,kC;MACI,aAC6B,aAAS,CAAT,EAA  
Y,CAAZ,C;K;;IAFjC,0C;MAAA,yC;QAAA,wB;;MAAA,kC;K;;IASkB,wC;MA5BlB,iC;MatBsD,2BAAgB,KAA  
hB,EAAuB,YAAvB,K;K;kFAC7B,Y;MAAQ,iB;K;yFACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,kCAAS,KAAT,  
UAAkB,sBAAS,SAAT,M;K;kCAEhE,Y;MAKkC,kCAAQ,SAAR,K;K;iCAEIC,iB;MACI,2CAAuB,kBAAa,KAA  
M,UAAAnB,KACvB,mBAAS,KAAM,MAAf,KAAwB,kBAAQ,KAAM,KAAd,CADD,CAAvB,C;K;mCAGJ,Y;MA  
CI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,eAAW,8BAAW,EAAx,CAAX,CAAN,MAAoC,cAAU,6BAAU,E  
AAV,CAAV,CAApC,CAA8D,Q;K;mCAE1F,Y;MAAkC,OAAE,UAAF,qBAAU,SAAV,W;K;IAEIC,+B;MAAA,m  
C;MACI,aAC8B,qB;K;;IAFIC,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;;I8C9EJ,gB;MAAA,oB;K;8BAIL,Y;MA  
A0B,oB;K;;IAJ9B,4B;MAAA,2B;QAAA,U;;MAAA,oB;K;ICEA,yC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,uC  
;MAAA,0C;O;MAII,KE;MAEA,wF;MAEA,oF;MAEA,wE;MAEA,kE;MAEA,oF;MAEA,sF;MAEA,8E;MAEA,wE  
;MAEA,sF;MAEA,uF;MAEA,iE;MAEA,6E;MAEA,iE;MAEA,2E;K;;IA5BA,8C;MAAA,6B;MAAA,sC;K;;IAEA,  
yD;MAAA,6B;MAAA,iD;K;;IAEA,uD;MAAA,6B;MAAA,+C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,8C;M  
AAA,6B;MAAA,sC;K;;IAEA,uD;MAAA,6B;MAAA,+C;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,oD;MAA  
A,6B;MAAA,4C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,wD;MAAA,6  
B;MAAA,gD;K;;IAEA,6C;MAAA,6B;MAAA,qC;K;;IAEA,mD;MAAA,6B;MAAA,2C;K;;IAEA,6C;MAAA,6B;  
MAAA,qC;K;;IAEA,kD;MAAA,6B;MAAA,0C;K;;IAhCJ,mC;MAAA,+oB;K;;IAAA,wC;MAAA,a;aAAA,O;UAA  
A,2C;aAAA,kB;UAAA,sD;aAAA,gB;UAAA,oD;aAAA,U;UAAA,8C;aAAA,O;UAAA,2C;aAAA,gB;UAAA,oD;a  
AAA,iB;UAAA,qD;aAAA,a;UAAA,iD;aAAA,U;UAAA,8C;aAAA,iB;UAAA,qD;aAAA,iB;UAAA,qD;aAAA,M;  
UAAA,0C;aAAA,Y;UAAA,gD;aAAA,M;UAAA,0C;aAAA,W;UAAA,+C;;UAAA,uE;;K;;IAqCA,4C;MAAA,e;M  
AAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAMI,0E;MAEA,0E;MAEA,4E;K;;IAJA,kD;MAAA,gC;MAAA,0  
C;K;;IAEA,kD;MAAA,gC;MAAA,0C;K;;IAEA,mD;MAAA,gC;MAAA,2C;K;;IAVJ,sC;MAAA,sI;K;;IAAA,2C;M  
AAA,a;aAAA,Q;UAAA,+C;aAAA,Q;UAAA,+C;aAAA,S;UAAA,gD;;UAAA,0E;;K;;IAwB8B,gC;MAAC,oC;K;;I  
AQE,0B;MAAC,qB;QAAA,iD;MAAA,kB;K;;IAEIC,sB;K;;IAMA,4B;K;;IC/EA,yB;K;;IAQA,6B;K;;ICnBA,mB;  
MAEI,UAAU,IAAI,C;MACd,OAAW,OAAO,CAAX,GAAc,GAAd,GAAuB,MAAM,CAAN,I;K;IAGIC,qB;MACI,  
UAAU,SAAI,CAAJ,C;MACV,OAAW,kBAAO,CAAX,GAAc,GAAd,GAAuB,QAAM,CAAN,C;K;IAGIC,mC;MA  
EI,OAAO,IAAI,IAAI,CAAJ,EAAO,CAAP,IAAY,IAAI,CAAJ,EAAO,CAAP,CAAZ,IAAJ,EAA2B,CAA3B,C;K;I  
AGX,qC;MACI,OAAO,MAAI,MAAI,CAAJ,EAAO,CAAP,WAAY,MAAI,CAAJ,EAAO,CAAP,CAAZ,CAAJ,EA  
A2B,CAA3B,C;K;IAGX,qD;MAkBI,WAAO,CAAP,C;QAD2E,OAC3D,SAAS,GAAb,GAakB,GAAIB,GAA2B,M  
AAM,iBAAiB,GAAjB,EAA5B,KAAtB,EAA6B,IAA7B,CAAN,I;WACvC,WAAO,CAAP,C;QAF2E,OAE3D,SA  
S,GAAb,GAakB,GAAIB,GAA2B,MAAM,iBAAiB,KAAjB,EAAwB,GAAxB,EAA6B,CAAC,IAAD,IAA7B,CAA  
N,I;;QAC/B,MAAA,gCAAyB,eAAzB,C;K;IAGzB,uD;MAkBI,sBAAO,CAAP,C;QAD+E,OAC/D,sBAAS,GAAT,  
MAAJ,GAakB,GAAIB,GAA2B,aAAM,mBAAiB,GAAjB,EAA5B,KAAtB,EAA6B,IAA7B,CAAN,C;WACvC,sB  
AAO,CAAP,C;QAF+E,OAE/D,sBAAS,GAAT,MAAJ,GAakB,GAAIB,GAA2B,QAAM,mBAAiB,KAAjB,EAAw  
B,GAAxB,EAA8B,IAAD,aAA7B,CAAN,C;;QAC/B,MAAA,gCAAyB,eAAzB,C;K;IC7DjB,kD;MAAA,8B;MACI,  
aAAy,C;K;oDACZ,Y;MAAyB,oBAAQ,gBAAl,O;K;iDACrC,Y;MAAgD,Q;MAA1B,IAAI,aAAQ,gBAAl,OAAhB  
,C;QAAA,OAA5B,iBAAI,iBAAJ,EAAI,yBAAJ,O;;QAAkB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAPhF,oC;M  
AEI,IAD8D,IAC9D,S;QACI,UAA0B,K;QAF0B,2C;;QAAA,QAAM,IAAN,C;eASxD,c;YATwD,OAStC,qBAAqB,  
KAARb,C;eACIB,W;YAVwD,OAUzC,kBAAkB,KAAIB,C;eACf,Y;YAXwD,OAWxC,mBAAMb,KAAAnB,C;eAC  
hB,W;YAZwD,OAYzC,kBAAkB,KAAIB,C;eACf,U;YAbwD,OAA1C,iBAAiB,KAAjB,C;eACd,W;YAdwD,OAcz  
C,kBAAkB,KAAIB,C;eACf,Y;YAfWd,OAEcC,mBAAMb,KAAAnB,C;eAchB,a;YAhBwD,OAgBvC,oBAAoB,KA  
ApB,C;;YACT,MAAM,6BAASB,2DAA+C,IAA/C,CAAtB,C;;K;IAIuC,2D;MAAA,kC;MAAS,0B;MAC9D,aAAY,  
C;K;2DACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;+DACvC,Y;MAA2D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;  
QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJnF,qC;  
MACyD,oD;K;IAON,wD;MAAA,kC;MAAS,uB;MACxD,aAAy,C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;  
yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBA  
AN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJhF,kC;MACmD,iD;K;IAOE,yD;MAAA,kC;MAAS,w



B;;;UAIZ,cAAc,oB;UACd,IAAI,YAAy,yBAAhB,C;YAAqC,M;UACrC,kBAAgB,O;UAChB,qBAAmB,I;;UAEnB ,kBAAgB,I;UAChB,qBAAmB,S;;QAGvB,gC;QAEA,IAAI,wCAAJ,C;UAEI,YAAU,U;;UAGV,U;UAAA,0C;YET hB,8BDgDQ,WAAO,qBAAP,CChDR,C;YFSgB,a;;YAAA,a;UAAA,mB;YAEK,UEpBrB,oBDgDQ,WD5B+B,eC4 B/B,CChDR,C;;UFqBgB,M;;;K;mDAMhB,Y;MACI,kBAAkB,mB;MACIB,IAAI,uBAAuB,gBAAgB,IAA3C,C;QA CI,uCAAQ,yCAAR,EAAmC,wCAA+B,WAA/B,C;;MAEvC,sBAAoB,mC;K;;IAM5B,iC;MAAA,qC;K;gGAEQ,Y; M7C0DyC,MAAM,6B6C1DjC,uC7C0D+D,WAA9B,C;K;yD6CxDnD,kB;M7CwD6C,MAAM,6B6CvDzC,uC7Cu DuE,WAA9B,C;K;+C6CpDnD,Y;MAAkC,8C;K;;IARiC,6C;MAAA,4C;QAAA,2B;;MAAA,qC;K;IGyDA,mG;IA AA,yH;IAAA,6F;MAKW,kC;MAAS,4C;K;IALpB,sEAMQ,Y;MACI,Q;MAAA,sC;QAAiB,U;;MACjB,OAAO,oB; K;IARnB,6G;sJAJIA,iC;MAGBU,OAAK,SAAL,CAAiB,UAAjB,EAA6B,KAA7B,C;K;wJAEV,2C;MAiBU,OAAK ,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,KAAvC,C;K;wJAEV,kD;MAKU,OAAK,SAAL,CAAiB,QAAjB, EAA2B,KAA3B,EAAkC,UAAIC,EAA8C,KAA9C,C;K;IAGC6C,oG;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,k BAAjB,C;O;K;IA/BZ,6D;MA0BI,IAAS,SAAY,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,UAAjB,E AA6B,IAA7B,C;;QA8D0B,Q;QAhE9B,4DAImD,0DAJnD,EAGe8B,qBA5DS,UA4DT,qCAhE9B,C;;K;IAwCmD, wH;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,gBAAjB,EAA2B,kBAA3B,C;O;K;IAhCZ,yE;MA2BI,IAAS,SAA Y,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,IAAvC,C;;QA0B0B, Q;QA5B9B,4DAImD,sEAJnD,EA4B8B,qBAxBS,UAWBT,qCA5B9B,C;;K;IASJ,gC;MAWK,kBAAD,M;MAAA,k BAAC,qEAAD,4DAA2C,S;K;6CAG/C,yB;MAAA,mG;MAAA,yH;MAAA,6F;QAKW,kC;QAAS,4C;O;MALpB,s EAMQ,Y;QACI,Q;QAAA,sC;UAAiB,U;;QACjB,OAAO,oB;O;MARnB,6G;MAAA,oC;QAKkC,Q;QAA9B,mEA A8B,oEAA9B,C;O;KALJ,C;iFC7HA,a;MAC6C,OAAA,MAAa,YAAW,CAAX,C;K;ICM3B,iC;;MAA6E,Q;MAA A,+BAAS,I;sCAAIB,O,2DAAA,O;;;K;::;IAC/F,2B;MAAA,iD;MAAuB,oBAAK,IAAL,EA AW,IAAX,C;MAAv B,Y;K;IACA,sC;MAAA,iD;MAAuC,oBAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,oC;MAAA,iD;MAAwC, oBAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAI+B,mC;;MAA6E,Q;MAAA,+BAAS,I;sCAAIB,O,2DAAA,O; ;K;::;IACnG,+B;MAAA,mD;MAAuB,sBAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,0C;MAAA,mD;MA AuC,sBAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,wC;MAAA,mD;MAAwC,sBAAK,SAAL,EAAGB,KAAh B,C;MAAxC,Y;K;IAGsC,0C;MAA0D,qBAAU,OAAV,EAAmB,KAAhB,C;;K;;IACHG,sC;MAAA,0D;MAAuB,6B AAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,iD;MAAA,0D;MAAuC,6BAAK,OAAL,EAAC,IAAd,C;MAAvC ,Y;K;IACA,+C;MAAA,0D;MAAwC,6BAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG8C,kD;MAA0D,4BAA iB,OAAjB,EAA0B,KAA1B,C;;K;;IACxG,8C;MAAA,kE;MAAuB,qCAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;I ACA,yD;MAAA,kE;MAAuC,qCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,uD;MAAA,kE;MAAwC,qCAA K,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG2C,+C;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACrG,2 C;MAAA,+D;MAAuB,kCAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,sD;MAAA,+D;MAAuC,kCAAK,OA AL,EAAC,IAAd,C;MAAvC,Y;K;IACA,oD;MAAA,+D;MAAwC,kCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K; IAG+C,4C;8BAAwD,O;;K;;IACvG,+C;MAAA,mE;MAAuB,sCAAK,IAAL,C;MAAvB,Y;K;IAGqD,yD;MAA0D, 4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC/G,qD;MAAA,yE;MAAuB,4CAAK,IAAL,EA AW,IAAX,C;MAAvB, Y;K;IACA,gE;MAAA,yE;MAAuC,4CAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,8D;MAAA,yE;MAAwC,4 CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAGmD,uD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IA C7G,mD;MAAA,uE;MAAuB,0CAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,8D;MAAA,uE;MAAuC,0CAA K,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,4D;MAAA,uE;MAAwC,0CAAK,SAAL,EAAGB,KAAhB,C;MAAxC ,Y;K;IAI2C,wC;sCAAGe,O;;K;;IAC3G,2C;MAAA,+D;MAAuB,kCAAK,IAAL,C;MAAvB,Y;K;IAI0C,uC;8BAA wD,O;;K;;IACIG,0C;MAAA,8D;MAAuB,iCAAK,IAAL,C;MAAvB,Y;K;IAGwC,qC;8BAAwD,O;;K;;IACHG,wC; MAAA,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;K;IAIJ,wC;MACmD,mBAAM,OAAE,KAaf,C;;K;;IAC/ C,oC;MAAA,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,Y;K;IACA,+C;MAAA,wD;MAAgC,2BAAK,OAAL,EAAC,IA Ad,C;MAAhC,Y;K;IACA,+C;MAAA,wD;MAAiD,IAAY,I;MAAzB,2BAAa,SAAR,OAAQ,CAAb,EAAYB,sDA AzB,C;MAApC,Y;K;IAG4C,yC;8BAAwD,O;;K;;IACpG,4C;MAAA,gE;MAAuB,mCAAK,IAAL,C;MAAvB,Y;K; IAIyC,sC;8BAAwD,O;;K;;IACjG,yC;MAAA,6D;MAAuB,gCAAK,IAAL,C;MAAvB,Y;K;IAGkD,sD;MAA0D,4B AAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC5G,kD;MAAA,sE;MAAuB,yCAAK,IAAL,EA AW,IAAX,C;MAAvB,Y; K;IACA,6D;MAAA,sE;MAAuC,yCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,2D;MAAA,sE;MAAwC,yCA AK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG0D,8D;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACpH,

0D;MAAA,8E;MAAuB,iDAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,qE;MAAA,8E;MAAuC,iDAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,mE;MAAA,8E;MAAwC,iDAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;6FCIGJ,yB;MAEI,OAAG,GAAG,CAAC,QAAD,C;K;mFAGV,oB;MAEI,OAAJ,GAAL,GAAE,G;K;6ETVN,a;MAK8C,cAAvC,C;K;6ECHP,Y;MAG+C,S;K;IA6B/C,2B;MAG4D,0BA Ae,WAAf,C;K;IAE5D,mC;MAIwF,0BA Ae,WAAf,C;K;IAExF,mC;MAKwE,0BA Ae,WAAf,C;K;IAGxE,4B;MAI8D,Q;MAH1D,aAAkB,GAAL,O;MACtB,aAAkB,GAAL,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAAkB,QAAQ,MAAjC,C;QAAyC,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAL,oBAAJ,O;;MACtD,OAAO,G;K;IAIX,wD;MAMuC,Q;MALnC,aAAa,MAAO,OAAM,CAN,EAAS,OAAT,C;MA0BpB,IAzBc,MAyBL,OAAL,KAAkB,SAAtB,C;QAZBsB,MA0BIB,UA1BU,MA0BS,O;;MAzBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAAd,C;QACI,gBAAgB,O;QACHB,OAAO,QAAQ,OAaf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,UAAkB,Y;;MAE9C,OAAO,M;K;IAGX,gD;MAKOB,UAAmB,M;MAJnC,aAAa,KAAM,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;MAc5B,IAbc,KAAI,OAAL,KAAkB,SAAtB,C;QAbqB,MACjB,UAdU,KAcS,O;;MAbvB,YAAiB,KAAM,O;MACP,4B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAy,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAC9C,OAAO,M;K;IAGX,yD;MAEOB,UAAgB,M;MADhC,YAAy,U;MACI,4B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAy,IAAI,cAAJ,EAAL,sBAAJ,YAAe,O;;MAC3C,OAAO,G;K;oFAGX,oB;MACI,IAAI,IAAK,OAAL,KAAkB,SAAtB,C;QACI,YAAc,IAAK,O;;K;0EAI3B,wB;MAA+D,OAAA,MAAa,QAAO,GAAP,EAAY,OAAZ,C;K;IS/F5E,mC;MAOI,kBAAkB,MAAa,eAAc,SAAd,C;MAC/B,iBAAiB,MAAa,eAAc,IAAd,C;MAC9B,OAAW,gBAAe,UAAAnB,GAA+B,SAA/B,GAAyC,CAAC,S;K;0ECUrD,2B;MAKyE,OAAA,MAAa,gBAAe,IAAf,C;K;4EAyBtF,2B;MAKsE,OAAA,MAAa,eAAc,IAAd,C;K;kEAGnF,qB;MACgD,OAAA,MAAa,KAAK,UAAAS,GAAT,EAAC,IAAd,C;K;wEACHC,qB;MAAQ,OAAK,SAAY,a;K;0EACxB,qB;MAAQ,OAAK,SAAY,c;K;IC3D5D,0D;MAGI,OAAO,I;K;ICHX,sC;MAMsD,OAAA,SAAY,UAAAS,WAAW,KAAAX,CAAT,C;K;ItDKIE,uC;Mf2nBW,Q;MAAA,IernBgB,KfqNBZ,IAAS,CAAT,IernBY,KfqNBE,IAAS,wBAA3B,C;QAAA,OAAc,UernBtB,KfqNBsB,C;;QernBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf4nBW,Q;MAAA,IetnBgB,KfsnBZ,IAAS,CAAT,IetnBY,KfsnBE,IAAS,0BAA3B,C;QAAA,OAAc,UetnBtB,KfsnBsB,C;;QetnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf6nBW,Q;MAAA,IevnBgB,KfunBZ,IAAS,CAAT,IevnBY,KfunBE,IAAS,0BAA3B,C;QAAA,OAAc,UevnBtB,KfunBsB,C;;QevnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf8nBW,Q;MAAA,IexnBgB,KfwnBZ,IAAS,CAAT,IexnBY,KfwnBE,IAAS,0BAA3B,C;QAAA,OAAc,UexnBtB,KfwnBsB,C;;QexnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf+nBW,Q;MAAA,IeznBgB,KfynBZ,IAAS,CAAT,IeznBY,KfynBE,IAAS,0BAA3B,C;QAAA,OAAc,UeznBtB,KfynBsB,C;;QeznBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MfgoBW,Q;MAAA,Ie1nBgB,Kf0nBZ,IAAS,CAAT,Ie1nBY,Kf0nBE,IAAS,0BAA3B,C;QAAA,OAAc,Ue1nBtB,Kf0nBsB,C;;Qe1nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MfioBW,Q;MAAA,Ie3nBgB,Kf2nBZ,IAAS,CAAT,Ie3nBY,Kf2nBE,IAAS,0BAA3B,C;QAAA,OAAc,Ue3nBtB,Kf2nBsB,C;;Qe3nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MfkoBW,Q;MAAA,Ie5nBgB,Kf4nBZ,IAAS,CAAT,Ie5nBY,Kf4nBE,IAAS,0BAA3B,C;QAAA,OAAc,Ue5nBtB,Kf4nBsB,C;;Qe5nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,wC;MfmoBW,Q;MAAA,Ie7nBgB,Kf6nBZ,IAAS,CAAT,Ie7nBY,Kf6nBE,IAAS,0BAA3B,C;QAAA,OAAc,Ue7nBtB,Kf6nBsB,C;;Qe7nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,2B;MAII,OAAO,cAAa,SAAb,C;K;oFAGX,yB;MAAA,gD;MAAA,4B;QAKI,OAAc,OAA/B,SAA+B,C;O;KAL1C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAuC,OAAhC,SAAGC,C;O;KAL3C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAqC,OAA9B,SAASB,C;O;KALzC,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAc,OAA/B,SAA+B,C;O;KAL1C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAuC,OAAhC,SAAGC,C;O;KAL3C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OA AwC,OAAjC,SAAiC,C;O;KAL5C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAyC,OAAIC,SAAkC,C;O;KAL7C,C;IAYW,2C;MAAA,8B;MAAS,uB;K;4FACW,Y;MAAQ,OAAA,gBAAy,O;K;6CAC3C,Y;MAAkC,OAAA,gBfunP/B,YAAQ,C;K;oDetnPX,mB;MAAgD,OAAy,WAAZ,gBAAy,EAAS,OAAT,C;K;iDAC5D,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAYB,SAAZB,C;MACb,OAAO,6BAAy,KAAZ,E;K;mDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAgC,OAAO,E;MACvC,OAAmB,UAAZ,gBAAy,EAAY,OAAR,C;K;uDAEvB,mB;MAES,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAgC,OAAO,E;MACvC,OAAmB,cAAZ,gBAAy,EAAY,OAAZ,C;K;;IApB/B,6B;MAII,0C;K;IAqBJ,+C;MAAI,OAAy,kBAAL,SAAK,EAkB,KAAIB,C;K;IAqBhB,0C;MASI,OAA

Y,oBAAL,SAAK,C;K;IAehB,0C;MAYI,OAAY,oBAAL,SAAK,C;K;IAkBhB,2C;MAWI,OAAY,cAAL,SAAK,EA  
Ac,KAAAd,C;K;IAGhB,2C;MAWI,OAAY,cAAL,SAAK,EAAC,KAAAd,C;K;IAGhB,4C;MAWI,OAAY,cAAL,SAA  
K,EAAC,KAAAd,C;K;IAGhB,4C;MAWI,OAAY,cAAL,SAAK,EAAC,KAAAd,C;K;IAGhB,4C;MAWI,OAAY,cAAL,  
SAAK,EAAC,KAAAd,C;K;IAGhB,4C;MAWI,OAAY,cAAL,SAAK,EAAC,KAAAd,C;K;IAGhB,4C;MAWI,OAAY,c  
AAL,SAAK,EAAC,KAAAd,C;K;IAGhB,4C;MAWI,OAAY,cAAL,SAAK,EAAC,KAAAd,C;K;IAGhB,4C;MAWI,OA  
AY,cAAL,SAAK,EAAC,KAAAd,C;K;IAwHhB,sC;MAOI,OAAY,gBAAL,SAAK,C;K;IAGhB,sC;MAOI,OAAY,gB  
AAL,SAAK,C;K;IAGhB,uC;MAOI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAY,gBAAL,SAAK,C;K;IA  
GhB,uC;MAOI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OA  
AY,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAY,gBAAL,SAAK,  
C;K;IAoFhB,sC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,sC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MAS  
I,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SA  
AK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;  
MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;wFAsGhB,yB;MAAA,8C;MAA  
A,kF;QAmB0E,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAA  
U,SAAV,EAAgB,WAAhB,EAA6B,iBAA7B,EAAGD,UAAhD,EAA4D,QAA5D,C;QACA,OAAO,W;O;KArBX,C;  
wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;U  
AAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,EAAgH,QAAhH,C;Q  
ACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAYB,C;QAAG,0B;UA  
AA,aAakB,C;QAAG,wB;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAMF,iBAAnF,EAAsG,  
UAAtG,EAaKH,QAaIH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBkE,iC;UA  
AA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,gB;QAC/H,UAAU,SAAV,EAAyC,WA  
AzC,EAA+E,iBAA/E,EAaKG,UAAIG,EAA8G,QAA9G,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8  
C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,gB;QACj  
I,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,EAAgH,QAAhH,C;QACA,OAAO,W;O;KArB  
X,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,w  
B;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAMF,iBAAnF,EAAsG,UAAtG,EAaKH,QAaIH  
,C;QACA,OAAO,W;O;KArBX,C;uFAwBA,yB;MAAA,8C;MAAA,kF;QAmBwE,iC;UAAA,oBAAYB,C;QAAG,0  
B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,gB;QACrI,UAAU,SAAV,EAA4C,WAA5C,EAaqF,iBAArF,EA  
AwG,UAAxG,EAAoH,QAAPh,C;QACA,OAAO,W;O;KArBX,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmB0E,i  
C;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAA6C  
,WAA7C,EAAuF,iBAAvF,EAA0G,UAA1G,EAAsH,QAAtH,C;QACA,OAAO,W;O;KArBX,C;yFAwBA,yB;MAA  
A,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,gB;Q  
ACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,EAAgH,QAAhH,C;QACA,OAAO,W;O;K  
ArBX,C;oFAwBA,qB;MAOI,OAAY,SAAY,Q;K;oFAG5B,qB;MAOI,OAAY,SAAY,Q;K;oFAG5B,qB;MAOI,OA  
AY,SAAY,Q;K;qFAG5B,qB;MAOI,OAAY,SAAY,Q;K;IAG5B,8B;MAMW,WAAS,W;MAAT,YAA2B,SAAY,Q;  
MwCl7B9C,eAAiB,I;MxCk7BjB,OwCj7BO,K;K;qFxC07BX,qB;MAOI,OAAY,SAAY,Q;K;qFAG5B,qB;MAOI,O  
AAY,SAAY,Q;K;IAG5B,8B;MAMW,WAAS,c;MAAT,YAA8B,SAAY,Q;MwC/8BjD,eAAiB,I;MxC+8BjB,OwC9  
8BO,K;K;IxCi9BX,8B;MAMW,WAAS,W;MAAT,YAA2B,SAAY,Q;MwCx9B9C,eAAiB,I;MxCw9BjB,OwCv9B  
O,K;K;IxCO9BX,uC;MD5oCI,IAAI,ECspCI,WAAW,CDtpCf,CAAJ,C;QACI,cCqpCoB,0C;QDppCpB,MAAM,gC  
AAyB,OAAQ,WAAjC,C;;MCqpCV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,CAAF,C;K;IAGX,uC;MD1pCI,IA  
AI,ECoqCI,WAAW,CDpqCf,CAAJ,C;QACI,cCmqCoB,0C;QDlqCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MCm  
qCV,OAAO,SAAS,SAAT,EAAe,eAAW,OAAX,CAAF,C;K;IAGX,uC;MDxqCI,IAAI,ECKrCI,WAAW,CDlrCf,CA  
AJ,C;QACI,cCirCoB,0C;QDhrCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MCirCV,OAAO,SAAS,SAAT,EAAe,eA  
AS,OAAT,CAAF,C;K;IAGX,uC;MDtrCI,IAAI,ECgsCI,WAAW,CDhsCf,CAAJ,C;QACI,cC+rCoB,0C;QD9rCpB,  
MAAM,gCAAYB,OAAQ,WAAjC,C;;MC+rCH,WAAS,W;MAAT,YAAsB,gBAAGB,SAAhB,EAAsB,OAAtB,K;M  
wChhC7B,eAAiB,I;MxCghCjB,OwC/gCO,K;K;IxChkCX,uC;MDpsCI,IAAI,EC8sCI,WAAW,CD9sCf,CAAJ,C;Q  
ACI,cC6sCoB,0C;QD5sCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MC6sCV,OAAO,SAAS,SAAT,EAAe,iBAAW,  
OAAX,CAAF,C;K;IAGX,uC;MDltCI,IAAI,EC4tCI,WAAW,CD5tCf,CAAJ,C;QACI,cC2tCoB,0C;QD1tCpB,MAA

M,gCAAyB,OAAQ,WAAjC,C;;MC2tCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDhu  
CI,IAAI,EC0uCI,WAAW,CD1uCf,CAAJ,C;QACI,cCyuCoB,0C;QDxuCpB,MAAM,gCAAyB,OAAQ,WAAjC,C;;  
MCyuCH,WAAS,c;MAAT,YAAyB,gBAAgB,SAAhB,EAAsB,OAAtB,EAA+B,KAA/B,C;MwC1jChC,eAAiB,I;M  
xC0jCjB,OwCzjCO,K;K;IxC4jCX,uC;MD9uCI,IAAI,ECwvCI,WAAW,CDxvCf,CAAJ,C;QACI,cCuvCoB,0C;QDt  
vCpB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MCuvCH,WAAS,W;MAAT,YAAyB,SAAS,SAAT,EAAe,iBAAU,OA  
AV,CAAf,C;MwCxc7B,eAAiB,I;MxCwkCjB,OwCvkCO,K;K;IxC0kCX,uC;MD5vCI,IAAI,ECuwCI,WAAW,C  
DvwCf,CAAJ,C;QACI,cCswCoB,0C;QDrwCpB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MCswCV,OAAO,gBAAgB  
,SAAhB,EAAsB,OAAtB,EAA+B,IAA/B,C;K;IAGX,sD;MAWI,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAs  
C,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAAI  
B,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MA  
UI,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,O  
AAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,OAAy,SAAY  
,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAt  
C,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;MwC9pC9C,eAAiB,I;MxC8pCj  
B,OwC7pCO,K;K;IxCgqCX,sD;MAUI,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,OA  
AY,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EA  
sC,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,uD;MAUI,oCAAa,2BAAkB,SA  
AIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACN,WAAS,c;MAAT,YAA8B,SAAY,OAAM,SAAN,EAAiB,OAAjB  
,C;MwCxsCjD,eAAiB,I;MxCwsCjB,OwCvsCO,K;K;IxC0sCX,uD;MAUI,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7  
B,EAAsC,gBAAtC,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;MwCttC9C,eA  
AiB,I;MxCstCjB,OwCrtCO,K;K;IxCwtCX,wD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC  
/E,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EA  
AyB,OAAzB,C;K;IAGrB,wD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAa,2BA  
AkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAAzB,C;  
K;IAGrB,wD;MAWkD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjF,oCAAa,2BAAkB,SAAIb,EA  
A6B,OAA7B,EAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAAzB,C;K;IAGrB,wD;M  
AW8C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC7E,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EA  
AsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAAzB,C;K;IAGrB,wD;MAWgD,yB;QAA  
A,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;  
MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAAzB,C;K;IAGrB,wD;MAWkD,yB;QAAA,YAAiB,C;MA  
AG,uB;QAAA,UAAe,gB;MACjF,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACR,SAAY,M  
AAK,OAAL,EAAC,SAAd,EAAYB,OAAzB,C;K;IAGrB,wD;MAWoD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U  
AAe,gB;MACnF,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EA  
Ac,SAAd,EAAYB,OAAzB,C;K;IAGrB,yD;MAWsD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACrF,o  
CAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,  
OAAzB,C;K;IAGrB,yD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAa,2BAAkB,S  
AAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAAzB,C;K;iFA  
GrB,8B;MAKI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;K;iFAG5B,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwI  
O,gCaxIK,eAAY,OAAZ,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,gBA  
Aa,OAAb,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,gBAAW,OAAX,EA  
wIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,mBAAY,OAAZ,CAwIL,C;O;KA7  
IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,kBAaA,OAAb,EAwIL,C;O;KA7IX,C;iFAQA,y  
B;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,kBAAc,OAAd,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;M  
AxIA,qC;QAKI,OAwIO,gCaxIK,sBA Ae,OA Af,CAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,  
OAwIO,gCaxIK,mBAAY,OAAZ,CAwIL,C;O;KA7IX,C;IAQA,sC;MAKI,OAAO,oBAAoB,SAAPB,EAA0B,QAA  
1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAhB,IAAP,CAAxB,EAAsD,  
SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KA  
AhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK

,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OA  
AO,oBAAoB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QA  
AS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL  
,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;M  
AII,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBA  
AO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;iFAGX,+B;MAKI,OAAy,SAAY,  
QAAO,QAAP,C;K;iFAG5B,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KAL  
X,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;  
MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MA  
AA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,O  
AAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,  
SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,  
QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;K  
ALX,C;8FAQA,8B;MAKI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;K;IAoBL,2B;MAAsB,OAAA,CAAE,iB  
AAU,CAAV,C;K;IAP/C,2B;MAOI,IAAI,mBAAO,CAAX,C;QAwQY,eAxQO,WAwQP,C;K;IANhB,2B;MAQI,I  
AAI,mBAAO,CAAX,C;QAAC,UAAU,SAAV,C;K;IAGIB,wC;MAQI,IAAI,mBAAO,CAAX,C;QAAC,cAAc,SAAd  
,EAAoB,UAApB,C;K;IAGIB,gD;MAewD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACvF,oCAAa,2B  
AAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,gBAAc,SAAd,EAAoB,SAApB,EAA+B,OAA/B,EAA  
wC,cAAxC,C;K;IAGJ,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAChE,oCAAa,2BAAkB,S  
AAIB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAPB,C;MACvB,KA  
AT,QAAS,C;K;IAGb,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjE,oCAAa,2BAAkB,S  
AAIB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAPB,C;MACvB,KA  
AT,QAAS,C;K;IAGb,gD;MAagC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/D,oCAAa,2BAAkB,S  
AAIB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAPB,C;MACvB,KA  
AT,QAAS,C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAChE,oCAAa,2BAAkB,S  
AAIB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,gBAAc,SAAd,EAA8C,SAA9C,EAAyD,OAAzD,EAAkE,cAAI  
E,C;K;IAGJ,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjE,oCAAa,2BAAkB,SAAlB,EA  
A6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAPB,C;MACvB,KAAT,QAAS,  
C;K;IAGb,gD;MAamC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACIE,oCAAa,2BAAkB,SAAlB,EA  
A6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAPB,C;MACvB,KAAT,QAAS,  
C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAChE,oCAAa,2BAAkB,SAAlB,EA  
A6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAPB,C;MACvB,KAAT,QAAS,C  
;K;iFAGb,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,  
SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UA  
AL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;IAGhB,yC;M  
AMI,IAAI,mBAAO,CAAX,C;QAAC,gBAAc,SAAd,EAAoB,UAApB,C;K;IAGIB,+D;MAa0E,yB;QAAA,YAAiB,  
C;MAAG,uB;QAAA,UAAe,gB;MACzG,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,gB  
AAc,SAAd,EAAoB,SAApB,EAA+B,OAA/B,EAAwC,UAAxC,C;K;IAGJ,mC;MAII,OAAO,EAAS,MAAM,MAA  
K,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAA  
M,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EA  
AS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,O  
AAO,EAAS,MAAM,MAAK,SAAL,C;K;IAOH,kD;MAAA,wB;QAAW,qCAAK,KAAL,E;O;K;IAJIC,oC;MAII,O  
AAO,iBAAM,gBAAN,EAAY,gCAAZ,C;K;IuDnpEX,oB;MAAA,wB;MAEI,6B;MACA,gC;MAKuB,UAAT,MAA  
S,EAAT,MAAS,EAAT,M;MAFV,eAAe,kE;MACf,iBAAiB,eAAS,GAAT,C;MACE,sBAAT,QAAS,C;MAAT,mB;  
MAAA,kB;MAAA,kB;MAAV,8C;QACI,WAAW,oBAAS,CAAT,CzC2BuB,IyC3BIC,IAA+B,C;MAInC,qBAAqB  
,48C;MACrB,WAAW,mBAAmB,cAAAnB,EAAmC,UAAAnC,EAA+C,IAA/C,C;MACX,YAAY,eAAS,IAAK,OAAL  
,GAAY,CAAZ,IAAT,C;MACZ,0BAAU,IAAV,e;QACI,MAAM,MAAI,CAAJ,IAAN,IAAe,MAAM,GAAN,IAAW,  
KAAK,GAAL,CAAX,I;MAEnB,yBAAoB,K;MAGpB,oBAAoB,m/D;MACpB,4BAAuB,mBAAmB,aAAAnB,EAA

kC,UAAIC,EAA8C,IAA9C,C;K;;;IAvB/B,gC;MAAA,+B;QAAA,c;;;MAAA,wB;K;IA2BA,qC;MAKkB,IAJP,I;MA  
CH,WAAO,EAAP,C;QA Ae,W;WACf,WAAO,IAAP,C;QAAGB,OAAI,CAAC,KAAO,CAAR,MAAc,CAAlB,GAA  
qB,QAAS,CAA9B,GAAqC,OAAS,E;;QAEID,QAAM,KAAK,CAAX,C;eACI,C;YA AK,eAAS,E;YAA d,K;eACA,  
C;YA AK,OAAC,QAAS,CAAV,GAAiB,E;YAAtB,K;;YACQ,cAAS,E;YAHrB,K;;;MAJR,W;K;IAYJ,qC;MAII,SA  
AS,SzCRiC,I;MyCU1C,YAA Y,kBAaKB,sBAAS,kBAA3B,EAA8C,EAA9C,C;MACZ,YAA Y,sBAAS,kBAAT,CA  
A2B,KAA3B,C;MACZ,WAAW,sBAAS,qBAAT,CAA8B,KAA9B,C;MACX,YAA Y,kBAaKB,IAAlB,EAAwB,KA  
AK,KAAL,IAAxB,C;MAEZ,OAAW,UAAS,EAAb,GAAyC,mDAAzC,GAAoD,K;K;IAG/D,8D;MAKiB,UAIE,M;  
MARf,aAAa,eAAS,YAAT,C;MACb,YAA Y,C;MACZ,UAAU,C;MACV,YAA Y,C;MACC,yB;MAAb,OAAa,cAAb  
,C;QAAa,iC;QACT,aAAa,WAAW,IzCxBc,IyCwBzB,C;QACb,MAAM,MAAQ,CAAC,SAAW,EAAZ,KAA sB,K;  
QACpC,IAAI,SAAS,EAAb,C;UACI,OAAO,cAAP,EAAO,sBAAP,YAAkB,G;UACIB,MAAM,C;UACN,QAAQ,C;  
;UAER,gBAAS,CAAT,I;;;MAGR,OAAO,M;K;ICIE X,+B;MAII,eAAe,CAAC,iBAAO,CAAP,IAAD,IAAa,CAAb,I  
;MACf,IAAI,WAAW,CAAF,C;QAaKB,M;MACIB,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QAC  
I,UAAU,sBAAK,KAAL,C;QACV,sBAAK,KAAL,EAAc,sBAAK,YAAL,CAAd,C;QACA,sBAAK,YAAL,EAAqB  
,GAAR,B,C;QACA,mC;;K;IrdB,R,wB;MAOI,OAAW,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;K;mFAG9  
B,yB;MAkBA,iB;MAIBA,uB;QAMI,OakBO,MAAO,KAIBC,CakBD,EAIBY,CakBZ,C;O;KAXBIB,C;mFASA,y  
B;MASA,iB;MATA,uB;QAMI,OASO,MAAO,KATC,CASD,EATY,CASZ,C;O;KAFiB,C;mFASA,yB;MAAA,iB;  
MAAA,uB;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KANIB,C;mFASA,gB;MAMI,OAAW,kBAAK  
,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QAQI,OAAO,MAAO,KAAI,CA  
AJ,EAAO,CAAP,C;O;KARIB,C;mFAWA,yB;MAAA,iB;MAAA,uB;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,C  
AAP,C;O;KARIB,C;IAWA,2B;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,CAAT,C;K;mF  
AGX,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KAN  
IB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;  
O;KANIB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,  
C;O;KANIB,C;mFASA,mB;MAMW,UAAe,CAPeX,iBAoEc,CAPeD,MAAJ,GAoEe,CAPeF,GAoEkB,C;MAAzB,  
OAAa,CAPeF,iBAAK,GAAL,MAAJ,GAoEM,CAPeN,GAAM,B,G;K;mFAuE9B,yB;MAAA,iB;MAAA,0B;QAQI,  
OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARIB,C;mFAWA,yB;MAAA,iB;MAAA,0B;QA  
QI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARIB,C;IAWA,4B;MAQc,Q;MADV,UAAU,  
C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAAM,SAAM,GAAN,EA AW,CAAX,C;;MACV  
B,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAi  
B,MAxHV,MAAO,KAwHe,GAXHf,EAwHoB,CAXHpB,C;;MAYhd,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UA  
AU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAIIV,MAAO,KakIe,GAlIf,EAkIoB,CAlIp  
B,C;;MAMId,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAA  
V,M;QAAiB,MA5IV,MAAO,KA4Ie,GA5If,EA4IoB,CA5IpB,C;;MA6Id,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,  
UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAuB,UAAM,G;QAAZ,MA7IN,oBA6IuB,CA7  
IvB,MAAJ,GAAY,GA AZ,GA6I2B,C;;MACIC,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAA  
U,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA9IV,MAAO,KA8Ie,GA9If,EA8IoB,CA9IpB,C;;MA+Id,OAAO  
,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA/IV,  
MAAO,KA+Ie,GA/If,EA+IoB,CA/IpB,C;;MAGJd,OAAO,G;K;IAGX,wB;MAOI,OAAW,oBAAK,CAAL,MAAJ,G  
AAY,CAAZ,GAAM,B,C;K;mFAG9B,yB;MAkBA,iB;MAIBA,uB;QAMI,OakBO,MAAO,KAIBC,CakBD,EAIBY,  
CakBZ,C;O;KAXBIB,C;mFASA,yB;MASA,iB;MATA,uB;QAMI,OASO,MAAO,KATC,CASD,EATY,CASZ,C;O  
;KAFiB,C;mFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KANIB,C;m  
FASA,gB;MAMI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB  
;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;mFAWA,yB;MAAA,iB;MAAA,uB;QAQI,OAA  
O,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;IAWA,2B;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAA  
N,EAAS,CAAT,CAAT,C;K;mFAGX,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAM,CAAN,EAAiB,CA  
AjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAM,EA  
AiB,CAAjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAI,CA  
AJ,EAAO,CAAP,EAAU,CAAV,C;O;KANIB,C;mFASA,mB;MAMW,UAAe,CAPeX,iBAoEc,CAPeD,MAAJ,GAo

Ee,CApEf,GAoEkB,C;MAAzB,OAAa,CApEF,iBAAK,GAAL,MAAJ,GAoEM,CApEN,GAAMb,G;K;mFAuE9B,y  
B;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARIB,C;mFAW  
A,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARIB,C;IAW  
A,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAAM,SAAM,G  
AAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;  
QAAU,QAAA,KAAV,M;QAAiB,MAxHV,MAAO,KAwHe,GAxHf,EAwHoB,CxHpB,C;;MAyHd,OAAO,G;K;I  
AGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAiV,MAA  
O,KAkIe,GAlIf,EAKIoB,CAlIpB,C;;MAMld,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,  
KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA5IV,MAAO,KA4Ie,GA5If,EA4IoB,CA5IpB,C;;MA6Id,OAAO,G  
;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAuB,UAAM,  
G;QAAZ,MA7IN,oBA6IuB,CA7IvB,MAAJ,GAAy,GAAZ,GA6I2B,C;;MACiC,OAAO,G;K;IAGX,4B;MAQc,Q;  
MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA9IV,MAAO,KA8Ie,GA9If,E  
A8IoB,CA9IpB,C;;MA+Id,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,  
QAAA,KAAV,M;QAAiB,MA/IV,MAAO,KA+Ie,GA/If,EA+IoB,CA/IpB,C;;MAGJd,OAAO,G;K;IsDvaX,iB;MAA  
A,qB;MAEI,0BAA0B,gBACtB,EADsB,EACd,IADc,EACN,IADM,EACE,IADF,EACU,IADV,EACkB,IADIB,EA  
C0B,IAD1B,EACkC,IADIC,EAC0C,IAD1C,EACkD,IADID,EAC0D,IAD1D,EACkE,IADIE,EAC0E,IAD1E,EACK  
F,IADIF,EAC0F,IAD1F,EACkG,IADIG,EAC0G,IAD1G,EACkH,IADIH,EAC0H,IAD1H,EACKI,IADII,EAETB,IA  
FsB,EAEd,IAFc,EAEN,IAFM,EAEE,IAFF,EAEU,IAFV,EAEB,IAFIB,EAE0B,IAF1B,EAekC,IAFIC,EAE0C,IA  
F1C,EAekD,KAFID,EAE0D,KAF1D,EAekE,KAFIE,EAE0E,KAF1E,EAekF,KAFIF,EAE0F,KAF1F,EAekG,KA  
FIG,EAE0G,KAF1G,E;K;;IAF9B,6B;MAAA,4B;QAAA,W;;MAAA,qB;IAQA,0C;MAKI,aAAa,C;MACb,UAA  
U,KAAM,OAAN,GAAa,CAAb,I;MACV,aAAa,E;MACb,YAAy,C;MACZ,OAAO,UAAU,GAAjB,C;QACI,SAAS  
,CAAC,SAAS,GAAT,IAAD,IAAiB,CAAjB,I;QACT,QAAQ,MAAM,MAAN,C;QACR,IAAI,SAAS,KAAb,C;UAC  
I,SAAS,SAAS,CAAT,I;aACR,IAAI,WAAU,KAAd,C;UACD,OAAO,M;;UAEP,MAAM,SAAS,CAAT,I;;MAEd,O  
AAO,UAAc,SAAS,KAAb,GAAoB,CAApB,GAA2B,CAArC,K;K;IAGX,mC;MAKI,SAAS,S3CCiC,I;M2CA1C,Y  
AAy,kBAAkB,mBAAM,mBAAxB,EAAoC,EAAP,C;MACZ,WAAW,KAAK,mBAAM,mBAAN,CAAiB,KAAj  
B,CAAL,I;MACX,OAAW,OAAO,EAAX,GAAe,IAAf,GAAyB,E;K;IAGpC,gC;MAIL,OAAO,6BAAoB,C;K;IC7C/  
B,kB;MAAA,sB;MAEI,6B;MACA,8B;MACA,gC;MAKuB,UAAT,MAAS,EAAT,MAAS,EAAT,M;MAFV,eAAe,  
kE;MACf,iBAAiB,eAAS,GAAT,C;MACE,sBAAT,QAAS,C;MAAT,mB;MAAA,kB;MAAA,kB;MAAV,8C;QACI,  
WAAW,oBAAS,CAAT,C5C0BuB,I4C1BIC,IAA+B,C;;MAInC,qBAAqB,sW;MACrB,WAAW,mBAAmB,cAAAnB,  
EAAmC,UAAAnC,EAA+C,GAA/C,C;MACX,YAAy,eAAS,IAAK,OAAAd,C;MACZ,0BAAU,IAAV,e;QACI,IAAI,  
QAAK,CAAT,C;UAAy,MAAM,GAAN,IAAW,KAAK,GAAL,C;;UACIB,MAAM,GAAN,IAAW,MAAM,MAAI,  
CAAJ,IAAN,IAAe,KAAK,GAAL,CAAf,I;;MAEpB,yBAAoB,K;MAGpB,kBAAkB,0U;MACIB,0BAAqB,mBAA  
mB,WAAAnB,EAAgC,UAAhC,EAA4C,GAA5C,C;MAGrB,oBAAoB,i8B;MACpB,4BAAuB,mBAAmB,aAAAnB,E  
AAkC,UAAiC,EAA8C,GAA9C,C;K;;IA7B/B,8B;MAAA,6B;QAAA,Y;;MAAA,sB;K;IAiCA,iC;MAIL,OAAO,6B  
AAmB,C;K;IAG9B,oC;MAIW,wCAAmB,C;MAAnB,U;QAA6B,wB5CRM,a4CQN,C;;MAApC,W;K;IAGJ,oC;M  
AIW,wCAAmB,C;MAAnB,U;QAA6B,wB5CfM,a4CeN,C;;MAApC,W;K;IAGJ,kC;MAQI,SAAS,S5C1BiC,I;M4C  
2B1C,YAAy,kBAAkB,oBAAO,kBAAzB,EAA4C,EAA5C,C;MAEZ,iBAAiB,oBAAO,kBAAP,CAAYB,KAAzB,C  
;MACjB,eAAe,aAAa,oBAAO,mBAAP,CAA0B,KAA1B,CAAb,GAAGD,CAAhD,I;MACf,WAAW,oBAAO,qBAA  
P,CAA4B,KAA5B,C;MAEX,IAAI,KAAK,QAAT,C;QACI,OAAO,C;;MAGX,kBAAkB,OAAS,C;MAE3B,IAAI,g  
BAAE,CAAnB,C;QACI,YAAy,C;QACZ,gBAAGB,U;QACHb,aAAU,CAAV,OAAa,CAAb,M;UACI,yBAAC,QAA  
S,KAAV,GAAqB,GAAIC,K;UACA,IAAI,YAAy,EAAhB,C;YACI,OAAO,C;;UAEX,gBAAS,CAAT,I;UACA,yB  
AAc,QAAS,KAAV,GAAqB,GAAIC,K;UACA,IAAI,YAAy,EAAhB,C;YACI,OAAO,C;;UAEX,gBAAS,CAAT,I;;  
QAEJ,OAAO,C;;MAGX,IAAI,QAAQ,CAAZ,C;QACI,OAAO,W;;MAGX,eAAgB,KAAK,UAAL,I;MACHb,cAAg  
B,QAAQ,EAAZ,GAAB,WAAW,CAA7B,GAAoC,Q;MACHd,OAAQ,SAAU,IAAI,OAAl,IAAV,CAAD,GAA2B,  
C;K;ICnGtC,0B;MAAA,8B;MACI,+BAA+B,gBAC3B,GAD2B,EACnB,GADmB,EACX,GADW,EACH,GADG,E  
ACK,GADL,EACa,GADb,EACqB,GADrB,EAC6B,IAD7B,EACqC,IADrC,EAC6C,IAD7C,EACqD,IADrD,EAC6  
D,IAD7D,EACqE,IADrE,EAC6E,IAD7E,EACqF,IADrF,EAC6F,KAD7F,EACqG,KADrG,EAC6G,KAD7G,EACq  
H,KADrH,EAC6H,KAD7H,E;MAG/B,gCAAAGC,gBAC5B,CAD4B,EACzB,CADyB,EACtB,CADsB,EACnB,CAD

mB,EACbB,CADgB,EACb,CADa,EACV,CADU,EACP,EADO,EACH,CADG,EACA,EADA,EACI,CADJ,EACO,  
CADP,EACU,EADV,EACc,EADd,EACkB,EADIB,EACsB,CADtB,EACyB,CADzB,EAC4B,CAD5B,EAC+B,CA  
D/B,EACKc,CADIC,E;K;;IAJpC,sC;MAAA,qC;QAAA,oB;;MAAA,8B;K;IASA,qC;MACI,YAAY,kBAAkB,4BA  
Ae,wBAAjC,EAakD,SAaID,C;MACZ,OAAO,SAAS,CAAT,IAAc,aAAO,4BA Ae,wBAAf,CAA+B,KAA/B,IAAw  
C,4BA Ae,yBAAf,CAAgC,KAAhC,CAAxC,IAAP,C;K;ICXzB,qC;MACI,OAAe,IAAR,8BAAgB,IAAhB,KACY,I  
AAR,8BAAgB,IADpB,C;K;ICCX,wC;M5CiBW,Q;MAAA,I4CXgB,K5CWZ,IAAS,CAAT,I4CXY,K5CWE,IAAS,  
2BAA3B,C;QAAA,OAAc,qB4CXtB,K5CWsB,C;;Q4CXb,MAAM,8BAA0B,mCAAyB,gBAAzB,MAA1B,C;;M  
AAtC,W;K;ICRJ,sC;MAEI,WAAW,ShDkC+B,I;MgDhC1C,IAAY,GAAR,oBAAgB,GAAhB,KAAkC,GAAR,oBA  
AgB,GAA1C,CAAJ,C;QACI,OAA8B,OAAtB,KAAK,CAAC,OAAO,CAAP,IAAD,IAAa,CAAb,IAAL,KAAcB,C;;  
MAGIC,IAAY,IAAR,oBAAgB,IAAhB,KAAkC,IAAR,oBAAgB,IAA1C,CAAJ,C;QACI,OAAO,S;;MAEX,OAAO,  
wB;K;ICPX,wC;MxCqTe,WwC7SY,KxC6SZ,IAAS,C;MAAT,S;QAAc,OwC7SF,KxC6SE,IAqgHT,gBAAR,iBAA  
Q,C;;MArgHT,U;MAAA,S;QAAA,SAAsC,sBwC7StB,KxC6SsB,C;;QwC7Sb,MAAM,8BAA0B,iCAAuB,cAAvB,  
MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCsTe,WwC9SY,KxC8SZ,IAAS,C;MAAT,S;QAAc,OwC9SF,KxC8SE,IAig  
HT,gBAAR,iBAAQ,C;;MAjgHT,U;MAAA,S;QAAA,SAAsC,sBwC9StB,KxC8SsB,C;;QwC9Sb,MAAM,8BAA0B  
,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCuTe,WwC/SY,KxC+SZ,IAAS,C;MAAT,S;QAAc,OwC/  
SF,KxC+SE,IA6/GT,gBAAR,iBAAQ,C;;MA7/GT,U;MAAA,S;QAAA,SAAsC,sBwC/StB,KxC+SsB,C;;QwC/Sb,  
MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCwTe,WwChTY,KxCgTZ,IAAS,C;MA  
AT,S;QAAc,OwChTF,KxCgTE,IAy/GT,gBAAR,iBAAQ,C;;MAz/GT,U;MAAA,S;QAAA,SAAsC,sBwChTtB,Kx  
CgTsB,C;;QwChTb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IASO,6C;MAAA,8B;MAAS,uB;  
K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAgD,OAA  
A,gBAAY,gBAAS,OAAT,C;K;mDAC5D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,SAAzB,C;MACb,OAAO,6  
BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OxCs  
rBO,UwCtrBA,gBxCsrBR,QAAQ,EwCtrBoB,O3EgOF,KmCsdIB,C;K;yDwCprBX,mB;MAES,Q;MAAL,IAAI,eA  
AC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OxCy6BO,cwCz6BA,gBxCy6BR,QAAQ,EwCz6BwB,O3E2NN,  
KmC8sBIB,C;K;;IwC/7BnB,6B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBA  
AY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;m  
DAC7D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;  
MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OxCqqBO,UwCrqBA,gBxCqqBR,QA  
AQ,EwCrqBoB,O3DgNA,KmBqdpB,C;K;yDwCnqBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAi  
C,OAAO,E;MACxC,OxCw5BO,cwCx5BA,gBxCw5BR,QAAQ,EwCx5BwB,O3D2MJ,KmB6sBpB,C;K;;IwC96Bn  
B,6B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MA  
AkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC7D,iB;MACI,oCAAA  
,2BAAkB,KAAIB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eA  
AC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OxCopBO,UwCppBA,gBxCopBR,QAAQ,EwCppBoB,O5EkIA,K  
oCkhBpB,C;K;yDwClpBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OxCu4  
BO,cwCv4BA,gBxCu4BR,QAAQ,EwCv4BwB,O5E6HJ,KoC0wBpB,C;K;;IwC75BnB,8B;MAMI,4C;K;IA2BO,6C  
;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDA  
C9C,mB;MAAkD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC9D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,SA  
AzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,  
OAAO,E;MACzC,OxCmoBO,UwCnoBA,gBxCmoBR,QAAQ,EwCnoBoB,O1EkHE,KkCihBtB,C;K;yDwCjoBX,  
mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,E;MACzC,OxCs3BO,cwCt3BA,gBxCs3BR,Q  
AAQ,EwCt3BwB,O1E6GF,KkCywBtB,C;K;;IwC54BnB,8B;MAMI,4C;K;ICtIJ,qC;MAII,SAAS,SID+BiC,I;MkD9  
B1C,OAAa,CAAN,gBAAc,EAAd,KACU,EAAN,gBAAc,EADIB,KAEl,OAAM,GAFV,KAGI,KAAK,IAAL,KAC  
C,OAAM,IAAN,KACS,IAAN,gBAAc,IADjB,KAEG,OAAM,IAFT,IAGG,OAAM,IAHT,IAIG,OAAM,IAJT,IAK  
G,OAAM,IALT,IAMG,OAAM,KAPV,CAHJ,C;K;;mCCTP,gB;;K;;ICAJ,wB;K;;IAIA,wB;K;;IAIA,wB;K;;IAKiC  
,uB;MAAC,oB;QAAA,OAA0B,E;MAA1B,gB;K;;IAElC,kB;K;;IAqCqC,sB;MAAC,gB;K;;IAgCN,4B;MAAC,sB;  
K;;IAEjC,uB;K;;IA8DmC,4B;MAAC,kB;K;;IAEpC,oB;K;;IAmCA,+B;K;;ICvLA,oB;K;;IAIA,wB;K;;oF7DLA,qB;  
MAKqE,uCoCHtB,E;K;IgpCK/C,yB;MAAA,kD;MAAA,4B;QAQsE,mBAAY,SAAZ,C;O;KARtE,C;IAUA,iC;MA

GI,OAAsB,UAAAY,QAaVb,KAAmC,SAA9C,GACe,UAAAY,UAD3B,GAGI,gBAAGb,UAAhB,C;K;IAGR,qC;MAEI,YoC1B2C,E;MpC2B3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,UAAhB,C;QACU,KAAAY,MAAK,QAAS,OAAd,C;MACTb,OAAO,K;K;IAGX,8C;MAQc,Q;MANV,IAAI,KAAM,OAAN,GAAa,UAAW,KAA5B,C;QACI,OA AO,gBAAGb,UAAhB,C;;MAEX,eAAe,UAAW,W;MAC1B,YAAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,MAAM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,IAAI,QAAQ,KAAM,OAAiB,C;QACI,MAAM,KAAN,IA Ae,I;;MAEnB,OAAO,K;K;IAIX,yB;MAG6C,sBAAY,OAAZ,E;K;wGAE7C,yB;MAAA,+D;MAAA,gC;QAI0B,gB AAf,gB;QAAqB,aJW5B,W;QIXA,OJYO,SIZoC,Q;O;KAJ/C,C;yGAOA,yB;MAAA,4E;MAAA,gE;MAAA,0C;QA II,qBAAqB,QAARb,C;QAC8B,gBAAvB,eAAa,QAAb,C;QAA6B,aJGpC,W;QIHA,OJIO,SIJ4C,Q;O;KALvD,C;IA SA,wB;MAG2C,oBAAU,OAAV,E;K;sGAE3C,yB;MAAA,uE;MAAA,gC;QAI8B,gBAAAnB,oB;QAAyB,aJVhC,W; QIUa,OJTO,SISwC,Q;O;KAJnD,C;wGAOA,yB;MAAA,wE;MAAA,0C;QAIsc,gBAA3B,mBAAiB,QAAjB,C;QA AiC,aJjBxC,W;QIiBA,OJhBO,SIgBgD,Q;O;KAJ3D,C;IAQA,qB;MAIuD,oBAAU,IAAV,E;K;sGAEvD,yB;MAAA ,wE;MAAA,gC;QAIiC,gBAAtB,oB;QAA4B,aJ/BnC,W;QI+BA,OJ9BO,SI8B2C,Q;O;KAJtD,C;uGAOA,yB;MAA A,uE;MAAA,0C;QAIyC,gBAA9B,mBAAoB,QAApB,C;QAAoC,aJtC3C,W;QIsCA,OJrCO,SIqCmD,Q;O;KAJ9D, C;IAQA,mC;MAOqB,Q;MAAA,kC;MAAjB,iBAAc,CAAd,yB;QACI,sBAAK,KAAL,EAAc,KAAd,C;;K;IAIR,+B; MAMuD,sBAAQ,4BAAR,C;K;IAEvD,6B;MAIwE,kBAAhB,0B;MAAwB,uB;MAAxB,OJJE7C,W;K;IImEX,4B;M AQI,gBAAGb,SAAhB,EAAsB,cAAtB,C;K;IAGJ,2C;MAQI,gBAAGb,SAAhB,EAAsB,UAAtB,C;K;IAGJ,2C;MA CI,IAAI,IAAK,KAAL,IAAa,CAAjB,C;QAAoB,M;MAEpB,YAAAY,YAAAY,IAAZ,C;MACZ,gBAAc,KAAd,EAAq B,UAArB,C;MAEA,aAAU,CAAV,MAAkB,KAAM,OAAxB,M;QACI,iBAAK,CAAL,EAAU,MAAM,CAAN,CA AV,C;;K;IAIR,uC;MACI,OAAO,gBAAkB,IAAIB,O;K;IAGX,iF;MAII,oCAAa,2BAAkB,UAAIB,EAA8B,QAA9B ,EAAwC,MAAO,OAA/C,C;MACb,gBAAGb,WAAW,UAAx,I;MACHb,oCAAa,2BAAkB,iBAAlB,EAAqC,oBAA oB,SAApB,IAArC,EAAoE,WAAAY,OAAhF,C;MAEb,IAAI,WAAkB,QAAO,WAAP,CAAIB,IAAYC,WAAkB,QA AO,MAAP,CAA/D,C;QACI,eAAsB,MAAY,UAAAS,UAAAT,EAAqB,QAARb,C;QACTb,WAAAY,KAAL,QAAJ,EAA c,iBAAd,C;;QAExB,IAAI,WAAW,WAAx,IAA0B,qBAAqB,UAAAnD,C;UACI,iBAAc,CAAd,UAAAsB,SAAtB,U;Y ACI,YAAAY,oBAAoB,KAAPB,IAAZ,IAAYC,OAAO,aAAa,KAAb,IAAP,C;;;UAG7C,mBAAc,YAAAY,CAAZ,IAA d,aAAmC,CAAnC,Y;YACI,YAAAY,oBAAoB,OAAPB,IAAZ,IAAYC,OAAO,aAAa,OAAb,IAAP,C;;;K;8GAMzD, qB;MAEgF,gB;K;kGAehF,yB;MAAA,4D;MAAA,4B;QAC8E,OAAK,aAAL,SAAK,C;O;KADnF,C;sGAIA,gC;M AEI,OAAI,SAAJ,GAEL,SAFJ,GAII,SN83BoB,Q;K;IM13B5B,mC;MAEL,IAAI,QAAQ,CAAZ,C;QACI,oB;;MAEJ, OAAO,K;K;IAGX,mC;MAEL,IAAI,QAAQ,CAAZ,C;QACI,oB;;MAEJ,OAAO,K;K;IAIX,mC;MAIqD,mB;K;IAEr D,wC;MPzNI,IAAI,EOgOI,YAAAY,CPhOhB,CAAJ,C;QACI,cO+NqB,gC;QP9NrB,MAAM,gCAAYB,OAAQ,WA AjC,C;;K;IOiOd,8C;MAAoE,Y;K;I8D1PV,qC;MAAiC,6B;K;uDAlvF,mB;MACI,qB;MACA,eAAe,e;MACf,OAA O,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS,OAAT,EAAMB,OAAnB,CAAJ,C;UACI,QAAS,S;UACT,OAAO,I ;;MAGf,OAAO,K;K;yDAGX,oB;MAGoB,Q;MAFhB,qB;MACA,eAAe,K;MACC,0B;MAAhB,OAAgB,cAAhB,C ;QAAgB,yB;QACZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WAAW,I;;MAEjC,OAAO,Q;K;IAKuC,sE;MAAA,qB;Q AAE,OAAAM,gBAAN,mB;O;K;4DAFpD,oB;MAEY,Q;MADR,qB;MACA,OAAoC,YAA5B,iEAA4B,EAAU,oDA AV,C;K;IAKU,sE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;4DAFpD,oB;MAEY,Q;MADR,qB;MACA,OAAoC ,YAA5B,iEAA4B,EAAU,oDAAV,C;K;gDAGxC,Y;MACI,qB;MACA,eAAe,IAAK,W;MACpB,OAAO,QAAS,UA AhB,C;QACI,QAAS,O;QACT,QAAS,S;;K;iDAIjB,Y;MAE8B,OAAA,IAAK,U;K;yDAGnC,Y;K;;IC3CgD,+B;MA AiC,oC;MACjF,gBAA8B,C;K;8CAM9B,mB;MAMI,qB;MACA,iBAAl,SAAJ,EAAU,OAAV,C;MACA,OAAO,I; K;mDAGX,2B;MAMc,UACF,M;MANR,oCAAa,4BAAMb,KAAnB,EAA0B,SAAlB,C;MAEb,qB;MACA,aAAa, K;MACb,cAAc,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAl,eAAJ,EAAI,uBAAJ,WAAc,CA Ad,C;QACA,UAAU,I;;MAEd,OAAO,O;K;0CAGX,Y;MACI,qB;MACA,yBAAY,CAAZ,EAAe,SAAf,C;K;IAKiB, gE;MAAA,qB;QAAE,OAAAM,gBAAN,mB;O;K;sDAFvB,oB;MACI,qB;MACA,OAAO,kBAAU,8CAAV,C;K;IAK U,gE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;sDAFvB,oB;MACI,qB;MACA,OAAO,kBAAU,8CAAV,C;K;6C AIX,Y;MAAQd,iD;K;mDAErD,mB;MAAoD,0BAAQ,OAAAR,KAAoB,C;K;kDAExE,mB;MACqB,Q;MAAA,6B; MAAjB,iBAAc,CAAd,yB;QACI,IAAI,wBAAl,KAAl,GAAC,OAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K ;sDAGX,mB;MACI,iBAAc,sBAAd,WAA+B,CAA/B,U;QACI,IAAI,wBAAl,KAAl,GAAC,OAAd,CAAJ,C;UACI, OAAO,K;;MAGf,OAAO,E;K;iDAGX,Y;MAA6D,iCAAa,CAAb,C;K;yDAC7D,iB;MAAuE,sDAAlB,KAAlB,C;K ;oDAGvE,8B;MAA4E,uCAAQ,IAAR,EAAc,SAAd,EAAyB,OAAzB,C;K;wDAE5E,8B;MAII,eAAe,0BAAa,SAAb

,C;MACf,YAAO,UAAU,SAAV,I;MnEuDX,iBAAc,CAAd,UAAsB,KAAtB,U;QmEtDiB,e;QACA,iB;;K;2CAIjB,i  
B;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,oC  
AAa,uBAAc,IAAd,EAAoB,KAApB,C;K;6CAGxB,Y;MAG+B,OAAA,oCAAa,yBAAgB,IAAhB,C;K;IAG5C,kD;  
MAAA,oB;MACI,eACsB,C;MACtB,cAIqB,E;K;yDAErB,Y;MAAkC,sBAAQ,gB;K;sDAE1C,Y;MAEW,Q;MADP  
,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wBAAI,WA  
AJ,C;K;wDAGX,Y;MtE5CJ,IAAI,EsE6CU,gBAAQ,EtE7CIB,CAAJ,C;QACI,csE4CwB,sE;QtE3CxB,MAAM,6BA  
AsB,OAAQ,WAA9B,C;;MsE6CF,6BAAS,WAAT,C;MACA,eAAQ,W;MACR,cAAO,E;K;;IAOqB,6D;MAHpC,o  
B;MAGmD,wD;MAG3C,oCAAa,4BAAmB,KAAmB,EAA0B,WAAyB,KAAmD,C;MACb,eAAa,K;K;iEAGjB,Y;M  
AAsC,sBAAQ,C;K;+DAE9C,Y;MAAgC,mB;K;8DAEHc,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;M  
AE1B,eAAO,mCAAP,EAAO,YAAP,C;MACA,OAAO,wBAAI,WAAJ,C;K;mEAGX,Y;MAAoC,sBAAQ,CAAR,I;  
K;+DAEpC,mB;MACI,wBAAI,YAAJ,EAAW,OAAX,C;MACA,mC;MACA,cAAO,E;K;+DAGX,mB;MtEIFJ,IAA  
I,EsEmFU,gBAAQ,EtEnFIB,CAAJ,C;QACI,csEkFwB,4E;QtEjFxB,MAAM,6BAAsB,OAAQ,WAA9B,C;;MsEkFF  
,wBAAI,WAAJ,EAAU,OAAs,C;K;;IAIgb,+D;MAAuF,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,o  
CAAa,2BAAkB,gBAAlB,EAA6B,OAA7B,EAAc,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;K;wDAGjB  
,0B;MACI,oCAAa,4BAAmB,KAAmB,EAA0B,YAA1B,C;MAEb,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OA  
AvB,C;MACL,mC;K;wDAGJ,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mB  
AAY,KAAZ,IAAL,C;K;6DAGX,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kB  
AAS,mBAAY,KAAZ,IAAT,C;MACIB,mC;MACA,OAAO,M;K;wDAGX,0B;MACI,oCAAa,2BAAkB,KAAIB,EA  
AyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;K;mGAGO,Y;MAAQ,mB  
;K;2DAE/B,Y;MAA+C,WAAK,iB;K;;ICxMN,8B;MAAiC,sB;MAwCnF,uBAAoC,I;MA+CpC,yBAA6C,I;K;IAIF  
R,oD;MAAC,wB;MAGIC,gBAAqB,K;K;iFAHa,Y;MAAA,yB;K;uGAKZ,Y;MAAQ,oB;K;8DAE9B,oB;MAKI,eA  
Ae,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;K;wDAGX,Y;MAA+B,iEAAc,IAAd,C;K;wDAC/B,Y;MAAKC,i  
EAAc,IAAd,C;K;sDACIC,iB;MAA4C,+DAAY,IAAZ,EAakB,KAAIB,C;K;;IAIB5C,8E;MAAA,wE;MAAsC,2CA  
AK,KAAAM,IAAX,EAAGB,KAAAM,MAAtB,C;MAAtC,Y;K;IASBJ,+C;MACsE,6B;K;mEACIE,mB;MAAmD,kCA  
Ac,OAAd,C;K;iEAEnD,mB;MAAiD,gCAAY,OAAZ,C;K;;yCAIrD,Y;MACI,YAAQ,Q;K;IAOQ,+F;MAAA,sD;M  
AAS,6B;K;uFACb,mB;MAAwC,MAAM,qCAA8B,8BAA9B,C;K;mFAC9C,Y;MACI,4BAAwB,Q;K;4FAG5B,mB  
;MAAsD,sDAAY,OAAZ,C;K;IAI3C,oH;MAAA,kD;K;4GACH,Y;MAAkC,OAAA,0BAAc,U;K;yGACHd,Y;MAA  
yB,OAAA,0BAAc,OAAO,I;K;2GAC9C,Y;MAAwB,0BAAc,S;K;;sFAL9C,Y;MACI,oBAAoB,oCAAQ,W;MAC5  
B,6G;K;0FAOJ,mB;MACI,qB;MACA,IAAI,+CAAY,OAAZ,CAAJ,C;QACI,4BAAwB,cAAO,OAAP,C;QACxB,O  
AAO,I;;MAEX,OAAO,K;K;oIAGY,Y;MAAQ,OAAA,4BAAwB,K;K;4FAEvD,Y;MAAsC,4BAAwB,iB;K;;0FA9B  
1E,Y;MACI,IAAI,4BAAJ,C;QACI,6F;;MA+BJ,OAAO,mC;K;kDAKf,gB;MAEyB,Q;MADrB,qB;MACqB,OAAA,  
I9E8Q2D,QAAQ,W;M8E9QxF,OAAqB,cAArB,C;QAAqB,wB;QAAf,U9EiMsD,U;Q8EjMjD,Y9E8MiD,Y;Q8E7  
MxD,iBAAI,GAJ,EAAS,KAAT,C;;K;IAQc,iG;MAAA,sD;MAAS,oC;K;yFACf,mB;MAAwC,MAAM,qCAA8B,  
gCAA9B,C;K;qFAC9C,Y;MAAuB,4BAAwB,Q;K;8FAE/C,mB;MAAsD,wDAAc,OAAd,C;K;IAI3C,sH;MAAA,k  
D;K;8GACH,Y;MAAKC,OAAA,0BAAc,U;K;2GACHd,Y;MAAyB,OAAA,0BAAc,OAAO,M;K;6GAC9C,Y;MAA  
wB,0BAAc,S;K;;wFAL9C,Y;MACI,oBAAoB,oCAAQ,W;MAC5B,+G;K;sIAOmB,Y;MAAQ,OAAA,4BAAwB,K;  
K;8FAEvD,Y;MAAsC,4BAAwB,iB;K;;4FAnB1E,Y;MACI,IAAI,8BAAJ,C;QACI,iG;;MAoBJ,OAAO,qC;K;gDA  
Gf,e;MACI,qB;MACA,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YAAy,IAAK,O;QACjB,QAA  
Q,KAAAM,I;QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAAy,KAAAM,M;UACIB,IAAK,S;UACL,OAAO,K;;MA  
Gf,OAAO,I;K;kDAIX,Y;K;;IC3I+C,8B;MAAiC,oC;K;0CAEHf,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;  
MAC3B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,mCAAY,mBAAU,IAAV,EAAGB,KAAhB,C;K;4CAG  
vB,Y;MAG+B,OAAA,mCAAY,2BAAkB,IAAlB,C;K;;ICbT,0B;MAAuD,8B;MAAIC,4B;MACvD,4BAAkC,K;K;g  
CAkBiC,Y;MAEI,qB;MACA,4BAaA,I;MACb,OAAO,I;K;qCAGX,Y;K;iDAGA,uB;K;iFAG8B,Y;MAAQ,OAAA,  
oBAAM,O;K;sCAC5C,iB;MACyC,Q;MAAA,oCAAM,0BAAW,KAAAX,CAAN,4D;K;sCACzC,0B;MAIW,IAAa,I;  
MAHpB,qB;MACA,0BAAW,KAAAX,C;MAEoB,gBAAb,qBAAM,KAAAN,C;MAAqB,qC;MAA5B,OAAO,CAAa,O  
tE8BjB,SsE9BI,2D;K;oCAGX,mB;MACI,qB;MACM,oBAAY,MAAK,OAAL,C;MACIB,qC;MACA,OAAO,I;K;s  
CAGX,0B;MACI,qB;MACM,oBAAY,QAAO,mCAAoB,KAApB,CAAP,EAAmC,CAAnC,EAAc,OAAtC,C;MA  
CIB,qC;K;yCAGJ,oB;MACI,qB;MACA,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE/B,uBAAA,oBxEioDoB,Q

MjrD0C,YkEgDrD,QIEhDqD,CNirD1C,C;MwEhoDpB,qC;MACA,OAAO,I;K;yCAGX,2B;MACI,qB;MACA,mC  
AAoB,KAAPB,C;MAEA,IAAI,UAAS,SAAb,C;QAAMb,OAAO,oBAAO,QAAP,C;MAC1B,IAAI,QAAS,UAAb,K  
;QAAwB,OAAO,K;MAE3B,IADE,KACF,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,KAEF,O;QAAK,uBIE  
7DqD,YkE6D7C,QIE7D6C,CNirD1C,QwEpnD6B,oBxEonD7B,C;;QwEnnDR,uBAAoC,cAA5B,oBAA4B,EAAV,  
CAAU,EAAP,KAAO,CAAY,QIE9DE,YkE8DK,QIE9DL,CkE8DF,EAA4C,cAAN,oBAAM,EAAY,KAAZ,EAAM  
B,SAAnB,CAA5C,C;;MAG5D,qC;MACA,OAAO,I;K;2CAGX,iB;MACI,qB;MACA,0BAAW,KAAx,C;MACA,q  
C;MACA,OAAW,UAAS,sBAAb,GACG,oBAAY,MADf,GAGG,oBAAY,QAAO,KAAP,EAAC,CAAd,CAAIB,CA  
AmC,CAAnC,C;K;uCAGR,mB;MAEkB,Q;MADd,qB;MACc,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAO,GAAg  
B,OAAhB,CAAJ,C;UACU,oBAAY,QAAO,KAAP,EAAC,CAAd,C;UACIB,qC;UACA,OAAO,I;;;MAGf,OAAO,K;  
K;8CAGX,8B;MACI,qB;MACA,qC;MACM,oBAAY,QAAO,SAAP,EAAb,UAAU,SAAV,IAAIB,C;K;gCAGtB,  
Y;MACI,qB;MACA,uB9BhHuC,E;M8BiHvC,qC;K;wCAIJ,mB;MAA+C,OAAM,QAAN,oBAAM,EAAY,OAAR,  
C;K;4CAErD,mB;MAAMd,OAAM,YAAN,oBAAM,EAAY,OAAZ,C;K;mCAEzD,Y;MAA0B,uBAAC,oBAAd,C;  
K;0CAE1B,iB;MAGe,UAGL,MAHK,EAMO,M;MAPIB,IAAI,KAAM,OAAN,GAAa,SAAJB,C;QACI,OAAO,2D;;  
MAGc,gBAAxB,eAAK,SAAL,IAAK,gBAAL,yB;MxEuwBL,UAAU,SAAV,EwEwBsC,KxEwBtC,EAD+F,CA  
C/F,EADoH,CACpH,EADuI,gBACvI,C;MwErwBI,IAAI,KAAM,OAAN,GAAa,SAAJB,C;QACI,MAAM,SAAN,I  
AAc,6E;;MAGIB,OAAO,K;K;kCAGX,Y;MACI,OAAO,EAAS,MAAM,MAAK,oBAAL,C;K;yCAIIB,Y;MACI,IA  
AI,yBAAJ,C;QAAgB,MAAM,oC;K;+CAG1B,iB;MACI,oCAAa,kCAAYB,SAAZB,C;MADoB,Y;K;wDAIrC,iB;M  
ACI,oCAAa,mCAA0B,SAI1B,C;MAD6B,Y;K;;IAIJ9C,+B;MAAA,mD;MAG8B,sB9BRa,E8BQb,C;MAH9B,Y;K  
;IAKA,kD;MAAA,mD;MAIkD,sB9BdP,E8BcO,C;MAJID,Y;K;IAMA,2C;MAAA,mD;MAGqD,sBIENa,YkEMR,  
QIENQ,CkEMb,C;MAHrD,Y;K;ICrBJ,0C;MACI,IAAI,6BAAJ,C;QACU,KAAY,MAAK,UAAAL,C;;QAEIB,UAAU  
,KAAV,EAawC,CAAxC,EAAd,cAAN,KAAM,CAAjD,EAA4D,eAAW,UAAx,CAA5D,C;;K;IAMiB,kD;MAAA  
,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAFPD,4C;MACI,IAAI,6BAAJ,C;QACI,iBAA  
iB,gC;QACX,KAAY,MAAK,UAAAL,C;;QAEIB,UAAU,KAAV,EAawC,CAAxC,EAAd,cAAN,KAAM,CAAjD,E  
AA4D,UAA5D,C;;K;IAIR,gE;MACI,IAAI,aAAY,UAAU,CAAV,IAAZ,CAAJ,C;QACI,UAAU,KAAV,EAawC,S  
AAxC,EAAMd,UAAU,CAAV,IAAnD,EAAGe,UAAhE,C;;K;IAMiB,gC;MAAgB,OAAE,iBAAF,CAAE,EAU,C  
AAV,C;K;IAF3C,0B;MACI,IAAI,6BAAJ,C;QACI,iBAAiB,gB;QACX,KAAY,MAAK,UAAAL,C;;QAEIB,UAAU,  
KAAV,EAawC,CAAxC,EAAd,cAAN,KAAM,CAAjD,EAA4D,cAA5D,C;;K;;IAaa,kD;MAAoB,QAAC,IAAM,C  
AAP,KAAa,IAAM,CAAnB,K;K;IARzC,uC;MACI,sC;QAAiC,OAAjC,yB;;MACA,4BAA4B,K;MAE5B,YAAY,E;  
MAGZ,iBAAC,CAAd,UAAsB,GAAtB,U;QAAiC,KAAY,MAAK,KAAL,C;MAC7C,iBAAiB,kC;MACX,KAAY,M  
AAK,UAAAL,C;MACIB,mBAAC,CAAd,YAAsB,KAAM,OAA5B,Y;QACI,QAAQ,MAAM,UAAQ,CAAR,IAAN,C  
;QACR,QAAQ,MAAM,OAAN,C;QACR,IAAI,CAAC,IAAM,CAAP,OAAc,IAAM,CAAPB,KAA0B,KAAK,CAA  
nC,C;UAAcC,OAAO,K;;MAEjD,4BAA4B,I;MAC5B,OAAO,I;K;IAIX,2D;MACI,aAAa,gBAAMb,KAAM,OAAz  
B,O;MACb,aAAa,YAAU,KAAV,EAAd,MAAjB,EAAYB,KAAzB,EAAGC,YAAhC,EAAS8C,UAA9C,C;MACb,IA  
AI,WAAW,KAAf,C;QACI,aAAU,KAAV,OAAiB,YAAjB,M;UAA+B,MAAM,CAAN,IAAW,OAAO,CAAP,C;;K;  
IAIID,4D;MAEI,IAAI,UAAS,GAAb,C;QACI,OAAO,K;;MAGX,aAAa,CAAC,QAAQ,GAAR,IAAD,IAAGB,CAA  
hB,I;MACb,WAAW,YAAU,KAAV,EAAd,MAAjB,EAAYB,KAAzB,EAAGC,MAAhC,EAawC,UAAxC,C;MAC  
X,YAAY,YAAU,KAAV,EAAd,MAAjB,EAAYB,SAAS,CAAT,IAAZB,EAAGC,GAAR,C,EAAS0C,UAA1C,C;MAE  
Z,aAAiB,SAAS,MAAb,GAAqB,KAArB,GAAGC,M;MAG7C,gBAAGB,K;MACHb,iBAAiB,SAAS,CAAT,I;MACj  
B,aAAU,KAAV,OAAiB,GAAjB,M;QAEQ,iBAAa,MAAb,IAAuB,cAAc,GAAR,C;UACI,gBAAGB,KAAK,SAAL  
,C;UACHb,iBAAiB,MAAM,UAAN,C;UAEjB,IAAI,UAAW,SAAQ,SAAR,EAAMb,UAAAnB,CAAX,IAA6C,CAAj  
D,C;YACI,OAAO,CAAP,IAAY,S;YACZ,6B;;YAEA,OAAO,CAAP,IAAY,U;YACZ,+B;;eAGR,iBAAa,MAAb,C;  
UACI,OAAO,CAAP,IAAY,KAAK,SAAL,C;UACZ,6B;;UAGA,OAAO,CAAP,IAAY,MAAM,UAAN,C;UACZ,+  
B;;MAMZ,OAAO,M;K;ICrGX,4C;MAMoB,UACM,M;MAHtB,IAAI,iBAAJ,C;QAAkB,OAAO,C;MACzB,aAAa,  
C;MACb,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAEQ,oB;UAAmB,U;;UACnB,I1BFiC,MAAA,Y0BEn  
C,O1BFmC,C0BE9C,C;YAAwD,iCAAhC,OAAGC,C;iBAExD,uC;YAAmC,2BAAR,OAAQ,C;eACnC,wC;YAAm  
C,2BAAR,OAAQ,C;eACnC,sC;YAAmC,2BAAR,OAAQ,C;eACnC,uC;YAAmC,2BAAR,OAAQ,C;;YAEA,kBAA  
R,OAAQ,C;;QATvC,wB;QAYA,SAAS,MAAK,MAAL,QAAC,WAAAd,I;;MAEb,OAAO,M;K;;ICTP,uC;MAAA,2  
C;K;2DACI,0B;MAA2D,sBAAU,MAAV,C;K;gEAE3D,iB;MAA6C,Q;MAAA,wEAAqB,C;K;;IAHtE,mD;MAAA

,kD;QAAA,iC;;MAAA,2C;K;;MC0BA,iC;MAKA,8B;MA6CA,0BAAMe,I;;IAzEnE,kC;MAAA,oB;MAA+B,8C; K;2CAE3B,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;uCAC/D,Y;MACI,WAAa,Q;K;uDAGjB,mB;MAAgE,O AAA,WAAa,uBAAc,OAAAd,C;K;0CAE7E,Y;MAAwE,OAAA,iCAAY,W;K;qDAEpF,mB;MACI,IAAI,iBAAS,OA AT,CAAJ,C;QACI,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;;MAEX,OAAO,K;K;wFAGY,Y;MAAQ,OAAA, WAAa,K;K;;8BA6ChD,Y;MACI,0BAAY,Q;K;0CAIhB,e;MAAmD,OAAA,0BAAY,gBAAS,GAAT,C;K;4CAE/D, iB;MAAmE,gBAAZ,0B;MAAY,c;;QvE+mDnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP, e;;QACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAM,IuE/mDmD,uBAAS,gBvE+mD9C,OuE/mDwD,MA AV,QvE+mD5D,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;MuEhnDgD,iB;K;kFAInD,Y;MACI,IAAI,+BA AJ,C;QACI,0BAAW,qB;;MAEf,OAAO,sC;K;uCAGf,Y;MAAgF,iC;K;kCAEHf,e;MAA+C,OAAA,0BAAY,WAAI ,GAAJ,C;K;oCAE3D,sB;MAAgD,OAAA,0BAAY,aAAI,GAAJ,EAAS,KAAT,C;K;qCAE5D,e;MAAYC,OAAA,0B AAY,cAAO,GAAP,C;K;+EAEvB,Y;MAAQ,OAAA,0BAAY,K;K;;IA5DID,0C;MAAA,iD;MAAuD,8B;MAvC3D, mB;MAwCQ,8BAAMB,W;MACnB,2BAAGB,WAA,Y,S;MAFhC,Y;K;IAKA,+B;MAAA,iD;MAGuB,aAAK,kEAA L,Q;MAHvB,Y;K;IAKA,4D;MAAA,iD;MAQ8D,qB;M7EpC9D,IAAI,E6EsCQ,mBAAMB,C7EtC3B,CAAJ,C;QA CI,c6EqCgC,+C;Q7EpChC,MAAM,gCAAYB,OAAQ,WAAJ,C,C;;MAFV,IAAI,E6EuCQ,cAAc,C7EvCtB,CAAJ,C; QACI,gB6EsC2B,yC;Q7ErC3B,MAAM,gCAAYB,SAAQ,WAAJ,C,C;;M6E0BV,Y;K;IAcA,gD;MAAA,iD;MAA2C ,eAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAGA,yC;MAAA,iD;MAG8C,qB;MAC1C,KAAK,gBAAO,QAAP, C;MAJT,Y;K;IAqCJ,4B;MAK8E,gBAAnE,aAAmB,gEAAAnB,C;MAA2E,wB;MAAIF,O1EvCO,S;K;;M2EjEP,uB;; kCAyCA,mB;MACI,UAAU,gBAAI,aAAI,OAAJ,EAAs,IAAb,C;MACd,OAAO,W;K;8BAGX,Y;MACI,gBAAI,Q; K;uCAOR,mB;MAA6D,OAAA,gBAAI,mBAAY,OAAZ,C;K;gCAEjE,Y;MAAYC,OAAA,gBAAI,U;K;CAE7C,Y; MAAqD,OAAA,gBAAI,KAAK,W;K;qCAE9D,mB;MAAkD,OAAA,gBAAI,cAAO,OAAP,CAAJ,Q;K;+EAEpB,Y ;MAAQ,OAAA,gBAAI,K;K;;IA5D1C,6B;MAAA,iD;MAGoB,8B;MAZxB,mB;MAaQ,oBAAM,gB;MAJV,Y;K;IA OA,yC;MAAA,iD;MAG2C,8B;MAAnB/C,mB;MAoBQ,oBAAM,eAAGB,QAAS,KAAzB,C;MACN,qBAAO,QAAP, C;MALJ,Y;K;IAQA,4D;MAAA,iD;MAQ2D,8B;MAhC/D,mB;MAiCQ,oBAAM,eAAGB,eAAhB,EAAiC,UAAjC, C;MATV,Y;K;IAYA,gD;MAAA,iD;MAA2C,eAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAEA,oC;MAAA,iD; MAM0C,8B;MA5C9C,mB;MA6CQ,oBAAW,G;MAPf,Y;K;IAmCJ,+B;MAKuC,gBAA5B,eAAQ,eAAR,C;MAAo C,6B;MAA3C,O3ENO,S;K;I4EzD6B,uC;MAAC,kC;MAErC,oBAAkC,kB;MACIC,sBAAyB,C;K;2EAHY,Y;MAA A,8B;K;2FAGrC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;gDAGA,sB;MACI,eAAe,aAAS,qBAA,Y,GAAZ,C;MA CxB,mBAAMB,6BAAsB,QAAtB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,QAAX,IAAuB,mCAAY,GAAZ,EA AiB,KAAjB,C;;QAEvB,IAAI,6BAAJ,C;UAEl,YAA+B,Y;UAC/B,IAAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GA AIB,CAAb,C;YACI,OAAO,KAAM,gBAAS,KAAT,C;;YAEb,kBAAW,QAAX,IAAuB,CAAQ,KAAR,EAae,mCA AY,GAAZ,EAaiB,KAAjB,CAaf,C;YACvB,6B;YACA,OAAO,I;;UAIX,YAAuC,Y;UACvC,cAAkB,wBAAN,KA AM,EAaiB,GAAjB,C;UACIB,IAAI,eAAJ,C;YACI,OAAO,OAAM,gBAAS,KAAT,C;;UAEX,KAA,Y,MAAK,mC AAY,GAAZ,EAaiB,KAAjB,CAAL,C;;MAG1B,6B;MAEA,OAAO,I;K;iDAGX,e;MAEuB,Q;MADnB,eAAe,aAA S,qBAA,Y,GAAZ,C;MACL,oCAAsB,QAAtB,C;MAAA,iB;QAAMC,OAAO,I;;MAA7D,mBAAMB,I;MACnB,IAA I,6BAAJ,C;QACI,YAAgC,Y;QAChC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;U5BzDR,O4B 0D6B,iB5B1DvB,C4B0DmC,Q5B1DnC,C;U4B2DM,6B;UACA,OAAO,KAAM,M;;UAEb,OAAO,I;;QAGX,YAA uC,Y;QACvC,8BAAc,KAAAd,iB;UACI,cAA,Y,MAAM,KAAN,C;UACZ,IAAI,aAAS,gBAAO,GAAP,EAAY,OAA M,IAAIB,CAAb,C;YACI,IAAI,KAAM,OAAN,KAAc,CAAIB,C;cACU,KAAN,UAA2B,C;c5BtE/C,O4BwEqC,iB5 BxE/B,C4BwE2C,Q5BxE3C,C;;c4B2EoB,KAA,Y,QAAsB,QAAP,EAAC,CAAd,C;;YAEtB,6B;YAEA,OAAO,OAA M,M;;;MAIzB,OAAO,I;K;0CAGX,Y;MACI,oBAAa,kB;MACb,YAAO,C;K;mDAGX,e;MAAYC,uBAAS,GAAT, S;K;8CAEzC,e;MAA+B,Q;MAAA,+BAAS,GAAT,8B;K;+CAE/B,e;MACuB,Q;MAAA,oCAAsB,aAAS,qBAA,Y, GAAZ,CAA/B,C;MAAA,iB;QAAoD,OAAO,I;;MAA9E,mBAAMB,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;Q AChC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;UACI,OAAO,K;;UAEP,OAAO,I;;QAGX,YA AuC,Y;QACvC,OAAa,wBAAN,KAAM,EAaiB,GAAjB,C;;K;uDAlrB,0B;MACI,sB;;Q7F+nCY,Q;QAAhB,iD;UA AgB,cAAhB,e;UAAsB,I6F/nCK,aAAS,gB7F+nCA,O6F/nCa,IAAb,M7F+nCd,C;YAAwB,qBAAO,O;YAAP,uB;; QAC9C,qBAAO,I;;M6FhoCH,yB;K;IAIO,8E;MAAA,wD;MACH,aAA,Y,E;MAEZ,YAA0B,MAAA,MAAK,qCAA L,C;MACvC,gBAAe,E;MAEf,oBAA4B,I;MAC5B,eAAc,K;MACd,iBAAgB,E;MAChB,iBAAqC,I;K;yEAErC,Y; MACI,IAAI,6BAAwB,YAA5B,C;QACI,gBAAqB,iBAAqD,O;QAC1E,IAAI,4DAAC,SAaIB,C;UACI,OAAO,C;;

MAGf,IAAI,yDAAa,SAAK,OAAtB,C;QACI,oBA Ae,2CAAW,UAAK,aAAL,CAAX,C;QACf,eAAU,iC;QACV,iB  
AA Y,C;QACZ,OAAO,C;;QAEp,oBA Ae,I;QACf,OAAO,C;;K;mEAI f,Y;MACI,IAAI,eAAS,EAAb,C;QACI,aAAQ,  
oB;MACZ,OAAO,eAAS,C;K;gEAGpB,Y;MAEoB,Q;MADhB,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACN,  
IAAI,YAAJ,C;QACZ,yBAAqD,cAArD,C;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBA AiB,S;MACjB,aAAQ,E;MAC  
R,OAAO,S;K;kEAGX,Y;M/E/CR,I+EgDyB,c/EhDrB,QA AJ,C;QACI,cAhByB,0B;QAIbZB,MAAM,6BAAsB,OA  
AQ,WAA9B,C;;M+E+CE,6BAAYB,cAAO,6BAAY,IAAnB,C;MACzB,iBAAY,I;MAEZ,uC;K;;6CAtdZ,Y;MAEI,  
2D;K;4DAyDJ,oB;MACI,mBAAmB,kBAAW,QAAX,C;MACnB,OAAW,iBA AiB,SAArB,GAAgC,IAAhC,GAA0  
C,Y;K;;;wCCtKrD,Y;MACI,aAAR,MAAM,OAAe,CAAP,IAAO,C;MAEb,OAAO,KAAP,IAAgB,C;M7BXpB,O6  
BYqB,M7BZf,C6BYuB,K7BZvB,C;M6BaF,OAAO,M;K;;ICNuB,qC;MAAC,kC;MAEnC,oBA AkC,kB;MACIC,sB  
AAyB,C;K;yEAHU,Y;MAAA,8B;K;yFAGnC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;iDAWA,e;MACI,IAAI,0  
BAAJ,C;QAAoB,OAAO,K;MAC3B,OAAO,kBAAW,GAAX,MAAoB,S;K;4CAG/B,e;MACI,IAAI,0BAAJ,C;QA  
AoB,OAAO,I;MAC3B,YAA Y,kBAAW,GAAX,C;MACZ,OAAW,UAAU,SAArB,GAAgC,KA AhC,GAA2D,I;K;8  
CAI/D,sB;MjFVA,IAAI,EiFWQ,uBjFXR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mi  
FUN,eAAe,kBAAW,GAAX,C;MACf,kBAAW,GAAX,IAAkB,K;MAEIB,IAAI,aAAa,SAAJB,C;QACI,6B;QAEA,  
OAAO,I;;QAGP,OAAO,Q;;K;+CAIf,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAA Y,kBAAW,GAAX,  
C;MACZ,IAAI,UAAU,SAAd,C;Q9BnDJ,O8BoDyB,iB9BpDnB,C8BoD+B,G9BpD/B,C;Q8BqDE,6B;QAEA,OAA  
O,K;;QAGP,OAAO,I;;K;wCAkf,Y;MACI,oBA Aa,kB;MACb,YAAO,C;K;IAKA,0E;MAAA,oD;MACH,cAAkC,M  
AAa,MAAK,mCAAL,C;MAC/C,kBA A4B,qBAAL,WAAK,C;MAC5B,iBAA+B,I;K;iEAE/B,Y;MAAkC,OAAA,e  
AAS,U;K;8DAE3C,Y;MAIuB,gB;MAHnB,UAAU,eAAS,O;MACnB,iBA AU,G;MAES,+E;MAAnB,OAAO,iD;K;  
gEAGX,Y;MAEkC,UAA9B,M;MAAA,oC;MAA8B,YAAa,c;MjFchD,uB;MAeP,IAfoB,KAehB,QA AJ,C;QACI,cA  
hByB,0B;QAIbZB,MAAM,6BAAsB,OAAQ,WAA9B,C;;QAEN,sBAnBgB,K;;MiFde,oBAAO,sFAAP,C;K;;2CAjB  
nC,Y;MACI,yD;K;IAqBkd,0F;MAAA,8B;MAAA,oD;K;kHAC9B,Y;MAAQ,uB;K;oHACN,Y;MAAQ,6CAAuB,g  
BAAvB,C;K;2EAE9B,oB;MAAwC,OAAA,2BA AuB,aAAI,gBA AJ,EAAS,QAAT,C;K;qEAE/D,Y;MAA+B,OAA  
A,mCAAY,uBAAc,IAAd,C;K;qEAC3C,Y;MAAkC,OAAA,mCAAY,uBAAc,IAAd,C;K;mEAC9C,iB;MAA4C,OA  
AA,mCAAY,qBAAY,IAAZ,EA AkB,KAAIB,C;K;;gDAR5D,e;MAAsD,iE;K;;;MCItD,sBAOsC,I;MA6CtC,yB;MA  
OA,4BA AkC,K;;IArIE,sD;MAZpC,oB;MAYyD,0CAAqC,GAArC,EA A0C,KAA1C,C;MACrD,oBA AuC,I;MACv  
C,oBA AuC,I;K;wDAEvC,oB;MACI,WAAmB,iB;MACnB,OAAa,mEAAS,QAAT,C;K;;IAIrB,wC;MAAA,oB;MA  
A+B,8C;K;IAE3B,sD;MAAA,oB;MACI,cACsC,I;MAEtC,cACsC,I;MAGIC,cAAO,iC;K;6DAIX,Y;MACI,OAAO,  
gBAAS,I;K;0DAGpB,Y;MAEI,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MA  
Ca,gBAAb,OAAQ,a;;MAAf,c/E0DS,S+E1DoB,KAAO,iC/E0DzC,GAAqB,SAArB,GAA+B,I;M+EzD1B,OAAO,O  
;K;4DAGX,Y;MIFwBR,IAAI,EkFvBc,eAAQ,IIFuBtB,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,W  
AA9B,C;;MkFxBE,WAAc,iB;MAGP,oCAAP,0BAAO,C;MACP,gCAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,I;K  
;;iDAIf,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;6CAC/D,Y;MACI,WAAmB,Q;K;6DAGvB,mB;MAAgE,OA  
AA,WAAmB,uBAAc,OAA d,C;K;gDAEnF,Y;MAAwE,qD;K;2DAExE,mB;MACI,qB;MACA,IAAI,iBAAS,OAAT  
,CAAJ,C;QACI,WAAmB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;;MAEX,OAAO,K;K;8FAGY,Y;MAAQ,OAAA  
,WAAmB,K;K;sDAEID,Y;MAAsC,WAAmB,iB;K;;iDAa7D,qB;MIFrBA,IAAI,EkF0BM,0BAAQ,IAAR,IAAgB,0  
BAAQ,IIF1B9B,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;;MkF0BN,YAA Y,mB;MAC  
Z,IAAI,SAAS,IAAb,C;QACI,sBAAO,S;QACP,yBAAO,S;QACP,yBAAO,S;;QAGK,YAAa,KAAM,a;QIFIBhC,uB  
;QAeP,IAfoB,KAehB,QA AJ,C;UACI,gBAhByB,0B;UAIbZB,MAAM,6BAAsB,SAAQ,WAA9B,C;;UAEN,sBAnB  
gB,K;;QkFkBZ,+B;QAEA,yBAAO,K;QACP,yBAAO,K;QAEP,qBA Aa,S;QACb,qBA Aa,S;;K;+CAIrB,qB;MAIL,I  
AAI,SAAK,aAAL,KAAc,SAAlB,C;QAEI,sBAAO,I;;QAEP,IAAI,wBAAS,SAAb,C;UAEI,sBAAO,sB;;QAEX,qD  
AAc,sB;QACd,qDAAc,sB;;MAEIB,yBAAO,I;MACP,yBAAO,I;K;oCA8CX,Y;MAEI,qB;MACA,4BA Aa,I;MACb,  
OAAO,I;K;oCAGX,Y;MACI,qB;MACA,kBA AI,Q;MACJ,sBAAO,I;K;gDASX,e;MAAmD,OAAA,kBA AI,mBAA  
Y,GAAZ,C;K;kDAEvD,iB;MACiC,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;;MAA5C,WAA6B,I;;QAEzB,IAAI,  
OAAA,IAAK,MAAL,EA Ac,KAA d,CAAJ,C;UACI,OAAO,I;;QAEX,OAAO,cAAA,IAAK,aAAL,C;;MACF,iBAA  
S,mBAAT,C;MACT,OAAO,K;K;6CAIX,Y;MAAoF,uC;K;wCAEPf,e;MAAmD,Q;MAAJ,QA AI,OAAJ,kBA AI,W  
AAI,GAAJ,CAAJ,6B;K;0CAE/C,sB;MACI,qB;MAEA,UAAU,kBA AI,WAAI,GAAJ,C;MACd,IAAI,OAAO,IAAX  
,C;QACI,eAAe,mCAAW,GAAX,EA AgB,KAAhB,C;QACf,kBA AI,aAAI,GAAJ,EAAS,QAAT,C;QACK,wBAAT,

QAAS,C;QACT,OAAO,I;QAEP,OAAO,GAAL,gBAAS,KAAT,C;K;2CAInB,e;MACI,qB;MAEA,YAA Y,kBAAL,cAAO,GAAP,C;MACHb,IAAI,SAAS,IAAb,C;QACU,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;MAEjB,OAA O,I;K;qFAGmB,Y;MAAQ,OAAA,kBAAL,K;K;6CAE1C,Y;MACI,IAAI,yBAAJ,C;QAAGB,MAAM,oC;K;IANg1 B,mC;MAAA,uD;MAGuB,qB;MA9J3B,yB;MA+JQ,sBAAM,gB;MAJV,Y;K;IAOA,iD;MAAA,uD;MAAoD,qB;M AlKxD,yB;MAoKc,Q;MAAN,sBAAM,+D;MAFV,Y;K;IAKA,kE;MAAA,uD;MAQ8D,eAAM,eAAN,EAAuB,UA AvB,Q;MA/KIE,yB;MAGLQ,sBAAM,gB;MATV,Y;K;IAYA,sD;MAAA,uD;MAA2C,qBAAK,eAAL,EAA sB,GA AtB,Q;MAA3C,Y;K;IAEA,+C;MAAA,uD;MAG2C,qB;MAxL/C,yB;MAyLQ,sBAAM,gB;MACN,KA AK,gBAAO ,QAAP,C;MALT,Y;K;IA6EJ,kC;MAKwD,gBAA7C,qBAAYB,eAAzB,C;MAAqD,wB;MAA5D,O/EjMO,S;K; ;oC gFvCP,Y;MAEK,Q;MAA8B,CAA9B,2EAA8B,S;MAC/B,OAAO,I;K;6CAGX,Y;MAA+C,gBAAL,iB;K;IAhCnD, wC;MAAA,uD;MAAmD,eAAM,GAAN,Q;MAPvD,yB;MAOI,Y;K;IAEA,qC;MAAA,uD;MAGuB,eAAM,oBAAN ,Q;MAZ3B,yB;MASI,Y;K;IAKA,+C;MAAA,uD;MAG8C,eAAM,oBAAN,Q;MAjBID,yB;MAkBQ,qBAAO,QAA P,C;MAJJ,Y;K;IAOA,kE;MAAA,uD;MAQ8D,eAAM,qBAAsB,eAAtB,EAAuC,UAAvC,CAAN,Q;MA7BIE,yB;M AqBI,Y;K;IAUA,sD;MAAA,uD;MAA2C,qBAAK,eAAL,EAA sB,GAAtB,Q;MAA3C,Y;K;IAgBJ,qC;MAK mD,gB AAxC,mBAAC,qBAAD,C;MAAGD,6B;MAAvD,OhFoBO,S;K; ;kFiFzEX,uB;MAQI,OAAO,O;K;ICXX,sB;K;mC ACI,Y;MACI,mBAAM,IAAN,C;K;2CAGJ,mB;MACI,mBAAM,OAAN,C;MACA,c;K;iCAKJ,Y;K;IAKuB,oC;M AA8B,qB;MAA7B,gC;K;2CACxB,mB;MAEI,oBA+DyC,OA/Dd,OA+Dc,C;MA9DzC,iBAaA,OAAM,aAAN,C;K; ;IAIrB,8B;MAEoC,qB;K;iDACHC,mB;MACI,OAAQ,KAAI,OAAJ,C;K;mDAGZ,mB;MACI,OAAQ,KAAI,OAAJ, C;K;2CAGZ,Y;MACI,OAAQ,KAAI,EAAJ,C;K;IAIhB,0B;MAEqC,qB;MACjC,cAAa,E;K;6CAEb,mB;MACI,eA oCyC,OApCxB,OAoCwB,C;K;qCAjC7C,Y;MACI,cAAS,E;K;IAIjB,sC;MAE4C,yB;K;yDACxC,mB;MACI,QA wByC,OAxB1B,OAwB0B,C;MAvBzC,QAAQ,CxEqJoF,awErJhE,IxEqJgE,EwErJ1D,CxEqJ0D,C;MwEpJ5F,IAAI, KAAK,CAAT,C;QACI,4BAAU,CxE+J0E,WwE/J9D,CxE+J8D,EwE/J3D,CxE+J2D,C;QwE9JpF,Y;QACA,IAAI,C xE0JiE,WwE1JrD,IAAI,CAAJ,IxE0JqD,C; ;MwExJzE,4BAAU,C;K;iDAGd,Y;MACI,OAAQ,KAAI,WAAJ,C;MA CR,cAAS,E;K; ;IAWjB,yB;MACiD,cAAa,KAAb,C;K;IAEjD,mB;MAEL,MAAO,U;K;IAGX,4B;MAEI,MAAO,iB AAQ,OAAR,C;K;IAGX,wB;MAEI,MAAO,eAAM,OAAN,C;K;IAGX,kB;MACqC,MAAM,qCAA8B,sCAA9B,C; K;IAE3C,wB;MAC4C,MAAM,qCAA8B,4CAA9B,C;K;ICIGID,mD;MACI,0B;MASA,gBAA2B,a;K;2FAFvB,Y;M AAQ,OAAA,eAAS,Q;K;oDAIrB,kB;MACI,UAAU,IAAK,S;MAEX,YAAQ,2CAAR,C;QACI,gBAAC,MAAO,M; WAEzB,YAAQ,yBAAR,C;QACI,gBAAC,yC;QACd,eAAS,oBAAW,MAAX,C; ;QAEL,MAAM,6BAAsB,iBAAtB, C;K;4CAItB,Y;MAOW,Q;MALP,IAAI,kBAAW,2CAAf,C;QACI,gBAAS,yB;QACT,OAAO,yB; ;MAEX,aAAa,IA AK,S;MAEd,eAAW,yCAAX,C;QAAsB,gC;WACtB,0C;QAA4B,MAAM,MAAO,U; ;QACjC,a;MAHZ,W;K; ;IA7B J,gD;MAAA,0D;MACyD,6BAAK,QAAL,EAAe,2CAAf,C;MADzD,Y;K; ;ICRA,2C;MAAA,+D;MAAuB,iC;MA F3B,iC;MAEI,Y;K;IACA,sD;MAAA,+D;MAAuC,6BAAM,OAAN,Q;MAH3C,iC;MAGI,Y;K;IACA,6D;MAAA,+ D;MAAmD,kCAAM,OAAN,EAAe,KAAf,C;MAJvD,iC;MAIL,Y;K;IACA,oD;MAAA,+D;MAAiC,6BAAM,KAA N,Q;MALrC,iC;MAKI,Y;K;IxC4CJ,yE;MASI,sC;MAAA,4C;K;IATJ,iGAWY,Y;MAAQ,2B;KAXpB,E;IAAA,0D AaQ,kB;MACI,wBAAW,MAAX,C;K;IAdZ,sF;IyC5C2E,0C;M1CkKhE,Q;MADP,e0ChKA,M1CgKA,C;MACO,Q 0CjKP,M1CiKO,+D;M0ChKX,W;K; ;FCuHA,gB;MACI,aAAa,IAAb,MAAa,E;MACb,KAAK,MAAL,C;MACA, OAAO,M;K;wFC3HX,yB;MAAA,uD;MAAA,wC;QAWqG,OAAK,cAAL,SAAK,EAAiB,IAAjB,EAAuB,IAAvB, C;O;KAX1G,C;wFAaA,yB;MAAA,uD;MAAA,wC;QAWoG,OAAK,cAAL,SAAK,EAAiB,IAAjB,EAAuB,IAAvB, C;O;KAXzG,C;8ECbA,yB;MAAA,6C;MAAA,sC;QAOyD,OAAK,SAAL,SAAK,EAA Y,QA AZ,C;O;KAP9D,C;8E ASA,yB;MAAA,6C;MAAA,wC;QAWkE,OAAK,SAAL,SAAK,EAAa,UAAb,S;O;KAXvE,C;oFAaA,yB;MAAA, mD;MAAA,wC;QAWqE,OAAK,YAAL,SAAK,EAAgB,UAAhB,S;O;KAX1E,C;kFCZI,yB;MAAA,iD;MAAA,4B; QA Ae,OAAK,WAAL,SAAK,C;O;KAApB,C;wFAYA,yB;MAAA,uD;MAAA,4B;QA Ae,OAAK,cAAL,SAAK,C;O ;KAApB,C;IC5BJ,gC;MAAoE,gCAAqB,OAAR,B,C;K;IAEIC,uC;MAAC,wB;K;iDAC/B,iB;MACI,eAAQ,KAAR,C ;K;8CAGJ,Y;MAAyC,iCAAuB,cAAvB,M;K; ;ICCO,6C;MAAA,8B;MAAS,uB;K;8FACIC,Y;MAAQ,OAAA,gBA AY,O;K;mDAE3C,iB;MACI,IADoC,KACpC,IAAG,CAAH,IADoC,KACpC,IAAM,sBAAN,C;QAD8B,OACX,gB AAY,MAAK,KAAL,C; ;QACvB,MAAM,8BAA0B,WAAQ,KAAR,6BAAMc,sBAAnC,MAA1B,C;K; ;IARtB,8B; MAGoD,4C;K;wECFpD,yB;MAAA,uC;MAAA,4B;QAOsC,MAAL,SAAK,C;O;KAPtC,C;kFASA,yB;MAAA,iD; MAAA,kC;QAWuD,OAAK,WAAL,SAAK,EAAc,IAAd,C;O;KAX5D,C;+ECfA,qB;MAI8C,gB;K;iFAE9C,qB;M AIsE,OAAK,S;K;kFAE3E,qB;MAMyE,gB;K;IAEzE,6B;MAiBa,UAPF,M;MAFP,QAAc,S;MAGV,cAAK,UAAAL,

U;QACI,mBAAK,UAAAL,G;;QACJ,I/CzBqC,MAAa,Y+CyBvC,C/CzBuC,C+CyBID,C;UAC6B,8BAAzB,CAAyB,C;;UAGN,UAAIB,uDAakB,Y;;MAP3B,a;K;IC9BJ,2B;MAEI,MAAM,yBAAqB,OAARb,C;K;IAGV,sB;MAEI,MAAM,uBAAMb,cAAnB,C;K;IAGV,2B;MAEI,MAAM,6BAAsB,OAAtB,C;K;IAGV,iC;MAEI,MAAM,4CAAqC,uBAAqB,YAArB,8BAArC,C;K;ICIBV,8B;MC8CW,kB1GqBiD,oB;M0GM9C,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAakB,sBAAY,GAAZ,C;QAKFiD,U;QAJFnE,W1GuKJ,a0GvKgB,G1GuKhB,EyG10oB,CCmEkC,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAiFhD,GDpJrC,CCoJqC,GAA6B,UAjFjC,WaFiC,6DDpJnD,IAAM,CAAN,IzG0OpB,C;;MyG10A,OCqEO,W;K;IC3EqC,gD;MAAC,oC;K;;;IC0CjD,qB;MAK0B,Q;MADtB,UAAmB,E;MACnB,wBAAsB,KAAtB,gB;QAAsB,aAAA,KAAtB,M;QAAK,IAAC,0BAAD,EAAO,2B;QACR,IAAI,IAAJ,IAAY,K;;MAEhB,OAAO,G;K;IAGX,+B;MAMgB,Q;MADZ,WAA0B,MAAa,MAAK,KAAL,C;MACvC,wBAAY,IAAZ,gB;QAAY,UAAA,IAAZ,M;QACI,IAAU,KAAy,gBA Ae,GAAf,CAAtB,C;UACI,UAAK,GAAL,IAAY,MAAM,GAAN,C;;;MAGpB,OAAO,S;K;qEC5DX,yB;MAAA,iB;MAAAA,oB;QAOKD,OAAA,MAAW,KAAL,CAAJ,C;O;KAP7D,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOKD,OAAA,MAAW,KAAL,CAAJ,C;O;KAP7D,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOKD,OAAA,MAAW,KAAL,CAAJ,C;O;KAP7D,C;uEASA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;yEAWA,yB;MAAA,iB;MAAA,uB;QAKb+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;O;KAIB1E,C;uEAoBA,yB;MAAA,iB;MAAA,oB;QAUMD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUMD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;O;KAZ/D,C;yEAca,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;O;KAZ/D,C;yEAca,yB;MAAA,iB;MAAA,oB;QAaoD,OAAA,MAAW,OAAM,CAAN,C;O;KAb/D,C;yEAeA,yB;MAAA,iB;MAAA,uB;QAS+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;O;KAT1E,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAQmD,OAAA,MAAW,MAAK,CAAL,C;O;KAR9D,C;qEAUA,yB;MAAA,iB;MAAA,oB;QAUKD,OAAA,MAAW,KAAL,CAAJ,C;O;KAV7D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAcoD,OAAA,MAAW,OAAM,CAAN,C;O;KAd/D,C;IAGbA,sB;MAcI,IAAI,QAAQ,GAAR,IAAe,SAAQ,GAA3B,C;QAAgC,OAAO,wCAA0,I;MAC9C,OAAO,IAAW,KAAL,CAAJ,CAAX,GAAoB,IAAW,KAAL,IAAJ,C;K;mEAG1C,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAAW,KAAL,CAAJ,C;O;KAX5D,C;yEAaA,yB;MAAA,iB;MAAA,oB;QA0oD,OAAA,MAAW,OAAM,CAAN,C;O;KAP/D,C;uEASA,yB;MAAA,iB;MAAA,oB;QA0mD,OAAA,MAAW,MAAK,CAAL,C;O;KAP9D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAgbmD,OAAA,MAAW,OAAM,CAAN,C;O;KAhB9D,C;uEakBA,yB;MAAA,iB;MAAA,oB;QAUMD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAUoD,OAAA,MAAW,OAAM,CAAN,C;O;KAV/D,C;+EAYA,yB;MAAA,iB;MAAA,oB;QAUuD,OAAA,MAAW,OAAM,CAAN,C;O;KAVIE,C;IAYA,kB;MAQI,IAAI,IAAI,GA AJ,KA AW,GAAf,C;QACI,OAAO,IAAW,OAAM,CAAN,C;;MAEtB,YAzBgD,MAAW,OAYBzC,CAzByC,C;MA0B3D,OAAW,QAAQ,CAAR,KAAa,GAAxB,GAA6B,KAA7B,GAtC+C,MAAW,MAcB,CAtCa,C;K;qEAyC9D,yB;MAAA,iB;MAAA,oB;QAUKD,OAAA,MAAW,KAAL,CAAJ,C;O;KAV7D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QAWmD,OAAA,MAAW,MAAK,CAAL,C;O;KAX9D,C;wEAca,yB;MAAA,iB;MAAA,uB;QA06D,OAAA,MAAW,KAAL,CAAJ,EAAO,CAAP,C;O;KAPxE,C;wEASA,yB;MAAA,iB;MAAA,uB;QA06D,OAAA,MAAW,KAAL,CAAJ,EAAO,CAAP,C;O;KAPxE,C;qEAWA,yB;MAAA,iB;MAAA,+B;QAayD,OAAA,MAAW,KAAL,SAAJ,EAAU,CAAV,C;O;KAbpE,C;uEAeA,yB;MAAA,iB;MAAA,+B;QA0sD,OAAA,MAAW,KAAL,SAAJ,EAAy,CAAZ,C;O;KAPjE,C;iGAmBsD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,KAAL,SAAJ,C;O;KAAAnB,C;+EAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,MAAK,SAAL,C;O;KAAAnB,C;iFAE7C,yB;MAAA,6C;MAAA,kC;QAK8D,OAAK,SAAL,SAAK,EAAC,IAAd,C;O;KALnE,C;IAKbqC,4B;MACjC,gBAAO,CAAP,C;QADyC,OACrB,QAAP,CAAC,SAAM,C;WACpB,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAA0,kBAA/B,C;QAFyC,OAEW,S;WACpD,kBAAQ,wCAA0,UAAf,C;QAHyC,OAGb,YAAY,SAAL,SAAK,C;;QAHc,OAI5B,OAAL,SAAK,CAAL,GAAGB,S;K;IAG5B,2B;MAKI,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAA0,kBAA/B,C;QADwC,OACY,S;WACpD,kBAAQ,GAAR,C;QAFwC,OAEzB,wCAA0,U;;QACP,WAAc,UAAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAC,CAAd,GAAqB,EAAXC,E;QAHgB,OjDhb6B,MAAa,gBA Ae,IAAf,C;;K;liDsbtF,6B;MAKI,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAA0,kBAA/B,C;QAD0C,OACU,S;WACpD,kBAAQ,GAAR,C;

QAF0C,OAE3B,CAAC,wCAAO,U;;QACR,WAAc,UAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAC,EAAAd,G  
AAsB,CAAzC,E;QAHkB,OjD1b2B,MAAA,gBA Ae,IAAf,C;;K;liDictF,oC;MAUI,IAAK,QAAL,SAAK,CAAL,IAA  
mB,QA AH,EAAG,CAAnB,C;QADuD,OACzB,wCAAO,I;WACrC,WAAM,SAAN,C;QAFuD,OAEzC,E;WACd,S  
AAK,SAAL,C;QAHuD,OAGrC,OAAL,SAAK,C;;QAHqC,OAI1B,SAAL,SAAK,C;K;IAIjC,+B;MAYI,uB;QAAW  
,MAAM,gCAAYB,yBAAzB,C;WACjB,gBAAO,UAAP,C;QAFyC,OAEjB,U;WACxB,gBAAO,WAAP,C;QAHyC,  
OAGjB,W;;QAHiB,OAIv,YAAvB,IAAW,OAAM,SAAN,CAAY,C;K;IAGnC,gC;MAYI,uB;QAAW,MAAM,gCA  
AyB,yBAAzB,C;WACjB,oD;QAF2C,+B;WAG3C,oD;QAH2C,+B;;QAAA,OAIz,uBAAvB,IAAW,OAAM,SAAN,  
CAAY,C;K;uEASnC,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,y  
B;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,o  
B;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;yEASA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA  
8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;  
KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;2EAWA,yB;  
MAAA,iB;MAAA,uB;QAKb4D,OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;O;KAIbZG,C;yEAoBA,yB;M  
AAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;yEAYA,yB;MAAA,iB;MAAA,oB;Q  
ASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,  
MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;K  
AZjF,C;2EAcA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAcA,yB;MA  
AA,iB;MAAA,oB;QAakD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAbjF,C;2EAeA,yB;MAAA,iB;MAAA,uB;QAS4  
D,OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;O;KATzG,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OA  
AA,MAA8B,MAAZ,CAAY,C;O;KAR/E,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,C  
AAY,C;O;KAV7E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAcKd,OAAA,MAA+B,OAAZ,CAAY,C;O;KAdjF,C;uE  
AgBA,yB;MAAA,mC;MAAA,OB;QAc6D,OAAmC,IAA7B,CAA6B,EAAZ,IAAY,C;O;KAdhG,C;qEAgBA,yB;M  
AAA,iB;MAAA,oB;QAW+C,OAAA,MAA6B,KAAZ,CAAY,C;O;KAX5E,C;2EAaA,yB;MAAA,iB;MAAA,oB;Q  
AOkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAPjF,C;yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MAA8B,  
MAAZ,CAAY,C;O;KAP/E,C;yEASA,yB;MAAA,iB;MAAA,oB;QAgBiD,OAAA,MAA+B,OAAZ,CAAY,C;O;KA  
hBhF,C;yEAKBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;M  
AAA,iB;MAAA,oB;QAUkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAVjF,C;iFAYA,yB;MA3gBA,iB;MA2gBA,o  
B;QAUqD,OA3gBE,MAAW,OA2gBF,CA3gBE,C;O;KAigBIE,C;2EAYA,yB;MAAA,uC;MAAA,oB;QAQkD,OA  
AoB,MAAZ,CAAY,C;O;KARtE,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;  
O;KAV7E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAX/E,C;wEAeA,y  
B;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPrE,C;wEASA,yB;MAAA,i  
B;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPrE,C;sEAYA,yB;MAAA,iB;MAAA,+  
B;QAasD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAbpG,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAO  
oD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAPIG,C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,  
OAAA,MAAgC,KAAZ,SAAY,C;O;KAAxC,C;gFAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAiC,MAAZ,S  
AAY,C;O;KAAzC,C;gFAE3C,yB;MAAA,6C;MAAA,kC;QAO8D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KA  
PxG,C;iFASA,yB;MAAA,6C;MAAA,kC;QAK4D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KALtG,C;oFAQA,y  
B;MAAA,iD;MAAA,4B;QAYmD,OA AW,WAAX,SAAW,C;O;KAZ9D,C;sFAcA,yB;MAAA,mD;MAAA,4B;QA  
YqD,OA AW,YAAX,SAAW,C;O;KAZhE,C;IAoBA,kB;MAUqC,OAAI,IAAI,CAAR,GAAY,CAAC,CAAD,OAA  
M,CAAIB,GAA0B,C;K;wEAE/D,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,  
C;O;KAL/D,C;wEAOA,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/  
D,C;mGAIbGd,yB;MAAA,mC;MAAA,4B;QAAQ,WAAL,SAAJ,C;O;KAAR,C;IAShB,+B;MAC5B,gBAAO,CAA  
P,C;QADoC,OACxB,E;WACZ,gBAAO,CAAP,C;QAFoC,OAExB,C;;QAFwB,OAG5B,C;K;IAKZ,kB;MASuC,OA  
AI,eAAI,CAAR,GAAY,CAAD,aAAX,GAAmB,C;K;wEAE1D,gB;MAKuD,OAAI,kBA AK,CAAL,MAAJ,GAAY,  
CAAZ,GAAmB,C;K;wEAE1E,gB;MAKuD,OAAI,kBA AK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;K;mGAYxB,  
yB;MAAA,mC;MAAA,4B;QAAQ,WAAL,SAAJ,C;O;KAAR,C;IASjB,+B;MAC7B,2BAAO,CAAP,C;QADqC,OA  
CzB,E;WACZ,2BAAO,CAAP,C;QAFqC,OAEzB,C;;QAFyB,OAG7B,C;K;IC1kCZ,4B;MAI4C,qBAAQ,S;K;IAEp  
D,4B;MAI2C,qBAAQ,S;K;IAEnD,+B;MAGiD,qBAAQ,wCAAO,kBA Af,IAAoC,cAAQ,wCAAO,kB;K;IAEpG,iC;



K;kEACA,Y;MAAA,+B;K;yEACA,Y;MAAA,sC;K;iCAEA,iB;MACI,OCACQ,wBAAc,KAAM,WAApB,CADR,I  
AC0C,uBAAa,KAAM,UAAAnB,CAD1C,IAC0E,0BAAoB,KAAM,iB;K;mCAExG,Y;MACI,SAAC,CAAW,SAAX,  
eAAW,CAAX,GAAwB,EAAxB,QAAuC,SAAV,cAAU,CAAvC,IAAD,IAAsD,EAAtd,QAA4E,SAAjB,qBAAiB,C  
AA5E,I;K;mCAEJ,Y;MACKb,UACO,M;MADrB,aAAc,2D;MAEV,cAAU,IAAV,C;QAA6B,SAAX,eAAW,W;WA  
C7B,IAAA,MAAO,WAAP,S;QAAoC,SAAP,MAAO,W;;QAC5B,+B;MAHZ,2B;MAMA,WACQ,cAAU,UAAAd,G  
AAyB,EAAzB,GACe,eAAV,cAAU,EAAa,IAAb,EAAmB,GAAAnB,EAAwB,GAAxB,C;MACnB,eAAmB,qBAAJ,  
GAAAsB,GAAiB,GAA+B,E;MAE9C,OAAO,iBAAiB,IAAjB,GAAwB,Q;K;;IAIvC,wB;MAAA,4B;MACI,4BAAw  
C,I;MACxC,2BAAgD,W;MACHd,kCAAyC,K;K;0FAFzC,Y;MAAA,gC;K;yFACA,Y;MAAA,+B;K;gGACA,Y;M  
AAA,sC;K;sCACA,Y;MAAkC,gB;K;;IAJtC,oC;MAAA,mC;QAAA,kB;;MAAA,4B;K;IC7BsC,oE;MACIC,0B;M  
ACA,wC;MACA,kC;MACA,oC;K;sEHA,Y;MAAA,0B;K;6EACA,Y;MAAA,iC;K;0EACA,Y;MAAA,8B;K;2EA  
CA,Y;MAAA,+B;K;4CAEA,Y;MAAkC,gB;K;;8CANtC,Y;MACI,gB;K;8CADJ,Y;MAEI,uB;K;8CAFJ,Y;MAGI,o  
B;K;8CAHJ,Y;MAII,qB;K;gDAJJ,kD;MAAA,8BACI,kCADJ,EAEI,uDAFJ,EAGI,8CAHJ,EAIi,IDAJJ,C;K;4CAA  
A,Y;MAAA,c;MACI,qD;MACA,4D;MACA,yD;MACA,0D;MAJJ,a;K;0CAAA,iB;MAAA,4IACI,oCADJ,IAEI,kD  
AFJ,IAGI,4CAHJ,IAII,8CAJJ,I;K;ICAA,4B;MAAA,gC;MAEI,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAo  
E,gCAApE,C;MAEf,mBACKB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAEIB,oBACmB,+B;M  
AEnB,oBACmB,wBAAoB,OAApB,EAAkE,SAAlE,EAA6E,oCAA7E,C;MAEnB,iBACgB,wBAAoB,MAApB,EA  
A8D,MAA9D,EAASe,iCAAtE,C;MAEhB,kBACiB,wBAAoB,MAApB,EAA+D,OAA/D,EAAwE,kCAAxE,C;MA  
EjB,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,C;MAEf,kBACiB,wBAAoB,MAApB,EAA+D,  
OAA/D,EAAwE,kCAAxE,C;MAEjB,mBACKB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAEIB,  
kBACiB,wBAAoB,KAAPB,EAAiE,OAAjE,EAA0E,kCAA1E,C;MAEjB,mBACKB,wBAAoB,MAApB,EAAgE,Q  
AAhE,EAA0E,mCAA1E,C;MAEIB,sBACqB,wBAAoB,KAAPB,EAAkE,WAAIE,EAA+E,sCAA/E,C;MAErB,yB  
ACwB,wBAAoB,KAAPB,EAAqE,cAArE,EAAqF,yCAArF,C;MAExB,sBACqB,wBAAoB,WAApB,EAAwE,WA  
AxE,EAAqF,sCAArF,C;MAErB,sBACqB,wBAAoB,SAAPB,EAASe,WAAIE,EAAmF,sCAAnF,C;MAErB,uBACs  
B,wBAAoB,UAApB,EAAwE,YAAxE,EAAfF,uCAAtF,C;MAEtB,qBACoB,wBAAoB,UAApB,EAASe,UAAIE,E  
AAkF,qCAAI,F,C;MAEpB,sBACqB,wBAAoB,KAAPB,EAAkE,WAAIE,EAA+E,sCAA/E,C;MAErB,uBACsB,wB  
AAoB,YAApB,EAA0E,YAA1E,EAAwF,uCAAXF,C;MAEtB,wBACuB,wBAAoB,YAApB,EAA2E,aAA3E,EAA0  
F,wCAA1F,C;K;IAMkB,qE;MAAA,qB;QAAE,OvE/DD,OuE+DU,EAAT,KAAiB,UAAjB,IAAkC,EAAY,OAAf,K  
AA0B,a;O;K;+CAJpG,iB;MAE2B,Q;MAAhB,U;MAAA,KAAGB,OAAhB,eAAgB,CAAI,KAJJ,CAAhB,U;QAAA  
,a;;QACH,aAAa,wBAAoB,QAApB,EAA+D,kBAA/D,EACoB,mDADpB,C;QAEg,eAAhB,UAAqC,M;QAHIC,SA  
IH,M;;MAJJ,a;K;IA7D+E,8C;MAAE,6B;K;IAGO,iD;MAAE,0B;K;IAME,kD;MAAE,8B;K;IAGZ,+C;MAAE,6B;  
K;IAGC,gD;MAAE,6B;K;IAGR,8C;MAAE,6B;K;IAGI,gD;MAAE,6B;K;IAGC,iD;MAAE,6B;K;IAGH,gD;MAA  
E,yB;K;IAGD,iD;MAAE,6B;K;IAGM,oD;MAAE,mC;K;IAGO,uD;MAAE,gC;K;IAGL,oD;MAAE,6B;K;IAGJ,oD  
;MAAE,6B;K;IAGE,qD;MAAE,8B;K;IAGR,mD;MAAE,4B;K;IAGJ,oD;MAAE,6B;K;IAGQ,qD;MAAE,8B;K;IA  
GC,sD;MAAE,+B;K;;IA5DvH,wC;MAAA,uC;QAAA,sB;;MAAA,gC;K;;ICCA,2B;MAEW,Q;MAAA,IAAI,KAA  
Y,SAAQ,MAAR,CAAhB,C;QACH,kBAAW,MAAX,C;;QAEA,kBAAW,MAAX,C;;MAHJ,W;K;IAOJ,8B;MAC4  
E,QAAM,QAAS,OAAf,C;aACxE,C;UADwE,OACnE,WAAW,SAAS,CAAT,CAAX,C;aACL,C;UAFwE,OAEnE,+  
B;;UAFmE,OAGhE,iB;;K;IAGZ,oC;MAEU,IAAN,I;MAAA,QxEhB0C,OwEgB3B,CAAf,C;aACI,Q;UAA6B,OAA  
jB,8BAAiB,Y;UAA7B,K;aACA,Q;UAAy,OAAI,CAAY,C/DbhC,G+DamC,CAAf,MAAkC,CAAtC,GAAyC,8BA  
AiB,SAAI,D,GAAwE,8BAAiB,Y;UAArG,K;aACA,S;UAA8B,OAAjB,8BAAiB,a;UAA9B,K;aACA,U;UAA+B,O  
AAjB,8BAAiB,eAAgB,CAAY,OAA5B,C;UAA/B,K;;UAGQ,6B;YAAcS,OAAjB,8BAAiB,kB;eACtC,0B;YAAmC  
,OAAjB,8BAAiB,e;eACnC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,yB;  
YAAkC,OAAjB,8BAAiB,c;eACIC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eAC  
pC,4B;YAAqC,OAAjB,8BAAiB,iB;eACrC,6B;;eACA,sB;YAAkC,OAAjB,8BAAiB,W;;YAE9B,kBAAkB,MAAA,  
gBAAe,CAAf,CAAkB,Y;YAE7C,oBAAgB,MAAhB,C;cAAiD,OAAjB,8BAAiB,S;iBACjD,oBAAgB,KAAhB,C;c  
AAgD,OAAjB,8BAAiB,e;;cAE5C,cAA0B,W;cAC1B,kBAAW,OAAX,C;;;UAxBxB,K;;MAAA,W;K;IAGCJ,4B;  
MAMW,Q;MAJP,IAAI,WAAW,MAAf,C;QAA6B,OAAO,8BAAiB,Y;;MAErD,eAAsB,MAAY,W;MAE3B,IAAI,  
gBAAJ,C;QACH,IAAI,QAAS,SAAT,QAAs,C;UACI,aAAa,qBAAiB,MAAjB,C;UACb,oBAAsB,M;UACtB,a;;UA  
ES,OAAT,QAAS,S;;QAGb,4BAAiB,MAAjB,C;;MATJ,W;K;ICrCJ,0B;MAII,sBAAY,C;K;qEACHB,4B;MAIkE,iB

AAy,KAAZ,C;K;2EAEIE,qB;MAI8D,gB;K;ICIDb,2C;MAC7C,qBAAwC,Q;K;iDAExC,Y;MACmB,Q;MAAA,yB ;MAAA,iB;QAAe,MAAM,6BAAsB,0CAAtB,C;;MAApC,eAAe,I;MACf,qBAAc,I;MACd,OAAO,QAAS,W;K;;;I CLa,kD;MADrC,e;MACsC,0B;MAAyB,gB;MAD/D,iB;MAAA,uB;K;IAAA,mC;MAAA,sC;O;MAEI,qEAGW,CA HX,EAGc,IAHd,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA, iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,+EAGgB,CAHhB,EAGmB,IAHnB,C;MAKA,yEAGa,CAHb,EAGgB,I AHhB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,6EAGe,CAHf,EAGkB,IAHIB,C;MAKA,6FAGuB,CA HvB,EAG0B,IAH1B,C;MAKA,yFAGqB,CAHrB,EAGwB,IAHxB,C;MAKA,4EAGc,EAHd,EAGkB,IAHIB,C;MA KA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,8EAGe,EAHf,EAGmB,I AHnB,C;MAKA,wFAGoB,EAHpB,EAGwB,IAHxB,C;MAKA,gEAGQ,EAHR,EAGY,IAHZ,C;MAKA,8DAGO,E AHP,EAGW,IAHX,C;MAKA,wEAGY,EAHZ,EAGgB,IAHhB,C;MAKA,oEAGU,EAHV,EAGc,IAHd,C;MAKA,k FAGiB,EAHjB,EAGqB,IAHrB,C;MAKA,oFAGkB,EAHIB,EAGsB,IAHtB,C;MAKA,gFAGgB,EAHhB,EAGoB,I AHpB,C;MAKA,4FAGsB,EAHtB,EAG0B,IAH1B,C;MAKA,oFAGkB,EAHIB,EAGsB,IAHtB,C;MAKA,wEAGY, EAHZ,EAGgB,IAHhB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB, C;MAKA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,oGAG0B,EAH1B,EAG8B,IAH9B,C;MAKA,gGAGwB,EAHxB ,EAG4B,IAH5B,C;MAUA,oC;K;;IA3JA,+C;MAAA,yB;MAAA,uC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA ,qD;MAAA,yB;MAAA,6C;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,iD; MAAA,yB;MAAA,yC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,mD;MAAA,yB;MAAA,2C;K;;IAKA,2D;M AAA,yB;MAAA,mD;K;;IAKA,yD;MAAA,yB;MAAA,iD;K;;IAKA,kD;MAAA,yB;MAAA,0C;K;;IAKA,iD;MAA A,yB;MAAA,yC;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,mD;MAAA,yB;MAAA,2C;K;;IAKA,wD;MAAA, yB;MAAA,gD;K;;IAKA,4C;MAAA,yB;MAAA,oC;K;;IAKA,2C;MAAA,yB;MAAA,mC;K;;IAKA,gD;MAAA,yB; MAAA,wC;K;;IAKA,8C;MAAA,yB;MAAA,sC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,sD;MAAA,yB;MA AA,8C;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,0D;MAAA,yB;MAAA,kD;K;;IAKA,sD;MAAA,yB;MAAA, 8C;K;;IAKA,gD;MAAA,yB;MAAA,wC;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,oD;MAAA,yB;MAAA,4C; K;;IAKA,iD;MAAA,yB;MAAA,yC;K;;IAKA,8D;MAAA,yB;MAAA,sD;K;;IAKA,4D;MAAA,yB;MAAA,oD;K;8 CAKA,gB;MAG2D,OAAK,iBAAL,IAAK,CAAL,KAA2B,IAAK,c;K;IAE3F,kC;MAAA,sC;K;uDACI,oB;MAEQ,I ADE,QACF,IAAG,CAAH,IADE,QACF,IAAM,EAAN,C;QADJ,OACgB,sBAAS,QAAT,C;WACZ,IAFE,QAEF,IA AG,EAH,IAFE,QAEF,IAAO,EAAP,C;QAFJ,OAEiB,sBAAS,WAAW,CAAX,IAAT,C;;QACL,MAAM,gCAAYB ,eAAY,QAAZ,qBAAZB,C;K;;;IAL1B,8C;MAAA,yB;MAAA,6C;QAAA,4B;;MAAA,sC;K;;IA7JJ,+B;MAAA,+yC ;K;;IAAA,oC;MAAA,a;AAAA,Y;UAAA,4C;aAAA,kB;UAAA,kD;aAAA,kB;UAAA,kD;aAAA,kB;UAAA,kD;aA AA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,kB;UAAA,kD;aAAA,gB;UAAA,gD;aAAA,wB;UAAA,wD;aAAA,sB ;UAAA,sD;aAAA,e;UAAA,+C;aAAA,c;UAAA,8C;aAAA,iB;UAAA,iD;aAAA,gB;UAAA,gD;aAAA,qB;UAAA,q D;aAAA,S;UAAA,yC;aAAA,Q;UAAA,wC;aAAA,a;UAAA,6C;aAAA,W;UAAA,2C;aAAA,kB;UAAA,kD;aAAA, mB;UAAA,mD;aAAA,iB;UAAA,iD;aAAA,uB;UAAA,uD;aAAA,mB;UAAA,mD;aAAA,a;UAAA,6C;aAAA,iB;U AAA,iD;aAAA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,2B;UAAA,2D;aAAA,yB;UAAA,yD;;UAAA,6D;;K;;ICKi D,2C;uBAA+B,O;;K;;IAC5E,8C;MAAA,kE;MAAuB,qCAAK,IAAL,C;MAAvB,Y;K;ICD8B,gC;MAe9B,gBAAiC ,YAAy,SAAhB,GAA2B,OAA3B,GAAwC,E;K;uFAGjE,Y;MAAQ,OAAO,aAAY,O;K;yCAE/B,iB;MACW,gBAA P,a;MrGoGG,Q;MAAA,IqGpGc,KrGoGV,IAAS,CAAT,IqGpGU,KrGoGI,IAAS,2BAA3B,C;QAAA,OAAc,qBq GpGxB,KrGoGwB,C;;QqGpGf,MAAM,8BAA0B,mCAAYB,WAAzB,MAA1B,C;;MAAhC,W;K;kDAEJ,gC;MAA gF,OAAA,a1GiMY,W0GjMK,U1GiML,E0GjMiB,Q1GiMjB,C;K;6C0G/L5F,iB;MACI,qCAAU,KAAV,C;MACA, OAAO,I;K;6CAGX,iB;MACI,iBAAGB,SAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,uC;MACI,OAAA,IAAK,q BAAY,wBAAS,MAArB,EAA6B,UAA7B,EAAyC,QAAzC,C;K;sCAET,Y;MAayB,UAEK,M;MAL1B,eAAe,E;M ACf,YAAy,aAAO,OAAP,GAAgB,CAAhB,I;MACZ,OAAO,SAAS,CAAhB,C;QACI,UAAU,0BAAO,YAAP,EA A O,oBAAP,Q;QACV,IAAQ,eAAJ,GAAl,CAAJ,IAAwB,SAAS,CAArC,C;UACI,WAAW,0BAAO,cAAP,EAAsB AAP,U;UACX,IAAS,gBAAL,IAAK,CAAT,C;YACI,WAAW,+BAAW,iBAAX,wBAakB,gBAAlB,C;;YAEX,WA AW,+BAAW,gBAAX,wBAaiB,iBAAjB,C;;;UAGf,gCAAY,GAAZ,C;;;MAGR,gBAAS,Q;MACT,OAAO,I;K;6CA GX,iB;MAOI,iBAAGB,SAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,iB;MAQI,iBAAU,K;MACV,OAAO,I;K;6C AGX,iB;MAQI,iBAAGB,eAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,iB;MAC2C,2BAAO,KAAP,C;K;6CAE3C ,iB;MAOI,gBAAA,IAAK,SAAL,IAAe,wBAAS,MAAxB,C;MACA,OAAO,I;K;uCAGX,Y;MAU6B,kB;K;qDAE7

B,2B;K;8CAcA,kB;MAO0C,OAAA,IAAY,SAAY,SAAQ,MAAR,C;K;8CAEIE,8B;MAQ2D,OAAA,IAAY,SAAY,  
SAAQ,MAAR,EAAGB,UAAhB,C;K;kDAEnF,kB;MAQ8C,OAAA,IAAY,SAAY,aAAY,MAAZ,C;K;kDAEIE,8B;  
MASI,IAAI,MpGuGwC,YAAU,CoGvGID,IAAoB,aAAa,CAARc,C;QAAwC,OAAO,E;MAC/C,OAAO,IAAY,SA  
AY,aAAY,MAAZ,EAAoB,UAApB,C;K;4CAGnC,wB;MAWI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MA  
Eb,gBAAS,a1GmB+E,W0GnB9D,C1GmB8D,E0GnB3D,K1GmB2D,C0GnB/E,YAA6B,KAA7B,IAAqC,a1GgB2  
B,W0GhBV,K1GgBU,C;M0GfzE,OAAO,I;K;6CAGX,wB;MAQI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;  
MAEb,gBAAS,a1GK+E,W0GL9D,C1GK8D,E0GL3D,K1GK2D,C0GL/E,uBAA6B,kBAA7B,IAAqC,a1GE2B,W0  
GFV,K1GEU,C;M0GDzE,OAAO,I;K;6CAGX,wB;MAUI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,g  
BAAS,a1GX+E,W0GW9D,C1GX8D,E0GW3D,K1GX2D,C0GW/E,GAAmC,eAAN,KAAM,CAAnC,GAASD,a1G  
dU,W0GcO,K1GdP,C;M0GezE,OAAO,I;K;6CAGX,wB;MAaI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MA  
Eb,gBAAS,a1G9B+E,W0G8B9D,C1G9B8D,E0G8B3D,K1G9B2D,C0G8B/E,GAAmC,SAAN,KAAM,CAAnC,GA  
AgD,a1GjCgB,W0GiCC,K1GjCD,C;M0GkCzE,OAAO,I;K;6CAGX,wB;MAWI,oCAAA,4BAAmB,KAAAnB,EAA0  
B,WAA1B,C;MAEb,gBAAS,a1G/C+E,W0G+C9D,C1G/C8D,E0G+C3D,K1G/C2D,C0G+C/E,GAAmC,SAAN,KA  
AM,CAAnC,GAAGD,a1GIdgB,W0GkDC,K1GIDD,C;M0GmDzE,OAAO,I;K;6CAGX,wB;MACuD,2BAAO,KAA  
P,EAAC,KAAD,C;K;6CAEvD,wB;MAUI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,eAAe,wBAAS,M;  
MACxB,gBAAC,IAAK,S1GnEqE,W0GmEpD,C1GnEoD,E0GmEjD,K1GnEiD,C0GmE1E,GAAC,C,QAAIC,GAA6  
C,IAAK,S1GtES,W0GsEQ,K1GtER,C;M0GuEzE,OAAO,I;K;gDAGX,qB;MAcI,IAAI,YAAY,CAAhB,C;QACI,M  
AAM,gCAAYB,0BAAuB,SAAvB,MAAZB,C;MAGV,IAAI,aAAa,WAAjB,C;QACI,gBAAS,a1G1F2E,W0G0F1D,  
C1G1F0D,E0G0FvD,S1G1FuD,C;Q0G4FpF,aAAU,WAAV,MAAuB,SAAvB,M;UACI,qCAAU,CAAV,C;K;gD  
AKZ,sB;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,WAA/B,C;MAEb,OAAO,a1G/GkE,W0G+GjD,U1G/GiD,C;K;  
gD0GkH7E,gC;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,WAAzC,C;MAEb,OAAO,a1GzHiF,W  
0GyHhE,U1GzHgE,E0GyHpD,Q1GzHoD,C;K;yC0G4H5F,Y;K;uCACa,Y;MAAKC,oB;K;oCAEIC,Y;MAOI,gBA  
AS,E;MACT,OAAO,I;K;0CAGX,wB;MAQI,oCAAA,2BAAkB,KAAIB,EAAyB,WAAzB,C;MAEb,gBAAS,a1GjK  
+E,W0GiK9D,C1GjK8D,E0GiK3D,K1GjK2D,C0GiK/E,uBAA6B,kBAA7B,IAAqC,a1GpK2B,W0GoKV,QAAQ,  
CAAR,I1GpKU,C;K;+C0GuK7E,uC;MAYI,yBAAkB,UAAIB,EAA8B,QAA9B,EAAwC,WAAxC,C;MAEA,gBA  
Ac,IAAK,S1GILqE,W0GkLpD,C1GILoD,E0GkLjD,U1GILiD,C0GkL1E,GAAuC,KAAvC,GAA+C,IAAK,S1GrL  
O,W0GqLU,Q1GrLV,C;M0GsLzE,OAAO,I;K;kDAGX,wC;MACI,IAAI,aAAa,CAAb,IAAkB,aAAa,MAAnC,C;Q  
ACI,MAAM,8BAA0B,iBAAC,UAAAd,kBAAMC,MAA7D,C;MAEV,IAAI,aAAa,QAAjB,C;QACI,MAAM,gCAAY  
B,gBAAa,UAAb,qBAAqC,QAArC,MAAZB,C;K;+CAId,iB;MAYI,oCAAA,2BAAkB,KAAIB,EAAyB,WAAzB,C;  
MAEb,gBAAS,a1G7M+E,W0G6M9D,C1G7M8D,E0G6M3D,K1G7M2D,C0G6M/E,GAA6B,a1GhNmC,W0GgNI  
B,QAAQ,CAAR,I1GhNkB,C;M0GiNzE,OAAO,I;K;kDAGX,gC;MAWI,yBAAkB,UAAIB,EAA8B,QAA9B,EAA  
wC,WAAxC,C;MAEA,gBAAS,a1G9N+E,W0G8N9D,C1G9N8D,E0G8N3D,U1G9N2D,C0G8N/E,GAAK,C,a1GjO  
8B,W0GiOb,Q1GjOa,C;M0GkOzE,OAAO,I;K;kDAGX,gE;MAc+C,iC;QAAA,oBAAyB,C;MAAG,0B;QAAA,aA  
AkB,C;MAAG,wB;QAAA,WAAgB,IAAK,O;MAKIF,IACf,I;MALhB,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B  
,EAAyC,WAAzC,C;MACb,oCAAA,4BAAmB,iBAAnB,EAAc,oBAAoB,QAApB,GAA+B,UAA/B,IAAtC,EAAiF  
,WAAy,OAA7F,C;MAEb,eAAe,iB;MACf,iBAAC,UAAAd,UAA+B,QAA/B,U;QACI,YAAY,eAAZ,EAAy,uBAAZ,  
UAA0B,yBAAO,KAAP,C;K;kDAIIC,uC;MAcI,iBAAGB,iBAAN,KAAM,EAAe,UAAf,EAA2B,QAA3B,C;MACH  
B,OAAO,I;K;kDAGX,uC;MAYI,gBAAgB,KAAM,W;MACTB,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAy  
C,SAAU,OAAAnD,C;MAEb,iBAAU,S1G3R8E,W0G2R1D,U1G3R0D,E0G2R9C,Q1G3R8C,C;M0G4RxF,OAAO,I;  
K;kDAGX,8C;MAGBI,oCAAA,4BAAmB,KAAAnB,EAA0B,IAAK,OAA/B,C;MAEb,gBAAS,a1GjT+E,W0GiT9D,C  
1GjT8D,E0GiT3D,K1GjT2D,C0GiT/E,GAAmC,iBAAN,KAAM,EAAe,UAAf,EAA2B,QAA3B,CAAnC,GAA0E,a  
1GpTV,W0GoT2B,K1GpT3B,C;M0GqTzE,OAAO,I;K;kDAGX,8C;MAGBI,oCAAA,4BAAmB,KAAAnB,EAA0B,W  
AA1B,C;MAEb,gBAAgB,KAAM,W;MACTB,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,SAAU,OAAAnD  
,C;MAEb,gBAAS,a1G1U+E,W0G0U9D,C1G1U8D,E0G0U3D,K1G1U2D,C0G0U/E,GAA6B,S1G1UkD,W0G0U9  
B,U1G1U8B,E0G0UIB,Q1G1UkB,C0G0U/E,GAAyE,a1G7UT,W0G6U0B,K1G7U1B,C;M0G8UzE,OAAO,I;K;I  
AliBX,6C;MAAA,uD;MAKOC,2B;MALpC,Y;K;IAQA,8C;MAAA,uD;MAC4C,0BAAK,OAAQ,WAAb,C;MAD5  
C,Y;K;IAGA,qC;MAAA,uD;MACuB,0BAAK,EAAL,C;MADvB,Y;K;2EA4hBJ,qB;MAOG,E,OAAA,SAAK,Q;K;u  
EAERe,mC;MAQ+E,SAAK,aAAI,KAAJ,EAAW,KAAX,C;K;+EAEPf,kD;MAaI,OAAA,SAAK,kBAAS,UAAAT,E

AAqB,QAArB,EAA+B,KAA/B,C;K;+EAET,4B;MAY6E,OAAA,SAAK,kBAAS,KAAT,C;K;qFAEIF,2C;MAWo  
G,OAAA,SAAK,qBAAY,UAAZ,EAawB,QAAxB,C;K;uFAEZG,2E;MAe2E,iC;QAAA,oBAAYB,C;MAAG,0B;Q  
AAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC7I,SAAK,qBAAY,WAAZ,EAAYB,iBAAzB,EAA4C,  
UAA5C,EAawD,QAAxD,C;K;qFAET,kD;MAeI,OAAA,SAAK,qBAAY,KAAZ,EAAMb,UAAAnB,EAA+B,QAA/  
B,C;K;uFAET,kD;MAaI,OAAA,SAAK,qBAAY,KAAZ,EAAMb,UAAAnB,EAA+B,QAA/B,C;K;qFAET,yD;MAiBI  
,OAAA,SAAK,qBAAY,KAAZ,EAAMb,KAAAnB,EAA0B,UAA1B,EAAsC,QAAtC,C;K;uFAET,yD;MAiBI,OAA  
A,SAAK,qBAAY,KAAZ,EAAMb,KAAAnB,EAA0B,UAA1B,EAAsC,QAAtC,C;K;qF3GhsBT,qB;MAMoD,OA6B  
W,8BAAY,cAfrB,YAAY,CAAZ,C;K;yFAZtD,qB;MAYsD,OAeS,8BAAY,cAfrB,YAAY,CAAZ,C;K;iFAEtD,qB;  
MAaoD,OAAW,8BAAY,c;K;qFAE3E,yB;MAAA,uD;MAAA,4B;QAMoD,+B;O;KANpD,C;IAQA,kC;MAYI,gB  
AiB2D,8BAAY,c;MAhBvE,OAAW,SAAU,OAAV,GAAMb,CAAvB,GAA0B,SAA1B,GAAoC,qBAAU,CAAV,C;  
K;iFAG/C,qB;MAaoD,OAAW,8BAAY,c;K;IAE3E,kC;MAU+C,mC;K;IAE/C,oC;MAGoD,QAAQ,cAAA,sCAAK,  
mBAAL,EAAYB,sCAAK,mBAA9B,CAAR,6B;K;IAEpD,mC;MAGmD,QAAQ,cAAA,sCAAK,kBAAL,EAawB,s  
CAAK,kBAA7B,CAAR,6B;K;IAO/C,iC;MAAQ,OAAA,oCAAA,iBAAQ,2BAAR,C;K;IAEzB,8B;MAOI,IAAI,YA  
AO,GAAX,C;QACI,OAAO,I;MAEX,OAAO,gCAA8C,mD;K;IAGzD,6B;MAUI,IAAI,CAAQ,kBAAK,GAAL,CA  
AR,iCAAoB,CAAQ,kBAAK,EAAL,CAAR,6BAAxB,C;QACI,OAAO,I;MAEX,IAAI,YAAO,GAAX,C;QACI,OA  
AO,K;MAEX,OAAO,uB;K;IAGX,oC;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,iCAAoB,CAAQ,kBAAK,EAAL  
L,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,CAAR,6BAA5C,C;QACI,OAAO,I;MAEX,IAAI,YAAO,GAAX  
C;QACI,OAAO,K;MAGX,OAAO,0BAAiB,uB;K;IAG5B,4B;MASI,IAAI,CAAQ,kBAAK,EAAL,CAAR,6BAA  
J,C;QACI,OAAO,I;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;MAEX,OAAO,sB;K;IAGX,gC;MAUI,IAAI,  
CAAQ,kBAAK,EAAL,CAAR,6BAAJ,C;QACI,OAAO,I;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;MAEX,  
OAAO,0B;K;IAGX,gC;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,6BAAJ,C;QACI,OAAO,I;MAEX,IAAI,YAA  
O,GAAX,C;QACI,OAAO,K;MAEX,OAAO,0B;K;IAGX,gC;MASI,IAAI,YAAO,GAAX,C;QACI,OAAO,K;MAE  
X,OAAO,gCAAoD,yD;K;IAG/D,iC;MAUI,OAAO,aAAQ,EAAR,IAAoB,CAAQ,mBAAU,GAAV,CAAR,6B;K;IA  
G/B,iC;MAMiD,kC;K;iF4GtPjD,yB;MAAA,+C;MAAA,4B;QAMuD,OAAK,UAAAL,SAAK,C;O;KAN5D,C;IAQA,  
gC;MAMiD,4B;MAAA,S;QAAGB,cAAA,S3G4LC,c2G5LD,EAaoB,MAApB,C;MAAhB,W;K;IAEjD,6B;MAI0C  
,Q;MAAA,yDAaKB,kBAaKB,SAAIB,C;K;IAE5D,oC;MAK0D,Q;MAAA,yCAAA,KAAb,oBAAuB,kBAaKB,SAA  
IB,C;K;IAG3E,8B;MAI4C,Q;MAAA,0DAAMb,kBAaKB,SAAIB,C;K;IAE/D,qC;MAKsD,Q;MAAA,0CAAc,KAA  
d,oBAawB,kBAaKB,SAAIB,C;K;IAE9E,0B;MAIwC,Q;MAAA,wDAAiB,kBAaKB,SAAIB,C;K;IAEzD,mC;MA  
KkD,Q;MAAA,wCAAY,KAAZ,oBAAsB,kBAaKB,SAAIB,C;K;IAExE,2B;MAI0C,Q;MAAA,yDAaKB,kBAaKB,  
SAAIB,C;K;IAE5D,oC;MAK0D,Q;MAAA,yCAAA,KAAb,oBAAuB,kBAaKB,SAAIB,C;K;IAE3E,6B;MAIyF,kB  
AA1C,CAAO,S;MACID,IAAO,QrHeD,WqHfC,CAAH,IAAc,CAAM,kBAApB,KrHeE,WqHf6B,KAAM,GAAN,I  
AAkB,kBAAjD,CAAJ,C;QACI,4B;MAFsC,OrHiBnC,W;K;6EqHZX,yB;MAAA,6C;MAAA,4B;QAKmD,0B;O;K  
ALnD,C;IAOA,mC;MAIgG,kBAA1C,CAAO,S;MAAR,OACjD,EAAK,QrH2BgB,WqH3BhB,CAAH,IAAc,CAA  
M,kBAApB,KrH2BmB,WqH3BY,KAAM,GAAN,IAAkB,kBAAjD,CAAF,Ch2BO,GAAqB,WAArB,GAA+B,I;K  
;yFqHxB1C,yB;MAAA,yD;MAAA,4B;QAK0D,gC;O;KAL1D,C;iFAOA,yB;MAAA,6C;MAAA,mC;QAO6D,OA  
Aa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP1E,C;iFASA,yB;MAAA,6C;MAAA,mC;QAO8D,OAAa,SAAR,SAAQ,E  
AAS,KAAT,C;O;KAP3E,C;IASA,sC;MAMqD,OAAA,SAAY,UAAS,WAAW,KAAX,CAAT,C;K;IAEjE,4B;MAA  
sC,QAAM,S3G4EsB,c2G5E5B,C;aACIC,K;aAAA,M;aAAA,M;UADkC,OACT,I;UADS,OAE1B,K;K;IAGZ,2B;  
MAKI,IAAI,EAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,WAAQ,KAAR,kCAAzB,C;MAEV,  
OAAO,K;K;IAGX,8B;MAA2D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,E;WACrC,YA  
AQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,YAAQ,EAAR,IAAe,QAAQ,G  
AAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,WAAO,GAAP,C;QAAMb,S;WACnB,YAAQ,KAAR,IA  
AoB,QAAQ,KAA5B,C;QAAwC,cAAO,KAAP,GAaKB,EAAlB,I;WACxC,YAAQ,KAAR,IAAoB,QAAQ,KAA5B,  
C;QAAwC,cAAO,KAAP,GAaKB,EAAlB,I;QAC3B,sBAAL,IAAK,C;MrH9CN,a;MqHuCgD,OAQ/C,WAAJ,GA  
AiB,EAajB,GAAyB,E;K;ICIJG,2C;MAHpC,e;MAGqC,kB;MAHrC,iB;MAAA,uB;K;IAAA,kC;MAAA,qC;O;MA  
II,qEACY,GADZ,C;MAEA,iEAIU,GAJV,C;K;IAFA,+C;MAAA,wB;MAAA,uC;K;IAEA,6C;MAAA,wB;MAAA  
,qC;K;IANJ,8B;MAAA,mF;K;IAAA,mC;MAAA,a;aAAA,a;UAAA,4C;aAAA,W;UAAA,0C;UAAA,4D;K;IAa  
wG,4B;MAAE,OAAA,EAAG,M;K;IAA7G,qC;MAAqE,iCAAA,EAAb,EAA0B,OAA1B,0BAAMc,cAANc,C;K;IA

QIC,2B;MAAC,kB;K;;sCALpC,Y;MAKoC,iB;K;wCALpC,iB;MAAA,sBAKoC,qCALpC,C;K;oCAAA,Y;MAAA,  
OAKoC,iDALpC,M;K;oCAAA,Y;MAAA,c;MAKoC,sD;MALpC,a;K;kCAAA,iB;MAAA,2IAKoC,sCALpC,G;K;I  
AqB0B,iC;MA8PtB,6B;MArPA,eACoC,O;MACpC,eACsD,QAAR,OAAQ,C;MACtD,uBAAoC,WAAO,OAAP,E  
AAwB,QAAR,OAAQ,EAAQ,IAAR,CAAxB,C;MACpC,6BAA2C,I;MAI3C,oCAAKd,I;K;0CAHID,Y;MACI,Q;M  
AAA,U;MAAA,gD;QAAA,a;;QAA8D,gBAAvC,WAAO,YAAP,EAAwB,QAAR,YAAQ,EAAQ,IAAR,CAAxB,C;  
QAA8C,6BtHmCnE,S;QsHnCF,StHoCG,S;;MsHpCH,a;K;iDAGJ,Y;MACI,Q;MAAA,U;MAAA,uD;QAAA,a;;QtH  
VG,gB;QsHWC,IAAY,aAAR,YAAQ,EAAW,EAAX,CAAR,IAAmC,WAAR,YAAQ,EAAS,EAAT,CAAvC,C;UA  
AA,eACI,oB;;UAEA,OAAO,WAAO,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAAV,EAAe,qBAAQ,EAAR,EAA3  
B,MAAP,EAA2D,QAAR,YAAQ,EAAQ,IAAR,CAA3D,C;QACb,4B;QAAO,oCtH0BP,S;QsH/BF,StHgCG,S;;Ms  
HhCH,a;K;sCAQJ,iB;MAEkB,MAAd,oBAAc,C;MACd,YAAY,oBAAc,MAAK,KAAM,WAAX,C;MAC1B,OAA  
O,iBAAiB,KAAM,MAAN,KAAe,CAAhC,IAAqC,oBAAc,UAAf,KAA2B,KAAM,O;K;8CAGjF,iB;MAEkB,MAA  
d,oBAAc,C;MACd,OAAO,oBAAc,MAAK,KAAM,WAAX,C;K;wCAGzB,wB;MAGI,IAAI,QAAQ,CAAR,IAAa,  
QAAQ,KAAM,OAA/B,C;QACI,MAAM,8BAA0B,0BAAuB,KAAvB,wBAA8C,KAAM,OAA9E,C;;MAEV,cAAc,  
0B;MACd,oBAAoB,K;MACpB,OAAO,OAAQ,MAAK,KAAM,WAAX,C;K;mCAGnB,6B;MAS4C,0B;QAAA,aA  
AkB,C;MAC1D,IAAI,aAAa,CAAb,IAAkB,aAAa,KAAM,OAAzC,C;QACI,MAAM,8BAA0B,gCAA6B,UAA7B,w  
BAAyD,KAAM,OAAzF,C;;MAEV,OAAqB,SAAd,oBAAc,EAAS,KAAM,WAAf,EAA2B,UAA3B,EAAuC,oBAA  
vC,C;K;IAeG,6E;MAAA,mB;QAAE,+BAAK,aAAL,EAAY,kBAAZ,C;O;K;IAA2B,uC;MAAW,OAAA,KAAM,O;  
K;sCAZ1E,6B;MAQ+C,0B;QAAA,aAAkB,C;MAC7D,IAAI,aAAa,CAAb,IAAkB,aAAa,KAAM,OAAzC,C;QACI,  
MAAM,8BAA0B,gCAA6B,UAA7B,wBAAyD,KAAM,OAAzF,C;;MAEV,OAAO,mBAAiB,6CAAjB,EAA8C,sB  
AA9C,C;K;0CAGX,iB;MAMI,OAA2B,SAA3B,iCAA2B,EAAS,KAAM,WAAf,EAA2B,CAA3B,EAA8B,oBAA9  
B,C;K;sCAE/B,wB;MAGI,IAAI,QAAQ,CAAR,IAAa,QAAQ,KAAM,OAA/B,C;QACI,MAAM,8BAA0B,0BAAuB  
,KAAvB,wBAA8C,KAAM,OAA9E,C;;MAEV,OAA2B,SAApB,0BAAoB,EAAS,KAAM,WAAf,EAA2B,KAA3B,  
EAAkC,oBAAIC,C;K;IA4BL,mD;MAAA,qB;QAAE,2BAAoB,EAAPB,EAAwB,mBAAxB,C;O;K;sCAxB5B,8B;  
MAqBI,IAAI,CAAA,YAAZ,WAAy,EAAS,EAAT,CAAb,IAA+B,CAAA,YAAZ,WAAy,EAAS,EAAT,CAAhD,C;  
QACI,OAAO,KAAM,W5G2E4E,S4G3EnD,oB5G2EmD,E4G3EpC,W5G2EoC,C;;M4GzE7F,OAAO,qBAAQ,KA  
AR,EAAe,iCAAf,C;K;sCAGX,4B;MAMI,YAAY,kBAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAAMB,OAAO,KAA  
M,W;MAEHc,gBAAgB,C;MACHb,aAAa,KAAM,O;MACnB,SAAS,mBAAc,MAAd,C;;QAEI,iBAAiB,oB;QACj  
B,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAyB,UAAW,MAAM,MAA1C,C;QACH,EAAG,gBAAO,UAAU,UAAV  
,CAAP,C;QACH,YAAY,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;QACZ,QAAQ,UAAW,O;;MACd,oBAAy,M  
AAZ,IAAsB,aAAtB,C;MAET,IAAI,YAAY,MAAhB,C;QACI,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAyB,MAAz  
B,C;;MAGP,OAAO,EAAG,W;K;2CAGd,8B;MA0BgB,Q;MALZ,IAAI,CAAA,YAAZ,WAAy,EAAS,EAAT,CAAb  
,IAA+B,CAAA,YAAZ,WAAy,EAAS,EAAT,CAAhD,C;QACI,uBAA+B,QAAR,YAAQ,EAAQ,GAAR,C;QAC/B,  
OAAO,KAAM,W5GoB4E,S4GpBnD,WAAO,YAAP,EAAGB,gBAAhB,C5GoBmD,E4GpBhB,W5GoBgB,C;;M4G  
jBjF,yBAAK,KAAL,C;MAAA,iB;QAAe,OAAO,KAAM,W;;MAAxC,YAAY,I;MCoLO,gBAAhB,sB;MDjLC,yBt  
G2LgF,0BsG3LzD,CtG2LyD,EsG3LhD,WAAM,MtG2L0C,CAAKC,WsG3LIH,C;MACA,yBAAO,uCAAP,C;MA  
CA,yBtGyLgF,0BsGzLnD,WAAM,KAAZ,GAAMB,CAAnB,ItGyLyD,EsGzL7B,YtGyL6B,CAAKC,WsGzLIH,C;  
MAHJ,OtHIJG,SuHoUqC,W;K;oCD3K5C,wB;MAO6C,qB;QAAA,QAAa,C;MAMxC,Q;MALd,wBAAwB,KAAx  
B,C;MtHrIG,SsHsIW,qBAAQ,KAAR,C;MAAd,cAAuC,UAAS,CAAb,GAAgB,EAAhB,GAA2B,OAAH,EAAG,E  
AAK,QAAQ,CAAR,IAAL,C;MAC9D,ajI3jGd,gB;MiI4JhD,gBAAgB,C;MAEF,yB;MAAd,OAAc,cAAc,C;QAAc,  
uB;QACV,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAAuB,KAAM,MAAM,MAAnC,CAA0C,WAApD,C;  
QACP,YAAY,KAAM,MAAM,aAAZ,GAA2B,CAA3B,I;;MAEHb,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ  
,EAAuB,KAAM,OAA7B,CAAqC,WAA/C,C;MACP,OAAO,M;K;IAgBS,yI;MAAA,wC;MAAA,6B;MAAA,yB;M  
AAA,0C;MAAA,oC;MAAA,0C;MAAA,yB;MAAA,6B;MAAA,8B;MAAA,8B;MAAA,kC;K;;;gEAAA,Y;;;iCA  
CA,mCAAK,wBAAL,C;cACZ,IAAI,4BAAiB,6BAAS,CAA9B,C;gBACI,gB;gCAAA,iCAAM,wBAAM,WAAZ,O  
;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,gB;;;;;cAEI,M;;qCAGY,C;sCACC,C;cAEjB,gB;;;sCACqB,+B;cACj  
B,gB;8BAAA,iCtGuI4E,mBsGvItE,wBtGuIsE,EsGvItD,oBtGuIsD,EsGvI3C,qBAAW,MAAM,MtGuI0B,CAAKC,  
WsGvI9G,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,uBAAy,qBAAW,MAAM,aAAjB,GAAgC,CAAhC,I;cACZ,  
mBAAQ,qBAAW,O;cAJvB,KAKS,qDALT,EAKS,qBALT,OAKyB,2BAAQ,CAAR,IALzB,KAKsC,gBALtC,S;gB

AAA,gB;;;cAAA,gB;;;cAOA,gB;8BAAA,iCtGkIgF,mBsGIIIE,wBtGkIOE,EsGIIID,oBtGkIOD,EsGII/C,wBAAM,  
OtGkIyC,CAAKC,WsGIIH,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAhBA,OAgBA,a;,,,,,;K;IAjBY,sF;MAAA,  
yD;uBAAA,6H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;8CAbpB,wB;MAUuD,qB;QAAA,QAAa,C;MACHe,wBAA  
wB,KAAxB,C;MAEA,OAAO,SAAS,gDAAT,C;K;+BAxBX,Y;MAMyC,OAAA,oBAAc,W;K;IAEvD,2B;MAAA,+  
B;MAMBI,uBAA4B,WAAO,uBAAP,EAAiC,GAAjC,C;MAC5B,2BAAgC,WAAO,SAAP,EAAoB,GAApB,C;MA  
GhC,iCAAsC,WAAO,KAAP,EAAiB,GAAjB,C;K;oDatBtC,mB;MAIwD,oBAAM,oBAAO,OAAP,CAAN,C;K;+C  
AExD,mB;MAIoD,OAAA,O5GnEyC,S4GmEnB,oB5GnEmB,E4GmEJ,M5GnEI,C;K;0D4GqE7F,mB;MAI+D,OA  
AA,O5GzE8B,S4GyER,wB5GzEQ,E4GyEW,M5GzEX,C;K;gE4G8E7F,mB;MAAgE,OAAA,O5G9E6B,S4G8EP,8  
B5G9EO,E4G8EkB,M5G9EIB,C;K;;I4GwDjG,uC;MAAA,sC;QAAA,qB;;MAAA,+B;K;;IA5PA,4C;MAAA,+C;M  
ACkE,kBAAK,OAAAL,EAAc,MAAM,MAAN,CAAd,C;MADIE,Y;K;IAGA,sC;MAAA,+C;MAC6C,kBAAK,OAA  
L,EAAc,UAAAd,C;MAD7C,Y;K;IA4RO,kG;MAAA,kC;MAAA,8C;MAAA,kC;MAAA,kC;MACH,uBAA+B,a;MA  
I/B,sF;MAOA,sBAA0C,I;K;+FAX1C,Y;MAAA,2B;K;+FAEI,Y;MAAQ,qBAAA,kBN/R8C,CM+RxC,CN/RwC,C  
M+R9C,C;K;gGAEZ,Y;MAAA,4B;K;IAY2B,oG;MAAA,kC;MAAS,uB;K;mJACG,Y;MAAQ,OAAA,kBAAM,O;  
K;wGACrC,iB;MAAuC,Q;MAAA,eAAA,kBN/SG,CM+SG,KN/SH,CM+SH,mBAAgB,E;K;;qGAJnE,Y;MACI,IA  
AI,2BAAJ,C;QACI,yH;;MAKJ,OAAO,kC;K;4CAGf,Y;MACI,OAAy,SAAZ,wBAAy,EAAS,kBAAT,EAAoB,kB  
AAM,UAAV,GAAqB,8BAAuB,kBAAM,MAA7B,CAArB,GAA8D,kBAAM,aAAN,GAAqB,CAArB,IAA9E,EAA  
sG,wBAATG,C;K;gEAEhB,iB;MACI,IAAI,QAAc,iBAAN,kBAAM,CAAIB,C;QACI,YAAkB,kBAAy,YAAW,KA  
AX,C;QAC9B,IAAa,KAAT,sBAAiB,KAAR,B,C;UACI,YAAkB,kBAAy,YAAW,QAAQ,CAAR,IAAX,C;UAC9B,I  
AAa,KAAT,sBAAiB,KAAR,B,C;YACI,OAAO,QAAQ,CAAR,I;K;MAInB,OAAO,QAAQ,CAAR,I;K;IAjCiC,oE;M  
AAA,kC;MAA+B,6B;K;mHACHD,Y;MAAQ,OAAA,kBAAM,O;K;IACqC,4E;MAAA,qB;QAAE,yBAAK,EAAL,  
C;O;K;qEAA5E,Y;MAAiD,OAAqB,OAAb,aAAR,oBAAQ,CAAa,EAAL,iEAAJ,CAAiB,W;K;wEACvF,iB;MAA4  
C,Q;MAAA,eAAA,kBNpSU,CMoSJ,KNpSI,CMoSv,YAAoB,oBAApB,O;K;;IAdxD,uD;MACI,sBAAiB,I;MACj  
B,YAAy,eAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAAMB,OAAO,I;MAC1B,YAAy,aAAA,KAAM,MAAN,EAAa,  
sBAAy,CAAZ,IAAb,C;MAEZ,mE;K;IA2CJ,iD;MAM+B,UAKO,M;MATIC,YAAy,C;MACZ,aAAa,mBAAc,WA  
AY,OAA1B,C;MAEb,OAAO,QAAQ,WAAy,OAA3B,C;QACI,WAAW,wBAAy,YAAZ,EAAY,oBAAZ,Q;QACX  
,IAAI,SAAQ,EAAZ,C;UACI,IAAI,UAAS,WAAy,OAAzB,C;YACI,MAAM,gCAAyB,mCAAZB,C;UAEV,MAAO  
,gBAAO,wBAAy,cAAZ,EAAY,sBAAZ,UAAP,C;eACJ,IAAI,SAAQ,EAAZ,C;UACH,IAAI,UAAS,WAAy,OAAz  
B,C;YACI,MAAM,gCAAyB,kCAAZB,C;UAEV,IAAI,uBAAy,KAAY,MAAsB,GAA1B,C;YACI,MAAM,gCAAy  
B,4DAAzB,C;UAEV,IAAI,EAauB,kBAAK,EAAL,CAAvB,0CAAy,KAAY,EAAL,C;YACI,MAAM,gCAAyB,mC  
AAzB,C;UAEV,eAA2B,eAAZ,WAAy,EAae,KAaf,EAAsB,KAAM,YAAy,KAAxC,C;UAC3B,iBAawD,MAAv  
C,W5G7KME,W4G6K7C,K5G7K6C,E4G6KtC,Q5G7KsC,C4G6K5B,C;UAExD,IAAI,cAAc,KAAM,YAAy,KAA  
pC,C;YACI,MAAM,8BAA0B,sBAAmB,UAAAnB,oBAA1B,C;UAEV,MAAO,gBAAO,KAAM,YAAN,aAAkB,UA  
AIB,CAAP,C;UACP,QAAQ,Q;;UAER,MAAO,gBAAO,IAAP,C;;MAGf,OAAO,MAAO,W;K;IAGIB,2D;MAEI,Y  
AAy,aAAa,CAAb,I;MACZ,iBAAiB,qBAAK,UAAAL,IAAmB,E;MAGpC,OAAO,QAAQ,gBAAR,IAAkB,CAAe,k  
BAAK,EAAL,CAAF,wCAAK,KAAL,EAzB,C;QACI,oBAAoB,CAAC,aAAa,EAAb,IAAD,KAAqB,qBAAK,KA  
AL,IAAc,EAAnC,K;QACpB,IAAqB,CAAjB,qCAAyB,UAA7B,C;UACI,aAAa,a;UACb,qB;;UAEA,K;;MAGR,O  
AAO,K;K;I5GraX,yB;MAQiB,Q;MADb,aAAa,E;MACb,wBAAa,KAAb,gB;QAAa,WAAb,UAAa,KAAb,O;QACI,  
8BAAU,IAAV,C;;MAEJ,OAAO,M;K;IAGX,yC;MAA+B,Q;MAH3B,IAAI,SAAS,CAAT,IAAc,SAAS,CAAvB,IA  
A4B,CAAA,KAAM,OAAN,GAAa,MAAb,QAAsB,MAATD,C;QACI,MAAM,8BAA0B,WAAS,KAAM,OAAf,kB  
AA+B,MAA/B,kBAAgD,MAA1E,C;MACV,aAAa,E;MACc,gBAAS,MAAT,I;MAA3B,iBAAc,MAAd,wB;QACI,  
8BAAU,MAAM,KAAN,CAAV,C;;MAEJ,OAAO,M;K;IAGX,mC;MAOiB,Q;MADb,aAAa,E;MACb,wBAAa,SA  
Ab,gB;QAAa,WAAb,UAAa,SAAb,O;QACI,8BAAU,IAAV,C;;MAEJ,OAAO,M;K;IAGX,2D;MAY2C,0B;QAAA,a  
AAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MACjF,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAYC,SA  
AK,OAA9C,C;MACb,aAAa,E;MACb,iBAAc,UAAAd,UAA+B,QAA/B,U;QACI,8BAAU,UAAK,KAAL,CAAV,C;;M  
AEJ,OAAO,M;K;IASkB,gD;MAAA,qB;QAAE,+CAAI,EAAL,E;O;K;IAN/B,kC;MAMI,OAAO,kBAAU,gBAAV,  
EAAkB,+BAAIB,C;K;IAiBiC,oE;MAAA,qB;QAAE,+CAAI,qBAAa,EAAb,IAAJ,E;O;K;IAd9C,wD;MAYqC,0B;  
QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC3E,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EA  
AyC,gBAAzC,C;MACb,OAAO,kBAAU,WAAW,UAAAX,IAAV,EAAL,C2CAAjC,C;K;IAGX,mC;MAQI,OAAO,W

AAW,SAAX,EAAiB,CAAjB,EAAoB,gBAApB,EAA0B,KAA1B,C;K;IAGX,mF;MAeI,0B;QAAA,aAAkB,C;MAC  
IB,wB;QAAA,WAAGB,SAAK,O;MACrB,sC;QAAA,yBAaKc,K;MAEIC,oCAAA,4BAAMb,UAAAnB,EAA+B,QA  
A/B,EAAyC,SAAK,OAA9C,C;MACb,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,  
C;K;IAGX,sC;MAQI,OAAO,WAAW,SAAX,EAAiB,CAAjB,EAAoB,gBAApB,EAA4B,KAA5B,C;K;IAGX,sF;M  
AeI,0B;QAAA,aAAkB,C;MACIB,wB;QAAA,WAAGB,SAAK,O;MACrB,sC;QAAA,yBAaKc,K;MAEIC,oCAAA,  
4BAAMb,UAAAnB,EAA+B,QAA/B,EAAyC,gBAAZC,C;MACb,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,Q  
AA7B,EAAuC,sBAAvC,C;K;uFAGX,qB;MAMwD,OAAA,SAAY,c;K;mFAEpE,qB;MAWsD,OAAA,SAAY,c;K;  
uFAEIE,qB;MAMwD,OAAA,SAAY,c;K;mFAEpE,qB;MAWsD,OAAA,SAAY,c;K;yFAEIE,qC;MACoF,OAAA,S  
AAy,SAAQ,GAAR,EAAa,SAAb,C;K;iGAehG,qC;MACwF,OAAA,SAAY,aAAy,GAAZ,EAAiB,SAAjB,C;K;+F  
AEpG,kC;MACiF,OAAA,SAAY,YAAW,CAAX,EAAc,QAAd,C;K;2FAE7F,wB;MACgE,OAAA,SAAY,UAA5,C  
AAT,C;K;iFAE5E,iC;MACqE,OAAA,SAAY,WAAU,UAAV,C;K;mFAEjF,2C;MACoF,OAAA,SAAY,WAAU,U  
AAV,EAA5B,QAAtB,C;K;4EAehG,0B;MAGuD,OAAA,SAAY,QAAO,GAAP,C;K;wEAEnE,4B;MAGgE,OAAA,  
SAAY,OAAM,KAAN,C;K;yFAK5E,2C;MACyF,OAAA,SAAY,SAAQ,OAAR,EAAiB,WAAjB,C;K;IAErG,iD;M  
AOkD,0B;QAAA,aAAsB,K;MACpE,IAAI,UAAJ,C;QACI,SAAS,SAAK,O;QACd,SAAS,KAAM,O;QACf,UTGG,  
MAAO,KSHM,ETGN,ESHU,ETGV,C;QSFV,IAAI,QAAO,CAAX,C;UAAc,OAAO,KAAK,EAAL,I;QACrB,iBA  
Ac,CAAd,UAA5B,GAAtB,U;UACI,eAAe,qBAAK,KAAL,C;UACf,gBAAGB,iBAAM,KAAN,C;UAEhB,IAAI,aA  
AY,SAAhB,C;YACI,WAAoB,cAAT,QAAS,C;YACpB,YAAsB,cAAV,SAAU,C;YAEtB,IAAI,aAAy,SAAhB,C;c  
ACwB,kBAAT,Q;cAAX,WDIO2C,gCAAY,cAfrB,YAAy,CAAZ,C;cCkPZ,kBAAV,S;cAAZ,YDnO2C,gCAAY,c  
AfrB,YAAy,CAAZ,C;cCoPIC,IAAI,aAAy,SAAhB,C;gBACI,OAAGB,iBAAT,QAAS,EAAU,SAAV,C;QAKhC  
,OAAO,KAAK,EAAL,I;QAEP,OAAO,4BAAU,KAAY,C;K;IAIf,4C;MAOqF,oCAAKB,KAAIB,C;K;IAErF,wD;  
MASI,OAAW,UAAJ,GACE,4BAAL,SAAK,EAA4B,KAA5B,CADF,GAGE,kBAAL,SAAK,EAAkB,KAAIB,C;K;  
IAIkD,oD;MAAU,OAAE,UAAF,CAAE,EAAU,CAAV,EAA0B,IAA1B,C;K;IAIvE,+C;MAAQ,oC;K;2F8G/SZ,oC  
;MACiF,O9G2Me,kB8G3ME,oBAAH,EAAG,C9G2MF,E8G3Mc,S9G2Md,C;K;mG8GzMHg,oC;MACqF,O9G2M  
e,sB8G3MM,oBAAH,EAAG,C9G2MN,E8G3MkB,S9G2MIB,C;K;I8GzMpG,mD;MAIoD,0B;QAAA,aAAsB,K;M  
ACtE,IAAI,CAAC,UAAL,C;QACI,O9GsMqF,qB8GtM7D,M9GsM6D,E8GtMrD,C9GsMqD,C;Q8GpMrF,OAAO,  
yBAAc,CAAd,EAAiB,MAAjB,EAAyB,CAAZB,EAA4B,MAAO,OAAnc,EAA2C,UAA3C,C;K;IAGf,iE;MAIqE,0  
B;QAAA,aAAsB,K;MACvF,IAAI,CAAC,UAAL,C;QACI,O9G2LqF,qB8G3L7D,M9G2L6D,E8G3LrD,U9G2LqD,  
C;Q8GzLrF,OAAO,yBAAc,UAAAd,EAA0B,MAA1B,EAAkC,CAAlC,EAAqC,MAAO,OAA5C,EAAoD,UAApD,  
C;K;IAGf,iD;MAIkD,0B;QAAA,aAAsB,K;MACpE,IAAI,CAAC,UAAL,C;QACI,O9GmLoE,mB8GnL9C,M9Gm  
L8C,C;Q8GjLpE,OAAO,yBAAc,mBAAS,MAAO,OAAb,IAAd,EAA5C,MAAtC,EAA8C,CAA9C,EAAiD,MAA  
O,OAAxD,EAAgE,UAAhE,C;K;IAGf,mC;MAGI,aACa,S9G0L2D,O8G1LhD,K9G0LgD,C;M8GzLxE,OAAO,kB  
AAkB,MAAO,OAAP,KAAe,C;K;IAG5C,4B;MAKoD,gCAAU,C;MAAV,U;QAAuB,kBAAR,yB;QAAQ,c;;UrH2n  
DvD,U;UADhB,IAAI,OCAAsB,qBAA1B,C;YAAqC,aAAO,I;YAAP,e;;UACrB,+B;UAAhB,OAAGB,gBAAhB,C;Y  
AAgB,2B;YAAM,IAAI,CqH3nD4D,aAAT,qBrH2nDxC,OqH3nDwC,CAAS,CrH2nDhE,C;CAAYB,aAAO,K;cAAP  
,e;;UAC/C,aAAO,I;;QqH5nDgE,iB;;MAAvB,W;K;IAEpD,gD;MASiD,0B;QAAA,aAAsB,K;MAOxC,Q;MAN3B,  
IAAI,iBAAJ,C;QAAkB,OAAO,a;MACzB,IAAI,aAAJ,C;QAAMb,OAAO,K;MAC1B,IAAI,CAAC,UAAL,C;QAAi  
B,OAAO,kBAAQ,KAAR,C;MAExB,IAAI,SAAK,OAAL,KAAe,KAAM,OAazB,C;QAAiC,OAAO,K;MAEb,OA  
AL,SAAK,O;MAA3B,iBAAc,CAAd,wB;QACI,eAAe,qBAAK,KAAL,C;QACf,gBAAGB,iBAAM,KAAN,C;QACH  
B,IAAI,CAAU,SAAT,QAAS,EAAO,SAAP,EAAkB,UAAIB,CAAd,C;UACI,OAAO,K;MAIf,OAAO,I;K;IAIX,sF  
;MACkH,0B;QAAA,aAAsB,K;MACpI,oCAAKB,UAAIB,EAA8B,KAA9B,EAAqC,WAArC,EAAkD,MAAID,EA  
A0D,UAA1D,C;K;IAGJ,+B;MAYI,OxGmMmD,mBAAS,CwGnM5D,G9GwH4F,oB8GxHzD,C9GwHyD,E8GxHt  
D,C9GwHsD,CAvC9B,c8GjFrC,G9GqHoD,oB8GrHZ,C9GqHY,C8GrH7E,GAAyE,S;K;IAG7E,iC;MASI,OxGuL  
mD,mBAAS,CwGvL5D,G9G4G4F,oB8G5GzD,C9G4GyD,E8G5GtD,C9G4GsD,CAIB9B,c8G1FrC,G9GyGoD,oB  
8GzGZ,C9GyGY,C8GzG7E,GAAyE,S;K;IAG7E,8B;MAOiB,IAAN,I;M3H/FP,IAAI,E2H8FI,KAAK,C3H9FT,CA  
AJ,C;QACI,c2H6Fc,oD;Q3H5Fd,MAAM,gCAAYB,OAAQ,WAAjC,C;;M2H6FH,QAAM,CAAN,C;aACH,C;UAA  
K,S;UAAL,K;aACA,C;UAAU,OAAL,SAAK,W;UAAV,K;;UAEI,aAAa,E;UACb,IAAI,ExGgKoC,qBAAU,CwGh  
K9C,CAAJ,C;YACI,QAAQ,SAAK,W;YACb,YAAy,C;YACZ,OAAO,IAAP,C;cACI,IAAI,CAAC,QAAU,CAAX,  
MAAiB,CAArB,C;gBACI,UAAU,C;;cAEd,QAAQ,UAAW,C;cACnB,IAAI,UAA5B,CAAb,C;gBACI,K;;cAEJ,KAA

K,C;;;UAGb,OAAO,M;;MAnBf,W;K;IAwBJ,4D;MAOqE,0B;QAAA,aAAsB,K;MACvF,O9GkFiG,kB8GIFnF,W  
AAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,KAAhB,GAA2B,IAA1D,C9GkFmF,E8GIFB,6BA  
AM,iCAAwB,QAAxB,C9GkFY,C;K;I8GhFrG,4D;MAM+D,0B;QAAA,aAAsB,K;MACjF,O9GyEiG,kB8GzEnF,  
WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,KAAhB,GAA2B,IAApE,C9GyEm  
F,E8GzEA,oBAAR,OAAQ,C9GyEA,C;K;I8GvErG,iE;MAC0E,0B;QAAA,aAAsB,K;MAC5F,O9GqEiG,kB8GrEn  
F,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,IAAhB,GAA0B,GAAzD,C9GqEmF,E8GrEpB,  
6BAAM,iCAAwB,QAAxB,C9GqEc,C;K;I8GnErG,iE;MACoE,0B;QAAA,aAAsB,K;MACtF,O9GiEiG,kB8GjEnF,  
WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,IAAhB,GAA0B,GAAne,C9GiEm  
F,E8GjEF,oBAAR,OAAQ,C9GiEE,C;K;I+G7OrG,kD;MAEI,IAAI,gBAAJ,C;QAAsB,MAAM,6BAAyB,qCAAkC,  
QAAQ,CAAR,IAAIC,CAAZB,C;MAC5B,OAAO,CAAC,IAAD,I;K;IAGX,iF;MAQI,IAAI,EAAS,KAAT,oBAAiB,  
KAAjB,KAA2B,SAAS,QAAxC,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,UAA  
U,kBAAO,KAAP,C7GwBgC,I;M6GvB1C,IAAI,EAAQ,KAAR,kBAAGB,KAAhB,CAAJ,C;QACI,OAAO,UAAU,  
CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,OAAO,SAAW,CAAC,OAAS,IAAV,KAAqB,EAhC,IAAwC,  
MAAQ,I;K;IAG3D,yE;MAQI,IAAI,SAAU,EA AV,MAAkB,CAAIB,IAAuB,SAAS,QAApC,C;QACI,OAAO,UAA  
U,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,GA AV,  
MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,OAAQ,SAAU,CAAX  
,GAAkB,KAAIB,GAA4B,I;K;IAGvC,yE;MASI,IAAI,SAAS,QAAb,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,  
EAAoB,gBAApB,C;;MAGX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EA AV,MAAiB,CAArB,C;QA  
CI,IAAI,SAAU,GA AV,MAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;aAER  
,IAAI,SAAU,EA AV,MAAiB,EAAR,B,C;QACH,IAAI,SAAU,GA AV,MAAkB,GAAtB,C;UAEI,OAAO,UAAU,CA  
AV,EAAa,KAAb,EAAoB,gBAApB,C;;aAER,IAAI,SAAU,GA AV,MAAkB,GAAtB,C;QACH,OAAO,UAAU,CAA  
V,EAAa,KAAb,EAAoB,gBAApB,C;;MAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,  
EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,  
GA AV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAGX,OAAQ,SAA  
U,EAAX,GAAoB,SAAU,CAA9B,GAAqC,KAArC,GAA+C,O;K;IAG1D,yE;MASI,IAAI,SAAS,QAAb,C;QACI,U  
AAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAGJ,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EA  
AV,MAAiB,CAArB,C;QACI,IAAI,SAAU,GA AV,KAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,  
EAAoB,gBAApB,C;;aAER,IAAI,SAAU,EA AV,MAAiB,CAArB,C;QACH,IAAI,SAAU,GA AV,MAAkB,GAAtB,  
C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;aAER,IAAI,SAAU,EA AV,IAAgB,CAApB,C;Q  
ACH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;aACJ,IAAI,SAAU,GA AV,MAAkB,GAAtB,C;QA  
CH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI  
,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C  
;MAC7B,IAAI,SAAU,GA AV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;  
;MAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;M  
AEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GA AV,MAAkB,GAAtB,C;QACI,OA  
AO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,OAAQ,SAAU,EAAX,GAAoB,SAAU,EA A9B,GA  
AuC,SAAU,CAAjD,GAAwD,KAAxD,GAAkE,O;K;;;IAmB7E,oE;MAkB0B,UAGJ,MAHI,EAKJ,MALI,EAMJ,M  
ANI,EASJ,MATI,EAUJ,MAVI,EA WJ,MAXI,EA gBA,MAhBA,EAiBA,MAjBA,EAKBA,MAiBA,EAoBA,MApBA  
,EAqBA,OArBA,EAsBA,OAtBA,EAuBA,O;M5H9JtB,IAAI,E4HgII,cAAc,CAAd,IAAmB,YAAY,MAAO,OAAtC  
,IAAgD,cAAc,Q5HhII,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;M4HgIV,YAAY,cA  
AU,CAAC,WAAW,UAA X,IAAD,IAA0B,CAA1B,IAAV,C;MACZ,gBAAgB,C;MACHb,gBAAgB,U;MAEhB,OA  
AO,YAAY,QAA nB,C;QACI,WAAW,mBAAO,gBAAP,EAAO,wBAAP,Q7G1H2B,I;Q6G4HIC,WAAO,GAAP,C;  
UACI,MAAM,kBAAN,EAAM,0BAAN,YAA0B,OAAL,IAAK,C;eAC9B,WAAO,IAAP,C;UACI,MAAM,kBAAN,  
EAAM,0BAAN,YAA4C,OAAR,B,QAAS,CAAV,GAAgB,GAAM,C;UAC5C,MAAM,kBAAN,EAAM,0BAAN,YA  
A+C,OAAXB,OAAS,EA AV,GAAMB,GAAM,C;eAEnD,WAAO,KAAP,IAAiB,QAAQ,KAAzB,C;UACI,MAAM,k  
BAAN,EAAM,0BAAN,YAA6C,OAAtB,QAAS,EA AV,GAAiB,GAAM,C;UAC7C,MAAM,kBAAN,EAAM,0BA  
AN,YAAuD,OA A/B,QAAS,CAAV,GAAiB,EAIB,GAA2B,GAAM,C;UACvD,MAAM,kBAAN,EAAM,0BAAN,  
YAA+C,OAAXB,OAAS,EA AV,GAAMB,GAAM,C;;UAG/C,gBAAgB,uBAAuB,MAAvB,EAA+B,IAA/B,EAAqC,

SAArC,EAAGD,QAaHd,EAA0D,gBAA1D,C;UACHB,IAAI,aAAa,CAAjB,C;YACI,MAAM,kBAAN,EAAM,0BAA  
AN,YAAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAAN,YAAqB,0BAA0B,CAA1B,C;YACrB,  
MAAM,kBAAN,EAAM,0BAAAN,YAAqB,0BAA0B,CAA1B,C;;YAErB,MAAM,kBAAN,EAAM,0BAAAN,YAAkD  
,OAA3B,aAAc,EAaf,GAAsB,GAAM,C;YACID,MAAM,mBAAN,EAAM,2BAAN,aAA6D,OAArC,aAAc,EAaf,  
GAAuB,EAxB,GAAiC,GAAM,C;YAC7D,MAAM,mBAAN,EAAM,2BAAN,aAA4D,OAApC,aAAc,CAaf,GAA  
sB,EAAvB,GAAgC,GAAM,C;YAC5D,MAAM,mBAAN,EAAM,2BAAN,aAAoD,OAA7B,YAAc,EAaf,GAawB,  
GAAM,C;YACpD,6B;;;MAMhB,OAAW,KAAM,OAAN,KAAc,SAAIB,GAA6B,KAA7B,GAA8C,UAAN,KAA  
M,EAAO,SAAP,C;K;;IAQzD,mE;MAiByB,Q;M5H9LrB,IAAI,E4HwLI,cAAc,CAAd,IAAmB,YAAY,KAAM,OA  
ArC,IAA6C,cAAc,Q5HxL/D,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;M4HwLV,gBA  
AgB,U;MACHB,oBAAoB,sB;MAEpB,OAAO,YAAY,QAAnB,C;QACI,WAAW,KAAM,B,CAAb,gBAAa,EAAb,w  
BAAa,O;QAE1B,YAAQ,CAAR,C;UACI,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;aACIB,YAAS,CAAT,KAAc,EA  
Ad,C;UACI,WAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IA  
AI,QAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,IAAD,IAAb,K;;YAEA,aAAc,gBAAY,  
OAAL,IAAK,CAAZ,C;YACd,wBAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAc,EAAd,C;UACI,aAAW,eAAe,KAAf,  
EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,g  
BAAO,gBAAP,C;YACd,yBAAa,CAAC,MAAD,IAAb,K;;YAEA,aAAc,gBAAY,OAAL,MAAK,CAAZ,C;YACd,w  
BAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAc,EAAd,C;UACI,aAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,  
EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAA  
a,CAAC,MAAD,IAAb,K;;YAEA,WAAW,MAAD,GAAQ,KAAR,IAAQB,EAAR,B,GAA2B,K;YACtC,UAAW,SAA  
S,IAAV,GAAoB,K;YAC9B,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;YACd,aAAc,gBAAW,OAAJ,GAAI,CAAX,C;  
YACd,wBAAa,CAAb,I;;UAIJ,UAAU,CAAV,EAAa,SAAb,EAAwB,gBAAxB,C;UACA,aAAc,gBAAO,gBAAP,C  
;;MAK1B,OAAO,aAAc,W;K;ICtQzB,uC;MAU2D,OAAwB,CAAxB,2BAAwB,mBAAS,SAAT,C;K;IAEnF,oC;M  
AKI,OAAQ,OAAW,mBAAL,SAAK,CAAX,C;K;IAGZ,6C;MAMI,IAAI,cAAS,SAAb,C;QACI,iBAAsB,SAAY,Y;  
QACIC,IAAI,kBAAJ,C;UACS,SAAL,eAA+B,iBAAc,SAAd,E;;UAE/B,UAAW,WAAL,SAAJ,C;;K;IAUnB,6C;M  
AC4B,UAAjB,M;MAAP,OAAO,WAAiB,OAAsB,SAAY,YAAjB,4CAA+D,W;K;IAI9E,iC;MACI,gBAAqB,sB;MA  
CrB,iBAAsB,E;MACTB,kBAA+B,E;MAC/B,uBAAiC,C;K;uDAEjC,qB;MACc,qBAAV,SAAU,EAAC,EAAd,EAA  
kB,EAAIB,C;MACV,OAAO,aAAO,W;K;gDAG1B,qB;MAA6D,gBAAR,c;MAAQ,c;;Q3I41Y7C,Q;QAaHb,wBA  
AgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UAAAsB,IAAc,O2I51Y+B,c3I41Y7C,C;YAAwB,aAAO,I;YAAP,e;;Q  
AC9C,aAAO,K;;M2I71Y8C,iB;K;sDAErD,wC;MACI,KAAK,qBAAL,SAAK,EAAC,MAAd,EAAsB,SAATB,CAA  
L,C;QAAyC,M;MAEZC,YAAY,SAAK,M;MACjB,OAAO,aAAP,C;QACI,KAAM,qBAAN,KAAM,EAAC,MAAd,  
EAAsB,aAATB,CAAN,C;UAA8C,M;QAC9C,QAAQ,KAAM,M;;K;sDAITB,wC;MASgB,IAAiB,IAAjB,EA2BE,M;  
MAnCd,aAAO,gBAAO,MAAP,CAAE,gBAAO,SAAP,C;MACTB,gBAAgB,SAAK,W;MACrB,IAAI,eAAQ,SAAR,  
CAAJ,C;QACI,aAAO,gBAAO,kCAAP,CAA2C,gBAAO,SAAP,CAAKB,gBAAO,KAAP,C;QACpE,OAAO,K;;MA  
EH,cAAY,MAAK,SAAL,C;MAEpB,YAAY,CAAiB,OAAsB,SAAY,MAAjB,2D;MACZ,IAAI,aAAJ,C;Q1HyBG,S0  
HxBwB,WAAN,KAAM,EAQ,SAAR,C;QAAvB,iBAAoD,KAAK,CAAT,GAAY,CAAZ,GAAM,B,KAAe,gBAaf,  
I;QACnE,IAAI,eAAc,CAAIB,C;UAAqB,aAAO,gBAAO,SAAP,CAAKB,gBAAO,IAAP,C;QAC9C,IAAI,e1G8Mo  
C,YAAU,C0G9MID,C;UACI,kBAAW,K;UACX,uBAAgB,U;;UAEhB,QAAQ,wBAAiB,KAAjB,EAAwB,UAAxB,  
C;;QAEZ,IAAI,M1GgNuC,UAAS,C0GhNpD,C;UAEuB,U;UAAA,IAAI,eAAc,CAAIB,C;YAAA,SAAqB,C;;Y3Gq  
+BpC,U;YADhB,YAAY,C;YACI,oB2Gr+B+C,S3Gq+B/C,C;YAAhB,OAAgB,gBAAhB,C;cAAgB,sC;cAAM,I2Gr  
+BgE,U3Gq+BID,oB2Gr+BkD,MAAK,E3Gq+BrE,C;gBAAwB,qB;;Y2Gr+Bf,SAA4B,I3Gs+BpD,K2Gt+BoD,I;;U  
AA/C,yB;U7GorCC,kB;UADb,YAAY,C;UACC,S6GnrCK,aAAN,KAAM,C7GmrCL,W;UAAb,OAAa,gBAAb,C;  
YAAa,wB;Y6GlrCG,I7GkrCU,oBAAmB,cAAnB,EAAM,B,sBAAnB,U6GlrCN,gBAAJ,C;cAA2B,aAAO,uB;YACI  
C,aAAO,gB7GirCgC,I6GjrChC,CAAa,gBAAO,IAAP,C;;UAGxB,aAAO,gBAAO,KAAP,CAAc,gBAAO,IAAP,C;;  
;QAGzB,aAAO,gBAAO,SAAP,CAAKB,gBAAO,IAAP,C;;MAG7B,iBAAiB,mC;MACjB,IrIuHoD,CqIvHhD,UrIu  
HiD,UqIvHrD,C;QACI,uBAAuB,SAAS,M;QACTB,8B;QAAV,OAAU,gBAAV,C;UAAU,qB;UACJ,qBAAF,CAAE  
,EAAC,gBAAAd,EAAgC,cAAhC,C;;MAGV,OAAO,I;K;yDAGX,6B;MAIwB,Q;MAHpB,mBAAwB,C;MACxB,gB  
AAqB,C;MACrB,mBAAwB,C;MACJ,OzHyIjB,MAAO,KyHzIgB,eAAS,OAAT,GAAKB,oBAAIB,IzHyIhB,EyHzI  
iD,KAAM,OAAN,GAae,UAAf,IzHyIjD,C;MyHzIV,eAAY,CAAZ,oB;QACI,QAAQ,iBAAy,iBAAN,KAAM,CA

AN,GAakB,GAAiB,IAAN,C;QACR,IAAI,MAAK,2BAakB,iBAAT,eAAS,CAAT,GAAqB,GAARb,IAAT,CAAT,  
C;UAA6C,K;QAC7C,IAAI,MAAK,EAAT,C;UACI,8BAAGb,CAAhB,I;UACA,eAAe,S;UACf,YAAAY,G;;;MAGp  
B,IAAI,gBAAGb,CAApB,C;QAAuB,OAAO,K;MAC9B,OAAO,eAAe,CAAf,IAAoB,iBAAY,iBAAN,KAAM,CA  
AN,IAAmB,YAAAnB,GAakC,CAaIC,KAAN,MAA+C,EAA1E,C;QACI,8BAAGb,CAAhB,I;MAGJ,OAAa,YAAN,  
KAAM,EAAS,YAAT,CAAN,IAA+B,cAAW,eAAe,CAAf,IAAX,uCAA/B,C;K;;yHC/H+C,Y;MAAQ,W;K;IAEtE,  
gD;MACkB,UAMP,M;MANO,IAAI,aAAY,CAAhB,C;QACV,Y;;QAEA,UxBsY8C,MAAW,KwBtY/C,IxBsY+C,  
EwBtYtC,QxBsYsC,C;QwBrYzD,OAAA,IAAO,OxB2UmC,MAAW,KwB3UpC,KxB2UoC,CwB3UxC,GAAa,GA  
AnB,CAAP,GAAiC,GAAjC,GxBwV2C,MAAW,MwBxVV,KxBwVU,C;;MwB5V1D,kB;MAMO,IxBYUuC,MAA  
W,KwBzU1C,OxBYU0C,CwBzU9C,GAAe,MAAnB,C;QAEmC,SAA9B,OAAAY,SAAQ,QAAR,C;;QAGpB,exBoU  
0C,MAAW,KwBpUIC,OxBoukC,C;QwBnUrD,qBAA8B,QAAAY,axBgRC,MAAW,MAvCV,MAAW,OwBzOU,Qx  
ByOV,CAuCD,CwBhRA,GAAwB,QAAPC,C;QAC1C,SAAI,UAAU,CAAd,GAAiB,MAAG,cAAPB,GAAyC,c;;M  
AP7C,a;K;IAWJ,6C;MACI,OAAa,KAAY,gBAae,OAAf,EAawB,MAAK,4BAA2B,QAA3B,CAAL,EAaxB,C;K;I  
CtBQ,4C;MAFrC,e;MAEsC,0B;MAFtC,iB;MAAA,uB;K;IAAA,mC;MAAA,sC;O;MAGI,uEAGY,GAHZ,C;MAIA  
,yEAGa,MAHb,C;MAIA,yEAGa,SAHb,C;MAIA,+DAGQ,KAHR,C;MAIA,+DAGQ,MAHR,C;MAIA,2DAGM,M  
AHN,C;MAIA,yDAGK,OAHL,C;K;;IAxBA,gD;MAAA,yB;MAAA,wC;K;;IAIA,iD;MAAA,yB;MAAA,yC;K;;IAI  
A,iD;MAAA,yB;MAAA,yC;K;;IAIA,4C;MAAA,yB;MAAA,oC;K;;IAIA,4C;MAAA,yB;MAAA,oC;K;;IAIA,0C;  
MAAA,yB;MAAA,kC;K;;IAIA,yC;MAAA,yB;MAAA,iC;K;;IA3BJ,+B;MAAA,4Q;K;;IAAA,oC;MAAA,a;AAA,  
a;UAAA,6C;aAAA,c;UAAA,8C;aAAA,c;UAAA,8C;aAAA,S;UAAA,yC;aAAA,S;UAAA,yC;aAAA,O;UAAA,uC;  
aAAA,M;UAAA,sC;;UAAA,6D;;K;;IAiCA,4D;MAGW,Q;MADP,0BAA2C,iBAAjB,UAAW,cAAM,EAAU,UAA  
W,cAARb,C;MAEvC,0BAAsB,CAAtB,C;QAA2B,gBAAS,UAAW,cAAX,GAAMb,UAAW,cAAvC,C;WAC3B,0B  
AAsB,CAAtB,C;QAA2B,gBAAS,UAAW,cAAX,GAAMb,UAAW,cAAvC,C;;QACnB,Y;MAHZ,W;K;IAOJ,oE;M  
AGW,Q;MADP,0BAA2C,iBAAjB,UAAW,cAAM,EAAU,UAAW,cAARb,C;MAEvC,0BAAsB,CAAtB,C;QAA2B,  
sBAA8C,uBAARc,UAAW,cAAX,GAAMb,UAAW,cAAO,CAA9C,C;WAC3B,0BAAsB,CAAtB,C;QAA2B,iBAA  
8C,uBAARc,UAAW,cAAX,GAAMb,UAAW,cAAO,CAA9C,C;;QACnB,Y;MAHZ,W;K;IAOJ,8D;MAGW,Q;MA  
DP,0BAA2C,iBAAjB,UAAW,cAAM,EAAU,UAAW,cAARb,C;MAEvC,0BAAsB,CAAtB,C;QACI,YAAkD,uBAA  
rC,UAAW,cAAX,GAAMb,UAAW,cAAO,C;QACID,aAAa,eAAQ,KAAR,C;QAET,sBAAS,KAAT,GAakB,KAAI  
B,E;UAA2B,a;AC3B,uBAAQ,CAAR,C;;;aAIR,0BAAsB,CAAtB,C;QAA2B,iBAA8C,uBAARc,UAAW,cAAX,G  
AAmB,UAAW,cAAO,CAA9C,C;;QACnB,Y;MAXZ,W;K;ICrDJ,+B;MAAA,mC;MAUuB,wB;MALf,aAAR,OAA  
O,OAAQ,KAAI,WAAY,IAAG,OAAO,SAAX,IAAwB,CAAC,CAAC,OAAO,SAAS,K;MADpE,sBAGQ,MAHR,G  
AIQ,iBAAa,OAAb,CAJR,GAMQ,qBAAW,OAAx,IAAA,4GACO,+B;K;4CAIf,Y;MAAmC,OAAA,mBAAa,U;K;;  
;IAfpD,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;IAwB2B,+B;MAAC,sB;K;IAEW,+D;MAAA,0C;MAAS,mB;M  
ACxC,iBAAgB,yBAAQ,S;K;8DACxB,Y;M7HyEG,Q6HxEC,8BAAQ,QAAO,cAAP,C;MAAyB,c9IZIC,EAAL,CA  
AJ,C;M8IY2C,Y9IuF3C,EAAL,CAAJ,C;M8IvFC,OAA4D,aAAR,OAAQ,qCAAR,aAAiD,aAN,KAAM,yCAAjD,  
C;K;;qCAH5D,Y;MAAmC,mD;K;sCAMnC,Y;MAAkC,qC;K;;IAKF,4C;MAAiC,4E;MAAhC,8B;K;2CACjC,Y;M  
AA8B,OAAA,gBAAY,M;K;;CAC1C,Y;MAAkC,2C;K;;IAGtC,6B;MAAA,iC;MAEoC,4E;K;uCACHc,Y;MAA8B  
,OAAe,U;K;2CAC7C,Y;MAAkC,+B;K;;IAJtC,yC;MAAA,wC;QAAA,uB;;MAAA,iC;K;IC1CA,gD;MAQ+B,kBA  
ApB,wBAAc,IAAd,C;MAA0B,I9HgEjC,a;M8HhEA,O9HiEO,W;K;I8H9DX,gD;MAQqD,kBAA1B,gBAAhB,sCA  
AgB,EAAc,IAAd,EAAoB,IAApB,C;MAAiC,sB9HoEID,W8HpEkD,C;MAAxD,O9HqEO,W;K;I+HzFX,yC;MAEK  
D,8B;MAAA,OCGN,aDhwB,yBAAa,QAAb,mCCGxB,ChH+xBgC,sB;K;I+GhyB5E,2C;MhJggIW,kBAAY,gB;M  
AoGH,Q;MAAhB,wBgJ7IIqB,UhJ6IIrB,gB;QAAgB,cgJ7IIK,UhJ6IIrB,M;QAAsB,IAAI,CgJ7IIkB,sBhJ6IIP,OgJ7II  
O,ChJ6IIrB,C;UAAyB,WAAY,WAAI,OAAJ,C;;MgJ7II3D,qBhJ8II,O,W;MgJ7IIP,I1IgNwD,C0IhNpD,c1IgNqD,U0  
IhNzD,C;Q/GgKuC,U;Q+G/JnC,qB/G+JyD,OAAtB,+B+G/Jd,mB/G+Jc,uBAAsB,CAAO,W;QuGkO7C,kBAAhB,s  
B;QQ/XC,0C;QACA,IAAI,E/G8QoC,0BAAU,C+G9Q9C,CAAJ,C;UACI,2BAAO,GAAP,C;;QAEW,sCAAa,GAA  
b,C;QALnB,sB/H4DG,WuHoUqC,W;QQzXxC,OAAO,I;;MAGX,OAAO,K;K;IAGX,8C;MAOmB,c;;QhJi3YC,Q;  
QAAhB,wBgJj3YI,UhJi3YJ,gB;UAAgB,cgJj3YZ,UhJi3YJ,M;UAAsB,IgJj3YD,sBhJi3Ye,OgJj3Yf,ChJi3YC,C;YA  
AwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;MgJl3YP,e;QACI,kBAA6B,MAAX,UAAW,C;Q/GyIM,U;Q+GxIb,a/  
GwImC,OAAtB,+B+GxIvB,mB/GwIuB,uBAAsB,CAAO,W;Q+GxIX,kBC/BjB,aD+BD,MC/BC,ChHg1C6C,uBA  
AzB,CAAYB,C;QbnmB9E,kBAAS,gB;QA2FA,U;QAAA,+B;QAAhB,OAAgB,gBAAhB,C;UAAgB,6B;UAAM,I4

HzyB4C,4B5HyyB9B,S4HzyB8B,C5HyyB5C,C;YAAwB,WAAY,WAAl,SAAJ,C;:Q4HzyBtD,sBAAmF,e5H0yBh  
F,W4H1yBgF,EAAa,GAAb,C;QACnF,OAAO,I;:MAGX,OAAO,K;K;IEnCP,iC;MAAQ,8BAAY,IAAK,UAAjB,IA  
A8B,uBAAY,IAAK,mB;K;IAOvD,oC;MAAQ,8BAAY,IAAK,a;K;ICZ7B,4B;MAGI,OAAO,yBAAP,C;QACI,sBA  
AY,mCAAZ,C;:K;IAIR,uC;MAOI,sBAAY,sCAAgB,gBAAE,IAAf,CAA5B,C;MACA,OAAO,S;K;ICbP,4B;MAA  
Q,mB;K;IACR,mC;MACI,eAAO,K;K;IAKX,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;iHCoBf,sJ;MAEyC,q  
B;QAAA,QAakB,I;MAAM,qB;QAAA,QAakB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,yB;QAAA,YAAsB,I;MA  
AM,kC;QAAA,qBAA+B,I;MAAM,qC;QAAA,wBAakC,K;MAAO,+C;QAAA,kCAA4C,K;MAAO,4C;QAAA,+B  
AAyC,K;MACtT,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAA  
e,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,uBAAF,IAA6B,qB;MAC7  
B,EAAE,iCAAF,IAAuC,+B;MACvC,EAAE,8BAAF,IAAoC,4B;MACpC,OAAO,C;K;+Gaw0BX,wD;MAEwC,6B  
;QAAA,gBAAYB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;M  
AC/I,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MA  
CIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6EA6CX,4B;MAE6D,iBAAY,KAAZ,C;K;6EAE7D,mC;MAEo  
E,UAAy,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAE8D,iBAAY,KAAZ,C;K;6EAE9D,mC;MAEqE,UAAy,KAAZ,IA  
AqB,K;K;6EAuB1F,4B;MAEqE,iBAAY,KAAZ,C;K;6EAErE,mC;MAE4E,UAAy,KAAZ,IAAqB,K;K;6EAuBjG,  
4B;MAE+D,iBAAY,KAAZ,C;K;6EAE/D,mC;MAEsE,UAAy,KAAZ,IAAqB,K;K;6EAuB3F,4B;MAEgE,iBAAY,  
KAAZ,C;K;6EAEhE,mC;MAEuE,UAAy,KAAZ,IAAqB,K;K;6EAuB5F,4B;MAE6D,iBAAY,KAAZ,C;K;6EAE7  
D,mC;MAEoE,UAAy,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAE8D,iBAAY,KAAZ,C;K;6EAE9D,mC;MAEqE,UAA  
y,KAAZ,IAAqB,K;K;6EAuB1F,4B;MAEiE,iBAAY,KAAZ,C;K;6EAEjE,mC;MAEwE,UAAy,KAAZ,IAAqB,K;  
K;6EAuB7F,4B;MAEKe,iBAAY,KAAZ,C;K;6EAEIE,mC;MAEyE,UAAy,KAAZ,IAAqB,K;K;6GC3oC9F,wD;M  
AEqC,6B;QAAA,gBAA+B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WA  
AqB,K;MACpJ,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAA  
kB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;mIAiCX,+B;MAEgD,mC;QAAA,sBAAGC,K;MAC5  
E,QAAQ,E;MACR,EAAE,qBAAF,IAA2B,mB;MAC3B,OAAO,C;K;4EC9CX,4B;MAEgE,iBAAY,KAAZ,C;K;4E  
AgChE,4B;MAEyE,iBAAY,KAAZ,C;K;4EaiBzE,4B;MAEmE,iBAAY,KAAZ,C;K;4EAyYnE,4B;MAE0E,iBAA  
Y,KAAZ,C;K;oIC7a1E,4H;MAE8C,qB;QAAA,QAaiB,E;MAAI,6B;QAAA,gBAAGC,E;MAAW,iC;QAAA,oBAA  
2D,E;MAAW,iC;QAAA,oBAA2D,E;MAAW,qC;QAAA,wBAmJvJ,U;:MANJqO,+B;QAAA,kBAmJrO,U;:MANJ6  
S,4B;QAAA,eAA+B,S;MAC3a,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,eAAF,IAAqB,a;MACrB,E  
AAE,mBAAF,IAAyB,iB;MACzB,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,i  
BAAF,IAAuB,e;MACvB,EAAE,cAAF,IAAoB,Y;MACpB,OAAO,C;K;wIAYX,mC;MAEgD,2B;QAAA,cAAuB,E;  
MAAI,0B;QAAA,aAAsB,E;MAC7F,QAAQ,E;MACR,EAAE,aAAF,IAAmB,W;MACnB,EAAE,YAAF,IAAkB,U;  
MACIB,OAAO,C;K;8HakEX,+D;MAEqG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAA  
A,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,SA  
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;4HAwBX,iE;M  
AE0C,4B;QAAA,eAAwB,E;MAAI,wB;QAAA,WAAyB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAA  
uB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IA  
AgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,  
OAAO,C;K;sGAUqE,qB;MAAQ,OAAW,U;K;sGAEnB,qB;MAAQ,OAAW,U;K;4GAehB,qB;MAAQ,OAAc,a;K;  
wGAS1B,qB;MAAQ,OAAy,W;K;0HAEX,qB;MAAQ,OAAqB,oB;K;kGASnD,qB;MAAQ,OAAQ,Q;K;oGAehB,q  
B;MAAQ,OAAU,S;K;sGAEjB,qB;MAAQ,OAAW,U;K;wHAeV,qB;MAAQ,OAAoB,mB;K;wHAe5B,qB;MAAQ,  
OAAoB,mB;K;kHAE/B,qB;MAAQ,OAAiB,gB;K;kHAEzB,qB;MAAQ,OAAiB,gB;K;oHASd,qB;MAAQ,OAAkB,  
iB;K;oHAE1B,qB;MAAQ,OAAkB,iB;K;oHAE1B,qB;MAAQ,OAAkB,iB;K;wIAehB,qB;MAAQ,OAA4B,2B;K;4  
FC1MnI,uD;MAE8B,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAaE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;  
QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,  
QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;M  
ACHB,OAAO,C;K;kGAuBX,sE;MAEiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,S  
AAE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvL,QAA  
Q,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,S

AAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGA8DX,8U;MAEiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3wB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wGAgDX,kQ;MAEoC,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7IB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGAsCX,iX;MAEiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACr2B,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,WAAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGA2BX,0E;MAEiC,oB;QAAA,OAAgB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtM,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,MAAF,IAAY,I;MACZ,EAA

E,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wGAmDX,4S;MAEoC,mB;QAAA,MAAe,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QAAA,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjtB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAC hB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;8GAuBX,6D;MAEuC,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7K,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wECnbX,4B;MAEyE,iBAAAY,KAAZ,C;K;wEAEzE,2B;MAEgG,iBAAY,IAAZ,C;K;wEAwBhG,oC;MAE+F,UAAAY,KAAZ,IAAqB,M;K;wEAmFpH,2B;MAEqE,iBAAY,IAAZ,C;K;wEAErE,kC;MAE2E,UAAAY,IAAZ,IAAoB,K;K;wEAssC/F,4B;MAEyE,iBAAY,KAAZ,C;K;wEA0BzE,4B;MAEyE,iBAAY,KAAZ,C;K;wEAsBzE,4B;MAEuE,iBAAY,KAAZ,C;K;wEAyBvE,4B;MAE6E,iBAAY,KAAZ,C;K;2FA4C7E,gD;MAEiC,qB;QAAA,QAAiD,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACIK,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;uEA+UX,4B;MAEuE,iBAAY,KAAZ,C;K;wEAEvE,2B;MAE6F,iBAAY,IAAZ,C;K;wEAqN7F,4B;MAEyE,iBAAY,KAAZ,C;K;wEAEzE,oC;MAE2F,UAAAY,KAAZ,IAAqB,M;K;+FAuehH,wD;MAEmC,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;uGAuIX,mB;MAEuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+HAyCX,iB;MAEmD,qB;QAAA,QAAkB,I;MACjE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;+FA0MX,sE;MAEmC,oB;QAAA,OAAgB,I;MAAM,wB;QAAA,WA0+G4B,S;MA1+GwB,kB;QAAA,KAAc,E;MAAI,wB;QAAA,WAAoB,I;MAAM,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAoB,I;MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,IAAF,IAAU,E;MACV,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;qIAGDX,iB;MAEsD,qB;QAAA,QAAkB,I;MACpE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;+GAKBX,qB;MAE2C,yB;QAAA,YAAmB,S;MAC1D,QAAQ,E;MACR,EAAE,SAAF,IAAe,S;MACf,OAAO,C;K;wEAkCX,4B;MAEqF,iBAAY,KAAZ,C;K;yFAGCrF,4V;MAEgC,4B;QAAA,eAA8B,I;MAAM,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC9yB,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,S

AAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEAwEX,2B;MAE+D,iBAAY,IAAZ,C;K;iGA2D/D,gD;MAEoC,qB;QAAA,QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACII,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;qGA2BX,yD;MAEsC,sB;QAAA,SAAkB,E;MAAI,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5J,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GAuBX,oD;MAEOC,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;2FAoFX,kF;MAEiC,uB;QAAA,UAAmB,E;MAAI,wB;QAAA,WAAoB,E;MAAI,sB;QAAA,SAAe,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjN,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;iHAyBX,oD;MAEqE,sB;QAAA,SAAe,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACzK,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEA mXX,4B;MAEkE,iBAAY,KAAZ,C;K;wEAEIE,2B;MAEOE,iBAAY,IAAZ,C;K;wEAUpE,4B;MAEsE,iBAAY,KAAZ,C;K;wEAEtE,2B;MAEW,E,iBAAY,IAAZ,C;K;wEAaxE,4B;MAE+D,iBAAY,KAAZ,C;K;wEAE/D,2B;MAEiE,iBAAY,IAAZ,C;K;mGA0CjE,8G;MAEqC,gC;QAAA,mBAooF8C,M;;MApoFe,gC;QAAA,mBAmpFT,S;;MANpFyE,oC;QAAA,uBA8pFjE,S;;MA9pF6I,2B;QAAA,cAAoB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,6B;QAAA,gBAyqFIO,K;;MAxqFvE,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,sBAAF,IAA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAqB,a;MACrB,OAAO,C;K;+FAwCX,mF;MAEmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI,2B;QAAA,cAAuB,E;MAAI,sB;QAAA,SAAY,C,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACxQ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6FA4BX,2B;MAEkC,+B;QAAA,kBAA4B,K;MAC1D,QAAQ,E;MACR,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;2FA2DX,iE;MAEiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAe,C;MAAG,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yFA8FX,6B;MAEgC,oB;QAAA,OA+7E6C,S;;MA/7EL,2B;QAAA,cCl2He,M;;MDm2HnF,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,OAAO,C;K;wEAoDX,0B;MAE+D,iBAAY,GAZ,C;K;wEAE/D,iC;MAEqE,UAA,Y,GAZ,IAAmB,K;K;+FAoDxF,oF;MAEmC,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAoB,I;MAAM,mB;QAAA,MAAe,E;MAAI,2B;QAAA,cAAwB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvO,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,KAAF,IAAW,G;MACX,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;iFAwNX,yC;MAE4B,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtG,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;

MACHB,OAAO,C;K;6FAwBX,iD;MAEkC,sB;QAAA,SA Ae,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;uGASX,mB;MAEuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAYX,kC;MAE0C,uB;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB,K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wEAkEX,4B;MAE6D,iBAAY,KAAZ,C;K;wEAU7D,4B;MAEsE,iBAAY,KAAZ,C;K;wEAEtE,2B;MAEwE,iBAAY,IAAZ,C;K;uGAsCxE,oH;MAEuC,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,S;MAAW,6B;QAAA,gBAA0B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,S;MAAW,qC;QAAA,wBAakC,S;MAAW,+B;QAAA,kBAakC,S;MAC1R,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;mGAgFX,oB;MAEqC,wB;QAAA,WAAqB,K;MACtD,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wEA+MX,2B;MAEiE,iBAAY,IAAZ,C;K;2GakCjE,c;MAEyC,kB;QAAA,KAAgB,S;MACrD,QAAQ,E;MACR,EAAE,IAAF,IAAU,E;MACV,OAAO,C;K;2FAuMX,gB;MAGl,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;wEAgBX,4B;MAEiE,iBAAY,KAAZ,C;K;wEAejE,oC;MAE4E,iBAAY,aAAZ,C;K;wEAuT5E,4B;MAEmE,iBAAY,KAAZ,C;K;uFA2CnE,sB;MAE+B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAC9F,QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,OAAO,C;K;qFA0CX,+B;MAE8B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAakB,G;MACtG,QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,OAAO,C;K;wEAOX,4B;MAEmE,iBAAY,KAAZ,C;K;yFAiHnE,oB;MAEgC,wB;QAAA,WAy2B+C,M;MAx2B3E,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6FAeX,+B;MAEkC,oB;QAAA,OAAgB,S;MAAW,mB;QAAA,MAAe,S;MAAW,wB;QAAA,Waq1BR,M;MAp1B3E,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6GAwCX,yD;MAE0C,qB;QAAA,QAAiB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpK,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;yGAiCX,mC;MAEwC,qB;QAAA,QA2wByD,Q;MA3wBK,sB;QAAA,SA2wBL,Q;MA3wBoE,wB;QAAA,WA4vBtF,M;MA3vB3E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;2FAYX,2B;MAEiC,mB;QAAA,MAuwB0C,Q;MAvwBJ,0B;QAAA,aAAsB,S;MACzF,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,YAAF,IAAkB,U;MACIB,OAAO,C;K;+GAYX,0B;MAE2C,uB;QAAA,UaqvBgC,Q;MARvBU,qB;QAAA,QAqvBV,Q;MApvBvE,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;wEAgCX,4B;MAE+D,iBAAY,KAAZ,C;K;qFAyaY,qB;MAAQ,OAAU,S;K;6FAEd,qB;MAAQ,OAAc,a;K;uFAEzB,qB;MAAQ,OAAW,U;K;iFASxB,qB;MAAQ,OAAE,G;K;iFAEX,qB;MAAQ,OAAQ,O;K;uFAEb,qB;MAAQ,OAAW,U;K;uFAS3B,qB;MAAQ,OAAW,U;K;mFAErB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OAAU,S;K;yFAShB,qB;MAAQ,OAAW,W;K;uFAErB,qB;MAAQ,OAAW,U;K;+FAEf,qB;MAAQ,OAAe,c;K;uFAE3B,qB;MAAQ,OAAW,U;K;uFAEnB,qB;MAAQ,OAAW,U;K;mFASrB,qB;MAAQ,OAAS,Q;K;iFAEiB,qB;MAAQ,OAAQ,O;K;6EAEiB,qB;MAAQ,OAAM,K;K;uFAET,qB;MAAQ,OAAW,U;K;qFASiB,qB;MAAQ,OAAU,S;K;qFAEiB,qB;MAAQ,OAAU,S;K;6EASR,qB;MAAQ,OAAM,K;K;mFAEX,qB;MAAQ,OAAS,Q;K;+EAEnB,qB;MAAQ,OAAO,M;K;+EAS/B,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,OAAS,Q;K;mFAShB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;mFASd,qB;MAAQ,OAAQ,O;K;+EAEiB,qB;MAAQ,OAAM,K;K;+EAEb,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,OAAS,Q;K;6EASd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;2FAEb,qB;MAAQ,OAAa,Y;K;6FAEpB,qB;MAAQ,OAAC,a;K;mFAE3B,qB;MAAQ,OAAS,Q;K;6EAS1B,qB;MAAQ,OAAM,K;K;6EAEEd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;+EASjB,qB;MAAQ,OAAO,M;K;mFAEb,qB;MAAQ,OAAS,Q;K;+EASrB,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;iFASjB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;K;qFAE1B,qB;MAAQ,OAAU,S;K;iFASb,qB;MAAQ,OAAO,M;

K;uFAEZ,qB;MAAQ,OAAU,S;K;yFAS9B,qB;MAAQ,OAA Y,W;K;+EAE1B,qB;MAAQ,OAAM,K;K;qFAEX,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;+EASrB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAAC,a;K;qFAS1B,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;+EASX,qB;MAAQ,OAAO,M;K;mFAEb,qB;MAAQ,OAAS,Q;K;iFASnB,qB;MAAQ,OAAO,M;K;qFAEZ,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;kFASJ,qB;MAAQ,OAAQ,O;K;oFAEf,qB;MAAQ,OAAS,Q;K;8EAEpB,qB;MAAQ,OAAM,K;K;oFAEV,qB;MAAQ,OAAU,S;K;mFASzC,qB;MAAQ,OAAS,Q;K;mFAEjB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OA AU,S;K;qFAEIB,qB;MAAQ,OAAU,S;K;wIEx+M7E,wM;MAEiD,qB;QAAA,QAAkB,I;MAAM,sB;QAAA,SAAM B,I;MAAM,2B;QAAA,cAAwB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,a AAuB,I;MAAM,sB;QAAA,SAAM B,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,gC;QAA A,mBAA6B,I;MAAM,+B;QAAA,kBAA4B,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,uB;QAAA,UAAoB,I;MAA M,4B;QAAA,eAAyB,I;MAAM,wB;QAAA,WAAqB,I;MAAM,uB;QAAA,UAAoB,I;MACrf,QAAQ,E;MACR,EA AE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB, S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE ,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IA AuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB ,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wHAsDX,wM;MAEYc,qB;QAAA,Q AAqB,S;MAAW,sB;QAAA,SAAsB,S;MAAW,2B;QAAA,cAA4B,S;MAAW,yB;QAAA,YAA0B,S;MAAW,0B;Q AAA,aAA6B,S;MAAW,0B;QAAA,aAA6B,S;MAAW,sB;QAAA,SAAuB,S;MAAW,0B;QAAA,aAA0B,S;MAAW ,0B;QAAA,aAA0B,S;MAAW,gC;QAAA,mBAAoC,S;MAAW,+B;QAAA,kBAAmC,S;MAAW,gC;QAAA,mBAA oC,S;MAAW,uB;QAAA,UAAwB,S;MAAW,4B;QAAA,eAA4B,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QA AA,UAAmB,S;MACtnB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aA AF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U ;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE, kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IA Ae,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OA AO,C;K;sHAYX,kN;MAEwC,wB;QAAA,WAA4C,S;MAAW,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S; MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aA AsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAA A,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;M AAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MAC9IB,QAAQ,E;M ACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF, IAAM B,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;M ACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kB AAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IA Ae,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OA AO,C;K;0HAsDX,wM;MAE0C,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;M AAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAk B,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAA A,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAwB,S;MAA W,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACziB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IA AkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB ,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kB AAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q; MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;gHAyDX,wM;MAEqC,qB;QAAA,QAAc,S;MAAW,sB;QAAA, SAAe,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;Q AAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,0B;QAAA,aAAmB,S;MAA W,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UA

AmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACxhB,Q  
AAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EA  
AE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IA  
Ac,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACx  
B,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAA  
F,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;8HAqBX,gD;M  
AEsE,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MAC  
R,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAA  
gB,Q;MACHB,OAAO,C;K;sIAoBX,gD;MAEgD,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;Q  
AAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SA  
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wHAWCX,wB;  
MAEyC,qB;QAAA,QAAiB,K;MAAO,qB;QAAA,QAAiB,K;MAC9E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MA  
Cb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;kGAYBX,oB;MAE8B,mB;QAAA,MAAe,S;MAAW,mB;QAAA,MA  
Ae,S;MACnE,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;oHA  
YX,kC;MAEuC,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,mB;QAAA,MAAe,S;MAAW,mB;Q  
AAA,MAAe,S;MACpI,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KAA  
F,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gGAYX,oB;MAE6B,mB;QAAA,MAAY,S;MAA  
W,mB;QAAA,MAAY,S;MAC5D,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MAC  
X,OAAO,C;K;kHAYX,kC;MAEsC,qB;QAAA,QAAc,S;MAAW,qB;QAAA,QAAc,S;MAAW,mB;QAAA,MAAY,  
S;MAAW,mB;QAAA,MAAY,S;MACvH,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;  
MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gIAeX,wB;MAE6C,qB;QAA  
A,QAakB,S;MAAW,qB;QAAA,QAakB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF  
,IAAa,K;MACb,OAAO,C;K;oIAeX,wB;MAE+C,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MACxF,QA  
AQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;4FAKX,Y;MAGI,QAAQ,E  
;MACR,OAAO,C;K;oFAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C;K;8FAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C  
;K;kGASX,oB;MAE8B,wB;QAAA,WAAkC,S;MAC5D,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHB,OAA  
O,C;K;4FAUmE,qB;MAAQ,OAAO,M;K;8FAEd,qB;MAAQ,OAAQ,O;K;4FASrB,qB;MAAQ,OAAO,M;K;0GAE  
R,qB;MAAQ,OAAc,a;K;8FAE7B,qB;MAAQ,OAAO,M;K;gGAEd,qB;MAAQ,OAAQ,O;K;8FASjB,qB;MAAQ,O  
AAO,M;K;gHAEL,qB;MAAQ,OAAiB,gB;K;wGASrC,qB;MAAQ,OAAa,Y;K;0GAEpB,qB;MAAQ,OAAc,a;K;w  
GAEvB,qB;MAAQ,OAAa,Y;K;oFCroB7F,4B;MAE6E,iBAA,Y,KAAZ,C;K;iGASnB,qB;MAAQ,OAAQ,Q;K;6FAE  
nB,qB;MAAQ,OAAO,M;K;+FAEd,qB;MAAQ,OAAQ,O;K;iGASF,qB;MAAQ,OAAU,S;K;+FAEnB,qB;MAAQ,O  
AAS,Q;K;mGAS3B,qB;MAAQ,OAAW,U;K;mGAEnB,qB;MAAQ,OAAW,U;K;6GC1D/E,mb;MAEmC,yB;QAA  
A,YAAkB,C;MAAG,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,wB;QAAA,WAAmB,G;MAAI,k  
C;QAAA,qBAA6B,G;MAAI,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAA  
G,2B;QAAA,cAAuB,E;MAAI,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;  
MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UA  
AkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QA  
AA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MA  
AO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBA  
A0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;  
QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAc,C;MA  
AG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACiB,QAAQ,E;MACR  
,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAg  
B,Q;MACHB,EAAE,oBAAF,IAA0B,kB;MACiB,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EA  
AE,OAAF,IAAa,K;MACb,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,  
O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IA  
Ac,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE  
,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MA

Cf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6GC1BX,0C;MAEwC,oB;QAAA,OAAiB,I;MAAM,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;4EAmIX,4B;MAEKe,iBAAY,KAAZ,C;K;4EAEIE,qC;MAE2E,UAAAY,KAAZ,IAAqB,O;K;4EaiBhG,4B;MAEuE,iBAAY,KAAZ,C;K;4EAEvE,qC;MAE+E,UAAAY,KAAZ,IAAqB,O;K;4EaiBpG,4B;MAEuE,iBAAY,KAAZ,C;K;4EAEvE,qC;MAE+E,UAAAY,KAAZ,IAAqB,O;K;4EaiGpG,4B;MAEoE,iBAAY,KAAZ,C;K;2EAEpE,qC;MAE4E,UAAAY,KAAZ,IAAqB,O;K;4EakcJG,4B;MAE6E,iBAAY,KAAZ,C;K;4EAE7E,qC;MAEqF,UAAAY,KAAZ,IAAqB,O;K;4EAgP1G,4B;MAEqE,iBAAY,KAAZ,C;K;4EAErE,qC;MAE6E,UAAAY,KAAZ,IAAqB,O;K;uFJ57BIG,+H;MAE8B,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,8B;QAAA,iBAA0B,S;MAAW,oB;QAAA,OAAqB,S;MAAW,2B;QAAA,cAAmC,S;MAAW,qB;QAAA,QAAuB,S;MAAW,wB;QAAA,WAA6B,S;MAAW,yB;QAAA,YAAqB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,wB;QAAA,WAAe,S;MAC5Z,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,OAAF,IAAa,K;MACb,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,QAAF,IAAc,Q;MACd,OAAO,C;K;yFA0CX,uC;MAE+B,sB;QAAA,SAAiB,G;MAAK,0B;QAAA,aAAsB,I;MAAM,uB;QAAA,UAAmB,S;MACHG,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;qFAUgD,qB;MAAQ,OAAQ,E;K;mFAEX,qB;MAAQ,OAAQ,O;K;iFAEjB,qB;MAAQ,OAAO,M;K;mFAEd,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;mFAEIB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;qFASF,qB;MAAQ,OAAG,E;K;yFAER,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;qFAEd,qB;MAAQ,OAAQ,O;K;yFAEb,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qFAEjB,qB;MAAQ,OAAS,Q;K;uFAEjB,qB;MAAQ,OAAS,Q;K;mGAEV,qB;MAAQ,OAAgB,e;K;iGAEzB,qB;MAAQ,OAAe,c;K;qFAE9B,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;yFASzB,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAc,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;iFAErB,qB;MAAQ,OAAO,M;K;iFASD,qB;MAAQ,OAAO,M;K;iGAER,qB;MAAQ,OAAc,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;yFAS9B,qB;MAAQ,OAAU,S;K;yFAEjB,qB;MAAQ,OAAW,U;K;qFAErB,qB;MAAQ,OAAS,Q;K;yFAEf,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAc,a;K;qGAEnB,qB;MAAQ,OAAiB,gB;K;qFAS3B,qB;MAAQ,OAAS,Q;K;mFAEIB,qB;MAAQ,OAAQ,O;K;uFAEf,qB;MAAQ,OAAS,Q;K;mFASxB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;yFAEZ,qB;MAAQ,OAAU,S;K;qFAEpB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qGAET,qB;MAAQ,OAAiB,gB;K;+FKnR/F,gB;MAEkC,oB;QAAA,OAAgB,E;MAC9C,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;+FAiBX,8B;MAEkC,4B;QAAA,eAAqB,S;MAAW,oB;QAAA,OAAgB,E;MAC9E,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;0EAUX,4B;MAE6D,iBAAY,KAAZ,C;K;+GC6B7D,sJ;MAEsC,mB;QAAA,MA4GuD,M;MA5GG,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,E;MAAI,mB;QAAA,MAAe,E;MAAI,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,sB;QAAA,SAAmB,K;MAAO,oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAc,E;MAC/gB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,QAAF,IAAc,M;MACd,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAWX,+B;MAEsE,oB;QAAA,OAAgB,S;MACIF,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAA

E,MAAF,IAAY,I;MACZ,OAAO,C;K;qHASX,e;MAEyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MACR,EAAE, KAAF,IAAW,G;MACX,OAAO,C;K;mHAYBX,+D;MAEqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;M AAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MA CpB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,I AAgB,Q;MACHB,OAAO,C;K;iGAUwE,qB;MAAQ,OAAU,S;K;6FAEnB,qB;MAAQ,OAAS,Q;K;+FAEhB,qB;M AAQ,OAAU,S;K;2FASvB,qB;MAAQ,OAAO,M;K;yFAEhB,qB;MAAQ,OAAM,K;K;yFAEd,qB;MAAQ,OAAM, K;K;yGCrJ3F,uB;MAEsC,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,ORy9MW,S;;MQx9MzE,QAAQ,E;MACR,EA AE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;6HAuCX,mF;MAEgD,oB;QAAA,OAAa,S; MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAA2C,S;MAAW,qB;QAAA,QA A6B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/S,QAA Q,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAA E,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MA CIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;uGA2DX,qC;MAEqC,mC;QAAA,sBAAGC,K;MAAO,oB;QAA A,OA4UD,Q;;MA3UvE,QAAQ,E;MACR,EAAE,qBAAF,IAA2B,mB;MAC3B,EAAE,MAAF,IAAY,I;MACZ,OA AO,C;K;yGAmBX,yC;MAEsC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB, K;MACHH,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB, Q;MACHB,OAAO,C;K;yGAsBX,2B;MAGI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe, O;MACf,OAAO,C;K;+FA8BX,sE;MAEoD,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAqB,K;MAAO,uB;QA AA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpL,QAAQ,E;MACR,EAAE,SA AAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MA Cf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6GAuBX,0D;MAE2D,sB;QAA A,SAAkB,M;MAAQ,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/J, QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE, YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;2GAaX,qC;MAE4D,sB;QAAA,SAAkB,S; MAAW,uB;QAAA,UAAoB,S;MAC/G,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M; MACd,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;uHAuCX,mF;MAE6C,oB;QAAA,OAAa,S;MAAW,sB;QAAA,S AAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAAmD,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;Q AAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpT,QAAQ,E;MACR,EAAE,M AAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MA Cd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IA AgB,Q;MACHB,OAAO,C;K;qGA+BX,6D;MAEoC,4B;QAAA,eAAyB,K;MAAO,4B;QAAA,eAAyB,K;MAAO,0B ;QAAA,aAAuB,K;MAAO,yB;QAAA,YAAqB,S;MACnJ,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAA E,cAAF,IAAoB,Y;MACpB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,WAAF,IAAiB,S;MACjB,OAAO,C;K;yGakB X,4C;MAEsC,oB;QAAA,OAAGB,S;MAAW,uB;QAAA,UAAoB,S;MAAW,wB;QAAA,WAAsB,S;MAAW,uB;QA AA,UAA8B,S;MAC3J,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,UAA F,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+FAkCmE,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MA AQ,OAAY,W;K;+FAEnB,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MAAQ,OAAY,W;K;6FAEpB,qB;MAAQ,OAAY, W;K;6FAStC,qB;MAAQ,OAAY,W;K;6FAEpB,qB;MAAQ,OAAY,W;K;uFAEvB,qB;MAAQ,OAAS,Q;K;qFAEn B,qB;MAAQ,OAAO,M;K;uFASX,qB;MAAQ,OAAS,Q;K;yFAEjB,qB;MAAQ,OAAS,Q;K;qGAEX,qB;MAAQ,O AAe,c;K;iFAEhC,qB;MAAQ,OAAM,K;K;iGCharE,0E;MAEoC,gC;QAAA,mBAA6B,K;MAAO,sB;QAAA,SAAk B,C;MAAG,qB;QAAA,QAAiB,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA ,WAAqB,K;MAC3L,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,QAAF,IAAc,M;MACd,EAAE, OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MA ChB,OAAO,C;K;mFAU8E,qB;MAAQ,OAAG,E;K;+FAEL,qB;MAAQ,OAAC,a;K;iFAE7B,qB;MAAQ,OAAO,M; K;yFAEX,qB;MAAQ,OAAW,U;K;+EAEvB,qB;MAAQ,OAAO,M;K;+EAEf,qB;MAAQ,OAAO,M;K;oEtIjIvG,yB ;MAAA,kF;MAAA,0B;MAAA,uB;QaaI,IAAI,OAAO,CAAP,IAA8B,OAAO,KAAzC,C;UACI,MAAM,8BAAyB, wBAAqB,IAA9C,C;;QAEV,OAAY,OAAL,IAAK,C;O;KAhBhB,C;0EAwCiC,qB;MAAQ,OAAA,SAAK,I;K;IuInB V,6B;MAAC,qB;QAAA,8C;MAAA,kB;K;IACjC,2C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,yC;MAAA,4C;O;

MAKI,0E;MAEA,sE;K;;IAFA,kD;MAAA,+B;MAAA,0C;K;;IAEA,gD;MAAA,+B;MAAA,wC;K;;IAPJ,qC;MAA  
A,yF;K;;IAAA,0C;MAAA,a;AAAA,S;UAAA,+C;aAAA,O;UAAA,6C;;UAAA,8D;;K;;IA0BmC,sC;MACnC,8B;K;  
;IAMqC,sC;MACrC,8B;K;;IC5DJ,iC;K;;ICMA,4B;K;;IA6BA,gD;K;;IC5BA,qC;K;;IA0BA,+B;K;;ICNqC,uC;MA  
CjC,uB;QAAA,UAAaB,E;MACtB,qB;QAAA,+C;MADA,sB;MACA,kB;K;IAEA,4C;MAAA,e;MAAA,iB;MAAA,  
uB;K;IAAA,0C;MAAA,6C;O;MAKI,4E;MAGA,wE;K;;IAHA,mD;MAAA,gC;MAAA,2C;K;;IAGA,iD;MAAA,gC  
;MAAA,yC;K;;IARJ,sC;MAAA,2F;K;;IAAA,2C;MAAA,a;AAAA,S;UAAA,gD;aAAA,O;UAAA,8C;;UAAA,+D;;  
K;;IAyByB,4B;MACzB,8B;K;;IC/C4C,8B;K;kDAI5C,mB;MAA6D,c;;QrJ2rD7C,Q;QADhB,IAAI,mCAAsB,cAA  
1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,sB;QAAhB,OAAgB,cAAhB,C;UAAgB,2B;UAAM,IqJ3rD6C,OrJ2rD/B,  
SqJ3rD+B,UrJ2rD7C,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;MqJ5rDsD,iB;K;uDAE7D,oB;MACa,c;;Qr  
JmqDG,Q;QADhB,IAAI,cqJlqDA,QrJkqDA,iBqJlqDA,QrJkqDsB,UAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,O  
qJnqDZ,QrJmqDY,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CqJnqDP,oBrJmqDkB,OqJnqDIB,CrJ  
mqDG,C;YAAyB,aAAO,K;YAAP,e;;;QAC/C,aAAO,I;;MqJpQDH,iB;K;2CAEJ,Y;MAAkC,qBAAQ,C;K;IAEqB,q  
E;MAAA,qB;QAC3D,OAAI,OAAO,uBAAX,GAAiB,mBAAjB,GAA6C,SAAH,EAAG,C;O;K;4CADjD,Y;MAAk  
C,4BAAa,IAAb,EAAMb,GAAnB,EAawB,GAAXb,kBAA6B,wCAA7B,C;K;2CAIIC,Y;MAI4C,uBAAgB,IAAhB,  
C;K;mDAE5C,iB;MAI4D,yBAAgB,IAAhB,EAAsB,KAAtB,C;K;;IC/BhE,8B;MAAA,e;MAAA,iB;MAAA,uB;K;I  
AAA,4B;MAAA,+B;O;MACI,4C;MACA,kD;MACA,0C;MACA,8C;K;;IAHA,mC;MAAA,kB;MAAA,2B;K;;IAC  
A,sC;MAAA,kB;MAAA,8B;K;;IACA,kC;MAAA,kB;MAAA,0B;K;;IACA,oC;MAAA,kB;MAAA,4B;K;;IAJJ,wB;  
MAAA,sH;K;;IAAA,6B;MAAA,a;AAAA,O;UAAA,gC;aAAA,U;UAAA,mC;aAAA,M;UAAA,+B;aAAA,Q;UAAA  
iC;;UAAA,6D;;K;;IAOA,4B;MAKI,mD;MACA,2BAA4B,I;K;yCAE5B,Y;MAEiB,IAAN,I;M5JUX,IAAI,E4JXQ,  
mD5JWR,CAAJ,C;QACI,cAda,qB;QAEb,MAAM,gCAAYB,OAAQ,WAAjC,C;;M4JZC,QAAM,oBAAN,M;aACH,  
M;UAAc,Y;UAAAd,K;aACA,O;UAAe,W;UAAf,K;;UACQ,wC;UAHL,K;;MAAP,W;K;sCAOJ,Y;MAIW,Q;MAHP,  
IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,mD;MAEA,OAAO,2F;K;4DAGX,Y;MACI,iD;MACA,kB;MA  
CA,OAAO,kD;K;+CAeX,iB;MAII,2BAAY,K;MACZ,gD;K;sCAGJ,Y;MAII,+C;K;;ICjDkC,wB;MAoFtC,oC;MAp  
FgE,6B;K;sCAIhE,Y;MAAuC,0C;K;2CAEvC,mB;MAAwD,uB;;QvJkU3C,Q;QADb,YAAY,C;QACC,sB;QAAb,O  
AAa,cAAb,C;UAAa,sB;UACT,IuJnUmE,OvJmUrD,IuJnUqD,UvJmUnE,C;YACI,sBAAO,K;YAAP,wB;;UACJ,qB  
;;QAEJ,sBAAO,E;;MuJvUiD,0B;K;+CAExD,mB;MAA4D,sB;;QvJ2V5D,eAAoB,0BAAa,SAAb,C;QACpB,OAA  
O,QAAS,cAAhB,C;UACI,IuJ7VsE,OvJ6VxD,QAAS,WuJ7V+C,UvJ6VtE,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;  
;;QAGR,qBAAO,E;;MuJwQD,yB;K;0CAE5D,Y;MAA+C,+CAAiB,CAAjB,C;K;kDAE/C,iB;MAAyD,+CAAiB,  
KAAjB,C;K;6CAEzD,8B;MAA8D,gCAAQ,IAAR,EAAC,SAAd,EAAYB,OAAzB,C;K;IAEIC,wD;MAAgF,uB;MA  
A/E,kB;MAAmC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,gBAAIB,EAA6B,OAA7B,EAAsC,WAACK,KAA3C,C;  
MACA,eAAa,UAAU,gBAAV,I;K;iDAGjB,iB;MACI,+DAAkB,KAAIB,EAAYB,YAAzB,C;MAEA,OAAO,wBAA  
K,mBAAY,KAAZ,IAAL,C;K;4FAGY,Y;MAAQ,mB;K;;oCAGnC,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAA  
O,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,2DAAC,IAAd,EAAoB,KAApB,C;K;sCAGX,Y;M  
AG+B,oEAAgB,IAAhB,C;K;IAE/B,2C;MAAA,oB;MACI,eACsB,C;K;kDAEtB,Y;MAAkC,sBAAQ,gB;K;+CAE1  
C,Y;MAEe,gB;MADX,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACX,iE;MAAX,OAAO,+B;K;;IAO0B,sD;M  
AHZC,oB;MAGwD,iD;MAGhD,gEAAmB,KAAAnB,EAA0B,WAAkB,KAA5C,C;MACA,eAAa,K;K;0DAGjB,Y;M  
AAsC,sBAAQ,C;K;wDAE9C,Y;MAAgC,mB;K;uDAEhC,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;  
MAC1B,OAAO,yBAAL,mCAAJ,EAAL,YAAJ,E;K;4DAGX,Y;MAAoC,sBAAQ,CAAR,I;K;;IAGxC,kC;MAAA,sC  
;K;iEACI,uB;MACI,IAAI,QAAQ,CAAR,IAAa,SAAS,IAA1B,C;QACI,MAAM,8BAA0B,YAAS,KAAT,gBAAuB,  
IAAjD,C;;K;kEAIId,uB;MACI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAzB,C;QACI,MAAM,8BAA0B,YAAS,KAAT  
gBAAuB,IAAjD,C;;K;iEAIId,oC;MACI,IAAI,YAAY,CAAZ,IAAiB,UAAU,IAA/B,C;QACI,MAAM,8BAA0B,gB  
AAa,SAAb,mBAAkC,OAAIC,gBAakD,IAA5E,C;;MAEV,IAAI,YAAY,OAAhB,C;QACI,MAAM,gCAAyB,gBA  
Aa,SAAb,oBAAmC,OAA5D,C;;K;kEAIId,sC;MACI,IAAI,aAAa,CAAb,IAAkB,WAaw,IAAjC,C;QACI,MAAM,8  
BAA0B,iBAAc,UAAAd,oBAAqC,QAArC,gBAAsD,IAAhF,C;;MAEV,IAAI,aAAa,QAAjB,C;QACI,MAAM,gCAA  
yB,iBAAc,UAAAd,qBAAsC,QAA/D,C;;K;+DAId,a;MAEc,UACsB,M;MAFhC,iBAAc,C;MACL,mB;MAAV,OAA  
U,cAAV,C;QAAU,mB;QACN,aAAW,MAAK,UAAAL,SAAiB,6DAAiB,CAAIC,K;;MAEf,OAAO,U;K;6DAGX,oB  
;MAIiB,Q;MAHb,IAAI,CAAE,KAAF,KAAU,KAAM,KAApB,C;QAA0B,OAAO,K;MAEjC,oBAAoB,KAAM,W;  
MACb,mB;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,gBAAgB,aAAc,O;QAC9B,IAAI,cAAQ,SAAR,CAAJ,C;UAC

I,OAAO,K;;;MAGf,OAAO,I;K;;;IAjDf,8C;MAAA,6C;QAAA,4B;;MAAA,sC;K;;ICnFwC,uB;MAyHxC,mC;MAz  
CA,uBAC6B,I;MAMc7B,yBACsC,I;K;8CAnHtC,e;MACI,OAAO,6BAAc,GAAd,S;K;gDAGX,iB;MAAwE,gBAA  
R,Y;MAAQ,c;;QxJkrDxD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,2B;QAAhB  
,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IwJlrDwD,OxJkrD1C,OwJlrD6C,MAAH,QxJkrDxD,C;YAAwB,aAAO,I;  
YAAP,e;;QAC9C,aAAO,K;;;MwJnrDyD,iB;K;kDAEhE,iB;MAEI,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,UA  
AU,KAAM,I;MACHb,YAAY,KAAM,M;MrKiNO,Q;MqKhNzB,erKgN4C,CAAnB,mDAAmB,YqKhNzB,GrKgN  
yB,C;MqK9M5C,IAAI,eAAS,QAAT,CAAJ,C;QACI,OAAO,K;;MAIP,6B;MAAA,W;QrK0NqB,U;QqK1ND,UrK0  
NoB,CAAnB,uDAAmB,oBqK1NP,GrK0NO,C;;MqK1N5C,W;QACI,OAAO,K;;MAGX,OAAO,I;K;mCAIX,iB;M  
AMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAyB,OAAO,K;MACHc,IAAI,cAAQ,K  
AAM,KAAlB,C;QAAwB,OAAO,K;MAEV,gBAAd,KAAM,Q;MAAQ,c;;QxJ6nDT,Q;QADhB,IAAI,wCAAsB,mB  
AA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CwJ7nDK,2  
BxJ6nDM,OwJ7nDN,CxJ6nDT,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MwJ9nDH,iB;K;sCAGJ,e;MAA  
wC,Q;MAAA,4CAAc,GAAd,8B;K;qCAGxC,Y;MAK+B,OAAQ,SAAR,YAAQ,C;K;oCAEvC,Y;MAAkC,qBAAQ  
,C;K;mFACnB,Y;MAAQ,OAAA,YAAQ,K;K;IAWnB,0E;MAAA,wC;MAAS,sB;K;8EACb,mB;MAAsD,+CAAY,  
OAAZ,C;K;IAI3C,sG;MAAA,kD;K;8FACH,Y;MAAkC,OAAA,0BAAc,U;K;2FACHd,Y;MAAyB,OAAA,0BAAc,  
OAAO,I;K;;wEAItd,Y;MACI,oBAAoB,6BAAQ,W;MAC5B,+F;K;sHAMmB,Y;MAAQ,OAAA,qBAAiB,K;K;;mF  
Ab5D,Y;MACI,IAAI,4BAAJ,C;QACI,+E;;MAcJ,OAAO,mC;K;IAOwD,uD;MAAA,qB;QAAE,2CAAS,EAAT,C;  
O;K;qCAAzE,Y;MAAkC,OAAQ,eAAR,YAAQ,EAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,kBAA6B,iCAA7  
B,C;K;+CAE1C,iB;MAAuD,+BAAS,KAAM,IAAf,IAAsB,GAAtB,GAA4B,wBAAS,KAAM,MAAf,C;K;+CAEnF,  
a;MAAwC,OAAI,MAAM,IAAV,GAAGB,YAAhB,GAAoC,SAAF,CAAE,C;K;IAWtd,4E;MAAA,wC;MAAS,6B;  
K;gFACf,mB;MAAsE,iDAAc,OAAAd,C;K;IAI3D,wG;MAAA,kD;K;gGACH,Y;MAAkC,OAAA,0BAAc,U;K;6FA  
ChD,Y;MAAyB,OAAA,0BAAc,OAAO,M;K;;0EAItd,Y;MACI,oBAAoB,6BAAQ,W;MAC5B,iG;K;wHAMmB,Y  
;MAAQ,OAAA,qBAAiB,K;K;;qFAb5D,Y;MACI,IAAI,8BAAJ,C;QACI,mF;;MAcJ,OAAO,qC;K;oDAMf,e;MAA  
8D,gBAAR,Y;MAAQ,sB;;QxJiJ9C,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IwJjJsD,OxJiJx  
C,OwJjJ2C,IAAH,MxJiJtd,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;MwJlJ+C,yB;K;IAEtD,iC;MA  
AA,qC;K;4DAEI,a;MAAiE,gC;MAAX,OAAU,CAAC,kBAAN,CAAM,0DAAmB,CAApB,KAA4B,oBAAjC,CAA  
iC,8DAAqB,CAAjD,C;K;4DACHe,a;MAAyD,OAAU,SAAL,CAAO,IAAF,mBAAL,CAAY,MAAP,C;K;0DACnE,  
oB;MACI,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,OAAO,OAAA,CAAE,IAAF,EAAS,KAAM,IAAf,KAAsB,O  
AAA,CAAE,MAAF,EAAW,KAAM,MAAjB,C;K;;IANrC,6C;MAAA,4C;QAAA,2B;;MAAA,qC;K;;IChIqC,uB;  
MAkBrC,mC;MAIB+D,6B;K;mCAE/D,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,  
C;QAAsB,OAAO,K;MAC7B,OAAO,sDAAU,IAAV,EAAGB,KAAhB,C;K;qCAGX,Y;MAG+B,qEAAkB,IAAIB,C  
;K;IAE/B,iC;MAAA,qC;K;gEACI,a;MAEOB,Q;MADhB,iBAAE,C;MACC,mB;MAAhB,OAAgB,cAAhB,C;QAAg  
B,yB;QACC,U;QAAb,2BAAa,yEAAuB,CAApC,K;;MAEJ,OAAO,U;K;wDAGX,oB;MACI,IAAI,CAAE,KAAP,K  
AAU,KAAM,KAAPB,C;QAA0B,OAAO,K;MACjC,OAAO,CvK40sG,qBuK50xF,KvK40wF,C;K;;IuKvPrH,6C;  
MAAA,4C;QAAA,2B;;MAAA,qC;K;;MCghBA,kC;MA9hBA,cAAwB,C;MACxB,yB;MAEA,sBAAYB,C;;kFAAZ  
B,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;4CA8BA,uB;MAOI,IAAI,cAAc,CAAlB,C;QAAqB,MAAM,6BAAsB,  
mBAAtB,C;MAC3B,IAAI,eAAe,kBAAY,OAA/B,C;QAAqC,M;MACrC,IAAI,uBAAGB,qDAAPB,C;QACI,qBAA  
c,gBAAYB,gBAAZ,WAAy,EAAC,EAAd,CAAzB,O;QACd,M;;MAGJ,kBAAkB,uDAAY,kBAAY,OAAxB,EAAs  
B,WAA9B,C;MACIB,oBAAa,WAAb,C;K;0CAGJ,uB;MAII,kBAAkB,gBAAmB,WAAAnB,O;M/J20BtB,U+J10BI,k  
B/J00BJ,E+J10ByB,W/J00BzB,E+J10BsC,C/J00BtC,E+J10ByC,W/J00BzC,E+J10B+C,kBAAY,O/J00B3D,C;MA  
AA,U+Jz0BI,kB/Jy0BJ,E+Jz0ByB,W/Jy0BzB,E+Jz0BsC,kBAAY,OAAZ,GAAMB,WAAAnB,I/Jy0BtC,E+Jz0B+D,  
C/Jy0B/D,E+Jz0BkE,W/Jy0BIE,C;M+Jx0BI,cAAO,C;MACP,qBAAC,W;K;yCAGIb,yB;MAGW,Q;MAAP,OAAO,  
2BAAY,aAAZ,4D;K;yCAGX,iB;MAA2C,OAAI,SAAS,kBAAY,OAAzB,GAA+B,QAAQ,kBAAY,OAApB,IAA/B  
,GAA6D,K;K;yCAExG,iB;MAA2C,OAAI,QAAQ,CAAZ,GAAe,QAAQ,kBAAY,OAApB,IAAf,GAA6C,K;K;2CA  
ExF,iB;MACoD,0BAAY,cAAO,KAAP,IAAZ,C;K;yCAEPd,iB;MAA2C,OAAI,UAAqB,cAAZ,kBAAY,CAAzB,G  
AAoC,CAApC,GAA2C,QAAQ,CAAR,I;K;yCAEtF,iB;MAA2C,OAAI,UAAqB,cAAZ,kBAAY,CAAzB,G  
AA5B,GAA2C,QAAQ,CAAR,I;K;mCAEtF,Y;MAAkC,qBAAQ,C;K;iCAE1C,Y;MAGwB,IAAI,cAAJ,C;QAAe,MA  
AM,2BAAuB,sBAAvB,C;;QAnBIC,Q;QAmBa,OAnBb,2BAmbkG,WAnBlG,4D;;K;uCAqBX,Y;MAG+B,Q;MAA

A,IAAI,cAAJ,C;QAAA,OAAe,I;;QAxBnC,U;QAwBoB,OAxBpB,6BAwByD,WAxBzD,gE;;MAwBoB,W;K;gCA  
E/B,Y;MAGuB,IAAI,cAAJ,C;QA Ae,MAAM,2BAAuB,sBAAvB,C;;QA7BjC,Q;QA6BY,OA7BZ,2BAQyC,mBAA  
Y,cAqB0D,sBArB1D,IAAZ,CARzC,4D;;K;CA+BX,Y;MAG8B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAICl  
C,U;QAKcMB,OAlCnB,6BAQyC,mBAAy,cA0BiB,sBA1BjB,IAAZ,CARzC,gE;;MAkCmB,W;K;0CAE9B,mB;M  
AII,sBA Ae,YAAO,CAAP,IAAf,C;MAEA,cAAO,mBAAy,WAAZ,C;MACP,mBAAy,WAAZ,IAAoB,O;MACpB,  
wBAAQ,CAAR,I;K;yCAGJ,mB;MAII,sBA Ae,YAAO,CAAP,IAAf,C;MAEA,mBA7CgD,mBAAy,cA6ClC,SA7C  
kC,IAAZ,CA6ChD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QA Ae,MAAM,2BAAu  
B,sBAAvB,C;MA7Dd,Q;MA+DP,cA/DO,2BA+DmB,WA/DnB,4D;MAGeP,mBAAy,WAAZ,IAAoB,I;MACpB,c  
AAO,mBAAy,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,OAAI,cAAJ,GAAe,I  
AAf,GAAyB,kB;K;sCAE9D,Y;MAII,IAAI,cAAJ,C;QA Ae,MAAM,2BAAuB,sBAAvB,C;MAErB,wBAzEgD,mBA  
AY,cAyEtB,sBAzEsB,IAAZ,C;MARzC,Q;MAkFP,cAlFO,2BAkFmB,iBAIFnB,4D;MAmFP,mBAAy,iBAAZ,IAA  
iC,I;MACjC,wBAAQ,CAAR,I;MACA,OAAO,O;K;4CAGX,Y;MAGoC,OAAI,cAAJ,GAAe,IAAf,GAAyB,iB;K;q  
CAE7D,mB;MAEI,mBAAQ,OAAR,C;MACA,OAAO,I;K;uCAGX,0B;MACI,oCAAa,4BAAmB,KAA nB,EAA0B,  
SAA1B,C;MAEb,IAAI,UAAS,SAAb,C;QACI,mBAAQ,OAAR,C;QACA,M;aACG,IAAI,UAAS,CAAb,C;QACH,o  
BAAS,OAAT,C;QACA,M;;MAGJ,sBA Ae,YAAO,CAAP,IAAf,C;MA2BA,oBAjIgD,mBAAy,cAiI1B,KAjI0B,IA  
AZ,C;MAmIhD,IAAI,QAAS,SAAD,GAAQ,CAAR,IA Ae,CAA3B,C;QAEI,+BAA+B,mBAAy,aAAZ,C;QAC/B,s  
BAAsB,mBAAy,WAAZ,C;QAEtB,IAAI,4BAA4B,WAAhC,C;UACI,mBAAy,eAAZ,IAA+B,mBAAy,WAAZ,C;  
U/JgrB3C,U+J/qBY,kB/J+qBZ,E+J/qBiC,kB/J+qBjC,E+J/qB8C,W/J+qB9C,E+J/qBoD,cAAO,CAAP,I/J+qBpD,E+  
J/qB8D,2BAA2B,CAA3B,I/J+qB9D,C;;UAAA,U+J7qBY,kB/J6qBZ,E+J7qBiC,kB/J6qBjC,E+J7qB8C,cAAO,CA  
AP,I/J6qB9C,E+J7qBwD,W/J6qBxD,E+J7qB8D,kBAAy,O/J6qB1E,C;U+J5qBY,mBAAy,kBAAy,OAAZ,GAAM  
B,CAAnB,IAAZ,IAAoC,mBAAy,CAAZ,C;U/J4qBhD,U+J3qBY,kB/J2qBZ,E+J3qBiC,kB/J2qBjC,E+J3qB8C,C/J  
2qB9C,E+J3qBiD,C/J2qBjD,E+J3qBoD,2BAA2B,CAA3B,I/J2qBpD,C;;Q+JxqBQ,mBAAy,wBAAZ,IAAwC,O;Q  
ACxC,cAAO,e;;QAGP,WArJ4C,mBAAy,cAqJ/B,SArJ+B,IAAZ,C;QAUJ5C,IAAI,gBAAGB,IAApB,C;U/JkqBR,U  
+JjqBY,kB/JiqBZ,E+JjqBiC,kB/JiqBjC,E+JjqB8C,gBAAGB,CAAhB,I/JiqB9C,E+JjqBiE,a/JiqBjE,E+JjqBgF,I/JiqB  
hF,C;;UAAA,U+J/pBY,kB/J+pBZ,E+J/pBiC,kB/J+pBjC,E+J/pB8C,C/J+pB9C,E+J/pBiD,C/J+pBjD,E+J/pBoD,I/J+  
pBpD,C;U+J9pBY,mBAAy,CAAZ,IAAiB,mBAAy,kBAAy,OAAZ,GAAMB,CAAnB,IAAZ,C;U/J8pB7B,U+J7p  
BY,kB/J6pBZ,E+J7pBiC,kB/J6pBjC,E+J7pB8C,gBAAGB,CAAhB,I/J6pB9C,E+J7pBiE,a/J6pBjE,E+J7pBgF,kBA  
AY,OAAZ,GAAMB,CAAnB,I/J6pBhF,C;;Q+J1pBQ,mBAAy,aAAZ,IAA6B,O;;MAEjC,wBAAQ,CAAR,I;K;oDA  
GJ,mC;MAGkD,UAIxB,M;MANtB,eAAe,QAAS,W;MAEsB,OAAZ,kBAAy,O;MAA9C,iBAAc,aAA d,wB;QACI,  
IAAI,CAAC,QAAS,UAAd,C;UAAyB,K;QACzB,mBAAy,KAAZ,IAAqB,QAAS,O;;MAEZ,oB;MAAtB,mBAAc,  
CAAd,8B;QACI,IAAI,CAAC,QAAS,UAAd,C;UAAyB,K;QACzB,mBAAy,OAAZ,IAAqB,QAAS,O;;MAGlC,wB  
AAQ,QAAS,KAAjB,I;K;0CAGJ,oB;MACI,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAC/B,sBA Ae,IAAK,KAA  
L,GAAy,QAAS,KAArB,IAAf,C;MACA,8BA tLgD,mBAAy,cAsLvB,SAtLuB,IAAZ,CAsLhD,EAA4C,QAA5C,C;  
MACA,OAAO,I;K;0CAGX,2B;MACI,oCAAa,4BAAmB,KAA nB,EAA0B,SAA1B,C;MAEb,IAAI,QAAS,UAAb,  
C;QACI,OAAO,K;aACJ,IAAI,UAAS,SAAb,C;QACH,OAAO,oBAAO,QAAP,C;;MAGX,sBA Ae,IAAK,KAA L,G  
AAy,QAAS,KAArB,IAAf,C;MAEA,WArMgD,mBAAy,cAqMnC,SArMmC,IAAZ,C;MAsMhD,oBA tMgD,mBA  
AY,cAsM1B,KAtM0B,IAAZ,C;MAuMhD,mBAAmB,QAAS,K;MAE5B,IAAI,QAAS,SAAD,GAAQ,CAAR,IA Ae,  
CAA3B,C;QAGI,kBAAkB,cAAO,YAAP,I;QAEIb,IAAI,iBAAiB,WAArB,C;UACI,IAAI,eAAe,CAAnB,C;Y/J0m  
BZ,U+JzmBgB,kB/JymBhB,E+JzmBqC,kB/JymBrC,E+JzmBkD,W/JymBiD,E+JzmB+D,W/JymB/D,E+JzmBqE,a/  
JymBrE,C;;Y+JvmBgB,4BA Ae,kBAAy,OAA3B,I;YACA,sBAAsB,gBAAGB,WAAhB,I;YAcTB,kBAAkB,kBAA  
Y,OAAZ,GAAMB,WAA nB,I;YAEIb,IAAI,eAAe,eAA nB,C;c/JmmBhB,U+JlmBoB,kB/JkmBpB,E+JlmByC,kB/Jk  
mBzC,E+JlmBsD,W/JkmBtD,E+JlmBmE,W/JkmBnE,E+JlmByE,a/JkmBzE,C;;cAAA,U+JhmBoB,kB/JgmBpB,E+  
JhmByC,kB/JgmBzC,E+JhmBsD,W/JgmBtD,E+JhmBmE,W/JgmBnE,E+JhmByE,cAAO,WAAP,I/JgmBzE,C;cAA  
A,U+J/lBoB,kB/J+lBpB,E+J/lByC,kB/J+lBzC,E+J/lBsD,C/J+lBtD,E+J/lByD,cAAO,WAAP,I/J+lBzD,E+J/lB6E,a/J  
+lB7E,C;;;UAAA,U+J3lBY,kB/J2lBZ,E+J3lBiC,kB/J2lBjC,E+J3lB8C,W/J2lB9C,E+J3lB2D,W/J2lB3D,E+J3lBiE,  
kBAAy,O/J2lB7E,C;U+J1lBY,IAAI,gBAAGB,aAApB,C;Y/J0lBZ,U+JzlBgB,kB/JylBhB,E+JzlBqC,kB/JylBrC,E+J  
zIbKd,kBAAy,OAAZ,GAAMB,YAA nB,I/JylBiD,E+JzlBmF,C/JylBnF,E+JzlBsF,a/JylBtF,C;;YAAA,U+JvlBgB,k  
B/JulBhB,E+JvlBqC,kB/JulBrC,E+JvlBkD,kBAAy,OAAZ,GAAMB,YAA nB,I/JulBiD,E+JvlBmF,C/JulBnF,E+Jvl

BsF, Y/JulBtF, C; YAAA, U+JtlBgB, kB/JslBhB, E+JtlBqC, kB/JslBrC, E+JtlBkD, C/JslBID, E+JtlBqD, Y/JslBrD, E+JtlBmE, a/JslBnE, C;; Q+JnlBQ, cAAO, W; QACP, 8BAAuB, mBAAy, gBAAGb, YAAhB, IAAZ, CAAvB, EAAKE, QAAIE, C;; QAIA, 2BAA2B, gBAAGb, YAAhB, I; QAE3B, IAAI, gBAAGb, IAAPb, C; UACI, IAAI, QAAO, YAAP, SAAuB, kBAAY, OAAvC, C; Y/J2kBZ, U+J1kBgB, kB/J0kBhB, E+J1kBqC, kB/J0kBrC, E+J1kBkD, oB/J0kBid, E+J1kBwE, a/J0kBxE, E+J1kBuF, I/J0kBvF, C;; Y+JxkBgB, IAAI, wBAAwB, kBAAY, OAAxC, C; c/JwkBhB, U+JvkBoB, kB/JukBpB, E+JvkByC, kB/JukBzC, E+JvkBsD, uBAAuB, kBAAY, OAAnc, I/JukBtD, E+JvkB+F, a/JukB/F, E+JvkB8G, I/JukB9G, C;; c+JrkBoB, mBAAmB, OAAO, YAAP, GAASb, kBAAY, OAAIC, I; c/JqkBvC, U+JpkBoB, kB/JokBpB, E+JpkByC, kB/JokBzC, E+JpkBsD, C/JokBtD, E+JpkByD, OAAO, YAAP, I/JokBzD, E+JpkB8E, I/JokB9E, C; cAAA, U+JnkBoB, kB/JmkBpB, E+JnkByC, kB/JmkBzC, E+JnkBsD, oB/JmkBtD, E+JnkB4E, a/JmkB5E, E+JnkB2F, OAAO, YAAP, I/JmkB3F, C;; UAAA, U+J/jBY, kB/J+jBZ, E+J/jBiC, kB/J+jBjC, E+J/jB8C, Y/J+jB9C, E+J/jB4D, C/J+jB5D, E+J/jB+D, I/J+jB/D, C; U+J9jBY, IAAI, wBAAwB, kBAAY, OAAxC, C; Y/J8jBZ, U+J7jBgB, kB/J6jBhB, E+J7jBqC, kB/J6jBrC, E+J7jBkD, uBAuB, kBAAY, OAAnc, I/J6jBID, E+J7jB2F, a/J6jB3F, E+J7jB0G, kBAAY, O/J6jBtH, C;; YAAA, U+J3jBgB, kB/J2jBhB, E+J3jBqC, kB/J2jBrC, E+J3jBkD, C/J2jBID, E+J3jBqD, kBAAY, OAAZ, GAAMb, YAAAnB, I/J2jBrD, E+J3jBsF, kBAAY, O/J2jBiG, C; YAAA, U+J1jBgB, kB/J0jBhB, E+J1jBqC, kB/J0jBrC, E+J1jBkD, oB/J0jBID, E+J1jBwE, a/J0jBxE, E+J1jBuF, kBAAY, OAAZ, GAAMb, YAAAnB, I/J0jBvF, C;; Q+JvjBQ, 8BAAuB, aAAvB, EAAsC, QAAcC, C;; MAGJ, OAAO, I; K; uCAGX, iB; MACI, oCAAa, 2BAAkB, KAAIB, EAAyB, SAAzB, C; MAjRN, Q; MAmRP, OAnRO, 2BAQyC, mBAAy, cA2Q3B, KA3Q2B, IAAZ, CARzC, 4D; K; uCAsRX, 0B; MACI, oCAAa, 2BAAkB, KAAIB, EAAyB, SAAzB, C; MAEb, oBAjRgD, mBAAy, cAiR1B, KAjR0B, IAAZ, C; MARzC, Q; MA0RP, iBA1RO, 2BA0RsB, aA1RtB, 4D; MA2RP, mBAAy, aAAZ, IAA6B, O; MAE7B, OAAO, U; K; OCAGX, mB; MAAoD, 0BAAQ, OAAr, MAAoB, E; K; yCAExE, mB; MAIsB, IAIA, IAJA, EAiuB, M; MAPzC, WA3RgD, mBAAy, cA2RnC, SA3RmC, IAAZ, C; MA6RhD, IAAI, cAAO, IAAAX, C; QACI, iBAAc, WAAAd, UAAyB, IAAzB, U; UACI, IAAI, gBAAW, mBAAy, KAAZ, CAAX, CAAJ, C; YAAmC, OAAO, QAAQ, WAAR, I;; aAE3C, IAAI, eAAQ, IAAZ, C; QACW, kB; QAAuB, SAAZ, kBAAY, O; QAArC, qD; UACI, IAAI, gBAAW, mBAAy, OAAZ, CAAX, CAAJ, C; YAAmC, OAAO, UAAQ, WAAR, I;; QAE9C, mBAAc, CAAd, YAAsB, IAAtB, Y; UACI, IAAI, gBAAW, mBAAy, OAAZ, CAAX, CAAJ, C; YAAmC, OAAO, UAAQ, kBAAY, OAApB, GAA2B, WAA3B, I;; MAIID, OAAO, E; K; 6CAGX, mB; MAIsC, UAOJ, MAPI, EA0a, M; MAV/C, WA9SgD, mBAAy, cA8SnC, SA9SmC, IAAZ, C; MAgThD, IAAI, cAAO, IAAX, C; QACkC, kB; QAA9B, iBAAc, OAAO, CAAP, IAAd, yB; UACI, IAAI, gBAAW, mBAAy, KAAZ, CAAX, CAAJ, C; YAAmC, OAAO, QAAQ, WAAR, I;; aAE3C, IAAI, cAAO, IAAX, C; QACH, mBAAc, OAAO, CAAP, IAAd, aAA8B, CAA9B, Y; UACI, IAAI, gBAAW, mBAAy, OAAZ, CAAX, CAAJ, C; YAAmC, OAAO, UAAQ, kBAAY, OAApB, GAA2B, WAA3B, I;; QAEpB, uBAAZ, kBAAY, C; QAAiB, oB; QAA3C, wD; UACI, IAAI, gBAAW, mBAAy, OAAZ, CAAX, CAAJ, C; YAAmC, OAAO, UAAQ, WAAR, I;; MAIID, OAAO, E; K; wCAGX, mB; MACI, YAAy, mBAAQ, OAAr, C; MACZ, IAAI, UAAS, EAAb, C; QAAiB, OAAO, K; MACxB, sBAAS, KAAT, C; MACA, OAAO, I; K; 4CAGX, iB; MACI, oCAAa, 2BAAkB, KAAIB, EAAyB, SAAzB, C; MAEb, IAAI, UAAS, sBAAb, C; QACI, OAAO, iB; aACJ, IAAI, UAAS, CAAb, C; QACH, OAAO, kB;; MAGX, oBAhVgD, mBAAy, cAgV1B, KAhV0B, IAAZ, C; MARzC, Q; MAyVP, cAzVO, 2BAyVmB, aAzVnB, 4D; MA2VP, IAAI, QAAQ, aAAS, CAARb, C; QAEI, IAAI, iBAAiB, WAARb, C; U/Joer, U+JneY, kB/JmeZ, E+JneiC, kB/JmejC, E+Jne8C, cAAO, CAAP, I/Jme9C, E+JnewD, W/JmexD, E+Jne8D, a/Jme9D, C;; UAAA, U+JjeY, kB/JieZ, E+JjeiC, kB/JiejC, E+Jje8C, C/Jie9C, E+JjeiD, C/JiejD, E+JjeoD, a/JiepD, C; U+JheY, mBAAy, CAAZ, IAAiB, mBAAy, kBAAY, OAAZ, GAAMb, CAAnB, IAAZ, C; U/Jge7B, U+JdY, kB/J+dZ, E+J/diC, kB/J+djC, E+J/d8C, cAAO, CAAP, I/J+d9C, E+J/dwD, W/J+dxD, E+J/d8D, kBAAY, OAAZ, GAAMb, CAAnB, I/J+d9D, C;; Q+J5dQ, mBAAy, WAAZ, IAAoB, I; QACPb, cAAO, mBAAy, WAAZ, C;; QAGP, wBAjW4C, mBAAy, cAiW1B, sBAjWkB, IAAZ, C; QAmW5C, IAAI, iBAAiB, iBAArB, C; U/JsdR, U+JrdY, kB/JqdZ, E+JrdiC, kB/JqdjC, E+Jrd8C, a/Jqd9C, E+Jrd6D, gBAAGb, CAAhB, I/Jqd7D, E+JrdgF, oBAAoB, CAAPb, I/JqdhF, C;; UAAA, U+JndY, kB/JmdZ, E+JndiC, kB/JmdjC, E+Jnd8C, a/Jmd9C, E+Jnd6D, gBAAGb, CAAhB, I/Jmd7D, E+JndgF, kBAAY, O/Jmd5F, C; U+JldY, mBAAy, kBAAY, OAAZ, GAAMb, CAAnB, IAAZ, IAAoC, mBAAy, CAAZ, C; U/JkdhD, U+JjdY, kB/JidZ, E+JjdiC, kB/JidjC, E+Jjd8C, C/Jid9C, E+JjdiD, C/JidjD, E+JjdoD, oBAAoB, CAAPb, I/JidpD, C;; Q+J9cQ, mBAAy, iBAAZ, IAAiC, I;; MAErC, wBAAQ, CAAR, I; MAEA, OAAO, O; K; 6CAGX, oB; MAAkE, 0B;; QAa5C, wD; QART, aAAL, IAAK, U; QAAL, Y; UAA8B, SAAZ, kB9K6wOnB, YAAQ, C;; Q8K7wOX, W; UACI, yBAAO, K; UAAP, 2B;; QAEJ, WA1XgD, mBAAy, cA0XnC, SA1XmC, IAAZ, C; QA2XhD, cAAc, W; QACd, eAAe, K; QAEf, IAAI, cAAO, IAAX, C; UACI, iBAAc, WAAAd, UAAyB, IAAzB, U; YACI, cAAc, mBAAy, KAAZ, C; YAGd, IAjBsE, CAAU, wBAiBIE, 0EAjBkE, CAi

BhF,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAC,IAAL,EAAW,OAAX,EAAoB,IAApB,C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAArC,uD;YACI,gBAAC,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA/BsE,CAAU,wBA+BIE,kFA/BkE,CA+BhF,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,mBAAC,CAAd,YAAsB,IAAtB,Y;YACI,gBAAC,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA5CsE,CAAU,wBA4CIE,kFA5CkE,CA4ChF,C;cACI,mBAAY,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cAEV,WAAW,I;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;MAvDuD,6B;K;6CAEIE,oB;MAAkE,0B;;QAW5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kB9K6wOnB,YAAQ,C;;Q8K7wOX,W;UACI,yBAAO,K;UAAP,2B;;QAEJ,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAC,WAAAd,UAAyB,IAAzB,U;YACI,cAAc,mBAAY,KAAZ,C;YAGd,IAf+E,wBAejE,0EafiE,CAe/E,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAC,IAAL,EAAW,OAAX,EAAoB,IAApB,C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAArC,uD;YACI,gBAAC,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA7B+E,wBA6BjE,kFA7BiE,CA6B/E,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,mBAAC,CAAd,YAAsB,IAAtB,Y;YACI,gBAAC,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA1C+E,wBA0CjE,kFA1CiE,CA0C/E,C;cACI,mBAAY,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cAEV,WAAW,I;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;MArDuD,6B;K;2CAEIE,qB;MASsB,IAII,IAJJ,EAKM,MALN,EAaA,MAbA,EAuB,MAbvB,EAkBI,MAIBJ,EAmBM,MAAnBN,EA+BI,M;MAvCb,aAAL,IAAK,U;MAAL,Y;QAA8B,SAAZ,kB9K6wOnB,YAAQ,C;;M8K7wOX,W;QACI,OAAO,K;MAEX,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;MA2XhD,cAAc,W;MACd,eAAe,K;MAEf,IAAIL,cAAO,IAAX,C;QACI,iBAAC,WAAAd,UAAyB,IAAzB,U;UACI,cAAc,mBAAY,KAAZ,C;UAGd,IAAI,UAAU,0EAAV,CAAJ,C;YACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;YAEzB,WAAW,I;;QAGP,OAAZ,kBAAY,EAAC,IAAL,EAAW,OAAX,EAAoB,IAApB,C;;QAGE,oB;QAAuB,SAAZ,kBAAY,O;QAArC,uD;UACI,gBAAC,mBAAY,OAAZ,C;UACd,mBAAY,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;YAEzB,WAAW,I;;QAGnB,UAAU,mBAAY,OAAZ,C;QAEV,mBAAC,CAAd,YAAsB,IAAtB,Y;UACI,gBAAC,mBAAY,OAAZ,C;UACd,mBAAY,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAY,OAAZ,IAAuB,S;YACvB,UAAU,mBAAY,OAAZ,C;;YAEV,WAAW,I;;;MAIvB,IAAI,QAAJ,C;QACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;MAEX,OAAO,Q;K;iCAGX,Y;MACI,WA7agD,mBAAY,cA6anC,SA7amC,IAAZ,C;MA8ahD,IAAI,cAAO,IAAX,C;QACgB,OAAZ,kBAAY,EAAC,IAAL,EAAW,WAAAX,EAaiB,IAAjB,C;;QACT,IxKtS6C,CAAC,cwKsS9C,C;UACS,OAAZ,kBAAY,EAAC,IAAL,EAAW,WAAAX,EAaiB,kBAAY,OAA7B,C;UACA,OAAZ,kBAAY,EAAC,IAAL,EAAW,CAAX,EAAC,IAAd,C;;MAEHb,cAAO,C;MACP,YAAO,C;K;2CAGX,iB;MAGe,IAAC,IAAD,EAAC,M;MAfP,WACW,eAAC,OAAI,KAAM,OAAAN,IAAc,SAAlB,GAAwB,KAAxB,GAAmC,aAAa,KAAb,EAAoB,SAApB,CAApC,uB;MAEX,WA7bgD,mBAAY,cA6bnC,SA7bmC,IAAZ,C;MA8bhD,IAAI,cAAO,IAAX,C;Q/J2XJ,U+J1XQ,kB/J0XR,E+J1X6B,I/J0X7B,EAD+F,CAC/F,E+J1XgD,W/J0XhD,E+J1XiE,I/J0XjE,C;;Q+JzXW,IxKtT6C,CAAC,cwKsT9C,C;U/JyXX,U+JxXQ,kB/JwXR,E+JxX6B,I/JwX7B,E+JxXuD,C/JwXvD,E+JxXuE,W/JwXvE,E+JxXwF,kBAAY,O/JwXpG,C;UAAA,U+JvXQ,kB/JuXR,E+JvX6B,I/JuX7B,E+JvXuD,kBAAY,OAAZ,GAAmB,WAAAnB,I/JuXvD,E+JvX6F,C/JuX7F,E+JvX2G,I/JuX3G,C;;M+JrXI,IAAI,IAAK,OAAAL,GAAY,SAAhB,C;QACI,KAAK,SAAL,IAAa,I;;MAIjB,OAAO,qD;K;mCAGX,Y;MAEI,OAAO,qBAAQ,gBAAmB,SAAnB,OAAR,C;K;+CAGX,iB;MAC0D,4BAAQ,KAAR,C;K;+CAC1D,Y;MAA0C,qB;K;IAE1C,gC;MAAA,oC;MACI,0BrHriBuC,E;MqHsiBvC,sBAAiC,U;MACjC,4BAAuC,E;K;yDAEvC,oC;MAEI,kBAAkB,eAAe,eAAgB,CAA/B,K;MACIB,IAAI,eAAc,WAAAd,QAA4B,CAAhC,C;QACI,cAAc,W;MACIB,IAAI,eAAc,UAAAd,QAA6B,CAAjC,C;QACI,cAAkB,cAAc,UAAIB,GAAgC,UAAhC,GAAmD,U;MACrE,OAAO,W;K;;IAZf,4C;MAAA,2C;QAAA,0B;;MAAA,oC;K;qDagBa,qB;MAEI,WAVEgD,mBAAY,cAuenC,SAvemC,IAAZ,C;MAwehD,WAAe,kBAAa,cAAO,IAAxB,GAA8B,WAA9B,GAAwC,cAAO,kBAAY,OAAAnB,I;MACnD,UAAU,IAAV,EAAGb,cAAhB,C;K;;IA5iBJ,iD;MAAA,oD;MAGwC,+B;MApB5C,sB;MAqBsB,Q;MACV,wBAAmB,CAAnB,C;QAAwB,4D;WACxB,sBAAkB,CAAlB,C;QAAuB,uBAAa,eAAb,O;;QACf,MAAM,gCAAyB,uBAAoB,eAA7C,C;MAHIB,0B;MAJJ,Y;K;IAWA,kC;MAAA,oD;MAGoB,+B;MA/BxB,sB;MAGCQ,sBAAC,qD;MAIJB,Y;K;IAOA,4C;MAAAA,oD;MAG2C,+B;MAtC/C,sB;MAuCQ,sBzJrB8D,YyJqBhD,QzJrBgD,C;MyJsB9D,aAAO,mBAAY,O;MACn

B,IAAI,mB9K+qPD,YAAQ,C8K/qPX,C;QAA2B,sBAAc,qD;MAN7C,Y;K;IC5BJ,4B;MAMoB,Q;M/KghqBA,U;  
MADhB,UAAe,C;MACf,uD;QAAgB,cAAhB,iB;QACI,YAAgB,O+KlhqBiB,O/KkhqBjC,I;M+KlhqBJ,aAAa,iB/K  
ohqBN,G+KphqBM,C;MACb,wBAAgB,SAAhB,gB;QAAgB,gBAAA,SAAhB,M;QACW,SAAP,MAAO,EAAO,S  
AAP,C;MAEX,OAAO,M;K;IAGX,0B;MASiB,Q;MAFb,YAAY,iBAAa,gBAAb,C;MACZ,YAAY,iBAAa,gBAAb,  
C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAA  
I,IAAK,OAAT,C;MAEV,OAAO,UAAAS,KAAT,C;K;gGAGX,qB;MAWW,4B;MAAA,U;QAAqB,OAAL,S/K0qPh  
B,YAAQ,C;M+K1qPf,W;K;oFAGJ,mC;MAUI,O/K6pPO,qBAAQ,C+K7pPf,GAAe,cAAf,GAAMC,S;K;IAGvC,iD  
;MAMI,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,qBAAgB,aAAhB,IAAiC,SAAK,OAAL,KAAa,KA  
AM,OAAxD,C;QAA8D,OAAO,K;MAErE,4C;QACI,SAAS,UAAK,CAAL,C;QACT,SAAS,MAAM,CAAN,C;QA  
ET,IAAI,OAAO,EAAx,C;UACI,Q;eACG,IAAI,cAAc,UAAIB,C;UACH,OAAO,K;QAIP,0BAAsB,kBAAtB,C;U  
AA4C,IAAI,CAAI,kBAAH,EAAG,EAaKb,EAAIB,CAAR,C;YAA+B,OAAO,K;eACIF,8BAAsB,sBAAtB,C;UAA  
4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAsB,uBAAtB,C;UAA4C,IA  
AI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,6BAAsB,qBAAtB,C;UAA4C,IAAI,CA  
AI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAA  
H,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAsB,uBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EA  
AG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,gCAAsB,wBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EA  
Ac,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAC,EA  
Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,iCAAsB,yBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CA  
AR,C;YAA2B,OAAO,K;eAE9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAC,EAAd,CAAR,C  
;YAA2B,OAAO,K;eAC9E,sCAAsB,8BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAC,EAAd,CAAR,C;YAA  
2B,OAAO,K;eAC9E,oCAAsB,4BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,O  
AAO,K;eAC9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,  
K;eAEtE,IAAI,YAAM,EAAN,CAAJ,C;UAAc,OAAO,K;MAIrC,OAAO,I;K;IAGX,4C;MAKI,IAAI,iBAAJ,C;QA  
AkB,OAAO,M;MACzB,aAAa,CAAK,eAAL,gBAAK,EAaA,SAAb,CAAL,GAA6C,CAA7C,QAAiD,CAAjD,I;Mv  
C6SkB,kBAAxB,mBuC5SY,MvC4SZ,C;MuC3SH,oDzK5BgD,gByK4BhD,C;MADJ,O9JnCO,WuH+U6C,W;K;Iu  
CvSxD,mE;MAEI,IAAY,SAAR,0BAAJ,C;QACI,MAAO,gBAAO,OAAP,C;QACP,M;MAEJ,SAAU,WAAI,SAAJ  
,C;MACV,MAAO,gBAAO,EAAP,C;MAEP,4C;QACI,IAAI,MAAK,CAAT,C;UACI,MAAO,gBAAO,IAAP,C;QA  
EX,cAAc,UAAK,CAAL,C;QAEV,IADE,OACF,S;UAAmB,MAAO,gBAAO,MAAP,C;aAC1B,mBAFE,OAeF,E;U  
AA2B,4BAAR,OAAQ,EAA4B,MAA5B,EAAoC,SAAPC,C;aAC3B,uBAHE,OAGF,E;UAAmB,MAAO,gBA Ae,g  
BAAR,OAAQ,CAAF,C;aAC1B,wBAJE,OAIF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAF,C;aAC1B,sBAL  
E,OAKF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAF,C;aAC1B,uBANE,OAMF,E;UAAmB,MAAO,gBA Ae,  
gBAAR,OAAQ,CAAF,C;aAC1B,wBAPE,OAOF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAF,C;aAC1B,yB  
ARE,OAQF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAF,C;aAC1B,uBATE,OASF,E;UAAmB,MAAO,gBA  
Ae,gBAAR,OAAQ,CAAF,C;aAC1B,0BAVE,OAUF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAF,C;aE1B,k  
BAZE,OAYF,c;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAF,C;aAC1B,kBAeE,OAaF,e;UAAmB,MAAO,gBA  
Ae,kBAAR,OAAQ,CAAF,C;aAC1B,kBAde,OAcF,a;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAF,C;aAC1B,k  
BAFe,OAeF,c;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAF,C;UAEP,MAAO,gBAAO,OAAQ,WAAf,C;MAII  
C,MAAO,gBAAO,EAAP,C;MACP,SAAU,kBAAmB,iBAAV,SAAU,CAAnB,C;K;ICpJd,uC;MAIqD,+CAAwC,iB  
AAO,CAA/C,IAAoD,mC;K;IAEzG,4D;MAWQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAEQ,  
yCAAwB,MAAO,KAAP,GAAc,CAAT,C;UAJZ,OAIuD,S;UAJvD,OAK6B,mBAAL,SAAK,CAAT,GAA+B,sBA  
A/B,GAAgD,S;QALpE,OAogB,oCAAJ,GAA0C,sBAA1C,GAA2D,mB;K;IAG3E,gD;MAWQ,kBADE,SACF,O;  
QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAFJ,OAe8B,mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAAgD,S;QAFr  
E,OAGgB,oCAAJ,GAA0C,sBAA1C,GAA2D,mB;K;IAG3E,kD;MAKI,OAAl,oCAAJ,GAA0C,sBAA1C,GAA2D,o  
B;K;IAE/D,kD;MAKI,OAAl,oCAAJ,GAA0C,oBAA1C,GAA2D,iB;K;IIKnD/D,yB;MAAA,6B;K;sCACI,Y;MAA  
kC,Y;K;0CACIC,Y;MAAsC,Y;K;wCACtC,Y;MAAgC,Q;K;4CACHC,Y;MAAoC,S;K;mCACpC,Y;MAA+B,MAA  
M,6B;K;uCACrC,Y;MAAmC,MAAM,6B;K;;IAN7C,qC;MAAA,oC;QAAA,mB;;MAAA,6B;K;IASA,qB;MAAA,  
yB;MACI,+C;K;ICA EA,iB;MAA4C,qCAAoB,KAAM,U;K;mCACtE,Y;MAA+B,Q;K;mCAC/B,Y;MAAkC,W;K;i  
FAEX,Y;MAAQ,Q;K;kCAC/B,Y;MAAkC,W;K;yCACIC,mB;MAAmD,Y;K;8CACnD,oB;MAAmE,OAAA,QAAS

,U;K;sCAE5E,iB;MAAwC,MAAM,8BAA0B,iDAA8C,KAA9C,MAA1B,C;K;wCAC9C,mB;MAA8C,S;K;4CAC9C,mB;MAAkD,S;K;mCAEID,Y;MAA6C,kC;K;uCAC7C,Y;MAAqD,kC;K;+CACrD,iB;MACl,IAAI,UAAS,CAAb,C;QAAgB,MAAM,8BAA0B,YAAS,KAAnc,C;MACtB,OAAO,2B;K;0CAGX,8B;MACl,IAAI,cAAa,CAAb,IAAkB,YAAW,CAAjC,C;QAAoC,OAAO,I;MAC3C,MAAM,8BAA0B,gBAAa,SAAb,mBAaKc,OAA5D,C;K;wCAGV,Y;MAAiC,8B;K;;IA5BrC,iC;MAAA,gC;QAAA,e;;MAAA,yB;K;IA+BA,iC;MAA8D,6BAAkB,SAAIB,EAAoC,KAApC,C;K;IAE5B,8C;MAAC,oB;MAA0B,0B;K;yFACIC,Y;MAAQ,OAAA,WAAO,O;K;0CACtC,Y;MAAkC,OAAA,WNqqP3B,YAAQ,C;K;iDMpqPf,mB;MAA6C,OAAO,SAAP,WAAO,EAAS,OAAT,C;K;sDACpD,oB;MAAsE,c;;Qc4nDtD,Q;QADhB,IAAI,cd3nDyD,Qc2nDzD,iBd3nDyD,Qc2nDnC,UAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,Od5nD6C,Qc4nD7C,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,Cd5nDkD,oBc4nDvC,Od5nDuC,Cc4nDtD,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;Md7nDsD,iB;K;2CAC7D,Y;MAAuC,OAAO,qBAAP,WAAO,C;K;0CAC9C,Y;MAC+C,gBAAP,W;MAAA,OAAwB,cAAxB,GegKpC,SfhKoC,GekKpC,SN83BoB,Q;K;;IT7hC5B,qB;MAIsC,8B;K;IAEtC,4B;MAIqD,OAAI,QAAS,OAAT,GAAgB,CAApB,GAAgC,OAAT,QAAS,CAAhC,GAA8C,W;K;mFAEnG,yB;MAAA,qD;MAAA,mB;QAK0C,kB;O;KAL1C,C;+FAOA,yB;MAAA,+D;MAAA,mB;QAMwD,uB;O;KANxD,C;2FAQA,yB;MAAA,+D;MAAA,mB;QAMoD,uB;O;KANpD,C;IAQA,mC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAaXB,GAAyC,iBAAU,sBAaKB,QAAIB,EAAwC,IAAxC,CAAV,C;K;IAE7C,iC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAaXB,GAAyC,iBAAU,sBAaKB,QAAIB,EAAwC,IAAxC,CAAV,C;K;IAE7C,gC;MAI2D,OAAI,eAAJ,GAAqB,OAAO,OAAP,CAArB,GAA0C,W;K;IAErG,mC;MAImE,OAAS,cAAT,QAAS,C;K;gFAE5E,yB;MAAa,gE;MAbA,6B;QAYBI,WAAW,eAduE,IAcvE,C;QWCX,iBAAc,CAAd,UXfkF,IWelf,U;UXA6B,eAf2D,IAevD,CWCtB,KXDsb,CAAJ,C;;QAFyC,OAGB/D,I;O;KA3BX,C;8FAaA,yB;MAAA,gE;MAAA,6B;QAYI,WAAW,eAAa,IAAb,C;QWCX,iBAAc,CAAd,UXAO,IWAP,U;UXA6B,eAAI,KWCtB,KXDsb,CAAJ,C;;QAC7B,OAAO,I;O;KAdX,C;wFAiBA,yB;Me1FA,+D;Mf0FA,gC;QetF0B,gBAAf,gB;QfsGkB,aW3FzB,W;QX2FA,OW1FO,SIZoC,Q;O;KfsF/C,C;yFAwBA,yB;Me3GA,4E;MAAA,gE;Mf2GA,0C;QevGI,qBf2HyB,Qe3HzB,C;QAC8B,gBAAvB,ef0HkB,Qe1HIB,C;Qf0H4B,aWvHnC,W;QXuHA,OWtHO,SIJ4C,Q;O;KfsGvD,C;IAiCI,mC;MAAQ,uBAAG,iBAAO,CAAP,IAAH,C;K;IAQR,qC;MAAQ,OAAA,SAAK,KAAL,GAAY,CAAZ,I;K;4FAEZ,qB;MAK4D,QAAC,mB;K;kGAE7D,qB;MAWI,OAAO,qBAAGB,SAAK,U;K;sFAGhC,yB;MAAA,qD;MAAA,4B;QAKgE,uCAAQ,W;O;KALxE,C;sFAOA,yB;MAAA,qD;MAAA,4B;QAKoD,uCAAQ,W;O;KAL5D,C;sFAOA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,GAAmC,S;K;4FAGvC,+B;MAQoH,OAAA,SAAK,qBAAY,QAAZ,C;K;IAGzH,uC;MAK+E,kBAAhB,0B;MAAwB,+B;MAAxB,OW5MpD,W;K;IX+MX,yC;MAAkD,QAAM,cAAN,C;aAC9C,C;UAD8C,OACzC,W;aACL,C;UAF8C,OAEzC,OAAO,sBAAK,CAAL,CAAP,C;;UAFyC,OAGtC,S;;K;IAGZ,8D;MAGbKe,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACjG,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,cAAc,MAAd,EAAsb,OAAtB,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;IAGX,4E;MAe8E,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,UAAW,SAAQ,MAAR,EAAgB,OAAhB,C;QAErB,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;kGAGX,yB;MAAA,8D;MAAA,4D;MAsbqC,8D;QAAA,qB;UAAE,qBAAc,iBAAS,EAAT,CAAd,EAA4B,WAA5B,C;S;O;MAtbvC,+D;QAKBI,yB;UAAA,YAAiB,C;QACjB,uB;UAAA,UAAe,c;QAGf,+BAAa,SAAb,EAAwB,OAAxB,EAAiC,oCAAjC,C;O;KAtBJ,C;IA6BA,mE;MAmBoC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACnE,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,WAAW,MAAX,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;IAGX,8C;MAMQ,gBAAY,OAAsC,QAAuB,MAAM,gCAAYB,gBAAa,SAAb,mCAAKD,OAAID,OAAzB,C;WAC7B,gBAAY,CAAZ,C;QAAiB,MAAM,8BAA0B,gBAAa,SAAb,yBAA1B,C;WACvB,cAAU,IAAV,C;QAAkB,MAAM,8BAA0B,cAAW,OAAAX,gCAA2C,IA

A3C,OAA1B,C;K;IAchC,8B;MAEoC,MAAM,wBAAoB,8BAApB,C;K;IAE1C,8B;MAEoC,MAAM,wBAAoB,8B  
AApB,C;K;;;wF2Gjb1C,yB;M1GgCA,wE;M0GhCA,uC;QAmBW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;  
QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;UACIB,  
W1GuKJ,a0GvKgB,G1GuKhB,E0GrMyC,SA8BIB,CAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAu  
B,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;Q0GrMA,OAgCO,W;O;KAnDX,C;4FAsBA,6C;MAwBc  
,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAaK  
B,sBAAY,GAAZ,C;QACIB,W1GuKJ,a0GvKgB,G1GuKhB,E0GvKuB,UAAU,GAAV,EAAe,WAAf,EAA4B,CAA  
5B,EAA+B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;M0GrKA,OAAO,W;K;iFAGX,yB;M  
AAA,gB;MAAA,8B;M1GtBA,wE;M0GsBA,6D;QAnCW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QAAf,O  
AAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;UA8BwE,U;UA7  
B1F,W1GuKJ,a0GvKgB,G1GuKhB,E0G1IkC,UA7BD,GA6BC,EA7BoB,uBAAuB,CAAC,WAAy,mBAAY,GAA  
Z,CA6BzC,GAAW,qBA7B3B,GA6B2B,EA7BT,CA6BS,CAAX,GAA6C,UA7BxD,WA6BwD,6DAA5D,EA7BiB,  
CA6BjB,C1G0IIC,C;;Q0G3IA,OA1BO,W;O;KAGX,C;kFA0BA,yB;MAAA,gB;MAAA,8B;MAAA,0E;QA1Cc,Q;  
QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6DQ,WA7D  
U,WAAy,GAAZ,C;UA6DuF,U;UAAjG,W1G2GZ,a0GvKgB,G1GuKhB,E0G3GiD,UA5DhB,GA4DgB,EA5DK,u  
BAAuB,CA4DjE,WA5D8E,mBAAY,GAAZ,CA4D1B,GAAW,qBA5D1C,GA4D0C,EA5DxB,CA4DwB,CAAX,G  
AA6C,UA5DvE,WA4DuE,6DAA5D,EA5DE,CA4DF,C1G2GjD,C;;Q0G5GA,OACY,W;O;KA7BhB,C;iFAgCA,y  
B;MAAA,gB;MAAA,8B;M1GhFA,wE;M0GgFA,qD;QA7FW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QA  
Af,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;UakFiD,U;  
UAjFnE,W1GuKJ,a0GvKgB,G1GuKhB,E0GtFgC,UajFsB,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAiFhD,kB  
AA6B,UajFjC,WaiFiC,6DAAvC,EajFmB,CAiFnB,C1GsFhC,C;;Q0GvFA,OA9EO,W;O;KA6DX,C;oFAoBA,yB;  
MAAA,gB;MAAA,8B;MAAA,kE;QAtFc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,  
sBAAM,CAAN,C;UACV,kBA2GQ,WA3GU,WAAy,GAAZ,C;UA2GgE,U;UAA1E,W1G6DZ,a0GvKgB,G1GuKh  
B,E0G7D+C,UA1GO,uBAAuB,CA0GjE,WA1G8E,mBAAY,GAAZ,CA0GjC,kBAA6B,UA1GhD,WA0GgD,6DA  
AvC,EA1GI,CA0GJ,C1G6D/C,C;;Q0G9DA,OACY,W;O;KAvBhB,C;qFA0BA,yB;MAAA,gB;MAAA,8B;M1G9H  
A,wE;M0G8HA,uC;QA3IW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;U  
ACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;UACC,oB;UakIc,U;UAAjC,IAIikD,uBAAuB,  
CAAC,WAAy,mBAAY,GAAZ,CakItF,C;YADA,mBAjI+C,C;;YaiI/C,mBACkB,UAIIW,GakIX,EAAe,UAIIC,  
WakID,6DAAf,EAI6B,CakI7B,C;;UAIIB,W1GuKJ,a0GvKgB,G1GuKhB,mB;;Q0GvCA,OA9HO,W;O;KA2GX,  
C;sFAwBA,yB;MAAA,gB;MAAA,8B;MAAA,oD;QAxIc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB  
;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6JQ,WA7JU,WAAy,GAAZ,C;UACC,oB;UA8Jc,U;UAAjC,IA9Jk  
D,uBAAuB,CA4JjE,WA5J8E,mBAAY,GAAZ,CA8JtF,C;YADA,mBA7J+C,C;;YA6J/C,mBACkB,UA9JW,GA8JX  
,EAAe,UA9JC,WA8JD,6DAAf,EA9J6B,CA8J7B,C;;UAFV,W1GWZ,a0GvKgB,G1GuKhB,mB;;Q0GXA,OAAy,  
W;O;KAvBhB,C;IA6BA,6C;MArKc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sB  
AAM,CAAN,C;QACV,kBA+KG,WA/Ke,WAAy,GAAZ,C;QA2GgE,U;QAoE/E,W1GPP,a0GvKgB,G1GuKhB,E0  
GomC,CA9KmB,uBAAuB,CA8KtE,WA9KmF,mBAAY,GAAZ,CA0GjC,GAoErC,CAPeQc,GAA6B,UA1GhD,W  
A0GgD,6DAoEnD,IAAM,CAAN,I1GPnC,C;;M0GOA,OAAO,W;K;IgenP0B,oC;MAAC,kB;MAAuB,kB;K;;wCA  
N7D,Y;MAMsC,iB;K;wCANtC,Y;MAM6D,iB;K;0CAN7D,wB;MAAA,wBAMsC,qCANtC,EAM6D,qCAN7D,C;  
K;sCAAAY;MAAA,OAMsC,mDANtC,IAM6D,wCAN7D,O;K;sCAAAY;MAAA,c;MAMsC,sD;MAAuB,sD;MA  
N7D,a;K;oCAAAY;MAAA,4IAMsC,sCANtC,IAM6D,sCAN7D,I;K;wFrKEA,yB;MAAA,kC;MAAA,4C;MAAA,  
kD;QAMuF,wC;O;MANvF,4CAOI,Y;QAAuC,8B;O;MAP3C,8E;MAAA,2B;QAMuF,2C;O;KANvF,C;IAcsC,2C;  
MAAC,wC;K;0CACnC,Y;MAAqD,4BAAiB,wBAAjB,C;K;;IAIzD,yC;MAI4D,OAAI,oCAAJ,GAA2B,SAAK,KA  
AhC,GAA0C,I;K;IAEtG,uD;MAI0E,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,S;K;IAGpH,8B;MAMoB,Q;  
MADhB,aAAa,gB;MACG,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACL,OAAP,MAAO,EAAO,OAAP,C;;M  
AEX,OAAO,M;K;IAGX,4B;MAUiB,Q;MAHb,mBAAmB,mCAAwB,EAAxB,C;MACnB,YAAy,iBAAa,YAAb,C;  
MACZ,YAAy,iBAAa,YAAb,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,  
C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;wFUxDX,qB;MAKqE,gB;K;IAErE,i  
C;MAMoE,4BAAiB,SAAjB,C;K;uFAEpE,gC;MAKI,OAAGB,mBAAhB,C;QAAGB,8B;QAAM,UAAU,OAAY,C;;

K;IAMY,oC;MAAC,0B;MACnC,eAAoB,C;K;yCACpB,Y;MAAwC,OAAA,eAAS,U;K;sCACjD,Y;MAA6E,Q;MAAhC,wBAAa,oBAAmB,mBAAAnB,EAAMb,2BAAAnB,QAAAb,EAA0C,eAAS,OAAAnD,C;K;;sF4J5BjD,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAUiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAVjC,C;wFAY A,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAWiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O; KAXjC,C;sFAaA,+C;MAQI,SAAK,aAAI,QAAS,aAAAb,EAAMb,KAAAnB,C;K;ICnCT,8C;MAUI,IAAI,wCAAJ,C; QACI,OAAO,SAAK,4BAAqB,GAARb,C;MAET,4B;M5KoTI,Q;MALX,YAAY,oB4K/Sa,G5K+Sb,C;MACZ,IAAI ,iBAAiB,CAAC,4B4KhTG,G5KgTH,CAAtB,C;Q4KhTgC,MAAM,2BAAuB,wCAAvB,C;;Q5KoTIC,2BAAO,sE;; M4KpTX,+B;K;IAGJ,8C;MAUQ,kBADE,SACF,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADIC ,OAEY,uBAAmB,SAAnB,EAAYB,YAAzB,C;K;IAGhB,gD;MAWQ,kBADE,SACF,yB;QADJ,OACyC,cAAT,SA AK,IAAI,EAAY,YAAZ,C;;QADzC,OAEY,8BAA0B,SAA1B,EAAGC,YAAhC,C;K;,,,,;IAc0B,4C;MAAC,wB;M AAoC,0B;K;qEAApC,Y;MAAA,yB;K;0CACvC,iB;MAA4C,OAAI,OAAJ,QAAL,EAAO,KAAP,C;K;4CAChD,Y; MAA+B,OAAI,SAAJ,QAAL,C;K;4CACnC,Y;MAAkC,OAAA,QAAL,W;K;0FACf,Y;MAAQ,OAAA,QAAL,K;K;2 CACnC,Y;MAAkC,OAAA,QAAL,U;K;qDACtC,e;MAA4C,OAAA,QAAL,mBAAAY,GAAZ,C;K;uDACHD,iB;MAA gE,OAAA,QAAL,qBAAc,KAAd,C;K;6CACpE,e;MAA+B,OAAA,QAAL,WAAI,GAAJ,C;K;0FACT,Y;MAAQ,OA AA,QAAL,K;K;4FACH,Y;MAAQ,OAAA,QAAL,O;K;6FACJ,Y;MAAQ,OAAA,QAAL,Q;K;8DAEvD,e;MAAmD,g BAAJ,Q;MAAI,4B;M5K4PxC,Q;MALX,YAAY,oB4KvPyD,G5KuPzD,C;MACZ,IAAI,iBAAiB,CAAC,4B4KxP+ C,G5KwP/C,CAAtB,C;QACI,2B4KzPwE,mB;;Q5K4PxE,2BAAO,sE;;M4K5PoC,+B;K;;IAGN,mD;MAAC,wB;M AA2C,0B;K;4EAA3C,Y;MAAA,yB;K;iDAC1C,iB;MAA4C,OAAI,OAAJ,QAAL,EAAO,KAAP,C;K;mDACHD,Y; MAA+B,OAAI,SAAJ,QAAL,C;K;mDACnC,Y;MAAkC,OAAA,QAAL,W;K;iGACf,Y;MAAQ,OAAA,QAAL,K;K;k DACnC,Y;MAAkC,OAAA,QAAL,U;K;4DACtC,e;MAA4C,OAAA,QAAL,mBAAAY,GAAZ,C;K;8DACHD,iB;MA AgE,OAAA,QAAL,qBAAc,KAAd,C;K;oDACpE,e;MAA+B,OAAA,QAAL,WAAI,GAAJ,C;K;iGACF,Y;MAAQ,O AAA,QAAL,K;K;mGACH,Y;MAAQ,OAAA,QAAL,O;K;oGACU,Y;MAAQ,OAAA,QAAL,Q;K;sDAE5E,sB;MAA yC,OAAA,QAAL,aAAI,GAAJ,EAAS,KAAT,C;K;uDAC7C,e;MAAkC,OAAA,QAAL,cAAO,GAAP,C;K;yDACtC, gB;MAA2C,QAAL,gBAAO,IAAP,C;K;gDAC/C,Y;MAAuB,QAAL,Q;K;qEAE3B,e;MAAmD,gBAAJ,Q;MAAI,4B; M5KuOxC,Q;MALX,YAAY,oB4KIOyD,G5KkOzD,C;MACZ,IAAI,iBAAiB,CAAC,4B4KnO+C,G5KmO/C,CAAt B,C;QACI,2B4KpOwE,mB;;Q5KuOxE,2BAAO,sE;;M4KvOoC,+B;K;;I5KvFnD,oB;MAAA,wB;MACI,8C;K;gCA EA,iB;MAA4C,oCAAsB,KAAM,U;K;kCACxE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;gFAEX,Y;MAAQ,Q;K ;iCAC/B,Y;MAAkC,W;K;2CAEIC,e;MAA+C,Y;K;6CAC/C,iB;MAAsD,Y;K;mCACtD,e;MAAwC,W;K;mFACY, Y;MAAQ,6B;K;gFAC/B,Y;MAAQ,6B;K;kFACI,Y;MAAQ,8B;K;uCAEjD,Y;MAAiC,6B;K;;IAjBrC,gC;MAAA,+ B;QAAA,c;;MAAA,wB;K;IAoBA,oB;MAMuE,Q;MAA7B,OAA6B,uE;K;IAEvE,wB;MAaI,OAAI,KAAM,OAA N ,GAAa,CAAjB,GAA0B,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAIB,CAAd,CAAN,CAA1B,GAA6E,U; K;kFAEjF,yB;MAAA,oD;MAAA,mB;QA08C,iB;O;KAP9C,C;8FASA,yB;MAAA,wE;MAAA,mB;QAQ4D,2B;O; KAR5D,C;IAUA,+B;MAYiD,gBAA7C,qBAAoB,YAAY,KAAM,OAAIB,CAApB,C;MAAqD,wB;MAArD,OUJO, S;K;wFVMX,yB;MAAA,4D;MAAA,mB;QA0sD,qB;O;KAPtD,C;IASA,4B;MAM8G,gBAAvC,eAAc,YAAY,KA AM,OAAIB,CAAd,C;MAA+C,wB;MAA/C,OuRb5D,S;K;4FVuBX,yB;MAAA,wE;MAAA,mB;QAK8D,2B;O;KA L9D,C;IAOA,8B;MAU+E,OAAM,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAIB,CAAd,CAAN,C;K;sFA ErF,yB;MchBA,wE;MdgBA,gC;QcZiC,gBAAtB,oB;Qd8BiB,aU7DxB,W;QV6DA,OU5DO,SI8B2C,Q;O;KdYtD,C ;uFA0BA,yB;McnCA,uE;MdmCA,0C;Qc/ByC,gBAA9B,mBdqDiB,QcrDjB,C;QdqD2B,aU3FIC,W;QV2FA,OU1F O,SIqCmD,Q;O;Kd+B9D,C;4FAoCA,qB;MAK+D,QAAC,mB;K;kGAEhE,qB;MAWI,OAAO,qBAAgB,mB;K;sFA G3B,yB;MAAA,oD;MAAA,4B;QAM2D,uCAAQ,U;O;KANnE,C;sFAQA,mC;MASI,OAAI,mBAAJ,GA Ae,cAAf, GAAMC,S;K;yFAEvC,yB;MAyBA,kC;MAAA,8B;MAzBA,iC;QAgCiC,Q;QAx2E,OAwBxD,CAAnB,wDAAMb ,oBAxBoE,GAwBpE,C;O;KAhCpD,C;+EAUA,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAKiC,Q;QAA7B,OAAgD, CAAnB,wDAAMb,YAAI,GAAJ,C;O;KALpD,C;+EAOA,iC;MAKI,sBAAI,GAAJ,EAAS,KAAT,C;K;4FAGJ,yB; MAAA,kC;MAAA,8B;MAAA,iC;QA0iC,Q;QAA7B,OAAgD,CAAnB,wDAAMb,oBAAAY,GAAZ,C;O;KAPpD,C; gGASA,4B;MASsG,OAAA,SAAK,qBAAc,KAAd,C;K;kFAG3G,yB;MAAA,gD;MAAA,8B;MAAA,iC;QASiC,Q; QAA7B,OAAuD,CAA1B,+DAA0B,eAAO,GAAP,C;O;KAT3D,C;6FAWA,qB;MAWoE,oB;K;6FAEpE,qB;MAW oE,sB;K;kFAEpE,yB;MAAA,6B;MAAA,4B;QAIGe,qBAAK,aAAL,EAAU,eAAV,C;O;KAJhE,C;2FAMA,wC;MA MiF,Q;MAAA,mCAAI,GAAJ,oBAAAY,c;K;uGAG7F,yB;MAAA,gB;MAAA,8B;MAAA,+C;QAMe,Q;QALX,YA

AY,oBAAI,GA AJ,C;QACZ,IAAI,iBAAiB,CAAC,4BAAY,GAAZ,CAAtB,C;UACI,OAAO,c;;UAGP,OAAO,sE;;O  
;KANf,C;IAUA,oC;MAUkD,uCAAqB,GAArB,C;K;sFAEID,wC;MAUW,Q;MADP,YAAY,oBAAI,GA AJ,C;MAC  
L,IAAI,aAAJ,C;QACH,aAAa,c;QACb,sBAAI,GA AJ,EAAS,MAAT,C;QACA,a;;QAEA,Y;;MALJ,W;K;wFASJ,qB  
;MAMwF,OAAA,iBAAQ,W;K;wFAEhG,qB;MAMgH,OAAA,iBAAQ,W;K;4FAExH,6C;Maq1BoB,Q;MAAA,Ob  
h1BT,iBag1BS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Qbh1Ba,Wai1Bb,aAAGB,Obj1Be,Iai1B/B,Ebj1BsC,Sai  
1BZ,CAAe,OAAf,CAA1B,C;;Mbj1BhB,OAA6B,W;K;wFAGjC,6C;Ma60BoB,Q;MAAA,Obr0BT,iBaq0BS,W;MA  
AhB,OAAgB,cAAhB,C;QAAgB,yB;Qbr0Ba,Was0Bb,abt0B0B,Sas0BtB,CAAY,OAAZ,CAAJ,EAAYC,Obt0BC,M  
as0B1C,C;;Mbt0BhB,OAA6B,W;K;IAGjC,kC;MAIyB,Q;MAArB,wBAAqB,KAArB,gB;QAAqB,aAAA,KAArB,  
M;QAAK,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GA AJ,EAAS,KAAT,C;;K;IAIR,oC;MAIyB,Q;MAAA,uB;MA  
ArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GA AJ,EAAS,KAAT,C;;K;I  
AIR,oC;MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,  
sBAAI,GA AJ,EAAS,KAAT,C;;K;wFAIR,yB;MAAA,0D;MAAA,uE;MAAA,uC;QASW,kBAAY,mBAAoB,YAA  
Y,cAAZ,CAApB,C;Qa8xBH,Q;QAAA,Obh1BT,iBag1BS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;Ubh1Ba,Wai  
1Bb,aAAGB,Obj1Be,Iai1B/B,Eb/xB2C,Sa+xBjB,CAAe,OAAf,CAA1B,C;;Qb/xBhB,OAlD6B,W;O;KAyCjC,C;oF  
AYA,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAYW,kBAAU,mBAAoB,YAAY,cAAZ,CAApB,C;Qa+wBD,Q;QA  
AA,Obr0BT,iBaq0BS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;Ubr0Ba,Was0Bb,abhxBYc,SagxBrc,CAAY,OA  
AZ,CAAJ,EAAYC,Obt0BC,Mas0B1C,C;;QbhxBhB,OAtD6B,W;O;KA0CjC,C;0FAeA,yB;MAAA,wE;MAAA,uC;  
QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,U  
AAU,KAAM,IAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EA Ae,KAAM,MAArB,C;;;QAGf,OAAO,M;O;  
KAbX,C;8FAGBA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3GsE,QAAQ,W;QA2  
G5F,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,  
EA Ae,KAAM,MAArB,C;;;QAGf,OAAO,M;O;KAbX,C;yFAiBA,6C;MAOoB,Q;MAAA,OAAA,SA3HoE,QAAQ,  
W;MA2H5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,WAAY,aAAI,OAAQ,IA  
AZ,EAAiB,OAAQ,MAAzB,C;;MAGpB,OAAO,W;K;qFAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAAS,oB;QA  
fa,Q;QAAA,OA3HoE,iBAAQ,W;QA2H5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAcmC,SAd/B,CAAU,OAAV,  
CAAJ,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;QAapB,OAVO,W;O;KAGX,C;-FAUA,6  
C;MAOoB,Q;MAAA,OAAA,SapJoE,QAAQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,CAAC,UA  
AU,OAAV,CAAL,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;MAGpB,OAAO,W;K;2FAG  
X,yB;MAAA,wE;MAAA,uC;QAOW,kBAAY,oB;QafH,Q;QAAA,OApJoE,iBAAQ,W;QAoJ5F,OAAgB,cAAhB,  
C;UAAgB,yB;UACZ,IAAI,CackC,SadjC,CAAU,OAAV,CAAL,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OA  
AQ,MAAzB,C;;;QAapB,OAVO,W;O;KAGX,C;IAUA,0B;MAQqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAA  
M,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIB,GAA+  
B,oBAAW,OAAhD,C;YAAL,K;;YACQ,0BAAM,qBAAoB,YAAY,cAAZ,CAApB,CAAN,C;YAHL,K;;QAAP,W;;  
MAMJ,OAAoC,oBAA7B,mBAAM,oBAAN,CAA6B,C;K;IAGxC,yC;MAIwB,SAApB,WAAoB,Y;MAApB,kB;K;  
IAEJ,4B;MAM6D,QAAM,gBAAN,C;aACzD,C;UADyD,OACpD,U;aACL,C;UAFyD,OAEPD,MAAM,UAAK,CA  
AL,CAAN,C;;UAFoD,OAGjD,mBAAM,qBAAoB,YAAY,gBAAZ,CAApB,CAAN,C;;K;IAGZ,yC;MAIwB,OAAP  
B,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAM4D,OAA6B,oBAA7B,mBAAM,oBAAN,CAA6B,C;K;IAEzF,yC;MAI  
wB,SAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAMqD,QAAM,cAAN,C;aACjD,C;UADiD,OAC5C,U;aACL,C;  
UAFiD,OC/X8B,uB;;Ud+X9B,OAGzC,uB;;K;IAGZ,iC;MAMmE,4BAAC,SAAd,C;K;IAEnE,yC;MAKI,WAAoB,0  
B;MAApB,kB;K;IAEJ,kC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAAoB,MAAM,IAAN,C;;QAAqC,kB  
AApB,qBAAC,SAAd,C;QAA4B,wBAAS,UAAT,EAAqB,WAArB,C;QAAjE,OUhiBO,W;;MVgiBP,W;K;IAEJ,mC  
;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,MAAN,KAAM,C;;QAAiC,kBAAPB,qBAAC,SAAd,C;Q  
AA4B,4B;QAANe,OUziBO,W;;MVyiBP,W;K;IAEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,  
QAAN,KAAM,C;;QAAiC,kBAAPB,qBAAC,SAAd,C;QAA4B,0B;QAANe,OUljBO,W;;MVKjBP,W;K;IAEJ,mC;M  
AOwB,kBAAPB,qBAAC,SAAd,C;MAA4B,4B;MAA5B,OAA4C,oBU3jBrC,WV2jBqC,C;K;IAEhD,iC;MAOwB,k  
BAAPB,qBAAC,SAAd,C;MAA4B,+B;MAA5B,OUpkBO,W;K;0FVukBX,2B;MAKI,sBAAI,IAAK,MAAT,EAAG  
B,IAAK,OAArB,C;K;4FAGJ,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,yB;MAAA,  
gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;

O;KALJ,C;4FAQA,0B;MAKI,yBAAO,GAAP,C;K;IAGJ,kC;MAOwB,kBAAf,aAAL,SAAK,C;MAAsCL,6B;MAtC  
A,OAA+C,oBUtnBxC,WVsnBwC,C;K;IAEnD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAqCK,YAAL,gBAAK,O;  
MArCV,OAAgD,oBUhoBzC,WVgoByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAoCK,YAAL,gBA  
AK,O;MApCV,OAAgD,oBU1oBzC,WV0oByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAMCK,YAA  
L,gBAAK,O;MAnCV,OAAgD,oBUppBzC,WVopByC,C;K;4FAEpD,0B;MAMI,uBAAO,GAAP,C;K;8FAGJ,yB;  
MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAKE,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,k  
C;QAMc,UAAV,SAAK,KAKE,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SA  
AK,KAKE,EAAU,IAAV,C;O;KANd,C;IAUA,wC;MACsD,QAAM,cAAN,C;aACID,C;UADkD,OAC7C,U;aACL,  
C;UAFkD,gB;;UAAA,OAG1C,S;;K;oF6KtwBZ,yB;MAAA,8D;MAAA,8B;MAAA,qC;QAUiC,Q;QAA7B,OAA2  
D,CAA9B,sEAA8B,eAAO,OAAP,C;O;KAV/D,C;wFAYA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7  
B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAP,C;O;KAT/D,C;wFAWA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASi  
C,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAP,C;O;KAT/D,C;4FAWA,8B;MAKI,SAAK,WAAI,OAAP,  
C;K;4FAGT,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQA,yB;MAAA,gD;  
MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,S  
AAK,EAAO,QAAP,C;O;KALT,C;8FAQA,8B;MAKI,SAAK,cAAO,OAAP,C;K;8FAGT,yB;MAAA,sD;MAAA,sC  
;QAKS,UAAL,SAAK,EAAU,QAAP,C;O;KALT,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAA  
U,QAAP,C;O;KALT,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAP,C;O;KALT,C;IA  
QA,qC;MAIU,IAIe,I;MAHjB,kBADE,QACF,c;QAAiB,OAAO,yBAAO,QAAP,C;;QAEpB,aAAsB,K;QACT,0B;Q  
AAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,oBAAI,IAAJ,CAAJ,C;YAAe,SAAS,I;;QAC5B,OAAO,M;;K;IAKnB,  
uC;MAKiB,Q;MADb,aAAsB,K;MACT,0B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,oBAAI,IAAJ,CAAJ,C;  
UAAe,SAAS,I;;MAE5B,OAAO,M;K;IAGX,uC;MAII,OAAO,yBAAGB,OAAT,QAAS,CAAhB,C;K;IAGX,0C;MA  
IW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MAIHG,Q;MAKH7B,OAIH2D,CAA9B,sEAA8B,oBAAU,UAAV,  
C;K;IAqH/D,0C;MAII,UAAmB,8BAAT,QAAS,C;MACnB,09K0EwD,C8K1EjD,G9K0EkD,U8K1EID,IAAoB,4B  
AAU,GAAV,C;K;IAG/B,0C;MAII,OpLqoPO,EoLroPA,QpL6jPA,YAAQ,CAwER,CoLroPA,IAAyB,4BAAmB,8B  
AAT,QAAS,CAAnB,C;K;IAGpC,0C;MAIW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MA7HG,Q;MA6H7B,O  
A7H2D,CAA9B,sEAA8B,oBAAU,UAAV,C;K;IAGl/D,0C;MAII,IpLunPO,EoLvnPH,QpL+iPG,YAAQ,CAwER,C  
oLvnPP,C;QACI,OAAO,4BAAmB,8BAAT,QAAS,CAAnB,C;;QAEp,OAAO,wB;K;IAGf,0C;MAII,UAAmB,8BA  
AT,QAAS,C;MACnB,I9K0CwD,C8K1CpD,G9K0CqD,U8K1CzD,C;QACI,OAAO,4BAAU,GAAV,C;;QAEp,OA  
AO,wB;K;IAGf,kC;MACI,a9KmCwD,CAAC,mB;M8K1CzD,iB;MACA,OAAO,M;K;IAIX,2C;MAKkF,gCAAc,S  
AAAd,EAAyB,IAAzB,C;K;IAEIF,2C;MAKkF,gCAAc,SAAd,EAAyB,KAazB,C;K;IAEIF,sE;MACI,iBAAa,KAAb,  
C;MnKlJgB,kBmKmjX,oB;MACD,OAAO,qBAAP,C;QACI,IAAI,UAAU,kBAAV,6BAAJ,C;UACI,oB;UACA,W  
AAS,I;;MAGrB,OAAO,Q;K;oFAIX,4B;MAM6D,kCAAS,KAAT,C;K;IAE7D,gC;MAKiD,IAAI,mBAAJ,C;QAAe,  
MAAM,2BAAuB,gBAAvB,C;;QAARb,OAAMe,2BAAS,CAAT,C;K;IAEpH,sC;MAKwD,OAAMe,mBAAJ,GAAe,I  
AAf,GAAyB,2BAAS,CAAT,C;K;IAEjF,+B;MAKgd,IAAI,mBAAJ,C;QAAe,MAAM,2BAAuB,gBAAvB,C;;QAA  
rB,OAAMe,2BAAS,2BAAT,C;K;IAEnH,qC;MAKuD,OAAMe,mBAAJ,GAAe,IAAf,GAAyB,2BAAS,2BAAT,C;K;I  
AEhF,2C;MAK8E,kCAAc,SAAd,EAAyB,IAAzB,C;K;IAE9E,2C;MAK8E,kCAAc,SAAd,EAAyB,KAazB,C;K;IA  
E9E,wE;MAEgB,UAGS,MAHT,EAcY,MAZ,EAc6B,M;MAfzC,IAAI,uCAAJ,C;QACI,OAAO,cAA5B,sEAA4B,  
EAAc,SAAd,EAAyB,uBAazB,C;MAExC,iBAAsB,C;MACD,oC;MAArB,qBAakB,CAAIB,mC;QACI,cAAc,sBA  
AK,SAAL,C;QACd,IAAI,UAAU,OAAP,MAAsB,uBAA1B,C;UACI,Q;QAEJ,IAAI,eAAc,SAIIB,C;UACI,sBAA  
K,UAAL,EAAmB,OAAnB,C;QAEJ,+B;;MAEJ,IAAI,aAAa,cAAjB,C;QACwB,oC;QAAiB,mB;QAARc,oE;UACI,  
2BAAS,WAAT,C;QAEJ,OAAO,I;;QAEp,OAAO,K;;K;IChS+B,wC;MAAkC,uB;MAAjC,0B;K;4FACpB,Y;MAA  
Q,OAAA,eAAS,K;K;iDACxC,iB;MAAkC,mCAAS,0BAAoB,KAAPB,CAAT,C;K;;IAGT,gC;MAAyC,8B;MAAx  
C,0B;K;oFACH,Y;MAAQ,OAAA,eAAS,K;K;yCACxC,iB;MAAkC,mCAAS,0BAAoB,KAAPB,CAAT,C;K;mCA  
EIC,Y;MAAuB,eAAS,Q;K;8CACCh,iB;MAAuC,OAAA,eAAS,kBAAS,0BAAoB,KAAPB,CAAT,C;K;yCAEhD,0  
B;MAA8C,OAAA,eAAS,aAAI,0BAAoB,KAAPB,CAAJ,EAAgC,OAAhC,C;K;yCACvD,0B;MACI,eAAS,aAAI,2  
BAAqB,KAARb,CAAJ,EAAiC,OAajC,C;K;;IAIjB,+C;MACoB,Q;MAAA,kC;MAAhB,IAAa,CAAT,0BAAJ,C;Q  
AAA,OAA2B,8BAAY,KAaz,I;;QAAuB,MAAM,8BAA0B,mBAAGB,KAAhB,2BAA0C,gBAAG,2BAAH,CAA1  
C,OAA1B,C;K;IAE5D,gD;MACoB,Q;MAAA,qB;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAAsB,iBAAO,KAAP

,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KAAjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;K;IAGID,+B;MAK+  
C,gCAAqB,SAArB,C;K;IAE/C,iC;MAM6D,wBAAa,SAAb,C;K;;;IxKpC7D,oD;MAQuF,wC;K;IARvF,8CASI,Y;  
MAAuC,8B;K;IAT3C,gF;IyKY8G,wC;MAAA,mB;QAAE,kBAAS,aAAT,C;O;K;IAThH,yB;MASqG,oCAAS,sBA  
AT,C;K;8FAErG,yB;MAAA,kD;MzKdA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;  
O;MAT3C,8E;MyKiB2I,qD;QAAA,mB;UAAE,gBAAS,qBAAT,C;S;O;MAH7I,gC;QAGkI,kCAAS,mCAAT,C;O;  
KAHII,C;IAKA,2B;MAQI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAwC,QAAXC,EAA+D,QAA/D,C;MAC  
1B,OAAO,Q;K;8FAGX,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C;O;KAHII,C;IAGB0C,yB;K;+CAoBtC,  
kC;MAOI,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MACID,OAAO,sBAAS,QAAS,WAAIB,e;K;+CAGX,kC;  
MAQqD,6BAAS,QAAS,WAAIB,e;K;;;;IAezD,mC;MAA2C,wB;MACvC,eAAoB,C;MACpB,mBAA4B,I;MAC  
5B,sBAAYC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;YAAA,  
K;eACA,C;YACI,IAAI,kCAAe,UAAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBA Ae,I;;YALvB,K;eAOA,C;Y  
AAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;;YAC/B,MAAM,yB;;QAGIB,eAAQ,C;QACR,WAAW,4B;Q  
ACX,gBAAW,I;QACX,IzH/FR,oBDgDQ,W0H+CY,kB1H/CZ,CChDR,C;;K;6CyHmGA,Y;MACU,IASe,I;MATrB  
,QAAM,YAAN,C;aACI,C;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAAe,O;aAE1  
B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAY,I;UACZ,OAAO,M;;UAEH,MAAM,yB;;K;uDAlTb,Y;MACI  
,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;;QAA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,YAAN,C;aACxC,  
C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAATb,C;;UAFwB,OAGhC,6BAAsB,uCAAoC,YAA  
ID,C;;K;IAOqC,4E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;oDALR,+B;MACI,mBAAY,K;MACZ  
,eAAQ,C;MACR,OAA6C,0CAAtC,c;K;IAUsC,+E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;yDAN  
R,kC;MACI,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,M;MACzB,sBA Ae,Q;MACf,eAAQ,C;MACR,OAA6C,6CAAt  
C,c;K;2DAMX,kB;M1HjBO,Q;MADP,e0HoBI,M1HpBJ,C;MACO,Q0HmBH,M1HnBG,+D;M0HoBH,eAAQ,C;K  
;kGAIR,Y;MAAQ,0C;K;;IzK1LhB,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;SFAAA,yB;MA  
AA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MAAA,2B;QAQuF,2  
C;O;KARvF,C;IAiBGe,+C;MAAA,mB;QAAE,sB;O;K;IALIE,kC;MAKuD,OAAkB,2CAAT,+BAAS,E;K;IAEzE,8  
B;MAK6D,OAAI,Qb2rPtD,YAAQ,Ca3rP0C,GAAwB,eAAxB,GAAsD,WAAT,QAAS,C;K;IAEnH,yB;MAG8C,kC  
;K;IAE9C,yB;MAAA,6B;K;uCACI,Y;MAA6C,kC;K;2CAC7C,a;MAA4B,kC;K;2CAC5B,a;MAA4B,kC;K;;IAHh  
C,qC;MAAA,oC;QAAA,mB;;MAAA,6B;K;oFAMA,yB;MAAA,2D;MAAA,4B;QAM4D,uCAAQ,e;O;KANpE,C;I  
AgB4F,mH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wD;MAAA,kC;K;;;kDAAA,Y;;;cACxFeA  
Ae,uBAAa,W;cAC5B,IAAI,QAAS,UAAb,C;gBACI,gB;gCAAA,sCAAS,QAAT,O;oBAAA,2C;yBAAA,yB;gBAA  
A,Q;;gBAEA,gB;gCAAA,sCAAS,iCAAT,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;;cAJJ,W;;cAAA,W;;;  
K;IADwF,gE;MAAA,yD;uBAAA,uG;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAP5F,4C;MAOmF,gBAAS,uCAAT,  
C;K;IAGBb,4B;MAAE,OAAA,EAAG,W;K;IAP3E,8B;MAO8D,4BAAQ,cAAR,C;K;IAUQ,8B;MAAE,OAAA,EA  
AG,W;K;IAR3E,8B;MAQ8D,4BAAQ,gBAAR,C;K;IAM1B,8B;MAAE,S;K;IAJtC,wC;MAEgB,Q;MADZ,IAAI,8  
CAAJ,C;QACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;;MAEHd,OAAO,uBAAMb,SAAnB,EAAYB,gBAAz  
B,EAAiC,QAAjC,C;K;IAGX,4B;MAYiB,Q;MAFb,YAAY,gB;MACZ,YAAY,gB;MACC,2B;MAAb,OAAa,cAAb,  
C;QAAA,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAA  
S,KAAT,C;K;IAGX,+B;MAQqD,6BAAS,4BAAT,C;K;IAW0B,+G;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,0C;  
MAAA,4C;MAAA,0B;MAAA,kC;K;;;mDAAA,Y;;;kCAC9D,0C;cACb,gB;;;cAAA,IAAO,iBPyFkD,UOzFzD,  
C;gBAAA,gB;;;cACI,QAAQ,yBAAO,iBAAQ,iBAAO,KAAf,C;cACf,WAAkB,WAAP,iBAAO,C;cACIB,YAAgB,  
IAAI,iBAAO,KAAf,GAAqB,iBAAO,aAAI,CAAJ,EAAO,IAAP,CAA5B,GAA8C,I;cAC1D,gB;8BAAA,iCAAM,K  
AAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAJJ,gB;;cAMJ,W;;;K;IAR+E,4D;MAAA,yD;uBAAA,mG;Y  
AAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAT/E,uC;MASmE,gBAAY,kCAAZ,C;K;IAkBhC,0D;MAE/B,wB;QAAA,WA  
AgC,I;MADhC,0B;MACA,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,  
E;MACrB,gBAAMb,I;K;oEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCA  
AU,IAAV,MAAMb,sCAAvB,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;  
MASW,Q;MARP,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aA  
Aa,a;MACb,gBAAW,I;MACX,iBAAY,E;MAEZ,OAAO,yE;K;IEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB  
;MACJ,OAAO,mBAAa,C;K;;2CAhC5B,Y;MAAuC,yD;K;;IA2C3C,qD;MAAY,0B;MAAMC,gC;K;IACJ,gF;MAA

A,0D;MACnC,gBA Ae,oCAAS,W;K;iEACxB,Y;MACI,OAAO,6CAAY,aAAS,OAArB,C;K;oEAGX,Y;MACI,OA  
AO,aAAS,U;K;;8CAPxB,Y;MAAuC,4D;K;qDAWvC,oB;MACI,OAAO,uBAA4B,eAA5B,EAAsC,kBAAtC,EAA  
mD,QAAAnD,C;K;;IAUf,4D;MAAY,0B;MAAmC,gC;K;IACJ,8F;MAAA,wE;MACnC,gBA Ae,2CAAS,W;MACxB,  
aAAY,C;K;wEACZ,Y;MAC0C,Q;MAAtC,OAAO,oDAAY,oBAAmB,iBAAnB,EAAMb,yBAAnB,QAAZ,EAAyC,  
aAAS,OAAID,C;K;2EAGX,Y;MACI,OAAO,aAAS,U;K;;qDARxB,Y;MAAuC,mE;K;;IAkB3C,oC;MAAY,0B;K;I  
AC6C,wE;MACjD,gBA Ae,gCAAS,W;MACxB,aAAY,C;K;6DACZ,Y;MAC2C,Q;MAAvC,OAAO,iBAAa,oBAA  
mB,iBAAnB,EAAMb,yBAAnB,QAAb,EAA0C,aAAS,OAAAnD,C;K;gEAGX,Y;MACI,OAAO,aAAS,U;K;;0CARx  
B,Y;MAAqD,wD;K;;IAmBzD,0D;MACI,4B;MACA,4B;MACA,4B;K;IAEuC,sE;MAAA,gD;MACnC,iBAAgB,gC  
AAU,W;MAC1B,iBAAgB,gCAAU,W;K;4DAC1B,Y;MACI,OAAO,sCAAU,cAAU,OAApB,EAA4B,cAAU,OAAt  
C,C;K;+DAGX,Y;MACI,OAAO,cAAU,UAAV,IAAuB,cAAU,U;K;;yCARhD,Y;MAAuC,uD;K;;IAc3C,6D;MACI,  
0B;MACA,gC;MACA,0B;K;IAEuC,4E;MAAA,sD;MACnC,gBA Ae,kCAAS,W;MACxB,oBAAiC,I;K;+DAEjC,Y;  
MACI,IAAI,CAAC,2BAAL,C;QACI,MAAM,6B;MACV,OAAO,gCA Ae,O;K;kEAG1B,Y;MACI,OAAO,2B;K;+E  
AGX,Y;MACQ,Q;MAAJ,IAAI,iEAA2B,KAA/B,C;QACI,oBAAe,I;MAEnB,OAAO,yBAAP,C;QACI,IAAI,CAAC  
,aAAS,UAA d,C;UACI,OAAO,K;;UAEP,cAAc,aAAS,O;UACvB,uBAAuB,wCAAS,2CAAY,OAAZ,CAAT,C;UA  
CvB,IAAI,gBAAiB,UAArB,C;YACI,oBAAe,gB;YACf,OAAO,I;;;MAInB,OAAO,I;K;;4CA9Bf,Y;MAAuC,0D;K;  
;IAoC9B,6I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,4C;MAAA,kD;MAAA,gD;MAAA,wB;MAAA,yB;MAAA  
,kC;K;;;yDAAA,Y;;;kBAGyC,I;CAFIC,C;cACI,sD;cAAhB,gB;;;cAAA,KAAgB,yBAAhB,C;gBAAA,gB;;;cA  
AgB,oC;cACZ,aAAa,6BAAU,oBAAmB,uBAAnB,EAAMb,+BAAnB,QAAV,EAAuC,OAAvC,C;cACb,gB;8BAA  
A,sCAAS,4BAAS,MAAT,CAAT,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;K;IANS,0F;M  
AAA,yD;uBAAA,i;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IADb,wD;MACI,gBAAS,kDAAT,C;K;;;IAoByB,qD;M  
ACzB,0B;MACA,8B;MACA,0B;MC3TA,IAAI,ED+TQ,qBAAc,CC/TtB,CAAJ,C;QACI,cD8T2B,+CAA4C,iB;QC  
7TvE,MAAM,gCAAyB,OAAQ,WAAjC,C;;MAFV,IAAI,EDgUQ,mBAAy,CChUpB,CAAJ,C;QACI,gBD+TyB,6  
CAA0C,e;QC9TnE,MAAM,gCAAyB,SAAQ,WAAjC,C;;MAFV,IAAI,EDiUQ,mBAAy,iBCjUpB,CAAJ,C;QACI,  
gBDgUkC,0DAAuD,eAAvD,WAAmE,iB;QC/TrG,MAAM,gCAAyB,SAAQ,WAAjC,C;;K;sFDkUa,Y;MAAQ,yB  
AAW,iBAAX,I;K;yCAE/B,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAy,eAAZ,EAAsB,oBA  
Aa,CAAb,IAAtB,EAAsC,eAAtC,C;K;yCAC9E,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,gBAAy  
,eAAZ,EAAsB,iBAAtB,EAakC,oBAAa,CAAb,IAAI,C;K;IAEzC,8D;MAAA,wC;MAEtB,gBA Ae,2BAAS,W;M  
ACxB,gBA Ae,C;K;0DAEf,Y;MAEI,OAAO,gBAAW,kCAAX,IAAyB,aAAS,UAAzC,C;QACI,aAAS,O;QACT,qC;  
;K;2DAIR,Y;MACI,a;MACA,OAAQ,gBAAW,gCAAZ,IAAyB,aAAS,U;K;wDAG7C,Y;MACI,a;MACA,IAAI,iBA  
AY,gCAAhB,C;QACI,MAAM,6B;MACV,qC;MACA,OAAO,aAAS,O;K;;qCAvBxB,Y;MAA0B,mD;K;;IAgCA,u  
C;MAC1B,0B;MACA,oB;MC3WA,IAAI,ED+WQ,gBAAS,CC/WjB,CAAJ,C;QACI,cD8WsB,yCAAsC,YAAtC,M  
;QC7WtB,MAAM,gCAAyB,OAAQ,WAAjC,C;;K;0CDgXV,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,eAAhB,GA  
AqC,gBAAy,eAAZ,EAAsB,CAAtB,EAyB,YAAzB,C;K;0CAC9E,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,IAA  
hB,GAA0B,iBAAa,eAAb,EAAuB,CAA vB,C;K;IAE5B,gE;MACnC,YAAW,yB;MACX,gBA Ae,4BAAS,W;K;yDA  
ExB,Y;MACI,IAAI,cAAQ,CAAZ,C;QACI,MAAM,6B;MACV,6B;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,  
OAAO,YAAO,CAAP,IAAY,aAAS,U;K;;sCAZpC,Y;MAAuC,oD;K;;IAS3C,gD;MACI,0B;MACA,4B;K;IAEuC,  
0E;MAAA,oD;MACnC,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,IAAI,aA  
AS,UAAb,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,CAAJ,C;UACI,iBAAy,C;UACZ,gBAAW,I;U  
ACX,M;;;MAGR,iBAAy,C;K;8DAGhB,Y;MAMiB,Q;MALb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mB  
AAa,CAAjB,C;QACI,MAAM,6B;MACV,aACa,gF;MAGb,gBAAW,I;MACX,iBAAy,E;MACZ,OAAO,M;K;iEA  
GX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAIC5B,Y;MAAuC,yD;K;;IA2Cb,u  
C;MAC1B,0B;MACA,oB;MC5bA,IAAI,ED+bQ,gBAAS,CC/bjB,CAAJ,C;QACI,cD8bsB,yCAAsC,YAAtC,M;QC  
7btB,MAAM,gCAAyB,OAAQ,WAAjC,C;;K;0CDgcV,a;MItXO,SJsXmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK,  
CAAT,GAAY,yBAAZ,GAAuC,iBAAa,eAAb,EAAuB,EAAvB,C;K;0CACxG,a;MIvXO,SJuXmC,eAAQ,CAAR,I;  
MAAD,OAA4B,KAAK,CAAT,GAAY,yBAAZ,GAAuC,gBAAy,eAAZ,EAAsB,YAAtB,EAA6B,EAA7B,C;K;IA  
EjE,gE;MACnC,gBA Ae,4BAAS,W;MACxB,YAAW,yB;K;2DAEX,Y;MAEI,OAAO,YAAO,CAAP,IAAY,aAAS,  
UAA5B,C;QACI,aAAS,O;QACT,6B;;K;yDAIR,Y;MACI,a;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,a;MAC  
A,OAAO,aAAS,U;K;;sCAnBxB,Y;MAAuC,oD;K;;IA6B3C,gD;MACI,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;M

ACnC,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;gEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;  
QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ  
,M;;;MAGR,iBAAY,C;K;8DAGhB,Y;MAMqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa,  
CAAjB,C;QACI,aCa,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;;;MAEX,OAAO,aAAS,O;K;iEAG  
pB,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;K;;2CAIC1C,Y;MA  
AuC,yD;K;;IAuCN,+C;MAAC,sB;MAAiC,gC;K;0CACnE,Y;MAAuC,4BAAiB,aAAO,WAAxB,EAAoC,kBAAPC  
,C;K;;IAGP,+C;MAAuE,2B;MAAtE,sB;MAAiC,gC;MACIE,kBAAuB,c;K;6CAEvB,Y;MACI,OAAO,aAAO,UAA  
d,C;QACI,WAAW,aAAO,O;QACIB,UAAU,mBAAY,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;UACI,  
mBAAQ,IAAR,C;UACA,M;;;MAIR,W;K;;IAKgC,0D;MAAC,wC;MAAuC,kC;K;IACrC,0E;MAAA,oD;MACnC,  
gBAAmB,I;MACnB,iBAAqB,E;K;oEAERB,Y;MACI,gBA Ae,mBAAa,EAAjB,GAAqB,+CAArB,GAA4C,2CAAa,  
4BAAb,C;MACvD,iBAAgB,qBAAJ,GAASB,CAAtB,GAA6B,C;K;8DAG7C,Y;MAMiB,Q;MALb,IAAI,iBAAY,C  
AAhB,C;QACI,iB;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,8D;MAEb,iBAAY,E;MACZ,  
OAAO,M;K;iEAGX,Y;MACI,IAAI,iBAAY,CAAhB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAx5B,Y;MAAu  
C,yD;K;;IA6B3C,kC;MAWI,OAAW,iDAAJ,GAawC,SAAXC,GAakD,4BAawB,SAAXB,C;K;IAeIb,uD;MAAA,  
qB;QAAE,6B;O;K;IAX7C,wC;MAWI,OAA2D,cAApD,sBAakB,YAAIB,EAAgC,qCAAhC,CAAoD,C;K;IAqBrC,  
iD;MAAA,mB;QAAE,mB;O;K;IAIB5B,gD;MAeI,OAAI,YAAJ,GACI,2BADJ,GAGI,sBAakB,+BAAIB,EAA4B,  
YAA5B,C;K;IAER,wD;MAcI,6BAakB,YAAIB,EAAgC,YAAhC,C;K;ILxpBJ,oB;MAAA,wB;MACI,8C;K;gCAE  
A,iB;MAA4C,oCAAmB,KAAM,U;K;kCACrE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;gFAEX,Y;MAAQ,Q;K;i  
CAC/B,Y;MAAkC,W;K;wCAClC,mB;MAAmD,Y;K;6CACnD,oB;MAAmE,OAAA,QAAS,U;K;kCAE5E,Y;MAA  
6C,kC;K;uCAE7C,Y;MAAiC,6B;K;;IAdrC,gC;MAAA,+B;QAAA,c;;MAAA,wB;K;IAkBA,oB;MAIoC,6B;K;IAE  
pC,2B;MAMmD,OAAI,QAAS,OAAT,GAAGB,CAApB,GAAGC,MAAT,QAAS,CAAhC,GAA6C,U;K;iFAEHG,yB  
;MAAA,mD;MAAA,mB;QAKwC,iB;O;KALxC,C;6FAOA,yB;MAAA,uE;MAAA,mB;QAQsD,2B;O;KARtD,C;I  
AUA,kC;MAKiE,OAAS,aAAT,QAAS,EAAa,qBAAc,YAAY,QAAS,OAARb,CAAd,CAAb,C;K;uFAE1E,yB;MA  
AA,2D;MAAA,mB;QAGgD,qB;O;KAHhD,C;IAKA,+B;MAC2D,OAAS,aAAT,QAAS,EAAa,eAAQ,YAAY,QA  
AS,OAARb,CAAR,CAAb,C;K;2FAEpE,yB;MAAA,uE;MAAA,mB;QAMwD,2B;O;KANxD,C;IAQA,iC;MAKmE,O  
AAS,aAAT,QAAS,EAAa,qBAAc,YAAY,QAAS,OAARb,CAAd,CAAb,C;K;IAE5E,+B;MAMyD,OAAI,eAAJ,GA  
AqB,MAAM,OAAN,CAArB,GAAYC,U;K;IAEIG,kC;MAQI,OAAGB,gBAAT,QAAS,EAAgB,sBAAhB,C;K;sFAG  
pB,yB;MavBA,uE;MbuBA,gC;QanB8B,gBAAnB,oB;QbqCiB,aS/CxB,W;QT+CA,OS9CO,SISwC,Q;O;KbmBnD,  
C;wFA0BA,yB;Ma1CA,wE;Mb0CA,0C;QatCsC,gBAA3B,mBb4DiB,Qa5DjB,C;Qb4D2B,aS7EIC,W;QT6EA,OS5  
EO,SIgBgD,Q;O;KbsC3D,C;sFA+BA,yB;MAAA,mD;MAAA,4B;QAEkD,uCAAQ,U;O;KAF1D,C;IAIA,wC;MA  
AgD,QAAM,cAAN,C;aAC5C,C;UAD4C,OACvC,U;aACL,C;UAF4C,OAEvC,MAAM,oBAAW,OAAjB,C;;UAFu  
C,OAGpC,S;;K;IKnKZ,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;I0KLA,yC;MzK4BI,IAAI,E  
yK3BI,OAAO,CAAP,IAAY,OAAO,CzK2BvB,CAAJ,C;QACI,cyK3BI,aAAJ,GACI,yEADJ,GAGI,8C;QzKyBJ,M  
AAM,gCAAYB,OAAQ,WAAjC,C;;K;IyKnBM,mI;MAAA,mB;QAAE,wBAAiB,gCAAjB,EAA6B,YAA7B,EAAM  
C,YAAnC,EAAyC,sBAAzC,EAAyD,mBAAzD,C;O;K;IAFtB,gF;MACI,oBAAoB,IAApB,EAA0B,IAA1B,C;MAC  
A,oCAAgB,6EAAhB,C;K;IAKyB,yL;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wC;MAAA,gD;MA  
AA,sD;MAAA,4D;MAAA,wB;MAAA,0B;MAAA,uB;MAAA,0B;MAAA,wB;MAAA,qB;MAAA,4B;MAAA,kC;  
K;;;2DAAA,Y;;;cACrB,4BAAiC,eAAL,uBAAK,EAAa,IAAb,C;+BACvB,0BAAO,uBAAP,I;cACV,IAAI,kBAA  
O,CAAX,C;oCACiB,iBAAa,qBAAb,C;kCACF,C;gBACD,6C;gBAAV,iB;;;sCAaa,gBAAc,qBAAd,C;gBACH,+C;  
gBAAV,gB;;;cAAA,KAAU,2BAAV,C;gBAAA,gB;;;cAAU,kC;cACN,mBAAO,WAAI,GAAJ,C;cACP,IAAI,m  
BAAO,SAAX,C;gBACI,IAAI,mBAAO,KAAP,GAAC,uBAAIB,C;kBAA0B,sBAAS,mBAAO,kBAAuB,uBAAvB,  
C;kBAA8B,gB;;;kBAAxE,gB;;;gBADJ,gB;;;cAGI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAA  
U,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,mBAAO,qBAAy,uBAAZ,C;cAJX,gB;;;cAFJ,gB;  
;cASA,IAAI,iCAAJ,C;gBACI,gB;;;gBADJ,iB;;;cACI,IAAO,mBAAO,KAAd,IAAqB,uBAARb,C;gBAAA,gB;;;c  
ACI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;  
cAAA,Q;;cACA,mBAAO,qBAAy,uBAAZ,C;cAFX,gB;;;cAIA,IjL4K4C,CiL5KxC,mBjL4KyC,UiL5K7C,C;gBA  
AyB,iB;gCAA,iCAAM,mBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAAzB,iB;;;cAjCR,W;;cA4BI,iB;;;c  
A1BJ,iB;;;cAGI,KAAU,yBAAV,C;gBAAA,iB;;;6BAAU,sB;cACN,IAAI,kBAAO,CAAX,C;gBAAGB,oCAAQ,CA

AR,I;gBAAW,iB;;;gBAA3B,iB;;;;cACA,iBAAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAAnB,C;g  
BACI,iB;gCAAA,iCAAM,iBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,iB;;;;cAEI,IAAI,8BAAJ,C;gBA  
AiB,iBAAO,Q;;gBAAa,oBAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;;cAHJ,iB;;;cASA,IjL+LgD,CiL/L  
5C,iBjL+L6C,UiL/LjD,C;gBACI,IAAI,qCAAKB,iBAAO,KAAP,KAAe,uBAArC,C;kBAA2C,iB;kCAAA,iCAAM,i  
BAAN,O;sBAAA,2C;2BAAA,yB;kBAAA,Q;;kBAA3C,iB;;;gBADJ,iB;;;;cAdJ,W;;cAcI,iB;;;cAZJ,iB;;;cAkCJ,W;  
;K;IARCyB,sI;MAAA,yD;uBAAA,6K;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAF7B,6E;MACI,IAAI,CAA  
C,QAAS,UAAAd,C;QAAyB,OAAO,2B;MACHC,OAAO,WAAkB,0EAAIB,C;K;IAwCwB,6B;MAA8B,uB;MAA7B,  
kB;MACHC,mBAA6B,C;MAC7B,eAAyB,C;K;2CAEzB,8B;MACI,+DAaKB,SAAIB,EAA6B,OAA7B,EAA5C,W  
AAK,KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;K;0CAGjB,iB;MACI,+DAaKB,KAAIB,EAA  
yB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAy,KAAZ,IAAL,C;K;qFAGY,Y;MAAQ,mB;K;;IASR,wC;MAAQd,u  
B;MAApD,sB;MzKrDxB,IAAI,EyKuDQ,cAAc,CzKvDtB,CAAJ,C;QACI,cyKsD2B,wE;QzKrD3B,MAAM,gCAA  
yB,OAAQ,WAAjC,C;;MAFV,IAAI,EyKwDQ,cAAc,aAAO,OzKxD7B,CAAJ,C;QACI,gByKuDqC,wFAA+E,aAA  
O,O;QzKiD3H,MAAM,gCAAyB,SAAQ,WAAjC,C;;MyK2DV,kBAAuB,aAAO,O;MAC9B,oBAA8B,C;MAE9B,s  
BAAyB,U;K;kFAAzB,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;uCAGA,iB;MAGW,Q;MAFP,+DAaKB,KAAIB,  
EAAyB,SAAzB,C;MAEA,OAAO,sBAmGmC,CAnG5B,iBAmG6B,GAnGV,KAmGU,IAAD,IAAa,eAnGhD,4D;K  
;kCAGX,Y;MAAe,qBAAQ,e;K;IAEgB,4D;MAAA,sC;MAAS,2B;MAC5C,eAAoB,oB;MACpB,eAAoB,4B;K;8D  
AEpB,Y;MAKgB,Q;MAJZ,IAAI,iBAAS,CAAb,C;QACI,W;;QAGA,mBAAQ,sCAAQ,YAAP,4DAAR,C;QACA,e  
AoFkC,CAPf1B,YAoF2B,GAPfB,CAoFa,IAAD,IAAa,+B;QANf/C,mC;;K;;oCAXZ,Y;MAAuC,kD;K;2CAGvC,i  
B;MAGiE,UAQ1C,MAROC,EAe1C,MAf0C,EAqBtD,M;MatBP,aACQ,KAAM,OAAN,GAAa,IAAK,KAAtB,GA  
AkC,UAAAN,KAAM,EAAO,IAAK,KAAZ,CAAIC,GAAyD,kD;MAE7D,WAAW,IAAK,K;MAEhB,WAAW,C;MA  
CX,UAAU,iB;MAEV,OAAO,OAAO,IAAP,IAAe,MAAM,eAA5B,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,g  
E;QACf,mB;QACA,iB;;MAGJ,MAAM,C;MACN,OAAO,OAAO,IAAd,C;QACI,OAAO,IAAP,IAAe,wBAAO,GA  
AP,gE;QACf,mB;QACA,iB;;MAEJ,IAAI,MAAO,OAAP,GAAC,IAAK,KAAvB,C;QAA6B,OAAO,IAAK,KAAZ,I  
AAoB,I;MAEjD,OAAO,uD;K;mCAGX,Y;MACI,OAAO,qBAAQ,gBAAa,SAAb,OAAR,C;K;4CAGX,uB;MAKI,k  
BAAoD,eAAjC,mBAAy,mBAAa,CAAzB,IAA8B,CAA9B,IAAiC,EAAa,WAAb,C;MACpD,gBAAoB,sBAAC,CA  
AlB,GAA4B,UAAP,aAAO,EAAO,WAAP,CAA5B,GAAQd,qBAAQ,gBAAa,WAAb,OAAR,C;MACrE,OAAO,eA  
AW,SAAX,EAA5B,SAAtB,C;K;qCAGX,mB;MAII,IAAI,aAAJ,C;QACI,MAAM,6BAAsB,qBAAtB,C;;MAGV,cA  
6B0C,CA7BnC,iBA6BoC,GA7BjB,SA6BiB,IAAD,IAAa,eA7BvD,IAAmC,O;MACnC,6B;K;+CAGJ,a;MzKhJA,I  
AAI,EyKoJQ,KAAK,CzKpJb,CAAJ,C;QACI,cyKmJkB,wC;QzKIjB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MAFV  
,IAAI,EyKqJQ,KAAK,SzKrJb,CAAJ,C;QACI,gByKoJqB,wEAA8D,S;QzKnJnF,MAAM,gCAAyB,SAAQ,WAAjC  
,C;;MyKqJN,IAAI,IAAI,CAAR,C;QACI,YAAy,iB;QACZ,UAGBsC,CAhB5B,KAgB6B,GAhBf,CAGBe,IAAD,IA  
Aa,e;QAdnD,IAAI,QAAQ,GAAZ,C;UACW,OAAP,aAAO,EAAK,IAAL,EAAW,KAAx,EAAkB,eAAIB,C;UACA,  
OAAP,aAAO,EAAK,IAAL,EAAW,CAAX,EAAc,GAAd,C;;UAEA,OAAP,aAAO,EAAK,IAAL,EAAW,KAAx,E  
AAkB,GAAIB,C;;QAGX,oBAAa,G;QACb,wBAAQ,CAAR,I;K;qCAKR,wB;MAC8C,QAAC,YAAO,CAAP,IAA  
D,IAAa,e;K;;IA9G3D,0C;MAAA,oD;MAA6B,uBAAK,gBAAMb,QAANb,OAAL,EAAmC,CAAnC,C;MAA7B,Y;  
K;ICvFJ,0C;MAIL,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB  
,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OtL+B4E,0BsL/BrE,kBAAM,CAAN,CtL0Q2B,KAAL,GAAiB,G  
A308B,EsL/B1D,KtL0QgB,KAAL,GAAiB,GA308B,CsL/BrE,IAAP,C;UACI,a;;QACJ,OtL6B4E,0BsL7BrE,kBA  
AM,CAAN,CtLwQ2B,KAAL,GAAiB,GA308B,EsL7B1D,KtLwQgB,KAAL,GAAiB,GA308B,CsL7BrE,IAAP,C;  
UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,  
CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,uC;MA  
GI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;Q  
ACI,UAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,UAAU,  
KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAIL,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM  
,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OpLM6E,0BoLNtE,  
kBAAM,CAAN,CpL0O2B,KAAL,GAAiB,KApO+B,EoLN3D,KpL0OgB,KAAL,GAAiB,KApO+B,CoLNtE,IAAP  
,C;UACI,a;;QACJ,OpLI6E,0BoLJtE,kBAAM,CAAN,CpLwO2B,KAAL,GAAiB,KApO+B,EoLJ3D,KpLwOgB,KA  
AL,GAAiB,KApO+B,CoLJtE,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;U

ACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UAC  
A,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,  
QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MA  
CJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;  
MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,K  
AAK,CAAZ,C;QACI,OrLnB8D,YqLmBvD,kBAAM,CAAN,CrLnBwE,KAAjB,EqLmB5C,KrLnByE,KAA7B,CqL  
mBvD,IAAP,C;UACI,a;;QACJ,OrLrB8D,YqLqBvD,kBAAM,CAAN,CrLrBwE,KAAjB,EqLqB5C,KrLrByE,KAA  
7B,CqLqBvD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,C  
AAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OA  
AO,C;K;IAGX,yC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,C  
AAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,K  
AAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR,QAAQ,K;M  
ACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QAC  
I,OrK5C+D,aqK4CxD,kBAAM,CAAN,CrK5C0E,KAAiB,EqK4C7C,KrK5C2E,KAA9B,CqK4CxD,IAAP,C;UACI  
,a;;QACJ,OrK9C+D,aqK8CxD,kBAAM,CAAN,CrK9C0E,KAAiB,EqK8C7C,KrK9C2E,KAA9B,CqK8CxD,IAAP,  
C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAA  
M,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;  
MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,  
C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YA  
AU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAKR,gD;MAI6E,UAAU,KAAV,EAAiB,SAAjB,EAA4B,UAA  
U,CAAV,IAA5B,C;K;IAC7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IAC  
7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IAC7E,gD;MAC6E,YAAU,K  
AAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IxK9I7E,0C;MF0BI,IAAI,EEjBI,SAAU,OAAV,GAAiB,  
CFiBrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAyB,OAAQ,WAAjC,C;;MEIBV,OAAO,oBAAoB,CAApB,E  
AAuB,CAAvB,EAA0B,SAA1B,C;K;IAGX,8C;MACe,Q;MAAX,wBAAW,SAAX,gB;QAAW,SAAA,SAAX,M;Q  
ACI,SAAS,GAAG,CAAH,C;QACT,SAAS,GAAG,CAAH,C;QACT,WAAW,cAAc,EAAd,EAaKB,EAaIB,C;QAC  
X,IAAI,SAAQ,CAAZ,C;UAAe,OAAO,I;;MAE1B,OAAO,C;K;sGAGX,yB;MAAA,8D;MAAA,iC;QASI,OAAO,c  
AAc,SAAS,CAAT,CAAd,EAA2B,SAAS,CAAT,CAA3B,C;O;KATX,C;sGAYA,sC;MASI,OAAO,UAAW,SAAQ,  
SAAS,CAAT,CAAR,EAAqB,SAAS,CAAT,CAArB,C;K;IAAtB,6B;MAWY,Q;MALR,IAAI,MAAM,CAAV,C;QA  
Aa,OAAO,C;MACpB,IAAI,SAAJ,C;QAAe,OAAO,E;MActB,IAAI,SAAJ,C;QAAe,OAAO,C;MAGtB,OAA8B,iB  
AAtB,mDAAsB,EAAU,CAAV,C;K;IAaZ,6C;MAAA,uB;QAAU,2BAAoB,CAApB,EAAuB,CAAvB,EAA0B,iBA  
A1B,C;O;K;IAVhC,8B;MF7CI,IAAI,EEsDI,SAAU,OAAV,GAAiB,CfIdrB,CAAJ,C;QACI,cAda,qB;QAeb,MAA  
M,gCAAyB,OAAQ,WAAjC,C;;MEqDV,OAAO,eAAW,2BAAX,C;K;0FAIX,yB;MAAA,sC;MAAA,oC;MAAA,u  
BAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,E  
AA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MAPf,2B;QAOI,sBAAW,0BAAX,C;O;KAPJ,C;0FASA,yB;M  
AAA,oC;MAQe,gE;QAAA,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAIC,OA1Dd,UAAW,SAAQ,SA0DW,C  
A1DX,CAAR,EAAqB,SA0DC,CA1DD,CAArB,C;S;O;MAkDtB,uC;QAQI,sBAAW,sCAAX,C;O;KARJ,C;4GAU  
A,yB;MAAA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/  
Ed,cAAc,SA+EGb,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MAPf,2B;QAOI,sBAAW,o  
CAAX,C;O;KAPJ,C;8GASA,yB;MAAA,oC;MAUe,0E;QAAA,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAIC  
,OA/Ed,UAAW,SAAQ,SA+EW,CA/EX,CAAR,EAAqB,SA+EC,CA/ED,CAArB,C;S;O;MAqEtB,uC;QAUI,sBAA  
W,gDAAX,C;O;KAVJ,C;kFAYA,yB;MAAA,sC;MAAA,oC;MAAA,oBAQe,yB;QA9Gf,8D;eA8Ge,yC;UAAA,uB;  
YACP,sBAAsB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;YACIC,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OA  
A0B,e;;cAAqB,eAAsB,gB;cAArE,OA+GG,cAAc,SAuG8C,CAvG9C,CAAd,EAA2B,SAuGoC,CAvGpC,CAA3B,  
C;;YAsGH,W;W;S;OADO,C;MARf,sC;QAQI,sBAAW,kCAAX,C;O;KARJ,C;oFAaA,yB;MAAA,oC;MAQe,0E;Q  
AAA,uB;UACP,sBAAsB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;UACIC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;Y  
AAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OA+GG,UAAW,SAAQ,SAwGyC,CAXGzC,CA  
AR,EAAqB,SAwG+B,CAXG/B,CAArB,C;;UAuGd,W;S;O;MATR,kD;QAQI,sBAAW,8CAAX,C;O;KARJ,C;sGAa

A,yB;MAAA,sC;MAAA,oC;MAAA,8BAQe,yB;QAxIf,8D;eAwIe,mD;UAAA,uB;YACP,sBAAsB,qBAAsB,SAA Q,CAAR,EAAW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cA ArE,OAjIG,cAAc,SaiI8C,CAjI9C,CAAd,EAA2B,SaiIoC,CAjIpC,CAA3B,C;;YAgIH,W;W;S;OADO,C;MARf,sC ;QAQI,sBAAW,4CAAX,C;O;KARJ,C;wGAaA,yB;MAAA,oC;MAQe,8F;QAAA,uB;UACP,sBAAsB,qBAAsB,SA AQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,k B;YAAtB,eAAkC,gB;YAAjF,OAIIG,UAAW,SAAQ,SakIyC,CAIzC,CAAR,EAAqB,SakI+B,CAII/B,CAArB,C;; UAiId,W;S;O;MATR,kD;QAQI,sBAAW,wDAAX,C;O;KARJ,C;kGAcA,yB;MAAA,oC;MAOe,wE;QAAA,uB;UA CP,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;UAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+ C,mBAAW,CAAX,EAAc,CAAd,C;S;O;MATvD,wC;QAOI,sBAAW,4CAAX,C;O;KAPJ,C;IAmBe,oD;MAAA,uB ;QACP,sBAAsB,SAAU,SAAQ,CAAR,EAAW,CAAX,C;QAAhC,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA +C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IATIE,uC;MAOI,sBAAW,kCAAX,C;K;IAYc,wE;MAAA,uB;Q ACV,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;QAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GA A+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IATIE,+C;MAOI,sBAAc,4CAAd,C;K;IAaW,+C;MAAA,uB;Q AEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OAeIB,E;aACb,c;UAHJ,OAGiB,C;;UAHjB,OAIY,kBAA W,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAZ/B,gC;MAOI,sBAAW,6BAAX,C;K;4FASJ,yB;MAAA,4D;MAAA,w D;MAAA,mB;QAOqE,kBAAW,cAAX,C;O;KAPrE,C;IAgBe,8C;MAAA,uB;QAEH,UAAM,CAAN,C;UADJ,OAC e,C;aACX,c;UAFJ,OAeIB,C;aACb,c;UAHJ,OAGiB,E;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O ;K;IAZ/B,+B;MAOI,sBAAW,4BAAX,C;K;0FASJ,yB;MAAA,4D;MAAA,sD;MAAA,mB;QAOoE,iBAAU,cAAV, C;O;KAPpE,C;IASA,wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IAE5F,wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IAE5F, gC;MAM+D,IAEJ,IAFI,EAGJ,M;MAFvD,kBAD2D,SAC3D,sB;QADqD,OAC5B,SAAK,W;WAC9B,WAF2D,SA E3D,wC;QAFqD,OAEE,4F;WACvD,WAH2D,SAG3D,wC;QAHqD,OAGE,gG;;QAHF,OAI7C,uBAAmB,SAAnB, C;K;IAIuB,wC;MAAC,4B;K;2CACChC,gB;MAAwC,OAAA,eAAW,SAAQ,CAAR,EAAW,CAAX,C;K;4CACnD,Y ;MACgC,sB;K;;IAGpC,kC;MAAA,sC;K;+CACI,gB;MAAoE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDACtE, Y;MAC8C,2C;K;;IAHID,8C;MAAA,6C;QAAA,4B;;MAAA,sC;K;IAMA,kC;MAAA,sC;K;+CACI,gB;MAAoE,O AAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDACtE,Y;MAC8C,2C;K;;IAHID,8C;MAAA,6C;QAAA,4B;;MAAA,sC; K;8EyKjTA,4B;MAUI,OAAK,iBAAL,SAAK,EAAU,KAAV,C;K;ICTT,iC;K;;;oDayDI,0C;MAiB+D,oB;QAAA, 2C;aAjB/D,kG;K;;IAoBJ,uC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,qC;MAAA,wC;O;MASI,4E;MAMA,8E;M AOA,4E;MAOA,kE;K;;IApBA,mD;MAAA,2B;MAAA,2C;K;;IAMA,oD;MAAA,2B;MAAA,4C;K;;IAOA,mD;M AAA,2B;MAAA,2C;K;;IAOA,8C;MAAA,2B;MAAA,sC;K;;IA7BJ,iC;MAAA,+K;K;;IAAA,sC;MAAA,a;aaaa,c; UAAA,gD;aAAA,e;UAAA,iD;aAAA,c;UAAA,gD;aAAA,S;UAAA,2C;;UAAA,oE;;K;;oFAqCA,mB;K;;; ;I7HmBiD,gD;MAAA,oB;QACzC,WAAW,sBAAmB,YAAF,CAAE,CAAnB,C;QACX,cAAM,IAAN,C;QADA,O AEA,IAAK,a;O;K;;;IAtHb,+B;K;;iFAUA,yB;MAAA,4B;MAAA,mC;QAMI,6BDgDQ,WChDkB,KDgDIB,CChD R,C;O;KANJ,C;2GAQA,yB;MAAA,4B;MDgDQ,kD;MChDR,uC;QAOI,6BDgDQ,WAAO,cChDW,SDgDX,CAAP ,CChDR,C;O;KAPJ,C;+FAUA,yB;MAAA,kC;MAAA,mD;MAAA,yE;QASI,sC;QAAA,4C;O;MATJ,iGAWY,Y;Q AAQ,2B;OAXpB,E;MAAA,0DAaQ,kB;QACI,wBAAW,MAAX,C;O;MAZ,sF;MAAA,sC;QASI,0D;O;KATJ,C;I AiBA,gD;MAaI,4BAA0D,YAAzC,wCAA6B,UAA7B,CAAYC,CAA1D,EAAyE,yBAAzE,C;K;IAEJ,4D;MAcI,4B AAoE,YAAAnD,0CAA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAApE,EAAmF,yBAAAnF,C;K;IAEJ,+C;MAU6C,Y AAzC,wCAA6B,UAA7B,CAAYC,CAtEzC,oBDgDQ,WCSBsD,kBDtBtD,CChDR,C;K;IAyEJ,2D;MAWuD,YAAAn D,0CAA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAPFnD,oBDgDQ,WCoCgE,kBDpChE,CChDR,C;K;IAuFJ,+C;M AYI,OAA6C,8BAAtC,c;K;8EZX,yB;MAAA,oE;MAAA,6E;MAYiD,gD;QAAA,oB;UACzC,WAAW,sBAAmB, YAAF,CAAE,CAAnB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAAK,a;S;O;MAfb,sC;QAYW,mBAAc,8BAAt C,6B;QAAP,OAAO,kD;O;KAZX,C;qGA0BI,yB;MAAA,2D;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;O; KADV,C;;M8HzIA,yC;;IAAA,uC;MAAA,2C;K;;;IAAA,mD;MAAA,kD;QAAA,iC;;MAAA,2C;K;+EAKBA,wB;K ;oDAaA,e;MAK2C,IAAI,IAAJ,EAGK,M;MAL5C,IAAI,+CAAJ,C;QAEI,OAAW,GAAl,kBAAS,IAAK,IAAd,CA AR,GAA4B,cAAI,OA AJ,GAAl,iBAAQ,IAAR,CAAJ,yCAA5B,GAAyD,I;;MAGpE,OAAW,8CAA4B,GAAhC,GA AqC,8EAArC,GAAoD,I;K;yDAI/D,e;MAGI,IAAI,+CAAJ,C;QACI,OAAW,GAAl,kBAAS,IAAK,IAAd,CAAJ,IA A0B,GAAl,iBAAQ,IAAR,CAAJ,QAA9B,GAAyD,mCAAzD,GAAoF,I;;MAE/F,OAAW,8CAA4B,GAAhC,GAAq C,mCAArC,GAAgE,I;K;;;ICtChD,oD;MACf,cAAc,GAAl,kBAAS,OAAQ,IAAJB,C;MACIB,IAAI,YAAY,mCAA

hB,C;QADA,OACuC,O;;QAEnC,kBAaKB,oBAAQ,yCAAR,C;QACIB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,O  
AAhB,EAAYB,OAAzB,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,o  
BAAgB,OAAhB,EAAYB,WAAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAsB,OAAtB,CAAhB,EAAGD,W  
AAhD,C;;;K;8CAdxB,mB;MAKI,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4B  
AAX,C;K;;;qDAiCz,e;MAEyB,Q;MADrB,OACI,OAAA,IAAK,IAAL,EAAY,GAZ,CAAJ,GAAqB,0EAArB,G  
AAoC,I;K;sDAExC,8B;MACI,iBAAU,OAAV,EAAMB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,OAAA,IAAK,IAAL,E  
AAY,GAZ,CAAJ,GAAqB,mCAArB,GAAgD,I;K;;;IC1DP,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAiCe,wD  
;MAEjE,kC;MAEA,4BAAqC,mDAAJ,GAAkD,OAAQ,qBAA1D,GAA0E,O;K;4DAE3G,mB;MAA6C,+BAAS,OA  
AT,C;K;6DAC7C,e;MAA8C,eAAQ,IAAR,IAAgB,8BAAE,G;K;;IAGjF,+C;MAW2C,IAAI,IAAJ,EAGV,M;MAL7  
B,IAAI,+CAAJ,C;QAEI,OAAW,GAAL,kBAAS,SAAK,IAAd,CAAR,GAA4B,cAAI,OAAJ,GAAL,iBAAQ,SAAR,C  
AAJ,yCAA5B,GAAYD,I;;MAGpE,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mFAAtB,GAAqC,I;K;IAGhD,6C  
;MAUI,IAAI,+CAAJ,C;QACI,OAAW,GAAL,kBAAS,SAAK,IAAd,CAAJ,IAA0B,GAAL,iBAAQ,SAAR,CAAJ,QA  
A9B,GAAYD,mCAAzD,GAAoF,S;;MAE/F,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mCAAtB,GAAiD,S;K;I  
AG5D,iC;MAAA,qC;MAKI,4B;K;oDACA,Y;MAAiC,0C;K;kDAEjC,e;MAAYD,W;K;mDACzD,8B;MAA4E,c;K;  
mDAC5E,mB;MAAwE,c;K;uDACxE,e;MAA8D,W;K;+CAC9D,Y;MAAsC,Q;K;+CACtC,Y;MAAYC,8B;K;;;IAb7  
C,6C;MAAA,4C;QAAA,2B;;MAAA,qC;K;IAqB8B,wC;MAC1B,kB;MACA,wB;K;4CAGA,e;MAGQ,Q;MAFJ,U  
AAU,I;MACV,OAAO,IAAP,C;QACI,YAAA,GAAL,UAAJ,aAAY,GAZ,W;UAAwB,W;;QACxB,WAAW,GAAL,  
O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,iBAAK,GAAL,C;;;K;6CAKnB,8B;MACI,iBAAU,WAA  
K,cAAK,OAAL,EAAC,SAAd,CAAF,EAAYC,cAAzC,C;K;iDAEJ,e;UAGW,I;MAFP,+BAAQ,GAAR,U;QAAoB,O  
AAO,W;;MAC3B,cAAc,WAAK,kBAAS,GAAT,C;MAEf,gBAAY,WAAZ,C;QAAoB,W;WACpB,gBAAY,mCAA  
Z,C;QAAqC,qB;;QAC7B,2BAAgB,OAAhB,EAAYB,cAAzB,C;MAHZ,W;K;uCAOJ,Y;MAIc,IAAI,IAAJ,Q;MAH  
V,UAAU,I;MACV,WAAW,C;MACX,OAAO,IAAP,C;QACU,uBAAI,OAAJ,GAAL,OAAJ,gC;QAAA,mB;UAAgC  
,OAAO,I;;QAA7C,MAAM,M;QACN,mB;;K;2CAIR,mB;MACI,+BAAI,OAAQ,IAAZ,GAAoB,OAAPB,C;K;8CA  
EJ,mB;MAQ4B,Q;MAPxB,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAL,UAAb,CAAL,C;  
UAA4B,OAAO,K;QACnC,WAAW,GAAL,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,0EA  
AT,C;;;K;uCAKnB,iB;MACI,gBAAS,KAAT,KAaKB,yCAA4B,KAAM,SAAN,KAAgB,aaA5C,IAAsD,KAAM,e  
AAY,IAAZ,CAA9E,C;K;yCAEJ,Y;MAA+B,OAAK,SAAL,WAAK,CAAL,GAA0B,SAAR,cAAQ,CAA1B,I;K;IA  
GZ,uD;MACX,OAAI,G5JyHoC,YAAU,C4JzHID,GAAMB,OAAQ,WAA3B,GAA6C,GAAL,UAAQ,O;K;yCAF3D  
,Y;MACI,aAAM,kBAAK,EAAL,EAAS,+BAAT,CAAN,GAEL,G;K;IAMO,8E;MAAA,6B;QAAyB,Q;QAAT,iBA  
AS,sBAAT,EAAS,8BAAT,UAAoB,O;QAAQ,W;O;K;+CAJ3D,Y;MAOsB,Q;MANIB,QAAQ,a;MACR,eAAe,gBA  
A+B,CAA/B,O;MACf,gBAAY,CAAZ,C;MACA,kBAAK,kBAAL,EAAW,oDAAX,C;M/KtFJ,IAAI,E+KuFM,YA  
AS,C/KvFf,CAAJ,C;QACI,cAdW,e;QAEX,MAAM,6BAAsB,OAAQ,WAA9B,C;;M+KuFN,OAAO,+BAAW,qDA  
AX,C;K;IAGa,8C;MACpB,kD;MADqB,wB;K;IACrB,gD;MAAA,oD;MACI,4B;K;;;IADJ,4D;MAAA,2D;QAAA,0  
C;;MAAA,oD;K;yDAIA,Y;MAA0C,gBAAT,a;M7Lm9YrB,Q;MADhB,kB6Ll9YmD,mC;M7Lm9YnD,wBAAgB,S  
AAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAwB,yBAAa,OAAb,C;;M6Ln9YT,O7Lo9Y9B,W;K;;;I8LtoZX,o  
E;MA4BI,MAAM,wBAAoB,sEAApB,C;K;8GA5BV,yB;MAAA,2D;MAAA,sC;QA4BI,MAAM,6BAAoB,sEAAp  
B,C;O;KA5BV,C;IA0CoC,mC;MAAQ,4D;K;IAE5C,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;  
O;MAK0C,oG;MAAqB,gF;MAAW,4E;K;IAAhC,+D;MAAA,gC;MAAA,uD;K;;IAAqB,qD;MAAA,gC;MAAA,6  
C;K;;IAAW,mD;MAAA,gC;MAAA,2C;K;;IAL1E,sC;MAAA,sJ;K;;IAAA,2C;MAAA,a;aaa,qB;UAAA,4D;aA  
AA,W;UAAA,kD;aAAA,S;UAAA,gD;;UAAA,qF;;K;;6ECnDA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA  
3B,SAAL,GAAuB,KAAS,C;O;KAHvF,C;2EAKA,yB;MAAA,0B;MAAA,mC;QAGqD,OAAgC,OAA1B,SAAL,G  
AAsB,KAAS,C;O;KAHf,C;6EAKA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,  
C;O;KAHvF,C;6EAKA,yB;MAAA,0B;MAAA,4B;QAGqC,OAAqB,OAAP,CAAR,SAAE,C;O;KAH1D,C;+EAMA  
,yB;MAAA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;6EAKA,yB;MAAA,4  
B;MAAA,mC;QAGwD,OAAgC,QAA1B,SAAL,GAAsB,KAAS,C;O;KAHxF,C;+EAKA,yB;MAAA,4B;MAAA,m  
C;QAGyD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;+EAKA,yB;MAAA,4B;MAAA,4B;QAGuC,O  
AAqB,QAAP,CAAR,SAAE,C;O;KAH5D,C;ICpCA,qC;K;;ICAA,mB;K;;IAOA,iB;K;;IAOA,2C;K;;IAOA,wB;K;;I  
AQA,0B;K;;IAOA,sB;K;;IAOA,4B;K;;IAOA,6C;K;;IA+BuC,wE;MAEnC,uB;QAAA,UAsB,E;MACTB,qB;QAA

A,8B;MACA,2B;QAAA,qE;MACA,yB;QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0  
B;K;;IAGJ,iD;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,+C;MAAA,kD;O;MAKI,wG;MACA,wG;MACA,8F;K;;I  
AFA,iE;MAAA,qC;MAAA,yD;K;;IACA,iE;MAAA,qC;MAAA,yD;K;;IACA,4D;MAAA,qC;MAAA,oD;K;;IAPJ,2  
C;MAAA,6K;K;;IAAA,gD;MAAA,a;aAAA,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;;UAAA,6E;;  
K;;IAUA,wB;K;;ICjGA,qB;MAAA,yB;K;0CAII,Y;MAO6D,uB;K;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F  
;MAAA,6F;MAAA,4E;QAUI,wC;QAAS,2C;O;MAVb,mEAWQ,wC;QAA6E,sBAAS,QAAT,EAAmB,QAAnB,EA  
A6B,QAA7B,C;O;MAXrF,oG;MAAA,yC;QAUI,wDAA+B,YAA/B,C;O;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,  
kC;MAAA,wF;MAAA,yF;MAAA,0E;QAcI,wC;QAAS,2C;O;MADB,kEAeQ,wC;QAAuF,6BAAS,QAAT,EAAmB,  
QAAnB,EAA6B,QAA7B,C;O;MAf/F,kG;MAAA,yC;QAcI,sDAA+B,YAA/B,C;O;KADJ,C;;;IA3BJ,iC;MAAA,gC;  
QAAA,e;;MAAA,yB;K;IAGDiC,sB;MAC7B,eAAwB,I;K;4CAExB,6B;MACW,Q;MAAA,mB;MAAA,iB;QAAS,M  
AAM,6BAAsB,cAAY,QAAS,aAArB,uCAAtB,C;;MAAtB,OAAO,I;K;4CAGX,oC;MACI,eAAa,K;K;;;;kDC9CjB,  
6B;;K;;;;;;iEA+CA,6B;;K;;ICrDuC,0C;MACvC,uBAAoB,Y;K;wDAEpB,wC;MAM6F,W;K;uDAE7F,wC;K;oDA  
MA,6B;MACI,OAAO,oB;K;oDAGX,oC;MACI,eAAe,IAAK,gB;MACpB,IAAI,CAAC,0BAAa,QAAb,EAAuB,QA  
AvB,EAAiC,KAAjC,CAAL,C;QACI,M;;MAEJ,uBAAa,K;MACb,yBAAy,QAaz,EAAb,QAAtB,EAAgC,KAAh  
C,C;K;;4EC9BR,wC;MAqBI,OAAO,e;K;4EAGX,+C;MAuBI,cAAI,KAAJ,C;K;4EAIJ,wC;MAMBI,OAAO,cAAI,  
OAAJ,C;K;4EAGX,+C;MAqBI,cAAI,OAAJ,EAAa,KAAb,C;K;IC/FJ,kB;MA6PI,4B;K;+BAtoA,Y;MAOiC,6BAA  
S,EAAT,C;K;uCAEjC,iB;MAW2C,4BAAQ,CAAR,EAaw,KAAX,C;K;uCAE3C,uB;MAakB,Q;MAHd,iBAaiB,I  
AAjB,EAAuB,KAAvB,C;MACA,QAAQ,QAAQ,IAAR,I;MACR,IAAI,IAAI,CAAJ,IAAS,MAAK,WAAIB,C;QAC  
c,IAAI,MAAM,CAAC,CAAD,IAAN,OAAy,CAAhB,C;UACN,eAAe,SAAS,CAAT,C;UAcF,6BAAS,QAAT,C;;U  
AEA,K;;YAEI,WAAW,cAAU,KAAK,C;YAC1B,IAAI,OAAO,C;;UACN,gBAAO,CAAP,IAAY,CAAZ,GAAGB,C  
AAhB,SAAqB,CAArB,C;UACT,Q;;QATJ,c;QAWA,OAAO,OAAO,GAAP,I;;QAEP,OAAO,IAAP,C;UACI,YAA  
U,c;UACV,IAAW,IAAP,qBAakB,KAAtB,C;YAA6B,OAAO,K;;K;gCAKhD,Y;MAOmC,OAAU,oBAAV,cAAU,  
CAAS,WAAI,EAAJ,CAAnB,yBAA6B,cAA7B,E;K;wCAEnC,iB;MAW8C,iCAAY,KAAZ,C;K;wCAE9C,uB;MAi  
BkB,Q;MAPd,mBAAiB,IAAjB,EAAuB,KAAvB,C;MACA,QAAQ,eAAQ,IAAR,C;MACR,IAAI,eAAI,CAAR,C;Q  
ACI,O;QACA,IAAI,aAAO,CAAD,aAAN,GAAY,CAAZ,CAAJ,C;UACI,WAAW,CAAE,Q;UACb,YAAa,qBAAO,  
EAAP,CAAW,Q;UAEpB,aAAQ,CAAR,C;YACI,eAAe,SAAS,IAAT,C;YAEf,OAAmB,oBAAAnB,sBAAS,QAAT,C  
AAmB,CAAnB,iB;iBAEJ,cAAS,CAAT,C;YAEI,OAAU,oBAAV,cAAU,CAAV,iB;;YAEA,iBAAE,SAAS,KAAT,  
C;YACf,OAAmB,oBAAAnB,sBAAS,UAAT,CAAmB,CAAS,WAAI,EAAJ,CAA5B,KAAiD,oBAAV,cAAU,CAAV,  
iBAAvC,C;;UAXR,U;;UAeA,K;;YAEI,WAAW,eAAW,oBAAK,CAAL,C;YAcTb,IAAI,YAAO,CAAP,C;;UACC,s  
BAAO,CAAP,MAAY,+BAAI,CAAJ,EAaz,eAAqB,CAArB,C;UACT,MAAM,C;;QAEP,OAAO,SAAO,GAAP,C;  
;QAEP,OAAO,IAAP,C;UACI,YAAU,e;UACV,IAAW,IAAP,0CAakB,KAAIB,CAAJ,C;YAA6B,OAAO,K;;K;m  
CAKhD,Y;MAKyC,6BAAS,CAAT,MAAE,C;K;kCAExD,Y;MAKuC,uBAAgB,sBAAS,EAAT,CAAhB,EAA8B,sB  
AAS,EAAT,CAA9B,C;K;0CAEvC,iB;MASoD,+BAAW,GAAX,EAAGB,KAAhB,C;K;0CAEpD,uB;MAcY,Q;MA  
FR,mBAAiB,IAAjB,EAAuB,KAAvB,C;MACA,WAAW,QAAQ,I;MACX,IAAS,WAAI,IAAK,CAAL,IAA0B,SA  
AL,IAAK,CAA1B,IAA8C,SAAN,KAAM,CAAI,D,C;QACJ,SAAS,qBAAgB,QAAQ,CAAR,GAAY,OAAO,CAAn  
C,C;QACT,cAAO,EAAP,GAAY,E;;QAEZ,cAAO,oBAAe,I;;MAJ1B,Y;MAMA,OAAW,KAAK,KAAT,GAAsB,S  
AAN,KAAM,CAAtB,GAAsC,C;K;iCAGjD,Y;MAKqC,6BAAS,EAAT,IAA0B,Q;K;IAWK,oF;MAAA,mB;QAAE,  
uBAAa,iBAAb,sBAAqC,eAArC,+BAAqE,aAAM,OAA3E,M;O;K;iDATtE,qC;MxLjLA,IAAI,EwL0LqB,CAAb,8  
BAAgB,KAAM,OxL1L9B,GwL0LiD,CAAX,0BAAc,KAAM,OxL1L1D,GwL0LsC,KxL1LtC,CAAJ,C;QACI,cwL  
yLgE,kDxLzLID,E;QACd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MAFV,IAAI,EwL2LQ,aAAa,OxL3LrB,CAAJ,C;  
QACI,gBwL0LgC,mF;QxLzLhC,MAAM,gCAAyB,SAAQ,WAAjC,C;;MwL2LN,YAAy,CAAC,UAAU,SAAV,IA  
AD,IAAwB,CAAxB,I;MAEZ,mBAAe,SAAf,C;MrLzEJ,iBAAc,CAAd,UqL0EW,KrL1EX,U;QqL2EQ,QAAQ,c;Q  
ACR,MAAM,UAAO,IAAoB,OAAF,CAAE,C;QACpB,MAAM,aAAW,CAAX,IAAN,IAAgC,OAAV,CAAE,KAA  
K,CAAG,C;QACChC,MAAM,aAAW,CAAX,IAAN,IAAiC,OAAx,CAAE,KAAK,EAAL,C;QACjC,MAAM,aAAW,  
CAAX,IAAN,IAAiC,OAAx,CAAE,KAAK,EAAL,C;QACjC,0BAAy,CAAZ,I;;MAGJ,gBAAgB,UAAU,UAAV,I;  
MACHB,SAAS,sBAAS,YAAy,CAAZ,IAAT,C;MACT,aAAU,CAAV,MAakB,SAIb,M;QACI,MAAM,aAAW,C  
AAX,IAAN,IAAQ,C,OAAf,EAAG,MAAK,IAAI,CAAJ,IAAL,CAAY,C;;MAGzC,OAAO,K;K;yCACX,uD;MAvB4  
C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,KAAM,O;aARrF,0H;K;yCAiCA,iB;MAOyD,8BAAU,KAAV,E

AAiB,CAAjB,EAAoB,KAAM,OAA1B,C;K;yCAEzD,gB;MAKkD,8BAAU,cAAU,IAAV,CAAV,C;K;IAGID,0B;  
MAAA,8B;MAO2B,iB;MACvB,uBAAoC,uB;K;IAEpC,qC;MAAA,yC;MACI,4B;K;wDAEA,Y;MAAiC,mC;K;;I  
AHRc,iD;MAAA,gD;QAAA,+B;;MAAA,yC;K;8CAMA,Y;MAAkC,8C;K;gDAEIC,oB;MAA4C,OAAA,oBAAc,k  
BAAS,QAAT,C;K;uCAC1D,Y;MAA8B,OAAA,oBAAc,U;K;+CAC5C,iB;MAAwC,OAAA,oBAAc,iBAAQ,KAA  
R,C;K;+CACtD,uB;MAAmD,OAAA,oBAAc,iBAAQ,IAAR,EAAc,KAAc,C;K;wCAEjE,Y;MAAgC,OAAA,oBAA  
c,W;K;gDAC9C,iB;MAA2C,OAAA,oBAAc,kBAAS,KAAT,C;K;gDACzD,uB;MAAuD,OAAA,oBAAc,kBAAS,I  
AAT,EAAe,KAAf,C;K;2CAErE,Y;MAAsC,OAAA,oBAAc,c;K;0CAEpD,Y;MAAoC,OAAA,oBAAc,a;K;kDACID  
,iB;MAAiD,OAAA,oBAAc,oBAAW,KAAx,C;K;kDAC/D,uB;MAA+D,OAAA,oBAAc,oBAAW,IAAX,EAAiB,K  
AAjB,C;K;yCAE7E,Y;MAAkC,OAAA,oBAAc,Y;K;iDAEhD,iB;MAAsD,OAAA,oBAAc,mBAAU,KAAV,C;K;iD  
ACpE,gB;MAA+C,OAAA,oBAAc,mBAAU,IAAV,C;K;yDAC7D,qC;MACI,OAAA,oBAAc,mBAAU,KAAV,EA  
AiB,SAAjB,EAA4B,OAA5B,C;K;;IAtCtB,sC;MAAA,qC;QAAA,oB;;MAAA,8B;K;;IAOcj,wB;MAAuC,yBAAa,I  
AAb,EAAmB,IAAK,IAAI,EAA5B,C;K;IAEvC,wB;MAawC,yBAAa,IAAK,QAA1B,EAA2B,IAAK,YAAI,EAAJ,C  
AAQ,QAAxC,C;K;IAGxC,mC;MAUI,IAAA,KAAM,UAAN,C;QAAMB,MAAM,gCAAYB,uCAAoC,KAA7D,C;  
WACzB,IAAA,KAAM,KAAN,GAAa,UAAb,C;QAF8C,OAEhB,0BAAQ,KAAM,MAAd,EAAqB,KAAM,KAAN,  
GAAa,CAAb,IAArB,C;WAC9B,IAAA,KAAM,MAAN,GAAC,WAAd,C;QAH8C,OAGf,0BAAQ,KAAM,MAAN,  
GAAC,CAAd,IAAR,EAAyB,KAAM,KAA/B,IAAuC,CAAvC,I;;QAHe,OAIc,mB;K;IAGZ,oC;MAUI,IAAA,KAA  
M,UAAN,C;QAAMB,MAAM,gCAAYB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,+C;QAFiD,OAEiB,2  
BAAS,KAAM,MAAf,EAA5B,KAAM,KAAN,yBAAa,CAAb,EAAtB,C;WAC/B,IAAA,KAAM,MAAN,+C;QAHi  
D,OAGjB,2BAAS,KAAM,MAAN,8BAAC,CAAd,EAAT,EAA0B,KAAM,KAAhC,0BAAwC,CAAxC,E;;QAHiB,  
OAIzC,oB;K;IAOZ,yB;MAAyC,YjFrTkB,MAAO,OiFqTpB,KjFrToB,CiFqTzB,I;K;IAEzC,4C;MAEI,OAAA,SAA  
K,KAAK,EAAL,GAAU,QAAf,GAAyC,CAAX,CAAC,QAAD,IAAW,KAAI,E;K;IAEjD,uC;MxLTVI,IAAI,EwLsV  
uD,QAAQ,IxLTV/D,CAAJ,C;QACI,cwLqVuE,+B;QxLpVvE,MAAM,gCAAYB,OAAQ,WAAjC,C;;K;IwLqVd,yC;  
MxLvVI,IAAI,EwLuVyD,sBAAQ,IAAR,KxLvVzD,CAAJ,C;QACI,cwLsVyE,+B;QxLrVzE,MAAM,gCAAYB,OA  
AQ,WAAjC,C;;K;IwLsVd,yC;MxLxVI,IAAI,EwLwV6D,QAAQ,IxLxVrE,CAAJ,C;QACI,cwLwV6E,+B;QxLTV7E  
,MAAM,gCAAYB,OAAQ,WAAjC,C;;K;IwLwVd,yC;MAAyD,oCAA0B,IAA1B,qBAAiC,KAAjC,kB;K;ICrXzD,6  
B;MAOqC,OpMmYE,SoMnYF,mBpMmYE,C;K;IoMjYvC,sC;MASgD,6BAAS,WAAT,EAAa,KAAb,C;K;IAEhD  
,4C;MAUI,qBAAqB,IAArB,EAA2B,KAA3B,C;MAEA,iBAAiB,IpMqQgB,KoMrQhB,GAAiB,W;MACiC,kBAAk  
B,KpMoQe,KoMpQf,GAakB,W;MAEpC,mBAAmB,0BAAQ,UAAR,EAAoB,WAAPB,IAAqC,W;MACxD,OpMs  
WmC,SoMtW5B,YpMsW4B,C;K;IoMnWvC,sC;MAWI,IAAA,KAAM,UAAN,C;QAAMB,MAAM,gCAAYB,uCA  
AoC,KAA7D,C;;QACzB,IpMGkE,YoMHIE,KAAM,KpMG6E,KAAjB,EoMHRD,4BAAK,UpMG6E,KAA7B,CoM  
HIE,K;UAFiD,OAEiB,sBAAS,KAAM,MAAf,EpMqBsB,SoMrBA,KAAM,KpMqBI,KAAK,GAAW,CoMrBb,Wp  
MqBa,MAAX,IAAf,CoMrBtB,C;;UAC/B,IpMEkE,YoMFIE,KAAM,MpME6E,KAAjB,EoMFPD,4BAAK,UpME4  
E,KAA7B,CoMFIE,K;YAHiD,OpMuBI,SoMpBrB,sBpMiCsB,SoMjCb,KAAM,MpMiCiB,KAAK,GAAY,CoMjC1  
B,WpMiC0B,MAAZ,IAAf,CoMjCtB,EAA2B,KAAM,KAAjC,CpMoB+B,KAAK,GAAW,CoMpBN,WpMoBM,M  
AAX,IAAf,C;;YoMvBJ,OAIzC,mB;;K;IAGZ,8B;MAOuC,OpL0VG,UoL1VH,oBpL0VG,C;K;IoLxV1C,uC;MAS  
mD,8BAAU,2BAAV,EAAe,KAAf,C;K;IAEnD,6C;MAUI,sBAAsB,IAAtB,EAA4B,KAA5B,C;MAEA,iBAAiB,Ip  
LwNkB,KoLxNIB,8B;MACjB,kBAAkB,KpLuNiB,KoLvNjB,8B;MAEiB,mBAAmB,2BAAS,UAAT,EAAqB,WA  
ArB,+B;MACnB,OpL6TsC,UoL7T/B,YpL6T+B,C;K;IoL1T1C,uC;MAWI,IAAA,KAAM,UAAN,C;QAAMB,MA  
AM,gCAAYB,uCAAoC,KAA7D,C;;QACzB,IpL7CmE,aoL6CnE,KAAM,KpL7C+E,KAAiB,EoL6CtD,6BAAM,Up  
L7C8E,KAA9B,CoL6CnE,K;UAFoD,OAEpB,uBAAU,KAAM,MAAhB,EpLhCuB,UoLgCA,KAAM,KpLhCK,KA  
AK,KAAW,ChBsQ7C,UAAW,oBAAL,CoMtOyB,WpMsOzB,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,  
CoLgCvB,C;;UACHC,IpL9CmE,aoL8CnE,KAAM,MpL9C+E,KAAiB,EoL8CrD,6BAAM,UpL9C6E,KAA9B,CoL  
8CnE,K;YAHoD,OpL9BG,UoLiCtB,uBpLpBuB,UoLoBb,KAAM,MpLpBkB,KAAK,UAAy,ChByP/C,UAAW,oB  
AAL,CoMrOc,WpMqOd,MAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,CoLoBvB,EAA4B,KAAM,KAAiC,Cp  
LjCiC,KAAK,KAAW,ChBsQ7C,UAAW,oBAAL,CoMrOgC,WpMqOhC,MAAK,CAAL,iBAAN,CgBtQ6C,MAA  
X,CAAhB,C;;YoL8BH,OAI5C,oB;;K;IAGZ,sC;MAQI,4BAAU,KjK4+FH,QiK5+FP,C;MACA,OAAO,K;K;IAGX  
,uC;MAKsD,OjK2iG3C,eiK3iG2C,4BAAU,IAAV,CjK2iG3C,C;K;IiKziGX,4D;MAOGD,yB;QAAA,YAAiB,C;M  
AAG,uB;QAAA,UAAe,KAAM,K;MACrF,4BAAU,KjKy9FH,QiKz9FP,EAA+B,SAA/B,EAA0C,OAA1C,C;MAC

A,OAAO,K;K;IAIX,2C;MzLrHI,IAAI,EX2B8D,YoM0FD,KpM1FkB,KAAjB,EoM0FO,IpM1FsB,KAA7B,CoM0F  
D,IzLrH7D,CAAJ,C;QACI,cyLoH6E,+B;QzLnH7E,MAAM,gCAAYB,OAAQ,WAAjC,C;;K;IyLoHd,4C;MzLrHI,I  
AAI,EKMc+D,aoLmFC,KpLnFiB,KAAIB,EoLmFS,IpLnFqB,KAA9B,CoLmFC,IzLrHhE,CAAJ,C;QACI,cyLqHg  
F,+B;QzLpHhF,MAAM,gCAAYB,OAAQ,WAAjC,C;;K;I0LpBc,6C;MAcxB,oC;MA/BA,iB;MANA,Y;MACA,Y;  
MACA,Y;MACA,Y;MACA,Y;MACA,sB;M1LYA,IAAI,E0LLQ,CAAC,WAAK,QAAL,GAAU,QAAV,GAAe,QA  
Af,GAAoB,QAARb,MAA2B,C1LKnC,CAAJ,C;QACI,c0LNwC,wD;QILOxC,MAAM,gCAAYB,OAAQ,WAAjC,  
C;;MGoHV,iBAAc,CAAd,UuLxHW,EvLwHX,U;QuLxHiB,c;;K;qCAGjB,Y;MAGI,QAAQ,Q;MACR,IAAI,IAAO,  
MAAO,C;MACIB,WAAI,Q;MACJ,WAAI,Q;MACJ,WAAI,Q;MACJ,SAAS,Q;MACT,WAAI,E;MACJ,IAAK,IAA  
O,KAAM,CAAd,GAAaB,EAAtB,GAA8B,MAAO,C;MACzC,WAAI,C;MACJ,gCAAU,MAAV,I;MACA,OAAO,I  
AAI,aAAJ,I;K;8CAGX,oB;MACI,OAAU,cAAV,cAAU,EAAC,QAAd,C;K;IAEd,kC;MAAA,sC;MACI,4B;K;;IAD  
J,8C;MAAA,6C;QAAA,4B;;MAAA,sC;K;;IA7BA,gD;MAAA,sD;MACQ,yBAAK,KAAL,EAAY,KAAZ,EAAMb,  
CAAnB,EAAsB,CAAtB,EAA+B,CAAN,KAazB,EAAuC,SAAU,EAAX,GAAoB,UAAW,CAAR,E,C;MADR,Y;K;I  
CbiD,8C;MACjD,4B;MACA,0C;K;oEADA,Y;MAAA,2B;K;2EACA,Y;MAAA,kC;K;uCAGA,iB;MACI,OAAO,0  
CAAgC,kBAaA,KAAM,UAAAnB,KAC/B,mBAAS,KAAM,MAAf,KAAwB,0BAAGB,KAAM,aAAtB,CADO,CAA  
hC,C;K;yCAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,MAAW,SAAN,UAAAM,CAAX,QAAqC,SAAb,iBA  
Aa,CAAR,C,I;K;yCAGIC,Y;MAAkC,OAAE,UAAf,qBAAU,iB;K;;IAGhD,kC;MAM6E,2BAAGB,SAAhB,EAAsB,I  
AAtB,C;K;;0DAYzE,iB;MAA2C,qCAAIb,UAAjB,EAAwB,KAAxB,KAAkC,8BAAiB,KAAjB,EAAwB,iBAAXB,  
C;K;iDAC7E,Y;MAAkC,QAAC,8BAAiB,UAAjB,EAAwB,iBAAXB,C;K;;IACr,gD;MAI3B,gBAAqB,K;MACrB,u  
BAA4B,Y;K;0FACD,Y;MAAQ,oB;K;iGACD,Y;MAAQ,2B;K;2DAE1C,gB;MAA+D,YAAK,C;K;mDAEpE,iB;M  
AAgD,gBAAS,aAAT,IAAmB,SAAS,oB;K;0CAC5E,Y;MAAkC,SAAE,iBAAU,oBAAZ,C;K;yCAEIC,iB;MACI,O  
AAO,4CAA+B,kBAaA,KAAM,UAAAnB,KAC9B,kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADnB,CA  
A/B,C;K;2CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAA  
c,CAAvC,I;K;2CAGIC,Y;MAAkC,OAAE,aAAf,qBAAW,oB;K;;IAGjD,oC;MAOqF,6BAAkB,SAIb,EAAwB,IA  
AxB,C;K;IAQvD,+C;MAI1B,gBAAqB,K;MACrB,uBAA4B,Y;K;yFACF,Y;MAAQ,oB;K;gGACD,Y;MAAQ,2B;  
K;0DAEzC,gB;MAA6D,YAAK,C;K;kDAEIE,iB;MAA+C,gBAAS,aAAT,IAAmB,SAAS,oB;K;yCAC3E,Y;MAAk  
C,SAAE,iBAAU,oBAAZ,C;K;wCAEIC,iB;MACI,OAAO,2CAA8B,kBAaA,KAAM,UAAAnB,KAC7B,kBAAU,KA  
AM,SAAhB,IAA0B,yBAAiB,KAAM,gBADpB,CAA9B,C;K;0CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAu  
B,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAC,CAAvC,I;K;0CAGIC,Y;MAAkC,OAAE,aAAf,qBAAW,o  
B;K;;IAGjD,oC;MAOkF,4BAAiB,SAAjB,EAAuB,IAAvB,C;K;oFAGIF,8B;MAQI,0BAAMb,2BAAS,OAAT,C;K;  
IAGvB,+C;MACI,IAAI,CAAC,UAAAL,C;QAAiB,MAAM,gCAAYB,iCAA8B,IAA9B,iBAAZB,C;K;IC5I3B,gC;MA  
cW,Q;MADP,IAAI,CAAC,6BAAW,KAAX,CAAL,C;QAAwB,MAAM,uBAAMb,sC/EjBzC,oB+EiByC,CAAnB,C  
;;MAC9B,OAAO,sD;K;IAMX,oC;MAAkC,Q;MAA9B,OAAW,6BAAW,KAAX,CAAJ,GAAuB,sDAAvB,GAAuC,  
I;K;;;;ICvBhB,yC;MA2B9B,uC;MA1BA,wB;MAIA,gB;M7LQA,IAAI,E6LDS,iBAAY,IAAb,MAAuB,iBAAvB,  
C7LCR,CAAJ,C;QACI,c6LDQ,iBAAY,IAAhB,GACI,8CADJ,GAGI,sCAA0B,aAA1B,qC;Q7LDR,MAAM,gCAA  
yB,OAAQ,WAAjC,C;;K;yC6LKV,Y;MAAwC,Q;MAAA,oB;MACpC,iB;QAD8B,OACtB,G;WACR,oD;QAF8B,O  
AEF,SAAL,SAAK,C;WAC5B,6C;QAH8B,OAGd,iBAAK,SAAL,C;WACHB,8C;QAJ8B,OAIb,kBAAM,SAAN,C;;  
QAJa,mC;K;IAOIC,qC;MAAA,yC;MACI,YAGqC,oBAAgB,IAAhB,EAAsB,IAAtB,C;K;iGAQJ,Y;MAAQ,gB;K;4  
DAEzC,gB;MAOI,8DAAqC,IAArC,C;K;gEAEJ,gB;MAMI,uDAA8B,IAA9B,C;K;4DAEJ,gB;MAMI,wDAA+B,I  
AA/B,C;K;;IArCR,iD;MAAA,gD;QAAA,+B;;MAAA,yC;K;;2CArCJ,Y;MAWI,oB;K;2CAXJ,Y;MAeI,gB;K;6CA  
fJ,0B;MAAA,2BAWI,8CAXJ,EAeI,kCAfJ,C;K;yCAAA,Y;MAAA,c;MAWI,yD;MAIA,qD;MAfJ,a;K;uCAAA,iB;  
MAAA,4IAWI,4CAXJ,IAeI,oCAfJ,I;K;ICLA,kC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,gC;MAAA,mC;O;MA  
YI,4D;MAKA,8C;MAKA,gD;K;;IAVA,2C;MAAA,sB;MAAA,mC;K;;IAKA,oC;MAAA,sB;MAAA,4B;K;;IAKA,  
qC;MAAA,sB;MAAA,6B;K;;IAtBJ,4B;MAAA,mG;K;;IAAA,iC;MAAA,a;AAAA,W;UAAA,wC;aAAA,I;UAAA,i  
C;aAAA,K;UAAA,kC;;UAAA,6D;;K;;6ECAA,yB;MAAA,4F;MAAA,2B;QASI,MAAM,mCAA8B,0EAA9B,C;O;  
KATV,C;ICkCA,+D;MAaW,Q;MAAP,OAAO,8CAA0,KAAP,EAAC,UAAAd,EAA0B,QAA1B,oC;K;IAGX,kC;MA  
liB,Q;MAAb,wBAaA,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;mFAGX,qB  
;MAGwD,gCAA0,EAAP,C;K;qFAExD,4B;MAG4E,OAAA,yBAAO,KAAP,CALpB,gBAAO,EAAP,C;K;qFAOx  
D,4B;MAGmE,OAAA,yBAAO,KAAP,CAVX,gBAAO,EAAP,C;K;IAxD,wD;MAEQ,sB;QAAqB,yBAAO,UAA

U,OAAV,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAMb,yBAAO,kBAAP,C;;QACX,yBA Ae,SAAR,OAAQ,CAAf,C;K;IIL7EhB,+B;MAY6B,kBAAIB,QAAQ,SAAR,EAAC,EAAd,C;MACH,IX0EE,WWIE E,GAAK,CAAT,C;QAAY,MAAM,gCAAYB,oEAAzB,C;MADtB,OX4EO,W;K;IWvEX,wC;MAGBW,Q;MAAA,q CAAiB,KAAjB,C;MAAA,iB;QAA2B,MAAM,gCAAYB,8BAAO,SAAP,4CAA+C,KAAxE,C;;MAAXC,OAAO,I;K ;IAGX,qC;MAY6B,kBAAIB,QAAQ,SAAR,EAAC,EAAd,C;MAAP,OXmEqB,WWnEa,IAAM,CXmEjC,GAAqB, WAArB,GAA+B,I;K;IWhE1C,8C;MAGBI,WAAW,KAAx,C;MAC4B,kBAArB,QAAQ,SAAR,EAAC,KAAd,C;M AAP,OX+CqB,WW/CgB,IAAM,CX+CpC,GAAqB,WAArB,GAA+B,I;K;IW5C1C,gC;MAWI,IAAY,CAAR,8BA AW,CAAF,C;QACI,OAAO,YAAM,SAAN,C;;MAEX,MAAM,gCAAYB,SAAM,SAAN,4BAAzB,C;K;IAGV,yC;M AkBW,Q;MANP,IAAI,EAAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,oBAAiB,KAAjB,4CAAzB, C;;MAEV,IAAI,YAAO,CAAP,IAAY,aAAQ,KAAxB,C;QACI,MAAM,gCAAYB,WAAQ,SAAR,mDAAwD,KAAj F,C;;MAEH,IAAI,YAAO,EAAX,C;QACH,mBAAM,SAAN,C;;QAEA,0BAAM,SAAN,IAAa,EAAb,C;;MAHJ,W; K;IAuFJ,8B;MAWSc,+B;K;0EAEtC,4B;MAM8D,OAAK,oBAAL,SAAK,CAAL,GAakB,K;K;IAEHf,gD;MAQoC ,0B;QAAA,aAAsB,K;MACtD,IAAI,cAAQ,KAAZ,C;QAAMb,OAAO,I;MAC1B,IAAI,CAAC,UAAAL,C;QAAiB,O AAO,K;MAExB,gBAAqB,cAAL,SAAK,C;MACrB,iBAAuB,cAAN,KAAM,C;MAEHb,yBAAa,U;MAAb,U;QAA 2B,OfRMyB,oBEqMzB,SFrMyB,CAAY,cAfrB,YAAY,CAAZ,CEoNhB,KFrMyB,oBEqMI,UFrMJ,CAAY,cAfrB, YAAY,CAAZ,C;;MEoNID,W;K;IAGJ,gC;MAGyC,QAAQ,cAAA,sCAAK,cAAL,EAAoB,sCAAK,cAAzB,CAAR, 6B;K;ImL3OzC,6C;Mac6B,4B;QAAA,eAAuB,G;MACHD,wCAAsB,EAAtB,EAA0B,YAA1B,C;K;IAEJ,mE;MA KwC,yB;QAAA,YAAoB,E;MAAI,4B;QAAA,eAAuB,G;MjMGnF,IAAI,CmBwR+C,CAAC,Q8K1R5C,Y9K0R4C, CnBxRpD,C;QACI,ciMHiC,wC;QjMjC,MAAM,gCAAYB,OAAQ,WAAjC,C;;MiMHV,cAAY,gB;MAEC,yBAAS, mBAAS,YAAA,SAAU,OAAV,EAAMb,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAlB,C;MA0E9D, gBAAGb,iBA1ET,OA0ES,C;M3Lg7CT,kBAAoB,gB;MAoSd,gB;MADb,YAAY,C;MACC,O2L9xDN,O3L8xDM, W;kBAAb,OAAa,cAAb,C;QAAA,sB;QA1RsB,U;QAAA,cA0RT,oBAAMb,cAAnB,EAAMb,sBAAnB,U;Q2L/sDl B,kB;;YAHA,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q3LktDG,I2LltDH,C;UAC5C,a;;UAEA,4B;UA9E+B,u B;;Y/KgHzB,kC;YAAA,wBZ6qDyC,IY7qDzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAAd,gE;cACI,I+KjHkD,CA Al,aAAH,U/KiHrC,YZ4qDqC,IY5qDrC,YAAK,OAAL,E+KjHqC,CAAG,C/KiHtD,C;gBACI,sBAAO,O;gBAAP, wB;;;YAGR,sBAAO,E;;U+KrHH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I;IBACjC,IAAK,a3LyxD0C,I2L zxD1C,gBAAyB,uBAAzB,CAAL,C;YAJJ,2B3L6xDmD,IOjmDsB,WoLxLI,0BAAuC,mBAAvC,IpLwLJ,C;;YoL5 LzE,2BAKY,I;;UAYER,iE9LJD,yB8LIC,4B3L+sD+C,I;;QA1RpB,8B;UAA6C,6B;;M2LpgDhF,OAIkFk,S3Lo7CE, W2Lp7CF,EAAO,mBAAC,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAvET,+B;MAeyC,gCAAC,EAAd,C;K;IA EzC,6C;MAGgC,yB;QAAA,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;M3LurBL,kBAAS,gB;MA2FA,U;MAAA,S2 LhxBM,O3LgxBN,W;MAAhB,OAAGb,gBAAhB,C;QAAGB,2B;QAAM,Ia3hB6B,CAAC,Qb2hBhB,Oa3hBgB,Cb 2hB9B,C;UAAwB,WAAy,WAAI,OAAJ,C;;M2L9wBrD,kB3L+wBE,W;MAMrBA,oBAAM,iBAAa,qCAAwB,EA AxB,CAAb,C;MAuEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAA,wB;QACT,aAAY,uBAAC,IAAd,E;;M2L5gD hB,sBAASB,CAGjB,oB3L0gDE,a2L1gDF,CAHiB,mBAGF,C;MAEP,yBAAS,mBAAS,YAAA,SAAU,OAAV,EA AmB,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAlB,C;MAMc9D,gBAAGb,iBAnCT,OAmCS,C;M3 Lg7CT,oBAAoB,gB;MAoSd,kB;MADb,YAAY,C;MACC,S2LvDN,O3LuvDM,W;MAAb,OAAa,gBAAb,C;QAA a,0B;QA1RsB,U;QAAA,cA0RT,oBAAMb,cAAnB,EAAMb,sBAAnB,U;Q2L/sDIB,kB;Q3Lq7C2B,c2Lx7C3B,CA AC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q3LktDG,M2LltDH,C3Lw7CjB,G2Lv7C3B,I3Lu7C2B,G2Lr7C3B,oBA xCmG,Q3LuvDpD,M2LvDoD,kBAwCnG,Y9LJD,yB8LIC,4B3L+sD+C,MA1RpB,U;UAA6C,+B;;M2L79ChF,O A0CK,S3Lo7CE,a2Lp7CF,EAAO,mBAAC,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAjCI,8C;MAAA,qB;QAE G,IAAG,QAAG,EAAG,CAAG,C;UAEQ,IAAG,EAAG,OAAG,GAAY,cAAO,OAAnB,C;YAHZ,OAGyC,c;;YAHZ C,OAIoB,E;;UAJpB,OAoy,iBAAS,E;O;K;IAfjC,0C;MAKgC,sB;QAAA,SAAiB,M;MAC7C,OAYK,eAXA,OAD L,uBACK,EAAl,4BAAJ,CAWA,EAAa,IAAb,C;K;IAET,gC;MAAwC,uB;;Q/KmDtB,gC;QAAA,gC;QAAA,mB;Q AAA,kB;QAAA,kB;QAAd,0D;UACI,I+KpD+C,CAAI,aAAH,U/KoDIC,iCAAK,KAAL,E+KpDkC,CAAG,C/KoD nD,C;YACI,sBAAO,K;YAAP,wB;;QAGR,sBAAO,E;;Mf3CA,4B;M8Lb6B,OAA8C,OAAM,EAAV,GAAC,gBA Ad,GAA0B,E;K;IAGpF,wC;MAAkB,W;K;IAC9B,oD;MAAA,uB;QAAkB,wBAAS,I;O;K;IAFvC,mC;MACI,IAA A,M9KkMgD,YAAU,C8KIM1D,C;QAD4C,OACxB,wB;;QADwB,OAEPc,kC;K;mBAGZ,yB;M3L86CA,+D;MA oSA,wE;M2LltDA,sF;QAKI,gBAAGB,2B;Q3Lg7CT,kBAAoB,gB;QAoSd,gB;QADb,YAAY,C;QACC,2B;QAAb,

OAAa,cAAb,C;UAAa,sB;UA1RsB,U;UAAA,cA0RT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;U2L/sDIB,kB;U3Lq  
7C2B,c2Lx7C3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q3LktDG,I2LltDH,C3Lw7CjB,G2Lv7C3B,I3Lu7C  
2B,G2Lr7C3B,sC3L+sD+C,I2L/sD/C,a9LJD,yB8LIC,4B3L+sD+C,IA1RpB,U;YAA6C,6B;;Q2Lz7ChF,OAMK,S3  
Lo7CE,W2Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;O;KAbT,C;6EvEkSA,0B;MAGmE,O  
AAA,SAAK,gBAAO,GAAP,C;K;qFAExE,yB;MAAA,yD;MAAA,gC;QAO2B,gBAAhB,oB;QAAsB,avHrU7B,W;  
QuHqUA,OvHpUO,SuHoUqC,W;O;KAPhD,C;uFAUA,yB;MAAA,iE;MAAA,0C;QAQmC,gBAAXB,mBAAc,QA  
Ad,C;QAA8B,avHhVrC,W;QuHgVA,OvH/uo,SuH+U6C,W;O;KARxD,C;IAWA,oC;MAliB,Q;MAAb,wBAAa,K  
AAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IAGX,oC;MAliB,Q;MAAb,wBAAa  
,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;qFAGX,qB;MAG8D,gCAAO,EA  
AP,C;K;qFAE9D,4B;MAGkF,OAAA,yBAAO,KAAP,CALpB,gBAAO,EAAP,C;K;qFAO9D,4B;MAG4E,OAAA,y  
BAAO,KAAP,CAVd,gBAAO,EAAP,C;K;qFAY9D,4B;MAGyE,OAAA,yBAAO,KAAP,CAfX,gBAAO,EAAP,C;  
K;qFAiB9D,4B;MAG8E,OAAA,yBAAO,KAAP,CAPhB,gBAAO,EAAP,C;K;qFAsB9D,4B;MAGyE,OAAA,yB  
AAO,KAAP,CAzBX,gBAAO,EAAP,C;K;qFA2B9D,4B;MAG4E,OAAA,yBAAO,KAAP,CA9Bd,gBAAO,EAAP,  
C;K;I/H/a9D,iC;MAK0C,iCAAqB,EAARb,C;K;IAE1C,0C;MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;M  
AAL,iB;QAA2B,OAAO,I;;MAA5C,UAAU,I;MACV,IAAI,MAAM,sCAAK,UAAW,IAAwB,MAAM,sCAAK,UA  
AvC,C;QAAkD,OAAO,I;MACzD,OAAW,OAAJ,GAAL,C;K;IAGf,kC;MAK4C,kCAAsB,EAAtB,C;K;IAE5C,2C;  
MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;;MAA5C,UAAU,I;MACV,IAAI  
,MAAM,uCAAM,UAAZ,IAAYB,MAAM,uCAAM,UAAzC,C;QAAoD,OAAO,I;MAC3D,OAAW,QAAJ,GAAL,C;  
K;IAGf,gC;MAKwC,gCAAoB,EAAPb,C;K;IAExC,yC;MAQI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,  
IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAGB,qBAAK,CAAL,C;MACH  
B,IAAI,YAAY,EAAb,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAEExB,QAAQ,C;QAER,IAAI,cAAa,E  
AAjB,C;UACI,aAAa,I;UACb,QAAQ,W;eACL,IAAI,cAAa,EAajB,C;UACH,aAAa,K;UACb,QAAQ,W;;UAER,O  
AAO,I;;QAEEX,QAAQ,C;QACR,aAAa,K;QACb,QAAQ,W;;MAIZ,uBAAuB,S;MAEvB,qBAAQb,gB;MACrB,aAA  
a,C;MACb,aAAU,KAaV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAaiB,KAAjB,C;QA  
EZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACTB,IAAI,SAAS,cAAb,C;UACI,IAAI,mBAaKb,gBAAtB,C;YACI,i  
BAAiB,QAAQ,KAAR,I;YAEjB,IAAI,SAAS,cAAb,C;cACI,OAAO,I;;YAGX,OAAO,I;;QAlf,6BAAU,KAaV,C;  
QAEA,IAAI,UAAAS,QAAQ,KAAR,IAAT,CAAJ,C;UAA4B,OAAO,I;QAEEnC,kBAAU,KAaV,I;;MAGJ,OAAW,U  
AAJ,GAAGB,MAAhB,GAA4B,CAAC,MAAD,I;K;IAGvC,iC;MAK0C,iCAAqB,EAARb,C;K;IAE1C,0C;MAQI,W  
AAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MA  
CA,S;MAEA,gBAAGB,qBAAK,CAAL,C;MACHB,IAAI,YAAY,EAAb,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,  
OAAO,I;QAEExB,QAAQ,C;QAER,IAAI,cAAa,EAajB,C;UACI,aAAa,I;UACb,gC;eACG,IAAI,cAAa,EAajB,C;U  
ACH,aAAa,K;UACb,6B;;UAEA,OAAO,I;;QAEEX,QAAQ,C;QACR,aAAa,K;QACb,6B;;MAIJ,2C;MAEA,qBAAq  
B,gB;MACrB,e;MACA,aAAU,KAaV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAaiB,K  
AAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACTB,IAAI,uBAAS,cAAT,KAaj,C;UACI,IAAI,uBAaK  
B,gBAAIB,CAAJ,C;YACI,iBAAiB,8BAAQ,KAAR,E;YAEjB,IAAI,uBAAS,cAAT,KAaj,C;cACI,OAAO,I;;YAG  
X,OAAO,I;;QAlf,6CAAU,KAaV,E;QAEA,IAAI,uBAAS,8BAAQ,KAAR,EAAT,KAaj,C;UAA4B,OAAO,I;QAE  
nC,6CAAU,KAaV,E;;MAGJ,OAAW,UAAJ,GAAGB,MAAhB,GAA6B,MAAD,a;K;IAIvC,kC;MAAyD,MAAM,0  
BAAsB,6BAA0B,KAA1B,MAAtB,C;K;uEwBhI/D,yB;MAAA,oC;MAAA,uC;QAIi,iBAAiB,C;QACjB,eAAe,mB  
AAS,CAAT,I;QACf,iBAAiB,K;QAEjB,OAAO,cAAc,QAARb,C;UACI,YAAGB,CAAC,UAAL,GAAiB,UAAjB,G  
AAiC,Q;UAC7C,YAAY,UAAU,iCAAk,KAAL,EAaV,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAA  
L,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;QAIz,O  
AAO,8BAAY,UAAZ,EAaWb,WAAW,CAAX,IAAxB,C;O;KAZBX,C;yEA4BA,yB;MAAA,8B;MA5BA,oC;MA4  
BA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QA5BD,iBAAiB,C;QACjB,eAAe,qBAAS,CAAT,I;QACf,iBAAiB,K;QAEj  
B,OAAO,cAAc,QAARb,C;UACI,YAAGB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAsBwB,SATBZ,CA  
AU,mCAAK,KAAL,EAaV,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0B  
AAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;QAWZ,OAPO,gCAAY,UAAZ,EA  
AwB,WAAW,CAAX,IAAxB,CAOGC,W;O;KAJ3C,C;iFAMA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIuB,UA  
AL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI

,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;QAEf,OA  
AAO,E;O;KARX,C;mFAWA,yB;MAAA,8B;MAXA,mD;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;Q  
AAsB,oB;;UAXJ,kC;UAAA,qBAAL,WAAK,C;UAAL,qB;UAAA,oB;UAAA,oB;UAAAd,0D;YACI,IAAI,CAUyB,  
SAVxB,CAAU,mCAAK,KAAL,EAAV,CAAL,C;cACI,mBAAO,gCAAY,KAAZ,EAAmB,kBAAnB,C;cAAP,qB;;  
UAER,mBAAO,E;;;QAOP,OAA4C,2B;O;KAJhD,C;6EAMA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;Q  
AIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,CAA  
C,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;;QAEf,OA  
AO,E;O;KARX,C;+EAWA,yB;MAAA,8B;MAXA,mD;MAAA,+C;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBA  
AtB,2D;QAAsB,kB;;UAXT,U;UAAA,SAAa,SAAR,YAAL,WAAK,CAAQ,CAAb,W;UAAAd,OAAc,gBAAd,C;YA  
Ac,yB;YACV,IAAI,CAUuB,SAVtB,CAAU,mCAAK,KAAL,EAAV,CAAL,C;cACI,iBAAO,gCAAY,CAAZ,EAAe  
,QAAQ,CAAR,IAAf,C;cAAP,mB;;UAER,iBAAO,E;;;QAOP,OAA0C,yB;O;KAJ9C,C;IAMA,kC;MAhEI,iBAAiB  
,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAAR,B,C;QACI,YAAgB,CAAC,UA  
AL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YA6DgE,4BA7D1C,iCAAK,KAAL,EA6D0C,E;QA3DhE,IAAI,CAAC,U  
AAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K  
;;YAEA,sBAAY,CAAZ,I;;MAkDiD,OA9CtD,8BAAY,UAAZ,EAawB,WAAW,CAAX,IAAxB,C;K;IAGDX,kC;  
MAzCK,Q;MAAsB,kBAAtB,2D;MA5BD,iBAAiB,C;MACjB,eAAe,qBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,O  
AAO,cAAc,QAAR,B,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YAkEoD,4BAIE9B,mCA  
AK,KAAL,EAkE8B,E;QAhEpD,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAA  
c,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;MAuDqC,OAnD1C,gCAAY,UAAZ,E  
AAwB,WAAW,CAAX,IAAxB,CAOgC,W;K;IA8C3C,uC;MAGsE,oB;;QA3C/C,gC;QAAA,gC;QAAL,mB;QAAA  
,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CA0CsE,4BA1C3D,iCAAK,KAAL,EA0C2D,EA1C1E,C;YACI,mBAAO,8  
BAAY,KAAZ,EAAmB,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MAuC2D,uB;K;IAEtE,uC;MAICK,Q;MAAs  
B,kBAAtB,2D;MAAsB,oB;;QAXJ,kC;QAAA,wBAAL,WAAK,C;QAAL,qB;QAAA,oB;QAAA,oB;QAAd,0D;UA  
CI,IAAI,CA+C0D,4BA/C/C,mCAAK,KAAL,EA+C+C,EA/C9D,C;YACI,mBAAO,gCAAY,KAAZ,EAAmB,kBA  
AnB,C;YAAP,qB;;QAER,mBAAO,E;;;MA4C+C,OArCV,2B;K;IAuChD,qC;MAGoE,kB;;QApCID,Q;QAAA,OA  
Aa,WAAR,yBAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,CAmCkE,4BAnCvD,iCAAK,KAAL,  
EAmCuD,EAnCtE,C;YACI,iBAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;  
MAGCyD,qB;K;IAEpE,qC;MA3BK,Q;MAAsB,kBAAtB,2D;MAAsB,kB;;QAXT,U;QAAA,SAAa,WAAR,eAAL,  
WAAK,CAAQ,CAAb,W;QAAd,OAAc,gBAAd,C;UAAc,yB;UACV,IAAI,CAwCsD,4BAxC3C,mCAAK,KAAL,E  
AwC2C,EAxC1D,C;YACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;  
MAqC6C,OA9BV,yB;K;IAGC9C,2B;MA9FI,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEj  
B,OAAO,cAAc,QAAR,B,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,mCAAsB,iCAAK,K  
AAL,EAAtB,E;QAEA,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;  
;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;MAGf+B,OA5EpC,8BAAY,UAAZ,EAawB,W  
AAW,CAAX,IAAxB,C;K;yEA8EX,yB;MAAA,8B;MAAA,qC;MAAA,4B;QAI2C,Q;QAAD,OAAuB,KAAtB,2DA  
AsB,CAAO,W;O;KAJxE,C;IAMA,gC;MAGoD,oB;;QAI1E7B,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QA  
Ad,0D;UACI,IAAI,wBAAW,iCAAK,KAAL,EAAX,EAJ,C;YACI,mBAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C  
;YAAP,qB;;QAER,mBAAO,E;;;MAsEyC,uB;K;mFAEpD,yB;MAAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAA  
D,OAAuB,UAAtB,2DAAsB,CAAY,W;O;KAJIF,C;IAMA,8B;MAGkD,kB;;QApEhC,Q;QAAA,OAAa,WAAR,yB  
AAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,wBAAW,iCAAK,KAAL,EAAX,EAJ,C;YACI,iB  
AAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAGeUC,qB;K;+EAEID,yB;  
MAAA,8B;MAAA,2C;MAAA,4B;QAI8C,Q;QAAD,OAAuB,QAAtB,2DAAsB,CAAU,W;O;KAJ9E,C;IAMA,8C;  
MAU8C,uB;QAAA,UAAgB,E;MAO5C,Q;MANd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAj  
B,wBAAzB,C;MACV,IAAI,UAAU,SAAK,OAAAnB,C;QACI,OAAAY,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,  
OAApB,C;MAEhB,SAAS,mBAAc,MAAd,C;MACK,gBAAS,SAAK,OAAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAA  
G,gBAAO,OAAP,C;MACP,EAAG,gBAAO,SAAP,C;MACH,OAAO,E;K;IAGX,gD;MASwC,uB;QAAA,UAAgB,  
E;MACnD,Q;MAAD,OAAuB,SAAtB,6DAAsB,EAAS,MAAT,EAiB,OAAjB,CAA0B,W;K;IAErD,4C;MAU4C,u  
B;QAAA,UAAgB,E;MAQ1C,Q;MAPd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB

,C;MACV,IAAI,UAAU,SAAK,OAAAnB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAApB,C;MAEhB,SAAS,mBAAC,MAAd,C;MACT,EAAG,gBAAO,SAAP,C;MACW,gBAAS,SAAK,OAAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,OAAO,E;K;IAGX,8C;MASsC,uB;QAAA,UAAgB,E;MACjD,Q;MAAD,OAAuB,OAAtB,6DAAsB,EAAO,MAAP,EAAe,OAaf,CAAwB,W;K;2FAEnD,qB;MAWI,OAAO,qBAgB,SAAK,OAAL,KAAe,C;K;+EAG1C,qB;MAMoD,4BAAU,C;K;sFAE9D,qB;MAMuD,0BAAS,C;K;mFAMhE,yB;MAAA,2C;MAAA,4B;QAMuD,QAAC,kB;O;KANxD,C;yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qBAAqB,QAAL,SAAK,C;O;KAXhC,C;IAiB4D,+C;MAAA,kC;MAAS,uB;MACjE,eAAoB,C;K;gDAEpB,Y;MAA2C,gB;MAAA,iE;MAAJ,4C;K;+CAEvC,Y;MAAyC,sBAAQ,yB;K;:IARrD,+B;MAG4D,4C;K;+EAQ5D,qB;MAE8C,uCAAQ,E;K;+EAETd,mC;MASI,OA5DgD,qBAAU,CA4D1D,GAAe,cAAf,GAAmC,S;K;6EAEvC,yB;MAAA,2C;MAAA,0C;QASI,OAAI,kBAAJ,GAAe,cAAf,GAAmC,S;O;KATvC,C;IAeI,mC;MAAQ,uBAAg,mBAAS,CAAT,IAAH,C;K;IAMR,qC;MAAQ,OAAA,SAAK,OAAL,GAAc,CAAd,I;K;IAEZ,8C;MAIuB,Q;MAAA,0BAAS,CAAT,I;MAAnB,OAAGB,CAAT,8BACgB,gBAAZ,qBAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CAAR,IAAL,CAAgB,C;K;IAG/B,uC;MAGuD,ONpKyC,oBMoK/B,KAAM,MNpKyB,EMoKIB,KAAM,aAN,GAAqB,CAArB,INpKkB,C;K;IMsKhG,yC;MAGqE,qCAAY,KAAM,MAAIB,EAAYB,KAAM,aAN,GAAqB,CAArB,IAAzB,C;K;uFAErE,iC;MAS2E,2BAAy,KAAZ,EAAMb,GAAAnB,C;K;mFAE3E,2C;MAO0D,wB;QAAA,WAAgB,gB;MAAkB,OAAA,8BAAy,UAAZ,EAAwB,QAAxB,CAAKC,W;K;IAE9H,uC;MAG6D,OAAA,8BAAy,KAAM,MAAIB,EAAYB,KAAM,aAN,GAAqB,CAArB,IAAzB,CAAiD,W;K;IAE9G,sE;MAImD,qC;QAAA,wBAAgC,S;MAC/E,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GN1M4F,oBM0M/B,CN1M+B,EM0M5B,KN1M4B,C;K;IM6MhG,wE;MAIqD,qC;QAAA,wBAAgC,S;MACjF,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GNnN4F,oBMmN/B,CNnN+B,EMmN5B,KNnN4B,C;K;IMsNhG,qE;MAIkD,qC;QAAA,wBAAgC,S;MAC9E,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GN5N4F,oBM4N/B,QAAQ,CAAR,IN5N+B,EM4NpB,gBN5NoB,C;K;IM+NhG,uE;MAIoD,qC;QAAA,wBAAgC,S;MACHf,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GNrO4F,oBMqO/B,QAAQ,SAAU,OAAIB,INrO+B,EMqOL,gBNrOK,C;K;IMwOhG,0E;MAIuD,qC;QAAA,wBAAgC,S;MACnF,YAAy,0BAAy,SAAZ,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GN9O4F,oBM8O/B,CN9O+B,EM8O5B,KN9O4B,C;K;IMiPhG,4E;MAIyD,qC;QAAA,wBAAgC,S;MACrF,YAAy,0BAAy,SAAZ,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GNhQ4F,oBMgQ/B,QAAQ,CAAR,INhQ+B,EMgQpB,gBNhQoB,C;K;IMmQhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAy,0BAAy,SAAZ,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GNzQ4F,oBMMyQ/B,QAAQ,SAAU,OAAIB,INzQ+B,EMyQL,gBNzQK,C;K;IM4QhG,oE;MAOI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,qBAAy,SAAZ,EAakB,CAAIB,EAAqB,UAArB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,qBAAy,SAAZ,EAakB,QAAIB,EAA4B,gBAA5B,C;MACH,OAAO,E;K;yFAGX,yB;MAAA,8B;MAAA,qD;MAAA,+D;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,UAAb,EAAYB,QAAzB,EAAmC,WAAAnC,CAAGD,W;O;KAP3E,C;IASA,uD;MAOI,+BAAa,KAAM,MAAnB,EAA0B,KAAM,aAN,GAAqB,CAArB,IAA1B,EAakD,WAAID,C;K;yFAEJ,yB;MAAA,8B;MAAA,qD;MAAA,gD;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,KAAb,EAAoB,WAApB,CAAiC,W;O;KAP5D,C;IASA,sD;MASI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAA1B,C;MAEV,IAAI,aAAY,UAAhB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAAe,gBAAf,C;MAEhB,SAAS,mBAAC,oBAAU,QAAV,GAAqB,UAArB,KAAd,C;MACT,EAAG,qBAAy,SAAZ,EAakB,CAAIB,EAAqB,UAArB,C;MACH,EAAG,qBAAy,SAAZ,EAakB,QAAIB,EAA4B,gBAA5B,C;MACH,OAAO,E;K;uFAGX,yB;MAAA,8B;MAAA,mD;MAAA,kD;QASK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,UAAZ,EAAwB,QAAxB,CAAKC,W;O;KAT7D,C;IAWA,yC;MAKqE,8BAAy,KAAM,MAAIB,EAAYB,KAAM,aAN,GAAqB,CAArB,IAAzB,C;K;uFAErE,yB;MAAA,8B;MAAA,mD;MAAA,mC;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,KAAZ,CAAmB,W;O;KAP9C,C;IASA,yC;MAKI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OAAO,8BAAy,MAAO,OAAAnB,EAA2B,gBAA3B,C;MAEX,OAAO,8BAAy,CAAZ,EAAe,gBAAf,C;K;IAGX,2C;MAKI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,ON3XyE,oBM2XxD,MAAO,ON3XiD,C;MM6X7E,OAAO,S;K;IAGX,yC;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OAAO,8BAAy,CAAZ,EAAe,mBAAS,MAAO,OAAhB,IAAf,C;MAEX,OAAO,8BAAy,CAAZ,EAAe,gBAAf,C;K;IAGX,2

C;MAKI,IAAI,sBAAS,MAAT,CAAI,C;QACI,ON9YwF,oBM8YvE,CN9YuE,EM8YpE,mBAAS,MAAO,OAAhB,IN9YoE,C;;MMgz5F,OAAO,S;K;IAGX,sD;MAMI,IAAK,qBAAU,MAAO,OAAP,GAAGB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAAY,MAAO,OAAnB,EAA2B,mBAAS,MAAO,OAAhB,IAA3B,C;;MAEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;K;IAGX,wD;MAMI,IAAK,qBAAU,MAAO,OAAP,GAAGB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,ONTawF,oBMsavE,MAAO,ONtagE,EMsaxD,mBAAS,MAAO,OAAhB,INtawD,C;;MMwa5F,OAAO,S;K;IAGX,mD;MAKmf,oCAAkB,SAAIB,EAA6B,SAA7B,C;K;IAEnF,mD;MAKuE,sCAAkB,SAAIB,EAA6B,SAA7B,C;K;IAEvE,iF;MAIsE,qC;QAAA,wBAAGC,S;MACIG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5JvB,U;QA4JM,OA5JgB,aAAtB,+DAAsB,EA4JyC,CA5JzC,EA4J4C,KA5J5C,EA4JmD,WA5JnD,CAAgD,W;;MA4JvE,W;K;IAGJ,mF;MAIwE,qC;QAAA,wBAAGC,S;MACpG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArKvB,U;QAqKM,OArKgB,aAAtB,+DAAsB,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,gF;MAIqE,qC;QAAA,wBAAGC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QA9K1E,U;QA8KM,OA9KgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAazB,EA8K4D,WA9K5D,CAAgD,W;;MA8KvE,W;K;IAGJ,kF;MAIuE,qC;QAAA,wBAAGC,S;MACnG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAvLzF,U;QAUlM,OAvLgB,aAAtB,+DAAsB,EAaA,UAAb,EAAYB,QAazB,EAuL2E,WAvL3E,CAAgD,W;;MAuLvE,W;K;IAGJ,oF;MAI2E,qC;QAAA,wBAAGC,S;MACvG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAhMzF,U;QAgMM,OAHMgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAazB,EAgM2E,WAHM3E,CAAgD,W;;MAGMvE,W;K;IAGJ,sF;MAIyE,qC;QAAA,wBAAGC,S;MACrG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QazM1E,U;QAYMM,OAzMgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAazB,EAyM4D,WAzM5D,CAAgD,W;;MAYMvE,W;K;IAGJ,qF;MAI0E,qC;QAAA,wBAAGC,S;MACtG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAINvB,U;QAKNM,OAINGB,aAAtB,+DAAsB,EAKNyC,CAINzC,EAKN4C,KAIN5C,EAKNmD,WAlNnD,CAAgD,W;;MAKNvE,W;K;IAGJ,uF;MAI4E,qC;QAAA,wBAAGC,S;MACxG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA3NvB,U;QA2NM,OA3NgB,aAAtB,+DAAsB,EA2NyC,CA3NzC,EA2N4C,KA3N5C,EA2NmD,WA3NnD,CAAgD,W;;MA2NvE,W;K;+EAOJ,yC;MAQoF,OAAA,KAAM,iBAAQ,SAAR,EAAC,WAAd,C;K;+EAE1F,uC;MAOI,OAAA,KAAM,iBAAQ,SAAR,EAAC,SAAd,C;K;yFAEV,yC;MAMYf,OAAA,KAAM,sBAAa,SAAb,EAAmB,WAAAnB,C;K;+FAE/F,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAEw,Q;QAAA,IApe4C,mBAAS,CAoerD,C;uBAAkB,oBAAU,iCAAK,CAAL,EAAV,E;UAAA,YNljBoD,oBMkjBrB,CNljBqB,C;UMkjBtE,OLrjBwD,2BAAL,GAakB,K;;UKqjBrE,OAAYD,S;QAaHE,W;O;KafJ,C;iGakBA,yB;MAAA,oC;MAAA,uC;QAEI,OAtfmD,mBAAS,CAsf5D,GAAYB,UAAU,iCAAK,CAAL,EAAV,CAAmB,WAAAnB,GNpkBoD,oBMokBV,CNpkBU,CMokB7E,GAA2E,S;O;Kaf/E,C;+EAmBA,4B;MAIsE,OAAA,KAAM,iBAAQ,SAAR,C;K;IAE5E,0F;MAKI,IAAK,cAAc,CAAf,IAAsB,aAAa,CAAnC,IAA0C,cAAa,SAAK,OAAL,GAAC,MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GAae,MAAf,IAAd,CAArF,C;QACI,OAAO,K;;MAGX,iBAAC,CAAd,UAAsB,MAAtB,U;QACI,IAAI,CAA0B,SAAZB,qBAAK,aAAa,KAAb,IAAL,CAAYB,EAAO,iBAAM,cAAc,KAAd,IAAN,CAAP,EAAmC,UAAAnC,CAA9B,C;UACI,OAAO,K;;MAEf,OAAO,I;K;IAGX,mD;MAG+C,0B;QAAA,aAAsB,K;MACjE,OAAA,SAAK,OAAL,GAAC,CAAd,IAA2B,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;K;IAE/B,iD;MAG6C,0B;QAAA,aAAsB,K;MAC/D,OAAA,SAAK,OAAL,GAAC,CAAd,IAAmC,SAAhB,qBAAK,2BAAL,CAAGB,EAAO,IAAP,EAAa,UAAb,C;K;IAEvC,qD;MAGyD,0B;QAAA,aAAsB,K;MAC3E,IAAI,CAAC,UAAD,IAAE,6BAAf,IAAiC,0BAArC,C;QACI,OAAY,WAAL,SAAK,EAaw,MAAX,C;;QAEZ,OAAO,6BAakB,CAaIB,EAAqB,MAArB,EAA6B,CAA7B,EAAGC,MAAO,OAAvC,EAA+C,UAA/C,C;K;IAGf,iE;MAG0E,0B;QAAA,aAAsB,K;MAC5F,IAAI,CAAC,UAAD,IAAE,6BAAf,IAAiC,0BAArC,C;QACI,OAAY,aAAL,SAAK,EAaw,MAAX,EAAmB,UAAAnB,C;;QAEZ,OAAO,6BAakB,UAAIB,EAA8B,MAA9B,EAAc,CAAtC,EAAYC,MAAO,OAAhD,EAawD,UAAxD,C;K;IAGf,mD;MAGuD,0B;QAAA,aAAsB,K;MACzE,IAAI,CAAC,UAAD,IAAE,6BAAf,IAAiC,0BAArC,C;QACI,OAAY,SAAL,SAAK,EAAS,MAAT,C;;QAEZ,OAAO,6BAakB,mBAAS,MAAO,OAAhB,IAAIB,EAA0C,MAA1C,EAakD,CAaID,EAAqD,M

AAO,OAA5D,EAAoE,UAApE,C;K;IAMf,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,qBfjnBO,MAAO,KeinBa,S  
AAK,OfjnBIB,EeinB0B,KAAM,OfjnBhC,C;MemnBd,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBAA  
K,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EAA8B,UAA9B,CAArC,C;QACI,a;MAEJ,IAAS,mBAAL,SAAK  
,EAAmB,IAAI,CAAJ,IAAnB,CAAL,IAAwC,mBAAN,KAAM,EAAmB,IAAI,CAAJ,IAAnB,CAA5C,C;QACI,a;MAEJ,  
OAAO,8BAAY,CAAZ,EAAe,CAAf,CAAkB,W;K;IAG7B,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,iBA  
AiB,SAAK,O;MACtB,kBAAkB,KAAM,O;MACxB,qBfxoBO,MAAO,KewoBa,UfxoBb,EewoByB,WfxoBzB,C;M  
e0oBd,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA+C,SAAzB,qBAAK,aAAa,CAAb,GAAiB,CAAjB,IAAL,CAAyB,  
EAAO,iBAAM,cAAc,CAAd,GAakB,CAAIB,IAAN,CAAP,EAAgD,UAAhD,CAAtD,C;QACI,a;MAEJ,IAAS,mB  
AAL,SAAK,EAAmB,aAAa,CAAb,GAAiB,CAAjB,IAAnB,CAAL,IAAqD,mBAAN,KAAM,EAAmB,cAAc,CAAd  
,GAakB,CAAIB,IAAnB,CAAZD,C;QACI,a;MAEJ,OAAO,8BAAY,aAAa,CAAb,IAAZ,EAA4B,UAA5B,CAAwC  
,W;K;IAMnD,8D;MAQqD,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAMnE,UAAkB,M;MAL3C,IAAI,  
CAAC,UAAD,IAAe,KAAM,OAAN,KAAC,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,  
ONjtBwF,kB8G3ME,oBxG45BrE,IwG55BqE,C9G2MF,EMitB7D,UNjtB6D,C;MMotBnE,uBAAX,UAAW,EAAC  
,CAAd,C;MAAkB,oC;kBAA3C,gD;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;UjCikXE,U;UAAhB,4BiCjkXQ,Kj  
CikXR,kB;YAAgB,cAAhB,UiCjkXQ,KjCikXR,S;YAAAsB,IiCjkXC,SAAH,UjCikXgB,oBiCjkXhB,CAAG,0BjCik  
XD,C;cAAwB,aAAO,I;cAAP,e;UAC9C,aAAO,K;QiClkXH,e;UACI,OAAO,K;MAEf,OAAO,E;K;IAGX,KE;M  
ASyD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACxG,IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,K  
AAc,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,ONruB4F,sB8G3MM,oBxGg7BzE,IwG  
h7ByE,C9G2MN,EMquB7D,UNruB6D,C;kBMyuBhG,iBAAYB,eAAX,UAAW,EAAa,2BAAb,CAAzB,WAAwD,  
CAAxD,U;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;UjCyiXE,Q;UAAhB,wBiCziXQ,KjCyiXR,gB;YAAgB,cAA  
hB,UiCziXQ,KjCyiXR,O;YAAAsB,IiCziXC,SAAH,UjCyiXgB,oBiCziXhB,CAAG,0BjCyiXD,C;cAAwB,aAAO,I;c  
AAP,e;UAC9C,aAAO,K;QiC1iXH,e;UACI,OAAO,K;MAGf,OAAO,E;K;IAIX,8E;MAA2G,oB;QAAA,OAAG  
B,K;MAOrG,UAKA,M;MAXIB,cAAkB,CAAC,IAAL,GACV,aAAW,gBAAX,UAAW,EAAC,CAAd,CAAX,EAA  
S,C,eAAT,QAAS,EAAa,gBAAb,CAAtC,CADU,GAGV,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAAmD,gBA  
AT,QAAS,EAAC,CAAd,CAAnD,C;MAEJ,IAAI,iCAAkB,yBAAtB,C;QACkB,yB;QAAd,OAAC,cAAd,C;UAAc,u  
B;UACV,IAAU,cAAN,KAAM,EAAC,CAAd,EAAiB,SAAJB,EAAuB,KAAvB,EAA8B,KAAM,OAAPC,EAA4C,U  
AA5C,CAAV,C;YACI,OAAO,K;QAGD,2B;QAAd,OAAC,gBAAd,C;UAAc,2B;UACV,IAAU,kBAAN,KAAM,E  
AAkB,CAAIB,EAAqB,SAArB,EAA2B,OAA3B,EAAkC,KAAM,OAAXC,EAAgD,UAAhD,CAAV,C;YACI,OAA  
O,O;MAGnB,OAAO,E;K;IAGX,qE;MAUsB,UAMA,M;MAfIB,IAAI,CAAC,UAAD,IAAe,OAAQ,KAAR,KAAG  
B,CAAN,C;QACI,aAAqB,UAR,OAAQ,C;QACrB,YAAgB,CAAC,IAAL,GAAW,sBAAQ,MAAR,EAAgB,UA  
AhB,CAAX,GAA4C,0BAAY,MAAZ,EAAoB,UAApB,C;QACxD,OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAyB,U  
AAS,MAAT,C;MAGpC,cAAkB,CAAC,IAAL,GAAW,aAAW,gBAAX,UAAW,EAAC,CAAd,CAAX,EAA6B,gB  
AA7B,CAAX,GAAoD,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAA0C,CAA1C,C;MAEIE,IAAI,6BAAJ,C;Q  
ACKB,yB;oBAAd,OAAC,cAAd,C;UAAc,yB;UACmB,sB;Yb7sBrB,U;YAAA,Sa6sBa,Ob7sBb,W;YAAhB,OAAG  
B,gBAAhB,C;cAAGB,2B;cAAM,Ia6sBgC,cb7sBIB,Oa6sBkB,EAAC,CAAd,sBb7sBIB,Oa6sBmD,OAAjC,ab7sBhC  
,C;gBAAwB,qBAAO,O;gBAAP,uB;YAC9C,qBAAO,I;Ua4sBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YAA  
S,cAAT,C;QAGD,2B;oBAAd,OAAC,gBAAd,C;UAAc,2B;UACmB,wB;YbntBrB,U;YAAA,SamtBa,ObntBb,W;  
YAAhB,OAAGB,gBAAhB,C;cAAGB,6B;cAAM,IamtBgC,kBbntBIB,SamtBkB,EAAkB,CAAIB,sBbntBIB,SamtBu  
D,OAARc,abntBhC,C;gBAAwB,uBAAO,S;gBAAP,uB;YAC9C,uBAAO,I;UaktBC,2C;UACA,IAAI,wBAAJ,C;  
YACI,OAAO,YAAS,gBAAT,C;MAInB,OAAO,I;K;IAGX,iE;MAY+D,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,  
aAAsB,K;MACtG,4BAAU,OAAsB,EAAmB,UAAAnB,EAA+B,UAA/B,EAakD,KAAID,C;K;IAEJ,mE;MAYmE,0B  
;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACIH,4BAAU,OAAsB,EAAmB,UAAAnB,EAA+B,UAA/B,EA  
AkD,IAAID,C;K;IAEJ,KE;MAWgE,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvG,gB;MAAA,8CA  
AU,OAAsB,EAAmB,UAAAnB,EAA+B,UAA/B,EAakD,KAAID,mDAAmE,E;K;IAEvE,sE;MAYoE,0B;QAAA,aA  
AkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnH,gB;MAAA,8CAAU,OAAsB,EAAmB,UAAAnB,EAA+B,UAA/B,EA  
AkD,IAAID,mDAAKE,E;K;IAKtE,6D;MAM4C,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACnF,OAA  
W,cAAc,gCAAzB,GACI,sBAAW,mBAAY,IAAZ,CAAX,EAA8B,UAA9B,EAA0C,UAA1C,CADJ,GNz2B4F,kB8  
G3ME,oBxGujC5E,IwGvjC4E,C9G2MF,EM42BpE,UN52BoE,C;K;IM+2BhG,+D;MAQgD,0B;QAAA,aAAkB,C;

MAAG,0B;QAAA,aAAsB,K;MACvF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,gB  
AA5B,EAAoC,UAApC,CADJ,GNx3B4F,kBM23B1E,MN33B0E,EM23BIE,UN33BkE,C;K;IM83BhG,iE;MAQgD  
,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MAC/F,OAAW,cAAc,gCAAzB,GACI,0BAAe,mBAAY,IA  
AZ,CAAf,EAaKc,UAAiC,EAA8C,UAA9C,CADJ,GNp4BgG,sB8G3MM,oBxGklChF,IwGllCgF,C9G2MN,EMu4  
BpE,UNv4BoE,C;K;IM04BpG,mE;MAQoD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW  
,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,UAA/B,EAaKd,IAAID,CADJ,  
GNn5BgG,sBMs5B1E,MNt5B0E,EMs5BIE,UNT5BkE,C;K;IMy5BpG,mD;MAM+D,0B;QAAA,aAAsB,K;MACjF,  
OAAI,yBAAJ,GACI,sBAAQ,KAAR,UAA4B,UAA5B,KAA2C,CAD/C,GAGI,sBAAQ,KAAR,EAAe,CAAf,EAaK  
B,gBAAIB,EAA0B,UAA1B,KAAyC,C;K;IAIjD,kD;MAMsD,0B;QAAA,aAAsB,K;MACxE,6BAAQ,IAAR,UAA2  
B,UAA3B,KAA0C,C;K;kFAE9C,4B;MAI0E,OAAA,KAAM,yBAAgB,SAAhB,C;K;IAM3C,yE;MACjC,oB;MAC  
A,8B;MACA,oB;MACA,kC;K;IAG8C,sF;MAAA,gE;MAC1C,iBAAqB,E;MACrB,yBAAwC,WAAX,yCAAW,EA  
AS,CAAT,EAAY,oCAAM,OAAIB,C;MACxC,uBAA2B,sB;MAC3B,gBAA0B,I;MAC1B,eAAmB,C;K;0EAEb,Y  
;MACI,IAAI,uBAAkB,CAAtB,C;QACI,iBAAY,C;QACZ,gBAAW,I;QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAAa,y  
CAA1B,IAAmC,uBAAkB,yCAAM,OAA/D,C;UACI,gBAAW,qCAAYB,iBAAN,yCAAM,CAAzB,C;UACX,uBA  
AkB,E;UAEIB,YAAkB,iDAAN,yCAAM,EAAa,oBAAb,C;UACIB,IAAI,SAAS,IAAb,C;YACI,gBAAW,qCAAYB  
,iBAAN,yCAAM,CAAzB,C;YACX,uBAAkB,E;YAEIB,IAAK,QAAiB,KAAjB,aAAL,EAAY,SAAU,KAAY,a;Y  
ACZ,gBAAW,gCAAwB,KAAxB,C;YACX,yBAAoB,QAAQ,MAAR,I;YACpB,uBAAkB,0BAAwB,WAAU,CAAd  
,GAAiB,CAAjB,GAAwB,CAA5C,K;QAG1B,iBAAY,C;K;oEAIpB,Y;MAKiB,Q;MAJb,IAAI,mBAAa,EAjB,C  
;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,mE;MAEb,gBAAW,I;MACX,iBAAY  
E;MACZ,OAAO,M;K;uEAGX,Y;MACI,IAAI,mBAAa,EAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;iDA9C5B  
,Y;MAA8C,+D;K;IAgEU,0E;MAAA,0C;QhB1mCjD,SgB2mCH,sBAAW,kBAAX,EAAuB,YAAvB,EAaKd,kBA  
AID,C;QAAA,OAAwE,KAAK,CAAT,GAAY,IAAZ,GAAsB,OAAM,CAAN,C;O;K;IAIdG,iF;MAUkE,0B;QAAA,  
aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC7H,wBAAwB,KAAxB,C;MAEA,OAA  
O,4BAAwB,SAAXB,EAA8B,UAA9B,EAA0C,KAA1C,EAAiD,gDAAjD,C;K;IAwBiD,gF;MAAA,0C;QAaKB,Q;  
QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kBAArD,EAAwE,KAAxE,aAAf,GAAG,UAAH,EAAe,WAA  
O,OAAtB,CAAtF,O;O;K;IAIB9E,mF;MAc0E,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAA  
A,QAAa,C;MACrI,wBAAwB,KAAxB,C;MACA,qBAAgC,OAAX,UAAW,C;MAEHc,OAAO,4BAAwB,SAAXB,E  
AA8B,UAA9B,EAA0C,KAA1C,EAAiD,sDAAjD,C;K;IAIX,wC;MnBlTCl,IAAI,EmBmtCl,SAAS,CnBntCb,CAAJ,  
C;QACI,cmBktCkB,8C;QnBjtClB,MAAM,gCAAYB,OAAQ,WAAjC,C;K;ImBkuCgE,sD;MAAA,qB;QAAE,yCA  
AU,EAAY,C;O;K;IAZhf,mE;MAWmE,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACzG,OAAe,OAAt  
E,+BAaKB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,EAAl,iCAAJ,C;K;IAE1E,yD;MAWyD,0B;QAAA,  
aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC/F,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACI,gBAAgB,WAAW,  
CAAX,C;QChB,IAAI,EAAC,SAh/BuC,YAAU,CAg/BID,CAAJ,C;UACI,OAAO,mBAAM,SAAN,EAAiB,UAAj  
B,EAA6B,KAA7B,C;MAI2E,kBAAb,cAAtE,+BAaKB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;Mb  
8OtE,kBAAM,iBAAa,qCAAwB,EAAxB,CAAb,C;MAuEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT  
,WAAy,WatTgF,uBbsTIE,IatTKE,CbsThF,C;MatThB,ObuTO,W;K;Ia5SmE,wD;MAAA,qB;QAAE,yCAAU,EA  
AV,C;O;K;IARhf,qE;MAOiE,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACvG,OAAe,OAAtE,6BAAkB,  
UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,EAAl,mCAAJ,C;K;IAE1E,2D;MAOuD,0B;QAAA,aAAsB,K;  
MAAO,qB;QAAA,QAAa,C;MAC7F,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACI,OAAO,mBAAoB,oBAAd,  
WAAW,CAAX,CAAc,CAApB,EAAgC,UAAhC,EAA4C,KAA5C,C;MAG+E,kBAAb,cAAtE,6BAAkB,UAAIB,U  
AA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;MbqNtE,kBAAM,iBAAa,qCAAwB,EAAxB,CAAb,C;MAuEA,Q;MA  
AA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,Wa7RgF,uBb6RIE,Ia7RkE,Cb6RhF,C;Ma7RhB,Ob8RO,  
W;K;Ia3RX,0D;MASI,wBAAwB,KAAxB,C;MAEA,oBAAoB,C;MACpB,gBAAgB,sBAAQ,SAAR,EAAMB,aAA  
nB,EAaKc,UAAIC,C;MACHB,IAAI,cAAa,EAAb,IAAmB,UAAAS,CAAhC,C;QACI,OAAO,OAAO,SAAK,WAAZ,  
C;MAGX,gBAAgB,QAAQ,C;MACxB,aAAa,iBAAsB,SAAJ,GAAqB,eAAN,KAAM,EAAa,EAAb,CAArB,GAA2  
C,EAA7D,C;QAET,MAAO,WA36B6E,8BA26B/D,aA36B+D,EA26BhD,SA36BgD,CAaKc,WA26B/G,C;QACP,  
gBAAgB,YAAY,SAAU,OAAtB,I;QAEhB,IAAI,aAAa,MAAO,KAAP,MAAE,QAAQ,CAAR,IAAf,CAAjB,C;UAA  
2C,K;QAC3C,YAAY,sBAAQ,SAAR,EAAMB,aAAAnB,EAaKc,UAAIC,C;MACP,sBAAa,EAAb,C;MAET,MAAO

,WAI7BiF,8BAk7BnE,aAl7BmE,EAk7BpD,gBAI7BoD,CAAkC,WAK7BnH,C;MACP,OAAO,M;K;2EAGX,mC;MAOmD,qB;QAAA,QAAa,C;MAAmB,OAAA,KAAM,eAAM,SAAN,EAAY,KAAZ,C;K;+FAEzF,mC;MAU6D,qB;QAAA,QAAa,C;MAAuB,OAAA,KAAM,yBAAGb,SAAhB,EAAsB,KAAtB,C;K;IAEvG,iC;MAK2D,mCAAGb,MAAhB,EAawB,IAAxB,EAAsB,IAA9B,E;K;IAE3D,0B;MAKgD,OAAe,UAAf,uBAaE,C;K;IAqB/D,uD;MAQsB,Q;MAPIB,IAAI,iCAAkB,yBAAtB,C;QACI,OAAy,SAAL,SAAK,EAAO,KAAP,EAA2B,IAA3B,C;;MAGhB,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,qBAAGb,aAAhB,IAAiC,SAAK,OAAL,KAAe,KAAM,OAAID,C;QAAKe,OAAO,K;MAEvD,uB;MAAIB,aAAU,CAAV,gB;QACI,IAAI,CAAS,SAAR,qBAAK,CAAL,CAAQ,EA AO,iBAAM,CAAN,CAAP,EAAsB,IAA9B,CAAb,C;UACI,OAAO,K;;;MAIf,OAAO,I;K;IAGX,6C;MAQsB,Q;M APIB,IAAI,iCAAkB,yBAAtB,C;QACI,OAAO,kBAAQ,KAAR,C;;MAGX,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I; MAC3B,IAAI,qBAAGb,aAAhB,IAAiC,SAAK,OAAL,KAAe,KAAM,OAAID,C;QAAKe,OAAO,K;MAEvD,uB; MAAIB,aAAU,CAAV,gB;QACI,IAAI,qBAAK,CAAL,MAAW,iBAAM,CAAN,CAAF,C;UACI,OAAO,K;;;MAIf, OAAO,I;K;IAGX,oC;MAU+C,QAAM,SAAN,C;aAC3C,M;UAD2C,OACjC,I;aACV,O;UAF2C,OAEhC,K;;UACH ,MAAM,gCAAYb,mDAAGD,SAAzE,C;;K;IAGIB,0C;MAUsD,QAAM,SAAN,C;aACID,M;UADkD,OACxC,I;aA CV,O;UAFkD,OAEvC,K;;UAFuC,OAG1C,I;;K;I+Kr8Cz,sB;MAAA,0B;MAII,aAC+B,e;MAC/B,cACgC,e;MACH C,WAC6B,e;MAC7B,YAC8B,e;MAC9B,eACiC,e;MACjC,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,YAC8B,gB; MAC9B,aAC+B,gB;MAC/B,eACiC,gB;MACjC,iBACmC,gB;MACnC,qBAEuC,gB;MACvC,sBAEWc,gB;MACx C,kBACoC,gB;MACpC,cACgC,gB;MACHC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,Y AC8B,gB;MAC9B,aAC+B,iB;MAC/B,aAC+B,iB;MAC/B,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,i B;MACxC,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,cACgC,iB;MACHC,oBACsC,iB;MA CtC,cACgC,iB;MACHC,gBACKC,iB;MACiC,aAC+B,iB;MAC/B,mBACqC,iB;MACrC,YAC8B,iB;MAC9B,UAC4 B,iB;MAC5B,mBACqC,iB;MACrC,gBACKC,iB;MACiC,mBACqC,iB;MACrC,sBACwC,iB;MAExC,sBAGwC,gB ;MAExC,uBAGyC,gB;K;;;IA7F7C,kC;MAAA,iC;QAAA,gB;;MAAA,0B;K;;;;2FCuE0C,Y;MAAQ,oCAAA,IA Ab,C;K;IAiBpB,yC;MAAQb,kB;K;mIAC3C,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIb,C;K;mIACnD,Y; MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIb,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAI B,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIb,C;K;mIACnD,Y;MACmD,OAAA,UAAM,Y AAN,aAAkB,CAAIb,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIb,C;K;mIACnD,Y;MACm D,OAAA,UAAM,YAAN,aAAkB,CAAIb,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIb,C;K; mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIb,C;K;qIACnD,Y;MACmD,OAAA,UAAM,YAAN,aA AkB,EAAlB,C;K;gDAEnD,Y;MAMoC,OAAA,UAAM,YAAY,iBAAQ,CAAR,EAAY,UAAM,YAAY,KAA7B,C; K;;;6EhEjH9D,yB;MAAA,iD;MAAA,4B;QAI4C,kBAAM,SAAN,C;O;KAJ5C,C;+EAMA,yB;MAAA,gD;MAAA, oC;QAI+D,kBAAM,SAAN,EAAY,MAAZ,C;O;KAJ/D,C;+EAMA,yB;MAAA,oC;MAAA,qC;QAIqE,sBAAM,SA AN,EAAY,OAAZ,C;O;KAJrE,C;IvIY4B,4B;MAmBxB,gC;MAnB6C,0B;MAW7B,UAEA,MAFA,EAGA,M;MAL Z,IkIjC8D,IIIiC9D,C;QACI,IAAI,kBAAJ,C;UACQ,mB;UAAJ,IAAI,sEAAsB,SAAtB,EAAJ,C;YAAqC,MAAM,sB AAiB,YAAF,+CAAF,C;;UAEvC,qB;UAAJ,IAAI,0EAAuB,UAAvB,EAAJ,C;YAAuC,MAAM,sBAAiB,YAAF,gD AAF,C;UACzC,qB;UAAJ,IAAI,kEAA+B,mBAA/B,CAAJ,C;YAAwD,MAAM,sBAAiB,YAAF,mCAAF,C;;;K;mF AZID,Y;MAAQ,kCAAA,CAAb,C;K;+FACU,Y;MAAQ,OAAA,eAAS,QAAT,GAAqB,C;K;qCACvE,Y;MAA0B,Q ADwB,eAAS,QAAT,GAAqB,CAC7C,MAAQb,C;K;sCAC/C,Y;MAA2B,QAFuB,eAAS,QAAT,GAAqB,CAE5C, MAAqB,C;K;yFACxB,Y;MAAQ,OAAL,kBAAJ,mF;K;IAAhC,8B;MAAA,kC;MACI,YAC4B,gB;MAE5B,gBACgC ,iBAAiB,UAAjB,C;MACHC,4BAAsC,uC;K;mDAEtC,yC;MAGI,2BAAoB,KAAPb,EAA2B,UAA3B,EAAuC,UA AvC,C;K;iJAM8B,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;iJAIC,yB;MAAA,6C;MAAA,iD; MAAA,4B;QAAQ,sD;O;KAAR,C;iJAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;mJAKF,y B;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ, uD;O;KAAR,C;mJAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAKH,yB;MAAA,6C;MA AAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;m JAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;yIAKR,yB;MAAA,6C;MAAA,iD;MAAA,4B; QAAQ,kD;O;KAAR,C;yIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAUE,yB;MAAA,6C ;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAKH,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR, C;yIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4

B;QAAQ,kD;O;KAAR,C;qIAKL,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;qIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;qIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;mIAKJ,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;uDAK9B,iB;MAK+C,OAAM,WAAN,KAAM,yC;K;uDAErD,iB;MAKgD,OAAM,aAAN,KAAM,yC;K;uDAEtD,iB;MASKD,OAAM,aAAN,KAAM,yC;K;wDAGxD,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OAAM,aAAN,KAAM,0C;K;wDAEvD,iB;MASmD,OAAM,aAAN,KAAM,0C;K;wDAGzD,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OAAM,aAAN,KAAM,0C;K;wDAEvD,iB;MASmD,OAAM,aAAN,KAAM,0C;K;mDAGzD,iB;MAK2C,OAAM,WAAN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAAN,KAAM,qC;K;mDAEID,iB;MAS8C,OAAM,aAAN,KAAM,qC;K;mDAGpD,iB;MAK2C,OAAM,WAAN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAAN,KAAM,qC;K;mDAEID,iB;MAS8C,OAAM,aAAN,KAAM,qC;K;iDAGpD,iB;MAKyC,OAAM,WAAN,KAAM,mC;K;iDAE/C,iB;MAK0C,OAAM,aAAN,KAAM,mC;K;iDAEHd,iB;MAS4C,OAAM,aAAN,KAAM,mC;K;gDAGID,iB;MAKwC,OAAM,WAAN,KAAM,kC;K;gDAE9C,iB;MAKyC,OAAM,aAAN,KAAM,kC;K;gDAE/C,iB;MAS2C,OAAM,aAAN,KAAM,kC;K;iDAEjD,iB;;QAY4C,OACxC,cAAc,KAAAd,EAAiC,KAAjC,C;;QACF,+C;UACE,MAAM,6BAAyB,sCAAmC,KAAAnC,OAAzB,EAAsE,CAAtE,C;;UAHkC,O;;K;0DAM5C,iB;;QAMqD,OACjD,cAAc,KAAAd,EAAiC,IAAjC,C;;QACF,+C;UACE,MAAM,6BAAyB,0CAAuC,KAAvC,OAAzB,EA A0E,CAA1E,C;;UAH2C,O;;K;uDAMrD,iB;;QAWmD,OAC/C,cAAc,KAAAd,EAAiC,KAAjC,C;;QACF,+C;UAFiD,OAG/C,I;;UAH+C,O;;K;gEAMnD,iB;;QAK4D,OACxD,cAAc,KAAAd,EAAiC,IAAjC,C;;QACF,+C;UAF0D,OAGx D,I;;UAHwD,O;;K;;;IA/XhE,0C;MAAA,yC;QAAA,wB;;MAAA,kC;K;oCAwYA,Y;MAC6C,kBAAy,YAAD,aAA X,EAzZK,eAAS,QAAT,GAAqB,CAyZ1B,C;K;qCAE7C,iB;MAiBW,Q;MATH,IAAA,IAAK,aAAL,C;QACI,IAAI ,KAAM,WAAN,IAAqB,IAAK,WAAL,KAakB,KAAM,WAAxB,gBAAoC,CAA7D,C;UACI,OAAO,I;;UAEP,MA AM,gCAAyB,2EAazB,C;WAEd,IAAA,KAAM,aAAN,C;QAAsB,OAAO,K;MAI7B,KA7a0C,eAAS,QAAT,GAAq B,CA6a/D,OAA0B,KA7agB,WAAS,QAAT,GAAqB,CA6a/D,E;QACI,aAAa,IAAK,QAAL,KAAa,KAAM,QAAnB ,C;QAET,uB;UACI,iCAA0B,MAA1B,C;;UAEA,kCAA2B,MAA3B,C;aAGZ,IAAA,IAAK,eAAL,C;QACI,mCAA qB,IAAK,QAA1B,EAAiC,KAAM,QAAvC,C;;QAEA,mCAAqB,KAAM,QAA3B,EAakC,IAAK,QAAvC,C;MAB R,W;K;gDAiBJ,kC;MAGW,Q;MAFP,kBAakB,cAAc,UAAAd,C;MACIB,mBAAmB,eAAa,WAAb,C;MACZ,IAAI, 8EAAsC,mBAAtC,CAAJ,C;QACH,yBAAyB,oBAAa,cAAc,WAAAd,CAAb,C;QACzB,uBAAgB,cAAc,YAAAd,MA A8B,kBAA9B,CAAhB,C;;QAEA,wBAA8B,WAAb,YAAa,yBAAsB,UAAtB,CAA9B,C;;MAJJ,W;K;sCAQJ,iB;M AMuD,wBAAS,KAAD,aAAR,C;K;uCAEvD,iB;MAQe,UAUJ,M;MAXP,IAAI,iBAAJ,C;QAEQ,cAAS,CAAT,C;U AAac,MAAM,gCAAyB,mEAazB,C;aACpB,YAAQ,CAAR,C;UAAa,W;;UACL,OAAC,IAAD,a;QAHZ,W;;MAMJ, IAAI,UAAS,CAAb,C;QAAgB,OAAO,qC;MAEvB,YAAy,Y;MACZ,aAAa,mCAAQ,KAAR,E;MACN,IAAI,kBA AJ,C;QACH,IAAI,yEAAJ,C;UAEI,yBAAgB,MAAhB,C;;UAEA,IAAI,sCAAS,KAAT,IAakB,KAAIB,CAAJ,C;Y ACI,mCAA0B,MAA1B,C;;YAEA,aAAa,cAAc,KAAAd,C;YACb,eAAe,eAAQ,cAAc,MAAd,CAAR,C;YACf,mBA AmB,oCAAS,KAAT,E;YACnB,kBAakB,iBAAe,cAAc,sCAAW,KAAX,EAAd,CAAf,C;YACIB,IAAI,4CAAE,KA Af,IAAwB,MAAxB,KAakC,gBAAgB,YAAhB,gBAAgC,CAAtE,C;cACI,0BAA6B,WAAZ,WAAy,EAAS,8BAA a,UAAb,CAAT,CAA7B,C;;cAEA,SAAI,YAAM,WAAN,KAAM,CAAN,EAAMB,WAAN,KAAM,CAANB,IAA0B ,CAA9B,GAAiC,yCAAjC,GAA+C,qD;;;;;QAK3D,IAAI,sCAAS,KAAT,IAakB,KAAIB,CAAJ,C;UACI,0BAAwB, WAAP,MAAO,EAAS,8BAAa,UAAb,CAAT,CAAxB,C;;UAEA,SAAI,YAAM,WAAN,KAAM,CAAN,EAAMB,W AAN,KAAM,CAANB,IAA0B,CAA9B,GAAiC,yCAAjC,GAA+C,qD;;;MAvBvD,a;K;uCA4BJ,iB;MASI,eAAqB,W AAN,KAAM,C;MACrB,IAAa,QAAT,KAAuB,KAA3B,C;QACI,OAAO,mBAAM,QAAN,C;;MAGX,WAAW,kB; MACX,aAAa,sBAAS,IAAT,IAAiB,K;MAC9B,OAAC,aAAP,MAAO,EAAW,IAAX,C;K;qCAGIB,iB;MAQe,Q;M ADX,IAAI,UAAS,CAAb,C;QAEQ,sB;UAAgB,gD;aAchB,sB;UAAgB,4D;;UACR,MAAM,gCAAyB,4DAAzB,C; QAHIB,W;;MAMJ,IAAI,kBAAJ,C;QACI,OAAO,gBAAgB,qCAAQ,KAAR,EAAhB,C;;QAEP,IAAI,iBAAJ,C;UA CI,OAAO,mBAAa,WAAN,KAAM,CAAb,C;QAEX,aAAa,qCAAQ,KAAR,E;QAEb,IAAI,kEAAGC,mBAAhC,CA AJ,C;UACI,UAAU,cAAc,sBAAS,oCAAS,KAAT,EAAT,CAAd,0BAA0C,KAA1C,E;UACV,OAAO,gBAAgB,cA Ac,MAAd,MAAwB,GAAxB,CAAhB,C;;QAEX,OAAO,iBAAiB,MAAjB,C;;K;qCAIf,iB;MAOI,eAAqB,WAAN,K AAM,C;MACrB,IAAa,QAAT,KAAuB,KAAvB,IAAgC,aAAY,CAAhD,C;QACI,OAAO,iBAAI,QA AJ,C;;MAGX, WAAW,kB;MACX,aAAa,sBAAS,IAAT,IAAiB,K;MAC9B,OAAC,aAAP,MAAO,EAAW,IAAX,C;K;oCAGIB,iB;

MAEI,kBAaKb,SAAM,IAAK,cAAX,EAaWb,KAAM,cAA9B,C;MACIB,OAAO,IAAK,kBAAS,WAAT,CAAL,G  
AA6B,KAAM,kBAAS,WAAT,C;K;oCAG9C,Y;MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,oCAAW,C;K;oCAE  
9C,Y;MACmC,+BAAy,yCAAS,WAArB,KAAiC,wBAAy,qDAAa,WAAzB,C;K;kCAEpE,Y;MACiC,QAAC,iB;K  
;yFAGC,Y;MAAQ,OAAI,iBAAJ,GAAMb,IAAD,aAAiB,GAA6B,I;K;yCAExE,iB;MACI,kBAaKb,IAAK,WAAL,  
KAAkB,KAAM,WAAxB,C;MACIB,IAAI,yBAAC,CAAd,IAAmB,CAAA,WAAy,QAAZ,GAAwB,CAAxB,MAA6  
B,CAApD,C;QACI,OAAO,IAAK,WAAS,iBAAU,KAAM,WAAhB,C;MAEzB,QAAQ,CA11BsC,eAAS,QAAT,GA  
AqB,CA01B3D,KAAyB,KA11Ba,WAAS,QAAT,GAAqB,CA01B3D,K;MACR,OAAW,iBAAJ,GAaKb,CAAC,CA  
AD,IAAIB,GAA0B,C;K;uHAMrC,kB;MAeI,OAAO,OAAO,gBAAP,EAAoB,mBAAPb,EAAoC,qBAAPc,EAAsD,  
qBAAtD,EAAwE,yBAAXE,C;K;uHAGX,kB;MAcI,OAAO,OAAO,iBAAP,EAAqB,qBAArB,EAAuC,qBAAvC,EA  
AyD,yBAAzD,C;K;uHAGX,kB;MAaI,OAAO,OAAO,mBAAP,EAAuB,qBAAvB,EAAYc,yBAAzC,C;K;uHAGX,  
kB;MAYI,OAAO,OAAO,mBAAP,EAAuB,yBAAvB,C;K;0FAKP,Y;MAAQ,OAAI,iBAAJ,GAaKb,CAAIB,GAA0  
B,6CAAE,EAaf,EAAMb,Q;K;4FAIrD,Y;MAAQ,OAAI,iBAAJ,GAaKb,CAAIB,GAA0B,+CAAiB,EAajB,EAaq  
B,Q;K;4FAIvD,Y;MAAQ,OAAI,iBAAJ,GAaKb,CAAIB,GAA0B,+CAAiB,EAajB,EAaqB,Q;K;gGAIvD,Y;MAC  
I,sB;QADI,OACY,C;WACHb,wB;QAFI,OAey,cAAc,wCAAQ,IAAR,EAAd,CAA6B,Q;QAFzC,OAGK,wCAAQ,  
UAAR,EAAuB,Q;K;0CAMxC,gB;MAQiB,UAAN,M;MAAM,sB;MACT,iBAAA,yCAAS,WAAT,E;QAA4B,SAAP,  
wCAAO,kB;WAC5B,iBAAA,qDAAa,WAAb,E;QAAgC,SAAP,wCAAO,kB;QAG5B,6BAAoB,YAAM,WAA1  
B,EAAsC,kBAAtC,EAAMd,IAAnD,C;MALR,a;K;wCAUJ,gB;MAUiB,UAAN,M;MAAM,sB;MACT,iBAAA,yC  
AAS,WAAT,E;WACA,iBAAA,qDAAa,WAAb,E;QACQ,+BAAoB,YAAPb,EAA2B,kBAA3B,EAAwC,IAAxC,  
C;MAHZ,a;K;uCAOJ,gB;MAUI,OAAa,WAAb,oBAAO,IAAP,CAAA,4BAAyD,Q;K;kFAKhD,Y;MAAQ,6D;K;mf  
AKP,Y;MAAQ,8D;K;qFAKN,Y;MAAQ,gE;K;qFAKR,Y;MAAQ,gE;K;0FAKH,Y;MAAQ,qE;K;0FAKR,Y;MAA  
Q,qE;K;yFAKT,Y;MAAQ,oE;K;uFASrC,Y;MAAQ,2D;K;wFAQR,Y;MAAQ,4D;K;0FAQR,Y;MAAQ,8D;K;0FA  
QR,Y;MAAQ,8D;K;+FAQR,Y;MACI,OAAW,uBAAGb,eAApB,GAAgC,YAAhC,GAA2C,4D;K;+FAAtD,Y;MAA  
Q,mE;K;8FAYR,Y;MAEW,Q;MADP,YAAY,Y;MAER,uB;QAae,Y;WACf,8C;WACA,+C;QACQ,qBAAC,KAA  
d,C;MAJZ,W;K;2CAUR,Y;MASuC,8B;K;4CAEvC,Y;MASwC,+B;K;kCAExC,Y;MAuBwC,Q;MAAA,sB;MACp  
C,qB;QAD8B,OACxB,I;WACN,iBAAA,yCAAS,WAAT,E;QAF8B,OAET,U;WACrB,iBAAA,qDAAa,WAAb,E;Q  
AH8B,OAGL,W;QAErB,iBAAiB,iB;Q8HzhBF,gBAAhB,sB;Q9H2hBK,e;UAGb,yBAAO,EAAP,C;QACF,YAA  
d,kB;QA9RD,WAAO,iB;QAAP,YAAoB,oB;QAAPb,cAAoC,sB;QAAPc,cAAsD,sB;QAAtD,kBAAwE,0B;QAsS/  
D,0B;QAPJ,cAAc,iB;QACd,eAAe,UAAS,C;QACxB,iBAAiB,YAAW,C;QAC5B,iBAAiB,YAAW,CAAX,IAAgB,  
gBAAE,C;QACHd,iBAAiB,C;QACjB,IAAI,OAaj,C;UACI,yBAAO,IAAP,CAAA,gBAAO,GAAP,C;UACb,+B;Q  
AEJ,IAAI,aAAa,YAAY,cAAc,UAA1B,CAAb,CAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,EAAP,C;  
UACtB,yBAAO,KAAP,CAAc,gBAAO,GAAP,C;QAEIB,IAAI,eAAe,eAAe,YAAY,OAA3B,CAAF,CAAJ,C;UACI  
,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,EAAP,C;UACtB,yBAAO,OAAP,CAAgB,gBAAO,GAAP,C;QAEpB,I  
AAI,UAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,EAAP,C;UAEIB,gBAAW,CAAX,IAAgB,OAAhB,I  
AA2B,QAA3B,IAAuC,UAAvC,C;YACI,mCAAiB,OAajB,EAA0B,WAA1B,EAAuC,CAAvC,EAA0C,GAA1C,E  
AA2D,KAA3D,C;eACJ,mBAAE,OAaf,C;YACI,mCAAiB,cAAc,OAAd,IAAjB,EAA0C,cAAc,OAAXD,EAAMe,C  
AAAnE,EAAsE,IAAtE,EAaWf,KAAxF,C;eACJ,mBAAE,IAAf,C;YACI,mCAAiB,cAAc,IAAd,IAAjB,EAAsC,cAA  
c,IAApD,EAA2D,CAA3D,EAA8D,IAA9D,EAAGf,KAAhF,C;YAEA,yBAAO,WAAP,CAAoB,gBAAO,IAAP,C;;  
QAGhC,IAAI,cAAc,aAAa,CAA/B,C;UAAkC,yBAAO,CAAP,EAAU,EAAV,CAAE,gBAAO,EAAP,C;QAvC/B,O  
Ox1B3B,SuHoUqC,W;;K;4C9HikB5C,yE;MACI,yBAAO,KAAP,C;MACA,IAAI,eAAc,CAAIB,C;QACI,yBAAO,  
EAAP,C;QACA,iBAAuC,WAAtB,UAAW,WAAW,EAAS,cAAT,EAAyB,EAAzB,C;QACR,sB;;UsB5zBzB,Q;UA  
AA,OAAQ,WAAR,etB4zBc,UsB5zBd,CAAQ,CAAR,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,ItB2zBiD,UsB3  
zBnC,YtB2zBU,UsB3zBV,YAAK,KAAAL,EtB2zBmC,MAAM,EsB3zBvD,C;cACI,qBAAO,K;cAAP,uB;;UAGR,q  
BAAO,E;;QtBuzBC,oBAAoB,qBAAuC,CAAvC,I;QAEhB,KAAC,SAAD,IAAc,gBAAgB,CAA9B,C;UAAmC,8B  
AAY,UAAZ,EAaWb,CAAxB,EAA2B,aAA3B,C;;UAC3B,8BAAy,UAAZ,EAaWb,CAAxB,EAA2B,CAAC,CAA  
C,gBAAgB,CAAhB,IAAD,IAAsB,CAAtB,IAAD,IAA4B,CAA5B,IAA3B,C;;MAGhB,yBAAO,IAAP,C;K;0CAGJ,  
0B;MAGBwC,wB;QAAA,WAAgB,C;MIn9BxD,IAAI,EJo9BQ,YAAY,CIp9BpB,CAAJ,C;QACI,cJm9ByB,oD;QII  
9BzB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MJm9BN,aAAa,sBAAS,IAAT,C;MACb,IAAW,WAAP,MAAO,CAA  
X,C;QAAYB,OAAO,MAAO,W;MACvC,OAAO,sBAAsB,MAAtB,EAAuC,eAAT,QAAS,EAAa,EAAb,CAAvC,IA

AgE,UAAL,IAAK,C;K;qCAI3E,Y;M8HvmBuB,gBAAhB,sB;M9HqnBH,IAAI,iBAAJ,C;QAAkB,yBAAO,EAAP,C;MACIB,yBAAO,IAAP,C;MAC4B,YAAAd,kB;MAxWP,YAAO,kB;MAAP,cAAqB,sB;MAArB,cAAuC,sB;MAAvC,kBAAYd,0B;MAyW5D,cACY,K;MACZ,IAAI,iBAAJ,C;QAEI,wB;;MAEJ,eAAe,oB;MACf,iBAAiB,YAAW,C AAX,IAAgB,gBAAe,C;MACHd,iBAAiB,YAAW,CAAX,KAAiB,cAAc,QAA/B,C;MACjB,IAAI,QAAJ,C;QACI,y BAAO,OAAP,CAAc,gBAAO,EAAP,C;;MAEIB,IAAI,UAAJ,C;QACI,yBAAO,OAAP,CAAgB,gBAAO,EAAP,C;; MAEpB,IAAI,eAAe,CAAC,QAAD,IAAa,CAAC,UAA7B,CAAJ,C;QACI,mCAAiB,OAAjB,EAA0B,WAA1B,EA AuC,CAAvC,EAA0C,GAA1C,EAA2D,IAA3D,C;;MApBuB,OOx7B5B,SuHoUqC,W;K;::;kC9H5YhD,Y;MAAA, c;MAuBiD,2D;MAvBjD,a;K;gCAAA,iB;MAAA,2IAuBiD,gDAvBjD,G;K;IA8hCA,qC;MAIW,Q;MAAA,IAAI,6D AAJ,C;QACH,uBAAgB,4BAAiC,oBAAL,SAAK,CAAjC,EAA2C,IAA3C,yCAAhB,C;;QAES,oBAAT,8BAAS,EA AW,IAAX,C;MAHb,W;K;IAMJ,uC;MAII,kBAAkB,4BAA4B,SAA5B,0CAAiE,IAAjE,C;MACIB,IAAa,WAAD,a AAR,yDAAsB,WAAtB,CAAJ,C;QACI,OOAO,gBAAgB,4BAA4B,SAA5B,EAakC,IAAIc,yCAAhB,C;;QAEp,aA Aa,sBAAoB,SAApB,EAA0B,IAA1B,0C;QACb,OOAO,iBAAwB,WAAP,MAAO,yBAAsB,UAAtB,CAAxB,C;;K;I AIf,uC;MAaW,Q;MAHP,gBAAgB,oBAAoB,SAApB,EAA0B,IAA1B,yC;MiviChB,IAAI,CJwiCI,CAAW,QAAV, SAAU,CiXiCnB,C;QACI,cJuiC0B,+B;QItiC1B,MAAM,gCAAYB,OAAQ,WAAjC,C;;MJuiCV,YAAsB,YAAV,SA AU,C;MACf,IAAI,sEAAqB,SAArB,CAAJ,C;QACH,uBAAgB,KAAhB,C;;QAEA,aAAwE,YAA3D,oBAAoB,SAA pB,EAA0B,IAA1B,0CAA2D,C;QACxE,kCAA2B,MAA3B,C;;MAJJ,W;K;IAGBuB,oC;MAAQ,oE;K;IAOP,sC;MA AQ,sE;K;IAWN,sC;MAAQ,sE;K;IAQV,qC;MAAQ,qE;K;IAOP,uC;MAAQ,uE;K;IAWN,uC;MAAQ,uE;K;IAQX, qC;MAAQ,qE;K;IAOP,uC;MAAQ,uE;K;IAWN,uC;MAAQ,uE;K;IAQhB,gC;MAAQ,gE;K;IAOP,kC;MAAQ,kE;K ;IAWN,kC;MAAQ,kE;K;IAQX,gC;MAAQ,gE;K;IAOP,kC;MAAQ,kE;K;IAWN,kC;MAAQ,kE;K;IAQb,8B;MAA Q,8D;K;IAOP,gC;MAAQ,gE;K;IAWN,gC;MAAQ,gE;K;IAQZ,6B;MAAQ,6D;K;IAOP,+B;MAAQ,+D;K;IAWN,+ B;MAAQ,+D;K;yEAG/B,+B;MAIqE,8BAAW,SAAX,C;K;2EAERe,+B;MAUwE,8BAAW,SAAX,C;K;IAIxE,yC; MACI,aAAa,KAAM,O;MACnB,IAAI,WAAU,CAAd,C;QAAiB,MAAM,gCAAYB,qBAAZB,C;MACvB,YAAY,C; MACZ,aAAa,gCAAS,K;MACTb,qBAAqB,U;MACrB,QAAM,iBAAM,KAAN,CAAN,C;aACI,E;aAAA,E;UAAy, qB;UAAZ,K;;MAEJ,cAAc,QAAQ,C;MACTb,iBAAiB,WAAiB,aAAN,KAAM,EAAW,EAAX,C;MAE9B,cAAU,K AAV,C;QACI,MAAM,gCAAYB,eAAzB,C;WACV,qBAAM,KAAN,MAAgB,EAhB,C;QACI,IAAI,mCAAW,M AAF,C;UAAuB,MAAM,+B;QAC7B,sBAAsB,K;QACTb,sBAAsB,K;QACTb,eAA8B,I;QAC9B,OOAO,QAAQ,MA Af,C;UACI,IAAI,iBAAM,KAAN,MAAgB,EAAPB,C;YACI,IAAI,mBAAMB,mCAAW,MAAIC,C;cAA0C,MAA M,+B;YACHd,kBAAkB,I;YACIB,Q;;UAekB,iBAAe,K;UA+EjD,QAHgC,U;UAIhC,Y;YAAO,eAhFqB,KAgFjB, O;YAAJ,S;cAAc,SAAU,YAhFH,KAgFG,YAAK,CAAL,E;cAAV,OAhFqC,CAAM,kBAAK,EAAL,CAAN,qCAA kB,2C;::;YAgFnC,a;;UAhF7B,gBAAgB,KiBv1CgE,WjBmqClF,UiBnqCkF,EjBwqCrF,CiBxqCqF,C;UjBwlChF,IA AI,SuBrhCgC,YAAU,CvBqhC9C,C;YAAyB,MAAM,+B;UAC/B,gBAAS,SAAU,OOAnB,I;UACqB,cAAU,K;UsB zrCpC,U;UAAA,IAAI,WAAS,CAAT,IAAc,WAAS,iBtByrCP,KsBzrCO,CAA3B,C;YAAA,StByrCoB,KsBzrCkB, YAAI,OOAJ,C;;YtByrCO,MAAM,gCAAYB,qCAAzB,C;;UAA9C,qB;UACA,qB;UACA,WAAW,sBAAsB,QAAtB ,EAAgC,eAAhC,C;UACX,IAAI,YAAy,IAAZ,IAAoB,yBAAy,IAAZ,MAAxB,C;YAA0C,MAAM,gCAAYB,yCA AzB,C;UACHd,WAAW,I;UACX,eAAyB,WAAV,SAAU,EAAQ,EAAR,C;UACzB,IAAI,+CAAgC,WAAW,CAA/ C,C;YACI,YAAy,SiBjmCgE,WjBimC5C,CiBjmC4C,EjBimCzC,QiBjmCyC,C;YjBkmC5E,4BAA2C,aAAjC,0BA A0B,KAA1B,CAAiC,EAAW,IAAX,CAA3C,C;YACA,4BAAMd,aAAx,SAA9B,SiBtmCmD,WjBsmC/B,QiBtmC +B,CjBsmCrB,CAAW,EAAW,IAAX,CAAnD,C;;YAEA,4BAA+C,aAArC,0BAA0B,SAA1B,CAAqC,EAAW,IAA X,CAA/C,C;;aAIZ,c;QACI,MAAM,+B;;QACV,IAAM,cAAN,KAAM,EAAC,KAAD,EAAqB,cAArB,EAAqC,CA ArC,EQ/xCH,MAAO,KR+xCmD,SAAS,KAAT,IQ/xCnD,ER+xCmE,cAAe,OQ/xCIF,CR+xCJ,EAA4G,IAA5G,CA AN,C;UACI,SAAS,gCAAS,S;;UAIIB,iBAA8B,I;UAC9B,iBAAiB,K;UACjB,kBAAkB,CAAC,O;UACnB,IAAI,W AAW,iBAAM,KAAN,MAAgB,EAA3B,IAAwC,QAAN,KAAM,CAAN,KAAGB,EAATD,C;YACI,cAAc,I;YACd,I AAI,oCAAW,uBAAX,EAAW,MAAX,CAAJ,C;cAAyB,MAAM,gCAAYB,eAAzB,C;;UAEnC,OOAO,QAAQ,MA Af,C;YACI,IAAI,cAAc,WAAIB,C;cA8CZ,UA7CwC,K;cA8CxC,Y;gBAAO,mBA9CiB,KA8Cb,O;gBAAJ,W;kBA Ac,SA9C4B,UA8CIB,YA9CP,KA8CO,YAAK,GAAL,EA9CkB,MAAM,E;::;gBA8Cd,iB;;cA9CzB,QA+CT,G;;YA 7CK,aAAa,I;YACS,mBAAe,K;YA0CjD,UAHgC,Y;YAIhC,Y;cAAO,mBA3CqB,KA2CjB,O;cAAJ,W;gBAAc,WA AU,YA3CH,KA2CG,YAAK,GAAL,E;gBAAV,SA3CqC,CAAM,kBAAK,EAAL,CAAN,uCAAKB,oBAAM,E;::;c A2CzC,iB;;YA3C7B,kBAAGB,KiB5nCGE,WjBmqClF,YiBnqCkF,EjBwqCrF,GiBxqCqF,C;YjB6nChF,IAAI,WuB

IjCgC,YAAU,CvB0jC9C,C;cAAyB,MAAM,+B;YAC/B,gBAAS,WAAU,OAA nB,I;YACqB,mBA Ae,K;Y AuChD,UAHgC,Y;YAIhC,Y;cAAO,mBAxCoB,KAwChB,O;cAAJ,W;gBAAc,WAAU,YAxCJ,KAwCI,YAAK,GAAL,E;gBAAV,SAxCoC,CAAM,kBA AK,GAAL,CAAN,mC;;;cAwChB,iB;;YAxC7B,eAAe,KiB/nCiE,WjBmqClF,YiBnqCkF,EjBwqCrF,GiBxqCqF,C;YjBgoChF,gBAAS,QAAS,OAAIB,I;YACA,aAAW,wBAAwB,QAAXB,C;YACX,IAAI,cAA Y,IAAZ,IAAoB,2BAAY,MAAZ,MAAxB,C;cAAOC,MAAM,gCAAyB,yCAAzB,C;YAC hD,aAAW,M;YACX,iBAAYB,WAAV,WAAU,EAAQ,EAAR,C;YACzB,IAAI,aAAW,CAAf,C;cACI,cAA Y,WiBtoCgE,WjBsoC5C,CiBtoC4C,EjBsoCzC,UiBtoCyC,C;cjBuoC5E,4BAAYB,aAAT,OAAN,OAAM,CAAS,EAAW,MAAX,CAAzB,C;cACA,4BAAMd,aAAX,SAA9B,WiB3oCmD,WjB2oC/B,UiB3oC+B,CjB2oCrB,CAAW,EAAW,MAAX,CAAnD,C;cACA,IAAI,QAAQ,MAAZ,C;gBAAoB,MAAM,gCAAyB,mCAAzB,C;;cAE1B,4BAA6B,aAAT,OA AV,WAAU,C AAS,EAAW,MAAX,CAA7B,C;;;MAKhB,OAAW,UAAJ,GA AiB,MAAD,aAAhB,GAA6B,M;K;IAIxC,0C;MACI,aAAa,KAAM,O;MACnB,iBAAiB,C;MACjB,IAAI,SAAS,CAAT,IAAc,YAAY,IAAZ,mBAAM,CAAN,EAAIB,C;QAAoC,+B;;MACHc,YAAC,SAAS,UAAT,IAAD,IAAwB,E;MAAxB,S;QAA4D,gBAA7B,yBA AkB,iBAAN,KAAM,CAAIB,C;QAA6B,c;;UU4ThD,U;UADhB,IAAI,wCAAsB,mBAA1B,C;YAAqC,aAAO,I;YAAP,e;;UACrB,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YAAM,IAAI,CV5T4C,CAAa,kBAAK,EAAL,CAAb,oCU4TjC,OV5TiC,EU4ThD,C;cAAyB,aAAO,K;cAAP,e;;UAC/C,aAAO,I;;QV7TyD,iB;;MAAhE,S;QAEI,OAAW,iBAAM,CAAN,MAAY,EAAhB,sD;;MAGX,OAAiB,WAAN,KAAM,EAAW,GAAX,CAAV,GAAYC,OAAR,QAAN,KAAM,EAAK,CAAL,CAAQ,CAAzC,GAA6D,OAAN,KAAM,C;K;IAKxE,0D;MAII,QAHgC,U;MAIhC,OAAO,IAAI,gBAAJ,IAJqC,SAIvB,CAAU,iCAAK,CAAL,EAAV,CAArB,C;QAAYC,a;;MAJzC,OiBnqC4F,oBjBmqClF,UiBnqCkF,EjBwqCrF,CiBxqCqF,C;K;IjBqqChG,qD;MACI,QAAQ,U;MACR,OAAO,IAAI,gBAAJ,IAAc,UAAU,iCAAK,CAAL,EAAV,CAArB,C;QAAYC,a;;MACzC,OAAO,C;K;;;IAMBX,8B;MAA+C,qCAAQ,OAAR,E;K;IAC/C,+B;MAAgD,2CAAS,OAAT,E;K;IAEhD,sC;MAAiD,oBAAS,sBAAGB,CAAhB,CAAT,C;K;IACjD,wC;MAAMd,oBAAU,uBAAiB,CAAjB,CAAD,yBAAuB,CAAvB,EAAT,C;K;IACnD,oD;MAAoE,oBAAU,sBAAGB,CAAhB,CAAD,yBAA sB,iBAAtB,EAAT,C;K;IACpE,0C;MACI,IAAI,sEAAqB,SAArB,CAAJ,C;QAAA,OACI,gBAAGB,KAAhB,C;;QADJ,OAGI,iBAAiB,cAAc,KAAd,CAAjB,C;;K;IAGR,4C;MACI,IAAI,kEAAgC,mBAAhC,CAAJ,C;QAAA,OACI,gBAAGB,cAAc,MAAd,CAAhB,C;;QADJ,OAGI,iBAAwB,WAAP,MAAO,yBAAsB,UAAtB,CAAxB,C;;K;IwMI3CR,8B;MAEgD,QAAM,SAAN,M;aAC5C,a;UAD4C,OACHB,I;aAC5B,c;UAF4C,OAEf,I;aAC7B,c;UAH4C,OAGf,I;aAC7B,S;UAJ4C,OAIpB,G;aACxB,S;UAL4C,OAKpB,G;aACxB,O;UAN4C,OAMtB,G;aACtB,M;UAP4C,OAovB,G;;UpMuEwB,MAAM,6BAA8B,CoMtEnE,mBAAGB,SpMsEmD,YAA9B,C;;K;IoMnEvD,4C;MACwE,QAAM,SAAN,C;aACpE,I;UADoE,6C;aAEpE,I;UAFoE,8C;aAGpE,I;UAHoE,8C;aAIpE,G;UAJoE,yC;aAKpE,G;UALoE,yC;aAMPe,G;UANoE,uC;aAOpE,G;UAPoE,sC;;UAQ5D,MAAM,gCAAyB,uCAAoC,SAA7D,C;;K;IAGlB,yD;MAGQ,KAAC,eAAD,C;QAEQ,IADE,OACF,Q;UAHZ,sC;;UAIoB,MAAM,gCAAyB,4EAAqD,OAARd,CAAzB,C;;QAII B,QAAM,OAAN,C;eACI,E;YATZ,uC;eAUy,E;YAVZ,yC;eAWy,E;YAXZ,yC;;YAYoB,MAAM,gCAAyB,yDAAkC,OAAIC,CAAzB,C;;;K;IC5F9B,4B;K;;;MC4BI,kC;;IAXA,gC;MAAA,oC;MAM0B,2BAAc,iC;K;8CACpC,Y;MAAkC,OAAA,iCAAoB,W;K;6CADhC,Y;MAAA,yC;K;;IAN1B,4C;MAAA,2C;QAAA,0B;;MAAA,oC;K;IAWA,gC;MAAA,oC;K;;IAAA,4C;MAAA,2C;QAAA,0B;;MAAA,oC;K;;IAKJ,oB;K;qCAcI,oB;MAK8D,4BAAiB,IAAjB,EAAuB,QAAvB,C;K;sCAE9D,oB;MAK+D,wBAAM,QAAD,aAAL,C;K;sCAG/D,Y;MAMqC,QAAC,iBAAa,a;K;yCAEnD,Y;MAMwC,OAAA,iBAAa,a;K;;4EAIzD,yB;MAAA,4C;MAAA,mC;QAQuE,MAAM,WAAM,0BAAN,C;O;KAR7E,C;mFAUA,yB;MAAA,4C;MAAA,mC;QAQsE,MAAM,WAAM,0BAAN,C;O;KAR5E,C;IAY8B,4C;MAAiD,mB;MAAhD,gB;MAAoB,4B;K;4CAC/C,Y;MAAsC,OAAA,SAAK,aAAL,cAAoB,eAApB,C;K;6CAEtC,oB;MAAkD,4BAAiB,SAAjB,EAAuB,4BAAa,QAAb,CAAvB,C;K;;IChGV,sC;MAAC,gB;K;IAOf,4E;MAA8G,mB;MAA7G,4B;MAA6B,8B;MAAgD,sB;K;+DACpG,Y;MAAsC,OAAgC,aAA/B,iBAAW,OAAX,UAAoB,gBAApB,CAA+B,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,aAA9D,C;K;gEACtC,oB;MAAkD,+CAAa,gBAAb,EAAwB,iBAAXB,EAAoC,0BAAS,QAAT,CAApC,C;K;;+CAGtD,Y;MAAmC,+CAAa,WAAb,EAAqB,IAArB,EAA2B,gCAAS,KAApC,C;K;;IAUO,wC;MAAC,gB;K;IAOf,gF;MAAkH,mB;MAAjH,4B;MAA+B,8B;MAAkD,sB;K;mEAC1G,Y;MAAsC,OAAgC,aAA/B,iBAAW,OAAX,GAAoB,gBAAW,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,aAA9D,C;K;oEACtC,oB;MAAkD,mDA Ae,gBAAf,EAA0B,iBAA1B,EAA sC,0BAAS,QAAT,CAAtC,C;K;;iDAGtD,Y;MAMmC,mDA Ae,WAAf,EAAuB,IAAvB,EAA6B,gCAAS,KAAtC,C;K;;IAGvC,0B;MAGB8B,yE;MAC1B,mB;K;oCAEA,Y;MAA4B,qB;K;iDAE5B,oB;MAWc,Q;MADV,gBAAGB,QAAS,gBAAO,SAAP,C;MACf,IAAI,gDAA+B,4

CAAnC,C;QAEN,iBAaIB,mBAAU,SAAV,C;QACjB,IAAI,mBAAY,SAAZ,gBAAYB,CAAZB,IAA8B,mBAAY,U  
AAZ,eAAyB,CAA3D,C;UAA8D,gBAAS,QAAT,C;QAC9D,iB;;QAEA,YAAY,QAAS,kBAAS,SAAT,C;QAErB,m  
BAAiB,4BAAU,K;QAC3B,IAAI,sDAA+B,kDAAAnC,C;UAAgE,gBAAS,QAAT,C;QACrD,8BAAX,YAAW,C;;M  
AVf,qB;K;0CacJ,oB;MACI,MAAM,6BAAsB,iDAA+C,cAA/C,qCAA0E,QAA1E,MAAtB,C;K;;qFC7Fd,yB;MAA  
A,yC;MAAA,wB;QA2BI,WAAW,8B;QAhB6B,KAiBxC,E;QAJBA,OakBO,IAAK,a;O;KA7BhB,C;uFAeA,4B;M  
AYI,WAAW,mB;MACX,O;MACA,OAAO,IAAK,a;K;IAYe,qC;MAAC,kB;MAAc,wB;K;;sCAR9C,Y;MAQgC,iB  
;K;;sCARhC,Y;MAQ8C,oB;K;wCAR9C,2B;MAAA,sBAQgC,qCARhC,EAQ8C,8CAR9C,C;K;oCAAA,Y;MAAA,  
OAOgC,iDARhC,IAQ8C,8CAR9C,O;K;oCAAA,Y;MAAA,c;MAQgC,sD;MAAc,yD;MAR9C,a;K;kCAAA,iB;MA  
AA,4IAQgC,sCARhC,IAQ8C,4CAR9C,I;K;iGAUA,yB;MAAA,yC;MAgBA,8C;MAhBA,wB;QA6BI,WAAW,8B;  
QACX,aAjB8C,KAiBjC,E;QAJBb,OakBO,oBAAW,MAAX,EAAMb,IAAK,aAAxB,C;O;KA/BX,C;mGAgBA,yB;  
MAAA,8C;MAAA,mC;QAaI,WAAW,mB;QACX,aAAa,O;QACb,OAAO,oBAAW,MAAX,EAAMb,IAAK,aAAx  
B,C;O;KafX,C;IzJZA,2E;MASI,sC;MAAA,4C;K;IATJ,mGAWY,Y;MAAQ,2B;KAXpB,E;IAAA,4DAaQ,kB;MA  
CI,wBAAW,MAAX,C;K;IAdZ,wF;I0JewC,sC;MACpC,0B;K;;IAGJ,kC;MAUI,OAA2C,CAA3C,2BAA6B,uBAA7  
B,EAAoC,KAApC,CAA2C,e;K;IAE/C,8B;K;kDAuBI,4B;MASI,MAAM,qCAA8B,8CAA9B,C;K;;IAa4B,8C;MA  
GtC,6B;MAEmD,UAMX,M;MAPxC,kBACmD,mE;MAEnD,eAC0B,K;MAE1B,cACwC,kE;MAExC,gBACmC,g  
B;K;iGAG/B,Y;MAAQ,0C;K;0DAEZ,kB;MACI,cAAY,I;MACZ,gBAAc,M;K;IAGsE,iG;MAAA,uB;QAEEx,Q;Q  
AAZ,qCAAY,8D;QACZ,sCAAA,a;QAFb,OAGA,yB;O;K;2DAJJ,+B;MAAkD,OAAcS,wDAAtC,c;K;IAOyE,uH;M  
AAA,uB;QAEEx,Q;QAaf,iBAae,8F;QACf,eAAK,2B;QAA6B,mC;QtMjGtB,gBAAT,Q;QsMsG0D,kB;QAJzD,sB  
AAsB,SAAK,W;QAC3B,IAAI,eAAa,eAAjB,C;UAEL,iC;UACA,mBAAY,oCAAwB,eAAxB,EAAYC,kEAAzC,C;;  
UAGZ,mBAAY,kE;;QAEhB,oBAaa,e;QAZjB,OAcA,yB;O;K;6DAfJ,0C;MAAqF,OAAcS,qEAAc,c;K;IAqBzB,  
mI;MAAA,qB;QACxD,yCAAgB,uB;QAGhB,qCAAY,Y;QACZ,uCAAc,E;QACIB,W;O;K;iEATA,iC;MAGwB,w  
CAAA,mCAAb,EAAoC,kFAApC,C;K;mDAQxB,Y;MAMuB,UADC,MACD,EAIH,MAJG,EAaK,M;MAjBxB,OA  
AO,IAAP,C;QAEI,aAAa,IAAK,S;QACF,SAAL,IAAK,O;QAAL,mB;UACyB,gBAArB,0D;U3JxBhB,U;UADP,yB  
;U2JyBe,O3JxBR,sF;;Q2JuBC,WAAW,M;QAGX,IAAI,mDAAoB,MAApB,QAaj,C;;YAliB,SAAT,ezJxJV,CyJwJ  
uD,IzJxJvD,EyJwJ6D,YzJxJ7D,EyJwJoE,IzJxJpE,EAA8C,KAA9C,C;;YyJyJQ,gC;cACE,I1JzJhB,oBDgDQ,WAA  
O,c2JyG0B,C3JzG1B,CAAP,CChDR,C;c0J0JgB,Q;;cALI,O;;UAAR,c;UAQA,IAAI,MAAM,yBAAV,C;YACI,I1Jv  
KhB,oBDgDQ,W2JuHoB,0E3JvHpB,CChDR,C;;U0J0KY,gBAAc,gB;UACd,IAAK,oBAAW,MAAX,C;;K;;0EC1  
MrB,4B;MAoKI,QAhKK,SAGKG,GAhKoB,KAgKpB,I;MACR,IAAI,CAjKC,SAiKD,GAjKwB,KAiKxB,IAAiB,C  
AAjB,IAAsB,eAjKE,KAiKF,MAjKrB,SAiKL,C;QAA6C,a;;MAjK7C,OakKO,C;K;kEAhKX,yB;MAAA,0B;MAA  
A,mC;QA2KI,QAnKK,SAmKG,GAnKe,K;QAAvB,OAAgC,OAoKzB,KApKgB,KAOkX,GAAW,CAAC,CAAC,I  
ApKF,KAOkC,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApKyB,C;O;KARpC,C;4  
EAUA,4B;MAoJI,QAhJK,SAGJG,GAhJoB,KAgJpB,I;MACR,IAAI,CAjJC,SAiJD,GAjJwB,KAiJxB,IAAiB,CAAj  
B,IAAsB,eAjJE,KAiJF,MAjJrB,SAiJL,C;QAA6C,a;;MAjJ7C,OakJO,C;K;kEAhJX,yB;MAAA,4B;MAAA,mC;QA  
2JI,QAnJK,SAmJG,GAnJe,K;QAAvB,OAAgC,QAoJzB,KApJgB,KAOjX,GAAW,CAAC,CAAC,IApJF,KAOjC,K  
AAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApJyB,C;O;KARpC,C;4EAUA,4B;MAoII,  
QAhIK,SAGIG,GAhIc,KAgId,I;MACR,IAAI,CAjIC,SAiID,GAjIkB,KAiIlB,IAAiB,CAAjB,IAAsB,eAjJI,KAiII,M  
AjIrb,SAiIL,C;QAA6C,a;;MAjI7C,OakIO,C;K;kEAhIX,4B;MA2II,QAnIK,SAmIG,GAnIS,K;MAAjB,OAoIO,KA  
pIU,KAOIL,GAAW,CAAC,CAAC,IApIR,KAOIO,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,  
EAAID,K;K;4EAIIX,yB;MAqMA,0B;MArMA,mC;QAIkB,kBAAT,oBAAL,SAAK,C;QAqML,QAAQ,gBArMe,K  
AqMf,C;QACR,IAAI,gBAtMmB,KAsMnB,eAAiB,CAAjB,IAAsB,mBAtMH,KAsMG,GAAa,WAAb,CAA1B,C;U  
AA6C,W;;QAtM7C,OAuMO,C;O;KA3MX,C;kEAMA,4B;MAGNI,QAxMK,oBAAL,SAAK,CAwMG,QAxMU,K  
AwMV,C;MAxMR,OAyMO,MAzMW,KAyMN,KAAa,MAzMP,KAyMO,CAAD,KAAmB,KAAm,CAAD,aAAL,  
CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,C;K;4EAvmX,4B;MAoGI,QAhGK,SAGGG,GAhGoB,KAgGpB,I;  
MACR,IAAI,CAjGC,SAiGD,GAjGwB,KAiGxB,IAAiB,CAAjB,IAAsB,eAjGE,KAiGF,MAjGrB,SAiGL,C;QAA6  
C,a;;MAjG7C,OakGO,C;K;kEAhGX,yB;MAAA,0B;MAAA,mC;QA2GI,QAnGK,SAmGG,GAnGe,K;QAAvB,O  
AAgC,OAoGzB,KApGgB,KAOgX,GAAW,CAAC,CAAC,IApGF,KAOGC,KAAmB,KAAK,CAAC,CAAD,IAAL,  
CAAnB,CAAD,KAAkC,EAAID,KApGyB,C;O;KARpC,C;4EAUA,4B;MAoFI,QAhFK,SAGFG,GAhFoB,KAgFpB  
,I;MACR,IAAI,CAjFC,SAiFD,GAjFwB,KAiFxB,IAAiB,CAAjB,IAAsB,eAjFE,KAiFF,MAjFrB,SAiFL,C;QAA6C,

a;;MAjF7C,OAKFO,C;K;kEAhFX,yB;MAAA,4B;MAAA,mC;QA2FI,QAnFK,SAmFG,GAnFe,K;QAAvB,OAAgC ,QAOvzB,KApFgB,KAOFX,GAAW,CAAC,CAAC,IAPFF,KAOFC,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB, CAAD,KAAkC,EAAID,KApFyB,C;O;KARpC,C;4EAUA,4B;MAoEI,QAhEK,SAGEG,GAhEc,KAGEd,I;MACR,IAAI,CAjEC,SAiED,GAjEkB,KAIeIB,IAAiB,CAAjB,IAAsB,eAjEJ,KAIeI,MAjErB,SAiEL,C;QAA6C,a;;MAjE7C ,OAKEO,C;K;kEAhEX,4B;MA2EI,QAnEK,SAmEG,GAnES,K;MAAjB,OAoEO,KApEU,KAOEL,GAAW,CAAC, CAAC,IAPER,KAOEO,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,K;K;4EAIE,X,yB; MAqIA,0B;MArIA,mC;QAIkB,kBAAT,oBAAL,SAAK,C;QAqIL,QAAQ,gBArIe,KAQIf,C;QACR,IAAI,gBatImB ,KAsInB,eAAiB,CAAjB,IAAsB,mBAIH,KASIG,GAAa,WAAb,CAA1B,C;UAA6C,W;;QAtI7C,OAUIO,C;O;KA3I X,C;kEAMA,4B;MAGJI,QAxIK,oBAAL,SAAK,CAwIG,QAxIU,KAwIV,C;MAxIR,OAYIO,MAzIW,KAYIN,KAA a,MAZIP,KAYIO,CAAD,KAAmB,KAAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,C;K;2EA vIX,4B;MAoCI,QAhCA,SAGCQ,GAhCY,KAGCZ,I;MACR,IAAI,CAjCJ,SAiCI,GAjCgB,KAIChB,IAAiB,CAAjB, IAAsB,eAjCN,KAIcM,MAjC1B,SAiCA,C;QAA6C,a;;MAjC7C,OAKCO,C;K;iEAhCX,yB;MAAA,0B;MAAA,mC ;QA2CI,QAnCA,SAmCQ,GAnCO,K;QAAf,OAAwB,OAoCjB,KApCQ,KAOCH,GAAW,CAAC,CAAC,IAPCV,K AOCS,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApCiB,C;O;KAR5B,C;4EAUA,4 B;MAoBI,QAhBA,SAGBQ,GAhBY,KAGBZ,I;MACR,IAAI,CAjBJ,SAiBI,GAjBgB,KAIhB,IAAiB,CAAjB,IAAs B,eAjBN,KAIbM,MAjB1B,SAiBA,C;QAA6C,a;;MAjB7C,OAKBO,C;K;mEAhBX,yB;MAAA,4B;MAAA,mC;QA 2BI,QAnBA,SAmBQ,GAnBO,K;QAAf,OAAwB,QAoBjB,KApBQ,KAOBH,GAAW,CAAC,CAAC,IAPBV,KAOB S,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApBiB,C;O;KAR5B,C;4EAUA,4B;M AII,QAAQ,YAAO,KAAP,I;MACR,IAAI,aAAS,KAAT,IAAiB,CAAjB,IAAsB,eAAI,KAAJ,MAAa,SAAvC,C;QA A6C,a;;MAC7C,OAAO,C;K;mEAGX,4B;MAQI,QAAQ,YAAO,K;MACf,OAAO,KAAK,QAAW,CAAC,CAAC,I AAM,KAAP,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,K;K;4EAGX,yB;MAGEA,0B ;MAhEA,mC;QAIkB,kBAAT,oBAAL,SAAK,C;QAGEL,QAAQ,gBAhEe,KAGef,C;QACR,IAAI,gBAjEmB,KAIEn B,eAAiB,CAAjB,IAAsB,mBAjEH,KAIeG,GAAa,WAAb,CAA1B,C;UAA6C,W;;QAJE7C,OAKEO,C;O;KATEx,C; kEAMA,4B;MA2EI,QAnEK,oBAAL,SAAK,CAmEG,QAnEU,KAmEV,C;MAnER,OAoEO,MApEW,KAOEN,KA Aa,MApEP,KAOEO,CAAD,KAAmB,KAAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,C;K;6 EAIE,X,yB;MAGDA,0B;MAhDA,mC;QAIS,cAAe,oBAAN,KAAM,C;QAGDpB,QAhDA,SAGDQ,KAAO,OAAP,C; QACR,IAjDA,SAiDI,KAAS,OAAT,eAAiB,CAAjB,IAAsB,mBAAI,OAaj,GAjD1B,SAiD0B,CAA1B,C;UAA6C, W;;QAJD7C,OAKDO,C;O;KATDX,C;mEAMA,yB;MAAA,0B;MAAA,mC;QAQS,cAAU,oBAAN,KAAM,C;QAm Df,QAnDA,SAmDQ,QAAO,OAAP,C;QAnDR,OAAYB,OAoDIB,MAAK,YAAa,MAAM,OAAN,CAAD,KAAmB, KAAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,CAPDkB,S;O;KAR7B,C;6EAUA,yB;MAGC A,0B;MAhCA,mC;QAIS,cAAe,oBAAN,KAAM,C;QAGCpB,QAhCA,SAGCQ,KAAO,OAAP,C;QACR,IAjCA,SAi CI,KAAS,OAAT,eAAiB,CAAjB,IAAsB,mBAAI,OAaj,GAjC1B,SAiC0B,CAA1B,C;UAA6C,W;;QAJC7C,OAKC O,C;O;KATCX,C;mEAMA,yB;MAAA,4B;MAAA,mC;QAQS,cAAU,oBAAN,KAAM,C;QAmCf,QAnCA,SAmCQ ,QAAO,OAAP,C;QAnCR,OAAYB,QAoCIB,MAAK,YAAa,MAAM,OAAN,CAAD,KAAmB,KAAM,CAAD,aAA L,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,CAPCkB,S;O;KAR7B,C;6EAUA,yB;MAGBA,0B;MAhBA,mC; QAIS,cAAe,oBAAN,KAAM,C;QAGBpB,QAhBA,SAGBQ,KAAO,OAAP,C;QACR,IAjBA,SAiBI,KAAS,OAAT,e AAiB,CAAjB,IAAsB,mBAAI,OAaj,GAjB1B,SAiB0B,CAA1B,C;UAA6C,W;;QAJB7C,OAKBO,C;O;KATBX,C;m EAMA,4B;MAQS,cAAU,oBAAN,KAAM,C;MAmBf,QAnBA,SAmBQ,QAAO,OAAP,C;MAnBR,OAoBO,MAAK ,YAAa,MAAM,OAAN,CAAD,KAAmB,KAAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,CA pBkB,Q;K;6EAE7B,yB;MAAA,0B;MAAA,mC;QAII,QAAQ,cAAO,KAAP,C;QACR,IAAI,cAAS,KAAT,eAAiB, CAAjB,IAAsB,mBAAI,KAAJ,GAAa,SAAb,CAA1B,C;UAA6C,W;;QAC7C,OAAO,C;O;KANX,C;mEASA,4B;M AQI,QAAQ,iBAAO,KAAP,C;MACR,OAAO,MAAK,UAAa,MAAM,KAAN,CAAD,KAAmB,KAAM,CAAD,aAA L,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,C;K;kEAGX,yB;MpGiqB2C,iB;MoGjB3C,mC;QAUI,QAAQ,Y AAO,K;QACJ,iBAAS,G;QAAT,S;UAAAsB,OpGspBc,MAAiC,MoGtpB/C,CpGspB+C,CoGtpB/C,KpGspBc,MAAi C,MoGtpBrC,KpGspBqC,C;;QoGtpBhF,OAAO,OAAGD,IAAI,KAApD,GAA+D,C;O;KAXIE,C;mEAca,yB;MpG 0I6C,iB;MoGI17C,mC;QAKCI,QAxBK,SAwBG,GAXBY,K;QAYBT,iBAAK,G;QAAL,S;UAAy,OpGuG0B,MAA W,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGhIxC,KpGgIwC,C;;QoGhI5D,OAYBO,OAAsC,IAzBz B,KAYbB,GAAqD,C;O;KANChE,C;mEAYA,yB;MpG8H6C,iB;MoG9H7C,mC;QASBI,QAZA,SAYQ,GAZO,K;Q

AaJ,iBAAK,G;QAAL,S;UAA Y,OpGuG0B,MAAW,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGpH7  
C,KpGoH6C,C;;QoGpH5D,OAAO,OAA sC,IAb9B,KAAr,GAAqD,C;O;KAvBhE,C;mEAYA,yB;MpGkH6C,iB;Mo  
GIH7C,mC;QAUI,QAAQ,YAAO,K;QACJ,iBAAK,G;QAAL,S;UAA Y,OpGuG0B,MAAW,MoGvGrC,CpGuGqC,  
CoGvGrC,KpGuG0B,MAAW,MoGvG3B,KpGuG2B,C;;QoGvG5D,OAAO,OAA sC,IAAI,KAA1C,GAAqD,C;O;K  
AXhE,C;4ECnTA,yB;MAAA,8B;MAAA,4B;QAOyC,Q;QAAA,gFAAoB,C;O;KAP7D,C;ICM0B,4C;MA+CtB,qC;  
MA/CuB,kB;MAAgB,kB;MAAgB,kB;MAMvD,iBAAsB,iBAAU,UAAV,EAAiB,UAAjB,EAAwB,UAAxB,C;K;0  
CAEtB,+B;M5MWA,IAAI,E4MViB,CAAT,sBAAY,GAAZ,KAA4C,CAAT,sBAAY,GAA/C,MAA+E,CAAT,sBA  
AY,GAAIF,C5MUR,CAAJ,C;QACI,c4MVI,2E;Q5MWJ,MAAM,gCAAyB,OAAQ,WAAjC,C;;M4MTN,OAAO,C  
AAA,KAAM,IAAI,EAAV,KAAgB,KAAM,IAAI,CAA1B,IAA+B,KAA/B,I;K;uCAGX,Y;MAGkC,OAAE,UAAF,  
oBAAS,UAA T,SAAGB,U;K;qCAEID,iB;MAEwB,gB;MADpB,IAAI,SAAS,KAAb,C;QAAoB,OAAO,I;MACP,iE;  
MAAD,mB;QAA6B,OAAO,K;;MAAvD,mBAAmB,M;MACnB,OAAO,IAAK,UAA L,KAAgB,YAAa,U;K;uCAGx  
C,Y;MAA+B,qB;K;8CAE/B,iB;MAAoD,wBAAU,KAAM,UAAhB,I;K;gDAEpD,wB;MAKI,OAAA,IAAK,MAAL  
,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAd,IACf,IAAK,MAAL,IAAc,KADtB,C;K;gDAGJ,+B;MAKI,OA  
AA,IAAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAd,KACd,IAAK,MAAL,GAAa,KAAb,KAA sB,  
IAAK,MAAL,KAAc,KAAd,IACf,IAAK,MAAL,IAAc,KADrB,CADc,CAA vB,C;K;IAIJ,mC;MAAA,uC;MACI,2B  
AluC,G;MAEvC,eAIoC,uCAA0B,M;K;;IAXIE,+C;MAAA,8C;QAAA,6B;;MAAA,uC;K;;IA9CA,iD;MAAA,uD;  
MAG6C,0BAAK,KAAL,EAA Y,KAAZ,EAAmB,CAAnB,C;MAH7C,Y;K;IA6DJ,qC;MAAA,yC;K;8CAEI,Y;MA  
C2B,yBAAc,CAAd,EAAiB,CAAjB,EAAoB,EAApB,C;K;;IAH/B,iD;MAAA,gD;QAAA,+B;;MAAA,yC;K;4FCx  
DI,yB;MAAA,2D;MAAA,4B;QAAQ,MAAM,6BAAoB,6BAApB,C;O;KAAd,C;;;ICSJ,uB;MAG2C,+BAAoB,KA  
ApB,C;K;4EAE3C,wC;MAO4F,sB;K;IAE5F,6C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,2C;MAAA,8C;O;MAK  
I,wF;MAKA,sF;MAMA,wE;K;;IAXA,yD;MAAA,iC;MAAA,iD;K;;IAKA,wD;MAAA,iC;MAAA,gD;K;;IAMA,iD  
;MAAA,iC;MAAA,yC;K;;IAhBJ,uC;MAAA,iJ;K;;IAAA,4C;MAAA,a;aAAA,c;UAAA,sD;aAAA,a;UAAA,qD;aA  
AA,M;UAAA,8C;;UAAA,gE;;K;;IAyBA,+B;MAAA,mC;K;;IAAA,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;IAG  
oC,qC;MACHc,qBAAsC,W;MACtC,gBAA2B,iC;K;uFAGvB,Y;MAMW,Q;MALP,IAAI,kBAAW,iCAAf,C;QACI  
,gBAAS,mC;QACT,qBAAc,I;;MAGIB,OAAO,gF;K;6CAGf,Y;MAAwC,yBAAW,iC;K;wCAEnD,Y;MAAkC,OA  
AI,oBAAJ,GAA2B,SAAN,UAA M,CAA3B,GAA2C,iC;K;8CAE7E,Y;MAAkC,+BAAoB,UAApB,C;K;;IAGG,oC;  
MAAC,4B;K;wEAAA,Y;MAAA,2B;K;kDAEtC,Y;MAAwC,W;K;6CAExC,Y;MAAkC,OAAM,SAAN,UAA M,C;  
K;;oFC2C5C,yB;MAAA,gD;MAAA,4B;QAM6C,OAAMB,aAAIB,YAA Y,GAAM,C;O;KANhE,C;oGAQA,yB;Mx  
G7FA,iB;MwG6FA,4B;QAMqD,OxG7FM,MAAO,OwG6FZ,YAA Y,GxG7FA,CwG6Fb,GAA6C,EAA7C,I;O;KA  
NrD,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMsD,OAAMB,sBAAlB,YAAW,GAAO,C;O;KANzE,C;8FAQA,yB;  
MAAA,0D;MAAA,0B;MAAA,4B;QAOmD,OA AuC,OA ApB,kBAAlB,YAA Y,GAAM,CAAoB,C;O;KAP1F,C;4F  
ASA,yB;MAAA,wD;MAAA,0B;MAAA,4B;QAOkD,OAA2B,OAAnB,iBAAR,SAAQ,CAAmB,C;O;KAP7E,C;IA  
UA,2C;MAaI,OAA+E,OAA9E,SAAQ,KAAI,WAAa,CAAjB,CAAR,GAAkD,CAAIB,YAA Y,GAAM,MAAK,CA  
AL,IAAU,WAAa,CAA vB,CAA4B,C;K;IAEnF,4C;MAaI,OAA+E,OAA9E,SAAQ,IAAI,CAAJ,IAAS,WAAa,CAAt  
B,CAAR,GAAwD,CAAIB,YAA Y,GAAM,OA AK,WAAa,CAAIB,CAAsB,C;K;oFAEnF,yB;MAAA,gD;MAAA,4  
B;QAM8C,OAAqB,aAApB,YAA Y,KAAQ,C;O;KANnE,C;oGAQA,yB;MxGtKA,iB;MwGsKA,4B;QAOI,OxGvK  
uD,MAAO,OwGuK7D,YAA Y,KxGvKiD,CwGuK9D,GAA+C,EAA/C,I;O;KAPJ,C;sGASA,yB;MAAA,kE;MAAA  
,4B;QAMuD,OAAqB,sBAApB,YAAW,KAAS,C;O;KAN5E,C;8FAQA,yB;MAAA,0D;MAAA,4B;MAAA,4B;QA  
OqD,OAAyC,QAApB,kBAApB,YAA Y,KAAQ,CAAoB,C;O;KAP9F,C;4FASA,yB;MAAA,wD;MAAA,4B;MAA  
A,4B;QAOoD,OAA2B,QAAnB,iBAAR,SAAQ,CAAmB,C;O;KAP/E,C;IAUA,2C;MAaI,OAAoF,QAAnF,SAAQ,  
KAAI,WAAa,EAAjB,CAAR,GAAqD,CAApB,YAA Y,KAAQ,MAAK,EAAL,IAAW,WAAa,EAAxB,CAA8B,C;K;  
IAExF,4C;MAaI,OAAoF,QAAnF,SAAQ,IAAI,EAAJ,IAAU,WAAa,EAA vB,CAAR,GAA4D,CAApB,YAA Y,KA  
AQ,OA AK,WAAa,EAAIB,CA AuB,C;K;0E/MIRxF,yB;MAaA,kF;MAbA,wB;QAU BI,IAAI,CAB I,KAAr,C;UACI,c  
Ada,qB;UAeb,MAAM,8BAAYB,OAAQ,WAAjC,C;;O;KAZbd,C;0EAaA,yB;MAAA,kF;MAAA,qC;QAUI,IAAI,C  
AAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,8BAAYB,OAAQ,WAAjC,C;;O;KAZd,C;sFAGBA,yB;MAWA,kF;M  
AXA,wB;QAQW,yB;QAeP,IAfsB,KAelB,QA AJ,C;UACI,cAhB2B,0B;UAIb3B,MAAM,8BAAYB,OAAQ,WAAjC  
,C;;UAEN,wBAnBkB,K;;QAAtB,4B;O;KARJ,C;wFAWA,yB;MAAA,kF;MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,c  
AAc,a;UACd,MAAM,8BAAYB,OAAQ,WAAjC,C;;UAEN,OAAO,K;;O;KAhBf,C;oEAoBA,yB;MAaA,4E;MAbA,

wB;QAuBI,IAAI,CABe,KAaN,C;UACI,cAdW,e;UAeX,MAAM,2BAAsB,OAAQ,WAA9B,C;;O;KAZBd,C;sEAaA ,yB;MAAA,4E;MAAA,qC;QAUI,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B, C;;O;KAZd,C;kFAGbA,yB;MAcA,4E;MAdA,wB;QAWW,uB;QAeP,IAfoB,KAehB,QAAl,C;UACI,cAhByB,0B;U AiBzB,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QAAPB,0B;O;KAXJ,C;oFAcA,yB;MAAA,4E; MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,OAAO,K;;O; KAhBf,C;oEAqBA,yB;MAAA,4E;MAAA,0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;O;KANvD,C;I8CnHi C,uB;MA2D7B,8B;MA1DA,kB;K;mFAS8B,Y;MAAQ,iD;K;mFAMR,Y;MAAQ,gD;K;wFAItC,yB;MAAA,gB;M AAA,8B;MAAA,mB;QAWgB,Q;QADR,mB;UADJ,OACiB,I;;UADjB,OAeY,2E;O;KAXhB,C;uCACa,Y;MAQQ, kBADE,UACf,kB;QADJ,OACkB,UAAM,U;;QADxB,OAeY,I;K;gCAGhB,Y;MAOQ,kBADE,UACf,kB;QADJ,O ACkB,UAAM,W;;QADxB,OAeY,sBAAU,UAAV,O;K;IAKhB,4B;MAAA,gC;K;wHAKI,yB;MAAA,iC;MAAA,w B;QAOI,uBAAO,KAAP,C;O;KAPJ,C;wHASA,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAOI,uBAAO,cAAc,SAAd, CAAP,C;O;KAPJ,C;;;IADJ,wC;MAAA,uC;QAAA,sB;;MAAA,gC;K;IAwBsB,mC;MAClB,0B;K;sCAGA,iB;MAA 4C,+CAAoB,uBAAa,KAAM,UAAAnB,C;K;wCACHe,Y;MAA+B,OAAU,SAAV,cAAU,C;K;wCACzC,Y;MAAkC, oBAAU,cAAV,M;K;;;gCA/F1C,Y;MAAA,c;MAOI,sD;MAPJ,a;K;8BAAA,iB;MAAA,2IAOI,sCAPJ,G;K;IAmG A,kC;MAOI,OAAO,mBAAQ,SAAR,C;K;IAEX,mC;MAQI,IAAI,8CAAJ,C;QAA6B,MAAM,eAAM,U;K;gFAG7C ,yB;MAAA,4B;MAAA,qB;MAxCQ,kD;MAwCR,wB;QAOW,Q;;UACI,OAIDH,WakDW,OAIDX,C;;UAmDN,gC ;YACS,OA3CH,WAAO,cA2CI,CA3CJ,CAAP,C;;YAwCD,O;;QAAP,W;O;KAPJ,C;kFAcA,yB;MAAA,4B;MAAA ,qB;MAiDQ,kD;MAAsDR,mC;QAOW,Q;;UACI,OAHEH,WAgEW,gBAhEX,C;;UAiEN,gC;YACS,OAzDH,WAAO, cAyDI,CAzDJ,CAAP,C;;YAsDD,O;;QAAP,W;O;KAPJ,C;8EAgBA,yB;MAAA,oD;MAAA,gB;MAAA,8B;MAAA ,4B;QAUW,Q;QADP,yB;QACA,OAAO,gF;O;KAVX,C;+EAaA,yB;MAAA,gB;MAAA,8B;MAAA,uC;QAegB,U ADL,M;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,yF;;UACA,mBAAU,SAAV,C;QAFZ,a;O;KAdJ,C;kFAoBA,yB; MAAA,gB;MAAA,8B;MAAA,0C;QAUW,Q;QADP,IAAI,mBAAJ,C;UAAe,OAAO,Y;QACtB,OAAO,gF;O;KAV X,C;qEAaA,yB;MAAA,gB;MAAA,8B;MAAA,kD;QAIb0B,UADf,M;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,m BAAU,gFAAV,C;;UACA,mBAAU,SAAV,C;QAFZ,a;O;KAhBJ,C;mEAwBA,yB;MAAA,4B;MAAA,gB;MAAA,8 B;MAAA,uC;YAE8C,I;YADnC,M;QACH,wB;UAAa,gB;UAAO,SA7JhB,WA6JwB,UAAU,gFAAV,CA7JxB,C;;U A8JI,oBAAO,eAAP,C;QAFZ,a;O;KAdJ,C;gFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,iC;MA1GA,qB;MAiDQ,k D;MAGKR,uC;QAWW,Q;QACH,wB;UA/GG,U;;YA+GkC,U;YA9G9B,SAhEH,gBA8KuB,UAAU,sFAAV,CA9K vB,C;;YAiEN,gC;cACS,SAzDH,gBAAO,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UA+GU,a;;UACL,uBAAO,eAAP,C; QAFZ,W;O;KAXJ,C;wEAIbA,yB;MAAA,4B;MAAA,uC;QAcW,Q;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,gB;; UACO,OAnMX,WAmMmB,UAAU,SAAV,CAnMnB,C;;QAIrMR,W;O;KAdJ,C;wFAoBA,yB;MA/IA,4B;MAAA,q B;MAiDQ,kD;MAqMR,uC;QAWW,Q;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,gB;;UApJL,U;;YACI,SAhEH,WA oNkB,oBApNIB,C;;YAiEN,gC;cACS,SAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UAqJK,a;;QAFZ,W;O; KAXJ,C;4EAmBA,6B;MAUI,Q;MAAA,iD;QAAYB,Y;;MACzB,OAAO,S;K;4EAGX,yB;MAAA,gB;MAAA,8B;M AAA,oC;QAU0B,Q;QAAtB,IAAI,mBAAJ,C;UAAe,OAAO,gFAAP,C;;QACf,OAAO,S;O;KAXX,C;I3CtTgC,sC; MAAC,uB;QAAA,UAAkB,kC;mBAA4C,O;;K;;0DAE/F,yB;MAAA,2D;MAAA,mB;QAKoC,MAAM,8B;O;KAL1 C,C;oEAOA,yB;MAAA,2D;MAAA,yB;QAMkD,MAAM,6BAAoB,sCAAmC,MAAvD,C;O;KANxD,C;gEUAU,iB ;MAUI,OAAO,O;K;kEAGX,4B;MAUI,OAAO,gB;K;oEAGX,2B;MAUI,OAAgB,MAAT,QAAS,C;K;oEAGpB,4B ;MAUI,gB;MACA,OAAO,S;K;kEAGX,4B;MAWI,MAAM,SAAN,C;MACA,OAAO,S;K;kEAGX,4B;MAUI,OAA O,MAAM,SAAN,C;K;sEAGX,gC;MAWI,OAAW,UAAU,SAAV,CAAJ,GAAqB,SAArB,GAA+B,I;K;8EAG1C,g C;MAWI,OAAW,CAAC,UAAU,SAAV,CAAL,GAAsB,SAAtB,GAAgC,I;K;wEAG3C,yB;MAWI,iBAAc,CAAd, UAAsB,KAAtB,U;QACI,OAAO,KAAP,C;;K;wE6MjJR,iB;MAIkF,Y;K;ICY9C,6B;MACHc,kB;MACA,oB;K;8B AGA,Y;MAGyC,aAAG,UAAH,UAAW,WAAX,M;K;;gCAvB7C,Y;MAGBI,iB;K;gCAhBJ,Y;MAiBI,kB;K;kCAjB J,yB;MAAA,gBAgBI,qCAhBJ,EAIbI,wCAjBJ,C;K;8BAAA,Y;MAAA,c;MAGBI,sD;MACA,uD;MAjBJ,a;K;4BA AA,iB;MAAA,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,I;K;IA0BA,6B;MAMoD,gBAAK,SAAL,EAAW,IAAX,C;K;IAEp D,8B;MAI8C,iBAAO,eAAP,EAAc,gBAAd,E;K;IAiBD,sC;MACzC,kB;MACA,oB;MACA,kB;K;gCAGA,Y;MAG yC,aAAG,UAAH,UAAW,WAAX,UAAoB,UAApB,M;K;;kCAxB7C,Y;MAGBI,iB;K;kCAhBJ,Y;MAiBI,kB;K;kC AjBJ,Y;MAkBI,iB;K;oCAIBJ,gC;MAAA,kBAgBI,qCAhBJ,EAIbI,wCAjBJ,EAKBI,qCAIBJ,C;K;gCAA,Y;MAA A,c;MAGBI,sD;MACA,uD;MACA,sD;MAIBJ,a;K;8BAAA,iB;MAAA,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,IAKBI,sCA

IBJ,I;K;IA2BA,8B;MAImD,iBAAO,eAAP,EAAC,gBAAd,EAAAsB,eAAtB,E;K;I7NIE1B,qB;MAErB,6B;MAFwD,g  
B;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,UAAM,CAAN,C;MAEpC,iBAGoC,UAAM,MAAN,C;MAEpC,kBAG  
mC,C;MAEnC,iBAGkC,C;K;;;IANtC,uC;MAAA,sC;QAAA,qB;;MAAA,+B;K;kGAsBA,iB;MAOmE,OAAa,0BA  
2O1C,SAAL,GAAiB,GA3O8B,EAAU,KA2OpD,KAAL,GAAiB,GA3O8B,C;K;sGAehF,iB;MAM2D,OAAa,0BA  
mOIC,SAAL,GAAiB,GAnOsB,EAAU,KEoO5C,KAAL,GAAiB,KFpOsB,C;K;sGAExE,yB;MA0PA,6B;MC3PA,8  
C;MDCA,wB;QAMyD,OCAS,YAAiB,CD6PhD,cAAU,SAAL,GAAiB,GAAtB,CC7PgD,MAAjB,EDAe,KCAc,KA  
A7B,C;O;KDNIE,C;sGAQA,yB;MA4PA,WAS6D,wB;MAT7D,+B;MiB7PA,gD;MjBCA,wB;QAM0D,OiBAS,aA  
AkB,CjB+PhD,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB/PgD,MAAiB,EjBAgB,KiBAc,KAA9B,C;O;KjBNnE,C;  
4FAQA,yB;MA0OA,6B;MA1OA,wB;QAEsD,OCMD,cAAU,CD2O5B,cAAU,SAAL,GAAiB,GAAtB,CC3O4B,M  
AAK,GAAW,CD2O5C,cAjPsC,KAiP5B,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;O;KDRrD,C;4FAGA,y  
B;MAuOA,6B;MAvOA,wB;QAEuD,OCGF,cAAU,CD2O5B,cAAU,SAAL,GAAiB,GAAtB,CC3O4B,MAAK,GA  
AW,CC4O5C,cF/OuC,KE+O7B,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;O;KDLrD,C;4FAGA,yB;MAoO  
A,6B;MApOA,wB;QAEqD,OCAA,cAAU,CD2O5B,cAAU,SAAL,GAAiB,GAAtB,CC3O4B,MAAK,GDAI,KCAO  
,KAAZ,IAAf,C;O;KDFrD,C;4FAGA,yB;MA2OA,WAS6D,wB;MAT7D,+B;MA3OA,wB;QAEuD,OiBAA,eAAW,  
CjBkP7B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBIP6B,MAAK,KjBAI,KiBAO,KAAZ,CAAhB,C;O;KjBFvD,C;  
8FAIA,yB;MA6NA,6B;MA7NA,wB;QAEuD,OCMD,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,M  
AAK,GAAY,CD8N9C,cApOwC,KAoO9B,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KDRtD,C;8FAGA,  
yB;MA0NA,6B;MA1NA,wB;QAEwD,OCGF,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,MAAK,G  
AAY,CC+N9C,cFIOyC,KEkO/B,KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KDLtD,C;8FAGA,yB;MAuN  
A,6B;MAvNA,wB;QAEsD,OCAA,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,MAAK,GDAK,KCA  
O,KAAZ,IAAf,C;O;KDFtD,C;8FAGA,yB;MA8NA,WAS6D,wB;MAT7D,+B;MA9NA,wB;QAEwD,OiBAA,eAA  
W,CjBqO9B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBrO8B,MAAK,UjBAK,KiBAO,KAAZ,CAAhB,C;O;KjBFx  
D,C;8FAIA,yB;MAGNA,6B;MAhNA,wB;QAEuD,OCMD,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,C  
CjN6B,MAAK,EAAY,CDiN9C,cAvNwC,KAuN9B,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KDRtD,C  
;8FAGA,yB;MA6MA,6B;MA7MA,wB;QAEwD,OCGF,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,CCj  
N6B,MAAK,EAAY,CCKN9C,cFrNyC,KEqN/B,KAAL,GAAiB,KAAtB,CDiN8C,MAAZ,CAAf,C;O;KDLtD,C;8F  
AGA,yB;MA0MA,6B;MA1MA,wB;QAEsD,OCAA,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,CCjN6B  
,MAAK,EDAK,KCAO,KAAZ,CAAf,C;O;KDFtD,C;8FAGA,yB;MAiNA,WAS6D,wB;MAT7D,+B;MAjNA,wB;Q  
AEwD,OiBAA,eAAW,CjBwN9B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBxN8B,MAAK,UjBAK,KiBAO,KAAZ  
,CAAhB,C;O;KjBFxD,C;0FAIA,yB;MAmMA,6B;MC7LA,4C;MDNA,wB;QAEqD,OCMD,WDoMjB,cAAU,SA  
AL,GAAiB,GAAtB,CCpMiB,EDoMjB,cA1MoC,KA0M1B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KDRpD,C;0FAG  
A,yB;MAGMA,6B;MC7LA,4C;MDHA,wB;QAEsD,OCGF,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,ECq  
MjB,cFxMqC,KEwM3B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KDLpD,C;0FAGA,yB;MA6LA,6B;MC7LA,4C;M  
DAA,wB;QAEoD,OCAA,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,EDAkB,KCAIB,C;O;KDFpD,C;0FA  
GA,yB;MAoMA,WAS6D,wB;MAT7D,+B;MiBpMA,8C;MjBAA,wB;QAEsD,OiBAA,YjB2MjB,eAAW,oBAAL,S  
AAK,CAAL,UAAN,CiB3MiB,EjBAmb,KiBAnB,C;O;KjBFtD,C;0FAIA,yB;MA5LA,6B;MCxKA,kD;MDdA,wB;  
QAMqD,OCcD,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,ED2KjB,cAzLoC,KAYL1B,KAAL,GAAiB,GAAt  
B,CC3KiB,C;O;KDPpD,C;0FAOA,yB;MA+KA,6B;MCxKA,kD;MDPA,wB;QAMsD,OCOF,cD2KjB,cAAU,SA  
AL,GAAiB,GAAtB,CC3KiB,EC4KjB,cFnLqC,KEmL3B,KAAL,GAAiB,KAAtB,CD5KiB,C;O;KDbpD,C;0FAOA,  
yB;MAwKA,6B;MCxKA,kD;MDAA,wB;QAMoD,OCAA,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EDAK  
B,KCAIB,C;O;KDNpD,C;0FAOA,yB;MA2KA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjBAA,wB;QAMsD,OiB  
AA,ejB8KjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB9KiB,EjBAmb,KiBAnB,C;O;KjBNtD,C;oGAQA,yB;MAy  
JA,6B;MC7LA,4C;MDoCA,wB;QAMiD,OCxCG,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,EDoMjB,cA5  
JqC,KA4J3B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KDKcPd,C;oGAOA,yB;MAKJA,6B;MC7LA,4C;MD2CA,wB;  
QAMkD,OC/CE,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,ECqMjB,cFtJsC,KEsJ5B,KAAL,GAAiB,KAA  
tB,CDrMiB,C;O;KDyCpD,C;oGAOA,yB;MA2IA,6B;MC7LA,4C;MDkDA,wB;QAMgD,OCtDI,WDoMjB,cAAU,  
SAAL,GAAiB,GAAtB,CCpMiB,EDsDmB,KCtDnB,C;O;KDgDpD,C;oGAOA,yB;MA8IA,WAS6D,wB;MAT7D,+  
B;MiBpMA,8C;MjBsDA,wB;QAMkD,OiB1DI,YjB2MjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB3MiB,EjB0D

oB,KiB1DpB,C;O;KjBoDtD,C;0FAQA,yB;MA4HA,6B;MCxKA,kD;MDuOJ,0B;MAAA,+B;MA3LI,wB;QAQ6C,OA8LR,eAAW,OC5OI,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,ED2KjB,cA7H4B,KA6HIB,KAAL,GAAiB,GAAtB,CC3KiB,CAkLf,KD0DW,CAAX,C;O;KATMrC,C;0FASA,yB;MAMHA,6B;MCxKA,kD;MCwOJ,4B;MAAA,iC;MFnLI,wB;QAQ+C,OEslR,gBAAy,QD7OC,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EC4KjB,cFrH8B,KEqHpB,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KF9LvC,C;0FASA,yB;MA0GA,6B;MCxKA,kD;MD8DA,wB;QAQ2C,OCHEs,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EDgES,KChET,C;O;KDwDpD,C;0FASA,yB;MA2GA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjBgEA,wB;QAQ6C,OiBIES,ejB8KjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB9KiB,EjBkEU,KiBIEV,C;O;KjB0DtD,C;0EAUA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAM0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAM0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAN1C,C;kGAQA,yB;MAAA,8C;MAuEA,6B;MAvEA,wB;QAE8D,0BA8E3B,cAAU,SAAL,GAAiB,GAAtB,CA9E2B,EA8E3B,cA9EoD,KA8E1C,KAAL,GAAiB,GAAtB,CA9E2B,C;O;KAF9D,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEEmD,sB6LvOgC,O7LuO1B,IAAK,K6LvOX,G7LuOoB,KAAM,K6LvOM,C7LuOhC,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;M6LTOJ,0B;M7LsOI,wB;QAEkD,sB6LrO+B,O7LqOzB,IAAK,K6LrOX,G7LqOmB,KAAM,K6LrOM,C7LqO/B,C;O;KAFID,C;0FAGA,yB;MAAA,+B;M6LpOJ,0B;M7LoOI,wB;QAEEmD,sB6LnOgC,O7LmO1B,IAAK,K6LnOX,G7LmOoB,KAAM,K6LnOM,C7LmOhC,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;M6LlOJ,0B;M7LkOI,mB;QAEiC,sB6LjOqB,OAAP,C7LlOR,S6LjOe,C7LiOrB,C;O;KAFjC,C;gFAIA,Y;MASmC,gB;K;kFACnC,yB;M6L1OJ,4B;M7L0OI,mB;QASqC,O6LhPiD,Q7LgP5C,S6LhPY,G7LgPE,G6LhP8B,C;O;K7LuOtF,C;8EAUA,Y;MASiC,OAAL,SAAL,GAAiB,G;K;gFACID,yB;MAAA,WASqD,wB;MATrD,mB;QASmC,OAAL,SAAK,CAAL,U;O;KATnC,C;kFAWA,Y;MAEqC,W;K;0FACrC,yB;MAAA,iC;M6L5QJ,4B;M7L4QI,mB;QASuC,uB6LIR+C,Q7LkRnC,S6LIRG,G7LkRW,G6LIRqB,C7LkR/C,C;O;KATvC,C;gFAUA,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,GAAtB,C;O;KATnC,C;kFAUA,yB;MAAA,WAS6D,wB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,UAAN,C;O;KATrC,C;kFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,G;K;oFAqDID,Y;MAMuC,OA3DD,SAAL,GAAiB,G;K;+BA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,GA6DD,Y;K;+BA1UrD,Y;MAAA,c;MAG4D,qD;MAH5D,a;K;6BAAA,iB;MAAA,2IAG4D,oCAH5D,G;K;wEA8UA,yB;MAAA,+B;MAAA,4B;QAU0C,sBAAM,SAAN,C;O;KAV1C,C;0EAWA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW2C,sBAAW,OAAL,SAAK,CAAX,C;O;KAX3C,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAWyC,sBAAW,OAAL,SAAK,CAAX,C;O;KAXzC,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW0C,sBAAW,OAAL,SAAK,SAAX,C;O;KAX1C,C;Igc9WA,6B;MACqB,sB;K;uCAKjB,iB;MAM6C,OhCyUP,UgCzUO,AAQ,KAAR,ChCyUP,C;K;uCgCvUtC,wB;MAOI,aAAQ,KAAR,IAAiB,KhCiOc,K;K;kFgC7NL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MAC8E,+BAAS,YAAT,C;K;IAGxD,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACvC,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OhCmTO,UgCnTiB,aAAM,mBAAN,EAAM,2BAAN,OhCmTjB,C;QgCnT+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;0CAG3F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,OhC2MO,KgC3MhB,C;K;+CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;Qd0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;QACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;Uc1nD6B,2Bd0nDR,Oc1nDQ,Q;UAAA,W;YAAuB,oBAAR,YAAQ,Ed0nD/B,OIBn7CF,KgCvMiC,C;Ud0nD9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;QAC/C,aAAO,I;Mc3nDH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;IA/CvD,sC;MAAA,oD;MACgC,uBAAK,cAAU,IAAV,CAAL,C;MADhC,Y;K;+oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAyDA,yB;MAAA,yC;MAWsC,yC;QAAA,wB;UAAW,OAAA,aAAK,KAAL,ChCsLV,K;S;O;MgCjMvC,6B;QAWI,OAAO,oBAAW,+BAAU,IAAV,GAAGB,uBAAhB,CAAX,C;O;KAXX,C;kFACa,oB;MAGqE,e;K;I/BtE7C,oB;MAEpB,4B;MAFuD,gB;K;IAEvD,0B;MAAA,8B;MACI,iBAGmC,SAAK,CAAL,C;MAEnC,iBAGmC,SAAK,EAAL,C;MAEnC,kBAGmC,C;MAEnC,iBAGkC,E;K;+IANBtC,sC;MAAA,qC;QAAA,oB;MAAA,8B;K;oGAsBA,yB;MD2QA,6B;MC3PA,8C;MAhBA,wB;QAM0D,OaiBQ,YAAy,IAAK,KAAjB,EAA6B,CD6P5D,cC9QsC,KD8Q5B,KAAL,GAAiB,GAAtB,CC7P4D,MAA7B,C;O;KAvBIE,C;oGAQA,yB;MCoQA,6B;MD5PA,8C;MARA,wB;QAM2D,OASO,YAAy,IAAK,KAAjB,EAA6B,CC8P5D,cDvQuC,KCuQ7B,KAAL,GAAiB,KAAtB,CD9P4D,MAA7B,C;O;KAFIE,C;gGAQA,yB;MAAA,8C;MAAA,wB;QAOKE,mBAAy,IAAK,KAAjB,EAAuB,KAAM,KAA7B,C;O;KAPIE,C;oGASA,yB;MAGRA,kB

AS6D,sB;MAT7D,+B;MgBjRA,gD;MhBCA,wB;QAM0D,OgBAS,aAAkB,ChBmRhD,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBnRgD,MAAIB,EhBAGb,KgBAC,KAA9B,C;O;KhBNnE,C;0FAQA,yB;MD00A,6B;MC10A,wB;QAEsD,OAMD,cAAK,IAAK,KAAK,GAAW,CD205C,cCjP6B,KDiPnB,KAAL,GAAiB,GAAtB,CC304C,MAAX,IAAf,C;O;KARrD,C;0FAGA,yB;MCwOA,6B;MDxOA,wB;QAEuD,OAGF,cAAK,IAAK,KAAK,GAAW,CC405C,cD/08B,KC+OpB,KAAL,GAAiB,KAAtB,CD504C,MAAX,IAAf,C;O;KALrD,C;0FAGA,yB;MAAA,6B;MAAA,wB;QAEqD,qBAAK,IAAK,KAAK,GAAM,KAAX,IAAf,C;O;KAFrD,C;0FAGA,yB;MA+PA,kBAS6D,sB;MAT7D,+B;MA/PA,wB;QAEuD,OgBAA,eAAW,ChBsQ7B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBtQ6B,MAAK,KhBAI,KgBAO,KAAZ,CAAHb,C;O;KhBFvD,C;4FAIA,yB;MD6NA,6B;MC7NA,wB;QAEuD,OAMD,cAAK,IAAK,KAAK,GAAY,CD8N9C,cCpO+B,KDoOrB,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KARtD,C;4FAGA,yB;MC2NA,6B;MD3NA,wB;QAEwD,OAGF,cAAK,IAAK,KAAK,GAAY,CC+N9C,cDI0gC,KCkOtB,KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAK,IAAK,KAAK,GAAM,KAAM,KAAX,IAAf,C;O;KAFtD,C;4FAGA,yB;MAkPA,kBAS6D,sB;MAT7D,+B;MAIPA,wB;QAEwD,OgBAA,eAAW,ChByP9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBzP8B,MAAK,UhBAK,KgBAO,KAAZ,CAAHb,C;O;KhBFxD,C;4FAIA,yB;MDgNA,6B;MChNA,wB;QAEuD,OAMD,cAAe,YAAV,IAAK,KAAK,EAAY,CDiN9C,cCvN+B,KDuNrB,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KARtD,C;4FAGA,yB;MC8MA,6B;MD9MA,wB;QAEwD,OAGF,cAAe,YAAV,IAAK,KAAK,EAAY,CCKn9C,cDrNgC,KCqNtB,KAAL,GAAiB,KAAtB,CDiN8C,MAAZ,CAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAE,YAAV,IAAK,KAAK,EAAM,KAAM,KAAX,CAAf,C;O;KAFtD,C;4FAGA,yB;MAqOA,kBAS6D,sB;MAT7D,+B;MArOA,wB;QAEwD,OgBAA,eAAW,ChB409B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB508B,MAAK,UhBAK,KgBAO,KAAZ,CAAHb,C;O;KhBFxD,C;wFAIA,yB;MDmMA,6B;MC7LA,4C;MANA,wB;QAEqD,OAMD,WAAW,IAAX,EDoMjB,cC1M2B,KD0MjB,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KARpD,C;wFAGA,yB;MCiMA,6B;MD9LA,4C;MAHA,wB;QAEsD,OAGF,WAAW,IAAX,ECqMjB,cDxM4B,KCwMIB,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAaiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAwNA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB+NjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB/NiB,EhBAmb,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDsLA,6B;MCxKA,kD;MAdA,wB;QAMqD,OAcD,cAAc,IAAd,ED2KjB,cCzL2B,KDyLjB,KAAL,GAAiB,GAAtB,CC3KiB,C;O;KApBpD,C;wFAOA,yB;MCgLA,6B;MDzKA,kD;MAPA,wB;QAMsD,OAO,cAAc,IAAd,EC4KjB,cDnL4B,KCmLiB,KAAL,GAAiB,KAAtB,CD5KiB,C;O;KAbpD,C;wFAOA,yB;MAAA,kD;MAAA,wB;QAMoD,qBAAc,IAAd,EAoB,KAApB,C;O;KANpD,C;wFAOA,yB;MA+LA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBAA,wB;QAMsD,OgBAA,ehBkMjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBIMiB,EhBAmb,KgBAnB,C;O;KhBNtD,C;kgAQA,yB;MDyJA,6B;MC7LA,4C;MAoCA,wB;QAMiD,OAxCG,WAAW,IAAX,EDoMjB,cC5J4B,KD4JIB,KAAL,GAAiB,GAAtB,CpMiB,C;O;KAKpD,C;kgAOA,yB;MCmJA,6B;MD9LA,4C;MA2CA,wB;QAMkD,OA/CE,WAAW,IAAX,ECqMjB,cDtJ6B,KCsJnB,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KAyCpD,C;kgAOA,yB;MAIDA,4C;MAkDA,wB;QAMgD,OAtDI,WAAW,IAAX,EAsDA,KAtDA,C;O;KAGpD,C;kgAOA,yB;MAkKA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBsDA,wB;QAMkD,OgB1DI,YhB+NjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB/NiB,EhB0DoB,KgB1DpB,C;O;KhBoDtD,C;wFAQA,yB;MD4HA,6B;MCxKA,kD;MDuOJ,0B;MAAA,+B;MC3LI,wB;QAQ6C,O D8LR,eAAW,OC5OI,cAAc,IAAd,ED2KjB,cC7HmB,KD6HT,KAAL,GAAiB,GAAtB,CC3KiB,CAkLf,KD0DW,C AAX,C;O;KCtMrC,C;wFASA,yB;MCoha,6B;MDzKA,kD;MCwOJ,4B;MAAA,iC;MDnLI,wB;QAQ+C,OCsLR,g BAAY,QD7OC,cAAc,IAAd,EC4KjB,cDrHqB,KCqHX,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KD9LvC,C;wFASA,yB;MA9DA,kD;MA8DA,wB;QAQ2C,OAhES,cAAc,IAAd,EAgEL,KAhEK,C;O;KAwDpD,C;wFASA,yB;MA+HA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBgEA,wB;QAQ6C,OgBIES,ehBkMjB,eAAW,o BAAL,SAAK,CAAL,iBAAN,CgBIMiB,EhBkEU,KgBIEV,C;O;KhB0DtD,C;wEAUA,yB;MAAA,6B;MAAA,mB; QAMyC,qBAAK,SAAK,QAAY,C;O;KANzC,C;wEAQA,yB;MAAA,6B;MAAA,mB;QAMyC,qBAAK,SAAK,QA AV,C;O;KANzC,C;gGAQA,yB;MAAA,8C;MAAA,wB;QAE6D,0BAAU,IAAV,EAAGb,KAAHb,C;O;KAF7D,C; wFAIA,yB;MAAA,6B;MAAA,2B;QAOmD,qBAAK,aAAS,QAAd,C;O;KAPnD,C;wFASA,yB;MAAA,6B;MAAA, 2B;QAOmD,qBAAK,cAAU,QAaf,C;O;KAPnD,C;wFASA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KA AL,GAAC,KAAM,KAAZB,C;O;KAFjD,C;SFAGA,yB;MAAA,6B;MAAA,wB;QAEgD,qBAAK,IAAK,KAAL,GA Aa,KAAM,KAAxB,C;O;KAFhD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAC,KA

AM,KAAzB,C;O;KAFjD,C;wEAGA,yB;MAAA,6B;MAAA,mB;QAEgC,qBAAU,CAAL,SAAL,C;O;KAFhC,C;8  
EAlA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KAVxC,C;gFAWA,yB;MAAA,4B;MAAA,  
mB;QAUqC,OAAK,QAAL,SAAK,C;O;KAV1C,C;4EAWA,Y;MASiC,gB;K;8EACjC,yB;MAAA,kBASqD,sB;MA  
TrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,iB;O;KATnC,C;gFAWA,yB;MDwDJ,0B;MAAA,+B;MCxDI,mB;  
QASqC,OD0DA,eAAW,OC1DX,SD0DW,CAAX,C;O;KcNerC,C;kFAUA,yB;MC+CJ,4B;MAAA,iC;MD/CI,mB;  
QASuC,OCiDA,gBAAy,QDjDZ,SCiDY,CAAZ,C;O;KD1DvC,C;8EAUA,Y;MAEmC,W;K;gFACnC,yB;MAAA,k  
BAS6D,sB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,iBAAN,C;O;KATrC,C;gFAWA,yB;  
MASA,gD;MATA,mB;QAQqC,OAoE,aAAa,SAAb,C;O;KAFvC,C;kFASA,yB;MAAA,gD;MAAA,mB;QAMuC,o  
BAAa,SAAb,C;O;KANvC,C;8BAQA,Y;MAAyC,OArDD,oBAAL,SAAK,CAAL,iBAqDe,W;K;,,,;8BAhWtD,Y;M  
AAA,c;MAG2D,qD;MAH3D,a;K;4BAAA,iB;MAAA,2IAG2D,oCAH3D,G;K;sEAOwA,yB;MAAA,6B;MAAA,4B  
;QAWwC,qBAAU,SAAV,C;O;KAXxC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAWyC,qBAAU,SAAV,C;O;KAX  
zC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAUuC,qBAAK,SAAL,C;O;KAVvC,C;wEAWA,yB;MAAA,6B;MAAA  
,4B;QAWwC,qBAAK,SAAK,QAAY,C;O;KAXxC,C;uEAaA,yB;MAAA,gD;MAAA,4B;QASyC,oBAAkB,SAAlB,  
C;O;KATzC,C;wEAUA,yB;MAAA,gD;MAAA,4B;QAS0C,oBAAa,SAAb,C;O;KAT1C,C;Igc3ZA,4B;MACqB,sB  
;K;sCAKjB,iB;MAM4C,OhCuXT,SgCvXS,aAAQ,KAAR,ChCuXT,C;K;sCgCrXnC,wB;MAOI,aAAQ,KAAR,IAA  
iB,KhCyQY,K;K;iFgCrQH,Y;MAAQ,OAAA,YAAQ,O;K;mCAE9C,Y;MAC6E,8BAAS,YAAT,C;K;IAGvD,mC;  
MAAgC,uB;MAA/B,oB;MACnB,eAAoB,C;K;2CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;4CACvC,Y;MAAwD,Q;  
MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OhCiWK,SgCjWmB,aAAM,mBAAN,EAAM,2BAAN,OhCiWnB,  
C;;QgCjWgD,MAAM,2BAAuB,YAAM,WAA7B,C;K;;yCAGzF,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,OAAl,  
C;QAAgC,OAAO,K;MAEvC,OAAe,WAAR,YAAQ,EAAS,OhCmPK,KgCnPd,C;K;8CAGnB,oB;MACY,Q;MAA  
2B,gBAA3B,gE;MAA2B,c;;Qf0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,  
6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;Ue1nD6B,2Bf0nDR,Oe1nDQ,O;UAAA,W;YAAsB,oBAAR,YAAQ,  
Ef0nD9B,OjB34CJ,KgC/OkC,C;;Uf0nD7C,IAAI,OAAl,C;YAAyB,aAAO,K;YAAP,e;;;QAC/C,aAAO,I;;Me3nDH  
,iB;K;kCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,qC;MAAA,mD;MACgC,sBAAK,eA  
AS,IAAT,CAAL,C;MADhC,Y;K;;,mCAPI,Y;MAAA,OAKqB,oDALrB,M;K;mCAAA,Y;MAAA,c;MAKqB,wD;  
MALrB,a;K;iCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;8EAyDA,yB;MAAA,uC;MAWoC,wC;QAAA,wB;UAAW,  
OAAA,aAAK,KAAL,ChC8NV,K;S;O;MgCzOrC,6B;QAWI,OAAO,mBAAU,gCAAS,IAAT,GAAe,sBAAf,CAAV  
,C;O;KAXX,C;gFAcA,oB;MAGkE,e;K;I6LnE5C,wC;MASBiB,iC;MAtBsD,2BAAgB,KAAhB,EAAuB,YAAvB,E  
AAqC,CAArC,C;K;kFAC7B,Y;MAAQ,iB;K;yFACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,W7NwCoB,Y6NxCP  
B,U7NwCqC,KAAjB,E6NxCX,K7NwCwC,KAA7B,C6NxCPB,K;MAAA,S;QAAkB,O7NwCE,Y6NxCF,K7NwC  
mB,KAAjB,E6NxC0,S7NwCsB,KAA7B,C6NxCF,K;;MAAIB,W;K;kCAE9C,Y;MAKkC,O7NiCgC,Y6NjChC,U7  
NiCiD,KAAjB,E6NjCxB,S7NiCqD,KAA7B,C6NjChC,I;K;iCAEIC,iB;MAEY,UAAwB,M;MADhC,2CAAuB,kBA  
Aa,KAAM,UAAAnB,KACf,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAAd,QAAxB,CADe,CAAvB,C;K;m  
CAGJ,Y;MACI,OAAl,cAAJ,GAAe,EAAf,GAAwB,MAAK,U7NyQA,K6NzQL,QAAqB,S7NyQhB,K6NzQL,I;K;  
mCAE5B,Y;MAAkC,OAAE,UAAf,qBAAU,S;K;IAE5C,+B;MAAA,mC;MACI,aAC8B,cAAU,4BAAK,UAAf,EA  
A0B,4BAAK,UAA/B,C;K;;IAFIC,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;;IAYJ,oD;MA4CI,uC;MAtCI,IAAI,S  
AAQ,CAAZ,C;QAAuB,MAAa,gCAAYB,wBAAzB,C;MACpC,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAYB,w  
EAAzB,C;MAG5C,aAGyB,K;MAEZB,YAGwB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAExB,YA  
GuB,I;K;yCAEvB,Y;MAAgD,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAEHd,Y;MAMqC,OA  
AI,YAAO,CAAX,G7NvB6B,Y6NuBf,U7NvBgC,KAAjB,E6NuBP,S7NvBoC,KAA7B,C6NuBf,IAAd,G7NvB6B,  
Y6NuBG,U7NvBc,KAAjB,E6NuBW,S7NvBkB,KAA7B,C6NuBG,I;K;uCAErE,iB;MAEY,UAAwB,M;MADhC,i  
DAA6B,kBAAa,KAAM,UAAAnB,KACrB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAAd,QAAxB,KAA8  
C,cAAQ,KAAM,KADvC,CAA7B,C;K;yCAGJ,Y;MACI,OAAl,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,U7Ni  
NN,K6NjNC,QAAqB,S7NiNtB,K6NjNC,IAAN,SAAGD,SAAhD,I;K;yCAE5B,Y;MAAkC,OAAl,YAAO,CAAX,G  
AAgB,UAAf,qBAAU,SAAV,cAAqB,SAAnC,GAAgD,UAAf,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;  
K;IAEHf,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2BAAgB,UAAhB,EAA4B,QAA5B,EAA5C,IAAtC,C;K;;IAT/F,iD;  
MAAA,gD;QAAA,+B;;MAAA,yC;K;;IAoBiC,oD;MAAuC,uB;MACxE,sBAA2B,I;MAC3B,iBAAmC,OAAO,CA  
A1C,G7NxDe,Y6NwDrB,K7NxDsC,KAAjB,E6NwDZ,I7NxDyC,KAA7B,C6NwDrB,KAA7C,G7NxDe,Y6Nw

DF,K7NxDMb,KAAjB,E6NwDO,I7NxDsB,KAA7B,C6NwDF,K;MACHe,c7N2RmC,S6N3RhB,I7N2RgB,C;M6N  
1RnC,cAAuB,cAAJ,GAAa,KAAb,GAawB,mB;K;gDAE3C,Y;MAAKC,qB;K;iDAEIC,Y;MACI,YAAY,W;MACZ,  
IAAI,6BAAS,mBAAT,QA AJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAEV,c7NID6  
C,S6Nkd7C,W7NIDuD,KAAK,G6NkDpD,W7NID+D,KAAx,IAAf,C;;M6NoDjD,OAAO,K;K;;IC3Hf,yB;K;mCA  
II,Y;MAA4B,uB;K;;IAMhC,0B;K;oCAII,Y;MAA4B,wB;K;;IAMhC,wB;K;kCAII,Y;MAA4B,sB;K;;IAMhC,yB;K;  
mCAII,Y;MAA4B,uB;K;;I9M5BP,qB;MAErB,6B;MAFwD,gB;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,a;MAEp  
C,iBAGoC,c;MAEpC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IANbtC,uC;MAAA,sC;QAAA,qB;;MAAA,+B;K;sGAs  
BA,yB;MjBqRA,WAS6D,wB;MAT7D,+B;MiB7PA,gD;MAxBA,wB;QAM0D,OAYBS,aAAa,IAAK,KAAIB,EAA  
8B,CjB+P5D,eAAW,oBiBxRyB,KjBwR9B,KAAK,CAAL,UAAN,CiB/P4D,MAA9B,C;O;KA/BnE,C;sGAQA,yB;  
Mf8QA,aAS6D,0B;MAT7D,+B;Me9PA,gD;MAhBA,wB;QAM2D,OaiBQ,aAAa,IAAK,KAAIB,EAA8B,CfgQ5D,  
eAAW,oBeJR0B,KfiR/B,KAAK,CAAL,YAAN,CehQ4D,MAA9B,C;O;KAvBnE,C;sGAQA,yB;MhByRA,kBAS6D  
,sB;MAT7D,+B;MgBjRA,gD;MARA,wB;QAMyD,OASU,aAAa,IAAK,KAAIB,EAA8B,ChBmR5D,eAAW,oBgB5  
RwB,KhB4R7B,KAAK,CAAL,iBAAN,CgBnR4D,MAA9B,C;O;KafnE,C;kGAQA,yB;MAAA,gD;MAAA,wB;Q  
AOmE,oBAAa,IAAK,KAAIB,EAAwB,KAAM,KAA9B,C;O;KAPnE,C;4FASA,yB;MjBoPA,WAS6D,wB;MAT7D  
,+B;MiBpPA,wB;QAEuD,OASA,eAAM,IAAK,KAAK,KAAW,CjBkP7C,eAAW,oBiB3PiB,KjB2PtB,KAAK,CAA  
L,UAAN,CiBIP6C,MAAX,CAAhB,C;O;KAXvD,C;4FAGA,yB;MfkPA,aAS6D,0B;MAT7D,+B;MelPA,wB;QAE  
wD,OAMD,eAAM,IAAK,KAAK,KAAW,CfmP7C,eAAW,oBezPkB,KfyPvB,KAAK,CAAL,YAAN,CenP6C,MA  
AX,CAAhB,C;O;KARvD,C;4FAGA,yB;MhBkQA,kBAS6D,sB;MAT7D,+B;MgBIQA,wB;QAEsD,OAGC,eAAM,  
IAAK,KAAK,KAAW,ChBsQ7C,eAAW,oBgBzQgB,KhByQrB,KAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,  
C;O;KALvD,C;4FAGA,yB;MAAA,+B;MAAA,wB;QAEuD,sBAAM,IAAK,KAAK,KAAK,KAAM,KAAX,CAAh  
B,C;O;KAFvD,C;8FAIA,yB;MjBuOA,WAS6D,wB;MAT7D,+B;MiBvOA,wB;QAEwD,OASA,eAAM,IAAK,KAA  
K,UAAY,CjBqO/C,eAAW,oBiB9OmB,KjB8OxB,KAAK,CAAL,UAAN,CiBrO+C,MAAZ,CAAhB,C;O;KAXxD,  
C;8FAGA,yB;MfqOA,aAS6D,0B;MAT7D,+B;MerOA,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAY,CfsO/C,e  
AAW,oBe5OoB,Kf4OzB,KAAK,CAAL,YAAN,CetO+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;MhBqPA,kB  
AS6D,sB;MAT7D,+B;MgBrPA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAY,ChByP/C,eAAW,oBgB5PkB,Kh  
B4PvB,KAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QA  
EwD,sBAAM,IAAK,KAAK,UAAM,KAAM,KAAZ,CAAhB,C;O;KAFxD,C;8FAIA,yB;MjB0NA,WAS6D,wB;M  
AT7D,+B;MiB1NA,wB;QAEwD,OASA,eAAM,IAAK,KAAK,UAAY,CjBwN/C,eAAW,oBiBjOmB,KjBiOxB,KA  
AK,CAAL,UAAN,CiBxN+C,MAAZ,CAAhB,C;O;KAXxD,C;8FAGA,yB;MfwNA,aAS6D,0B;MAT7D,+B;MexN  
A,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAY,CfyN/C,eAAW,oBe/NoB,Kf+NzB,KAAK,CAAL,YAAN,Cez  
N+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;MhBwOA,kBAS6D,sB;MAT7D,+B;MgBxOA,wB;QAEuD,OA  
GC,eAAM,IAAK,KAAK,UAAY,ChB4O/C,eAAW,oBgB/OkB,KhB+OvB,KAAK,CAAL,iBAAN,CgB5O+C,MAA  
Z,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UAAM,KAAM,K  
AAZ,CAAhB,C;O;KAFxD,C;0FAIA,yB;MjB6MA,WAS6D,wB;MAT7D,+B;MiBpMA,8C;MATA,wB;QAEsD,O  
ASA,YAAY,IAAZ,EjB2MjB,eAAW,oBiBpNe,KjBoNpB,KAAK,CAAL,UAAN,CiB3MiB,C;O;KAXtD,C;0FAGA  
,yB;Mf2MA,aAS6D,0B;MAT7D,+B;MerMA,8C;MANA,wB;QAEuD,OAMD,YAAY,IAAZ,Ef4MjB,eAAW,oBel  
NgB,KfkNrB,KAAK,CAAL,YAAN,Ce5MiB,C;O;KARtD,C;0FAGA,yB;MhB2NA,kBAS6D,sB;MAT7D,+B;MgB  
xNA,8C;MAHA,wB;QAEqD,OAGC,YAAY,IAAZ,EhB+NjB,eAAW,oBgBIOc,KhBkOnB,KAAK,CAAL,iBAAN,  
CgB/NiB,C;O;KALtD,C;0FAGA,yB;MAAA,8C;MAAA,wB;QAEsD,mBAAY,IAAZ,EAAkB,KAAIB,C;O;KAFtD  
,C;0FAIA,yB;MjBgMA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MArBA,wB;QAMsD,OAqBA,eAAe,IAAf,EjB8Kj  
B,eAAW,oBiBnMe,KjBmMpB,KAAK,CAAL,UAAN,CiB9KiB,C;O;KA3BtD,C;0FAOA,yB;Mf0LA,aAS6D,0B;M  
AT7D,+B;Me5KA,oD;MAAdA,wB;QAMuD,OAcD,eAAe,IAAf,Ef+KjB,eAAW,oBe7LgB,Kf6LrB,KAAK,CAAL,Y  
AAN,Ce/KiB,C;O;KApBtD,C;0FAOA,yB;MhBsMA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MAPA,wB;QAMqD,  
OAOc,eAAe,IAAf,EhBkMjB,eAAW,oBgBzMc,KhByMnB,KAAK,CAAL,iBAAN,CgBIMiB,C;O;KAbtD,C;0FAO  
A,yB;MAAA,oD;MAAA,wB;QAMsD,sBA Ae,IAAf,EAAqB,KAArB,C;O;KANtD,C;oGAQA,yB;MjBmKA,WAS6  
D,wB;MAT7D,+B;MiBpMA,8C;MAiCA,wB;QAMkD,OArCI,YAAY,IAAZ,EjB2MjB,eAAW,oBiBtKgB,KjBsKr  
B,KAAK,CAAL,UAAN,CiB3MiB,C;O;KA+BtD,C;oGAOA,yB;Mf6JA,aAS6D,0B;MAT7D,+B;MerMA,8C;MAw  
CA,wB;QAMmD,OA5CG,YAAY,IAAZ,Ef4MjB,eAAW,oBehKiB,KfgKtB,KAAK,CAAL,YAAN,Ce5MiB,C;O;K

AsCtD,C;oGAOA,yB;MhByKA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MA+CA,wB;QAMiD,OAnDK,YAAY,IAAZ,EhB+NjB,eAAW,oBgB5Ke,KhB4KpB,KAAK,CAAL,iBAAN,CgB/NiB,C;O;KA6CtD,C;oGAOA,yB;MatDA,8C;MAsDA,wB;QAMkD,OA1DI,YAAY,IAAZ,EA0DA,KA1DA,C;O;KAoDtD,C;0FAQA,yB;MjBsIA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjB4OJ,0B;MAAA,+B;MiBvMI,wB;QAQ6C,OjB0MP,eAAW,OiBjPK,eAAe,IAAf,EjB8KjB,eAAW,oBiBvIM,KjBuIX,KAAK,CAAL,UAAN,CiB9KiB,CA4KjB,KjBqEY,SAAX,C;O;KiBINtC,C;0FASA,yB;Mf8HA,aAS6D,0B;MAT7D,+B;Me5KA,oD;Mf6OJ,4B;MAAA,iC;Me/LI,wB;QAQ+C,OfkMP,gBAAY,QelPE,eAAe,IAAf,Ef+KjB,eAAW,oBe/HQ,Kf+Hb,KAAK,CAAL,YAAN,Ce/KiB,CAsLf,Kf4Da,SAAZ,C;O;Ke1MxC,C;0FASA,yB;MhBwIA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBkQJ,6B;MgB3MI,wB;QAQ2C,OhB8MP,cgBvQkB,eAAe,IAAf,EhBkMjB,eAAW,oBgBzII,KhByIT,KAAK,CAAL,iBAAN,CgBIMiB,CAGMnB,KhBuEW,QAAV,C;O;KgBtNpC,C;0FASA,yB;MAhEA,oD;MAGEA,wB;QAQ6C,OAIES,eAAe,IAAf,EAkEL,KAIEK,C;O;KA0DtD,C;0EAUA,yB;MAAA,+B;MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,+B;MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;gGAQA,yB;MAAA,gD;MAAA,wB;QAE+D,2BAAW,IAAX,EAAiB,KAAjB,C;O;KAF/D,C;0FAIA,yB;MAAA,+B;MAAA,2B;QAOoD,sBAAM,oBAAS,QAAT,CAAN,C;O;KAPpD,C;0FASA,yB;MAAA,+B;MAAA,2B;QAOoD,sBAAM,6BAAU,QAAV,CAAN,C;O;KAPpD,C;0FASA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAAL,KAAC,KAAM,KAApB,CAAN,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;MAAA,wB;QAEkD,sBAAM,IAAK,KAAL,IAAA,KAAM,KAAAnB,CAAN,C;O;KAFID,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAAL,KAAC,KAAM,KAApB,CAAN,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;MAAA,mB;QAEiC,sBAAM,SAAK,MAAX,C;O;KAFjC,C;gFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,S;O;KAVxC,C;kFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAL,SAAK,S;O;KAV1C,C;8EAWA,Y;MAU1C,OAAA,SAAK,Q;K;gFACtC,Y;MASmC,gB;K;kFAEnC,yB;MjBmEJ,0B;MAAA,+B;MiBnEI,mB;QASqC,OjBqEC,eAAW,OiBrEZ,SjBqEY,SAAX,C;O;KiB9EtC,C;oFAUA,yB;Mf0DJ,4B;MAAA,iC;Me1DI,mB;QASuC,Of4DC,gBAAY,Qe5Db,Sf4Da,SAAZ,C;O;KerExC,C;gFAUA,yB;MhBqEJ,6B;MgBrEI,mB;QASmC,OhBuEC,cgBvED,ShBuEW,QAAV,C;O;KgBhFpC,C;kFAUA,Y;MAEqC,W;K;kFAErC,yB;MASA,kD;MATA,mB;QAQqC,OASE,cAAc,SAAd,C;O;KAjBvC,C;oFASA,yB;MAAA,kD;MAAA,mB;QAQuC,qBAAC,SAAd,C;O;KARvC,C;+BAUA,Y;MAAyC,qBAAC,SAAd,C;K;+;+BAnW7C,Y;MAAA,c;MAG4D,qD;MAH5D,a;K;6BAAA,iB;MAAA,2IAG4D,oCAH5D,G;K;wEAuWA,yB;MAAA,+B;MAAA,4B;QAW0C,sBAAW,oBAAL,SAAK,CAAX,C;O;KAX1C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAW2C,sBAAW,oBAAL,SAAK,CAAX,C;O;KAX3C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAWyC,sBAAW,oBAAL,SAAK,CAAX,C;O;KAXzC,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAU0C,sBAAM,SAAN,C;O;KAV1C,C;yEAYA,yB;MAAA,kD;MAAA,4B;QAS2C,qBAAmB,SAAnB,C;O;KAT3C,C;0EAUA,yB;MAAA,kD;MAAA,4B;QAS4C,qBAAC,SAAd,C;O;KAT5C,C;liB9ZA,6B;MACqB,sB;K;uCakjB,iB;MAM6C,OjBsYP,UiBtYO,aAAQ,KAAAR,CjBsYP,C;K;uCIBpYtC,wB;MAOI,aAAQ,KAAAR,IAAiB,KjBoRc,K;K;kFiBhRL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MAC8E,+BAAS,YAAT,C;K;IAGxD,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACvC,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OjBgXO,UiBhXiB,aAAM,mBAAN,EAAM,2BAAN,OjBgXjB,C;;QiBhX+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;0CAG3F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,QA AJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,OjB8PO,KiB9PhB,C;K;+CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QhB0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAp,e;;QACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UgB1nD6B,2BhB0nDR,OgB1nDQ,Q;UAAA,W;YAAuB,oBAAR,YAAQ,EhB0nD/B,ODh4CF,KiB1PiC,C;;UhB0nD9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MgB3nDH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,sC;MAAA,oD;MACgC,uBAAK,iBAAU,IAAV,CAAL,C;MADhC,Y;K;;;oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAyDA,yB;MAAA,yC;MAWSc,yC;QAAA,wB;UAAW,OAAA,aAAK,KAAL,CjByOV,K;S;O;MiBpPvC,6B;QAWI,OAAO,oBAAW,kBAAU,IAAV,EAAGB,uBAAhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;I8LnE9C,2C;MAsBnB,kC;MatByD,4BAAiB,KAAjB,EAAwB,YAAxB,K;K;qFAC/B,Y;MAAQ,iB;K;4FACD,Y;MAAQ,gB;K;8CAEzC,iB;MAA+C,W/MgDoB,a+MhDpB,U/MgDsC,KAAIB,E+MhDX,K/MgDyC,KAA9B,C+MhDpB,K;MAAA,S;QAAkB,O/MgDE,a+MhDF,K/MgDoB,KAAIB,E+MhDO,S/MgDuB,KAA9B,C+MhDF,K;;MAAIB,W;K;qCAE/C,Y;MAKkC,O/MyCiC,a+MzCjC,U/MyCmD,KAAIB,E+MzCzB,S/MyCuD,KAA9B,C+MzCjC,I;K;oCAEIC,iB;MAEY,UAAwB,M;MADhC,8CAAwB,k

BAAa,KAAM,UAAAnB,KACbB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADgB,CAAxB,C;K;sCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,M/M0QK,CARcKB,U+MrOjB,U/MqO4B,KAAL,KAAoB,CAVzB,U+M3NP,U/M2Na,yB+M3NH,E/M2NG,CAAN,CAUyB,MAApB,CAAN,CAqCIB,MAAK,Q+M1QV,Q/M0QK,CARcKB,U+MrOoB,S/MqOT,KAAL,KAAoB,CAVzB,U+M3N6B,S/M2NvB,yB+M3NgC,E/M2NhC,CAAN,CAUyB,MAApB,CAAN,CAqCIB,MAAK,Q+M1QV,I;K;sCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5C,gC;MAAA,oC;MACI,aAC+B,iBAAW,6BAAM,UAAjB,EAA4B,6BAAM,UAAIC,C;K;;;IAFnC,4C;MAAA,2C;QAAA,0B;;MAAA,oC;K;;IAYJ,qD;MA4CI,wC;MAtCI,IAAI,gBAAJ,C;QAAwB,MAAA,gCAAYB,wBAAzB,C;MACrC,IAAI,sCAAJ,C;QAA4B,MAAA,gCAAYB,yEAAzB,C;MAG7C,aAG0B,K;MAE1B,YAGyB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAEZB,YAGwB,I;K;0CAExB,Y;MAAiD,oCAAYB,UAAzB,EAAgC,SAAhC,EAAcC,SAATC,C;K;yCAEjD,Y;MAMqC,OAAI,uBAAO,CAAX,G/Mf8B,a+MehB,U/MfkC,KAAIB,E+MeR,S/MfscC,KAA9B,C+MehB,IAAd,G/Mf8B,a+MeE,U/MfgB,KAAIB,E+MeU,S/MfoB,KAA9B,C+MeE,I;K;wCAErE,iB;MAEY,UAAwB,M;MADhC,kDAA8B,kBAAa,KAAM,UAAAnB,KACtB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,KAA8C,kBAAQ,KAAM,KAAd,CADxB,CAA9B,C;K;0CAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,M/MkND,CARcKB,U+M7KX,U/M6KsB,KAAL,KAAoB,CAVzB,U+MnKD,U/MmKO,yB+MnKG,E/MmKH,CAAN,CAUyB,MAApB,CAAN,CAqCIB,MAAK,Q+MINJ,Q/MkND,CARcKB,U+M7K0B,S/M6Kf,KAAL,KAAoB,CAVzB,U+MnKmC,S/MmK7B,yB+MnKsC,E/MmKtC,CAAN,CAUyB,MAApB,CAAN,CaQcIB,MAAK,Q+MINJ,IAAN,SAAqF,cAAU,6BAAU,EAAV,CAAV,CAAYB,QAA9G,I;K;0CAE5B,Y;MAAkC,OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAArB,WAAAd,GAAgD,UAAF,2BAAgB,SAAhB,cAA6B,SAAD,aAA5B,W;K;IAEHf,sC;MAAA,0C;K;mEACI,sC;MAQ+F,4BAAiB,UAAjB,EAA6B,QAA7B,EAAuC,IAAvC,C;K;;;IATnG,kD;MAAA,iD;QAAA,gC;;MAAA,0C;K;;;IAoBkC,qD;MAA0C,wB;MAC5E,sBAA2B,I;MAC3B,iBAAMC,kBAAO,CAA1C,G/MhDmE,a+MgDtB,K/MhDwC,KAAIB,E+MgDb,I/MhD2C,KAA9B,C+MgDtB,KAA7C,G/MhDmE,a+MgDH,K/MhDqB,KAAIB,E+MgDM,I/MhDwB,KAA9B,C+MgDH,K;MACHe,c/M0SsC,U+M1SnB,I/M0SmB,C;M+MzStC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;iDAE3C,Y;MAAkC,qB;K;mDAE1C,Y;MACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAA,6B;QAC3B,iBAAU,K;;QAEV,c/M/C+C,U+M+C/C,W/M/C0D,KAAK,K+M+CvD,W/M/CkE,KAAX,CAAhB,C;;M+MiDnD,OAAO,K;K;;wEC7Hf,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;O;FC7BA,yB;MAAA,gD;MAAA,4B;QAM6C,OAAQ,ajO+Rhb,ciO/RgB,C;O;KANrD,C;oGAQA,yB;M/GwCA,iB;M+GxCA,4B;QAMqD,O/GwCM,MAAO,OIH+O7B,ckH/O6B,C;O;K+G9CIE,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMsD,OAAQ,sBjO+QzB,ciO/QyB,C;O;KAN9D,C;8FAQA,yB;MAAA,0D;MjOwWA,6B;MiOxWA,4B;QAOmD,OjO2WZ,ciO3WoB,kBjOsQtB,ciOtQsB,CjO2WpB,C;O;KiOIXvC,C;4FASA,yB;MAAA,wD;MjO+VA,6B;MiO/VA,4B;QAOkD,OjOkWX,ciOIWmB,iBjO6PrB,ciO7PqB,CjOkWnB,C;O;KiOzWvC,C;gFASA,yB;MAAA,4C;MjOsVA,6B;MiOtVA,sC;QAayD,OjOmVIB,ciOnV0B,WjO8O5B,ciO9O4B,EAAW,QAAX,CjOmV1B,C;O;KiOhWvC,C;kFAgBA,yB;MAAA,8C;MjOsUA,6B;MiOtUA,sC;QAa0D,OjOmUnB,ciOnU2B,YjO8N7B,ciO9N6B,EAAy,QAAZ,CjOmU3B,C;O;KiOhVvC,C;oFAgBA,yB;MAAA,gD;MAAA,4B;QAM8C,OAAS,ajNgOhB,ciNhOgB,C;O;KANvD,C;oGAQA,yB;MAAA,gE;MAAA,4B;QAMsD,OAA S,qBjNwNxB,ciNxNwB,C;O;KAN/D,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMuD,OAAS,sBjNgNzB,ciNhNyB,C;O;KANhE,C;8FAQA,yB;MAAA,0D;MjN6SA,+B;MiN7SA,4B;QAOqD,OjNgTX,eiNhToB,kBjNuMvB,ciNvMuB,CjNgTpB,C;O;KiNvT1C,C;4FASA,yB;MAAA,wD;MjNoSA,+B;MiNpSA,4B;QAOoD,OjNuSV,eiNvSmB,iBjN8LtB,ciN9LsB,CjNuSnB,C;O;KiN9S1C,C;+EASA,yB;MAAA,4C;MjN2RA,+B;MiN3RA,sC;QAa2D,OjNwRjB,eiNxR0B,WjN+K7B,ciN/K6B,EAAW,QAAX,CjNwR1B,C;O;KiNrS1C,C;iFAeA,yB;M/GgEA,4C;MIG4MA,+B;MiN5QA,sC;QAa4D,OjNyQIB,ekGzMuB,WIGgG1B,ckGhG0B,EAAW,C+GhEK,Q/GgEL,IAAX,CIGyMvB,C;O;KiNtR1C,C;oFAeA,yB;MIOWJI,6B;MkO1SJ,gD;MAKJA,4B;QAM8C,OAIJO,ajO+RhB,CDcE,cAAU,cAAL,GAAiB,GAAtB,CCdF,MIo/RgB,C;O;KA4IrD,C;oGAQA,yB;M/G1GA,iB;M+G0GA,4B;QAMsD,O/G1GK,MAAO,OnHuM3B,c2N1Ge,GAAy,GxG7FA,CwG6Fb,GAA6C,EAA7C,I;O;KOOzE,C;8FAQA,yB;MAAA,0D;MIO+LA,0B;MAAA,+B;MkO/LA,4B;QAOqD,OIOmMZ,eAAW,OkOnMS,kBIOgGnB,cAAL,GAAiB,GkOhGO,CIOmMT,CAAX,C;O;KkO1

MzC,C;4FASA,yB;MAAA,wD;MIOsLA,0B;MAAA,+B;MkOtLA,4B;QAOoD,OIO0LX,eAAW,OkO1LQ,iBlOuFl  
B,cAAL,GAAiB,GkOvFM,CIO0LR,CAAX,C;O;KkOjMzC,C;gFAUA,yB;MAAA,4C;MIOqJA,+B;MkOrJA,sC;Q  
Aa2D,OIOkJb,ekOIJ0B,WIOmD7B,ckOnD6B,EAAW,QAAX,CIOk1B,C;O;KkO/J1C,C;kFAeA,yB;MAAA,8C;  
MIOsIA,+B;MkOtIA,sC;QAa4D,OIOmIIB,ekOnI2B,YIOoC9B,ckOpC8B,EAAAY,QAAX,CIOmI3B,C;O;KkOhJ1C,  
C;oFAeA,yB;MhOgFI,6B;MgO3SJ,gD;MA2NA,4B;QAM+C,OA3NM,ajO+RhB,CCeE,cAAU,cAAL,GAAiB,KA  
AtB,CDfF,MiO/RgB,C;O;KAqNrD,C;oGAQA,yB;M/GnLA,iB;M+GmLA,4B;QAMuD,O/GnLI,MAAO,OjHkNzB,  
cyN3CpC,GAAY,KxGvKiD,CwGuK9D,GAA+C,EAA/C,I;O;KOMJ,C;sGAQA,yB;MPZA,kE;MOYA,4B;QAMw  
D,OPZoB,sBzNmCnC,cyNnCe,GAAW,KAAS,C;O;KOM5E,C;8FAQA,yB;MAAA,0D;MhOuHA,4B;MAAA,iC;M  
gOvHA,4B;QAOuD,OhO2HZ,gBAAAY,QgO3HQ,kBhOwBrB,cAAL,GAAiB,KgOxBS,ChO2HR,CAAZ,C;O;KgOl  
I3C,C;4FASA,yB;MAAA,wD;MhO8GA,4B;MAAA,iC;MgO9GA,4B;QAOSD,OhOkHX,gBAAAY,QgOIHO,iBhOep  
B,cAAL,GAAiB,KgOfQ,ChOkHP,CAAZ,C;O;KgOzH3C,C;gFAUA,yB;MAAA,4C;MhOyFA,iC;MgOzFA,sC;QA  
a6D,OhOsFhB,gBgOtF0B,WhOX9B,cgOW8B,EAAW,QAAX,ChOsF1B,C;O;KgOnG7C,C;kFAeA,yB;MAAA,8C;  
MhO0EA,iC;MgO1EA,sC;QAa8D,OhOuEjB,gBgOvE2B,YhO1B/B,cgO0B+B,EAAAY,QAAX,ChOuE3B,C;O;KgO  
pF7C,C;ICtRA,qC;MAEI,SIOuIoD,ckOvI3C,CIOuI2C,EkOvIvC,CIOuIuC,C;MkOtIpD,SIOsIoD,ckOtI3C,CIOsI2C,  
EkOtIvC,CIOsIuC,C;MkOrIpD,OIOmDkE,YkOnDvD,EIOmDwE,KAAjB,EkOnDjD,EIOmD8E,KAA7B,CkOnDv  
D,KAAAX,GIOkFsD,SkOIFjC,EIOkF2C,KAAK,GkOIF3C,EIOkFuD,KAAZ,IAAf,CkOIFtD,GIOqEqD,SAAU,CAAT  
,SkOIFpB,EIOkF8B,KAAK,GkOIF9B,EIOkF0C,KAAZ,IAAf,CABs,MAAK,GkOrExB,CIOqEmC,KAAAX,IAAf,C;  
K;IkOIEzD,qC;MACI,SINwIsD,ekNxi7C,CINwi6C,EkNxiZC,CINwiYc,C;MkNvItD,SINuIsD,ekNvi7C,CINuI6C,E  
kNvIzC,CINuIyC,C;MkNtItD,OINqDmE,akNrDxD,EINqD0E,KAAIB,EkNrDID,EINqDgF,KAA9B,CkNrDxD,KA  
AX,GIN+EwD,UkN/EnC,EIN+E8C,KAAK,UkN/E9C,EIN+E0D,KAAZ,CAAhB,CkN/ExD,GINkEuD,UAAW,CAa  
V,UkN/EtB,EIN+EiC,KAAK,UkN/EjC,EIN+E6C,KAAZ,CAAhB,CABU,MAAK,KkNIE3B,CINkEsC,KAAAX,CAA  
hB,C;K;IkN/D3D,uD;MAmBI,WAAO,CAAP,C;QAD8E,OIOwBZ,YkOvBID,KIOuBmE,KAAjB,EkOvBzC,GIOuB  
sE,KAA7B,CkOvBID,KAD8D,GACHD,GADgD,GIOuDxB,SkOtDf,GIOsDyB,KAAK,GkOtDxB,mBAAiB,GAAjB  
,EAAAsB,KAAAtB,EIO2WV,SkO3WuC,IIO2WvC,CkO3WU,CIOsDoC,KAAZ,IAAf,C;akOrDtD,WAAO,CAAP,C;Q  
AF8E,OIOwBZ,YkOtBID,KIOsBmE,KAAjB,EkOtBzC,GIOsBsE,KAA7B,CkOtBID,KAF8D,GAEhD,GAFgD,GIO  
0CzB,SkOxCd,GIOwCwB,KAAK,GkOxCvB,mBAAiB,KAAjB,EAAwB,GAAxB,EIO0WV,SkO1WwC,CAAC,IA  
AD,IIO0WxC,CkO1WU,CIOwCkC,KAAAX,IAAf,C;;QkOvC7C,MAAA,gCAAYB,eAAzB,C;K;IAGzB,uD;MAMBI,  
sBAAO,CAAP,C;QADkF,OINQf,akNPnD,KINOqE,KAAIB,EkNP1C,GINowE,KAA9B,CkNPnD,KADkE,GACp  
D,GADoD,GINkC1B,UkNjCjB,GINiC4B,KAAK,UkNjC3B,mBAAiB,GAAjB,EAAAsB,KAAAtB,EINkWP,UkNIWo  
C,IINkWPc,CkNIWO,CINiCuC,KAAZ,CAAhB,C;akNhCxD,sBAAO,CAAP,C;QAFkF,OINQf,akNNnD,KINMqE,  
KAAIB,EkNN1C,GINMwE,KAA9B,CkNNnD,KAFkE,GAEPD,GAFOd,GINqB3B,UkNnBhB,GINmB2B,KAAK,  
KkNnB1B,mBAAiB,KAAjB,EAAwB,GAAxB,EINiWP,UkNjWsC,IAAD,alNiWrC,CkNjWO,CINmBqC,KAAAX,C  
AAhB,C;;QkNIB/C,MAAA,gCAAYB,eAAzB,C;K;IjOIDC,sB;MAEtB,8B;MAFYD,gB;K;IAEzD,4B;MAAA,gC;M  
ACI,iBAGqC,WAAO,CAAP,C;MAErC,iBAGqC,WAAO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iBAGkC,E;K;;I  
AnBtC,wC;MAAA,uC;QAAA,sB;;MAAA,gC;K;wGAsBA,iB;MAM0D,OAAa,0BA6OjC,SAAL,GAAiB,KA7OqB  
,EAAU,KF4O3C,KAAL,GAAiB,GE5OqB,C;K;oGAEvE,iB;MAOoE,OAAa,0BAoO3C,SAAL,GAAiB,KApO+B,E  
AAU,KAOOrD,KAAL,GAAiB,KApO+B,C;K;wGAEjF,yB;MA2PA,6B;MD5PA,8C;MCCA,wB;QAMyD,ODAS,Y  
AAiB,CC8PhD,cAAU,SAAL,GAAiB,KAAAtB,CD9PgD,MAAJB,ECAe,KDac,KAA7B,C;O;KCNIE,C;wGAQA,yB  
;MA6PA,aAS6D,0B;MAT7D,+B;Me9PA,gD;MfCA,wB;QAM0D,OeAS,aAAkB,CfgQhD,eAAW,oBAAL,SAAK,  
CAAL,YAAN,CehQgD,MAAIB,EfAgB,KeAc,KAA9B,C;O;KfNnE,C;8FAQA,yB;MA2OA,6B;MA3OA,wB;QAE  
sD,ODMD,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAAtB,CD5O4B,MAAK,GAAW,CD2O5C,cEjPsC,KFiP5B,K  
AAL,GAAiB,GAAAtB,CC3O4C,MAAX,IAAf,C;O;KCRrD,C;8FAGA,yB;MAwOA,6B;MAxOA,wB;QAEuD,ODG  
F,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAAtB,CD5O4B,MAAK,GAAW,CC4O5C,cA/OuC,KA+O7B,KAAL,G  
AAiB,KAAAtB,CD5O4C,MAAX,IAAf,C;O;KCLrD,C;8FAGA,yB;MAqOA,6B;MArOA,wB;QAEqD,ODAA,cAAU  
,CC4O5B,cAAU,SAAL,GAAiB,KAAAtB,CD5O4B,MAAK,GCAI,KDAO,KAAAX,IAAf,C;O;KCFrD,C;8FAGA,yB;  
MA4OA,aAS6D,0B;MAT7D,+B;MA5OA,wB;QAEuD,OeAA,eAAW,CfmP7B,eAAW,oBAAL,SAAK,CAAL,YA  
AN,CenP6B,MAAK,KfAI,KeAO,KAAAX,CAAhB,C;O;KfFvD,C;gGAIA,yB;MA8NA,6B;MA9NA,wB;QAEuD,O  
DMD,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAAtB,CD/N6B,MAAK,GAAAY,CD8N9C,cEpOwC,KFoO9B,KAA

L,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KCRtD,C;gGAGA,yB;MA2NA,6B;MA3NA,wB;QAEwD,ODGF,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GAAy,CC+N9C,cAlOyC,KAKO/B,KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KCLtD,C;gGAGA,yB;MAwNA,6B;MAxNA,wB;QAEsD,ODAA,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GCAK,KDAO,KAAZ,IAAf,C;O;KCFtD,C;gGAGA,yB;MA+NA,aAS6D,0B;MAT7D,+B;MA/NA,wB;QAEwD,OeAA,eAAW,CfsO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce tO8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;gGAIA,yB;MAiNA,6B;MAjNA,wB;QAEuD,ODMD,cAAe,YAAL,CCKn7B,cAAU,SAAL,GAAiB,KAAtB,CDIN6B,MAAK,EAAY,CDiN9C,cEvNwC,KFuN9B,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KCRtD,C;gGAGA,yB;MA8MA,6B;MA9MA,wB;QAEwD,ODGF,cAAe,YAAL,CCKn7B,cAAU,SAAL,GAAiB,KAAtB,CDIN6B,MAAK,EAAY,CCKn9C,cArNyC,KAqN/B,KAAL,GAAiB,KAAtB,CDIN8C,MAAZ,CAAf,C;O;KCLtD,C;gGAGA,yB;MA2MA,6B;MA3MA,wB;QAEsD,ODAA,cAAe,YAAL,CCKn7B,cAAU,SAAL,GAAiB,KAAtB,CDIN6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;gGAGA,yB;MAkNA,aAS6D,0B;MAT7D,+B;MAiNA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CeZn8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAoMA,6B;MD9LA,4C;MCNA,wB;QAEqD,ODMD,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,EDoMjB,cE1MoC,KF0M1B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KCRpD,C;4FAGA,yB;MAiMA,6B;MD9LA,4C;MCHA,wB;QAEsD,ODGF,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECqMjB,cAxMqC,KAwM3B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KCLpD,C;4FAGA,yB;MA8LA,6B;MD9LA,4C;MCAA,wB;QAEoD,ODAA,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECakB,KDAIB,C;O;KCFpD,C;4FAGA,yB;MAqMA,aAS6D,0B;MAT7D,+B;MerMA,8C;MfAA,wB;QAEsD,OeAA,Yf4MjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce5MiB,EfAmB,KeAnB,C;O;KfFtD,C;4FAIA,yB;MAuLA,6B;MDzKA,kD;MCdA,wB;QAMqD,ODcD,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ED2KjB,cEzLoC,KFyL1B,KAAL,GAAiB,GAAtB,CC3KiB,C;O;KCPbD,C;4FAOA,yB;MAgLA,6B;MDzKA,kD;MCPA,wB;QAMsD,ODOF,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,EC4KjB,cAnLqC,KAmL3B,KAAL,GAAiB,KAAtB,CD5KiB,C;O;KCbD,C;4FAOA,yB;MAyKA,6B;MDzKA,kD;MCAA,wB;QAMoD,ODAA,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ECakB,KDAIB,C;O;KCNpD,C;4FAOA,yB;MA4KA,aAS6D,0B;MAT7D,+B;Me5KA,oD;MfAA,wB;QAMsD,OeAA,ef+KjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce/KiB,EfAmB,KeAnB,C;O;KfNtD,C;sGAQA,yB;MA0JA,6B;MD9LA,4C;MCoCA,wB;QAMiD,ODxCG,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,EDoMjB,cE5JqC,KF4J3B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KCKcD,C;sGAOA,yB;MAmJA,6B;MD9LA,4C;MC2CA,wB;QAMkD,OD/CE,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECqMjB,cAtJsC,KAsJ5B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KCycD,C;sGAOA,yB;MA4IA,6B;MD9LA,4C;MCKDA,wB;QAMgD,ODtDI,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECsDmB,KDtDnB,C;O;KCGDpD,C;sGAOA,yB;MA+IA,aAS6D,0B;MAT7D,+B;MerMA,8C;MfsDA,wB;QAMkD,Oe1DI,Yf4MjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce5MiB,Ef0DoB,Ke1DpB,C;O;KfoDtD,C;4FAQA,yB;MA6HA,6B;MDzKA,kD;MDuOJ,0B;MAAA,+B;ME3LI,wB;QAQ6C,OF8LR,eAAW,OC5OI,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ED2KjB,cE7H4B,KF6HIB,KAAL,GAAiB,GAAtB,CC3KiB,CakLf,KD0DW,CAAX,C;O;KETMrC,C;4FASA,yB;MAoHA,6B;MDzKA,kD;MCwoJ,4B;MAAA,iC;MAnLI,wB;QAQ+C,OAsLR,gBAAY,QD7OC,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,EC4KjB,cArH8B,KAqHpB,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KA9LvC,C;4FASA,yB;MA2GA,6B;MDzKA,kD;MC8DA,wB;QAQ2C,ODhES,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ECgES,KDhET,C;O;KCwDpD,C;4FASA,yB;MA4GA,aAS6D,0B;MAT7D,+B;Me5KA,oD;MfgEA,wB;QAQ6C,OelES,ef+KjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce/KiB,EfkEU,KeIEV,C;O;Kf0DtD,C;4EAUA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAM2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAN3C,C;4EAQA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAM2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAN3C,C;oGAQA,yB;MAAA,8C;MAwEA,6B;MAxEA,wB;QAE+D,0BA+E5B,cAAU,SAAL,GAAiB,KAAtB,CA/E4B,EA+E5B,cA/EqD,KA+E3C,KAAL,GAAiB,KAAtB,CA/E4B,C;O;KAF/D,C;4FAIA,yB;MAAA,iC;M2LnNJ,4B;M3LmNI,wB;QAEqD,uB2LiNiC,Q3LkN1B,IAAK,K2LINX,G3LkNoB,KAAM,K2LINM,C3LkNjC,C;O;KAFrD,C;0FAGA,yB;MAAA,iC;M2LjNJ,4B;M3LiNI,wB;QAEoD,uB2LhNgC,Q3LgNzB,IAAK,K2LhNX,G3LgNmB,KAAM,K2LhNM,C3LgNhC,C;O;KAFpD,C;4FAGA,yB;MAAA,iC;M2L/MJ,4B;M3L+MI,wB;QAEqD,uB2L9MiC,Q3L8M1B,IAAK,K2L9MX,G3L8MoB,KAAM,K2L9MM,C3L8MjC,C;O;KAFrD,C;4EAGA,yB;MAAA,iC;M2L7MJ,4B;M3L6MI,mB;QAEkC,uB2L5MsB,QAAP,C3L4MR,S2L5Me,C3L4MtB,C;O;KAFIC,C;kFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KAVxC,C;oFAWA,

Y;MASqC,gB;K;gFACrC,Y;MASiC,OAAK,SAAL,GAAiB,K;K;kFACID,yB;MAAA,aASqD,0B;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,Y;O;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,mB;QASqC,OFiEE,eAAW,OEjEb,SFiEa,CAAX,C;O;KE1EvC,C;sFAUA,Y;MAEuC,W;K;kFACvC,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,KAAtB,C;O;KATnC,C;oFAUA,yB;MAAA,aAS6D,0B;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,YAAN,C;O;KATrC,C;oFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,K;K;sFAqDI D,Y;MAMuC,OA3DD,SAAL,GAAiB,K;K;gCA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,KA6DD,Y;K;gCA3UrD,Y;MAAA,c;MAG6D,qD;MAH7D,a;K;8BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;0EA+UA,yB;MAAA,iC;MAAA,4B;QAW4C,uBAAY,SAAZ,C;O;KAX5C,C;4EAYA,yB;MAAA,iC;MAAA,4B;QAU6C,uBAAO,SAAP,C;O;KAV7C,C;4EAWA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW2C,uBAAY,QAAL,SAAK,CAAZ,C;O;KAX3C,C;4EAYA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW4C,uBAAY,QAAL,SAAK,SAAZ,C;O;KAX5C,C;IiC/WA,8B;MACqB,sB;K;wCAKjB,iB;MAM8C,OjCsVL,WiCtVK,aAAQ,KAAR,CjCsVL,C;K;wCiCpVzC,wB;MAOI,AAQ,KAAR,IAAiB,KjC4OgB,K;K;mFiCxOP,Y;MAAQ,OAAA,YAAQ,O;K;qCAE9C,Y;MAC+E,gCAAS,YAAT,C;K;IAGzD,qC;MAAkC,yB;MAAjC,oB;MACnB,eAAoB,C;K;6CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;gDACvC,Y;MAA0D,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OjCgUS,WiChUe,aAAM,mBAAN,EAAM,2BAAN,OjCgUf,C;;QiChU8C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;2CAG7F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,K;MAEzC,OAAe,WAAR,YAAQ,EAAS,OjCsNS,KiCtNIB,C;K;gDAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QjB0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAp,e;;QACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UiB1nD6B,2BjB0nDR,OiB1nDQ,S;UAAA,W;YAAwB,oBAAR,YAAQ,EjB0nDhC,OhBx6CA,KiCInG,C;;UjB0nD/C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;;QAC/C,aAAO,I;;;MiB3nDH,iB;K;oCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,uC;MAAA,qD;MACgC,wBAAK,eAAW,IAAX,CAAL,C;MADhC,Y;K;;;qCAPJ,Y;MAAA,OAKqB,sDALrB,M;K;qCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;mCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;kFAyDA,yB;MAAA,2C;MAWwC,0C;QAAA,wB;UAAW,OAAA,aAAK,KAAL,CjCiMv,K;S;O;MiC5MzC,6B;QAWI,OAAO,qBAAY,gCAAW,IAAX,GAAiB,wBAAjB,CAAZ,C;O;KAXX,C;oFAcA,oB;MAGwE,e;K;IiM5ExE,sC;MAQ2D,OAAa,WAAb,SpOwQjB,KAAL,GAAiB,GoOxQkB,EAAS,KAAT,C;K;IAExE,sC;MAQ4D,OAAa,WAAb,SIO+PIB,KAAL,GAAiB,KkO/PmB,EAAS,KAAT,C;K;IAGzE,sC;MAQ0D,OAAc,WnOiR5B,oBmOjRc,SnOiRnB,KAAL,CAAL,iBmOjRiC,EAAS,KAAT,C;K;IAExE,sC;MAOgD,uBAAc,SnNyQvB,KmNzQS,EAA6B,WAAW,KAAX,CAA7B,C;K;IAGhD,8B;MAMqC,Q;MAAA,0DAAmB,kBAAkB,SAAlB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAAkB,SAAlB,C;K;IAGvE,+B;MAMuC,Q;MAAA,2DAAoB,kBAAkB,SAAlB,C;K;IAE3D,sC;MAOiD,Q;MAAA,2CAAE,KAaf,oBAAYB,kBAAkB,SAAlB,C;K;IAE1E,6B;MAMmC,Q;MAAA,yDAAkB,kBAAkB,SAAlB,C;K;IAErD,oC;MAO6C,Q;MAAA,yCAAA,KAAb,oBAAuB,kBAAkB,SAAlB,C;K;IAEpE,8B;MAMqC,Q;MAAA,0DAAmB,kBAAkB,SAAlB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAAkB,SAAlB,C;K;IAMvE,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;;MAA7C,UAAU,I;MACV,InO/EKE,YmO+E9D,GnO/E+E,KAAjB,EAA6B,CD6P5D,SoO9KzB,6BAAm,UpO8K6B,KAAL,GAAiB,GAAtB,CC7P4D,MAA7B,CmO+E9D,IAAJ,C;QAA2B,OAAO,I;MACIC,OpO8OqC,UAAW,OoO9OzC,GnOoL8B,KD0DW,CAAX,C;K;IoO3OzC,mC;MAM8C,mCAAuB,EAAvB,C;K;IAE9C,4C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;;MAA7C,UAAU,I;MACV,InOrGkE,YmOqG9D,GnOrG+E,KAAjB,EAA6B,CC8P5D,SkOzJzB,8BAAO,UIOyJ4B,KAAL,GAAiB,KAAtB,CD9P4D,MAA7B,CmOqG9D,IAAJ,C;QAA4B,OAAO,I;MACnC,IOyNuC,WAAy,QkOzN5C,GnOwKgC,KCiDY,CAAZ,C;K;IkOtN3C,iC;MAM0C,iCAAqB,EAArB,C;K;IAE1C,0C;MASI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAkB,4BAAK,U;MACvB,S;MAEA,gBAAgB,qBAAK,C AAL,C;MACHB,IAAI,YAAy,EAAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAAhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,QAAQ,C;;MAGZ,uBAAuB,mB;MAEvB,qBAAqB,gB;MACrB,anOuMmC,SmOvMtB,KnOuMsB,C;MmOtMnC,aAAa,W;MACb,aAAU,KAAY,MAAsB,MAAtB,M;QACI,YAAy,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,InOnJ8D,YmOmJ1D,MnOnJ2E,KAAjB,EmOmJjD,cnOnJ8E,KAA7B,CmOmJ1D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAIB,QAAJ,C;YACI,iBnO5FwC,WmO4FvB,KnO5FuB,EmO4Ff,MnO5Fe,C;YmO8FxC,InOvJsD,YmOuJlD,MnOvJmE,KAAjB,EmOuJzC,cnOvJsE,KAA7B,CmOuJlD,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;QAIff,SnOnHkD,SAAe,YmOmHjE,MnOnH4D,KAAL

,EmOmHvD,MnOnHmE,KAAZ,CAAf,C;QmOqHID,mBAAmB,M;QACnB,SnOhJiD,SmOgJjD,MnOhJ2D,KAAK,GAAW,CAkU5C,SmOILrB,KnOkLqB,CAIU4C,MAAX,IAAf,C;QmOiJjD,InOnK8D,YmOmK1D,MnOnK2E,KA AjB,EmOmKjD,YnOnK8E,KAA7B,CmOmK1D,IAAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K;IAGX,kC;MAM 4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASI,WAAW,KAAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAA d,C;QAAiB,OAAO,I;MAExB,YAAmB,6BAAM,U;MACzB,S;MAEA,gBAAgB,qBAAK,CAAL,C;MACHB,IAAI, YAAAY,EAAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAAhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;QAER, QAAQ,C;;MAIZ,uBAAuB,gD;MAEvB,qBAAqB,gB;MACrB,anN0IqC,UAAW,oBmN1InC,KnN0ImC,CAAX,C; MmNzIrC,aAAa,2B;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAAY,QAAQ,qBAAK,CAAL,CAAR,EAAi B,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,InN5M+D,amN4M3D,MnN5M6E,KAAIB,Em N4MID,cnN5MgF,KAA9B,CmN4M3D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAIB,QAAJ,C;YACI,iBnN1J0C,YmN0J zB,KnN1JyB,EmN0JjB,MnN1JiB,C;YmN4J1C,InNhNuD,amNgNnD,MnNhNqE,KAAIB,EmNgN1C,cnNhNwE,K AA9B,CmNgNnD,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;QAIf,SnNjLoD,UmNiLpD,MnNjL+D,KAAK,UmNi L1D,MnNjLsE,KAAZ,CAAhB,C;QmNmLpD,mBAAmB,M;QACnB,SnN9MmD,UmN8MnD,MnN9M8D,KAAK, KAAW,ChBsQ7C,UAAW,oBAAL,CayDR,SmOjHrB,KnOiHqB,CAzDQ,MAAK,CAAL,iBAAN,CgBtQ6C,MAA X,CAAhB,C;QmN+MnD,InN5N+D,amN4N3D,MnN5N6E,KAAIB,EmN4NID,YnN5NgF,KAA9B,CmN4N3D,IA AJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K;I3N9RX,6B;MACkD,OAAuB,0BAAtB,KAAO,WAAe,EAAU,KAA O,WAAjB,C;K;IACzE,8B;MACqD,OAAC,gCAAuB,iBAAU,gCAAV,C;K;IAE7E,4B;MACoD,ORiZZ,SAvGI,oB Q1SS,ER0Sd,KAAK,CAAL,iBQ1Sc,KR0ST,oBQ1SuB,ER0S5B,KAAK,CAAL,iBQ1Sc,CRiZH,QAAV,C;K;IQhZ xC,+B;MACuD,OR+Yf,SAvGI,oBQxSY,ERwSjB,KAAK,CAAL,iBQxSiB,QRwSZ,oBQxS0B,ERwS/B,KAAK,C AAL,iBQxSiB,CR+YN,QAAV,C;K;IQ1YxC,6B;MAEI,eAAe,EQkSoB,K;MRjSnC,cAAc,EQiSqB,K;MRhSnC,IA AI,qBAAU,CAAd,C;QACI,OQ6C+D,aR7CpD,EQ6CsE,KAAIB,ER7C/C,EQ6C6E,KAA9B,CR7CpD,IAAJ,GAAa, aAAb,GAA2B,a;;MAItC,IAAI,uBAAAY,CAAhB,C;QACI,OAAO,UAAAM,aAAW,OAAX,CAAN,C;;MAIX,eAAiB, 4BAAc,CAAd,CAAD,KAAoB,OAAPB,CAAD,WAAkC,CAAIC,C;MACf,UAAU,kBAAW,kBAAW,OAAX,CAA X,C;MACV,OAAO,UAAAM,iCQkCsD,aAAkB,CRICzD,UAAAM,GAAN,CQkCyD,MAAIB,EAA8B,CRICvD,UAA M,OAAN,CQkCuD,MAA9B,CRICvC,KAAJ,GAAkC,CAAIC,GAAyC,CAAPD,EAAN,C;K;IAIX,gC;MAKe,Q;M AHX,eAAe,EQ8QoB,K;MR7QnC,cAAc,EQ6QqB,K;MR5QnC,IAAI,qBAAU,CAAd,C;QACW,IQyBwD,aRzBpD, EQyBsE,KAAIB,ERzB/C,EQyB6E,KAA9B,CRzBpD,IAAJ,C;UACH,S;;UAEA,OQgDgD,URhDhD,EQgD2D,KA AK,URhD3D,EQgDuE,KAAZ,CAAhB,C;;QRnDpD,W;;MAQJ,IAAI,uBAAAY,CAAhB,C;QACI,OAAO,UAAAM,gB AAW,OAAX,CAAN,C;;MAIX,eAAiB,4BAAc,CAAd,CAAD,KAAoB,OAAPB,CAAD,WAAkC,CAAIC,C;MACf, UAAU,kBAAW,kBAAW,OAAX,CAAX,C;MACV,OAAO,UAAAM,aQUsD,aAAkB,CRV9D,UAAAM,GAAN,CQU8 D,MAAIB,EAA8B,CRV5D,UAAAM,OAAN,CQU4D,MAA9B,CRV5C,KAAJ,GAAkC,OAIC,KAAN,CAAN,C;K; IAGX,yB;MAEI,IAAE,QAAF,CAAE,CAAF,C;QADyC,OAC5B,W;;QACb,SRwSuC,aQxSiC,4BAAK,URwS0C,K AAb,CQxSvC,C;UAFyC,OAEP,4BAAK,U;;UACvC,SRuSuC,aQvSiC,4BAAK,URuS0C,KAAb,CQvSvC,C;YAHy C,OAGP,4BAAK,U;eACvC,SAAK,UAAL,C;YAJyC,ORKVN,SQ9UX,YAAF,CAAE,CR8UW,C;;YQIVM,ORgBY ,SAAU,CAkU5B,SQ7UP,YAAnB,IAAI,UAAe,CR6UO,CAIU4B,MAAK,GAAW,CAkU5C,SQ7UY,UR6UZ,CAIU 4C,MAAX,IAAf,C;;;K;IQRzD,0B;MAEI,IAAE,QAAF,CAAE,CAAF,C;QAD2C,OAC9B,2B;;QACb,SQkSuC,cRI SIC,6BAAM,UQkS0C,KAAAd,CRISvC,C;UAF2C,OAER,6BAAM,U;;UACzC,SQiSuC,cRjSiC,6BAAM,UQiS0C,K AAd,CRjSvC,C;YAH2C,OAGR,6BAAM,U;eACzC,4C;YAJ2C,OQwVL,URpVd,uBAAF,CAAE,CQoVc.C;;YRxV K,OQUY,UAAW,CA8U5B,URjVF,uBAA3B,IAAI,oBAAuB,CQIVe,CA9U4B,MAAK,KAAW,CRHzB,gCQGyB, MAAX,CAAhB,C;;;K;IRC3D,yB;MAC4C,QAAC,CAAqB,GAaf,UAAP,IAAmC,CAAC,MAAO,EAAW,IAAJ,E AAf,IAAgC,C;K;IAE/G,0B;MAC8C,OAAC,qBAAO,EAAP,CAAW,WAAZ,GAAyB,IAAZB,GAAiC,YAAjC,W;K ;IAG9C,0B;MAA8C,uBAAc,CAAd,EAAiB,EAAjB,C;K;IAE9C,kC;MACI,IAAI,gBAAK,CAAT,C;QAAY,OAAS, WAAF,CAAE,EAAS,IAAT,C;MAErB,eAAiB,qBAAO,CAAP,CAAD,yBAAa,IAAb,EAAD,WAAwB,CAAxB,C; MACf,UAAU,WAAI,sCAAW,IAAX,EAAJ,C;MACV,IAAI,kBAAO,IAAX,C;QACI,uCAAo,IAAP,E;QACA,4CA AY,CAAZ,E;;MAEJ,OAAgB,WAAT,QAAS,EAAS,IAAT,CAAT,GAA8B,WAAJ,GAAL,EAAS,IAAT,C;K;I4N1F zC,qC;K;.....



direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.160 commons-compiler 3.1.9

## 1.160.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Janino - An embedded Java[TM] compiler

\*

\* Copyright (c) 2001-2018 Arno Unkrig. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS

OR IMPLIED WARRANTIES,

\* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

\* DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,

\* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

\* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/util/resource/StringResource.java

\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/util/LineAndColumnTracker.java

No license file was found, but licenses were detected in source scan.

/\*

\* Janino - An embedded Java[TM] compiler

\*

\* Copyright (c) 2018 Arno Unkrig. All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the  
\* following conditions are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the  
\* following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote  
\* products derived from this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR  
IMPLIED WARRANTIES,  
\* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED  
AND ON ANY THEORY OF LIABILITY,  
\* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR  
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
\* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/java8/java/util/stream/Stream.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/java9/java/lang/module/ModuleReference.java  
\*  
/opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/Disassembler.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/java8/java/util/function/Consumer.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/java9/java/lang/module/ModuleReader.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/java8/java/util/Optional.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/package-info.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/java9/java/lang/module/ModuleFinder.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Janino - An embedded Java[TM] compiler
 *
 * Copyright (c) 2019 Arno Unkrig. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without modification, are permitted provided that the
 * following conditions are met:
 *
 * 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the
 * following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the
 * following disclaimer in the documentation and/or other materials provided with the distribution.
 * 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote
 * products derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
 * ANY EXPRESS OR
 * IMPLIED WARRANTIES,
 * INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
 * FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
 * ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR
 * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
 * AND ON ANY THEORY OF LIABILITY,
 * WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
 * OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
 * OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

Found in path(s):

```
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/resource/package-info.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/AbstractCompiler.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/java8/java/util/package-info.java
*
/opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/samples/CompilerDemo.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/Numbers.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/reflect/Classes.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/lang/package-info.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
```

jar/org/codehaus/commons/compiler/util/reflect/ApiLog.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/resource/ListableResourceFinder.java  
\*  
/opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/MultiCookable.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/resource/LocatableResource.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/resource/ResourceFinders.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/reflect/Proxies.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/java8/java/util/function/package-info.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/lang/ClassLoaders.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/reflect/Methods.java  
\*  
/opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/ICompiler.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/java8/java/util/function/Consumers.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/reflect/NoException.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/StringUtil.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/Predicate.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/iterator/package-info.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/reflect/package-info.java  
\*  
/opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/java8/java/util/stream/package-info.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/IMultiCookable.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/io/package-info.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/iterator/Iterables.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/io/InputStreams.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Janino - An embedded Java[™] compiler

\*  
\* Copyright (c) 2020 Arno Unkrig. All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the  
\* following conditions are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the  
\* following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote  
\* products derived from this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR  
IMPLIED WARRANTIES,  
\* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED  
AND ON ANY THEORY OF LIABILITY,  
\* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR  
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
\* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/SystemProperties.java

No license file was found, but licenses were detected in source scan.

/\*

\* Janino - An embedded Java[™] compiler

\*

\* Copyright (c) 2001-2017 Arno Unkrig. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the  
\* following conditions are met:

\*

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the  
\* following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote  
\* products derived from this software without specific prior written permission.

\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,  
\* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
\* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
\* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/Sandbox.java

No license file was found, but licenses were detected in source scan.

/\*

\* Janino - An embedded Java[™] compiler

\*

\* Copyright (c) 2018, 2019 Arno Unkrig. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the  
\* following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the  
\* following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote  
\* products derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,

\* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

\* DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,

\* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
\* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
\* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/io/Readers.java

No license file was found, but licenses were detected in source scan.

/\*

\* Janino - An embedded Java[™] compiler

\*

\* Copyright (c) 2010 Arno Unkrig. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,

\* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

\* DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,

\* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

\* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/AbstractCompilerFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Janino - An embedded Java[™] compiler

\*  
\* Copyright (c) 2013 Arno Unkrig. All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the  
\* following conditions are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the  
\* following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote  
\* products derived from this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR  
IMPLIED WARRANTIES,  
\* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED  
AND ON ANY THEORY OF LIABILITY,  
\* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR  
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
\* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/samples/package-info.java

\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/java9/java/lang/module/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Janino - An embedded Java[™] compiler

\*

\* Copyright (c) 2016 Arno Unkrig. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the  
\* following conditions are met:

\*

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the  
\* following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote  
\* products derived from this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR  
IMPLIED WARRANTIES,  
\* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED  
AND ON ANY THEORY OF LIABILITY,  
\* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR  
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
\* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/nullanalysis/package-info.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/nullanalysis/Nullable.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/nullanalysis/NotNull.java  
\*  
/opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/nullanalysis/NotNullByDefault.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Janino - An embedded Java[™] compiler  
\*  
\* Copyright (c) 2001-2010 Arno Unkrig. All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the  
\* following conditions are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the  
\* following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote  
\* products derived from this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS

OR IMPLIED WARRANTIES,

- \* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- \* DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
- \* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
- \* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \*/

Found in path(s):

- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/util/iterator/FilterListIterator.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/IClassBodyEvaluator.java
- \*
- /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/util/ResourceFinderClassLoader.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/IScriptEvaluator.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/AbstractJavaSourceClassLoader.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/InternalCompilerException.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/util/Producer.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/package-info.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/Location.java
- \*
- /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/util/iterator/UniterableElementException.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/util/resource/LazyMultiResourceFinder.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/ICookable.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/util/iterator/IteratorCollection.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/CompileException.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-jar/org/codehaus/commons/compiler/util/iterator/ProducerIterator.java
- \* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-

jar/org/codehaus/commons/compiler/util/resource/FileResource.java  
\*  
/opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/resource/JarDirectoriesResourceFinder.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/samples/ShippingCost.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/samples/ScriptDemo.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/Cookable.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/resource/ResourceFinder.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/iterator/ReverseListIterator.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/iterator/TransformingIterator.java  
\*  
/opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/ISimpleCompiler.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/resource/MapResourceCreator.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/ErrorHandler.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/ICompilerFactory.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/WarningHandler.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/iterator/EnumerationIterator.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/samples/DemoBase.java  
\*  
/opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/iterator/DirectoryIterator.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/resource/FileResourceFinder.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/resource/FileResourceCreator.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/resource/DirectoryResourceCreator.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/reflect/ByteArrayClassLoader.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/CompilerFactoryFactory.java  
\*  
/opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-  
jar/org/codehaus/commons/compiler/util/iterator/MultiIterator.java  
\* /opt/cola/permits/1494419028\_1669966512.1572773/0/commons-compiler-3-1-9-sources-

```

jar/org/codehaus/commons/compiler/util/resource/MapResourceFinder.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/samples/ClassBodyDemo.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/resource/PathResourceFinder.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/StringPattern.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/samples/ExpressionDemo.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/resource/DirectoryResourceFinder.java
*
/opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/iterator/TraversingIterator.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/LocatedException.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/resource/Resource.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/resource/ZipFileResourceFinder.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/iterator/MultiDimensionalIterator.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/resource/ResourceCreator.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/resource/MultiResourceFinder.java
*
/opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/util/Benchmark.java
* /opt/cola/permits/1494419028_1669966512.1572773/0/commons-compiler-3-1-9-sources-
jar/org/codehaus/commons/compiler/IEExpressionEvaluator.java

```

# 1.161 janino 3.1.9

## 1.161.1 Available under license :

```

=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Ant distribution. ==
=====

```

Apache Ant  
 Copyright 1999-2008 The Apache Software Foundation

This product includes software developed by  
 The Apache Software Foundation (<http://www.apache.org/>).

This product includes also software developed by :

- the W3C consortium (<http://www.w3c.org>) ,
- the SAX project (<http://www.saxproject.org>)

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software Foundation.

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

/\*

\* Apache License  
\* Version 2.0, January 2004  
\* <http://www.apache.org/licenses/>  
\*

\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION  
\*

\* 1. Definitions.  
\*

\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.  
\*

\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.  
\*

\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,  
\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the  
\*

outstanding shares, or (iii) beneficial ownership of such entity.  
\*

\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.  
\*

\* "Source" form shall mean the preferred form for making modifications,  
\* including but not limited to software source code, documentation  
\* source, and configuration files.  
\*

\* "Object" form shall mean any form resulting from mechanical  
\* transformation or translation of a Source form, including but  
\* not limited to compiled object code, generated documentation,  
\*

\* and conversions to other media types.

\*  
 \* "Work" shall mean the work of authorship, whether in Source or  
 \* Object form, made available under the License, as indicated by a  
 \* copyright notice that is included in or attached to the work  
 \* (an example is provided in the Appendix below).

\*  
 \* "Derivative Works" shall mean any work, whether in Source or Object  
 \*  
 \* form, that is based on (or derived from) the Work and for which the  
 \* editorial revisions, annotations, elaborations, or other modifications  
 \* represent, as a whole, an original work of authorship. For the purposes  
 \* of this License, Derivative Works shall not include works that remain  
 \* separable from, or merely link (or bind by name) to the interfaces of,  
 \* the Work and Derivative Works thereof.

\*  
 \* "Contribution" shall mean any work of authorship, including  
 \* the original version of the Work and any modifications or additions  
 \* to that Work or Derivative Works thereof, that is intentionally  
 \* submitted to Licensor for inclusion in the Work by the copyright owner  
 \* or by an individual or Legal Entity authorized to submit on behalf of  
 \* the copyright owner. For the purposes of this definition, "submitted"  
 \* means any form of electronic, verbal, or written communication sent  
 \* to the Licensor or its representatives,  
 \* including but not limited to  
 \* communication on electronic mailing lists, source code control systems,  
 \* and issue tracking systems that are managed by, or on behalf of, the  
 \* Licensor for the purpose of discussing and improving the Work, but  
 \* excluding communication that is conspicuously marked or otherwise  
 \* designated in writing by the copyright owner as "Not a Contribution."

\*  
 \* "Contributor" shall mean Licensor and any individual or Legal Entity  
 \* on behalf of whom a Contribution has been received by Licensor and  
 \* subsequently incorporated within the Work.

\*  
 \* 2. Grant of Copyright License. Subject to the terms and conditions of  
 \* this License, each Contributor hereby grants to You a perpetual,  
 \* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
 \* copyright license to reproduce, prepare Derivative Works of,  
 \* publicly display, publicly perform, sublicense, and distribute the  
 \*  
 \* Work and such Derivative Works in Source or Object form.

\*  
 \* 3. Grant of Patent License. Subject to the terms and conditions of  
 \* this License, each Contributor hereby grants to You a perpetual,  
 \* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
 \* (except as stated in this section) patent license to make, have made,  
 \* use, offer to sell, sell, import, and otherwise transfer the Work,

\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.

\*  
\* 4. Redistribution. You may reproduce and distribute copies of the  
\* Work or Derivative Works thereof in any medium, with or without  
\* modifications, and in Source or Object form, provided that You  
\* meet the following conditions:

\* (a) You must give any other recipients of the Work or  
\* Derivative Works a copy of this License; and

\* (b) You must cause any modified files to carry prominent notices  
\* stating that You changed the files; and

\* (c) You must retain, in the Source form of any Derivative Works  
\* that You distribute, all copyright, patent, trademark, and  
\* attribution notices from the Source form of the Work,  
\* excluding those notices that do not pertain to any part of  
\* the Derivative Works; and

\* (d) If the Work includes a "NOTICE"  
text file as part of its  
\* distribution, then any Derivative Works that You distribute must  
\* include a readable copy of the attribution notices contained  
\* within such NOTICE file, excluding those notices that do not  
\* pertain to any part of the Derivative Works, in at least one  
\* of the following places: within a NOTICE text file distributed  
\* as part of the Derivative Works; within the Source form or  
\* documentation, if provided along with the Derivative Works; or,  
\* within a display generated by the Derivative Works, if and  
\* wherever such third-party notices normally appear. The contents  
\* of the NOTICE file are for informational purposes only and  
\* do not modify the License. You may add Your own attribution  
\* notices within Derivative Works that You distribute, alongside  
\* or as an addendum to the NOTICE text from the Work, provided  
\* that

such additional attribution notices cannot be construed  
\* as modifying the License.

\* You may add Your own copyright statement to Your modifications and

\* may provide additional or different license terms and conditions  
\* for use, reproduction, or distribution of Your modifications, or  
\* for any such Derivative Works as a whole, provided Your use,  
\* reproduction, and distribution of the Work otherwise complies with  
\* the conditions stated in this License.

\*  
\* 5. Submission of Contributions. Unless You explicitly state otherwise,  
\* any Contribution intentionally submitted for inclusion in the Work  
\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.  
\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.

\*  
\* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.

\*  
\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\* 8. Limitation of Liability.

In no event and under no legal theory,

\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.

\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other

liability obligations and/or rights consistent with this

\* License. However, in accepting such obligations, You may act only

- \* on Your own behalf and on Your sole responsibility, not on behalf
- \* of any other Contributor, and only if You agree to indemnify,
- \* defend, and hold each Contributor harmless for any liability
- \* incurred by, or claims asserted against, such Contributor by reason
- \* of your accepting any such warranty or additional liability.

\*

#### \* END OF TERMS AND CONDITIONS

\*

#### \* APPENDIX: How to apply the Apache License to your work.

\*

- \* To apply the Apache License to your work, attach the following
- \* boilerplate notice, with the fields enclosed by brackets "[ ]"
- \* replaced with your own identifying information. (Don't include
- \* the brackets!) The text should be enclosed in the appropriate
- \* comment syntax for the file format. We also recommend that a
- \* file or class name and description of purpose

be included on the

- \* same "printed page" as the copyright notice for easier
- \* identification within third-party archives.

\*

#### \* Copyright [yyyy] [name of copyright owner]

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

#### W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following

license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the

software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002.

This version

removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

This license came from: <http://www.megginson.com/SAX/copying.html>  
However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com

2000-05-05

Janino - An embedded Java[™] compiler

Copyright (c) 2001-2016, Arno Unkrig

Copyright (c) 2015-2016 TIBCO Software Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of JANINO nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.162 httpcomponents-core 4.4.16

## 1.162.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache HttpCore  
Copyright 2005-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.163 commons-net 3.9.0

## 1.163.1 Available under license :

Apache Commons Net  
Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.164 objenesis 3.2

### 1.164.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.165 jackson-databind 2.13.5

## 1.165.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.166 jackson-annotations 2.13.5

### 1.166.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.167 jackson 2.13.5

## 1.167.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.168 byte-buddy 1.12.23

### 1.168.1 Available under license :

This product bundles ASM `{version.asm}`, which is available under a "3-clause BSD" license. For details, see `licenses/ASM`. For more information visit `{asm.url}`.

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

This jar file is a mere placeholder and should be replaced by a Gradle-built jar file.  
If this file is included in a resulting build, something went wrong in the build process.  
Copyright \${project.inceptionYear} - Present \${copyright.holder}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.169 jmustache 1.15

### 1.169.1 Available under license :

BSD-2-Clause

## 1.170 txw2 2.3.8

## 1.170.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notices for Eclipse Implementation of JAXB

This content is produced and maintained by the Eclipse Implementation of JAXB project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb-impl>

## Trademarks

Eclipse Implementation of JAXB is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jaxb-ri>
- \* <https://github.com/eclipse-ee4j/jaxb-istack-commons>
- \* <https://github.com/eclipse-ee4j/jaxb-dtd-parser>
- \* <https://github.com/eclipse-ee4j/jaxb-fi>
- \*
- <https://github.com/eclipse-ee4j/jaxb-stax-ex>
- \* <https://github.com/eclipse-ee4j/jax-rpc-ri>

## ## Third-party Content

This project leverages the following third party content.

Apache Ant (1.10.2)

- \* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Ant (1.10.2)

- \* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Felix (1.2.0)

- \* License: Apache License, 2.0

args4j (2.33)

- \* License: MIT License

dom4j (1.6.1)

- \* License: Custom license based on Apache 1.1

file-management (3.0.0)

- \* License: Apache-2.0
- \* Project: <https://maven.apache.org/shared/file-management/>
- \* Source:

<https://svn.apache.org/viewvc/maven/shared/tags/file-management-3.0.0/>

JUnit (4.12)

\* License: Eclipse Public License

JUnit (4.12)

\* License: Eclipse Public License

maven-compat (3.5.2)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/ref/3.5.2/maven-compat/>

\* Source:

<https://mvnrepository.com/artifact/org.apache.maven/maven-compat/3.5.2>

maven-core  
(3.5.2)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/ref/3.5.2/maven-core/index.html>

\* Source: <https://mvnrepository.com/artifact/org.apache.maven/maven-core/3.5.2>

maven-plugin-annotations (3.5)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/plugin-tools/maven-plugin-annotations/>

\* Source:

<https://github.com/apache/maven-plugin-tools/tree/master/maven-plugin-annotations>

maven-plugin-api (3.5.2)

\* License: Apache-2.0

maven-resolver-api (1.1.1)

\* License: Apache-2.0

maven-resolver-api (1.1.1)

\* License: Apache-2.0

maven-resolver-connector-basic (1.1.1)

\* License: Apache-2.0

maven-resolver-impl (1.1.1)

\* License: Apache-2.0

maven-resolver-spi (1.1.1)

\* License: Apache-2.0

maven-resolver-transport-file (1.1.1)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/resolver/maven-resolver-transport-file/>

\* Source:

<https://github.com/apache/maven-resolver/tree/master/maven-resolver-transport-file>

maven-resolver-util (1.1.1)

\* License: Apache-2.0

maven-settings

(3.5.2)

\* License: Apache-2.0

\* Source:

<https://mvnrepository.com/artifact/org.apache.maven/maven-settings/3.5.2>

OSGi Service Platform Core Companion Code (6.0)

\* License: Apache License, 2.0

plexus-archiver (3.5)

\* License: Apache-2.0

\* Project: <https://codehaus-plexus.github.io/plexus-archiver/>

\* Source: <https://github.com/codehaus-plexus/plexus-archiver>

plexus-io (3.0.0)

\* License: Apache-2.0

plexus-utils (3.1.0)

\* License: Apache- 2.0 or Apache- 1.1 or BSD or Public Domain or Indiana University Extreme! Lab Software License V1.1.1 (Apache 1.1 style)

relaxng-datatype (1.0)

\* License: New BSD license

Sax (0.2)

- \* License: SAX-PD
- \* Project: <http://www.megginson.com/downloads/SAX/>
- \* Source: [http://sourceforge.net/project/showfiles.php?group\\_id=29449](http://sourceforge.net/project/showfiles.php?group_id=29449)

testng (6.14.2)

- \* License: Apache-2.0 AND (MIT OR GPL-1.0+)
- \* Project: <https://testng.org/doc/index.html>
- \* Source: <https://github.com/cbeust/testng>

wagon-http-lightweight (3.0.0)

- \* License: Pending
- \*
- Project: <https://maven.apache.org/wagon/>
- \* Source:  
<https://mvnrepository.com/artifact/org.apache.maven.wagon/wagon-http-lightweight/3.0.0>

xz for java (1.8)

- \* License: LicenseRef-Public-Domain

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

## 1.171 jackson-datatype-jdk8 2.13.5

### 1.171.1 Available under license :

Apache-2.0

## 1.172 jackson-datatype-jsr310 2.13.5

### 1.172.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.173 jackson-module-parameter-names

### 2.13.5

#### 1.173.1 Available under license :

Apache-2.0

## 1.174 jackson-xc 2.13.5

#### 1.174.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.175 jackson-dataformat-xml 2.13.5

## 1.175.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included

in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.176 jackson-dataformat-yaml 2.13.5

### 1.176.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

#### ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

#### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.177 hibernate 5.6.15.Final

### 1.177.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know

that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in

non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based

on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library,

and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

### 3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

### 4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to

distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference

directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license

restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any

other library

facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if

you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse

you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system

which is

implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library

specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting

redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know

that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in

non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for

writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in

themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not

compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one

of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally

accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute

so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and

"any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the

ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright"

line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should

also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

# 1.178 json-java 20220924

## 1.178.1 Available under license :

Public Domain.

# 1.179 jackson-dataformat-cbor 2.13.5

## 1.179.1 Available under license :

Apache-2.0

# 1.180 amqp-client 5.14.2

## 1.180.1 Available under license :

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/1606744670\_1680758135.3868449/0/amqp-client-5-14-2-1-jar/com/rabbitmq/client/impl/AMQConnection.class: binary file matches  
/opt/cola/permits/1606744670\_1680758135.3868449/0/amqp-client-5-14-2-1-jar/com/rabbitmq/client/impl/Copyright.class: binary file matches

Found in path(s):

\* /bin/grep

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>, <http://www.gnu.org/licenses/gpl-2.0.txt>, <https://www.mozilla.org/en-US/MPL/2.0/>

Bundle-SymbolicName: com.rabbitmq.client

Built-By: root

Bnd-LastModified: 1644484649377

Specification-Title: AMQP

Bundle-DocURL: <https://www.rabbitmq.com>

Import-Package: com.codahale.metrics;version="[4.2,5)";resolution:=optional,com.fasterxml.jackson.core;version="[2.13,3)";resolution:=optional,com.fasterxml.jackson.databind;version="[2.13,3)";resolution:=optional,com.fasterxml.jackson.databind.node;version="[2.13,3)";resolution:=optional,com.rabbitmq.client,com.rabbitmq.client.impl,com.rabbitmq.client.impl.nio,com.rabbitmq.client.impl.recovery,com.rabbitmq.tools.json,com.rabbitmq.utility,io.micrometer.core.instrument;resolution:=optional,javax.naming,javax.naming.directory,javax.net,javax.net.ssl,javax.security.auth.callback,javax.security.auth.x500,javax.security.sasl,org.slf4j;version="[1.7,2)"

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Export-Package: com.rabbitmq.client;uses:="com.rabbitmq.client.impl,com.rabbitmq.client.impl.nio,com.rabbitmq.client.impl.recovery,com.rabbitmq.utility,javax.net,javax.net.ssl";version="5.14.2",com.rabbitmq.client.impl;uses:="com.codahale.metrics,com.rabbitmq.client,com.rabbitmq.client.impl.recovery,com.rabbitmq.utility,io.micrometer.core.instrument,javax.net,javax.net.ssl";version="5.14.2",com.rabbitmq.client.impl.nio;uses:="com.rabbitmq.client,com.rabbitmq.client.impl,javax.net

.ssl";version="5.14.2",com.rabbitmq.client.impl.recovery;uses:="com.rabbitmq.client,com.rabbitmq.client.impl";version="5.14.2",com.rabbitmq.tools.json;version="5.14.2",com.rabbitmq.tools.jsonrpc;uses:="com.fasterxml.jackson.core,com.fasterxml.jackson.databind,com.rabbitmq.client";version="5.14.2",com.rabbitmq.utility;version="5.14.2"

Bundle-Name: RabbitMQ

Java Client

Bundle-Description: The RabbitMQ Java client library allows Java applications to interface with RabbitMQ.

Implementation-Title: RabbitMQ Java Client

Automatic-Module-Name: com.rabbitmq.client

Implementation-Version: 5.14.2

Bundle-ManifestVersion: 2

Specification-Vendor: AMQP Working Group ([www.amqp.org](http://www.amqp.org))

Bundle-Vendor: VMware, Inc. or its affiliates.

Tool: Bnd-3.2.0.201605172007

Implementation-Vendor: VMware, Inc. or its affiliates.

Bundle-Version: 5.14.2

Created-By: Apache Maven Bundle Plugin

Build-Jdk: 1.8.0\_322

Implementation-URL: <https://www.rabbitmq.com>

Specification-Version: 0.9.1

Found in path(s):

\* /opt/cola/permits/1606744670\_1680758135.3868449/0/amqp-client-5-14-2-1-jar/META-INF/MANIFEST.MF

## 1.181 hibernate-types-55 2.14.0

### 1.181.1 Available under license :

Apache-2.0

## 1.182 handy-uri-templates 2.1.6

### 1.182.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013, Ryan J. McDonough

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1606937886\_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-jar/com/damnhandy/uri/template/MalformedUriTemplateException.java  
No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1606937886\_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-jar/META-INF/maven/com.damnhandy/handy-uri-templates/pom.xml  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012, Ryan J. McDonough

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1606937886\_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-jar/com/damnhandy/uri/template/VarName.java

\* /opt/cola/permits/1606937886\_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-jar/com/damnhandy/uri/template/VarExploder.java

\* /opt/cola/permits/1606937886\_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-jar/com/damnhandy/uri/template/impl/VarSpec.java

\*

/opt/cola/permits/1606937886\_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-jar/com/damnhandy/uri/template/UriTemplate.java

\* /opt/cola/permits/1606937886\_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-jar/com/damnhandy/uri/template/impl/VarExploderFactory.java

\* /opt/cola/permits/1606937886\_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-jar/com/damnhandy/uri/template/impl/Modifier.java

```

* /opt/cola/permits/1606937886_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-
jar/com/damnhandy/uri/template/impl/UriTemplateParser.java
* /opt/cola/permits/1606937886_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-
jar/com/damnhandy/uri/template/impl/Operator.java
* /opt/cola/permits/1606937886_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-
jar/com/damnhandy/uri/template/VariableExpansionException.java
* /opt/cola/permits/1606937886_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-
jar/com/damnhandy/uri/template/UriUtil.java
*
/opt/cola/permits/1606937886_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-
jar/com/damnhandy/uri/template/Expression.java
* /opt/cola/permits/1606937886_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-
jar/com/damnhandy/uri/template/DefaultVarExploder.java
* /opt/cola/permits/1606937886_1679441304.8740451/0/handy-uri-templates-2-1-6-sources-1-
jar/com/damnhandy/uri/template/UriTransient.java

```

## 1.183 mapstruct-jdk8 1.2.0.Final

### 1.183.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/**
* Copyright 2012-2017 Gunnar Morling (http://www.gunnarmorling.de/)
* and/or other contributors as indicated by the @authors tag. See the
* copyright.txt file in the distribution for a full listing of all
* contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1611034773_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-
jar/org/mapstruct/package-info.java
*
/opt/cola/permits/1611034773_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-
jar/org/mapstruct/NullValueMappingStrategy.java
* /opt/cola/permits/1611034773_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-

```

jar/org/mapstruct/TargetType.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/ReportingPolicy.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/IterableMapping.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/BeanMapping.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/Qualifier.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/Mapping.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/ValueMappings.java  
\*  
/opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/factory/Mappers.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/Mappings.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/Named.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/ValueMapping.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/MapperConfig.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/Mapper.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/MappingTarget.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/Context.java  
\*  
/opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/MapMapping.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/NullValueCheckStrategy.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/MappingInheritanceStrategy.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/InheritConfiguration.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/MappingConstants.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/ObjectFactory.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/DecoratedWith.java  
\* /opt/cola/permits/1611034773\_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-  
jar/org/mapstruct/BeforeMapping.java  
\*

```
/opt/cola/permits/1611034773_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-
jar/org/mapstruct/InheritInverseConfiguration.java
* /opt/cola/permits/1611034773_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-
jar/org/mapstruct/factory/package-info.java
* /opt/cola/permits/1611034773_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-
jar/org/mapstruct/util/Experimental.java
* /opt/cola/permits/1611034773_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-
jar/org/mapstruct/CollectionMappingStrategy.java
* /opt/cola/permits/1611034773_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-
jar/org/mapstruct/AfterMapping.java
```

No license file was found, but licenses were detected in source scan.

<!--

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1611034773_1681844554.5151145/0/mapstruct-jdk8-1-2-0-final-sources-3-jar/META-
INF/maven/org.mapstruct/mapstruct-jdk8/pom.xml
```

## 1.184 threetenbp 1.3.8

### 1.184.1 Available under license :

/\*

\* Copyright (c) 2007-present, Stephen Colebourne & Michael Nascimento Santos

\*

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are met:

\*  
\* \* Redistributions of source code must retain the above copyright notice,  
\* this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright notice,  
\* this list of conditions and the following disclaimer in the documentation  
\* and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of JSR-310 nor the names of its contributors  
\* may be used to endorse or promote products derived from this software  
\* without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
\* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
\* LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR  
\* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR  
\* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*/

# 1.185 nashorn-commonjs-modules 1.0.9

## 1.185.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2015 Denis Pushkarev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2015 Andres Suarez <zertosh@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2014 Forbes Lindesay

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2006, Ivan Sagalaev

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of highlight.js nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS AND CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2011 Alexander Shtuchkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2016 Coveo

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

BSD License

For fbjs software

Copyright (c) 2013-present, Facebook, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation

and/or other materials provided with the distribution.

\* Neither the name Facebook nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2016 David Frank

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2015 Matt Andrews

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2014-2016 GitHub, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2012-2014 Andris Reinman

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2009-2014 Contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014, 2015, 2016 Simon Lydell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.186 jacoco-cli 0.8.6

## 1.186.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2009, 2020 Mountainminds GmbH & Co. KG and Contributors
 * This program and the accompanying materials are made available under
 * the terms of the Eclipse Public License 2.0 which is available at
 * http://www.eclipse.org/legal/epl-2.0
 *
 * SPDX-License-Identifier: EPL-2.0
 *
 * Contributors:
 * Marc R. Hoffmann - initial API and implementation
 */
```

Found in path(s):

```
* /opt/cola/permits/1611031297_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-
jar/org/jacoco/cli/internal/commands/Dump.java
* /opt/cola/permits/1611031297_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-
jar/org/jacoco/cli/internal/Command.java
* /opt/cola/permits/1611031297_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-
jar/org/jacoco/cli/internal/commands/ClassInfo.java
*
/opt/cola/permits/1611031297_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-
jar/org/jacoco/cli/internal/XmlDocumentation.java
* /opt/cola/permits/1611031297_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-
jar/org/jacoco/cli/internal/CommandParser.java
* /opt/cola/permits/1611031297_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-
jar/org/jacoco/cli/internal/Main.java
* /opt/cola/permits/1611031297_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-
jar/org/jacoco/cli/internal/commands/ExecInfo.java
* /opt/cola/permits/1611031297_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-
jar/org/jacoco/cli/internal/commands/Version.java
* /opt/cola/permits/1611031297_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-
jar/org/jacoco/cli/internal/CommandHandler.java
* /opt/cola/permits/1611031297_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-
jar/org/jacoco/cli/internal/commands/AllCommands.java
* /opt/cola/permits/1611031297_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-
jar/org/jacoco/cli/internal/commands/Merge.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2009, 2020 Mountainminds GmbH & Co. KG and Contributors
 * This program and the accompanying materials are made available under
```

\* the terms of the Eclipse Public License 2.0 which is available at  
\* <http://www.eclipse.org/legal/epl-2.0>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* John Keeping - initial implementation  
\* Marc R. Hoffmann - rework  
\*  
\*\*\*\*\*/

Found in path(s):

\* /opt/cola/permits/1611031297\_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-jar/org/jacoco/cli/internal/commands/Report.java  
\* /opt/cola/permits/1611031297\_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-jar/org/jacoco/cli/internal/commands/Instrument.java  
No license file was found, but licenses were detected in source scan.

under the terms and conditions of the Eclipse Public License Version 2.0

Found in path(s):

\* /opt/cola/permits/1611031297\_1681843594.3552299/0/org-jacoco-cli-0-8-6-sources-1-jar/about.html

# 1.187 aws-java-sdk- marketplacemeteringservice 1.11.222

## 1.187.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance
with
* the License. A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR
* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
permissions
* and limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/AWSMarketplaceMeteringAsync.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/MeterUsageRequest.java

\*

/opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/DuplicateRequestException.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/MeterUsageResultJsonUnmarshaller.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/InvalidTokenException.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/UsageRecordResultMarshaller.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/UsageRecordJsonUnmarshaller.java

\*

/opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/ResolveCustomerResult.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/BatchMeterUsageResultJsonUnmarshaller.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/InvalidProductCodeException.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/TimestampOutOfBoundsException.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/AWSMarketplaceMeteringAsyncClientBuilder.java

\*

/opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/AWSMarketplaceMeteringAsyncClient.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/ExpiredTokenException.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/ResolveCustomerResultJsonUnmarshaller.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/package-info.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/ThrottlingException.java

\*

/opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/UsageRecord.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/MeterUsageRequestProtocolMarshaller.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/AbstractAWSMarketplaceMetering.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/BatchMeterUsageRequestMarshaller.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/BatchMeterUsageRequestProtocolMarshaller.java

\*

/opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/UsageRecordResultStatus.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/AWSMarketplaceMeteringClient.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/BatchMeterUsageRequest.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/InvalidCustomerIdentifierException.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/AWSMarketplaceMeteringException.java

\*

/opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/ResolveCustomerRequestMarshaller.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/InternalServiceErrorException.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/AWSMarketplaceMeteringClientBuilder.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/AbstractAWSMarketplaceMeteringAsync.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/MeterUsageResult.java

\*

/opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/BatchMeterUsageResult.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/UsageRecordResultJsonUnmarshaller.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/ResolveCustomerRequestProtocolMarshaller.java

\*

/opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/ResolveCustomerRequest.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/AWSMarketplaceMetering.java

\*

/opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/UsageRecordResult.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/InvalidUsageDimensionException.java

\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/MeterUsageRequestMarshaller.java  
\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/transform/UsageRecordMarshaller.java  
\* /opt/cola/permits/1611070661\_1681843602.972892/0/aws-java-sdk-marketplacemeteringservice-1-11-222-sources-2-jar/com/amazonaws/services/marketplacemetering/model/InvalidEndpointRegionException.java

# 1.188 jmespath-java 1.11.222

## 1.188.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-jar/META-INF/maven/com.amazonaws/jmespath-java/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-jar/com/amazonaws/jmespath/JmesPathFunction.java

\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-jar/com/amazonaws/jmespath/JmesPathSubExpression.java

\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-jar/com/amazonaws/jmespath/InvalidTypeException.java

\*

/opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-jar/com/amazonaws/jmespath/OpNotEquals.java

\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-jar/com/amazonaws/jmespath/JmesPathFilter.java

\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-

jar/com/amazonaws/jmespath/JmesPathProjection.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathNotExpression.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathVisitor.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathLiteral.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathField.java  
\*  
/opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathFlatten.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/NumericComparator.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathEvaluationVisitor.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/OpLessThanOrEqualTo.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/OpEquals.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathIdentity.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathMultiSelectList.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathLengthFunction.java  
\*  
/opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/CamelCaseUtils.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/Comparator.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathValueProjection.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/OpLessThan.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathExpression.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/ObjectMapperSingleton.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/OpGreaterThanOrEqualTo.java  
\*  
/opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathContainsFunction.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/OpGreaterThan.java  
\* /opt/cola/permits/1611031459\_1681843596.4703093/0/jmespath-java-1-11-222-sources-2-  
jar/com/amazonaws/jmespath/JmesPathAndExpression.java

# 1.189 auto-value 1.6.2

## 1.189.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2016 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/extension/memoized/processor/MemoizeExtension.java
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/extension/memoized/Memoized.java
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/processor/PropertyBuilderClassifier.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2015 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/extension/AutoValueExtension.java

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/ExtensionContext.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Google, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/JavaScanner.java

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/BuilderMethodClassifier.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Google, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/package-info.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/processor/AutoValueProcessor.java
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/processor/AutoValueTemplateVars.java
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/processor/TypeSimplifier.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

```
/**
 * Specifies that AutoValue should copy any annotations from the annotated element to the
 * generated class. This annotation supports classes and methods.
 *
 * <p>The following annotations are excluded:
 *
 *
```

- \* `<li>AutoValue` and its nested annotations;
- \* `<li>any annotation appearing in the { @link AutoValue.CopyAnnotations#exclude}`

field;

- \* `<li>any class annotation which is itself annotated with the { @link`
- \* `java.lang.annotation.Inherited}` meta-annotation.

- \* `</ol>`
- \*

\* `<p>For historical reasons, annotations are always copied from an { @code @AutoValue}` property method to its implementation, unless `{ @code @CopyAnnotations}` is present and explicitly `{ @linkplain CopyAnnotations#exclude excludes}` that annotation. But annotations are not copied from the `{ @code @AutoValue}` class itself to its implementation unless `{ @code @CopyAnnotations}` is present.

- \*

\* `<p>If you want to copy annotations from your { @literal @}AutoValue-annotated class's methods to the generated fields in the AutoValue_... implementation, annotate your method with { @literal @}AutoValue.CopyAnnotations. For example, if Example.java is:<pre>`

```

* { @code @ }Immutable
* { @code @ }AutoValue
* abstract class Example {
* { @code @ }CopyAnnotations
* { @code
* @ }SuppressWarnings("Immutable") // justification ...
* abstract Object getObject();
* // other details ...
* }</pre>
*
```

\* `<p>Then AutoValue will generate the following AutoValue_Example.java:<pre>`

```

*
```

```

* final class AutoValue_Example extends Example {
* { @code @ }SuppressWarnings("Immutable")
* private final Object object;
*
```

```

* { @code @ }SuppressWarnings("Immutable")
* { @code @ }Override
* Object getObject() {
* return object;
* }
*
```

```

* // other details ...
* }</pre>
*
```

\* `<p>When the <i>type</i> of an { @code @AutoValue}` property method has annotations, those are part of the type, so they are always copied to the implementation of the method.

- \* `{ @code @CopyAnnotations}` has no effect here. For example, suppose `{ @code @Confidential}` is a `{ @link java.lang.annotation.ElementType#TYPE_USE TYPE_USE}` annotation:
- \*

```

* <pre>

```

```

*
* { @code @ }AutoValue
* abstract class Person
{
* static Person create({ @code @ }Confidential String name, int id) {
* return new AutoValue_Person(name, id);
* }
*
* abstract { @code @ }Confidential String name();
* abstract int id();
* }</pre>
*
* Then the implementation of the { @code name() } method will also have return type
* { @code @Confidential String }.
*
* @author Carmi Grushko
*/

```

Found in path(s):

```

* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/AutoValue.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2016 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/processor/Optionalish.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");

```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/Reformatter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 Google, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoOneOfTemplateVars.java

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/AutoOneOf.java

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoValueOrOneOfTemplateVars.java

\*

/opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoValueOrOneOfProcessor.java

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoOneOfProcessor.java

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/SimpleMethod.java

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-

jar/com/google/auto/value/processor/ClassNames.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Google, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-

jar/com/google/auto/value/AutoAnnotation.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Google, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-

jar/com/google/auto/value/processor/EclipseHack.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Google, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/AnnotationOutput.java  
\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoAnnotationTemplateVars.java  
\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoAnnotationProcessor.java  
\*  
/opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoValueBuilderProcessor.java  
\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/BuilderSpec.java  
\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/MissingTypeException.java  
\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/TemplateVars.java  
\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/AbortProcessingException.java  
\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/GwtSerialization.java  
\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/TypeMirrorSet.java  
\*  
/opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/GwtCompatibility.java  
\* /opt/cola/permits/1611035154\_1681844556.1105654/0/auto-value-1-6-2-sources-1-jar/com/google/auto/value/processor/Reporter.java  
No license file was found, but licenses were detected in source scan.

## Licensed under the Apache License, Version 2.0 (the "License");  
## you may not use this file except in compliance with the License.  
## You may obtain a copy of the License at  
## <http://www.apache.org/licenses/LICENSE-2.0>  
## distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

```
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/processor/autooneof.vm
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/processor/autoannotation.vm
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/processor/equalshashcode.vm
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/processor/gwtserialzier.vm
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/processor/autovalue.vm
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2017 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/processor/TypeEncoder.java
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/extension/memoized/processor/MemoizedValidator.java
* /opt/cola/permits/1611035154_1681844556.1105654/0/auto-value-1-6-2-sources-1-
jar/com/google/auto/value/extension/memoized/processor/ClassNames.java
```

## 1.190 aws-java-sdk-core 1.11.222

### 1.190.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
```

\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/ImmutableRequest.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/SignerAsRequestSigner.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/RequestSigner.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012-2017 Amazon Technologies, Inc.  
\*  
\* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt  
\* for applicable license terms and NOTICE.txt for applicable notices.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at:  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES  
\* OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/Md5Utils.java

No license file was found, but licenses were detected in source scan.

/\*  
\* =====  
\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file

\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing,  
\* software distributed under the License is distributed on an  
\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
\* KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations  
\* under the License.

\* =====

\*  
\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/NameValuePair.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/BasicNameValuePair.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/URLEncodedUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights  
\* Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/internal/auth/NoOpSignerProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/util/MetadataCache.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/adapters/types/StringToByteBufferAdapter.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/auth/DefaultSignerProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/util/NullResponseMetadataCache.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/auth/SignerProviderContext.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/auth/SignerProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/adapters/types/TypeAdapter.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/adapters/types/StringToInputStreamAdapter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"). You may not

\* use this file except in compliance with the License. A copy of the License is

\* located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed on

\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/json/JsonParser.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/transform/SimpleTypeJsonUnmarshallers.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/json/JsonFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance

with

- \* the License. A copy of the License is located at
- \*
- \* <http://aws.amazon.com/apache2.0>
- \*
- \* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR
- \* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions
- \* and limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/annotation/ThreadSafe.java
- \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/annotation/SdkInternalApi.java
- \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/annotation/SdkTestInternalApi.java
- \*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/annotation/Beta.java

- \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/annotation/NotThreadSafe.java
- \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/annotation/GuardedBy.java
- \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/annotation/Immutable.java
- \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/annotation/SdkProtectedApi.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License").
- \* You may not use this file except in compliance with the License.
- \* A copy of the License is located at
- \*
- \* <http://aws.amazon.com/apache2.0>
- \*
- \* or in the "license" file accompanying this file. This file is distributed
- \* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
- \* express or implied. See the License for the specific language governing
- \* permissions and limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/protocol/json/internal/JsonProtocolMarshaller.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011-2017 Amazon Technologies, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at:

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES

\* OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/jmx/spi/SdkMBeanRegistry.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/jmx/JmxInfoProviderSupport.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/BasicSessionCredentials.java

\*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/ServiceClientHolderInputStream.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/AWSSessionCredentials.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/RequestClientOptions.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/ClassLoaderHelper.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/jmx/spi/JmxInfoProvider.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/json/Jackson.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/metrics/MetricAdmin.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/AWSSessionCredentialsProvider.java

\*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/metrics/MetricAdminMBean.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/CRC32MismatchException.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/AwsHostNameUtils.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/EC2MetadataClient.java
*
 /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/auth/EnvironmentVariableCredentialsProvider.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/CustomBackoffStrategy.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/auth/SystemPropertiesCredentialsProvider.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/auth/InstanceProfileCredentialsProvider.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/DynamoDBBackoffStrategy.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/HandlerContextAware.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/auth/AWSCredentialsProviderChain.java
*
 /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/auth/ClasspathPropertiesFileCredentialsProvider.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/auth/DefaultAWSCredentialsProviderChain.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/http/IdleConnectionReaper.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
```

\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/AWSCredentials.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/SigningAlgorithm.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/Unmarshaller.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/SignatureVersion.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/AmazonClientException.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/XmlUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/VoidUnmarshaller.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/LegacyErrorUnmarshaller.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/HttpMethodName.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/SimpleTypeUnmarshallers.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015-2017 Amazon Technologies, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at:  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES  
\* OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/annotation/package-info.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/SdkSSLContext.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/handlers/AsyncHandler.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2016-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\* <p/>  
\* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with  
with  
\* the License. A copy of the License is located at  
\* <p/>  
\* <http://aws.amazon.com/apache2.0>  
\* <p/>  
\* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT  
WARRANTIES OR  
\* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing  
permissions  
\* and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/partitions/model/Partitions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at:

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES

\* OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/retry/internal/CredentialsEndpointRetryPolicy.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/EC2CredentialsFetcher.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/ContainerCredentialsProvider.java

\*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/EC2CredentialsUtils.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/retry/internal/CredentialsEndpointRetryParameters.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/ConnectionUtils.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/CredentialsEndpointProvider.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/ContainerCredentialsRetryPolicy.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/EndpointPrefixAwareSigner.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/EC2ContainerCredentialsProviderWrapper.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/DelegatingDnsResolver.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/timers/client/ClientExecutionTimer.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/timers/TimeoutThreadPoolBuilder.java  
\*  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/timers/request/HttpRequestAbortTaskTracker.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/log/InternalLog.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/exception/HttpRequestTimeoutException.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/client/HttpClientFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/ComparableUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/timers/client/ClientExecutionAbortTrackerTaskImpl.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/SdkInternalMap.java  
\*  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/timers/client/ClientExecutionAbortTask.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/SystemDefaultDnsResolver.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/timers/request/HttpRequestAbortTaskTrackerImpl.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/SdkIOUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/log/CommonsLog.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/log/CommonsLogFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/conn/ssl/MasterSecretValidators.java  
\*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/timers/request/HttpRequestTimer.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/UriResourcePathUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/SdkInternalList.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/http/JsonErrorCodeParser.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/NumberUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/conn/SdkConnectionKeepAliveStrategy.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/PredefinedClientConfigurations.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/log/JulLogFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/handlers/StackedRequestHandler.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/ValidationUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/handlers/HandlerContextKey.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/timers/client/ClientExecutionTimeoutException.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/ReadLimitInfo.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/SignableRequest.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/timers/request/HttpRequestAbortTaskImpl.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/JsonErrorUnmarshaller.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/SdkSSLMetricsSocket.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/JsonErrorResponseHandler.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/DnsResolver.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/client/ConnectionManagerFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/conn/ssl/privileged/PrivilegedMasterSecretValidator.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/timers/client/ClientExecutionAbortTaskImpl.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

```

jar/com/amazonaws/internal/DelegateInputStream.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/log/JulLog.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/SdkHttpUtils.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/http/timers/request/NoOpHttpRequestAbortTaskTracker.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/http/JsonErrorMessageParser.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/http/timers/request/HttpRequestAbortTask.java
*
/opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/SDKGlobalTime.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/Base16Lower.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/JavaVersionParser.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/http/timers/client/NoOpClientExecutionAbortTrackerTask.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/http/settings/HttpClientSettings.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/SdkMetricsSocket.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/DelegateSocket.java
*
/opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/http/timers/client/ClientExecutionAbortTrackerTask.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

```

jar/com/amazonaws/util/StringMapBuilder.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/util/JodaTime.java

No license file was found, but licenses were detected in source scan.

/\*

\*

\* Copyright (c) 2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/protocol/json/StructuredJsonGenerator.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/protocol/json/SdkCborGenerator.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/protocol/json/SdkStructuredPlainJsonFactory.java

\*

/\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/http/JsonResponseHandler.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/protocol/json/SdkJsonProtocolFactory.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/protocol/json/SdkStructuredCborFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015-2017 Amazon.com, Inc. or its affiliates. All Rights

\* Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is  
\* distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
\* KIND, either  
\* express or implied. See the License for the specific language  
\* governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/CredentialUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/event/DeliveryMode.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/profile/internal/BasicProfileConfigLoader.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/UnreliableFilterInputStream.java

\*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/SdkInputStream.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/event/RequestProgressInputStream.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/event/SyncProgressListener.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/profile/internal/Profile.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/event/SDKProgressPublisher.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/auth/profile/internal/securitytoken/ProfileCredentialsService.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/event/ResponseProgressInputStream.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/profile/internal/AbstractProfilesConfigFileScanner.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/event/ProgressEventFilter.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/event/request/ProgressSupport.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/profile/ProfilesConfigFile.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/event/ProgressTracker.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/internal/AWS4SignerUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/event/ProgressInputStream.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/profile/package-info.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/profile/internal/securitytoken/STSProfileCredentialsServiceLoader.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/internal/SignerKey.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/DelegateSSLSocket.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/profile/ProfileCredentialsProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/SdkSSLSocket.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/profile/internal/securitytoken/STSProfileCredentialsServiceProvider.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/Releasable.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/internal/SignerConstants.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/event/request/Progress.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/http/UnreliableTestConfig.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/FIFOCache.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/profile/ProfilesConfigFileWriter.java  
\*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/SdkSocket.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/LengthCheckInputStream.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/internal/AWS4SignerRequestParams.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/profile/internal/securitytoken/RoleInfo.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/BoundedLinkedHashMap.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/config/SignerConfig.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/ImmutableMapParameter.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/Protocol.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/config/JsonIndex.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/config/Builder.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/config/SignerConfigJsonHelper.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.

```
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/
/**
* Interface for providing AWS region information. Implementations are free to use any strategy for
* providing region information.
*/
```

Found in path(s):

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/regions/AwsRegionProvider.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2016. Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/handlers/IRequestHandler2.java
```

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/http/timers/package-info.java
```

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/FakeIOException.java
```

```
*
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/IdempotentUtils.java
```

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/http/apache/Utils/ApacheUtils.java
```

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/DateTimeJsonSerializer.java
```

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/apache/request/impl/ApacheHttpRequestFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/apache/client/impl/SdkHttpClient.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/CanHandleNullCredentials.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/log/InternalLogFactory.java

\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/apache/client/impl/ApacheHttpClientFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/protocol/json/SdkStructuredJsonFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/CapacityManager.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/apache/client/impl/ApacheConnectionFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/apache/client/impl/ConnectionFactoryAwareHttpClient.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/conn/ssl/ShouldClearSslSessionPredicate.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt  
\* for applicable license terms and NOTICE.txt for applicable notices.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/Classes.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/DateUtils.java  
\*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/BinaryUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"). You may not

\* use this file except in compliance with the License. A copy of the License is

\* located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed on

\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/http/IOExceptionParser.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/http/CompositeErrorCodeParser.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/http/ErrorCodeParser.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/SdkRuntime.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/Base64Codec.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/regions/Region.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/Base64.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/ServiceAwareSigner.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/EncodingSchemeEnum.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/AbortedException.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/regions/RegionMetadata.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/regions/RegionMetadataParser.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/IOUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/jmx/SdkMBeanRegistrySupport.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/SdkFilterInputStream.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/jmx/MBeans.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/AbstractBase32Codec.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/AWS4Signer.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/Base32Codec.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/SdkFilterOutputStream.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/Base32.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/RegionAwareSigner.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/EC2MetadataUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/SdkDigestInputStream.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/SdkBufferedInputStream.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/regions/RegionUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/EncodingScheme.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

```
jar/com/amazonaws/util/CodecUtils.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/HttpClientWrappingInputStream.java
*
/opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/MetricsInputStream.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/Base16.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/ResetException.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/Throwables.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/Codec.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/Base16Codec.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/ListWithAutoConstructFlag.java
*
/opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/MetricAware.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
```

```
*/
/**
* Interface for providing AWS credentials. Implementations are free to use any
* strategy for providing AWS credentials, such as simply providing static
* credentials that don't change, or more complicated implementations, such as
* integrating with existing key management systems.
*/
```

Found in path(s):

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/auth/AWSCredentialsProvider.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/partitions/model/Partition.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/regions/LegacyRegionXmlLoadUtils.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/regions/RegionMetadataFactory.java
*
/opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/protocol/json/SdkStructuredIonFactory.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/partitions/model/Endpoint.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/partitions/PartitionsLoader.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/http/apache/client/impl/CRC32ChecksumResponseInterceptor.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/partitions/PartitionRegionImpl.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/partitions/model/CredentialScope.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/regions/RegionImpl.java
*
/opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/transform/SimpleTypeCborUnmarshaller.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/regions/InMemoryRegionsProvider.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/partitions/model/Service.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/partitions/PartitionMetadataProvider.java
```

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/partitions/model/Region.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/regions/LegacyRegionXmlMetadataBuilder.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/regions/InMemoryRegionImpl.java
*
/opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/regions/RegionMetadataProvider.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/http/apache/SdkProxyRoutePlanner.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/protocol/json/SdkIonGenerator.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/regions/AbstractRegionMetadataProvider.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/event/ProgressEventType.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/waiters/SdkFunction.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/metrics/MetricInputStreamEntity.java
*
/opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/http/protocol/SdkHttpRequestExecutor.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/waiters/HttpSuccessStatusAcceptor.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/config/InternalConfig.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/auth/BasicAWSCredentials.java
```

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/SimpleTypeStaxUnmarshaller.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/HttpResponseHandler.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/NoOpSigner.java

\*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/policy/Resource.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/policy/conditions/NumericCondition.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/JsonUnmarshallerContextImpl.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/metrics/ThroughputMetricType.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/handlers/RequestHandler2.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/policy/Statement.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/metrics/SimpleMetricType.java

\*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/SignerFactory.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/HttpResponse.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/AmazonWebServiceClient.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/PollingStrategyContext.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/retry/internal/AuthRetryParameters.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/policy/conditions/package-info.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/apache/request/impl/HttpGetWithBody.java

\*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/StaxUnmarshallerContext.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/policy/Policy.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/AWSRequestMetricsFullSupport.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/event/ProgressEvent.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/DefaultErrorResponseHandler.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/auth/policy/conditions/IpAddressCondition.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/policy/conditions/ArnCondition.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/util/RuntimeHttpUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/policy/internal/JsonPolicyWriter.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/metrics/AwsSdkMetrics.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/metrics/ServiceMetricCollector.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/waiters/WaiterBuilder.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/policy/conditions/DateCondition.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/policy/Principal.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/http/AmazonHttpClient.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/PropertiesFileCredentialsProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/http/StaxResponseHandler.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/policy/Action.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/policy/PolicyReaderOptions.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/policy/conditions/StringCondition.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/metrics/ServiceMetricType.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/AmazonWebServiceRequest.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/policy/conditions/BooleanCondition.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/util/NamespaceRemovingInputStream.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/waiters/WaiterParameters.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/config/HttpClientConfigJsonHelper.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/AWS4UnsignedPayloadSigner.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/metrics/package-info.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/VoidStaxUnmarshaller.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/WaiterExecutionBuilder.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/policy/actions/package-info.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/CompositeAcceptor.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/SignerParams.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/metrics/ServiceLatencyProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/metrics/SimpleThroughputMetricType.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/WaiterState.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/AmazonServiceException.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/retry/internal/AuthErrorRetryStrategy.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/CollectionUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/MaxAttemptsRetryStrategy.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/PollingStrategy.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/AmazonWebServiceResponse.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/ResponseMetadataCache.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/handlers/RequestHandler.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/HttpMethod.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/ClientConfiguration.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/VersionInfoUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/NoOpWaiterHandler.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/SimpleTypeJsonUnmarshallers.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/AWSRequestMetrics.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/metrics/RequestMetricType.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/waiters/WaiterHandler.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/metrics/RequestMetricCollector.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/waiters/FixedDelayStrategy.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/DefaultServiceEndpointBuilder.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/policy/internal/JsonDocumentFields.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/config/HostRegexToRegionMappingJsonHelper.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/Presigner.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/transform/JsonUnmarshallerContext.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/metrics/MetricType.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/config/HttpClientConfig.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/transform/Marshaller.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/Signer.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/json/StructuredJsonMarshaller.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/handlers/HandlerChainFactory.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/retry/RetryUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/policy/Condition.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/AbstractAWSSigner.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/metrics/MetricCollector.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/metrics/MetricFilterInputStream.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/ResponseMetadata.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/handlers/RequestHandler2Adaptor.java  
\*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/ServiceNameFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/event/ProgressListenerChain.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/HttpFailureStatusAcceptor.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/conn/ClientConnectionRequestFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/handlers/AbstractRequestHandler.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/SdkPredicate.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/WaiterAcceptor.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/WaiterImpl.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/policy/conditions/ConditionFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/conn/Wrapped.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/IdentityEndpointBuilder.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/config/InternalConfigJsonHelper.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/DefaultRequest.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/SignerTypeAware.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/event/ProgressListener.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/metrics/ByteThroughputProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/Request.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/ServiceEndpointBuilder.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/metrics/ByteThroughputHelper.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/SDKGlobalConfiguration.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/metrics/internal/ServiceMetricTypeGuesser.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/RepeatableInputStreamRequestEntity.java  
\*

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/StandardErrorUnmarshaller.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/retry/PredefinedRetryPolicies.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/CountingInputStream.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/impl/client/HttpRequestNoRetryHandler.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/AccepterPathMatcher.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/WaiterTimedOutException.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/internal/config/HostRegexToRegionMapping.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/StringUtils.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/WaiterUnrecoverableException.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/MapEntry.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/Waiter.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/PropertiesCredentials.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/AWS3Signer.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/waiters/WaiterExecution.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/ProxyAuthenticationMethod.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/metrics/SimpleServiceMetricType.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/AnonymousAWSCredentials.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/policy/resources/package-info.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/handlers/CredentialsRequestHandler.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/handlers/HandlerBeforeAttemptContext.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/AWSServiceMetrics.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/policy/package-info.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

```
jar/com/amazonaws/http/impl/client/SdkHttpRequestRetryHandler.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/http/conn/ClientConnectionFactory.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/HttpClientConfig.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/Response.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/CRC32ChecksumCalculatingInputStream.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/auth/QueryStringSigner.java
*
/opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/handlers/HandlerAfterAttemptContext.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/retry/RetryPolicy.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/transform/VoidJsonUnmarshaller.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/util/XpathUtils.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/auth/policy/internal/JsonPolicyReader.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/protocol/json/internal/JsonMarshaller.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/retry/V2CompatibleBackoffStrategyAdapter.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/regions/DefaultAwsRegionProviderChain.java
*
```

/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/TimingInfoUnmodifiable.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/profile/path/cred/CredentialsLegacyConfigLocationProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/protocol/json/internal/HeaderMarshallers.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/profile/internal/BasicProfile.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/AWSStaticCredentialsProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/client/ClientExecutionParams.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/profile/internal/ProfileKeyConstants.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/XMLWriter.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/protocol/json/JsonErrorResponseMetadata.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/protocol/json/internal/MarshallerRegistry.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/presign/PresignerParams.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/regions/AwsRegionProviderChain.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/ExecutionContext.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/regions/AwsEnvVarOverrideRegionProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/StaticSignerProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/regions/AwsProfileRegionProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/profile/path/AwsDirectoryBasePathProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/request/HttpRequestFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/protocol/json/SdkStructuredJsonFactoryImpl.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/StringInputStream.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/protocol/json/internal/SimpleTypePathMarshallers.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/TimingInfoFullSupport.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/retry/v2/OrRetryCondition.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/client/AwsSyncClientParams.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/json/internal/NullAsEmptyBodyProtocolRequestMarshaller.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/client/builder/ExecutorFactory.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/OperationInfo.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/StaticCredentialsProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/MarshallLocation.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/json/JsonOperationMetadata.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/client/ClientHandlerImpl.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/ProtocolMarshaller.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/json/internal/JsonMarshallerContext.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/internal/SdkFunction.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/http/AwsErrorResponseHandler.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/DefaultValueSupplier.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/json/JsonContentTypeResolverImpl.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/json/SdkJsonGenerator.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/DefaultMarshallingType.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/profile/path/AwsProfileFileLocationProviderChain.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/MarshallingType.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/retry/RetryPolicyAdapter.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/http/timers/client/SdkInterruptedException.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/profile/path/cred/CredentialsEnvVarOverrideLocationProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/profile/internal/AwsProfileNameLoader.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/protocol/json/JsonErrorShapeMetadata.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/retry/PredefinedBackoffStrategies.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/retry/v2/RetryPolicy.java  
 \*  
 /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/retry/v2/RetryOnExceptionsCondition.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/ClientConfigurationFactory.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/AWSRefreshableSessionCredentials.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/SdkClientException.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/retry/V2CompatibleBackoffStrategy.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/util/TimingInfo.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/SdkHttpMetadata.java  
 \*  
 /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/protocol/Protocol.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/Pathmarshallers.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/presign/PresignerFacade.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/protocol/MarshallingInfo.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/profile/internal/ProfileStaticCredentialsProvider.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/client/AwsAsyncClientParams.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/auth/profile/internal/ProfileAssumeRoleCredentialsProvider.java  
 \*  
 /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/transform/ListUnmarshaller.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/client/ClientHandlerParams.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/retry/v2/FixedDelayBackoffStrategy.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/protocol/json/SdkJsonMarshallerFactory.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/protocol/json/internal/ValueToStringConverters.java  
 \* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-

jar/com/amazonaws/protocol/json/internal/SimpleTypeJsonMarshallers.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/client/builder/AwsAsyncClientBuilder.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/retry/v2/BackoffStrategy.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/client/builder/AwsSyncClientBuilder.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/json/JsonClientMetadata.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/retry/v2/MaxNumberOfRetriesCondition.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/retry/v2/AndRetryCondition.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/auth/SdkClock.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/http/response/AwsResponseHandlerAdapter.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/transform/AbstractErrorUnmarshaller.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/regions/AwsSystemPropertyRegionProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/ProtocolRequestMarshaller.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/profile/path/config/ConfigEnvVarOverrideLocationProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/profile/path/config/SharedConfigDefaultLocationProvider.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/transform/MapUnmarshaller.java  
\*  
/opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/StructuredPojo.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/SdkBaseException.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/json/JsonContent.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/json/JsonContentTypeResolver.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/RequestConfig.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/protocol/json/internal/QueryParamMarshallers.java  
\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-  
jar/com/amazonaws/regions/InstanceMetadataRegionProvider.java  
\*

```
/opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/retry/v2/RetryCondition.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/client/builder/AwsClientBuilder.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/protocol/json/JsonProtocolMarshallerBuilder.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/profile/path/cred/CredentialsDefaultLocationProvider.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/retry/v2/SimpleRetryPolicy.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/retry/v2/RetryOnStatusCodeCondition.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/auth/profile/internal/AllProfiles.java
*
/opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/retry/v2/RetryPolicyContext.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/AmazonWebServiceRequestAdapter.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/AmazonWebServiceResult.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/profile/path/AwsProfileFileLocationProvider.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/client/ClientHandler.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2013-2017 Amazon Technologies, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at:
*
* http://aws.amazon.com/apache2.0
*
* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
* OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/regions/Regions.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/regions/ServiceAbbreviations.java
```

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/log/InternalLogApi.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014-2017 Amazon Technologies, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at:  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES  
\* OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/conn/ssl/TLSProtocol.java

\* /opt/cola/permits/1611031433\_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-jar/com/amazonaws/http/conn/ssl/SdkTLSSocketFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

```
*
* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt
* for applicable license terms and NOTICE.txt for applicable notices.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/ReleasableInputStream.java
* /opt/cola/permits/1611031433_1679551071.812699/0/aws-java-sdk-core-1-11-222-sources-3-
jar/com/amazonaws/internal/ResettableInputStream.java
```

## 1.191 auto-value-annotations 1.6.2

### 1.191.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2012 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/processor/TypeSimplifier.java
* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
```

```
jar/com/google/auto/value/processor/AutoValueProcessor.java
* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/processor/AutoValueTemplateVars.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2012 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/**
 * Specifies that AutoValue should copy any annotations from the annotated element to the
 * generated class. This annotation supports classes and methods.
 *
 * <p>The following annotations are excluded:
 *
 *
 * AutoValue and its nested annotations;
 * any annotation appearing in the { @link AutoValue.CopyAnnotations#exclude }
 * field;
 * any class annotation which is itself annotated with the { @link
 * java.lang.annotation.Inherited } meta-annotation.
 *
 *
 * <p>For historical reasons, annotations are always copied from an { @code @AutoValue } property
 * method to its implementation, unless { @code @CopyAnnotations } is present and explicitly
 * { @linkplain CopyAnnotations#exclude excludes } that annotation. But annotations are not copied
 * from the { @code @AutoValue } class itself to its implementation unless { @code @CopyAnnotations }
 * is present.
 *
 * <p>If you want to copy annotations from your { @literal @ }AutoValue-annotated class's methods to
 * the generated fields in the AutoValue_... implementation, annotate your method
 * with { @literal @ }AutoValue.CopyAnnotations. For example, if Example.java is:<pre>
 *
 * { @code @ }Immutable
 * { @code @ }AutoValue
 * abstract class Example {
 * { @code @ }CopyAnnotations
 * { @code
```

```

@}SuppressWarnings("Immutable") // justification ...
* abstract Object getObject();
* // other details ...
* }</pre>
*
* <p>Then AutoValue will generate the following AutoValue_Example.java:</pre>
*
* final class AutoValue_Example extends Example {
* { @code @}SuppressWarnings("Immutable")
* private final Object object;
*
* { @code @}SuppressWarnings("Immutable")
* { @code @}Override
* Object getObject() {
* return object;
* }
*
* // other details ...
* }</pre>
*
* <p>When the <i>type</i> of an { @code @AutoValue} property method has annotations, those are
* part of the type, so they are always copied to the implementation of the method.
* { @code @CopyAnnotations} has no effect here. For example, suppose { @code @Confidential} is a
* { @link java.lang.annotation.ElementType#TYPE_USE TYPE_USE} annotation:
*
* <pre>
*
* { @code @}AutoValue
* abstract class Person
* {
* static Person create({ @code @}Confidential String name, int id) {
* return new AutoValue_Person(name, id);
* }
*
* abstract { @code @}Confidential String name();
* abstract int id();
* }</pre>
*
* Then the implementation of the { @code name()} method will also have return type
* { @code @Confidential String}.
*
* @author Carmi Grushko
*/

```

Found in path(s):

```

* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/AutoValue.java

```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2013 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/processor/EclipseHack.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/processor/Reformatter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2015 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/JavaScanner.java  
\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/BuilderMethodClassifier.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2014 Google, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/AutoAnnotation.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2016 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\*/

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/Optionalish.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 Google, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoOneOfTemplateVars.java

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/AutoOneOf.java

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoOneOfProcessor.java

\*

/opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/SimpleMethod.java

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoValueOrOneOfProcessor.java

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/ClassNames.java

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoValueOrOneOfTemplateVars.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Google Inc.

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/processor/ExtensionContext.java
* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/extension/AutoValueExtension.java
```

No license file was found, but licenses were detected in source scan.

```
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/processor/autovalue.vm
* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/processor/autoannotation.vm
* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/processor/autooneof.vm
* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/processor/gwtserializier.vm
* /opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/processor/equalshashcode.vm
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2017 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
```

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/extension/memoized/processor/MemoizedValidator.java

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/TypeEncoder.java

\*  
/opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/extension/memoized/processor/ClassNames.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 Google, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/extension/memoized/processor/MemoizeExtension.java

\* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/PropertyBuilderClassifier.java

\*

/opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/extension/memoized/Memoized.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Google, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoAnnotationProcessor.java
  - \* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/GwtCompatibility.java
  - \* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoAnnotationTemplateVars.java
  - \*
  - /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/TemplateVars.java
  - \* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/AnnotationOutput.java
  - \* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/GwtSerialization.java
  - \* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/AutoValueBuilderProcessor.java
  - \* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/MissingTypeException.java
  - \* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/TypeMirrorSet.java
  - \*
  - /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/AbortProcessingException.java
  - \* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/Reporter.java
  - \* /opt/cola/permits/1611031645\_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-jar/com/google/auto/value/processor/BuilderSpec.java
- No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright (C) 2013 Google, Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
- \* in compliance with the License. You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>

```
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
*/opt/cola/permits/1611031645_1679551093.2014837/0/auto-value-annotations-1-6-2-sources-1-
jar/com/google/auto/value/processor/package-info.java
```

# 1.192 mapstruct-processor 1.2.0.Final

## 1.192.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.StreamMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
<#if overridden>@Override</#if>
<#lt>${ accessibility.keyword }
<@includeModel object=returnType/> ${name}(<#list parameters as param><@includeModel object=param/><#if
param_has_next>, </#if></#list>)<@throws/> {
<!---TODO does it even make sense to do a callback if the result is a Stream, as they are immutable-->
<#list beforeMappingReferencesWithoutMappingTarget as callback>
<@includeModel object=callback targetBeanName=resultName targetType=resultType/>
<#if !callback_has_next>
```

```

</#if>
</#list>
if (${sourceParameter.name} == null) {
 <#if !mapNullToDefault>
 <!-- returned target type starts to miss-align here with target handed via param, TODO is this right? -->
 return<#if returnType.name != "void"> null</#if>;
 <#else>
 <#if resultType.arrayType>
 <#if existingInstanceMapping>
 <!-- we can't clear an existing array, so we've got to clear by setting values to default -->
 for (int
${index2Name} = 0; ${index2Name} < ${resultName}.length; ${index2Name}++) {
 ${resultName}[${index2Name}] = ${resultElementType.null};
 }
 return<#if returnType.name != "void"> ${resultName}</#if>;
 <#else>
 return new <@includeModel object=resultElementType/>[0];
 </#if>
 <#elseif resultType.iterableType>
 <#if existingInstanceMapping>
 ${resultName}.clear();
 return<#if returnType.name != "void"> ${resultName}</#if>;
 <#else>
 return <@includeModel object=iterableCreation useSizeIfPossible=false/>;
 </#if>
 <#else>
 <#if existingInstanceMapping>
 <!-- We cannot update an existing stream so we just return the old one -->
 return<#if returnType.name != "void"> ${resultName}</#if>;
 <#else>
 return Stream.empty();
 </#if>
 </#if>
 </#if>
}

<!-- A variable needs to be defined if there are before mappings and this is not existingInstanceMapping -->
<#assign needVarDefine = beforeMappingReferencesWithMappingTarget?has_content &&
!existingInstanceMapping />

<#if resultType.arrayType>
 <#if !existingInstanceMapping && needVarDefine>
 <#assign needVarDefine = false />
 <!-- We create a null array which later will be directly assigned from the stream-->
 ${resultElementType}[] ${resultName} = null;
 </#if>
<#elseif resultType.iterableType>
 <#if existingInstanceMapping>

```

```

 ${resultName}.clear();
<#elseif needVarDefine>
 <#assign needVarDefine = false />
 <!-- Use the interface type on the left side, except it is java.lang.Iterable; use the implementation type - if
present - on the right side -->
 <@iterableLocalVarDef/>
 ${resultName} = <@includeModel object=iterableCreation useSizeIfPossible=true/>;
 </#if>
<#else>
 <!-- Streams are immutable so we can't update them -->
 <#if !existingInstanceMapping && needVarDefine>
 <#assign needVarDefine = false />
 <@iterableLocalVarDef/> ${resultName} = Stream.empty();
 </#if>
</#if>

<#list beforeMappingReferencesWithMappingTarget as callback>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
 <#if !callback_has_next>

 </#if>
</#list>

<!-- If there are no after mappings, no variable was created before i.e. no before mappings
and this is not an existingInstanceMapping then we can return immediatelly -->
<#assign canReturnImmediatelly = !afterMappingReferences?has_content && !needVarDefine &&
!existingInstanceMapping/>

<#if resultType.arrayType>
 <#if existingInstanceMapping>
 int ${index1Name}
 = 0;
 for (<@includeModel object=resultElementType/> ${loopVariableName} : ${sourceParameter.name}.limit(
 ${resultName}.length)<@streamMapSupplier />.toArray(${resultElementType}[]::new)) {
 if ((${index1Name} >= ${resultName}.length)) {
 break;
 }
 ${resultName}[${index1Name}++] = ${loopVariableName};
 }
<#else>
 <#if canReturnImmediatelly><#if returnType.name != "void">return </#if><#else> <#if
needVarDefine>${resultElementType}[] <#else>${resultName} =
</#if></#if>${sourceParameter.name}<@streamMapSupplier />
 .toArray(<@includeModel object=resultElementType/>[]::new);
 </#if>
<#elseif resultType.iterableType>
 <#if existingInstanceMapping || !canReturnImmediatelly>
 ${resultName}.addAll(${sourceParameter.name}<@streamMapSupplier />

```

```

 .collect(Collectors.toCollection(<@iterableCollectionSupplier />
))
);
 <#else>
 <@returnLocalVarDefOrUpdate>
 <#lt>${sourceParameter.name}</#lt><@streamMapSupplier />
 .collect(Collectors.toCollection(<@iterableCollectionSupplier />));
 </@returnLocalVarDefOrUpdate>

 </#if>
<#else>
 <#-- Streams are immutable so we can't update them -->
 <#if !existingInstanceMapping>
 <#--TODO fhr: after the the result is no longer the same instance, how does it affect the
 Before mapping methods. Does it even make sense to have before mapping on a stream? -->
 <#if sourceParameter.type.arrayType>
 <@returnLocalVarDefOrUpdate>Stream.of(${sourceParameter.name})<@streamMapSupplier
/>;</@returnLocalVarDefOrUpdate>
 <#elseif sourceParameter.type.collectionType>
 <@returnLocalVarDefOrUpdate>${sourceParameter.name}.stream()<@streamMapSupplier
/>;</@returnLocalVarDefOrUpdate>
 <#elseif sourceParameter.type.iterableType>
 <@returnLocalVarDefOrUpdate>StreamSupport.stream(${sourceParameter.name}.spliterator(), false
)<@streamMapSupplier />;</@returnLocalVarDefOrUpdate>
 <#else>
 <@returnLocalVarDefOrUpdate>${sourceParameter.name}<@streamMapSupplier
/>;</@returnLocalVarDefOrUpdate>
 </#if>
 </#if>

</#if>

<#list afterMappingReferences as callback>
 <#if callback_index = 0>

 </#if>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
</#list>

<#if !canReturnImmediately && returnType.name != "void">
 return ${resultName};
</#if>
}
<#macro throws>
 <#if (thrownTypes?size > 0)><#lt> throws </#if><@compress single_line=true>
 <#list thrownTypes as exceptionType>
 <@includeModel object=exceptionType/>
 <#if exceptionType_has_next>, </#if><#t>

```

```

 </#list>
 </@compress>
</#macro>
<#macro
iterableSize>
 <@compress single_line=true>
 <#if sourceParameter.type.arrayType>
 ${sourceParameter.name}.length
 <#else>
 ${sourceParameter.name}.size()
 </#if>
 </@compress>
</#macro>
<#macro iterableLocalVarDef>
 <@compress single_line=true>
 <#if resultType.fullyQualifiedName == "java.lang.Iterable">
 <@includeModel object=resultType.implementationType/>
 <#else>
 <@includeModel object=resultType/>
 </#if>
 </@compress>
</#macro>
<#macro iterableCollectionSupplier>
 <@compress single_line=true>
 <#if resultType.implementationType??>
 <@includeModel object=resultType.implementationType/>
 <#else>
 <@includeModel object=resultType/></#if>::new
 </@compress>
</#macro>
<#macro streamMapSupplier>
 <@compress>
 <#if !elementAssignment.directAssignment?? || !elementAssignment.directAssignment>
 .map(<@includeModel object=elementAssignment
targetBeanName=resultName targetType=resultElementType/>)
 </#if>
 </@compress>
</#macro>
<#macro returnLocalVarDefOrUpdate>
 <#if canReturnImmediately><#if returnType.name != "void">return </#if><#elseif
!needVarDefine><@iterableLocalVarDef/> ${resultName} = <#else>${resultName} = </#if><#nested />
</#macro>

```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.16126590/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/StreamMappingMethod.ftl

No license file was found, but licenses were detected in source scan.

<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->  
<!--

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

```
private Calendar ${name}(
 XMLGregorianCalendar xcal) {
 if (xcal == null) {
 return null;
 }

 Calendar cal = Calendar.getInstance();
 cal.setTimeInMillis(xcal.toGregorianCalendar().getTimeInMillis());
 return cal;
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToCalendar.ftl

No license file was found, but licenses were detected in source scan.

<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->  
<!--

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
private XMLGregorianCalendar
${name}(LocalTime dt) {
 if (dt == null) {
 return null;
 }

 try {
 return DatatypeFactory.newInstance().newXMLGregorianCalendarTime(
 dt.getHourOfDay(),
 dt.getMinuteOfHour(),
 dt.getSecondOfMinute(),
 dt.getMillisOfSecond(),
 DatatypeConstants.FIELD_UNDEFINED);
 }
 catch (DatatypeConfigurationException ex) {
 throw new RuntimeException(ex);
 }
}
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/JodaLocalTimeToXmlGregorianCalendar.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.common.SourceRHS" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>) and/or other contributors as indicated by the @authors tag. See the copyright.txt file in the distribution for a full listing of all contributors.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

```
<#if sourceLocalVarName??>${sourceLocalVarName}<#else>${sourceReference}</#if>
```

Found

in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/common/SourceRHS.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>) and/or other contributors as indicated by the @authors tag. See the copyright.txt file in the distribution for a full listing of all contributors.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

```
private static java.time.LocalDate
${name}(XMLGregorianCalendar xcal) {
 if (xcal == null) {
 return null;
 }

 return java.time.LocalDate.of(xcal.getYear(), xcal.getMonth(), xcal.getDay());
}
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToLocalDate.ftl
```

No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at  
<http://www.apache.org/licenses/LICENSE-2.0>  
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/GeneratedType.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
```

```
private static LocalTime ${name}(
XMLGregorianCalendar xcal) {
 if (xcal == null) {
 return null;
 }

 if (xcal.getHour() != DatatypeConstants.FIELD_UNDEFINED
&& xcal.getMinute() != DatatypeConstants.FIELD_UNDEFINED) {
 if (xcal.getSecond() != DatatypeConstants.FIELD_UNDEFINED
&& xcal.getMillisecond() != DatatypeConstants.FIELD_UNDEFINED) {
 return new LocalTime(xcal.getHour(),
 xcal.getMinute(),
 xcal.getSecond(),
 xcal.getMillisecond())
```

```

);
 }
 else if (xcal.getSecond() != DatatypeConstants.FIELD_UNDEFINED) {
 return new LocalTime(
 xcal.getHour(),
 xcal.getMinute(),
 xcal.getSecond()
);
 }
 else {
 return new LocalTime(xcal.getHour(),
 xcal.getMinute()
);
 }
}
return
null;
}

```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToJodaLocalTime.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
```

```
private static XMLGregorianCalendar
${name}(java.time.LocalDate localDate) {
 if (localDate == null) {
```

```

 return null;
}

try {
 return DatatypeFactory.newInstance().newXMLGregorianCalendarDate(
 localDate.getYear(),
 localDate.getMonthValue(),
 localDate.getDayOfMonth(),
 DatatypeConstants.FIELD_UNDEFINED
);
}
catch (DatatypeConfigurationException ex) {
 throw new RuntimeException(ex);
}
}

```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/LocalDateToXmlGregorianCalendar.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.assignment.UpdateWrapper" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```

-->
<#import '../macro/CommonMacros.ftl'
as lib >
<@lib.handleExceptions>
<#if includeSourceNullCheck>
 if (<#if sourcePresenceCheckerReference?? >${sourcePresenceCheckerReference}<#else>${sourceReference}
 != null</#if>) {

```

```

 <@assignToExistingTarget/>
 <@lib.handleAssignment/>;
}
else {
 ${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWrite><#if
mapNullToDefault><@lib.initTargetObject/><#else>null</#if></@lib.handleWrite>;
}
<#else>
 <@assignToExistingTarget/>
 <@lib.handleAssignment/>;
</#if>
</@lib.handleExceptions>
<#--
 target inner check and assignment
-->
<#macro assignToExistingTarget>
 if (${ext.targetBeanName}.${ext.targetReadAccessorName} == null) {
 ${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWrite><@lib.initTargetObject/></@lib.handleWrite>;
 }
</#macro>

```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/assignment/UpdateWrapper.ftl

No license file was found, but licenses were detected in source scan.

```

<#-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.LifecycleCallbackMethodReference" -->
<#--

```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

```

<@compress single_line=true>
 <#if hasReturnType()>
 <@includeModel object=methodResultType /> ${targetVariableName} =
 </#if>
 <#include 'MethodReference.ftl'>;
</@compress>
<#if hasReturnType()><#nt>
if (${targetVariableName} != null) {
 return<#if methodReturnType.name != "void"> ${targetVariableName}</#if>;
}</#if>

```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/LifecycleCallbackMethodReference.ftl
```

No license file was found, but licenses were detected in source scan.

```
<#--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
```

```
${name}<#if ext.input?>(${ext.input})<#else>()</#if>
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/ConversionMethod.ftl
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright 2012-2017 Gunnar Morling (http://www.gunnarmorling.de/)
* and/or other contributors as indicated by the @authors tag. See the
* copyright.txt file in the distribution for a full listing of all
* contributors.
```

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/conversion/BigIntegerToWrapperConversion.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/DefaultMapperReference.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/NestedPropertyMappingMethod.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/version/package-info.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/selector/FactoryParameterSelector.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/util/MapperConfiguration.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/MapperReference.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/common/DateFormatValidatorFactory.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/assignment/GetterWrapperForCollectionsAndMaps.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/dependency/Node.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/SourceMethod.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/assignment/ExistingInstanceSetterWrapperForCollectionsAndMaps.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/conversion/BigDecimalToPrimitiveConversion.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/util/package-info.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/Mapper.java

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/common/ModelElement.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/util/NativeTypes.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/common/TypeFactory.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/conversion/BigDecimalToBigIntegerConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/conversion/JodaLocalTimeToStringConversion.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToString.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/conversion/DateToSqlTimeConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/util/workarounds/EclipseClassLoaderBridge.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/common/Parameter.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/prism/CollectionMappingStrategyPrism.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/package-info.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/conversion/JodaLocalDateTimeToStringConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/common/Type.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/common/Accessibility.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/processor/Jsr330ComponentProcessor.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/util/XmlConstants.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/conversion/JavaLocalDateTimeToDateConversion.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/MappingProcessor.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/CollectionAssignmentBuilder.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/Constructor.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/common/Assignment.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToCalendar.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-

jar/org/mapstruct/ap/internal/model/source/selector/TypeSelector.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/processor/ModelElementProcessor.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/assignment/Java8FunctionWrapper.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/MethodReference.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/util/AnnotationProcessingException.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/writer/ModelIncludeDirective.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/selector/package-info.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/builtin/package-info.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/DateToStringConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/PrimitiveToPrimitiveConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/JodaLocalDateToStringConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/processor/MapperRenderingProcessor.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/LifecycleCallbackFactory.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/util/FormattingMessenger.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/writer/ModelWriter.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/MappingMethodUtils.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/builtin/StringToXmlGregorianCalendar.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/ForgedMethodHistory.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/writer/Writable.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/ValueMappingMethod.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/JavaZonedDateToTimeToDateConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/MappingBuilderContext.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-

jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToLocalDate.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/builtin/BuiltInMethod.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/AbstractMappingMethodBuilder.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/dependency/GraphAnalyzer.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/IterableMappingMethod.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/prism/ReportingPolicyPrism.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/ForgedMethod.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/AbstractJavaTimeToStringConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/prism/package-info.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/assignment/LocalVarWrapper.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/spi/MappingExclusionProvider.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/JodaTimeToDateConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/ValueMapping.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/assignment/package-info.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/WrapperToWrapperConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/prism/MappingConstantsPrism.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/SimpleConversion.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/util/accessor/VariableElementAccessor.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/util/ValueProvider.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/processor/AnnotationBasedComponentModelProcessor.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/processor/DefaultModelElementProcessorContext.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/util/Services.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/MappingOptions.java

```

*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/Method.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/JodaDateTimeToCalendarConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/DecoratorConstructor.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/common/ParameterBinding.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/BigIntegerToPrimitiveConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/Annotation.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/selector/MethodFamilySelector.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToJodaDateTime.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/PrimitiveToWrapperConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/ContainerMappingMethodBuilder.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/ZonedDateTimeToCalendar.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/selector/MethodSelectors.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/BigIntegerToStringConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/common/SourceRHS.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/Executables.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/AbstractJodaTypeToStringConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/Conversions.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/MappingMethod.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/NormalTypeMappingMethod.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/common/package-info.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/DateToXmlGregorianCalendar.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/processor/creation/package-info.java

```

```

* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/JodaDateTimeToStringConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/JodaTimeConstants.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/spi/AccessorNamingStrategy.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/assignment/EnumConstantWrapper.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/common/ConversionContext.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/JodaLocalDateTimeToXmlGregorianCalendar.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/EnumMapping.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/selector/InheritanceSelector.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/RoundContext.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/BeanMappingMethod.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/common/DateFormatValidationResult.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/JavaLocalTimeToStringConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/common/FormattingParameters.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/selector/SelectedMethod.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/AbstractBaseBuilder.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/processor/MapperServiceProcessor.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/VirtualMappingMethod.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/version/VersionInformation.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/AnnotationMapperReference.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/processor/DefaultVersionInformation.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/EnumMappingMethod.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/writer/package-info.java

```

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/processor/CdiComponentProcessor.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/util/JaxbConstants.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/selector/QualifierSelector.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/conversion/JavaLocalDateTimeToStringConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/util/Strings.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/spi/AstModifyingAnnotationProcessor.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/MapMappingMethod.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/LocalDateToXmlGregorianCalendar.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/prism/NullValueCheckStrategyPrism.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/processor/MethodRetrievalProcessor.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToJodaLocalTime.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/conversion/JavaLocalDateToStringConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/HelperMethod.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/selector/TargetTypeSelector.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/util/TypeHierarchyErroneousException.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/util/Extractor.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/option/Options.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToJodaLocalDateTime.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/util/Filters.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/package-info.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/spi/DefaultAccessorNamingStrategy.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/BeanMapping.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-

jar/org/mapstruct/ap/internal/processor/MapperCreationProcessor.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/PrimitiveToStringConversion.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/SourceReference.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/util/Collections.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/JavaZonedDateTimeToStringConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/SelectionParameters.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/writer/IndentationCorrectingWriter.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/AbstractNumberToStringConversion.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/ParameterProvidedMethods.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/selector/CreateOrUpdateSelector.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/prism/NullValueMappingStrategyPrism.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/DateToSqlDateConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/builtin/JodaLocalTimeToXmlGregorianCalendar.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/Field.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/PropertyMapping.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/conversion/EnumStringConversion.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/Decorator.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/util/JavaTimeConstants.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/util/Message.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/assignment/AdderWrapper.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/assignment/AssignmentWrapper.java  
\*  
/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/assignment/ArrayCopyWrapper.java  
\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-

```

jar/org/mapstruct/ap/internal/model/assignment/SetterWrapperForCollectionsAndMaps.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/package-info.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToJodaLocalDate.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/BuiltInMappingMethods.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/Mapping.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/workarounds/TypesDecorator.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/JodaDateTimeToXmlGregorianCalendar.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/processor/creation/MappingResolverImpl.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/prism/PrismGenerator.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/ConversionProvider.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/assignment/WrapperForCollectionsAndMaps.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/common/DefaultConversionContext.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/PropertyEntry.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/AnnotationProcessorContext.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/ReverseConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/assignment/SetterWrapper.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/spi/MethodType.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/assignment/SetterWrapperForCollectionsAndMapsWithNullCheck.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/common/ImplementationType.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/WrapperToStringConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/option/package-info.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/common/DateFormatValidator.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/DefaultMappingExclusionProvider.java

```

```

*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/ClassUtils.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/accessor/Accessor.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/package-info.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/JaxbElemToValue.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/selector/MethodSelector.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/CalendarToZonedDateTime.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/MethodMatcher.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/DelegatingMethod.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/accessor/ExecutableElementAccessor.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/assignment/UpdateWrapper.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/workarounds/EclipseAsMemberOfWorkaround.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/CharWrapperToStringConversion.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/BigDecimalToStringConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/NestedTargetPropertyMappingHolder.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/processor/package-info.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/Nouns.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/MapMapping.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/workarounds/SpecificCompilerWorkarounds.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/IterableCreation.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/JavaLocalDateToDateConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/selector/XmlElementDeclSelector.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/selector/SelectionCriteria.java

```

```

* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/writer/FreeMarkerModelElementWriter.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/BigDecimalToWrapperConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/CalendarToXmlGregorianCalendar.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/spi/package-info.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/LifecycleCallbackMethodReference.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/StreamMappingMethod.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/ContainerMappingMethod.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/ServicesEntry.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/JodaLocalDateToXmlGregorianCalendar.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/JavaStreamConstants.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/TargetReference.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/writer/FreeMarkerWritable.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/prism/MappingInheritanceStrategyPrism.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/processor/SpringComponentProcessor.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToDate.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/TypeConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/DateToSqlTimestampConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/IterableMapping.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/GeneratedType.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/CharToStringConversion.java
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/conversion/CreateDecimalFormat.java
*
/opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/util/accessor/AbstractAccessor.java

```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.assignment.AdderWrapper" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
```

```
<#import "../macro/CommonMacros.ftl"
as lib>
<@lib.handleExceptions>
if (${sourceReference} != null) {
 for (<@includeModel object=sourceType.typeParameters[0].typeBound/> ${sourceLocalVarName} :
${sourceReference}) {
${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWrite><@lib.handleAssignment/></@lib.h
andleWrite>;
 }
}
</@lib.handleExceptions>
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.16126590/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/assignment/AdderWrapper.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
private XMLGregorianCalendar
${name}(LocalDate dt) {
 if (dt == null) {
 return null;
 }

 try {
 return DatatypeFactory.newInstance().newXMLGregorianCalendarDate(
 dt.getYear(),
 dt.getMonthOfYear(),
 dt.getDayOfMonth(),
 DatatypeConstants.FIELD_UNDEFINED);
 }
 catch (DatatypeConfigurationException ex) {
 throw new RuntimeException(ex);
 }
}
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/JodaLocalDateToXmlGregorianCalendar.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.PropertyMapping" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

```
<@includeModel object=assignment
 targetBeanName=ext.targetBeanName
 existingInstanceMapping=ext.existingInstanceMapping
 targetReadAccessorName=targetReadAccessorName
 targetWriteAccessorName=targetWriteAccessorName
 targetType=targetType
 defaultValueAssignment=defaultValueAssignment />
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/PropertyMapping.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.ValueMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>) and/or other contributors as indicated by the @authors tag. See the copyright.txt file in the distribution for a full listing of all contributors.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

```
<#if overridden>@Override</#if>
<#lt>${accessibility.keyword}
<@includeModel object=returnType/> ${name}(<@includeModel object=sourceParameter/> {
 <#list beforeMappingReferencesWithoutMappingTarget as callback>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
```

```

 <#if !callback_has_next>

 </#if>
</#list>
if (${sourceParameter.name} == null) {
 return <#if nullTarget?><@includeModel object=returnType/>.${nullTarget}<#else>null</#if>;
}

<@includeModel object=resultType/> ${resultName};

switch (${sourceParameter.name}) {
<#list valueMappings as valueMapping>
 case ${valueMapping.source}: ${resultName} = <#if valueMapping.target?><@includeModel
object=returnType/>.${valueMapping.target}<#else>null</#if>;
 break;
</#list>
 default: <#if throwIllegalArgumentException>throw new IllegalArgumentException("Unexpected enum
constant: " + ${sourceParameter.name})<#else>${resultName} = <#if defaultTarget?><@includeModel
object=returnType/>.${defaultTarget}<#else>null</#if></#if>;
}
<#list beforeMappingReferencesWithMappingTarget as callback>
 <#if callback_index = 0>

 </#if>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
</#list>
<#list afterMappingReferences as callback>
 <#if callback_index = 0>

 </#if>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
</#list>

return ${resultName};
}

```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/ValueMappingMethod.ftl

No license file was found, but licenses were detected in source scan.

# Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)

# and/or other contributors as indicated by the @authors tag. See the

# copyright.txt file in the distribution for a full listing of all

# contributors.

#

# Licensed under the Apache License, Version 2.0 (the "License");

# you may not use this file except in compliance with the License.

```
You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
```

org.mapstruct.ap.MappingProcessor

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/META-INF/services/javax.annotation.processing.Processor
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.AnnotationMapperReference" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
<#list annotations as
annotation>
<#nt><@includeModel object=annotation/>
</#list>
private <@includeModel object=type/> ${variableName};
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/AnnotationMapperReference.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.common.Parameter" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
```

```
<@includeModel object=type/> ${name }
```

Found

in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/common/Parameter.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

-->

```
private XMLGregorianCalendar
${name}(Date date) {
 if (date == null) {
 return null;
 }

 try {
 GregorianCalendar c = new GregorianCalendar();
 c.setTime(date);
 return DatatypeFactory.newInstance().newXMLGregorianCalendar(c);
 }
 catch (DatatypeConfigurationException ex) {
 throw new RuntimeException(ex);
 }
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/DateToXmlGregorianCalendar.ftl

No license file was found, but licenses were detected in source scan.

<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.assignment.EnumConstantWrapper" -->  
<!--

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

```
${ext.targetType.name}.${assignment}
```

Found

in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/assignment/EnumConstantWrapper.ftl

No license file was found, but licenses were detected in source scan.

# Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)

# and/or other contributors as indicated by the @authors tag. See the

# copyright.txt file in the distribution for a full listing of all

# contributors.

#

# Licensed under the Apache License, Version 2.0 (the "License");

# you may not use this file except in compliance with the License.

# You may obtain a copy of the License at

#

# <http://www.apache.org/licenses/LICENSE-2.0>

#

# Unless required by applicable law or agreed to in writing, software

# distributed under the License is distributed on an "AS IS" BASIS,

# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

# See the License for the specific language governing permissions and

# limitations under the License.

org.mapstruct.ap.internal.processor.CdiComponentProcessor

org.mapstruct.ap.internal.processor.Jsr330ComponentProcessor

org.mapstruct.ap.internal.processor.MapperCreationProcessor

org.mapstruct.ap.internal.processor.MapperRenderingProcessor

org.mapstruct.ap.internal.processor.MethodRetrievalProcessor

org.mapstruct.ap.internal.processor.SpringComponentProcessor

org.mapstruct.ap.internal.processor.MapperServiceProcessor

Found

in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/META-INF/services/org.mapstruct.ap.internal.processor.ModelElementProcessor

No license file was found, but licenses were detected in source scan.

<#--

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)

and/or other contributors as indicated by the @authors tag. See the

copyright.txt file in the distribution for a full listing of all

contributors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

<!--

macro: handleSourceReferenceNullCheck

purpose: macro surrounds nested with either a source presence checker or a null check. It acts directly on the source reference. It adds an else clause with the default assignment when applicable.

requires: caller to implement boolean:getIncludeSourceNullCheck()

-->

```
<#macro handleSourceReferenceNullCheck>
```

```
 <#if sourcePresenceCheckerReference??>
```

```
 if (${sourcePresenceCheckerReference}) {
```

```
 <#nested>
```

```
 }
```

```
 <@elseDefaultAssignment/>
```

```
 <#elseif includeSourceNullCheck || ext.defaultValueAssignment??>
```

```
 if (<#if sourceLocalVarName??>${sourceLocalVarName}<#else>${sourceReference}</#if> != null) {
```

```
 <#nested>
```

```
 }
```

```
 <@elseDefaultAssignment/>
```

```
 <#else>
```

```
 <#nested>
```

```
 </#if>
```

```
</#macro>
```

<!--

local macro related to handleSourceReferenceNullCheck

-->

```
<#macro elseDefaultAssignment>
```

```
 <#if ext.defaultValueAssignment?? >
```

```
 else {
```

```
 <@handeDefaultAssignment/>
```

```
 }
```

```
 </#if>
```

```
</#macro>
```

<!--

macro: handleLocalVarNullCheck

purpose: macro surrounds nested with

either a source presence checker or a null check. It always uses a local variable. Note that the local variable assignment is inside the IF statement for the source presence check. Note also, that the else clause contains the default variable assignment if present.

requires: caller to implement `String:getNullCheckLocalVarName()`

caller to implement `Type:getNullCheckLocalVarType()`

-->

```
<#macro handleLocalVarNullCheck needs_explicit_local_var>
<#if sourcePresenceCheckerReference??>
 if (${sourcePresenceCheckerReference}) {
 <#if needs_explicit_local_var>
 <@includeModel object=nullCheckLocalVarType/> ${nullCheckLocalVarName} =
<@lib.handleAssignment/>;
 <#nested>
 <#else>
 <#nested>
 </#if>
 }
<#else>
 <@includeModel object=nullCheckLocalVarType/> ${nullCheckLocalVarName} = <@lib.handleAssignment/>;
 if (${nullCheckLocalVarName} != null) {
 <#nested>
 }
</#if>
<#if ext.defaultValueAssignment?? >
else {
 <@handleDefaultAssignment/>
}
</#if>
</#macro>
<#--
```

Gives the value that needs to be assigned. If there is a `sourcePresenceCheckerReference` then a direct `lib.handleAssignment` is done, otherwise `nullCheckLocalVarName` is used.

requires: caller to implement `String:getNullCheckLocalVarName()`

-->

```
<#macro handleWithAssignmentOrNullCheckVar><#if
sourcePresenceCheckerReference??><@lib.handleAssignment/><#else>${nullCheckLocalVarName}</#if></#macro>
ro>
<#--
```

macro: `handleExceptions`

purpose: Includes the try - catch clauses around the nested code.

-->

```
<#macro handleExceptions>
<#if (thrownTypes?size == 0) >
 <#nested>
```

```

<#else>
 try {
 <#nested>
 }
 <#list thrownTypes as exceptionType>
 catch (<@includeModel object=exceptionType/> e) {
 throw new RuntimeException(e);
 }
</#list>
</#if>
</#macro>
<#--

```

Performs a standard assignment.

```
-->
```

```

<#macro
handleAssignment>
 <@includeModel object=assignment
 targetBeanName=ext.targetBeanName
 existingInstanceMapping=ext.existingInstanceMapping
 targetReadAccessorName=ext.targetReadAccessorName
 targetWriteAccessorName=ext.targetWriteAccessorName
 targetType=ext.targetType/>
</#macro>
<#--

```

Performs a default assignment with a default value.

```
-->
```

```

<#macro handleDefaultAssignment>
 <@includeModel object=ext.defaultValueAssignment
 targetBeanName=ext.targetBeanName
 existingInstanceMapping=ext.existingInstanceMapping
 targetReadAccessorName=ext.targetReadAccessorName
 targetWriteAccessorName=ext.targetWriteAccessorName
 targetType=ext.targetType
 defaultValue=ext.defaultValue/>
</#macro>
<#--

```

```
macro: handleWrite
```

purpose: To handle the writing to a field or using a method. The line is not closed with ';

```
-->
```

```

<#macro handleWrite><#if
fieldAssignment> = <#nested><#else>(<#nested>)</#if></#macro>

```

```
<#--
```

```
macro: handleWriteAccessing
```

purpose: To handle accessing the write target type

```
-->
```

```
<#macro handleWriteAccessing><#if fieldAssignment><#else>()</#if></#macro>
```

```
<#--
```

```
macro: initTargetObject
```

```
purpose: To factorize or construct a new target object
```

```
-->
```

```
<#macro initTargetObject><@compress single_line=true>
```

```
<#if factoryMethod??>
```

```
<@includeModel object=factoryMethod targetType=ext.targetType/>
```

```
<#else>
```

```
new <@constructTargetObject/>()
```

```
</#if>
```

```
</@compress></#macro>
```

```
<#--
```

```
macro: constructTargetObject
```

```
purpose: Either call the constructor of the target object directly or of the implementing type.
```

```
-->
```

```
<#macro constructTargetObject><@compress single_line=true>
```

```
<#if ext.targetType.implementationType??>
```

```
<@includeModel object=ext.targetType.implementationType/>
```

```
<#else>
```

```
<@includeModel object=ext.targetType/>
```

```
</#if>
```

```
</@compress></#macro>
```

```
<#--
```

```
macro: sourceLocalVarAssignment
```

```
purpose: assignment for source local variables. The sourceLocalVarName replaces the sourceReference in the assignmentcall.
```

```
-->
```

```
<#macro sourceLocalVarAssignment>
```

```
<#if sourceLocalVarName??>
```

```
<@includeModel object=sourceType/> ${sourceLocalVarName} = ${sourceReference};
```

```
</#if>
```

```
</#macro>
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/macro/CommonMacros.ftl
```

No license file was found, but licenses were detected in source scan.

```
<#-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.IterableMappingMethod" -->
```

```
<#--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)

and/or other contributors as indicated by the @authors tag. See the

copyright.txt file in the distribution for a full listing of all

contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
<#if overridden>@Override</#if>
<#lt>${ accessibility.keyword}
<@includeModel object=returnType/> ${name}<#list parameters as param><@includeModel object=param/><#if
param_has_next>, </#if></#list><@throws/> {
 <#list beforeMappingReferencesWithoutMappingTarget as callback>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
 <#if !callback_has_next>

</#if>
</#list>
if (${sourceParameter.name} == null) {
 <#if !mapNullToDefault>
 <#-- returned target type starts to miss-align here with target handed via param, TODO is this right? -->
 return<#if returnType.name != "void"> null</#if>;
 <#else>
 <#if resultType.arrayType>
 <#if existingInstanceMapping>
 <#-- we can't clear an existing array, so we've got to clear by setting values to default -->
 for (int ${index2Name} = 0; ${index2Name} < ${resultName}.length; ${index2Name}++) {
 ${resultName}[${index2Name}]
= ${resultElementType.null};
 }
 return<#if returnType.name != "void"> ${resultName}</#if>;
 <#else>
 return new <@includeModel object=resultElementType/>[0];
 </#if>
 <#else>
 <#if existingInstanceMapping>
 ${resultName}.clear();
 return<#if returnType.name != "void"> ${resultName}</#if>;
 <#else>
 return <@includeModel object=iterableCreation useSizeIfPossible=false/>;
 </#if>
 }
 }
}
```

```

 </#if>
 </#if>
}

<#if resultType.arrayType>
 <#if !existingInstanceMapping>
 <#assign elementTypeString><@includeModel object=resultElementType/></#assign>
 ${elementTypeString}[] ${resultName} = new
 ${elementTypeString?keep_before('[]')}[<@iterableSize/>]${elementTypeString?replace('[^\[\]]+', 'r')};
 </#if>
<#else>
 <#if existingInstanceMapping>
 ${resultName}.clear();
 <#else>
 <#-- Use the interface type on the left side, except it is java.lang.Iterable; use the implementation type - if
 present - on the right side -->
 <@iterableLocalVarDef/> ${resultName} = <@includeModel object=iterableCreation
 useSizeIfPossible=true/>;
 </#if>
</#if>
<#list beforeMappingReferencesWithMappingTarget as callback>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
 <#if !callback_has_next>

</#if>
</#list>
<#if resultType.arrayType>
 int ${index1Name} = 0;
 for (<@includeModel object=sourceElementType/> ${loopVariableName} : ${sourceParameter.name}) {
 <#if existingInstanceMapping>
 if ((${index1Name} >= ${resultName}.length) || (${index1Name} >= <@iterableSize/>)) {
 break;
 }
 </#if>
 <@includeModel object=elementAssignment
 targetWriteAccessorName=resultName+"[${index1Name}]" targetType=resultElementType
 isTargetDefined=true/>
 ${index1Name}++;
 }
<#else>
 for (<@includeModel object=sourceElementType/> ${loopVariableName} : ${sourceParameter.name}) {
 <@includeModel object=elementAssignment targetBeanName=resultName
 targetWriteAccessorName="add" targetType=resultElementType/>
 }
</#if>
<#list afterMappingReferences as callback>
 <#if callback_index = 0>

```

```

</#if>
<@includeModel object=callback targetBeanName=resultName targetType=resultType/>
</#list>

<#if returnType.name != "void">
 return ${resultName};
</#if>
}
<#macro throws>
 <#if (thrownTypes?size > 0)><#t> throws </#if><@compress single_line=true>
 <#list thrownTypes as exceptionType>
 <@includeModel object=exceptionType/>
 <#if exceptionType_has_next>, </#if><#t>
 </#list>
 </@compress>
</#macro>
<#macro
iterableSize>
 <@compress single_line=true>
 <#if sourceParameter.type.arrayType>
 ${sourceParameter.name}.length
 <#else>
 ${sourceParameter.name}.size()
 </#if>
 </@compress>
</#macro>
<#macro iterableLocalVarDef>
 <@compress single_line=true>
 <#if resultType.fullyQualifiedName == "java.lang.Iterable">
 <@includeModel object=resultType.implementationType/>
 <#else>
 <@includeModel object=resultType/>
 </#if>
 </@compress>
</#macro>

```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/IterableMappingMethod.ftl

No license file was found, but licenses were detected in source scan.

```

<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--

```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
private <T> T ${name}(JAXBElement<T>
element) {
 if (element == null) {
 return null;
 }

 return element.isNil() ? null : element.getValue();
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/JaxbElemToValue.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
private String ${name}(XMLGregorianCalendar
xcal, String dateFormat) {
 if (xcal == null) {
 return null;
 }

 if (dateFormat == null) {
 return xcal.toString();
 }
 else {
 Date d = xcal.toGregorianCalendar().getTime();
 SimpleDateFormat sdf = new SimpleDateFormat(dateFormat);
 return sdf.format(d);
 }
}
}
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToString.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name=""
type="org.mapstruct.ap.internal.model.assignment.ExistingInstanceSetterWrapperForCollectionsAndMaps" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
**WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND**, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the  
License.

```
-->
<#import "../macro/CommonMacros.ftl" as lib>
<@lib.sourceLocalVarAssignment/>
<@lib.handleExceptions>
```

```

if (${ext.targetBeanName}.${ext.targetReadAccessorName} != null) {
 <@lib.handleLocalVarNullCheck needs_explicit_local_var=false>
 ${ext.targetBeanName}.${ext.targetReadAccessorName}.clear();
 ${ext.targetBeanName}.${ext.targetReadAccessorName}.<#if
ext.targetType.collectionType>addAll<#else>putAll</#if>(<@lib.handleWithAssignmentOrNullCheckVar/>);
 </@lib.handleLocalVarNullCheck>
 <#if !ext.defaultValueAssignment?? && !sourcePresenceCheckerReference?? &&
!includeSourceNullCheck>else {<!-- the opposite (defaultValueAssignment) case is handled inside
lib.handleLocalVarNullCheck -->
 ${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWrite><#if
mapNullToDefault><@lib.initTargetObject/><#else>null</#if></@lib.handleWrite>;
 }
 </#if>
}
else {
 <@callTargetWriteAccessor/>
}
</@lib.handleExceptions>
<!--

```

assigns the target via the regular target write accessor (usually the setter)

```

-->
<#macro callTargetWriteAccessor>
 <@lib.handleLocalVarNullCheck needs_explicit_local_var=directAssignment>
 ${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWrite><#if
directAssignment><@wrapLocalVarInCollectionInitializer/><#else><@lib.handleWithAssignmentOrNullCheckVa
r/></#if></@lib.handleWrite>;
 </@lib.handleLocalVarNullCheck>
</#macro>
<!--

```

wraps the local variable in a collection initializer (new collection, or EnumSet.copyOf)

```

-->
<#macro wrapLocalVarInCollectionInitializer><@compress single_line=true>
 <#if enumSet>
 EnumSet.copyOf(${nullCheckLocalVarName})
 <#else>
 new <#if ext.targetType.implementationType??><@includeModel
object=ext.targetType.implementationType/><#else><@includeModel object=ext.targetType/></#if>(
 ${nullCheckLocalVarName})
 </#if>
</@compress></#macro>

```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/assignment/ExistingInstanceSetterWrapperForCollectionsAndMaps.ftl  
No license file was found, but licenses were detected in source scan.

```

<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.Field" -->

```

<#--

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

```
private final <@includeModel object=type/>
 ${variableName};
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/Field.ftl

No license file was found, but licenses were detected in source scan.

<#-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.BeanMappingMethod" -->

<#--

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```

-->
<#if overridden>@Override</#if>
<#lt>${ accessibility.keyword }
 <@includeModel object=returnType/> ${name}(<#list parameters as param><@includeModel object=param/><#if
param_has_next>, </#if></#list>)<@throws/> {
 <#list beforeMappingReferencesWithoutMappingTarget as callback>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
 <#if !callback_has_next>

 </#if>
</#list>
 <#if !mapNullToDefault>
 if (<#list sourceParametersExcludingPrimitives as sourceParam>${sourceParam.name} == null<#if
sourceParam_has_next> && </#if></#list>) {
 return<#if returnType.name != "void"> null</#if>;
 }
 </#if>

 <#if !existingInstanceMapping>
 <@includeModel object=resultType/> ${resultName} = <#if factoryMethod?><@includeModel
object=factoryMethod targetType=resultType/><#else>new <@includeModel object=resultType/>()</#if>;

 </#if>
 <#list beforeMappingReferencesWithMappingTarget as callback>
 <@includeModel object=callback targetBeanName=resultName
targetType=resultType/>
 <#if !callback_has_next>

 </#if>
</#list>
 <#if (sourceParameters?size > 1)>
 <#list sourceParametersExcludingPrimitives as sourceParam>
 <#if (propertyMappingsByParameter(sourceParam)?size > 0)>
 if (${sourceParam.name} != null) {
 <#list propertyMappingsByParameter(sourceParam) as propertyMapping>
 <@includeModel object=propertyMapping targetBeanName=resultName
existingInstanceMapping=existingInstanceMapping
defaultValueAssignment=propertyMapping.defaultValueAssignment/>
 </#list>
 }
 </#if>
 </#list>
 <#list sourcePrimitiveParameters as sourceParam>
 <#if (propertyMappingsByParameter(sourceParam)?size > 0)>
 <#list propertyMappingsByParameter(sourceParam) as propertyMapping>
 <@includeModel object=propertyMapping targetBeanName=resultName
existingInstanceMapping=existingInstanceMapping

```

```

defaultValueAssignment=propertyMapping.defaultValueAssignment/>
 </#list>
 </#if>
</#list>
<#else>
 <#if mapNullToDefault>if (${sourceParameters[0].name} != null) {</#if>
 <#list propertyMappingsByParameter(sourceParameters[0]) as propertyMapping>
 <@includeModel object=propertyMapping targetBeanName=resultName
existingInstanceMapping=existingInstanceMapping
defaultValueAssignment=propertyMapping.defaultValueAssignment/>
 </#list>
 <#if mapNullToDefault>}</#if>
</#if>
<#list constantMappings as constantMapping>
 <@includeModel object=constantMapping targetBeanName=resultName
existingInstanceMapping=existingInstanceMapping/>
</#list>
<#list afterMappingReferences as callback>
 <#if callback_index = 0>

 </#if>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
</#list>
<#if returnType.name != "void">

return
${resultName};
</#if>
}
<#macro throws>
 <#if (thrownTypes?size > 0)><#t> throws </#if><@compress single_line=true>
 <#list thrownTypes as exceptionType>
 <@includeModel object=exceptionType/>
 <#if exceptionType_has_next>, </#if><#t>
 </#list>
 </@compress>
</#macro>

```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/BeanMappingMethod.ftl

No license file was found, but licenses were detected in source scan.

```

<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--

```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)

and/or other contributors as indicated by the @authors tag. See the

copyright.txt file in the distribution for a full listing of all contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
private XMLGregorianCalendar
${name}(String date, String dateFormat) {
 if (date == null) {
 return null;
 }

 try {
 if (dateFormat != null) {
 DateFormat df = new SimpleDateFormat(dateFormat);
 GregorianCalendar c = new GregorianCalendar();
 c.setTime(df.parse(date));
 return DatatypeFactory.newInstance().newXMLGregorianCalendar(c);
 }
 else {
 return DatatypeFactory.newInstance().newXMLGregorianCalendar(date);
 }
 }
 catch (DatatypeConfigurationException ex) {
 throw new RuntimeException(ex);
 }
 catch (ParseException ex) {
 throw new RuntimeException(ex);
 }
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/StringToXmlGregorianCalendar.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.IterableCreation" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
<@compress single_line=true>
 <#if factoryMethod??>
 <@includeModel object=factoryMethod targetType=resultType/>
 <#else>
 new
 <#if resultType.implementationType??>
 <@includeModel object=resultType.implementationType/><#if ext.useSizeIfPossible?? &&
ext.useSizeIfPossible && canUseSize>(<@sizeForCreation />)<#else>()</#if>
 <#else>
 <@includeModel object=resultType/>()</#if>
 </#if>
 </@compress>
<#macro sizeForCreation>
 <@compress single_line=true>
 <#if loadFactorAdjustment>
 Math.max((int) (<@iterableSize/> / .75f) + 1, 16)
 <#else>
 <@iterableSize/>
 </#if>
 </@compress>
</#macro>
<#macro iterableSize>
 <@compress single_line=true>
 <#if sourceParameter.type.arrayType>
 ${sourceParameter.name}.length
 <#else>
 ${sourceParameter.name}.size()
 </#if>
 </@compress>
</#macro>
```

</#macro>

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/IterableCreation.ftl

No license file was found, but licenses were detected in source scan.

<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.NestedPropertyMappingMethod" -->  
<!--

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

```
<#lt>private <@includeModel
object=returnType/> ${name}<(#list parameters as param><@includeModel object=param/><#if
param_has_next>, </#if></#list>) {
 if (${sourceParameter.name} == null) {
 return ${returnType.null};
 }
<#list propertyEntries as entry>
 <#if entry.presenceCheckerName?? >
 if (!<@localVarName index=entry_index/>.${entry.presenceCheckerName}()) {
 return ${returnType.null};
 }
 </#if>
 <@includeModel object=entry.type/> ${entry.name} = <@localVarName
index=entry_index/>.${entry.accessorName};
 <#if !entry.presenceCheckerName?? >
 <#if !entry.type.primitive>
 if (${entry.name} == null) {
 return ${returnType.null};
 }
 </#if>
```

```

</#if>
<#if !entry_has_next>
return ${entry.name};
</#if>
</#list>
}
<#macro localVarName index><#if index == 0>${sourceParameter.name}<#else>${propertyEntries[index-
1].name}</#if></#macro>

```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/NestedPropertyMappingMethod.ftl
```

No license file was found, but licenses were detected in source scan.

```

<#-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.EnumMappingMethod" -->
<#--

```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
```

```
@Override
```

```
public <@includeModel
```

```
object=returnType/> ${name}(<@includeModel object=sourceParameter/>) {
```

```
<#list beforeMappingReferencesWithoutMappingTarget as callback>
```

```
<@includeModel object=callback targetBeanName=resultName targetType=resultType/>
```

```
<#if !callback_has_next>
```

```
</#if>
```

```
</#list>
```

```
if (${sourceParameter.name} == null) {
```

```
return null;
```

```
}
```

```

<@includeModel object=resultType/> ${resultName};

switch (${sourceParameter.name}) {
<#list enumMappings as enumMapping>
 case ${enumMapping.source}: ${resultName} = <@includeModel
object=returnType/>.${enumMapping.target};
 break;
</#list>
default: throw new IllegalArgumentException("Unexpected enum constant: " + ${sourceParameter.name});
}
<#list beforeMappingReferencesWithMappingTarget as callback>
 <#if callback_index = 0>

 </#if>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
 </#list>
<#list afterMappingReferences
as callback>
 <#if callback_index = 0>

 </#if>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
 </#list>

return ${resultName};
}

```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/EnumMappingMethod.ftl

No license file was found, but licenses were detected in source scan.

```

<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.assignment.ArrayCopyWrapper" -->
<!--

```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
<#import "../macro/CommonMacros.ftl"
as lib>
<@lib.handleExceptions>
 <@lib.sourceLocalVarAssignment/>
 <@lib.handleSourceReferenceNullCheck>
 ${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWrite>Arrays.copyOf(
${sourceLocalVarName}, ${sourceLocalVarName}.length)</@lib.handleWrite>;
 </@lib.handleSourceReferenceNullCheck>
</@lib.handleExceptions>
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/assignment/ArrayCopyWrapper.ftl
```

No license file was found, but licenses were detected in source scan.

```
<#-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<#--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
private DecimalFormat ${name}(
String numberFormat) {

 DecimalFormat df = new DecimalFormat(numberFormat);
 df.setParseBigDecimal(true);
 return df;
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/conversion/CreateDecimalFormat.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
```

```
private static Date ${name}(
XMLGregorianCalendar xcal) {
 if (xcal == null) {
 return null;
 }

 return xcal.toGregorianCalendar().getTime();
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToDate.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.MethodReference" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
<@compress single_line=true>

 <!-- method is either internal to the mapper class, or external (via uses) declaringMapper!=null -->
 <#if declaringMapper??>
 <#if static><@includeModel
object=declaringMapper.type/><#else>${ mapperVariableName }</#if>.<@methodCall/>
 <!-- method is provided by a context parameter -->
 <#elseif providingParameter??>
 <#if static><@includeModel
object=providingParameter.type/><#else>${ providingParameter.name }</#if>.<@methodCall/>
 <!-- method is referenced java8 static method in the mapper to implement (interface) -->
 <#elseif static>
 <@includeModel object=definingType/>.<@methodCall/>
 <#else>
 <@methodCall/>
 </#if>
 </@compress>
 <!--
 macro: methodCall
 purpose: the actual method call (stuff following the dot)
 -->
 <#macro methodCall>
 <#t>${ name }<#if (parameterBindings?size > 0)>(<@arguments/>)<#else>()</#if>
 </#macro>
 <!--
 macro: arguments
 purpose: the arguments in the method call
 -->
 <#macro arguments>
 <#list
parameterBindings as param>
 <#if param.targetType>
 <!-- a class is passed on for casting, see @TargetType -->
 <@includeModel object=ext.targetType raw=true/>.class<#t>
```

```

<#elseif param.mappingTarget>
 ${ext.targetBeanName}<#if ext.targetReadAccessorName??.${ext.targetReadAccessorName}</#if><#t>
<#elseif param.mappingContext>
 ${param.variableName}<#t>
<#elseif param.sourceRHS??.>
 <@_assignment assignmentToUse=param.sourceRHS/><#t>
<#elseif assignment??.>
 <@_assignment assignmentToUse=assignment/><#t>
<#else>
 ${param.variableName}<#t>
</#if>
 <#if param_has_next>, </#if><#t>
</#list>
<!-- context parameter, e.g. for builtin methods concerning date conversion -->
<#if contextParam??.>, ${contextParam}</#if><#t>
</#macro>
<!--
macro: assignment
purpose: note: takes its targetType from the singleSourceParameterType
-->
<#macro
_assignment assignmentToUse>
<@includeModel object=assignmentToUse
 targetBeanName=ext.targetBeanName
 existingInstanceMapping=ext.existingInstanceMapping
 targetReadAccessorName=ext.targetReadAccessorName
 targetWriteAccessorName=ext.targetWriteAccessorName
 targetType=singleSourceParameterType/>
</#macro>

```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/MethodReference.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name=""
```

```
type="org.mapstruct.ap.internal.model.assignment.SetterWrapperForCollectionsAndMapsWithNullCheck" -->
```

```
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)

and/or other contributors as indicated by the @authors tag. See the

copyright.txt file in the distribution for a full listing of all

contributors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
<#import
"../macro/CommonMacros.ftl" as lib>
<@lib.sourceLocalVarAssignment/>
<@lib.handleExceptions>
<@callTargetWriteAccessor/>
<#if !ext.defaultValueAssignment??>else {<#-- the opposite (defaultValueAssignment) case is handled inside
lib.handleLocalVarNullCheck -->
 ${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWrite><#if
mapNullToDefault<<@lib.initTargetObject/><#else>null</#if></@lib.handleWrite>;
 }
</#if>
</@lib.handleExceptions>
<#--
assigns the target via the regular target write accessor (usually the setter)
-->
<#macro callTargetWriteAccessor>
<@lib.handleLocalVarNullCheck needs_explicit_local_var=directAssignment>
 ${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWrite><#if
directAssignment<<@wrapLocalVarInCollectionInitializer/><#else><@lib.handleWithAssignmentOrNullCheckVa
r/></#if></@lib.handleWrite>;
</@lib.handleLocalVarNullCheck>
</#macro>
<#--
wraps the local variable in a collection initializer (new collection,
or EnumSet.copyOf)
-->
<#macro wrapLocalVarInCollectionInitializer><@compress single_line=true>
<#if enumSet>
 EnumSet.copyOf(${nullCheckLocalVarName})
<#else>
 new <#if ext.targetType.implementationType??><@includeModel
object=ext.targetType.implementationType/><#else><@includeModel object=ext.targetType/></#if>(
 ${nullCheckLocalVarName})
</#if>
</@compress></#macro>
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/assignment/SetterWrapperForCollectionsAndMapsWithNullCheck.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.assignment.Java8FunctionWrapper" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
<#assign sourceVarName><#if
assignment.sourceLocalVarName??
>${assignment.sourceLocalVarName}<#else>${assignment.sourceReference}</#if></#assign>
<#if (thrownTypes?size == 0) >
 <#compress>
 <#if directAssignment>
 Function.identity()
 <#else>
 ${sourceVarName} -> <@_assignment/></#if>
 </#compress>
<#else>
 <#compress>
 ${sourceVarName} -> {
 try {
 return <@_assignment/>;
 }
 <#list thrownTypes as exceptionType>
 catch (<@includeModel object=exceptionType/> e) {
 throw new RuntimeException(e);
 }
 }
 </#list>
 }
</#compress>
</#if>
<#macro _assignment>
```

```
<@includeModel object=assignment
targetBeanName=ext.targetBeanName
existingInstanceMapping=ext.existingInstanceMapping
targetReadAccessorName=ext.targetReadAccessorName
targetWriteAccessorName=ext.targetWriteAccessorName
targetType=ext.targetType/>
</#macro>
```

Found in path(s):

\*

/opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/assignment/Java8FunctionWrapper.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
```

```
private XMLGregorianCalendar
${name}(DateTime dt) {
 if (dt == null) {
 return null;
 }

 try {
 return DatatypeFactory.newInstance().newXMLGregorianCalendar(
 dt.getYear(),
 dt.getMonthOfYear(),
 dt.getDayOfMonth(),
 dt.getHourOfDay(),
 dt.getMinuteOfHour(),
```

```

 dt.getSecondOfMinute(),
 dt.getMillisOfSecond(),
 dt.getZone().getOffset(null) / 60000);
 }
 catch (DatatypeConfigurationException ex) {
 throw new RuntimeException(ex);
 }
}

```

Found in path(s):

```

* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/source/builtin/JodaDateTimeToXmlGregorianCalendar.ftl

```

No license file was found, but licenses were detected in source scan.

```

<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--

```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```

-->

```

```

private static DateTime ${name}{
 XMLGregorianCalendar xcal) {
 if (xcal == null) {
 return null;
 }

 if (xcal.getYear() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getMonth() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getDay() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getHour() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getMinute() != DatatypeConstants.FIELD_UNDEFINED
) {
 if (xcal.getSecond() != DatatypeConstants.FIELD_UNDEFINED

```

```

 && xcal.getMillisecond() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getTimezone() != DatatypeConstants.FIELD_UNDEFINED) {
return new DateTime(xcal.getYear(),
 xcal.getMonth(),
 xcal.getDay(),
 xcal.getHour(),
 xcal.getMinute(),
 xcal.getSecond(),
 xcal.getMillisecond(),
 DateTimeZone.forOffsetMillis(xcal.getTimezone() * 60000
)
);
}
else if (xcal.getSecond() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getMillisecond() != DatatypeConstants.FIELD_UNDEFINED) {
return new DateTime(xcal.getYear(),
 xcal.getMonth(),
 xcal.getDay(),
 xcal.getHour(),
 xcal.getMinute(),
 xcal.getSecond(),
 xcal.getMillisecond()
);
}
else if (xcal.getSecond() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getTimezone() != DatatypeConstants.FIELD_UNDEFINED) {
return new DateTime(xcal.getYear(),
 xcal.getMonth(),
 xcal.getDay(),
 xcal.getHour(),
 xcal.getMinute(),
 xcal.getSecond(),
 DateTimeZone.forOffsetMillis(xcal.getTimezone() * 60000)
);
}
else if (xcal.getSecond() != DatatypeConstants.FIELD_UNDEFINED) {
return new DateTime(xcal.getYear(),
 xcal.getMonth(),
 xcal.getDay(),
 xcal.getHour(),
 xcal.getMinute(),
 xcal.getSecond()
);
}
else if (xcal.getTimezone() != DatatypeConstants.FIELD_UNDEFINED) {
return new DateTime(xcal.getYear(),
 xcal.getMonth(),

```

```

 xcal.getDay(),
 xcal.getHour(),
 xcal.getMinute(),
 DateTimeZone.forOffsetMillis(xcal.getTimezone() * 60000)
);
}
else {
 return new DateTime(xcal.getYear(),
 xcal.getMonth(),
 xcal.getDay(),
 xcal.getHour(),
 xcal.getMinute()
);
}

}
return null;
}

```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToJodaDateTime.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.TypeConversion" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
<@compress single_line=true>
${openExpression}<@_assignment/>${closeExpression}
<#macro
```

```
_assignment>
<@includeModel object=assignment
 targetBeanName=ext.targetBeanName
 existingInstanceMapping=ext.existingInstanceMapping
 targetReadAccessorName=ext.targetReadAccessorName
 targetWriteAccessorName=ext.targetWriteAccessorName
 targetType=ext.targetType/>
</#macro>
</@compress>
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/TypeConversion.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
private Calendar ${name}(ZonedDateTime
dateTime) {
 if (dateTime == null) {
 return null;
 }

 Calendar instance = Calendar.getInstance(TimeZone.getTimeZone(dateTime.getZone()));
 instance.setTimeInMillis(dateTime.toInstant().toEpochMilli());
 return instance;
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/ZonedDateTimeToCalendar.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
private XMLGregorianCalendar
${name}(LocalDateTime dt) {
 if (dt == null) {
 return null;
 }

 try {
 return DatatypeFactory.newInstance().newXMLGregorianCalendar(
 dt.getYear(),
 dt.getMonthOfYear(),
 dt.getDayOfMonth(),
 dt.getHourOfDay(),
 dt.getMinuteOfHour(),
 dt.getSecondOfMinute(),
 dt.getMillisOfSecond(),
 DatatypeConstants.FIELD_UNDEFINED);
 }
 catch (DatatypeConfigurationException ex) {
 throw new RuntimeException(ex);
 }
}
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/JodaLocalDateTimeToXmlGregorianCalendar.ftl  
No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.MapMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
<#if overridden>@Override</#if>
<#lt>${ accessibility.keyword }
<@includeModel object=returnType /> ${ name }(<#list parameters as param><@includeModel
object=param/><#if param_has_next>, </#if></#list><@throws/> {
 <#list beforeMappingReferencesWithoutMappingTarget as callback>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
 <#if !callback_has_next>

</#if>
</#list>
if (${ sourceParameter.name } == null) {
 <#if !mapNullToDefault>
 return<#if returnType.name != "void"> null</#if>;
 <#else>
 <#if existingInstanceMapping>
 ${ resultName }.clear();
 return<#if returnType.name != "void"> ${ resultName }</#if>;
 <#else>
 return <@includeModel object=iterableCreation useSizeIfPossible=false/>;
 </#if>
 </#if>
</#if>
}
```

```

<#if existingInstanceMapping>
 ${resultName}.clear();
<#else>
 <@includeModel object=resultType /> ${resultName} = <@includeModel
object=iterableCreation useSizeIfPossible=true/>;
</#if>

<#list beforeMappingReferencesWithMappingTarget as callback>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
 <#if !callback_has_next>

 </#if>
</#list>
<#-- Once #148 has been addressed, the simple name of Map.Entry can be used -->
for (java.util.Map.Entry<<#list sourceElementTypes as typeParameter><@includeModel object=typeParameter
/><#if typeParameter_has_next>, </#if></#list>> ${entryVariableName} : ${sourceParameter.name}.entrySet()) {
 <#-- key -->
 <@includeModel object=keyAssignment
 targetWriteAccessorName=keyVariableName
 targetType=resultElementTypes[0].typeBound/>
 <#-- value -->
 <@includeModel object=valueAssignment
 targetWriteAccessorName=valueVariableName
 targetType=resultElementTypes[1].typeBound/>
 ${resultName}.put(${keyVariableName},
${valueVariableName});
}
<#list afterMappingReferences as callback>
 <#if callback_index = 0>

</#if>
 <@includeModel object=callback targetBeanName=resultName targetType=resultType/>
</#list>
<#if returnType.name != "void">

 return ${resultName};
</#if>
}
<#macro throws>
 <#if (thrownTypes?size > 0)><#lt> throws </#if><@compress single_line=true>
 <#list thrownTypes as exceptionType>
 <@includeModel object=exceptionType/>
 <#if exceptionType_has_next>, </#if><#t>
 </#list>
 </@compress>
</#macro>

```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/MapMappingMethod.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.DelegatingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
```

```
@Override
```

```
public <@includeModel
```

```
object=returnType/> ${name}(<#list parameters as param><@includeModel object=param/><#if
param_has_next>, </#if></#list>) <@throws/> {
```

```
<#if returnType.name != "void">return </#if>delegate.${name}(<#list parameters as param>${param.name}<#if
param_has_next>, </#if></#list>);
```

```
}
```

```
<#macro throws>
```

```
<@compress single_line=true>
```

```
<#if (thrownTypes?size > 0)>throws </#if>
```

```
<#list thrownTypes as exceptionType>
```

```
<@includeModel object=exceptionType/>
```

```
<#if exceptionType_has_next>, </#if><#t>
```

```
</#list>
```

```
</@compress>
```

```
</#macro>
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/DelegatingMethod.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
```

<!--

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

```
private XMLGregorianCalendar
${name}(Calendar cal) {
 if (cal == null) {
 return null;
 }

 try {
 GregorianCalendar gcal = new GregorianCalendar();
 gcal.setTimeInMillis(cal.getTimeInMillis());
 return DatatypeFactory.newInstance().newXMLGregorianCalendar(gcal);
 }
 catch (DatatypeConfigurationException ex) {
 throw new RuntimeException(ex);
 }
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/builtin/CalendarToXmlGregorianCalendar.ftl

No license file was found, but licenses were detected in source scan.

<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->

<!--

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
private static LocalDate ${name}{
XMLGregorianCalendar xcal) {
 if (xcal == null) {
 return null;
 }

 if (xcal.getYear() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getMonth() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getDay() != DatatypeConstants.FIELD_UNDEFINED) {
 return new LocalDate(xcal.getYear(), xcal.getMonth(), xcal.getDay());
 }

 return null;
}
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToJodaLocalDate.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.ServicesEntry" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

```
${implementationPackage}.${implementationName}
```

Found

in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/ServicesEntry.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.DecoratorConstructor" -->
```

```
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>) and/or other contributors as indicated by the @authors tag. See the copyright.txt file in the distribution for a full listing of all contributors.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

```
public ${name}() {
 this(
 new ${delegateName}());
}

private ${name}(${delegateName} delegate) {
 <#if invokeSuperConstructor>
 super(delegate);
 </#if>
 this.delegate = delegate;
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/DecoratorConstructor.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name=""
```

```
type="org.mapstruct.ap.internal.model.assignment.GetterWrapperForCollectionsAndMaps" -->
```

```
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
```

```
<#import
```

```
"/macro/CommonMacros.ftl" as lib>
```

```
<@lib.sourceLocalVarAssignment/>
```

```
if (${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWriteAccessing /> != null) {
```

```
<@lib.handleExceptions>
```

```
<#if ext.existingInstanceMapping>
```

```
 ${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWriteAccessing />.clear();
```

```
</#if>
```

```
<@lib.handleLocalVarNullCheck needs_explicit_local_var=false>
```

```
 ${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWriteAccessing />.<#if
```

```
ext.targetType.collectionType>addAll<#else>putAll</#if>(<@lib.handleWithAssignmentOrNullCheckVar/>);
```

```
</@lib.handleLocalVarNullCheck>
```

```
</@lib.handleExceptions>
```

```
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/assignment/GetterWrapperForCollectionsAndMaps.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
```

<!--

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

```
private ZonedDateTime ${name}(Calendar
cal) {
 if (cal == null) {
 return null;
 }

 return ZonedDateTime.ofInstant(cal.toInstant(), cal.getTimeZone().toZoneId());
}
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/source/builtin/CalendarToZonedDateTime.ftl

No license file was found, but licenses were detected in source scan.

<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.assignment.LocalVarWrapper" -->  
<!--

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
<#if (thrownTypes?size
== 0) >
 <#if !ext.isTargetDefined?? ><@includeModel object=ext.targetType/></#if> ${ext.targetWriteAccessorName} =
<@_assignment/>;
<#else>
 <#if !ext.isTargetDefined?? ><@includeModel object=ext.targetType/> ${ext.targetWriteAccessorName};</#if>
 try {
 ${ext.targetWriteAccessorName} = <@_assignment/>;
 }
 <#list thrownTypes as exceptionType>
 catch (<@includeModel object=exceptionType/> e) {
 throw new RuntimeException(e);
 }
</#list>
</#if>
<#macro _assignment>
 <@includeModel object=assignment
 targetBeanName=ext.targetBeanName
 existingInstanceMapping=ext.existingInstanceMapping
 targetReadAccessorName=ext.targetReadAccessorName
 targetWriteAccessorName=ext.targetWriteAccessorName
 targetType=ext.targetType/>
</#macro>
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/assignment/LocalVarWrapper.ftl
```

No license file was found, but licenses were detected in source scan.

```
<#-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.common.Type" -->
```

```
<#--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>) and/or other contributors as indicated by the @authors tag. See the copyright.txt file in the distribution for a full listing of all contributors.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
<@compress single_line=true>
 <#if
wildCardExtendsBound>
 ? extends <@includeModel object=typeBound />
 <#elseif wildCardSuperBound>
 ? super <@includeModel object=typeBound />
 <#else>
 <#if imported>${name}<#else>${fullyQualifiedName}</#if></#if><#if (!ext.raw?? && typeParameters?size >
0) ><#list typeParameters as typeParameter><@includeModel object=typeParameter /><#if
typeParameter_has_next>, </#if></#list>>
 </#if>
 </@compress>
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/common/Type.ftl

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.VirtualMappingMethod" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>) and/or other contributors as indicated by the @authors tag. See the copyright.txt file in the distribution for a full listing of all contributors.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```

-->
private static LocalDateTime
${name}(XMLGregorianCalendar xcal) {
 if (xcal == null) {
 return null;
 }

 if (xcal.getYear() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getMonth() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getDay() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getHour() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getMinute() != DatatypeConstants.FIELD_UNDEFINED
) {
 if (xcal.getSecond() != DatatypeConstants.FIELD_UNDEFINED
 && xcal.getMillisecond() != DatatypeConstants.FIELD_UNDEFINED) {
 return new LocalDateTime(xcal.getYear(),
 xcal.getMonth(),
 xcal.getDay(),
 xcal.getHour(),
 xcal.getMinute(),
 xcal.getSecond(),
 xcal.getMillisecond()
);
 }
 else if (xcal.getSecond() != DatatypeConstants.FIELD_UNDEFINED) {
 return new
LocalDateTime(xcal.getYear(),
 xcal.getMonth(),
 xcal.getDay(),
 xcal.getHour(),
 xcal.getMinute(),
 xcal.getSecond()
);
 }
 else {
 return new LocalDateTime(xcal.getYear(),
 xcal.getMonth(),
 xcal.getDay(),
 xcal.getHour(),
 xcal.getMinute()
);
 }
 }
 return null;
}

```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-

jar/org/mapstruct/ap/internal/model/source/builtin/XmlGregorianCalendarToJodaLocalDateTime.ftl  
No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.DefaultMapperReference" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
```

```
private final <@includeModel
object=type/> ${variableName} = <#if annotatedMapper>Mappers.getMapper(<@includeModel
object=type/>.class);<#else>new <@includeModel object=type/>();</#if>
```

Found in path(s):

\* /opt/cola/permits/1611054473\_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-  
jar/org/mapstruct/ap/internal/model/DefaultMapperReference.ftl  
No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name=""
type="org.mapstruct.ap.internal.model.assignment.SetterWrapperForCollectionsAndMaps" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
<#import
"../macro/CommonMacros.ftl" as lib>
<@lib.sourceLocalVarAssignment/>
<@lib.handleExceptions>
${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWrite><@lib.handleAssignment/></@lib.handleWrite>;
</@lib.handleExceptions>
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-jar/org/mapstruct/ap/internal/model/assignment/SetterWrapperForCollectionsAndMaps.ftl
No license file was found, but licenses were detected in source scan.
```

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.assignment.SetterWrapper" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>) and/or other contributors as indicated by the @authors tag. See the copyright.txt file in the distribution for a full listing of all contributors.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
<#import "../macro/CommonMacros.ftl"
as lib>
<@lib.handleExceptions>
<@lib.sourceLocalVarAssignment/>
<@lib.handleSourceReferenceNullCheck>
${ext.targetBeanName}.${ext.targetWriteAccessorName}<@lib.handleWrite><@lib.handleAssignment/></@lib.handleWrite>;
```

```
</@lib.handleSourceReferenceNullCheck>
</@lib.handleExceptions>
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/assignment/SetterWrapper.ftl
```

No license file was found, but licenses were detected in source scan.

```
<!-- @ftlvariable name="" type="org.mapstruct.ap.internal.model.Annotation" -->
<!--
```

Copyright 2012-2017 Gunnar Morling (<http://www.gunnarmorling.de/>)  
and/or other contributors as indicated by the @authors tag. See the  
copyright.txt file in the distribution for a full listing of all  
contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
-->
```

```
@<@includeModel object=type/><#if (properties?size
> 0) ><#list properties as property>${property}<#if property_has_next>, </#if></#list></#if>
```

Found in path(s):

```
* /opt/cola/permits/1611054473_1681844557.1612659/0/mapstruct-processor-1-2-0-final-sources-4-
jar/org/mapstruct/ap/internal/model/Annotation.ftl
```

## 1.193 logback-core 1.2.12

### 1.193.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Logback: the reliable, generic, fast and flexible logging framework.
```

```
* Copyright (C) 1999-2015, QOS.ch. All rights reserved.
```

```
*
```

```
* This program and the accompanying materials are dual-licensed under
```

```
* either the terms of the Eclipse Public License v1.0 as published by
```

\* the Eclipse Foundation  
\*  
\* or (per the licensee's choosing)  
\*  
\* under the terms of the GNU Lesser General Public License version 2.1  
\* as published by the Free Software Foundation.  
\*/

Found in path(s):

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/html/HTMLLayoutBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/status/OnErrorConsoleStatusListener.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/FixedWindowRollingPolicy.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/spi/XMLUtil.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/SizeAndTimeBasedFNATP.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/sift/DefaultDiscriminator.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/PreSerializationTransformer.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/BlackCompositeConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/SystemInfo.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/TriggeringPolicy.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/ContextBase.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/subst/NodeToStringTransformer.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/LifeCycleManager.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/server/ConcurrentServerRunner.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ssl/SSLNestedComponentRegistryRules.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/action/AppenderRefAction.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/RollingCalendar.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/property/ResourceExistsPropertyDefiner.java  
\*

/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/FilterReply.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/node/ComponentNode.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/AppenderAttachable.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/util/StringToObjectConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/hook/DelayingShutdownHook.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/SyslogAppenderBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/PatternLayoutEncoderBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/BoldCyanCompositeConverter.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ssl/KeyManagerFactoryFactoryBean.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/recovery/ResilientSyslogOutputStream.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/IntegerTokenConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/action/ImplicitAction.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/SizeAndTimeBasedArchiveRemover.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/sift/AbstractAppenderFactoryUsingJoran.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/sift/Discriminator.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/CharSequenceToRegexMapper.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/conditional/ThenOrElseActionBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/DatePatternToRegexUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/FormattingConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/status/ViewStatusMessagesServletBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/RollingPolicyBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/action/IADDataForComplexProperty.java  
\*

/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ssl/SecureRandomFactoryBean.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/encoder/NonClosableInputStream.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/FixedDelay.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/recovery/ResilientOutputStreamBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/SyslogConstants.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/filter/AbstractMatcherFilter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/PeriodicityType.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/DefaultSocketConnector.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/LayoutBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/OutputStreamAppender.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/LogbackException.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/encoder/ByteArrayUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/event/stax/StaxEvent.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ssl/KeyStoreFactoryBean.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/DefaultTimeBasedFileNamingAndTriggeringPolicy.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/status/ErrorStatus.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/BlueCompositeConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/ArchiveRemover.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/parser/Node.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/filter/EvaluatorFilter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/recovery/RecoveryCoordinator.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/CyclicBufferTracker.java  
\*

/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/ConsoleAppender.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/LocationUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/spi/ElementPath.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/action/ActionConst.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/CompressionMode.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/JoranConfiguratorBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/RedCompositeConverter.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/conditional/ElseAction.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/server/ClientVisitor.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/helpers/Transform.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/parser/TokenStream.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/action/ShutdownHookAction.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/layout/EchoLayout.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/FilterAttachable.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/PropertyDefiner.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/BoldYellowCompositeConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/AppenderAttachableImpl.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/MagentaCompositeConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/status/OnPrintStreamStatusListenerBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/CoreConstants.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/action/ActionUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/action/ContextPropertyAction.java  
\*

/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/WhiteCompositeConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/TimeBasedArchiveRemover.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/util/ConfigurationWatchListUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/status/StatusListener.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/status/WarnStatus.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/FileUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/PropertyDefinerBase.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/BoldRedCompositeConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/sift/SiftingJoranConfiguratorBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/status/InfoStatus.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/spi/InterpretationContext.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/server/RemoteReceiverStreamClient.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/AsyncAppenderBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/read/CyclicBufferAppender.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/spi/ConsoleTarget.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/boolex/Matcher.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/event/BodyEvent.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/ContentTypeUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/server/ServerListener.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/Duration.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/SpacePadder.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ssl/SSLConfigurableSocket.java  
\*

/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/PropertySetterException.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/boolex/EventEvaluatorBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/encoder/EchoEncoder.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/util/PropertySetter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/conditional/Condition.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/status/NopStatusListener.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ssl/SSLConfigurableServerSocket.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/AppenderBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/FileSize.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/conditional/PropertyEvalScriptBuilder.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/OptionHelper.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/conditional/PropertyWrapperForScripts.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/event/stax/BodyEvent.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/parser/CompositeNode.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/spi/SimpleRuleStore.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/PostCompileProcessor.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/FormatInfo.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/ContextUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/filter/Filter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/server/Client.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/RollingPolicy.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/BoldBlueCompositeConverter.java  
\*

/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/IncompatibleClassException.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/UnsynchronizedAppenderBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/property/FileExistsPropertyDefiner.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/spi/HostClassAndPropertyDouble.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/encoder/EncoderBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/read/ListAppender.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ssl/SSL.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/ReplacingCompositeConverter.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/AbstractComponentTracker.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/PropertyContainer.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/ContextAwareBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/spi/RuleStore.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/server/SSLServerSocketAppenderBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/ForegroundCompositeConverterBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/spi/NoAutoStart.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/FilterAttachableImpl.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/action/NestedComplexPropertyIA.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/subst/Node.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/ANSIConstants.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/BoldMagentaCompositeConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/html/IThrowableRenderer.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/SMTPAppenderBase.java  
\*

/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/parser/OptionTokenizer.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/LoginAuthenticator.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/BoldWhiteCompositeConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/MonoTypedConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/Appender.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/Layout.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/IdentityCompositeConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/FileStoreUtil.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/AbstractSocketAppender.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/FileFilterUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/ContextAware.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/action/NOPAction.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/QueueFactory.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/server/ServerRunner.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/helpers/NOPAppender.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/event/EndEvent.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/AbstractSSLSocketAppender.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/spi/DefaultNestedComponentRegistry.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/parser/SimpleKeywordNode.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/action/AbstractEventEvaluatorAction.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/LogbackLock.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/CharSequenceState.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/ScanException.java

```

*
/opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/spi/LifeCycle.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/spi/EventPlayer.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/pattern/color/GrayCompositeConverter.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/util/DynamicClassLoadingException.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/rolling/TimeBasedRollingPolicy.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/pattern/color/CyanCompositeConverter.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/pattern/util/IEscapeUtil.java
*
/opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/sift/AppenderTracker.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/status/OnConsoleStatusListener.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/hook/ShutdownHookBase.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/pattern/color/GreenCompositeConverter.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/event/StartEvent.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/hook/ShutdownHook.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/action/TimestampAction.java
*
/opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/action/DefinePropertyAction.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/pattern/color/BoldGreenCompositeConverter.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/boolex/EvaluationException.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/conditional/ThenAction.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/recovery/ResilientFileOutputStream.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/util/JNDIUtil.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/conditional/IfAction.java
*
/opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/util/StatusListenerConfigHelper.java

```

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/server/RemoteReceiverServerListener.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/spi/ConfigurationWatchList.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/LiteralConverter.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/RolloverFailure.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/ComponentTracker.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ssl/SSLContextFactoryBean.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/spi/DeferredProcessingAware.java

\*

/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/color/YellowCompositeConverter.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/RollingFileAppender.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/util/ExecutorServiceUtil.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ObjectWriterFactory.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/util/RestrictedEscapeUtil.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/FileNamePattern.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/parser/Parser.java

\*

/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ObjectWriter.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/server/ServerSocketListener.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/parser/FormattingNode.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/boolex/JaninoEventEvaluatorBase.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/html/CssBuilder.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/ConverterUtil.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/helpers/CyclicBuffer.java

\*

/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/event/InPlayListener.java

\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-

jar/ch/qos/logback/core/util/DefaultInvocationGate.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/rolling/TimeBasedFileNamingAndTriggeringPolicyBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/pattern/Converter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/pattern/util/AsIsEscapeUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/joran/action/AppenderAction.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/net/ssl/SSLParametersConfiguration.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/pattern/parser/Token.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/html/NOThrowableRenderer.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/joran/spi/ElementSelector.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/subst/Parser.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/joran/spi/ActionException.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/spi/ContextAwareImpl.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/subst/Token.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/joran/action/IncludeAction.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/joran/GenericConfigurator.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/joran/spi/NoAutoStartUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/util/TimeUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/rolling/helper/DateTokenConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/encoder/LayoutWrappingEncoder.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/status/StatusUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/net/SyslogOutputStream.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/sift/AppenderFactory.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-  
jar/ch/qos/logback/core/joran/event/stax/StartEvent.java

```

* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/net/AutoFlushingObjectWriter.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/status/StatusManager.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/helpers/ThrowableToStringArray.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/rolling/TriggeringPolicyBase.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/rolling/helper/TokenConverter.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/status/Status.java
*
/opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/util/StringCollectionUtil.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/net/SocketConnector.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/event/stax/EndEvent.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/util/StatusPrinter.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/action/Action.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/action/StatusListenerAction.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/net/server/RemoteReceiverServerRunner.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/net/ssl/TrustManagerFactoryFactoryBean.java
*
/opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/action/NewRuleAction.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/pattern/util/RegularEscapeUtil.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/net/server/AbstractServerSocketAppender.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/sift/SiftingAppenderBase.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/util/AggregationType.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/action/PropertyAction.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/spi/JoranException.java
*
/opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/Context.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-

```

jar/ch/qos/logback/core/pattern/CompositeConverter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/subst/Tokenizer.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/spi/DefaultClass.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ssl/SSLConfigurable.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/sift/AbstractDiscriminator.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/event/SaxEvent.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/action/NestedBasicPropertyIA.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/server/RemoteReceiverClient.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/FileAppender.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/PatternLayoutBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/parser/Compiler.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/SizeBasedTriggeringPolicy.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/status/StatusBase.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/boolex/EventEvaluator.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ssl/ConfigurableSSLServerSocketFactory.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/pattern/util/AlmostAsIsEscapeUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/Compressor.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/rolling/helper/RenameUtil.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/spi/Interpreter.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/net/ssl/SSLComponent.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/event/SaxEventRecorder.java  
\*  
/opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/joran/event/stax/StaxEventRecorder.java  
\* /opt/cola/permits/1627232265\_1680652209.6499386/0/logback-core-1-2-12-sources-jar/ch/qos/logback/core/status/StatusListenerAsList.java

```

* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/action/ParamAction.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/util/Loader.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/encoder/Encoder.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/net/ssl/ConfigurableSSLSocketFactory.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/action/ConversionRuleAction.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/util/CachingDateFormat.java
*
/opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/util/CloseUtil.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/util/EnvUtil.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/util/DelayStrategy.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/BasicStatusManager.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/joran/action/IADDataForBasicProperty.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/net/ssl/SSLConfiguration.java
* /opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/pattern/DynamicConverter.java
*
/opt/cola/permits/1627232265_1680652209.6499386/0/logback-core-1-2-12-sources-
jar/ch/qos/logback/core/rolling/TimeBasedFileNamingAndTriggeringPolicy.java

```

# 1.194 netty 4.1.91.Final

## 1.194.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
 <modelVersion>4.0.0</modelVersion>

```

```

 <artifactId>jctools-core</artifactId>
 <groupId>org.jctools</groupId>
 <version>3.1.0</version>
 <name>Java Concurrency Tools Core Library</name>
 <description>Java Concurrency Tools Core Library</description>
 <packaging>bundle</packaging>

```

```

<dependencies>
 <dependency>
 <groupId>org.hamcrest</groupId>
 <artifactId>hamcrest-all</artifactId>
 <version>${hamcrest.version}</version>
 <scope>test</scope>
 </dependency>

 <dependency>
 <groupId>junit</groupId>
 <artifactId>junit</artifactId>
 <version>${junit.version}</version>
 <scope>test</scope>
 </dependency>

 <dependency>
 <groupId>com.google.guava</groupId>
 <artifactId>guava-testlib</artifactId>
 <version>${guava-testlib.version}</version>
 <scope>test</scope>
 </dependency>
</dependencies>
<build>
 <plugins>
 <plugin>
 <groupId>org.apache.maven.plugins</groupId>
 <artifactId>maven-surefire-plugin</artifactId>
 <version>3.0.0-M3</version>
 <configuration>
 <includes>
 <include>*</include>
 </includes>
 </configuration>
 </plugin>
 <plugin>
 <groupId>org.apache.felix</groupId>
 <artifactId>maven-bundle-plugin</artifactId>
 <version>4.2.1</version>
 <extensions>>true</extensions>
 <configuration>
 <instructions>
 <Import-Package>sun.misc;resolution:=optional</Import-Package>
 </instructions>
 </configuration>
 </plugin>
 <plugin>
 <groupId>org.apache.maven.plugins</groupId>
 <artifactId>maven-source-plugin</artifactId>

```

```

<version>3.2.0</version>
<executions>
 <execution>
 <id>attach-sources</id>
 <phase>verify</phase>
 <goals>
 <goal>jar-no-fork</goal>
 </goals>
 </execution>
</executions>
</plugin>
<plugin>
 <groupId>org.apache.maven.plugins</groupId>
 <artifactId>maven-javadoc-plugin</artifactId>
 <version>3.1.1</version>
 <configuration>
 <additionalOptions>
 <additionalOption>-Xdoclint:none</additionalOption>
 </additionalOptions>
 <source>8</source>
 </configuration>
 <executions>
 <execution>
 <id>attach-javadocs</id>
 <goals>
 <goal>jar</goal>
 </goals>
 </execution>
 </executions>
</plugin>
</plugins>
</build>

<distributionManagement>
 <repository>
 <id>bintray-jctools-jctools</id>
 <name>jctools-jctools</name>
 <url>https://api.bintray.com/maven/jctools/jctools/jctools-core/?publish=1</url>
 </repository>
</distributionManagement>

<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>

<licenses>
 <license>
 <name>Apache

```

```
License, Version 2.0</name>
 <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
 <distribution>repo</distribution>
</license>
</licenses>

<scm>
 <url>https://github.com/JCTools/JCTools</url>
 <connection>scm:git:https://github.com/JCTools/JCTools</connection>
 <tag>HEAD</tag>
</scm>

<developers>
 <developer>
 <url>https://github.com/nitsanw</url>
 </developer>
 <developer>
 <url>https://github.com/mjpt777</url>
 </developer>
 <developer>
 <url>https://github.com/RichardWarburton</url>
 </developer>
 <developer>
 <url>https://github.com/kay</url>
 </developer>
 <developer>
 <url>https://github.com/franz1981</url>
 </developer>
</developers>

<prerequisites>
 <maven>3.5.0</maven>
</prerequisites>

<properties>
 <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
 <java.version>1.6</java.version>
 <java.test.version>1.8</java.test.version>

 <maven.compiler.source>${java.version}</maven.compiler.source>
 <maven.compiler.target>${java.version}</maven.compiler.target>
 <maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
 <maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

 <hamcrest.version>1.3</hamcrest.version>
 <junit.version>4.12</junit.version>
 <guava-testlib.version>21.0</guava-testlib.version>
</properties>
```

</project>

Found

in path(s):

\* /opt/cola/permits/1629578961\_1681533568.115673/0/netty-common-4-1-91-final-jar/META-INF/maven/org.jctools/jctools-core/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.common

Built-By: norman

Bnd-LastModified: 1680521397750

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Import-Package: sun.misc;resolution:=optional,com.oracle.svm.core.anno

tate;resolution:=optional,io.netty.util;resolution:=optional,io.netty

.util.concurrent;resolution:=optional,io.netty.util.internal;resoluti

on:=optional,io.netty.util.internal.logging;resolution:=optional,java

x.security.cert;resolution:=optional,org.apache.commons.logging;resol

ution:=optional;version="[1.2,2)",org.apache.log4j;resolution:=option

al;version="[2.17,3)",org.apache.logging.log4j;resolution:=optional;v

ersion="[2.17,3)",org.apache.logging.log4j.message;resolution:=option

al;version="[2.17,3)",org.apache.logging.log4j.spi;resolution:=option

al;version="[2.17,3)",org.slf4j;resolution:=optional;version="[1.7,2)

",org.slf4j.helpers;resolution:=optional;version="[1.7,2)",org.slf4j.

spi;resolution:=optional;version="[1.7,2)",reactor.blockhound;resolut

ion:=optional,reactor.blockhound.integration;resolution:=optional

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"

DynamicImport-Package: \*

Export-Package: io.netty.util;uses:="io.netty.util.concurrent,io.netty

.util.internal";version="4.1.91",io.netty.util.collection;version="4.

1.91",io.netty.util.concurrent;uses:="io.netty.util.internal";version

="4.1.91",io.netty.util.internal;uses:="io.netty.util,io.netty.util.c

oncurrent,io.netty.util.internal.logging,javax.security.cert,reactor.

blockhound,reactor.blockhound.integration";version="4.1.91",io.netty.

util.internal.logging;version="4.1.91",io.netty.util.internal.svm;ver

sion="4.1.91"

Bundle-Name: Netty/Common

Build-Jdk-Spec: 1.8

Implementation-Title: Netty/Common

Bundle-Description: Netty is an asynchronous event-driven network appl

ication framework

for rapid development of maintainable high perfo

rmance protocol servers and clients.

Automatic-Module-Name: io.netty.common

Implementation-Version: 4.1.91.Final

Bundle-ManifestVersion: 2

Bundle-Vendor: The Netty Project  
Tool: Bnd-6.3.1.202206071316  
Implementation-Vendor: The Netty Project  
Bundle-Version: 4.1.91.Final  
Created-By: Apache Maven Bundle Plugin 5.1.8  
Build-Jdk: 1.8.0\_252  
Implementation-URL: <https://netty.io/netty-common/>

Found in path(s):

\* /opt/cola/permits/1629578961\_1681533568.115673/0/netty-common-4-1-91-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1629578961\_1681533568.115673/0/netty-common-4-1-91-final-jar/META-INF/native-image/io.netty.netty-common/native-image.properties

No license file was found, but licenses were detected in source scan.

# Copyright 2019 The Netty Project

#

# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:

#

# <https://www.apache.org/licenses/LICENSE-2.0>

#

# Unless required by applicable law or agreed to in writing, software  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
# WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
# License for the specific language governing permissions and limitations  
# under the License.

io.netty.util.internal.Hidden\$NettyBlockHoundIntegration

Found in path(s):

\* /opt/cola/permits/1629578961\_1681533568.115673/0/netty-common-4-1-91-final-jar/META-INF/services/reactor.blockhound.integration.BlockHoundIntegration

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance

~ with the License. You may obtain a copy of the License at:  
~  
~ <https://www.apache.org/licenses/LICENSE-2.0>  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1629578961\_1681533568.115673/0/netty-common-4-1-91-final-jar/META-INF/maven/io.netty/netty-common/pom.xml

# 1.195 spring-tx 5.3.27

## 1.195.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/support/PersistenceExceptionTranslator.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/core/RecordCreator.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
```

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/config/AnnotationDrivenBeanDefinitionParser.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/config/TransactionManagementConfigUtils.java
- \*
- /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/endpoint/AbstractMessageEndpointFactory.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/ResourceTransactionDefinition.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/object/MappingRecordOperation.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/support/LocalConnectionFactoryBean.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/support/DaoSupport.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/core/ConnectionCallback.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/CciOperationNotSupportedException.java
- \*
- /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/object/MappingCommAreaOperation.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/connection/CciLocalTransactionManager.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/SimpleTransactionStatus.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/object/SimpleRecordOperation.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/context/BootstrapContextAware.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/DefaultTransactionDefinition.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/jta/SimpleTransactionFactory.java
- \*

/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/CannotGetCciConnectionException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/CannotCreateRecordException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/core/CciTemplate.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/connection/ConnectionHolder.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/annotation/Isolation.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/ResourceHolderSynchronization.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/HeuristicCompletionException.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/jta/WebLogicJtaTransactionManager.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/core/InteractionCallback.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/InvalidTimeoutException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/support/ChainedPersistenceExceptionTranslator.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/core/RecordExtractor.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/context/SpringContextResourceAdapter.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/connection/ConnectionFactoryUtils.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/annotation/TransactionManagementConfigurationSelector.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/jta/JtaTransactionManager.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/RecordTypeNotSupportedException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/jta/JtaTransactionObject.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/TransactionTemplate.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/ResourceHolderSupport.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/jta/SpringJtaSynchronizationAdapter.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/IncorrectResultSizeDataAccessException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2015 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/TransactionalProxy.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2008 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/ResourceHolder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2022 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/NoRollbackRuleAttribute.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/TransactionAttributeSourceEditor.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/work/WorkManagerTaskExecutor.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/RollbackRuleAttribute.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/DuplicateKeyException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/core/support/CciDaoSupport.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/TransactionAttributeSource.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/reactive/TransactionalOperatorImpl.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/PessimisticLockingFailureException.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/CannotSerializeTransactionException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/annotation/Transactional.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/ConcurrencyFailureException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/work/SimpleTaskWorkManager.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/CannotAcquireLockException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/DeadlockLoserDataAccessException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2021 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/reactive/TransactionContext.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/TransactionCallback.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/reactive/AbstractReactiveTransactionManager.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/event/TransactionPhase.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/event/TransactionalApplicationListenerMethodAdapter.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/RuleBasedTransactionAttribute.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/TransactionAspectSupport.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/reactive/TransactionSynchronizationManager.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/reactive/TransactionContextManager.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/AbstractFallbackTransactionAttributeSource.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/TransactionSynchronizationUtils.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/AbstractPlatformTransactionManager.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/annotation/AbstractTransactionManagementConfiguration.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/TransactionSynchronizationManager.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/annotation/PersistenceExceptionTranslationPostProcessor.java

\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/reactive/TransactionCallback.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/event/TransactionalEventListener.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/interceptor/DefaultTransactionAttribute.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/event/TransactionalApplicationListener.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2019 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/reactive/TransactionContextHolder.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/reactive/ReactiveResourceSynchronization.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/TransactionDefinition.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/StaticTransactionDefinition.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/ReactiveTransaction.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/TransactionExecution.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/support/DefaultTransactionStatus.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/support/AbstractTransactionStatus.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-  
jar/org/springframework/transaction/TransactionManager.java  
\*

```
/opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/annotation/AnnotationTransactionAttributeSource.java
* /opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/interceptor/TransactionAttribute.java
* /opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/TransactionStatus.java
* /opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/annotation/JtaTransactionAnnotationParser.java
* /opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/reactive/GenericReactiveTransaction.java
* /opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/interceptor/CompositeTransactionAttributeSource.java
* /opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/annotation/Ejb3TransactionAnnotationParser.java
*
/opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/support/TransactionOperations.java
* /opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/interceptor/TransactionProxyFactoryBean.java
* /opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/reactive/TransactionSynchronization.java
* /opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/config/JtaTransactionManagerFactoryBean.java
* /opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/annotation/Propagation.java
* /opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/annotation/TransactionAnnotationParser.java
*
/opt/cola/permits/1641409040_1681703743.7268872/0/spring-tx-5-3-27-sources-
jar/org/springframework/transaction/support/WithoutTransactionOperations.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2020 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/TransactionAttributeSourcePointcut.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/support/PersistenceExceptionTranslationInterceptor.java
- \*
- /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/endpoint/GenericMessageEndpointManager.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/MethodMapTransactionAttributeSource.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/jta/WebSphereUowTransactionManager.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/annotation/TransactionManagementConfigurer.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/event/TransactionalEventListenerFactory.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/reactive/TransactionSynchronizationUtils.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/config/TxAdviceBeanDefinitionParser.java
- \*
- /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/annotation/SpringTransactionAnnotationParser.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/connection/SingleConnectionFactory.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/event/TransactionalApplicationListenerSynchronization.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/TransactionSynchronizationAdapter.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/PlatformTransactionManager.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/support/DataAccessUtils.java
- \*
- /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/connection/TransactionAwareConnectionFactoryProxy.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/TransactionSynchronization.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/TransactionInterceptor.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/event/TransactionalApplicationListenerAdapter.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/ReactiveTransactionManager.java
- \* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/annotation/ProxyTransactionManagementConfiguration.java
- \*

/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/NameMatchTransactionAttributeSource.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/MatchAlwaysTransactionAttributeSource.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/annotation/EnableTransactionManagement.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/SimpleTransactionScope.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/reactive/TransactionalOperator.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/TransactionAttributeEditor.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/jta/ManagedTransactionAdapter.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/InvalidDataAccessResourceUsageException.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/NoTransactionException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/IllegalTransactionStateException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/DataIntegrityViolationException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/ResourceTransactionManager.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/TransactionSuspensionNotSupportedException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/TypeMismatchDataAccessException.java

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/InvalidResultSetAccessException.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/RecoverableDataAccessException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/annotation/PersistenceExceptionTranslationAdvisor.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/TransactionException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/InvalidIsolationLevelException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/config/TxNamespaceHandler.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/connection/NotSupportedRecordFactory.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/work/DelegatingWork.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/DelegatingTransactionAttribute.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/jta/UserTransactionAdapter.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/CannotCreateTransactionException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/EmptyResultDataAccessException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/jta/JtaAfterCompletionSynchronization.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/jta/TransactionFactory.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/IncorrectUpdateSemanticsDataAccessException.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/DelegatingTransactionDefinition.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/UnexpectedRollbackException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/PermissionDeniedDataAccessException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/InvalidDataAccessApiUsageException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/TransactionUsageException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/TransactionTimedOutException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/NestedTransactionNotSupportedException.java  
\*

/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/QueryTimeoutException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/CleanupFailureDataAccessException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/TransientDataAccessResourceException.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2014 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/SavepointManager.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/config/JtaTransactionManagerBeanDefinitionParser.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2023 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/endpoint/GenericMessageEndpointFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2013 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/SmartTransactionObject.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2017 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/DataAccessResourceFailureException.java

\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/core/support/CommAreaRecord.java

\*

/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/core/CciOperations.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/BeanFactoryTransactionAttributeSourceAdvisor.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/CallbackPreferringPlatformTransactionManager.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/context/ResourceAdapterApplicationContext.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/OptimisticLockingFailureException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/UncategorizedDataAccessException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/connection/DelegatingConnectionFactory.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/support/TransactionCallbackWithoutResult.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/connection/ConnectionSpecConnectionFactoryAdapter.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/NonTransientDataAccessResourceException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/DataAccessException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/DataRetrievalFailureException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/cci/object/EisOperation.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/support/ResourceAdapterFactoryBean.java  
\*  
/opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/interceptor/TransactionAttributeSourceAdvisor.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/support/SimpleBootstrapContext.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/jca/context/BootstrapContextAwareProcessor.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/transaction/TransactionSystemException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/NonTransientDataAccessException.java  
\* /opt/cola/permits/1641409040\_1681703743.7268872/0/spring-tx-5-3-27-sources-jar/org/springframework/dao/TransientDataAccessException.java

## 1.196 spring-web 5.3.27

## 1.196.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/reactive/HttpHandler.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/reactive/ClientHttpConnector.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/remoting/httpinvoker/SimpleHttpInvokerRequestExecutor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/remoting/httpinvoker/HttpComponentsHttpInvokerRequestExecutor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/converter/AbstractGenericHttpMessageConverter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/annotation/RequestBody.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/filter/CharacterEncodingFilter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/remoting/caucho/HessianServiceExporter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/annotation/ResponseBody.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/HttpInputMessage.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/support/ConfigurableWebBindingInitializer.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/TagUtils.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/StreamingHttpOutputMessage.java
```

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/i18n/FixedLocaleContextResolver.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/Netty4ClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/UriTemplateHandler.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/protobuf/ProtobufCodecSupport.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/multipart/support/MultipartFilter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/LoggingCodecSupport.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/jsf/DelegatingNavigationHandlerProxy.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/reactive/SslInfo.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/ServerErrorException.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/AbstractRefreshableWebApplicationContext.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/HttpSessionRequiredException.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/remoting/jaxws/LocalJaxWsServiceFactory.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/xml/MarshallingHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/request/async/WebAsyncUtils.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/HtmlCharacterEntityReferences.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/reactive/JettyResourceFactory.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/protobuf/ExtensionRegistryInitializer.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/XmlWebApplicationContext.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/request/async/DeferredResultInterceptorChain.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/SimpleBufferingClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/accept/AbstractMappingContentNegotiationStrategy.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/ServletContextAware.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-

jar/org/springframework/http/ZeroCopyHttpOutputMessage.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/multipart/support/AbstractMultipartHttpServletRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/remoting/jaxws/SimpleHttpServerJaxWsServiceExporter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/client/ResponseExtractor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/annotation/PathVariable.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/CodecConfigurerFactory.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/HttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/BufferingClientHttpRequestFactory.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/HttpComponentsClientHttpResponse.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/request/FacesRequestAttributes.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/remoting/jaxws/AbstractJaxWsServiceExporter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/multipart/commons/CommonsFileUploadSupport.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/json/MappingJacksonValue.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/accept/ParameterContentNegotiationStrategy.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/InvalidMediaTypeException.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/method/annotation/ErrorsMethodArgumentResolver.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/server/DefaultServerWebExchangeBuilder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/HttpOutputMessage.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/client/ExtractingResponseErrorHandler.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/ObjectToStringHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/annotation/RequestHeader.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/AbstractContextLoaderInitializer.java  
\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/annotation/SessionAttributesHandler.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/annotation/RequestPart.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/ServletConfigAware.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/remoting/caucho/SimpleHessianServiceExporter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/HttpMessageDecoder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/filter/reactive/HiddenHttpMethodFilter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/InterceptingAsyncClientHttpRequestFactory.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/HttpLogging.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/multipart/support/DefaultMultipartHttpServletRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/WebApplicationInitializer.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/ServletContextAttributeExporter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/DefaultUriTemplateHandler.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/NestedServletException.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/filter/HiddenHttpMethodFilter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/adapter/AbstractReactiveWebInitializer.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/HttpComponentsClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/client/AsyncRestTemplate.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/remoting/caucho/HessianExporter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/annotation/ExpressionValueMethodArgumentResolver.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/ServletRequestHandledEvent.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/reactive/ReactorHttpHandlerAdapter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/annotation/MatrixVariable.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-

jar/org/springframework/web/client/ResponseErrorHandler.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/cors/CorsProcessor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/InterceptingAsyncClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/util/OpaqueUriComponents.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/protobuf/ProtobufHttpMessageWriter.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/filter/FormContentFilter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/SimpleStreamingClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/support/AsyncHttpAccessor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/HttpComponentsAsyncClientHttpRequestFactory.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/GenericHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/server/WebSession.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/util/CookieGenerator.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/method/annotation/InitBinderDataBinderFactory.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/HttpMessageNotReadableException.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/jsf/el/WebApplicationContextFacesELResolver.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/InterceptingClientHttpRequestFactory.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/annotation/RequestParam.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/ContextLoaderListener.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/request/async/WebAsyncTask.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/server/handler/FilteringWebHandler.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/DefaultSslInfo.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/accept/ContentNegotiationStrategy.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/support/BasicAuthorizationInterceptor.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/reactive/ContextPathCompositeHandler.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/HttpMessageEncoder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/request/async/CallableInterceptorChain.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/ServletRequestParameterPropertyValues.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/json/Jackson2SmileDecoder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/remoting/jaxws/SimpleJaxWsServiceExporter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/Netty4ClientHttpRequestFactory.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/request/AbstractRequestAttributes.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/accept/HeaderContentNegotiationStrategy.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/ClientHttpRequestInterceptor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/remoting/httpinvoker/SimpleHttpInvokerServiceExporter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/GroovyWebApplicationContext.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/filter/HttpPutFormContentFilter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2014 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-

jar/org/springframework/web/context/support/ServletContextPropertySource.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/jsf/FacesContextUtils.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/support/ServletConfigPropertySource.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/ClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/ServerHttpAsyncRequestControl.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/ConfigurableWebApplicationContext.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/method/support/HandlerMethodArgumentResolver.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/feed/AtomFeedHttpMessageConverter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2023 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/util/pattern/SeparatorPathElement.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/protobuf/ProtobufDecoder.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/cors/reactive/CorsUtils.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/reactive/HttpComponentsHeadersAdapter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/reactive/Jetty10HttpFieldsHelper.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/client/RestTemplate.java

```
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/reactive/JettyClientHttpRequest.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/reactive/ReactorServerHttpRequest.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/converter/json/Jackson2ObjectMapperBuilder.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/pattern/PathPattern.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/reactive/JettyClientHttpResponse.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/ContextLoader.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/pattern/LiteralPathElement.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/reactive/HttpComponentsClientHttpConnector.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/pattern/PathElement.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/cors/CorsUtils.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2019 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Return the web session for the current request. Always guaranteed to
* return an instance either matching to the session id requested by the
* client, or with a new session id either because the client did not
* specify one or because the underlying session had expired. Use of this
* method
does not automatically create a session. See {@link WebSession}
* for more details.
*/
```

Found in path(s):

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/ServerWebExchange.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2012 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/remoting/httpinvoker/HttpInvokerClientConfiguration.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/support/SimpleSessionStatus.java

\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/client/ResourceAccessException.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/remoting/jaxws/JaxWsSoapFaultException.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/AbstractClientHttpResponse.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/ConfigurableWebEnvironment.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/jsf/DecoratingNavigationHandler.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/jsf/DelegatingPhaseListenerMulticaster.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/HttpMediaTypeNotAcceptableException.java

\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/MediaTypeEditor.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/IntrospectorCleanupListener.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/annotation/ValueConstants.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/ServletRequestBindingException.java

No license file was found, but licenses were detected in source scan.

# Copyright 2002-2021 the original author or authors.

#

# Licensed under the Apache License, Version 2.0 (the "License");

# you may not use this file except in compliance with the License.

# You may obtain a copy of the License at

#

# <https://www.apache.org/licenses/LICENSE-2.0>

#

# Unless required by applicable law or agreed to in writing, software

# distributed under the License is distributed on an "AS IS" BASIS,

# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

# See the License for the specific language governing permissions and

# limitations under the License.

org.springframework.web.server.adapter.WebHttpHandlerBuilder\$SpringWebBlockHoundIntegration

Found in path(s):

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/META-INF/services/reactor.blockhound.integration.BlockHoundIntegration

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2007 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/support/SessionStatus.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2022 the original author or authors.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/request/AbstractRequestAttributesScope.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/JettyHeadersAdapter.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/multipart/PartGenerator.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/reactive/HttpComponentsClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/util/ContentCachingRequestWrapper.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/json/JsonbHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/AbstractListenerReadPublisher.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/server/adapters/DefaultServerWebExchange.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/method/HandlerMethod.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/WebDataBinder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/ResourceRegionHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/HttpRange.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/server/session/WebSessionIdResolver.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/ServletServerHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/UndertowHttpHandlerAdapter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-

jar/org/springframework/web/context/request/ServletWebRequest.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/JettyHttpHandlerAdapter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/ServerSentEventHttpMessageReader.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/feed/AbstractWireFeedHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/util/pattern/CaptureVariablePathElement.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/util/JavaScriptUtils.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/ServletHttpHandlerAdapter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/support/GenericWebApplicationContext.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/support/AllEncompassingFormHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/reactive/AbstractClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/xml/SourceHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/ServerCodecConfigurer.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/RequestEntity.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/DefaultServerHttpRequestBuilder.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/util/UrlPathHelper.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/multipart/support/StandardMultipartHttpServletRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/filter/RelativeRedirectFilter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/support/InterceptingHttpAccessor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/support/StandardServletEnvironment.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/reactive/ReactorClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/multipart/DefaultParts.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/multipart/MultipartUtils.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-

jar/org/springframework/http/codec/ClientCodecConfigurer.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/ResponseCookie.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/support/WebRequestDataBinder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/reactive/JettyHeadersAdapter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/json/AbstractJackson2Encoder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/annotation/RequestMethod.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/util/WebUtils.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/filter/AbstractRequestLoggingFilter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/annotation/ModelAttribute.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/util/HierarchicalUriComponents.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/xml/Jaxb2CollectionHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/xml/AbstractXmlHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/support/ServletContextResource.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/ServerHttpResponseDecorator.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/multipart/MultipartParser.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/AbstractServerHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/ResourceHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/json/AbstractJackson2HttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/ServletRequestDataBinder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/method/HandlerTypePredicate.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/filter/GenericFilterBean.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/TomcatHttpHandlerAdapter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/util/pattern/RegexPathElement.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/xml/Jaxb2XmlDecoder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/ContentDisposition.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/session/CookieWebSessionIdResolver.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/ServletRequestPathUtils.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/filter/RelativeRedirectResponseWrapper.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/MediaType.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/reactive/UndertowServerHttpResponse.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/HttpMethod.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/client/support/RestGatewaySupport.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/request/async/WebAsyncManager.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/session/HeaderWebSessionIdResolver.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/AnnotationConfigWebApplicationContext.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/BufferedImageHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/pattern/InternalPathPatternParser.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/FormHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/annotation/InitBinder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/ServletServerHttpRequest.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/support/HandlerMethodArgumentResolverComposite.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/json/Jackson2CodecSupport.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/support/WebExchangeDataBinder.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* Copyright 2002-2019 the original author or authors.  
\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/ClientHttpRequestInitializer.java
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/support/HttpAccessor.java
- \*
- /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/xml/JaxbContextContainer.java
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/annotation/ControllerAdvice.java
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/protobuf/ProtobufEncoder.java
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/cbor/Jackson2CborDecoder.java
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/accept/MediaTypeFileExtensionResolver.java
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/filter/reactive/ServerWebExchangeContextFilter.java
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/support/AsyncHandlerMethodReturnValueHandler.java
- \*
- /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/request/ServletRequestAttributes.java
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/ServerWebExchangeDecorator.java
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/client/RestClientResponseException.java
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/FormHttpMessageWriter.java
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/RequestHandledEvent.java
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/client/RestOperationsExtensions.kt
- \* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/client/UnknownHttpStatusCodeException.java

```

*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/method/annotation/AbstractWebArgumentResolverAdapter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/FormHttpMessageReader.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/ContentCachingResponseWrapper.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/support/BasicAuthenticationInterceptor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/ContextCleanupListener.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/converter/xml/AbstractJaxb2HttpMessageConverter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/converter/ByteArrayHttpMessageConverter.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/client/HttpClientErrorException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/accept/FixedContentNegotiationStrategy.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/reactive/ChannelSendOperator.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/client/HttpServerErrorException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/ServerHttpRequest.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/server/handler/WebHandlerDecorator.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/xml/XmlEventDecoder.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/SimpleClientHttpResponse.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/cbor/Jackson2CborEncoder.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/support/DefaultServerCodecConfigurer.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/support/ServletContextScope.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/annotation/RestControllerAdvice.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/pattern/PathPatternRouteMatcher.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/client/HttpStatusException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/CacheControl.java

```

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/cors/reactive/CorsWebFilter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/handler/DefaultWebFilterChain.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/InterceptingClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/support/DefaultClientCodecConfigurer.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/OkHttp3ClientHttpRequestFactory.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/protobuf/ProtobufHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/xml/Jaxb2RootElementHttpMessageConverter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/WebAppRootListener.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/ReactiveHttpInputMessage.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/request/RequestContextHolder.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/annotation/PutMapping.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/annotation/DeleteMapping.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/annotation/RequestAttribute.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-

jar/org/springframework/web/context/annotation/RequestScope.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/annotation/SessionScope.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/request/WebRequestInterceptor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/annotation/PostMapping.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/filter/CompositeFilter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/json/SpringHandlerInstantiator.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/support/WebBindingInitializer.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/request/RequestScope.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/request/SessionScope.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/ClientHttpRequestFactory.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/ReactiveHttpOutputMessage.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/cors/reactive/CorsConfigurationSource.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/method/annotation/RequestHeaderMapMethodArgumentResolver.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/cors/CorsConfigurationSource.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/server/WebHandler.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/ClientHttpRequestExecution.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/annotation/ApplicationScope.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/annotation/SessionAttribute.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/request/FacesWebRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/server/session/WebSessionManager.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/annotation/PatchMapping.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/remoting/httpinvoker/HttpInvokerRequestExecutor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/server/WebExceptionHandler.java

```
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/multipart/MultipartRequest.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/HttpRequestHandler.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/WebApplicationContext.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/request/async/AsyncRequestTimeoutException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/request/async/TimeoutDeferredResultProcessingInterceptor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/annotation/GetMapping.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/server/WebFilter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/converter/HttpMessageConversionException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/request/DestructionCallbackBindingListener.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/HttpMessage.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/converter/HttpMessageNotWritableException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/filter/RequestContextFilter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/annotation/SessionAttributes.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
```

```
jar/org/springframework/web/filter/CommonsRequestLoggingFilter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/server/WebFilterChain.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/HttpSessionMutexListener.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/support/SpringWebConstraintValidatorFactory.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/request/RequestContextListener.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/multipart/MultipartResolver.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/AbstractClientHttpRequestFactoryWrapper.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2021 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/reactive/ServerHttpRequestDecorator.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/xml/Jaxb2XmlEncoder.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/method/support/CompositeUriComponentsContributor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/support/WebExchangeBindException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/support/ServerDefaultCodecsImpl.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/server/MediaTypeNotSupportedStatusException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/server/handler/ResponseStatusExceptionHandler.java
```

```

* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/client/AsyncRequestCallback.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/reactive/AbstractListenerWriteProcessor.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/UnsatisfiedServletRequestParameterException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/MultipartBodyBuilder.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/SimpleBufferingAsyncClientHttpRequest.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/reactive/AbstractListenerWriteFlushProcessor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/HtmlUtils.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/multipart/MultipartFile.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/client/MessageBodyClientHttpResponseWrapper.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/multipart/support/StandardServletMultipartResolver.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/multipart/commons/CommonsMultipartResolver.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/cors/reactive/PreFlightRequestWebFilter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/server/session/InMemoryWebSessionStore.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/reactive/ClientHttpResponseDecorator.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/MissingRequestValueException.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/pattern/WildcardTheRestPathElement.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/multipart/MultipartHttpServletRequest.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/HttpMessageReader.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/ServerSentEventHttpMessageWriter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/multipart/MultipartFileResource.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/reactive/TomcatHeadersAdapter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/method/annotation/AbstractCookieValueMethodArgumentResolver.java
*

```

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/adapters/HttpWebHandlerAdapter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/UriComponents.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/reactive/WriteResultPublisher.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/support/ModelAndViewContainer.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/CodecConfigurer.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/annotation/RequestParamMethodArgumentResolver.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/pattern/CaptureTheRestPathElement.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/cors/reactive/PreFlightRequestHandler.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/HttpEntity.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/json/AbstractJackson2Decoder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/annotation/CookieValue.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/annotation/ModelAttributeMethodProcessor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/json/KotlinSerializationJsonHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/annotation/CrossOrigin.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/UriComponentsBuilder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/filter/ForwardedHeaderFilter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/pattern/WildcardPathElement.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/ResponseStatusException.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/client/DefaultResponseErrorHandler.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/multipart/SynchronossPartHttpMessageReader.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/json/Jackson2ObjectMapperFactoryBean.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/support/ClientDefaultCodecsImpl.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-

jar/org/springframework/web/client/RequestCallback.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/server/adapter/WebHttpHandlerBuilder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/method/annotation/ExceptionHandlerMethodResolver.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/MethodArgumentNotValidException.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/MissingPathVariableException.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/filter/ServletRequestPathFilter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/HttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/reactive/NettyHeadersAdapter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/HttpHeaders.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/json/KotlinSerializationJsonDecoder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/support/BaseDefaultCodecs.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/annotation/ExceptionHandler.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/ReactorServerHttpResponse.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/DecoderHttpMessageReader.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/filter/reactive/ForwardedHeaderFilter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/util/pattern/SingleCharWildcardedPathElement.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/EncoderHttpMessageWriter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/reactive/ReactorClientHttpConnector.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/reactive/ServerHttpRequest.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/multipart/FilePart.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/ResponseEntity.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/PathContainer.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/support/SpringBeanAutowiringSupport.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/UriTemplate.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/MissingServletRequestParameterException.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/reactive/NettyHeadersAdapter.java

\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/UriBuilder.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/filter/OncePerRequestFilter.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/DefaultPathContainer.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/ServerSentEvent.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/reactive/UndertowHeadersAdapter.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/MissingRequestHeaderException.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/reactive/ClientHttpResponse.java

\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/reactive/ServletServerHttpResponse.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/MissingRequestCookieException.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/annotation/AbstractNamedValueMethodArgumentResolver.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/reactive/UndertowServerHttpRequest.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/HttpStatus.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/HttpMessageWriter.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/pattern/PatternParseException.java

\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/json/KotlinSerializationJsonEncoder.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/UnsupportedMediaTypeStatusException.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/reactive/JettyClientHttpConnector.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/annotation/RequestHeaderMethodArgumentResolver.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/support/InvocableHandlerMethod.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-

```
jar/org/springframework/http/codec/multipart/FileStorage.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/reactive/HttpHandlerDecoratorFactory.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/HtmlCharacterEntityDecoder.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/client/RestOperations.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/MediaTypeFactory.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/multipart/DefaultPartHttpMessageReader.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/filter/DelegatingFilterProxy.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/json/Jackson2SmileEncoder.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/MissingMatrixVariableException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/reactive/AbstractListenerServerHttpResponse.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/annotation/ResponseStatus.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/cors/CorsConfiguration.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/reactive/ReactorClientHttpResponse.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2005 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/filter/ServletContextRequestLoggingFilter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2017 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/support/ServletContextParameterFactoryBean.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/request/RequestAttributes.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/support/ContextExposingHttpServletRequest.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/annotation/RestController.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/request/AsyncWebRequestInterceptor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/jsf/el/SpringBeanFacesELResolver.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/server/ServerWebInputException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/remoting/jaxws/LocalJaxWsServiceFactoryBean.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/HttpComponentsAsyncClientHttpRequest.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/request/async/CallableProcessingInterceptor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/AbstractUriTemplateHandler.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/support/DefaultSessionAttributeStore.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/support/HttpRequestWrapper.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
```

jar/org/springframework/web/context/request/async/AsyncWebRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/method/annotation/MethodArgumentTypeMismatchException.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/support/ProxyFactoryBean.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/json/GsonBuilderUtils.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/request/NativeWebRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/method/support/UriComponentsContributor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/multipart/MaxUploadSizeExceededException.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/AsyncClientHttpRequestFactory.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/Netty4ClientHttpResponse.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/HttpCookie.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/AbstractBufferingAsyncClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/HttpMediaTypeNotSupportedException.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/AsyncClientHttpRequestExecution.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/cors/reactive/CorsProcessor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/method/annotation/MethodArgumentConversionNotSupportedException.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/multipart/MultipartException.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/multipart/Part.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/EscapedErrors.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/bind/support/DefaultDataBinderFactory.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/remoting/caucho/HessianClientInterceptor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/context/support/ServletContextAwareProcessor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/HttpComponentsAsyncClientHttpResponse.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/BufferingClientHttpRequestWrapper.java

\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/OkHttp3ClientHttpResponse.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/HttpComponentsStreamingClientHttpRequest.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/ServletRequestUtils.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/support/WebDataBinderFactory.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/remoting/httpinvoker/HttpInvokerProxyFactoryBean.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/remoting/jaxws/JaxWsPortClientInterceptor.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/WebApplicationObjectSupport.java

\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/multipart/support/ByteArrayMultipartFileEditor.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/i18n/LocaleContextResolver.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/AbstractBufferingClientHttpRequest.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/remoting/jaxws/JaxWsPortProxyFactoryBean.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/remoting/caucho/HessianProxyFactoryBean.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/request/async/DeferredResultProcessingInterceptor.java

\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/support/WebArgumentResolver.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/request/async/TimeoutCallableProcessingInterceptor.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/OkHttp3AsyncClientHttpRequest.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/feed/RssChannelHttpMessageConverter.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/AsyncClientHttpRequestInterceptor.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/StaticWebApplicationContext.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/support/HandlerMethodReturnValueHandler.java

\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/support/InterceptingAsyncHttpAccessor.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/request/async/CallableProcessingInterceptorAdapter.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/annotation/SessionStatusMethodArgumentResolver.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/session/WebSessionStore.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/AbstractAsyncClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/json/GsonFactoryBean.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/AsyncClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/multipart/support/StringMultipartFileEditor.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/client/AsyncRestOperations.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/HttpRequestHandlerServlet.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/bind/support/SessionAttributeStore.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/json/MappingJacksonInputMessage.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/request/async/DeferredResultProcessingInterceptorAdapter.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/multipart/FormFieldPart.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/OkHttp3ClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/ServletContextAttributeFactoryBean.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/BufferingClientHttpResponseWrapper.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2010 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/ServletContextResourceLoader.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2013 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/ServerHttpResponse.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/HttpMediaTypeException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2020 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-

jar/org/springframework/http/converter/xml/MappingJackson2XmlHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/RequestPath.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/json/GsonHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/SimpleStreamingAsyncClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/server/ServletServerHttpResponse.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/server/handler/ExceptionHandlerWebHandler.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/multipart/commons/CommonsMultipartFile.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/method/annotation/ModelFactory.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/json/Jackson2JsonEncoder.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/reactive/HttpComponentsClientHttpResponse.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/json/Jackson2JsonDecoder.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/client/RestClientException.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/AbstractClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/converter/AbstractHttpMessageConverter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/reactive/ClientHttpRequest.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/server/i18n/AcceptHeaderLocaleContextResolver.java  
\*  
/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/client/ClientHttpResponse.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/filter/ShallowEtagHeaderFilter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/support/BaseCodecConfigurer.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/ReadOnlyHttpHeaders.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/server/adapters/ForwardedHeaderTransformer.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/http/codec/ResourceHttpMessageWriter.java  
\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-  
jar/org/springframework/web/accept/PathExtensionContentNegotiationStrategy.java

```

*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/cors/UrlBasedCorsConfigurationSource.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/support/ServletContextResourcePatternResolver.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/accept/MappingMediaTypeFileExtensionResolver.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/converter/protobuf/ProtobufJsonFormatHttpMessageConverter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/method/annotation/RequestParamMapMethodArgumentResolver.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/support/LiveBeansViewServlet.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/remoting/httpinvoker/HttpInvokerServiceExporter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/DefaultRequestPath.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/annotation/RequestMapping.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/converter/StringHttpMessageConverter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/SpringServletContainerInitializer.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/cors/DefaultCorsProcessor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/multipart/MultipartWriterSupport.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/remoting/httpinvoker/HttpInvokerClientInterceptor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/support/ServletContextLiveBeansView.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/UriUtils.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/multipart/support/MissingServletRequestPartException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/request/async/DeferredResult.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/reactive/AbstractServerHttpResponse.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/converter/json/AbstractJsonHttpMessageConverter.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/util/UriBuilderFactory.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/multipart/support/MultipartResolutionDelegate.java

```

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/cbor/MappingJackson2CborHttpMessageConverter.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/support/WebApplicationContextUtils.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/annotation/MapMethodProcessor.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/client/reactive/ReactorResourceFactory.java

\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/NotAcceptableStatusException.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/ServletContextPropertyUtils.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/method/ControllerAdviceBean.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/multipart/PartHttpMessageWriter.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/json/Jackson2Tokenizer.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/multipart/support/StandardServletPartUtils.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/accept/ContentNegotiationManager.java

\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/converter/smile/MappingJackson2SmileHttpMessageConverter.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/server/ServletServerHttpAsyncRequestControl.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/http/codec/ResourceHttpMessageReader.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/DefaultUriBuilderFactory.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/accept/ServletPathExtensionContentNegotiationStrategy.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/session/DefaultWebSessionManager.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/server/MethodNotAllowedException.java

\*

/opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/context/request/WebRequest.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/filter/CorsFilter.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/util/pattern/PathPatternParser.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-jar/org/springframework/web/cors/reactive/DefaultCorsProcessor.java

\* /opt/cola/permits/1641409065\_1681948174.1152472/0/spring-web-5-3-27-sources-

```

jar/org/springframework/remoting/httpinvoker/AbstractHttpInvokerRequestExecutor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/cors/reactive/UrlBasedCorsConfigurationSource.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/DelegatingServerHttpResponse.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/multipart/support/RequestPartServletServerHttpRequest.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/SimpleClientHttpRequestFactory.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/converter/json/MappingJackson2HttpMessageConverter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/accept/ContentNegotiationManagerFactoryBean.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/method/annotation/ModelMethodProcessor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/HttpComponentsClientHttpRequestFactory.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/reactive/HttpHeadResponseDecorator.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/context/request/async/StandardServletAsyncWebRequest.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/multipart/MultipartHttpMessageWriter.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/client/HttpMessageConverterExtractor.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/client/UnknownContentTypeException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/method/support/HandlerMethodReturnValueHandlerComposite.java
*
/opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/HttpRequestMethodNotSupportedException.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/client/reactive/ClientHttpRequestDecorator.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/codec/multipart/MultipartHttpMessageReader.java
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/server/reactive/ServerHttpResponse.java
No license file was found, but licenses were detected in source scan.

```

```

This file maps Internet media types to unique file extension(s).
Although created for httpd, this file is used by many software systems
and has been placed in the public domain for unlimited redistribution.
#
The table below contains both registered and (common) unregistered types.
A type that has no unique extension can be ignored -- they are listed

```

```

here to guide configurations toward known types and to make it easier to
identify "new" types. File extensions are also commonly used to indicate
content languages and encodings, so choose them carefully.
#
Internet media types should be registered as described in RFC 4288.
The registry is at <https://www.iana.org/assignments/media-types/>.
#
This file was retrieved from
https://svn.apache.org/viewvc/httpd/httpd/trunk/docs/conf/mime.types?revision=1752884&view=co
#
MIME type (lowercased) Extensions
=====
#
application/1d-interleaved-parityfec
application/3gpdash-qoe-report+xml
application/3gpp-ims+xml
application/a2l
application/activemessage
application/alto-costmap+json
application/alto-costmapfilter+json
application/alto-directory+json
application/alto-endpointcost+json
application/alto-endpointcostparams+json
application/alto-endpointprop+json
application/alto-endpointpropparams+json
application/alto-error+json
application/alto-networkmap+json
application/alto-networkmapfilter+json
application/aml
application/andrew-inset ez
application/applefile
application/applixware aw
application/atf
application/atfx
application/atom+xml atom
application/atomcat+xml atomcat
application/atomdeleted+xml
application/atomicmail
application/atomsvc+xml atomsvc
application/atxml
application/auth-policy+xml
application/bacnet-xdd+zip
application/batch-smtp
application/beep+xml
application/calendar+json
application/calendar+xml
#

```

application/call-completion  
# application/cals-1840  
# application/cbor  
# application/ccmp+xml  
application/ccxml+xml ccxml  
# application/cdfx+xml  
application/cdmi-capability cdmia  
application/cdmi-container cdmic  
application/cdmi-domain cdmid  
application/cdmi-object cdmio  
application/cdmi-queue cdmiq  
# application/cdni  
# application/cea  
# application/cea-2018+xml  
# application/cellml+xml  
# application/cfw  
# application/cms  
# application/cnrx+xml  
# application/coap-group+json  
# application/commonground  
# application/conference-info+xml  
# application/cpl+xml  
# application/csrattrs  
# application/csta+xml  
# application/cstadata+xml  
# application/csvm+json  
application/cu-seeme cu  
# application/cybercash  
# application/dash+xml  
# application/dashdelta  
application/davmount+xml davmount  
# application/dca-rft  
# application/dcd  
# application/dec-dx  
# application/dialog-info+xml  
# application/dicom  
# application/dii  
# application/dit  
# application/dns  
application/docbook+xml dbk  
#  
application/dskpp+xml  
application/dssc+der dssc  
application/dssc+xml xdssc  
# application/dvcs  
application/ecmascript ecma  
# application/edi-consent  
# application/edi-x12

# application/edifact  
# application/efi  
# application/emergencycalldata.comment+xml  
# application/emergencycalldata.deviceinfo+xml  
# application/emergencycalldata.providerinfo+xml  
# application/emergencycalldata.serviceinfo+xml  
# application/emergencycalldata.subscriberinfo+xml  
application/emma+xml emma  
# application/emotionml+xml  
# application/encaprtsp  
# application/epp+xml  
application/epub+zip epub  
# application/eshop  
# application/example  
application/exi exi  
# application/fastinfoset  
# application/fastsoap  
# application/fdt+xml  
# application/fits  
# application/font-sfnt  
application/font-tdpfr pfr  
application/font-woff woff  
# application/framework-attributes+xml  
# application/geo+json  
application/gml+xml gml  
application/gpx+xml gpx  
application/gxf gxf  
# application/gzip  
#  
application/h224  
# application/held+xml  
# application/http  
application/hyperstudio stk  
# application/ibe-key-request+xml  
# application/ibe-pkg-reply+xml  
# application/ibe-pp-data  
# application/iges  
# application/im-iscomposing+xml  
# application/index  
# application/index.cmd  
# application/index.obj  
# application/index.response  
# application/index.vnd  
application/inkml+xml ink inkml  
# application/iotsp  
application/ipfix ipfix  
# application/ipp  
# application/isup

# application/its+xml  
application/java-archive jar  
application/java-serialized-object ser  
application/java-vm class  
application/javascript js  
# application/jose  
# application/jose+json  
# application/jrd+json  
application/json json  
# application/json-patch+json  
# application/json-seq  
application/jsonml+json jsonml  
# application/jwk+json  
# application/jwk-set+json  
# application/jwt  
# application/kpml-request+xml  
# application/kpml-response+xml  
# application/ld+json  
# application/lgr+xml  
# application/link-format  
#  
application/load-control+xml  
application/lost+xml lostxml  
# application/lostsync+xml  
# application/lxf  
application/mac-binhex40 hqx  
application/mac-compactpro cpt  
# application/macwriteii  
application/mads+xml mads  
application/marc mrc  
application/marcxml+xml mrcx  
application/mathematica ma nb mb  
application/mathml+xml mathml  
# application/mathml-content+xml  
# application/mathml-presentation+xml  
# application/mbms-associated-procedure-description+xml  
# application/mbms-deregister+xml  
# application/mbms-envelope+xml  
# application/mbms-msk+xml  
# application/mbms-msk-response+xml  
# application/mbms-protection-description+xml  
# application/mbms-reception-report+xml  
# application/mbms-register+xml  
# application/mbms-register-response+xml  
# application/mbms-schedule+xml  
# application/mbms-user-service-description+xml  
application/mbox mbox  
# application/media-policy-dataset+xml

```
application/media_control+xml
application/mediaservercontrol+xml mscml
application/merge-patch+json
application/metalink+xml metalink
application/metalink4+xml meta4
application/mets+xml mets
#
application/mf4
application/mikey
application/mods+xml mods
application/moss-keys
application/moss-signature
application/mosskey-data
application/mosskey-request
application/mp21 m21 mp21
application/mp4 mp4s
application/mpeg4-generic
application/mpeg4-iod
application/mpeg4-iod-xmt
application/mrb-consumer+xml
application/mrb-publish+xml
application/msc-ivr+xml
application/msc-mixer+xml
application/msword doc dot
application/mxf mxf
application/nasdata
application/news-checkgroups
application/news-groupinfo
application/news-transmission
application/nlsm1+xml
application/nss
application/ocsp-request
application/ocsp-response
application/octet-stream bin dms lrf mar so dist distz pkg bpk dump elc deploy
application/oda oda
application/odx
application/obeps-package+xml opf
application/ogg ogx
application/omdoc+xml omdoc
application/onenote onetoc
onetoc2 onetmp onepkg
application/oxps oxps
application/p2p-overlay+xml
application/parityfec
application/patch-ops-error+xml xer
application/pdf pdf
application/pdx
application/pgp-encrypted pgp
```

# application/pgp-keys  
application/pgp-signature asc sig  
application/pics-rules prf  
# application/pidf+xml  
# application/pidf-diff+xml  
application/pkcs10 p10  
# application/pkcs12  
application/pkcs7-mime p7m p7c  
application/pkcs7-signature p7s  
application/pkcs8 p8  
application/pkix-attr-cert ac  
application/pkix-cert cer  
application/pkix-crl crl  
application/pkix-pkipath pkipath  
application/pkixcmp pki  
application/pls+xml pls  
# application/poc-settings+xml  
application/postscript ai eps ps  
# application/ppsp-tracker+json  
# application/problem+json  
# application/problem+xml  
# application/provenance+xml  
# application/prs.alvestrand.titrax-sheet  
application/prs.cww cww  
# application/prs.hpub+zip  
#  
application/prs.nprend  
# application/prs.plucker  
# application/prs.rdf-xml-crypt  
# application/prs.xsf+xml  
application/pskc+xml pskcxml  
# application/qsig  
# application/raptorfec  
# application/rdap+json  
application/rdf+xml rdf  
application/reginfo+xml rif  
application/relax-ng-compact-syntax rnc  
# application/remote-printing  
# application/reputon+json  
application/resource-lists+xml rl  
application/resource-lists-diff+xml rld  
# application/rfc+xml  
# application/riscos  
# application/rlmi+xml  
application/rls-services+xml rs  
application/rpki-ghostbusters gbr  
application/rpki-manifest mft  
application/rpki-roa roa

```
application/rpki-updown
application/rsd+xml rsd
application/rss+xml rss
application/rtf rtf
application/rtploopback
application/rtx
application/samlassertion+xml
application/samlmetadata+xml
application/sbml+xml sbml
application/scaip+xml
application/scim+json
application/scvp-cv-request scq
application/scvp-cv-response scs
application/scvp-vp-request spq
application/scvp-vp-response spp
application/sdp sdp
#
 application/sep+xml
application/sep-exi
application/session-info
application/set-payment
application/set-payment-initiation setpay
application/set-registration
application/set-registration-initiation setreg
application/sgml
application/sgml-open-catalog
application/shf+xml shf
application/sieve
application/simple-filter+xml
application/simple-message-summary
application/simplesymbolcontainer
application/slate
application/smil
application/smil+xml smi smil
application/smpite336m
application/soap+fastinfoset
application/soap+xml
application/sparql-query rq
application/sparql-results+xml srx
application/spirits-event+xml
application/sql
application/srgs gram
application/srgs+xml grxml
application/sru+xml sru
application/ssdl+xml ssdl
application/ssml+xml ssml
application/tamp-apex-update
application/tamp-apex-update-confirm
```

# application/tamp-community-update  
#  
application/tamp-community-update-confirm  
# application/tamp-error  
# application/tamp-sequence-adjust  
# application/tamp-sequence-adjust-confirm  
# application/tamp-status-query  
# application/tamp-status-response  
# application/tamp-update  
# application/tamp-update-confirm  
application/tei+xml tei teicorpus  
application/thraud+xml tfi  
# application/timestamp-query  
# application/timestamp-reply  
application/timestamped-data tsd  
# application/ttml+xml  
# application/tve-trigger  
# application/ulpfec  
# application/urc-grpsheet+xml  
# application/urc-ressheet+xml  
# application/urc-targetdesc+xml  
# application/urc-uisocketdesc+xml  
# application/vcard+json  
# application/vcard+xml  
# application/vemmi  
# application/vividence.scriptfile  
# application/vnd.3gpp-prose+xml  
# application/vnd.3gpp-prose-pc3ch+xml  
# application/vnd.3gpp.access-transfer-events+xml  
# application/vnd.3gpp.bsf+xml  
# application/vnd.3gpp.mid-call+xml  
application/vnd.3gpp.pic-bw-large plb  
application/vnd.3gpp.pic-bw-small psb  
application/vnd.3gpp.pic-bw-var pvb  
#  
application/vnd.3gpp.sms  
# application/vnd.3gpp.sms+xml  
# application/vnd.3gpp.srvcc-ext+xml  
# application/vnd.3gpp.srvcc-info+xml  
# application/vnd.3gpp.state-and-event-info+xml  
# application/vnd.3gpp.ussd+xml  
# application/vnd.3gpp2.bcsmcinfo+xml  
# application/vnd.3gpp2.sms  
application/vnd.3gpp2.tcap tcap  
# application/vnd.3lightssoftware.imagescal  
application/vnd.3m.post-it-notes pwn  
application/vnd.accpac.simply.aso aso  
application/vnd.accpac.simply.imp imp

application/vnd.acucobol acu  
application/vnd.acucorp atc acute  
application/vnd.adobe.air-application-installer-package+zip air  
# application/vnd.adobe.flash.movie  
application/vnd.adobe.formscentral.fcdt fcdt  
application/vnd.adobe.fxp fxp fxpl  
# application/vnd.adobe.partial-upload  
application/vnd.adobe.xdp+xml xdp  
application/vnd.adobe.xfdf xfdf  
# application/vnd.aether.imp  
# application/vnd.ah-barcode  
application/vnd.ahead.space ahead  
application/vnd.airzip.filesecure.azf azf  
application/vnd.airzip.filesecure.azs azs  
application/vnd.amazon.ebook azw  
#  
application/vnd.amazon.mobi8-ebook  
application/vnd.americandynamics.acc acc  
application/vnd.amiga.ami ami  
# application/vnd.amundsen.maze+xml  
application/vnd.android.package-archive apk  
# application/vnd.anki  
application/vnd.anser-web-certificate-issue-initiation cii  
application/vnd.anser-web-funds-transfer-initiation fti  
application/vnd.antix.game-component atx  
# application/vnd.apache.thrift.binary  
# application/vnd.apache.thrift.compact  
# application/vnd.apache.thrift.json  
# application/vnd.api+json  
application/vnd.apple.installer+xml mpkg  
application/vnd.apple.mpegurl m3u8  
# application/vnd.arastra.swi  
application/vnd.aristanetworks.swi swi  
# application/vnd.artsquare  
application/vnd.astraea-software.iota iota  
application/vnd.audiograph aep  
# application/vnd.autopackage  
# application/vnd.avistar+xml  
# application/vnd.balsamiq.bmml+xml  
# application/vnd.balsamiq.bmpr  
#  
application/vnd.bekitzur-stech+json  
# application/vnd.biopax.rdf+xml  
application/vnd.blueice.multipass mpm  
# application/vnd.bluetooth.ep.oob  
# application/vnd.bluetooth.le.oob  
application/vnd.bmi bmi  
application/vnd.businessobjects rep

```
application/vnd.cab-jscript
application/vnd.canon-cpdl
application/vnd.canon-lips
application/vnd.cendio.thinlinc.clientconf
application/vnd.century-systems.tcp_stream
application/vnd.chemdraw+xml cdxml
application/vnd.chess-pgn
application/vnd.chipnuts.karaoke-mmd mmd
application/vnd.cinderella cdy
application/vnd.cirpack.isdn-ext
application/vnd.citationstyles.style+xml
application/vnd.claymore cla
application/vnd.cloanto.rp9 rp9
application/vnd.clonk.c4group c4g c4d c4f c4p c4u
application/vnd.cluetrust.cartomobile-config c11amc
application/vnd.cluetrust.cartomobile-config-pkg c11amz
application/vnd.coffeescript
application/vnd.collection+json
application/vnd.collection.doc+json
application/vnd.collection.next+json
#
application/vnd.comicbook+zip
application/vnd.commerce-battelle
application/vnd.commonspace csp
application/vnd.contact.cmsg cdbcmsg
application/vnd.coreos.ignition+json
application/vnd.cosmocaller cmc
application/vnd.crick.clicker clkx
application/vnd.crick.clicker.keyboard clkk
application/vnd.crick.clicker.palette clkp
application/vnd.crick.clicker.template clkt
application/vnd.crick.clicker.wordbank clkw
application/vnd.criticaltools.wbs+xml wbs
application/vnd.ctc-posml pml
application/vnd.ctct.ws+xml
application/vnd.cups-pdf
application/vnd.cups-postscript
application/vnd.cups-ppd ppd
application/vnd.cups-raster
application/vnd.cups-raw
application/vnd.curl
application/vnd.curl.car car
application/vnd.curl.pcurl pcurl
application/vnd.cyan.dean.root+xml
application/vnd.cybank
application/vnd.dart dart
application/vnd.data-vision.rdz rdz
application/vnd.debian.binary-package
```

application/vnd.dece.data uvf uvvf  
uvd uvvd  
application/vnd.dece.ttml+xml uvt uvvt  
application/vnd.dece.unspecified uvx uvvx  
application/vnd.dece.zip uvz uvvz  
application/vnd.denovo.fcselayout-link fe\_launch  
# application/vnd.desmume.movie  
# application/vnd.dir-bi.plate-dl-nosuffix  
# application/vnd.dm.delegation+xml  
application/vnd.dna dna  
# application/vnd.document+json  
application/vnd.dolby.mlp mlp  
# application/vnd.dolby.mobile.1  
# application/vnd.dolby.mobile.2  
# application/vnd.doremir.scorecloud-binary-document  
application/vnd.dpgraph dpg  
application/vnd.dreamfactory dfac  
# application/vnd.drive+json  
application/vnd.ds-keypoint kpxx  
# application/vnd.dtg.local  
# application/vnd.dtg.local.flash  
# application/vnd.dtg.local.html  
application/vnd.dvb.ait ait  
# application/vnd.dvb.dvbj  
# application/vnd.dvb.esgcontainer  
# application/vnd.dvb.ipdcdftnotifaccess  
# application/vnd.dvb.ipdcesgaccess  
# application/vnd.dvb.ipdcesgaccess2  
# application/vnd.dvb.ipdcesgpdd  
# application/vnd.dvb.ipdcroaming  
#  
application/vnd.dvb.iptv.alfec-base  
# application/vnd.dvb.iptv.alfec-enhancement  
# application/vnd.dvb.notif-aggregate-root+xml  
# application/vnd.dvb.notif-container+xml  
# application/vnd.dvb.notif-generic+xml  
# application/vnd.dvb.notif-ia-msglist+xml  
# application/vnd.dvb.notif-ia-registration-request+xml  
# application/vnd.dvb.notif-ia-registration-response+xml  
# application/vnd.dvb.notif-init+xml  
# application/vnd.dvb.pfr  
application/vnd.dvb.service svc  
# application/vnd.dxr  
application/vnd.dynageo geo  
# application/vnd.dzr  
# application/vnd.easykaraoke.cdgdownload  
# application/vnd.ecdis-update  
application/vnd.ecowin.chart mag

```
application/vnd.ecowin.filerequest
application/vnd.ecowin.fileupdate
application/vnd.ecowin.series
application/vnd.ecowin.seriesrequest
application/vnd.ecowin.seriesupdate
application/vnd.emclient.accessrequest+xml
application/vnd.enliven nml
application/vnd.enphase.envoy
application/vnd.eprints.data+xml
application/vnd.epson.esf esf
application/vnd.epson.msf msf
application/vnd.epson.quickanime qam
application/vnd.epson.salt slt
application/vnd.epson.ssf ssf
#
application/vnd.ericsson.quickcall
application/vnd.eszigno3+xml es3 et3
application/vnd.etsi.aoc+xml
application/vnd.etsi.asic-e+zip
application/vnd.etsi.asic-s+zip
application/vnd.etsi.cug+xml
application/vnd.etsi.iptvcommand+xml
application/vnd.etsi.iptvdiscovery+xml
application/vnd.etsi.iptvprofile+xml
application/vnd.etsi.iptvsad-bc+xml
application/vnd.etsi.iptvsad-cod+xml
application/vnd.etsi.iptvsad-mpvr+xml
application/vnd.etsi.iptvservice+xml
application/vnd.etsi.iptvsync+xml
application/vnd.etsi.iptvueprofile+xml
application/vnd.etsi.mcid+xml
application/vnd.etsi.mhcg5
application/vnd.etsi.overload-control-policy-dataset+xml
application/vnd.etsi.pstn+xml
application/vnd.etsi.sci+xml
application/vnd.etsi.simservs+xml
application/vnd.etsi.timestamp-token
application/vnd.etsi.tsl+xml
application/vnd.etsi.tsl.der
#
application/vnd.eudora.data
application/vnd.ezpix-album ez2
application/vnd.ezpix-package ez3
application/vnd.f-secure.mobile
application/vnd.fastcopy-disk-image
application/vnd.fdf fdf
application/vnd.fdsn.mseed mseed
application/vnd.fdsn.seed seed dataless
```

```
application/vnd.ffsns
application/vnd.filmit.zfc
application/vnd.fints
application/vnd.firemonkeys.cloudcell
application/vnd.flographit gph
application/vnd.fluxtime.clip ftc
application/vnd.font-fontforge-sfd
application/vnd.framemaker fm frame maker book
application/vnd.frogans.fnc fnc
application/vnd.frogans.ltf ltf
application/vnd.fsc.weblaunch fsc
application/vnd.fujitsu.oasys oas
application/vnd.fujitsu.oasys2 oa2
application/vnd.fujitsu.oasys3 oa3
application/vnd.fujitsu.oasysgp fg5
application/vnd.fujitsu.oasysprs bh2
application/vnd.fujixerox.art-ex
application/vnd.fujixerox.art4
application/vnd.fujixerox.ddd ddd
application/vnd.fujixerox.docuworks xdw
application/vnd.fujixerox.docuworks.binder xbd
#
application/vnd.fujixerox.docuworks.container
application/vnd.fujixerox.hbpl
application/vnd.fut-misnet
application/vnd.fuzzysheet fzs
application/vnd.genomatix.tuxedo txd
application/vnd.geo+json
application/vnd.geocube+xml
application/vnd.geogebra.file ggb
application/vnd.geogebra.tool ggt
application/vnd.geometry-explorer gex gre
application/vnd.geonext gxt
application/vnd.geoplan g2w
application/vnd.geospace g3w
application/vnd.gerber
application/vnd.globalplatform.card-content-mgt
application/vnd.globalplatform.card-content-mgt-response
application/vnd.gmx gmx
application/vnd.google-earth.kml+xml kml
application/vnd.google-earth.kmz kmz
application/vnd.gov.sk.e-form+xml
application/vnd.gov.sk.e-form+zip
application/vnd.gov.sk.xmldatacontainer+xml
application/vnd.grafeq gqf gqs
application/vnd.gridmp
application/vnd.groove-account gac
application/vnd.groove-help ghf
```

application/vnd.groove-identity-message gim  
application/vnd.groove-injector grv  
application/vnd.groove-tool-message gtm  
application/vnd.groove-tool-template tpl  
application/vnd.groove-vcard vcg  
#  
application/vnd.hal+json  
application/vnd.hal+xml hal  
application/vnd.handheld-entertainment+xml zmm  
application/vnd.hbci hbci  
# application/vnd.hcl-bireports  
# application/vnd.hdt  
# application/vnd.heroku+json  
application/vnd.hhe.lesson-player les  
application/vnd.hp-hpgl hpgl  
application/vnd.hp-hpid hpid  
application/vnd.hp-hps hps  
application/vnd.hp-jlyt jlt  
application/vnd.hp-pcl pcl  
application/vnd.hp-pclxl pclxl  
# application/vnd.httphone  
application/vnd.hydrostatix.sof-data sfd-hdstx  
# application/vnd.hyperdrive+json  
# application/vnd.hzn-3d-crossword  
# application/vnd.ibm.afplinedata  
# application/vnd.ibm.electronic-media  
application/vnd.ibm.minipay mpy  
application/vnd.ibm.modcap afp listafp list3820  
application/vnd.ibm.rights-management irm  
application/vnd.ibm.secure-container sc  
application/vnd.iccprofile icc  
icm  
# application/vnd.ieee.1905  
application/vnd.igloader igl  
application/vnd.immervision-ivp ivp  
application/vnd.immervision-ivu ivu  
# application/vnd.ims.imsccv1p1  
# application/vnd.ims.imsccv1p2  
# application/vnd.ims.imsccv1p3  
# application/vnd.ims.lis.v2.result+json  
# application/vnd.ims.lti.v2.toolconsumerprofile+json  
# application/vnd.ims.lti.v2.toolproxy+json  
# application/vnd.ims.lti.v2.toolproxy.id+json  
# application/vnd.ims.lti.v2.toolsettings+json  
# application/vnd.ims.lti.v2.toolsettings.simple+json  
# application/vnd.informedcontrol.rms+xml  
# application/vnd.informix-visionary  
# application/vnd.infotech.project

```
application/vnd.infotech.project+xml
application/vnd.innopath.wamp.notification
application/vnd.insors.igm igm
application/vnd.intercon.formnet xpw xpx
application/vnd.intergeo i2g
application/vnd.intertrust.digibox
application/vnd.intertrust.nncp
application/vnd.intu.qbo qbo
application/vnd.intu.qfx qfx
#
application/vnd.iptc.g2.catalogitem+xml
application/vnd.iptc.g2.conceptitem+xml
application/vnd.iptc.g2.knowledgeitem+xml
application/vnd.iptc.g2.newsitem+xml
application/vnd.iptc.g2.newsmesssage+xml
application/vnd.iptc.g2.packageitem+xml
application/vnd.iptc.g2.planningitem+xml
application/vnd.ipunplugged.rcprofile rcprofile
application/vnd.irepository.package+xml irp
application/vnd.is-xpr xpr
application/vnd.isac.fcs fcs
application/vnd.jam jam
application/vnd.japannet-directory-service
application/vnd.japannet-jpnstore-wakeup
application/vnd.japannet-payment-wakeup
application/vnd.japannet-registration
application/vnd.japannet-registration-wakeup
application/vnd.japannet-setstore-wakeup
application/vnd.japannet-verification
application/vnd.japannet-verification-wakeup
application/vnd.jcp.javame.midlet-rms rms
application/vnd.jisp jisp
application/vnd.joost.joda-archive joda
application/vnd.jsk.isdn-ngn
application/vnd.kahootz ktz
ktr
application/vnd.kde.karbon karbon
application/vnd.kde.kchart chrt
application/vnd.kde.kformula kfo
application/vnd.kde.kivio flw
application/vnd.kde.kontour kon
application/vnd.kde.kpresenter kpr kpt
application/vnd.kde.kspread ksp
application/vnd.kde.kword kwd kwt
application/vnd.kenameaapp htke
application/vnd.kidspiration kia
application/vnd.kinar kne knp
application/vnd.koan skp skd skt skm
```

application/vnd.kodak-descriptor sse  
application/vnd.las.las+xml lasxml  
# application/vnd.liberty-request+xml  
application/vnd.llamagraphics.life-balance.desktop lbd  
application/vnd.llamagraphics.life-balance.exchange+xml lbe  
application/vnd.lotus-1-2-3 123  
application/vnd.lotus-approach apr  
application/vnd.lotus-freelance pre  
application/vnd.lotus-notes nsf  
application/vnd.lotus-organizer org  
application/vnd.lotus-screencam scm  
application/vnd.lotus-wordpro lwp  
application/vnd.macports.portpkg portpkg  
# application/vnd.mapbox-vector-tile  
# application/vnd.marlin.drm.actiontoken+xml  
#  
application/vnd.marlin.drm.conftoken+xml  
# application/vnd.marlin.drm.license+xml  
# application/vnd.marlin.drm.mdcf  
# application/vnd.mason+json  
# application/vnd.maxmind.maxmind-db  
application/vnd.mcd mcd  
application/vnd.medcalldata mc1  
application/vnd.mediastation.cdkey cdkey  
# application/vnd.meridian-slideshow  
application/vnd.mfer mwf  
application/vnd.mfmp mfm  
# application/vnd.micro+json  
application/vnd.micrografx.flo flo  
application/vnd.micrografx.igx igx  
# application/vnd.microsoft.portable-executable  
# application/vnd.miele+json  
application/vnd.mif mif  
# application/vnd.minisoft-hp3000-save  
# application/vnd.mitsubishi.misty-guard.trustweb  
application/vnd.mobius.daf daf  
application/vnd.mobius.dis dis  
application/vnd.mobius.mbk mbk  
application/vnd.mobius.mqy mqy  
application/vnd.mobius.msl msl  
application/vnd.mobius.plc plc  
application/vnd.mobius.txf txf  
application/vnd.mophun.application mpn  
application/vnd.mophun.certificate mpc  
#  
application/vnd.motorola.flexsuite  
# application/vnd.motorola.flexsuite.adsi  
# application/vnd.motorola.flexsuite.fis

```
application/vnd.motorola.flexsuite.gotap
application/vnd.motorola.flexsuite.kmr
application/vnd.motorola.flexsuite.ttc
application/vnd.motorola.flexsuite.wem
application/vnd.motorola.iprm
application/vnd.mozilla.xul+xml xul
application/vnd.ms-3mfdocument
application/vnd.ms-artgalry cil
application/vnd.ms-asf
application/vnd.ms-cab-compressed cab
application/vnd.ms-color.iccprofile
application/vnd.ms-excel xls xlm xla xlc xlt xlw
application/vnd.ms-excel.addin.macroenabled.12 xlam
application/vnd.ms-excel.sheet.binary.macroenabled.12 xlsb
application/vnd.ms-excel.sheet.macroenabled.12 xlsx
application/vnd.ms-excel.template.macroenabled.12 xltm
application/vnd.ms-fontobject eot
application/vnd.ms-htmlhelp chm
application/vnd.ms-ims ims
application/vnd.ms-lrm lrm
application/vnd.ms-office.activex+xml
application/vnd.ms-officetheme thmx
#
application/vnd.ms-opentype
application/vnd.ms-package.obfuscated-opentype
application/vnd.ms-pki.seccat cat
application/vnd.ms-pki.stl stl
application/vnd.ms-playready.initiator+xml
application/vnd.ms-powerpoint ppt pps pot
application/vnd.ms-powerpoint.addin.macroenabled.12 ppam
application/vnd.ms-powerpoint.presentation.macroenabled.12 pptm
application/vnd.ms-powerpoint.slide.macroenabled.12 sldm
application/vnd.ms-powerpoint.slideshow.macroenabled.12 ppsm
application/vnd.ms-powerpoint.template.macroenabled.12 potm
application/vnd.ms-printdevicecapabilities+xml
application/vnd.ms-printing.printticket+xml
application/vnd.ms-printschematicket+xml
application/vnd.ms-project mpp mpt
application/vnd.ms-tnef
application/vnd.ms-windows.devicepairing
application/vnd.ms-windows.nwprinting.oob
application/vnd.ms-windows.printerpairing
application/vnd.ms-windows.wsd.oob
application/vnd.ms-wmdrm.lic-chlg-req
application/vnd.ms-wmdrm.lic-resp
#
application/vnd.ms-wmdrm.meter-chlg-req
application/vnd.ms-wmdrm.meter-resp
```

application/vnd.ms-word.document.macroenabled.12 docm  
application/vnd.ms-word.template.macroenabled.12 dotm  
application/vnd.ms-works wps wks wcm wdb  
application/vnd.ms-wpl wpl  
application/vnd.ms-xpsdocument xps  
# application/vnd.msa-disk-image  
application/vnd.mseq mseq  
# application/vnd.msign  
# application/vnd.multiad.creator  
# application/vnd.multiad.creator.cif  
# application/vnd.music-niff  
application/vnd.musician mus  
application/vnd.muvee.style msty  
application/vnd.mynfc taglet  
# application/vnd.ncd.control  
# application/vnd.ncd.reference  
# application/vnd.nervana  
# application/vnd.netfpx  
application/vnd.neurolanguage.nlu nlu  
# application/vnd.nintendo.nitro.rom  
# application/vnd.nintendo.snes.rom  
application/vnd.nitf ntf nitf  
application/vnd.noblenet-directory nnd  
application/vnd.noblenet-sealer nns  
application/vnd.noblenet-web nnw  
# application/vnd.nokia.catalogs  
#  
application/vnd.nokia.conml+wbxml  
# application/vnd.nokia.conml+xml  
# application/vnd.nokia.iptv.config+xml  
# application/vnd.nokia.isds-radio-presets  
# application/vnd.nokia.landmark+wbxml  
# application/vnd.nokia.landmark+xml  
# application/vnd.nokia.landmarkcollection+xml  
# application/vnd.nokia.n-gage.ac+xml  
application/vnd.nokia.n-gage.data ngdat  
application/vnd.nokia.n-gage.symbian.install n-gage  
# application/vnd.nokia.ncd  
# application/vnd.nokia.pcd+wbxml  
# application/vnd.nokia.pcd+xml  
application/vnd.nokia.radio-preset rpst  
application/vnd.nokia.radio-presets rpss  
application/vnd.novadigm.edm edm  
application/vnd.novadigm.edx edx  
application/vnd.novadigm.ext ext  
# application/vnd.ntt-local.content-share  
# application/vnd.ntt-local.file-transfer  
# application/vnd.ntt-local.ogw\_remote-access

```
application/vnd.ntt-local.sip-ta_remote
application/vnd.ntt-local.sip-ta_tcp_stream
application/vnd.oasis.opendocument.chart odc
application/vnd.oasis.opendocument.chart-template otc
application/vnd.oasis.opendocument.database odb
application/vnd.oasis.opendocument.formula odf
application/vnd.oasis.opendocument.formula-template odft
application/vnd.oasis.opendocument.graphics odg
application/vnd.oasis.opendocument.graphics-template otg
application/vnd.oasis.opendocument.image odi
application/vnd.oasis.opendocument.image-template oti
application/vnd.oasis.opendocument.presentation odp
application/vnd.oasis.opendocument.presentation-template otp
application/vnd.oasis.opendocument.spreadsheet ods
application/vnd.oasis.opendocument.spreadsheet-template ots
application/vnd.oasis.opendocument.text odt
application/vnd.oasis.opendocument.text-master odm
application/vnd.oasis.opendocument.text-template ott
application/vnd.oasis.opendocument.text-web oth
#
 application/vnd.obn
application/vnd.ofn.l10n+json
application/vnd.oipf.contentaccessdownload+xml
application/vnd.oipf.contentaccessstreaming+xml
application/vnd.oipf.cspg-hexbinary
application/vnd.oipf.dae.svg+xml
#
 application/vnd.oipf.dae.xhtml+xml
application/vnd.oipf.mippvcontrolmessage+xml
application/vnd.oipf.pae.gem
application/vnd.oipf.spdiscovery+xml
application/vnd.oipf.spdlist+xml
application/vnd.oipf.ueprofile+xml
application/vnd.oipf.userprofile+xml
application/vnd.olpc-sugar xo
application/vnd.oma-scws-config
application/vnd.oma-scws-http-request
application/vnd.oma-scws-http-response
application/vnd.oma.bcast.associated-procedure-parameter+xml
application/vnd.oma.bcast.drm-trigger+xml
application/vnd.oma.bcast.imd+xml
application/vnd.oma.bcast.ltkm
application/vnd.oma.bcast.notification+xml
application/vnd.oma.bcast.provisioningtrigger
application/vnd.oma.bcast.sgboot
application/vnd.oma.bcast.sgdd+xml
application/vnd.oma.bcast.sgdu
application/vnd.oma.bcast.simple-symbol-container
```

# application/vnd.oma.bcast.smartcard-trigger+xml  
# application/vnd.oma.bcast.sprov+xml  
# application/vnd.oma.bcast.stkm  
# application/vnd.oma.cab-address-book+xml  
#  
application/vnd.oma.cab-feature-handler+xml  
# application/vnd.oma.cab-pcc+xml  
# application/vnd.oma.cab-sub-invite+xml  
# application/vnd.oma.cab-user-prefs+xml  
# application/vnd.oma.dcd  
# application/vnd.oma.dcdc  
application/vnd.oma.dd2+xml dd2  
# application/vnd.oma.drm.risd+xml  
# application/vnd.oma.group-usage-list+xml  
# application/vnd.oma.lwm2m+json  
# application/vnd.oma.lwm2m+tlv  
# application/vnd.oma.pal+xml  
# application/vnd.oma.poc.detailed-progress-report+xml  
# application/vnd.oma.poc.final-report+xml  
# application/vnd.oma.poc.groups+xml  
# application/vnd.oma.poc.invocation-descriptor+xml  
# application/vnd.oma.poc.optimized-progress-report+xml  
# application/vnd.oma.push  
# application/vnd.oma.scidm.messages+xml  
# application/vnd.oma.xcap-directory+xml  
# application/vnd.omads-email+xml  
# application/vnd.omads-file+xml  
# application/vnd.omads-folder+xml  
# application/vnd.omaloc-supl-init  
# application/vnd.onepager  
# application/vnd.openblox.game+xml  
#  
application/vnd.openblox.game-binary  
# application/vnd.openeye.oeb  
application/vnd.openofficeorg.extension oxt  
# application/vnd.openxmlformats-officedocument.custom-properties+xml  
# application/vnd.openxmlformats-officedocument.customxmlproperties+xml  
# application/vnd.openxmlformats-officedocument.drawing+xml  
# application/vnd.openxmlformats-officedocument.drawingml.chart+xml  
# application/vnd.openxmlformats-officedocument.drawingml.chartshapes+xml  
# application/vnd.openxmlformats-officedocument.drawingml.diagramcolors+xml  
# application/vnd.openxmlformats-officedocument.drawingml.diagramdata+xml  
# application/vnd.openxmlformats-officedocument.drawingml.diagramlayout+xml  
# application/vnd.openxmlformats-officedocument.drawingml.diagramstyle+xml  
# application/vnd.openxmlformats-officedocument.extended-properties+xml  
# application/vnd.openxmlformats-officedocument.presentationml.commentauthors+xml  
# application/vnd.openxmlformats-officedocument.presentationml.comments+xml  
# application/vnd.openxmlformats-officedocument.presentationml.handoutmaster+xml

#  
application/vnd.openxmlformats-officedocument.presentationml.notesmaster+xml  
# application/vnd.openxmlformats-officedocument.presentationml.noteslide+xml  
application/vnd.openxmlformats-officedocument.presentationml.presentation pptx  
# application/vnd.openxmlformats-officedocument.presentationml.presentation.main+xml  
# application/vnd.openxmlformats-officedocument.presentationml.presprops+xml  
application/vnd.openxmlformats-officedocument.presentationml.slide sldx  
# application/vnd.openxmlformats-officedocument.presentationml.slide+xml  
# application/vnd.openxmlformats-officedocument.presentationml.slidelayout+xml  
# application/vnd.openxmlformats-officedocument.presentationml.slidemaster+xml  
application/vnd.openxmlformats-officedocument.presentationml.slideshow ppsx  
# application/vnd.openxmlformats-officedocument.presentationml.slideshow.main+xml  
# application/vnd.openxmlformats-officedocument.presentationml.slideupdateinfo+xml  
#  
application/vnd.openxmlformats-officedocument.presentationml.tablestyles+xml  
# application/vnd.openxmlformats-officedocument.presentationml.tags+xml  
application/vnd.openxmlformats-officedocument.presentationml.template potx  
# application/vnd.openxmlformats-officedocument.presentationml.template.main+xml  
# application/vnd.openxmlformats-officedocument.presentationml.viewprops+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.calcchain+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.chartsheet+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.comments+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.connections+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.dialogsheet+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.externallink+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.pivotcachedefinition+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.pivotcacherecords+xml  
#  
application/vnd.openxmlformats-officedocument.spreadsheetml.pivottable+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.querytable+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.revisionheaders+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.revisionlog+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.sharedstrings+xml  
application/vnd.openxmlformats-officedocument.spreadsheetml.sheet.xlsx  
# application/vnd.openxmlformats-officedocument.spreadsheetml.sheet.main+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.sheetmetadata+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.styles+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.table+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.tablesinglecells+xml  
application/vnd.openxmlformats-officedocument.spreadsheetml.template xltx  
# application/vnd.openxmlformats-officedocument.spreadsheetml.template.main+xml  
#  
application/vnd.openxmlformats-officedocument.spreadsheetml.usernames+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.volatiledependencies+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.worksheet+xml  
# application/vnd.openxmlformats-officedocument.theme+xml  
# application/vnd.openxmlformats-officedocument.themeoverride+xml  
# application/vnd.openxmlformats-officedocument.vmldrawing

# application/vnd.openxmlformats-officedocument.wordprocessingml.comments+xml  
application/vnd.openxmlformats-officedocument.wordprocessingml.document docx  
# application/vnd.openxmlformats-officedocument.wordprocessingml.document.glossary+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.document.main+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.endnotes+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.fonttable+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.footer+xml  
#  
application/vnd.openxmlformats-officedocument.wordprocessingml.footnotes+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.numbering+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.settings+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.styles+xml  
application/vnd.openxmlformats-officedocument.wordprocessingml.template dotx  
# application/vnd.openxmlformats-officedocument.wordprocessingml.template.main+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.websettings+xml  
# application/vnd.openxmlformats-package.core-properties+xml  
# application/vnd.openxmlformats-package.digital-signature-xmlsignature+xml  
# application/vnd.openxmlformats-package.relationships+xml  
# application/vnd.oracle.resource+json  
# application/vnd.orange.indata  
# application/vnd.osa.netdeploy  
application/vnd.osgeo.mapguide.package mgp  
# application/vnd.osgi.bundle  
application/vnd.osgi.dp dp  
application/vnd.osgi.subsystem esa  
#  
application/vnd.otp.ct-kip+xml  
# application/vnd.oxli.countgraph  
# application/vnd.pagerduty+json  
application/vnd.palm pdb pqa oprc  
# application/vnd.panoply  
# application/vnd.paos.xml  
application/vnd.pawaaf file paw  
# application/vnd.pcos  
application/vnd.pg.format str  
application/vnd.pg.osasli ei6  
# application/vnd.piacess.application-licence  
application/vnd.picsel efif  
application/vnd.pmi.widget wg  
# application/vnd.poc.group-advertisement+xml  
application/vnd.pocketlearn plf  
application/vnd.powerbuilder6 pbd  
# application/vnd.powerbuilder6-s  
# application/vnd.powerbuilder7  
# application/vnd.powerbuilder7-s  
# application/vnd.powerbuilder75  
# application/vnd.powerbuilder75-s  
# application/vnd.preminet

application/vnd.previewsystems.box box  
application/vnd.proteus.magazine mgz  
application/vnd.publishare-delta-tree qps  
application/vnd.pvi.ptid1 ptid  
# application/vnd.pwg-multiplexed  
# application/vnd.pwg-xhtml-print+xml  
# application/vnd.qualcomm.brew-app-res  
#  
application/vnd.quarantainenet  
application/vnd.quark.quarkxpress qxd qxt qwd qwt qxl qxb  
# application/vnd.quobject-quoxdocument  
# application/vnd.radisys.moml+xml  
# application/vnd.radisys.msml+xml  
# application/vnd.radisys.msml-audit+xml  
# application/vnd.radisys.msml-audit-conf+xml  
# application/vnd.radisys.msml-audit-conn+xml  
# application/vnd.radisys.msml-audit-dialog+xml  
# application/vnd.radisys.msml-audit-stream+xml  
# application/vnd.radisys.msml-conf+xml  
# application/vnd.radisys.msml-dialog+xml  
# application/vnd.radisys.msml-dialog-base+xml  
# application/vnd.radisys.msml-dialog-fax-detect+xml  
# application/vnd.radisys.msml-dialog-fax-sendrecv+xml  
# application/vnd.radisys.msml-dialog-group+xml  
# application/vnd.radisys.msml-dialog-speech+xml  
# application/vnd.radisys.msml-dialog-transform+xml  
# application/vnd.rainstor.data  
# application/vnd.rapid  
# application/vnd.rar  
application/vnd.realvnc.bed bed  
application/vnd.recordare.musicxml mxl  
application/vnd.recordare.musicxml+xml musicxml  
#  
application/vnd.renlearn.rlprint  
application/vnd.rig.cryptonote cryptonote  
application/vnd.rim.cod cod  
application/vnd.rn-realmedia rm  
application/vnd.rn-realmedia-vbr rmvb  
application/vnd.route66.link66+xml link66  
# application/vnd.rs-274x  
# application/vnd.ruckus.download  
# application/vnd.s3sms  
application/vnd.sailingtracker.track st  
# application/vnd.sbm.cid  
# application/vnd.sbm.mid2  
# application/vnd.scribus  
# application/vnd.sealed.3df  
# application/vnd.sealed.csf

# application/vnd.sealed.doc  
# application/vnd.sealed.eml  
# application/vnd.sealed.mht  
# application/vnd.sealed.net  
# application/vnd.sealed.ppt  
# application/vnd.sealed.tiff  
# application/vnd.sealed.xls  
# application/vnd.sealedmedia.softseal.html  
# application/vnd.sealedmedia.softseal.pdf  
application/vnd.seemail see  
application/vnd.sema sema  
application/vnd.semd semd  
application/vnd.semf semf  
application/vnd.shana.informed.formdata ifm  
application/vnd.shana.informed.formtemplate itp  
application/vnd.shana.informed.interchange iif  
application/vnd.shana.informed.package ipk  
application/vnd.simtech-mindmapper twd  
twds  
# application/vnd.siren+json  
application/vnd.smf mmf  
# application/vnd.smart.notebook  
application/vnd.smart.teacher teacher  
# application/vnd.software602.filler.form+xml  
# application/vnd.software602.filler.form+xml-zip  
application/vnd.solent.sdkm+xml sdkm sdkd  
application/vnd.spotfire.dxp dxp  
application/vnd.spotfire.sfs sfs  
# application/vnd.sss-cod  
# application/vnd.sss-dtf  
# application/vnd.sss-ntf  
application/vnd.stardivision.calc sdc  
application/vnd.stardivision.draw sda  
application/vnd.stardivision.impress sdd  
application/vnd.stardivision.math smf  
application/vnd.stardivision.writer sdw vor  
application/vnd.stardivision.writer-global sgl  
application/vnd.stepmania.package smzip  
application/vnd.stepmania.stepchart sm  
# application/vnd.street-stream  
# application/vnd.sun.wadl+xml  
application/vnd.sun.xml.calc sxc  
application/vnd.sun.xml.calc.template stc  
application/vnd.sun.xml.draw sxd  
application/vnd.sun.xml.draw.template std  
application/vnd.sun.xml.impress sxi  
application/vnd.sun.xml.impress.template sti  
application/vnd.sun.xml.math sxm

application/vnd.sun.xml.writer sxw  
application/vnd.sun.xml.writer.global sxc  
application/vnd.sun.xml.writer.template stw  
application/vnd.sus-calendar sus  
susp  
application/vnd.svd svd  
# application/vnd.swiftview-ics  
application/vnd.symbian.install sis sisx  
application/vnd.syncml+xml xsm  
application/vnd.syncml.dm+wbxml bdm  
application/vnd.syncml.dm+xml xdm  
# application/vnd.syncml.dm.notification  
# application/vnd.syncml.dmddf+wbxml  
# application/vnd.syncml.dmddf+xml  
# application/vnd.syncml.dmtnds+wbxml  
# application/vnd.syncml.dmtnds+xml  
# application/vnd.syncml.ds.notification  
application/vnd.tao.intent-module-archive tao  
application/vnd.tcpdump.pcap pcap cap dmp  
# application/vnd.tmd.mediaflex.api+xml  
# application/vnd.tml  
application/vnd.tmobile-livetv tmo  
application/vnd.trid.tpt tpt  
application/vnd.triscape.mxs mxs  
application/vnd.trueapp tra  
#  
application/vnd.truedoc  
# application/vnd.ubisoft.webplayer  
application/vnd.ufdl ufd ufdl  
application/vnd.uiq.theme utz  
application/vnd.umajin umj  
application/vnd.unity unityweb  
application/vnd.uoml+xml uoml  
# application/vnd.uplanet.alert  
# application/vnd.uplanet.alert-wbxml  
# application/vnd.uplanet.bearer-choice  
# application/vnd.uplanet.bearer-choice-wbxml  
# application/vnd.uplanet.cacheop  
# application/vnd.uplanet.cacheop-wbxml  
# application/vnd.uplanet.channel  
# application/vnd.uplanet.channel-wbxml  
# application/vnd.uplanet.list  
# application/vnd.uplanet.list-wbxml  
# application/vnd.uplanet.listcmd  
# application/vnd.uplanet.listcmd-wbxml  
# application/vnd.uplanet.signal  
# application/vnd.uri-map  
# application/vnd.valve.source.material

application/vnd.vcx vcx  
# application/vnd.vd-study  
# application/vnd.vectorworks  
# application/vnd.vel+json  
#  
application/vnd.verimatrix.vcas  
# application/vnd.vidsoft.vidconference  
application/vnd.visio vsd vst vss vsw  
application/vnd.visionary vis  
# application/vnd.vividence.scriptfile  
application/vnd.vsf vsf  
# application/vnd.wap.sic  
# application/vnd.wap.slc  
application/vnd.wap.wbxml wbxml  
application/vnd.wap.wmlc wmlc  
application/vnd.wap.wmlscriptc wmlsc  
application/vnd.webturbo wtb  
# application/vnd.wfa.p2p  
# application/vnd.wfa.wsc  
# application/vnd.windows.devicepairing  
# application/vnd.wmc  
# application/vnd.wmf.bootstrap  
# application/vnd.wolfram.mathematica  
# application/vnd.wolfram.mathematica.package  
application/vnd.wolfram.player nbp  
application/vnd.wordperfect wpd  
application/vnd.wqd wqd  
# application/vnd.wrq-hp3000-labelled  
application/vnd.wt.stf stf  
# application/vnd.wv.csp+wbxml  
# application/vnd.wv.csp+xml  
# application/vnd.wv.ssp+xml  
# application/vnd.xacml+json  
application/vnd.xara xar  
application/vnd.xfdl xfdl  
# application/vnd.xfdl.webform  
#  
application/vnd.xmi+xml  
# application/vnd.xmpie.cpkg  
# application/vnd.xmpie.dpkg  
# application/vnd.xmpie.plan  
# application/vnd.xmpie.ppkg  
# application/vnd.xmpie.xlim  
application/vnd.yamaha.hv-dic hvd  
application/vnd.yamaha.hv-script hvs  
application/vnd.yamaha.hv-voice hvp  
application/vnd.yamaha.openscoreformat osf  
application/vnd.yamaha.openscoreformat.osfpvg+xml osfpvg

```
application/vnd.yamaha.remote-setup
application/vnd.yamaha.smaf-audio saf
application/vnd.yamaha.smaf-phrase spf
application/vnd.yamaha.through-ngn
application/vnd.yamaha.tunnel-udpencap
application/vnd.yaoweme
application/vnd.yellowriver-custom-menu cmp
application/vnd.zul zir zirz
application/vnd.zzazz.deck+xml zaz
application/voicexml+xml vxml
application/vq-rtcpvr
application/watcherinfo+xml
application/whoispp-query
application/whoispp-response
application/widget wgt
application/winhelp hlp
application/wita
application/wordperfect5.1
application/wsdl+xml wsdl
application/wspolicy+xml wspolicy
application/x-7z-compressed 7z
application/x-abiword abw
application/x-ace-compressed ace
#
application/x-amf
application/x-apple-diskimage dmg
application/x-authorware-bin aab x32 u32 vox
application/x-authorware-map aam
application/x-authorware-seg aas
application/x-bcpio bcpio
application/x-bittorrent torrent
application/x-blorb blb blorb
application/x-bzip bz
application/x-bzip2 bz2 boz
application/x-cbr cbr cba cbt cbz cb7
application/x-cdlink vcd
application/x-cfs-compressed cfs
application/x-chat chat
application/x-chess-pgn pgn
application/x-compress
application/x-conference nsc
application/x-cpio cpio
application/x-csh csh
application/x-debian-package deb udeb
application/x-dgc-compressed dgc
application/x-director dir dcr dxr cst cct ext w3d fgd swa
application/x-doom wad
application/x-dtbncx+xml ncx
```

application/x-dtbook+xml dtb  
application/x-dtbresource+xml res  
application/x-dvi dvi  
application/x-envoy evy  
application/x-eva eva  
application/x-font-bdf bdf  
#  
application/x-font-dos  
# application/x-font-framemaker  
application/x-font-ghostscript gsf  
# application/x-font-libgrx  
application/x-font-linux-psf psf  
application/x-font-otf otf  
application/x-font-pcf pcf  
application/x-font-snf snf  
# application/x-font-speedo  
# application/x-font-sunos-news  
application/x-font-ttf ttf ttc  
application/x-font-type1 pfa pfb pfm afm  
# application/x-font-vfont  
application/x-freearc arc  
application/x-futuresplash spl  
application/x-gca-compressed gca  
application/x-glulx ulx  
application/x-gnumeric gnumeric  
application/x-gramps-xml gramps  
application/x-gtar gtar  
# application/x-gzip  
application/x-hdf hdf  
application/x-install-instructions install  
application/x-iso9660-image iso  
application/x-java-jnlp-file jnlp  
application/x-latex latex  
application/x-lzh-compressed lzh lha  
application/x-mie mie  
application/x-mobipocket-ebook prc  
mobi  
application/x-ms-application application  
application/x-ms-shortcut lnk  
application/x-ms-wmd wmd  
application/x-ms-wmz wmz  
application/x-ms-xbap xbap  
application/x-msaccess mdb  
application/x-msbinder obd  
application/x-mscardfile crd  
application/x-msclip clp  
application/x-msdownload exe dll com bat msi  
application/x-msmediaview mvb m13 m14

application/x-msmetafile wmf wmz emf emz  
application/x-msmoney mny  
application/x-mspublisher pub  
application/x-msschedule scd  
application/x-msterminal trm  
application/x-mswrite wri  
application/x-netcdf nc cdf  
application/x-nzb nzb  
application/x-pkcs12 p12 pfx  
application/x-pkcs7-certificates p7b spc  
application/x-pkcs7-certreqresp p7r  
application/x-rar-compressed rar  
application/x-research-info-systems ris  
application/x-sh sh  
application/x-shar shar  
application/x-shockwave-flash swf  
application/x-silverlight-app xap  
application/x-sql sql  
application/x-stuffit sit  
application/x-stuffitx sitx  
application/x-subrip srt  
application/x-sv4cpio sv4cpio  
application/x-sv4crc sv4crc  
application/x-t3vm-image t3  
application/x-tads gam  
application/x-tar tar  
application/x-tcl tcl  
application/x-tex tex  
application/x-tex-tfm tfm  
application/x-texinfo texinfo  
texi  
application/x-tgif obj  
application/x-ustar ustar  
application/x-wais-source src  
# application/x-www-form-urlencoded  
application/x-x509-ca-cert der crt  
application/x-xfig fig  
application/x-xliff+xml xlf  
application/x-xpinstall xpi  
application/x-xz xz  
application/x-zmachine z1 z2 z3 z4 z5 z6 z7 z8  
# application/x400-bp  
# application/xacml+xml  
application/xaml+xml xaml  
# application/xcap-att+xml  
# application/xcap-caps+xml  
application/xcap-diff+xml xdf  
# application/xcap-el+xml

```
application/xcap-error+xml
application/xcap-ns+xml
application/xcon-conference-info+xml
application/xcon-conference-info-diff+xml
application/xenc+xml xenc
application/xhtml+xml xhtml
xht
application/xhtml-voice+xml
application/xml xml xsl
application/xml-dtd dtd
application/xml-external-parsed-entity
application/xml-patch+xml
application/xmpp+xml
application/xop+xml xop
application/xproc+xml xpl
application/xslt+xml xslt
application/xspf+xml xspf
application/xv+xml mxml xhvm xvml xvm
application/yang yang
application/yin+xml yin
application/zip zip
application/zlib
audio/1d-interleaved-parityfec
audio/32kadpcm
audio/3gpp
audio/3gpp2
audio/ac3
audio/adpcm adp
audio/amr
audio/amr-wb
audio/amr-wb+
audio/aptx
audio/asc
audio/atrac-advanced-lossless
audio/atrac-x
audio/atrac3
audio/basic au snd
audio/bv16
audio/bv32
audio/clearmode
audio/cn
audio/dat12
audio/dls
audio/dsr-es201108
audio/dsr-es202050
audio/dsr-es202211
audio/dsr-es202212
audio/dv
```

```
audio/dvi4
audio/eac3
audio/encaprtsp
audio/evrc
audio/evrc-qcp
audio/evrc0
audio/evrc1
#
 audio/evrcb
audio/evrcb0
audio/evrcb1
audio/evrcnw
audio/evrcnw0
audio/evrcnw1
audio/evrcwb
audio/evrcwb0
audio/evrcwb1
audio/evs
audio/example
audio/fwdred
audio/g711-0
audio/g719
audio/g722
audio/g7221
audio/g723
audio/g726-16
audio/g726-24
audio/g726-32
audio/g726-40
audio/g728
audio/g729
audio/g7291
audio/g729d
audio/g729e
audio/gsm
audio/gsm-efr
audio/gsm-hr-08
audio/ilbc
audio/ip-mr_v2.5
audio/isac
audio/l16
audio/l20
audio/l24
audio/l8
audio/lpc
audio/midi mid midi kar rmi
audio/mobile-xmf
audio/mp4 m4a mp4a
```

```
audio/mp4a-latm
audio/mpa
audio/mpa-robust
audio/mpeg mpga mp2 mp2a mp3 m2a m3a
audio/mpeg4-generic
audio/musepack
audio/ogg oga ogg spx
audio/opus
audio/parityfec
audio/pcma
audio/pcma-wb
audio/pcmu
audio/pcmu-wb
audio/prs.sid
audio/qcelp
audio/raptorfec
audio/red
audio/rtp-enc-aescm128
audio/rtp-midi
audio/rtploopback
audio/rtx
audio/s3m s3m
audio/silk sil
#
 audio/smv
audio/smv-qcp
audio/smv0
audio/sp-midi
audio/speex
audio/t140c
audio/t38
audio/telephone-event
audio/tone
audio/uemclip
audio/ulpfec
audio/vdvi
audio/vmr-wb
audio/vnd.3gpp.iufp
audio/vnd.4sb
audio/vnd.audiokoz
audio/vnd.celp
audio/vnd.cisco.nse
audio/vnd.cmles.radio-events
audio/vnd.cns.anp1
audio/vnd.cns.infl
audio/vnd.dece.audio uva uvva
audio/vnd.digital-winds eol
audio/vnd.dlna.adts
```

```
audio/vnd.dolby.heaac.1
audio/vnd.dolby.heaac.2
audio/vnd.dolby.mlp
audio/vnd.dolby.mps
audio/vnd.dolby.pl2
audio/vnd.dolby.pl2x
audio/vnd.dolby.pl2z
audio/vnd.dolby.pulse.1
audio/vnd.dra dra
audio/vnd.dts dts
audio/vnd.dts.hd dtshd
audio/vnd.dvb.file
audio/vnd.everad.plj
audio/vnd.hns.audio
audio/vnd.lucent.voice lvp
audio/vnd.ms-playready.media.pya pya
audio/vnd.nokia.mobile-xmf
audio/vnd.nortel.vbk
audio/vnd.nuera.ecelp4800 ecelp4800
audio/vnd.nuera.ecelp7470 ecelp7470
audio/vnd.nuera.ecelp9600 ecelp9600
#
audio/vnd.octel.sbc
audio/vnd.qcelp
audio/vnd.rhetorex.32kadpcm
audio/vnd.rip rip
audio/vnd.sealedmedia.softseal.mpeg
audio/vnd.vmx.cvsd
audio/vorbis
audio/vorbis-config
audio/webm weba
audio/x-aac aac
audio/x-aiff aif aiff aifc
audio/x-caf caf
audio/x-flac flac
audio/x-matroska mka
audio/x-mpegurl m3u
audio/x-ms-wax wax
audio/x-ms-wma wma
audio/x-pn-realaudio ram ra
audio/x-pn-realaudio-plugin rmp
audio/x-tta
audio/x-wav wav
audio/xm xm
chemical/x-cdx cdx
chemical/x-cif cif
chemical/x-cmdf cmdf
chemical/x-cml cml
```

chemical/x-csml csml  
# chemical/x-pdb  
chemical/x-xyz xyz  
image/bmp bmp  
image/cgm cgm  
# image/dicom-rle  
# image/emf  
# image/example  
# image/fits  
image/g3fax g3  
image/gif gif  
image/ief ief  
# image/jls  
# image/jp2  
image/jpeg jpeg jpg jpe  
# image/jpm  
# image/jpx  
image/ktx ktx  
# image/naplps  
image/png png  
image/prs.btif btif  
#  
image/prs.pti  
# image/pwg-raster  
image/sgi sgi  
image/svg+xml svg svgz  
# image/t38  
image/tiff tiff tif  
# image/tiff-fx  
image/vnd.adobe.photoshop psd  
# image/vnd.airzip.accelerator.azv  
# image/vnd.cns.inf2  
image/vnd.dece.graphic uvi uvvi uvg uvvg  
image/vnd.djvu djvu djv  
image/vnd.dvb.subtitle sub  
image/vnd.dwg dwg  
image/vnd.dxf dxf  
image/vnd.fastbidsheet fbs  
image/vnd.fpx fpx  
image/vnd.fst fst  
image/vnd.fujixerox.edmics-mmr mmr  
image/vnd.fujixerox.edmics-rlc rlc  
# image/vnd.globalgraphics.pgb  
# image/vnd.microsoft.icon  
# image/vnd.mix  
# image/vnd.mozilla.apng  
image/vnd.ms-modi mdi  
image/vnd.ms-photo wdp

image/vnd.net-fpx npx  
# image/vnd.radiance  
# image/vnd.sealed.png  
# image/vnd.sealedmedia.softseal.gif  
# image/vnd.sealedmedia.softseal.jpg  
# image/vnd.svf  
# image/vnd.tencent.tap  
# image/vnd.valve.source.texture  
image/vnd.wap.wbmp wbmp  
image/vnd.xiff xif  
# image/vnd.zbrush.pcx  
image/webp webp  
# image/wmf  
image/x-3ds 3ds  
image/x-cmu-raster ras  
image/x-cmx cmx  
image/x-freehand fh  
fhc fh4 fh5 fh7  
image/x-icon ico  
image/x-mrsid-image sid  
image/x-pcx pcx  
image/x-pict pic pct  
image/x-portable-anymap pnm  
image/x-portable-bitmap pbm  
image/x-portable-graymap pgm  
image/x-portable-pixmap ppm  
image/x-rgb rgb  
image/x-tga tga  
image/x-xbitmap xbm  
image/x-xpixmap xpm  
image/x-xwindowdump xwd  
# message/cpim  
# message/delivery-status  
# message/disposition-notification  
# message/example  
# message/external-body  
# message/feedback-report  
# message/global  
# message/global-delivery-status  
# message/global-disposition-notification  
# message/global-headers  
# message/http  
# message/imdn+xml  
# message/news  
# message/partial  
message/rfc822 eml mime  
# message/s-http  
# message/sip

```
message/sipfrag
message/tracking-status
message/vnd.si.simp
message/vnd.wfa.wsc
model/example
model/gltf+json
model/iges igs iges
model/mesh msh mesh silo
model/vnd.collada+xml dae
model/vnd.dwf dwf
#
 model/vnd.flatland.3dml
model/vnd.gdl gdl
model/vnd.gs-gdl
model/vnd.gs.gdl
model/vnd.gtw gtw
model/vnd.moml+xml
model/vnd.mts mts
model/vnd.opengex
model/vnd.parasolid.transmit.binary
model/vnd.parasolid.transmit.text
model/vnd.rosette.annotated-data-model
model/vnd.valve.source.compiled-map
model/vnd.vtu vtu
model/vrml wrl vrml
model/x3d+binary x3db x3dbz
model/x3d+fastinfoset
model/x3d+vrml x3dv x3dvz
model/x3d+xml x3d x3dz
model/x3d-vrml
multipart/alternative
multipart/appledouble
multipart/byteranges
multipart/digest
multipart/encrypted
multipart/example
multipart/form-data
multipart/header-set
multipart/mixed
multipart/parallel
multipart/related
multipart/report
multipart/signed
multipart/voice-message
multipart/x-mixed-replace
text/1d-interleaved-parityfec
text/cache-manifest appcache
text/calendar ics ifb
```

text/css css  
text/csv csv  
# text/csv-schema  
#  
text/directory  
# text/dns  
# text/ecmascript  
# text/encaprtsp  
# text/enriched  
# text/example  
# text/fwdred  
# text/grammar-ref-list  
text/html html htm  
# text/javascript  
# text/jcr-cnd  
# text/markdown  
# text/mizar  
text/n3 n3  
# text/parameters  
# text/parityfec  
text/plain txt text conf def list log in  
# text/provenance-notation  
# text/prs.fallenstein.rst  
text/prs.lines.tag dsc  
# text/prs.prop.logic  
# text/raptorfec  
# text/red  
# text/rfc822-headers  
text/richtext rtx  
# text/rtf  
# text/rtp-enc-aescm128  
# text/rtploopback  
# text/rtx  
text/sgml sgml sgm  
# text/t140  
text/tab-separated-values tsv  
text/troff t tr roff man me ms  
text/turtle ttl  
# text/ulpfec  
text/uri-list uri uris urls  
text/vcard vcard  
# text/vnd.a  
# text/vnd.abc  
text/vnd.curl curl  
text/vnd.curl.dcurl dcurl  
text/vnd.curl.mcurl mcurl  
text/vnd.curl.scurl scurl  
# text/vnd.debian.copyright

```
text/vnd.dmclientscript
text/vnd.dvb.subtitle sub
text/vnd.esmertec.theme-descriptor
text/vnd.fly fly
text/vnd.fmi.flexstor flx
text/vnd.graphviz gv
text/vnd.in3d.3dml 3dml
text/vnd.in3d.spot spot
#
text/vnd.iptc.newsml
text/vnd.iptc.nitf
text/vnd.latex-z
text/vnd.motorola.reflex
text/vnd.ms-mediapackage
text/vnd.net2phone.commcenter.command
text/vnd.radisys.msml-basic-layout
text/vnd.si.uricatalogue
text/vnd.sun.j2me.app-descriptor jad
text/vnd.trolltech.linguist
text/vnd.wap.si
text/vnd.wap.sl
text/vnd.wap.wml wml
text/vnd.wap.wmlscript wmls
text/x-asm s asm
text/x-c c cc cxx cpp h hh dic
text/x-fortran f for f77 f90
text/x-java-source java
text/x-nfo nfo
text/x-opml opml
text/x-pascal p pas
text/x-setext etx
text/x-sfv sfv
text/x-uuencode uu
text/x-vcalendar vcs
text/x-vcard vcf
text/xml
text/xml-external-parsed-entity
video/1d-interleaved-parityfec
video/3gpp 3gp
video/3gpp-tt
video/3gpp2 3g2
video/bmpeg
video/bt656
video/celb
video/dv
video/encaprtsp
#
```

```
video/example
video/h261 h261
video/h263 h263
video/h263-1998
video/h263-2000
video/h264 h264
video/h264-rcdo
video/h264-svc
video/h265
video/iso.segment
video/jpeg jpgv
video/jpeg2000
video/jpm jpm jpgm
video/mj2 mj2 mjp2
video/mp1s
video/mp2p
video/mp2t
video/mp4 mp4 mp4v mpg4
video/mp4v-es
video/mpeg mpeg mpg mpe m1v m2v
video/mpeg4-generic
video/mpv
video/nv
video/ogg ogv
video/parityfec
video/pointer
video/quicktime qt mov
video/raptorfec
video/raw
video/rtp-enc-aescm128
video/rtploopback
video/rtx
video/smpte292m
video/ulpfec
video/vc1
video/vnd.cctv
video/vnd.dece.hd uvh uvvh
video/vnd.dece.mobile uvm uvvm
video/vnd.dece.mp4
video/vnd.dece.pd uvp uvvp
video/vnd.dece.sd uvs uvvs
video/vnd.dece.video uvv uvvv
video/vnd.directv.mpeg
video/vnd.directv.mpeg-tts
video/vnd.dlna.mpeg-tts
video/vnd.dvb.file dvb
video/vnd.fvt fvt
video/vnd.hns.video
```

```
video/vnd.iptvforum.1dparityfec-1010
#
video/vnd.iptvforum.1dparityfec-2005
video/vnd.iptvforum.2dparityfec-1010
video/vnd.iptvforum.2dparityfec-2005
video/vnd.iptvforum.ttsavc
video/vnd.iptvforum.ttsmpeg2
video/vnd.motorola.video
video/vnd.motorola.videop
video/vnd.mpegurl mxu m4u
video/vnd.ms-playready.media.pyv pyv
video/vnd.nokia.interleaved-multimedia
video/vnd.nokia.videovoip
video/vnd.objectvideo
video/vnd.radgamettools.bink
video/vnd.radgamettools.smacker
video/vnd.sealed.mpeg1
video/vnd.sealed.mpeg4
video/vnd.sealed.swf
video/vnd.sealedmedia.softseal.mov
video/vnd.uvu.mp4 uvu uvvu
video/vnd.vivo viv
video/vp8
video/webm webm
video/x-f4v f4v
video/x-fli fli
video/x-flv flv
video/x-m4v m4v
video/x-matroska mkv mk3d mks
video/x-mng mng
video/x-ms-asf asf asx
video/x-ms-vob vob
video/x-ms-wm wm
video/x-ms-wmv wmv
video/x-ms-wmx wmx
video/x-ms-wvx wvx
video/x-msvideo avi
video/x-sgi-movie movie
video/x-smv smv
x-conference/x-cooltalk ice
```

Found

in path(s):

```
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/http/mime.types
```

No license file was found, but licenses were detected in source scan.

/\*

```
* Copyright 2002-2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409065_1681948174.1152472/0/spring-web-5-3-27-sources-
jar/org/springframework/web/bind/annotation/Mapping.java
```

## 1.197 spring-web-mvc 5.3.27

### 1.197.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2014 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/tags/form/PasswordInputTag.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/FlashMapManager.java
*
```

```
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/support/SessionFlashMapManager.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/annotation/UrlBasedViewResolverRegistration.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/method/annotation/AbstractMappingJacksonResponseBodyAdvice.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/DefaultServletHandlerBeanDefinitionParser.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/InterceptorsBeanDefinitionParser.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/resource/ResourceTransformer.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/MvcNamespaceHandler.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/ViewResolverComposite.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/condition/RequestCondition.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/annotation/WebMvcConfigurerAdapter.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/tiles3/SpringLocaleResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/annotation/WebMvcConfigurerComposite.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2021 the original author or authors.
```

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ReactiveTypeHandler.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/HandlerInterceptor.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/function/DefaultAsyncServerResponse.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/support/BindStatus.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/resource/ResourceHttpRequestHandler.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/function/DefaultEntityResponseBuilder.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/condition/PatternsRequestCondition.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/PathVariableMethodArgumentResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/method/AbstractHandlerMethodAdapter.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/resource/ResourceUrlProvider.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/config/annotation/CorsRegistration.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/condition/HeadersRequestCondition.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ExceptionHandlerExceptionResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/MatrixPathVariableMethodArgumentResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/config/annotation/PathMatchConfigurer.java  
\*

/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/AbstractHandlerExceptionResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/SseEmitter.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/SimpleControllerHandlerAdapter.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/AbstractMessageConverterMethodProcessor.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/annotation/ResourceHandlerRegistration.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/function/support/HandlerFunctionAdapter.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/AbstractDetectingUrlHandlerMapping.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/RequestMappingInfo.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/RequestBodyAdvice.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/DefaultRequestToViewNameTranslator.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/function/RequestPredicate.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/annotation/ResourceHandlerRegistry.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ResponseEntityExceptionHandler.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/annotation/WebMvcConfigurer.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/FreeMarkerConfigurerBeanDefinitionParser.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/support/DefaultHandlerExceptionResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ServletInvocableHandlerMethod.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/AbstractHandlerMethodMapping.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/MatchableHandlerMapping.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/AbstractHandlerMapping.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/condition/ParamsRequestCondition.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/LastModified.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-

```
jar/org/springframework/web/servlet/mvc/Controller.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/ErrorHandlerServerResponse.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/annotation/EnableWebMvc.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/HttpRequestHandlerAdapter.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/PathResourceLookupFunction.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/tags/UrlTag.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/DefaultServerRequest.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/handler/SimpleUrlHandlerMapping.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/method/annotation/RequestBodyAdviceAdapter.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/groovy/GroovyMarkupViewResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/HandlerAdapter.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/tags/form/TagWriter.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/FrameworkServlet.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/handler/SimpleServletHandlerAdapter.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/handler/MappedInterceptor.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/RequestPredicates.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2002-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
*/
/**
* A contract for inspecting and potentially modifying request data values such
* as URL query parameters or form field values before they are rendered by a
* view or before a redirect.
*
* <p>Implementations may use this contract for example as part of a solution
* to provide data integrity, confidentiality,
* protection against cross-site
* request forgery (CSRF), and others or for other tasks such as automatically
* adding a hidden field to all forms and URLs.
*
* <p>View technologies that support this contract can obtain an instance to
* delegate to via { @link RequestContext#getRequestDataValueProcessor()}.
*
* @author Rossen Stoyanchev
* @since 3.1
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/support/RequestDataValueProcessor.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/NoHandlerFoundException.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/resource/VersionStrategy.java
*
```

/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/document/AbstractXlsxStreamingView.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/ArgumentAware.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/VersionPathStrategy.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/document/AbstractXlsxView.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/groovy/GroovyMarkupConfig.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/HtmlEscapingAwareTag.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/annotation/ModelAndViewResolver.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2020 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/HandlerExecutionChain.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/theme/ThemeChangeInterceptor.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/annotation/CorsRegistry.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/ResourceUrlEncodingFilter.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/AbstractTemplateViewResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/support/ServletUriComponentsBuilder.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/script/ScriptTemplateViewResolver.java

```

* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/AnnotationDrivenBeanDefinitionParser.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/xslt/XsltViewResolver.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/freemarker/FreeMarkerViewResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/handler/UserRoleAuthorizationInterceptor.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/UrlBasedViewResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/DefaultServerResponseBuilder.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/method/annotation/RequestMappingHandlerAdapter.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/annotation/ViewResolverRegistry.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/WebContentInterceptor.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/method/annotation/ServletRequestMethodArgumentResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/resource/AppCacheManifestTransformer.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/DefaultServerRequestBuilder.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/XmlViewResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/handler/ConversionServiceExposingInterceptor.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/tags/form/ErrorsTag.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/handler/AbstractHandlerMethodExceptionResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/condition/RequestMethodRequestCondition.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/annotation/ContentNegotiationConfigurer.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/resource/ResourceUrlProviderExposingInterceptor.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/RedirectView.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/FlashMap.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/SseServerResponse.java

```

```

* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/MvcNamespaceUtils.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/method/annotation/ModelAndViewResolverMethodReturnValueHandler.j
ava
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/AbstractServerResponse.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/method/annotation/HttpEntityMethodProcessor.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/support/AbstractFlashMapManager.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/AbstractView.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/RouterFunctionBuilder.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/annotation/InterceptorRegistration.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/handler/HandlerInterceptorAdapter.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/method/annotation/PrincipalMethodArgumentResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/ChangePathPatternParserVisitor.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/RouterFunctions.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/method/annotation/ContinuationHandlerMethodArgumentResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/BeanNameViewResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/xml/MappingJackson2XmlView.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/support/WebContentGenerator.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/tags/MessageTag.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/annotation/ViewControllerRegistry.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/condition/AbstractMediaTypeExpression.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/ResourcesBeanDefinitionParser.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/method/annotation/ResponseBodyEmitterReturnValueHandler.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/i18n/LocaleChangeInterceptor.java

```

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/ViewResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/json/AbstractJackson2View.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/tiles3/TilesConfigurer.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/annotation/ResponseStatusExceptionHandler.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ServletCookieValueMethodArgumentResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/InternalResourceViewResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/condition/ConsumesRequestCondition.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/ResourceBundleViewResolver.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/function/ServerRequest.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/HandlerMapping.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/function/AsyncServerResponse.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/condition/PathPatternsRequestCondition.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/UrlFilenameViewController.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ServletModelAttributeMethodProcessor.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/tiles3/TilesViewResolver.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/ModelAndView.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/ModelAndViewDefiningException.java
- \*
- /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/RequestContextAwareTag.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/CheckboxesTag.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/AbstractMultiCheckedElementTag.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/HandlerExceptionResolver.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/EvalTag.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/ValueFormatter.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/feed/AbstractAtomFeedView.java
- \*
- /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/condition/AbstractNameValueExpression.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/DefaultResourceTransformerChain.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/AbstractController.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/SelectedValueComparator.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/HtmlEscapeTag.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/LabelTag.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/tiles3/SimpleSpringPreparerFactory.java
- \*
- /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/AbstractCheckedElementTag.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/BindTag.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/RequestResponseBodyMethodProcessor.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/ResourceTransformerChain.java
- \* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/BindErrorsTag.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/xml/MarshallingView.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/feed/AbstractFeedView.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/GroovyMarkupConfigurerBeanDefinitionParser.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/RequestResponseBodyAdviceChain.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ServletRequestMethodArgumentResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/ContentVersionStrategy.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/GzipResourceResolver.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/ResourceTransformerSupport.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/EditorAwareTag.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/DefaultServletHttpRequestHandler.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/annotation/InterceptorRegistry.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/AbstractVersionStrategy.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ResponseBodyAdvice.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/SimpleMappingExceptionHandlerResolver.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/TextareaTag.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/NestedPathTag.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/AbstractFormTag.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/RadioButtonTag.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/TransformTag.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/AbstractSingleCheckedElementTag.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/FixedVersionStrategy.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/ScriptTemplateConfigurerBeanDefinitionParser.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/HandlerMethodMappingNamingStrategy.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/SelectTag.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/script/RenderingContext.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/MatrixVariableMapMethodArgumentResolver.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/document/AbstractPdfView.java

\*

/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/theme/CookieThemeResolver.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/ContentNegotiatingViewResolver.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/ResourceResolverChain.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/AbstractDataBoundFormElementTag.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/ParamTag.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/ButtonTag.java

\*

/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/TilesConfigurerBeanDefinitionParser.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/OptionsTag.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/HttpServletBean.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/support/AbstractAnnotationConfigDispatcherServletInitializer.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/FormTag.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/freemarker/FreeMarkerView.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/support/AbstractDispatcherServletInitializer.java

\*

/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/DefaultResourceResolverChain.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/TransformedResource.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/document/AbstractPdfStamperView.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/ArgumentTag.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-

```
jar/org/springframework/web/servlet/tags/form/AbstractHtmlElementTag.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/tags/ThemeTag.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/tags/form/OptionTag.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/tags/form/InputTag.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/freemarker/FreeMarkerConfigurer.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/View.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/tags/EscapeBodyTag.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/ViewResolversBeanDefinitionParser.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/condition/NameValueExpression.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/tags/form/AbstractHtmlInputElementTag.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/tags/form/CheckboxTag.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2022 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/i18n/SessionLocaleResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/groovy/GroovyMarkupConfigurer.java
*
```

/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/RequestPartMethodArgumentResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/LocaleContextResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/StreamingResponseBody.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/function/support/RouterFunctionMapping.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/PathResourceResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/i18n/AcceptHeaderLocaleResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/RequestMappingHandlerMapping.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/annotation/WebMvcConfigurationSupport.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ExtendedServletRequestDataBinder.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/groovy/GroovyMarkupView.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/AbstractHtmlElementBodyTag.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/AbstractMessageConverterMethodArgumentResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/support/RequestContextUtils.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/json/MappingJackson2JsonView.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ResponseBodyEmitter.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/WebJarsResourceResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/annotation/RedirectViewControllerRegistration.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/i18n/AbstractLocaleContextResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/i18n/CookieLocaleResolver.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/RequestMatchResult.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/RequestMappingInfoHandlerMapping.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/LocaleResolver.java

```
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/i18n/AbstractLocaleResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/script/ScriptTemplateView.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/handler/AbstractUrlHandlerMapping.java
*
```

```
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/condition/CompositeRequestCondition.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2002-2017 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
/**
```

```
* XSLT-driven View that allows for response context to be rendered as the
```

```
* result of an XSLT transformation.
```

```
*
```

```
* <p>The XSLT Source object is supplied as a parameter in the model and then
```

```
* { @link #locateSource detected } during response rendering. Users can either specify
```

```
* a specific entry in the
```

```
model via the { @link #setSourceKey sourceKey } property or
```

```
* have Spring locate the Source object. This class also provides basic conversion
```

```
* of objects into Source implementations. See { @link #getSourceTypes() here }
```

```
* for more details.
```

```
*
```

```
* <p>All model parameters are passed to the XSLT Transformer as parameters.
```

```
* In addition the user can configure { @link #setOutputProperties output properties }
```

```
* to be passed to the Transformer.
```

```
*
```

```
* @author Rob Harrop
```

```
* @author Juergen Hoeller
```

```
* @since 2.0
```

```
*/
```

Found in path(s):

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/xslt/XsltView.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2010 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/DispatcherServletWebRequest.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2017 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/CorsBeanDefinitionParser.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/ViewControllerBeanDefinitionParser.java

\*

/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/theme/SessionThemeResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/AsyncTaskMethodReturnValueHandler.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/SimpleServletPostProcessor.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/HttpResource.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ServletWebArgumentResolverAdapter.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/ThemeResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/support/JstlUtils.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/CallableMethodReturnValueHandler.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/JsonViewResponseBodyAdvice.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/RequestToViewNameTranslator.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/PathVariableMapMethodArgumentResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/JstlView.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/ServletForwardingController.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/Param.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/support/RedirectAttributesModelMap.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/ResourceResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/tiles3/SpringWildcardServletTilesApplicationContext.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/ParameterizableViewController.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/annotation/ViewControllerRegistration.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/AbstractUrlBasedView.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/theme/FixedThemeResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/HttpHeadersReturnValueHandler.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-

jar/org/springframework/web/servlet/view/document/AbstractXlsView.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/view/tiles3/TilesView.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ServletRequestDataBinderFactory.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/config/annotation/ResourceChainRegistration.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/condition/RequestConditionHolder.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/i18n/FixedLocaleResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ModelAndViewMethodReturnValueHandler.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/resource/AbstractResourceResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/view/InternalResourceView.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/view/feed/AbstractRssFeedView.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/UriComponentsBuilderMethodArgumentResolver.java  
a  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/JsonViewRequestBodyAdvice.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/view/freemarker/FreeMarkerConfig.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/support/JspAwareRequestContext.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/RequestAttributeMethodArgumentResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/AsyncHandlerInterceptor.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/RedirectAttributesMethodArgumentResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-  
jar/org/springframework/web/servlet/handler/WebRequestHandlerInterceptorAdapter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2023 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/AbstractTemplateView.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/DispatcherServlet.java  
\*  
/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/function/RouterFunctionDsl.kt  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/condition/ProducesRequestCondition.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/MvcUriComponentsBuilder.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/VersionResourceResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/PathPatternMatchableHandlerMapping.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/EncodedResourceResolver.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/HandlerMappingIntrospector.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2007 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/theme/AbstractThemeResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2019 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ViewMethodReturnValueHandler.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/AbstractCachingViewResolver.java

\*

/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/CachingResourceTransformer.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/StreamingResponseBodyReturnValueHandler.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/config/annotation/AsyncSupportConfigurer.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/function/ServerResponse.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/resource/CssLinkResourceTransformer.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ViewNameMethodReturnValueHandler.java

\*

/opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/function/RenderingResponse.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/handler/BeanNameUrlHandlerMapping.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/function/HandlerFunction.java

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/function/ServerResponseExtensions.kt

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-

```

jar/org/springframework/web/servlet/function/ServerRequestExtensions.kt
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/method/annotation/DeferredResultMethodReturnValueHandler.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/condition/AbstractRequestCondition.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/DefaultRenderingResponseBuilder.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/method/RequestMappingInfoHandlerMethodMappingNamingStrategy.java
a
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/script/ScriptTemplateConfig.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/HandlerFilterFunction.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/resource/CachingResourceResolver.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/ServletWrappingController.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/EntityResponse.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/annotation/DefaultServletHandlerConfigurer.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/support/RequestContext.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/view/script/ScriptTemplateConfigurer.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/ToStringVisitor.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/config/annotation/DelegatingWebMvcConfiguration.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/RouterFunction.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/handler/HandlerExceptionResolverComposite.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/function/ResourceHandlerFunction.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/method/annotation/SessionAttributeMethodArgumentResolver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

```

\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/HiddenInputTag.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/OptionWriter.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/ParamAware.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/tiles3/SpringBeanPreparerFactory.java  
\*  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/view/tiles3/AbstractSpringPreparerFactory.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/SmartView.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/tags/form/TagIdGenerator.java  
\* /opt/cola/permits/1641409008\_1681942715.4869199/0/spring-webmvc-5-3-27-sources-jar/org/springframework/web/servlet/mvc/AbstractUrlViewController.java

```
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/tags/form/RadioButtonTag.java
* /opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/support/RedirectAttributes.java
*
/opt/cola/permits/1641409008_1681942715.4869199/0/spring-webmvc-5-3-27-sources-
jar/org/springframework/web/servlet/mvc/condition/MediaTypeExpression.java
```

## 1.198 spring-jdbc 5.3.27

### 1.198.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2017 the original author or authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/namedparam/MapSqlParameterSourceExtensions.kt
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
```

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/lob/AbstractLobHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/embedded/H2EmbeddedDatabaseConfigurer.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/namedparam/NamedParameterJdbcDaoSupport.java

\*

/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/metadata/TableParameterMetaData.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/IncorrectResultSetColumnCountException.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/BadSqlGrammarException.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/metadata/TableMetaDataProvider.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/RowMapperResultSetExtractor.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/embedded/HsqlEmbeddedDatabaseConfigurer.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/incrementer/PostgresSequenceMaxValueIncrementer.java

\*

/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/WebSphereDataSourceAdapter.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-

jar/org/springframework/jdbc/core/metadata/OracleTableMetaDataProvider.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/core/ConnectionCallback.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/datasource/ConnectionHandle.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/support/incrementer/HanaSequenceMaxValueIncrementer.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/core/namedparam/NamedParameterBatchUpdateUtils.java  
\*  
/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/core/SqlReturnUpdateCount.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseConfigurerFactory.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/core/metadata/CallMetaDataProvider.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/datasource/ConnectionHolder.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/core/simple/SimpleJdbcCall.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/datasource/embedded/DerbyEmbeddedDatabaseConfigurer.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/object/SqlOperation.java  
\*  
/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/core/metadata/PostgresTableMetaDataProvider.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/object/GenericSqlQuery.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/support/incrementer/AbstractColumnMaxValueIncrementer.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/support/SQLErrorCodes.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/core/RowCountCallbackHandler.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/core/ResultSetExtractor.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/core/SqlOutParameter.java  
\*  
/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/LobRetrievalFailureException.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/core/PreparedStatementCallback.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/core/support/AbstractSqlTypeValue.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/UncategorizedSQLException.java

```

* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/BatchUpdateUtils.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/SqlResultSet.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/SqlInOutParameter.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/incrementer/SybaseMaxValueIncrementer.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/incrementer/AbstractDataFieldMaxValueIncrementer.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/object/BatchSqlUpdate.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/object/SqlCall.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/metadata/DerbyCallMetaDataProvider.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/simple/SimpleJdbcInsertOperations.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/simple/SimpleJdbcCallOperations.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/incrementer/PostgreSQLSequenceMaxValueIncrementer.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/SqlTypeValue.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/object/SqlQuery.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/incrementer/SybaseAnywhereMaxValueIncrementer.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/CallableStatementCreator.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseFactory.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/lob/TemporaryLobCreator.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/object/MappingSqlQueryWithParameters.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/rowset/ResultSetWrappingSqlRowSetMetaData.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/IsolationLevelDataSourceAdapter.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/UserCredentialsDataSourceAdapter.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/object/SqlUpdate.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-

```

jar/org/springframework/jdbc/core/support/AbstractInterruptibleBatchPreparedStatementSetter.java

\*

/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/StatementCallback.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseBuilder.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/config/SortedResourcesFactoryBean.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/ParameterizedPreparedStatementSetter.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/incrementer/OracleSequenceMaxValueIncrementer.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/object/MappingSqlQuery.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/SqlRowSetResultSetExtractor.java

\*

/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/incrementer/DerbyMaxValueIncrementer.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/metadata/HsqlTableMetaDataProvider.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/lookup/IsolationLevelDataSourceRouter.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/object/UpdatableSqlQuery.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/metadata/Db2CallMetaDataProvider.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/AbstractDataSource.java

\*

/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/lookup/MapDataSourceLookup.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseConfigurer.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/InvalidResultSetAccessException.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/PreparedStatementCreator.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/incrementer/Db2LuwMaxValueIncrementer.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/xml/SqlXmlHandler.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/SimpleConnectionHandle.java

\*

/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/metadata/DerbyTableMetaDataProvider.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-

```
jar/org/springframework/jdbc/JdbcUpdateAffectedIncorrectNumberOfRowsException.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/CustomSQLExceptionTranslatorRegistrar.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/incrementer/HsqlSequenceMax ValueIncrementer.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/config/DatabasePopulatorConfigUtils.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/metadata/HanaCallMetaDataProvider.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/namedparam/EmptySqlParameterSource.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/incrementer/Db2MainframeMax ValueIncrementer.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/ArgumentPreparedStatementSetter.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/ArgumentTypePreparedStatementSetter.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/embedded/OutputStreamFactory.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/ResultSetSupportingSqlParameter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2008 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/incrementer/DB2SequenceMax ValueIncrementer.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/DisposableSqlTypeValue.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/xml/SqlXmlValue.java
```

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/incrementer/DB2MainframeSequenceMaxValueIncrementer.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* The classes in this package make JDBC easier to use and  
\* reduce the likelihood of common errors. In particular, they:

- \* <ul>
- \* <li>Simplify error handling, avoiding the need for try/catch/finally blocks in application code.
- \* <li>Present exceptions to application code in a generic hierarchy of unchecked exceptions, enabling applications to catch data access exceptions without being dependent on JDBC, and to ignore fatal exceptions there is no value in catching.
- \* <li>Allow the implementation of error handling to be modified to target different RDBMSes without introducing proprietary dependencies into application code.

- \* </ul>
- \*
- \* <p>This package and related packages are discussed in Chapter 9 of <a href="https://www.amazon.com/exec/obidos/tg/detail/-/0764543857/">Expert One-On-One J2EE Design and Development</a>
- \* by Rod Johnson (Wrox, 2002).
- \*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/package-info.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2016 the original author or authors.  
\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-

```
jar/org/springframework/jdbc/datasource/lookup/DataSourceLookup.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/lob/LobHandler.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/RowCallbackHandler.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/PreparedStatementSetter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseFactoryBean.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/config/InitializeDatabaseBeanDefinitionParser.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/config/EmbeddedDatabaseBeanDefinitionParser.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/metadata/PostgresCallMetaDataProvider.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/metadata/SqlServerCallMetaDataProvider.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/ConnectionProxy.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/CustomSQLExceptionCodesTranslation.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/init/DataSourceInitializer.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/xml/Jdbc4SqlXmlHandler.java
*
```

/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/ParameterDisposer.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/lookup/BeanFactoryDataSourceLookup.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/AbstractDriverBasedDataSource.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/lob/PassThroughClob.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/lob/DefaultLobHandler.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/DelegatingDataSource.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/metadata/OracleCallMetaDataProvider.java  
\*

/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/metadata/SybaseCallMetaDataProvider.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/lob/PassThroughBlob.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2012 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/xml/XmlResultProvider.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/MetaDataAccessException.java

\*

/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/xml/XmlCharacterStreamProvider.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/object/GenericStoredProcedure.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-

```
jar/org/springframework/jdbc/support/SqlValue.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/xml/XmlBinaryStreamProvider.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/SQLWarningException.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/lookup/DataSourceLookupFailureException.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/lookup/SingleDataSourceLookup.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/incrementer/AbstractSequenceMaxValueIncrementer.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/xml/SqlXmlFeatureNotImplementedException.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/InterruptibleBatchPreparedStatementSetter.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/BatchPreparedStatementSetter.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/SmartDataSource.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/config/JdbcNamespaceHandler.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/embedded/SimpleDriverDataSourceFactory.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/lookup/IndiDataSourceLookup.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2007 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/incrementer/DataFieldMaxValueIncrementer.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2021 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/metadata/CallMetaDataContext.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/init/DatabasePopulatorUtils.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/TransactionAwareDataSourceProxy.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/simple/AbstractJdbcCall.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/metadata/TableMetaDataProviderFactory.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/namedparam/NamedParameterJdbcOperations.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/JdbcOperations.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/metadata/GenericCallMetaDataProvider.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/init/UncategorizedScriptException.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/object/StoredProcedure.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/init/CompositeDatabasePopulator.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/incrementer/MySQLMaxValueIncrementer.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/init/ScriptParseException.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
```

```
jar/org/springframework/jdbc/core/simple/SimpleJdbcInsert.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/CallableStatementCallback.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/incrementer/AbstractIdentityColumnMaxValueIncrementer.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/init/ScriptException.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/metadata/TableMetaDataContext.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/metadata/GenericTableMetaDataProvider.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/ColumnMapRowMapper.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/init/ScriptUtils.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/init/CannotReadScriptException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2020 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Strategy interface for translating between {@link SQLException SQLExceptions}
* and Spring's data access strategy-agnostic {@link DataAccessException DataAccessException}
* hierarchy.
*
* <p>Implementations can be generic (for example, using
* {@link java.sql.SQLException#getSQLState() SQLState} codes for JDBC) or
* wholly
* proprietary (for example, using Oracle error codes) for greater precision.
*
* @author Rod Johnson
* @author Juergen Hoeller
* @see org.springframework.dao.DataAccessException
```

\*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/SQLExceptionTranslator.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2019 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/namedparam/MapSqlParameterSource.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/namedparam/SqlParameterSource.java  
\*  
/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/CustomSQLExceptionTranslatorRegistry.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/SQLStateSQLExceptionTranslator.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/rowset/SqlRowSet.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/support/AbstractLobStreamingResultSetExtractor.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/init/ResourceDatabasePopulator.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/JdbcTransactionObjectSupport.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/object/SqlFunction.java  
\*  
/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/namedparam/AbstractSqlParameterSource.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/namedparam/BeanPropertySqlParameterSource.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * Implement this interface when parameters need to be customized based
 * on the connection. We might need to do this to make use of proprietary
 * features, available only with a specific Connection type.
 *
 * @author Rod Johnson
 * @author Thomas Risberg
 * @see CallableStatementCreatorFactory#newCallableStatementCreator(ParameterMapper)
 * @see org.springframework.jdbc.object.StoredProcedure#execute(ParameterMapper)
 */
/**
 * Create a Map of input parameters, keyed by name.
 * @param con a JDBC connection. This is useful (and the purpose of this interface)
 * if we need to do something RDBMS-specific with a proprietary Connection
 * implementation class. This class conceals such proprietary details. However,
 * it is best to avoid using such proprietary RDBMS features if possible.
 * @return a Map of input parameters, keyed by name (never {@code null})
 * @throws SQLException if an SQLException is encountered setting
 * parameter values (that is, there's no need to catch SQLException)
 */
```

Found in path(s):

```
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/ParameterMapper.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2021 the original author or authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
```

\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/core/JdbcOperationsExtensions.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/  
/\*\*  
\* Close this LobCreator session and free its temporarily created BLOBs and CLOBs.  
\* Will not need to do anything if using PreparedStatement's standard methods,  
\* but might be necessary to free database resources if using proprietary means.  
\* **NOTE**: Needs to be invoked after the involved  
PreparedStatement have  
\* been executed or the affected O/R mapping sessions have been flushed.  
\* Otherwise, the database resources for the temporary BLOBs might stay allocated.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/support/lob/LobCreator.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2014 the original author or authors.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/support/rowset/SqlRowSetMetaData.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/support/incrementer/SqlServerMaxValueIncrementer.java  
\*  
/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/datasource/embedded/ConnectionProperties.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/support/incrementer/HsqlMaxValueIncrementer.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2022 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/datasource/init/DatabasePopulator.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-  
jar/org/springframework/jdbc/support/incrementer/H2SequenceMaxValueIncrementer.java  
\*

/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/SQLExceptionTranslator.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/support/JdbcDaoSupport.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseType.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/StatementCreatorUtils.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/CannotGetJdbcConnectionException.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/namedparam/NamedParameterUtils.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/DataSourceUtils.java  
\*

/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/SQLExceptionSubclassTranslator.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/CallableStatementCreatorFactory.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/simple/AbstractJdbcInsert.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/support/SqLobValue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2020 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/metadata/CallParameterMetaData.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/SqlReturnTypes.java

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/namedparam/ParsedSql.java

```

*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/SimpleDriverDataSource.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/DatabaseMetaDataCallback.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/SqlParameterValue.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/GeneratedKeyHolder.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/JdbcUtils.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/JdbcAccessor.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/embedded/AbstractEmbeddedDatabaseConfigurer.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/PreparedStatementCreatorFactory.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/DataSourceTransactionManager.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/namedparam/NamedParameterJdbcTemplate.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/namedparam/SqlParameterSourceUtils.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/lookup/AbstractRoutingDataSource.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/LazyConnectionDataSourceProxy.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/JdbcTransactionManager.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/KeyHolder.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/SQLExceptionCodesFactory.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/embedded/DataSourceFactory.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/object/RdbmsOperation.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/SqlParameter.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/SingleConnectionDataSource.java
*
/opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/support/AbstractFallbackSQLExceptionTranslator.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/core/SingleColumnRowMapper.java

```

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/ResultSetWrappingSqlRowSet.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/support/DatabaseStartupValidator.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/JdbcTemplate.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/SqlProvider.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/metadata/CallMetaDataProviderFactory.java  
\*  
/opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/datasource/DriverManagerDataSource.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/support/AbstractLobCreatingPreparedStatementCallback.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/support/JdbcBeanDefinitionReader.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2023 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/BeanPropertyRowMapper.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/RowMapper.java  
\* /opt/cola/permits/1641409081\_1681948213.3913238/0/spring-jdbc-5-3-27-sources-jar/org/springframework/jdbc/core/DataClassRowMapper.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2015 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");

```
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/init/ScriptStatementFailedException.java
* /opt/cola/permits/1641409081_1681948213.3913238/0/spring-jdbc-5-3-27-sources-
jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabase.java
```

## 1.199 spring-beans 5.3.27

### 1.199.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/ExtendedBeanInfoFactory.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/BeanInfoFactory.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/groovy/GroovyDynamicElementReader.groovy
*
```

/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/SimpleTypeConverter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2015 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/BeanDefinitionDocumentReader.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/SingletonBeanRegistry.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2019 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/BeanFactoryUtils.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/annotation/AnnotationBeanUtils.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/StringArrayPropertyEditor.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/ResourceEntityResolver.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/DelegatingEntityResolver.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/AutowiredPropertyMarker.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/YamlPropertiesFactoryBean.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/PluggableSchemaResolver.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/MethodOverrides.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/CustomCollectionEditor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/PreferencesPlaceholderConfigurer.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/PropertyPlaceholderConfigurer.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/BeanFactoryPostProcessor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/ExtendedBeanInfo.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/TypedStringValue.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/PropertyBatchUpdateException.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/annotation/Autowired.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/AutowireCapableBeanFactory.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/CustomMapEditor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/TypeConverterDelegate.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/TypeConverterSupport.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/TypeConverter.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/YamlMapFactoryBean.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/BeansDtdResolver.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/BeanPostProcessor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/DefaultBeanNameGenerator.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/GenericBeanDefinition.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/PropertyValue.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/annotation/ParameterResolutionDelegate.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/StringTrimmerEditor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/annotation/AnnotatedGenericBeanDefinition.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/RuntimeBeanReference.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/BeanDefinitionVisitor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/UIIDEditor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/InjectionPoint.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/BeanMetadataElement.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/groovy/GroovyBeanDefinitionWrapper.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2020 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-

jar/org/springframework/beans/factory/parsing/PropertyEntry.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/DirectFieldAccessor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/config/BeanDefinition.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionReaderUtils.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/BeanWrapperImpl.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/parsing/QualifierEntry.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/config/InstantiationAwareBeanPostProcessorAdapter.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/support/ArgumentConvertingMethodInvoker.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/parsing/BeanEntry.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/FactoryBeanRegistrySupport.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/parsing/ReaderContext.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/annotation/Lookup.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/config/ConfigurableBeanFactory.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/propertyeditors/URIEditor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/MutablePropertyValues.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/ScopeNotActiveException.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/AutowiredCandidateResolver.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/xml/BeanDefinitionParserDelegate.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/AutowiredUtils.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/GenericTypeAwareAutowiredCandidateResolver.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/config/DependencyDescriptor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/annotation/Value.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/parsing/ParseState.java

```
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/BeanDefinitionValueResolver.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/serviceloader/ServiceListFactoryBean.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/PropertiesBeanDefinitionReader.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/annotation/InjectionMetadata.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/AbstractPropertyAccessor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/MapFactoryBean.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/FactoryBean.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/SimpleAutowireCandidateResolver.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/DefaultSingletonBeanRegistry.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/BeanDefinitionDefaults.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2012 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/HierarchicalBeanFactory.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/ConversionNotSupportedException.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/propertyeditors/InputSourceEditor.java
```

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/parsing/ComponentDefinition.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/XmlBeanDefinitionStoreException.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/support/MutableSortDefinition.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/annotation/Configurable.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/BeanDefinitionDecorator.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/FactoryBeanNotInitializedException.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/SimplePropertyNamespaceHandler.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/BeanExpressionException.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/NamespaceHandler.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/BeanIsAbstractException.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/DocumentLoader.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/BeanCreationNotAllowedException.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/parsing/AbstractComponentDefinition.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/parsing/NullSourceExtractor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/BeanReference.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/parsing/PassThroughSourceExtractor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/wiring/ClassNameBeanWiringInfoResolver.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/SecurityContextProvider.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/parsing/ConstructorArgumentEntry.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/BeanFactoryAware.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/PropertyEditorRegistry.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/parsing/ProblemReporter.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-

```
jar/org/springframework/beans/support/SortDefinition.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/BeanIsNotAFactoryException.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/parsing/EmptyReaderEventListener.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/PropertyEditorRegistrar.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/BeanCurrentlyInCreationException.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/parsing/BeanDefinitionParsingException.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/wiring/BeanWiringInfoResolver.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/BeanDefinitionValidationException.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/PropertyResourceConfigurer.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/propertyeditors/PropertiesEditor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/EmbeddedValueResolver.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/MethodInvokingBean.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/parsing/Problem.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/ObjectFactoryCreatingFactoryBean.java
```

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/BeanClassLoaderAware.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/parsing/AliasDefinition.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/BeanMetadataAttributeAccessor.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/ClassArrayEditor.java

\*

/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/PropertiesFactoryBean.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/annotation/CustomAutowireConfigurer.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/PropertyPathFactoryBean.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/wiring/BeanWiringInfo.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/DocumentDefaultsDefinition.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/ByteArrayPropertyEditor.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/parsing/ImportDefinition.java

\*

/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/CharacterEditor.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/BeanDefinitionHolder.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/ConfigurablePropertyAccessor.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/NullBean.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/DeprecatedBeanWarner.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/MethodOverride.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/ListFactoryBean.java

\*

/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/ClassEditor.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/ManagedProperties.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/NamespaceHandlerSupport.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/ChildBeanDefinition.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-

```
jar/org/springframework/beans/BeanWrapper.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/parsing/Location.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/BeanMetadataAttribute.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/xml/XmlReaderContext.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/ConfigurableListableBeanFactory.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/xml/AbstractSingleBeanDefinitionParser.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/serviceloader/AbstractServiceLoaderBasedFactoryBean.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/BeansException.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/ServiceLocatorFactoryBean.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/FatalBeanException.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/ProviderCreatingFactoryBean.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/PropertyAccessorUtils.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/propertyeditors/ResourceBundleEditor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/propertyeditors/PatternEditor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/propertyeditors/CharArrayPropertyEditor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/RuntimeBeanNameReference.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/SetFactoryBean.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2002-2022 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

```

* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/annotation/InitDestroyAnnotationBeanPostProcessor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/SimpleBeanInfoFactory.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/propertyeditors/ZoneIdEditor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/RootBeanDefinition.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/CachedIntrospectionResults.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/PropertyDescriptorUtils.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/ManagedList.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/ManagedMap.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/ManagedSet.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/AbstractAutowireCapableBeanFactory.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/propertyeditors/TimeZoneEditor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/propertyeditors/CharsetEditor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/ListableBeanFactoryExtensions.kt
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/PropertyAccessor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/BeanExpressionResolver.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/AbstractBeanFactory.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/support/ResourceEditorRegistrar.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/annotation/AutowiredAnnotationBeanPostProcessor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/propertyeditors/CurrencyEditor.java

```

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/annotation/RequiredAnnotationBeanPostProcessor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/ConstructorResolver.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/DefaultListableBeanFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2014 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/AbstractSimpleBeanDefinitionParser.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/annotation/AnnotatedBeanDefinition.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/NotReadablePropertyException.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/SmartInitializingSingleton.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2009 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/annotation/Autowired.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2023 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/annotation/QualifierAnnotationAutowiredCandidateResolver.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/xml/XmlBeanDefinitionReader.java

\*

/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/BeanUtils.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/DisposableBeanAdapter.java

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/config/YamlProcessor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/BeanExpressionContext.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/BeanNotOfRequiredTypeException.java
- \*
- /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/XmlBeanFactory.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/BeanDefinitionStoreException.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/DestructionAwareBeanPostProcessor.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/InitializingBean.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/Mergeable.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/annotation/Required.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/InvalidPropertyException.java
- \*
- /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/wiring/BeanConfigurerSupport.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/AbstractFactoryBean.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/BeanCreationException.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/NotWritablePropertyException.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/FieldRetrievingFactoryBean.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/DefaultDocumentLoader.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/parsing/BeanComponentDefinition.java
- \*
- /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/parsing/FailFastProblemReporter.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/NoUniqueBeanDefinitionException.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-

```

jar/org/springframework/beans/factory/config/CustomEditorConfigurer.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/PropertyOverrideConfigurer.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/AutowireCandidateQualifier.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/SimpleBeanDefinitionRegistry.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/UnsatisfiedDependencyException.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/propertyeditors/CustomNumberEditor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/config/NamedBeanHolder.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/xml/SimpleConstructorNamespaceHandler.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/PropertyMatches.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/PropertyAccessorFactory.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/propertyeditors/CustomDateEditor.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/BeanFactoryExtensions.kt
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/xml/AbstractBeanDefinitionParser.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/parsing/CompositeComponentDefinition.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/MethodInvocationException.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/ObjectProvider.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/BeanDefinitionRegistry.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/annotation/BeanFactoryAnnotationUtils.java
*
/opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/BeanDefinitionOverrideException.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/SimpleInstantiationStrategy.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/support/MergedBeanDefinitionPostProcessor.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/PropertyValues.java
* /opt/cola/permits/1641409024_1681703762.6398084/0/spring-beans-5-3-27-sources-
jar/org/springframework/beans/factory/Aware.java

```

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/annotation/AnnotationBeanWiringInfoResolver.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/SmartFactoryBean.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/BeanInstantiationException.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/ManagedArray.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/NoSuchBeanDefinitionException.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/DefaultNamespaceHandlerResolver.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/DisposableBean.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/BeanDefinitionResource.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/InstantiationStrategy.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/CustomScopeConfigurer.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/PropertyAccessException.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/MethodInvokingFactoryBean.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/ObjectFactory.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/support/PagedListHolder.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/CannotLoadBeanClassException.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/CustomBooleanEditor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/SimpleSecurityContextProvider.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/DefaultBeanDefinitionDocumentReader.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2007 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/serviceloader/ServiceFactoryBean.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/parsing/DefaultsDefinition.java  
\*

/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/serviceloader/ServiceLoaderFactoryBean.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/parsing/ReaderEventListener.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/PropertyValuesEditor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/BeanNameGenerator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2010 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionRegistryPostProcessor.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2011 the original author or authors.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/BeanDefinitionParser.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/annotation/Qualifier.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2021 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/LookupOverride.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/PathEditor.java  
\*

/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/MethodReplacer.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/LocaleEditor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-

jar/org/springframework/beans/GenericTypeAwarePropertyDescriptor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/ListableBeanFactory.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/StaticListableBeanFactory.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/config/ConstructorArgumentValues.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionReader.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/AbstractBeanDefinition.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/ReplaceOverride.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/xml/ParserContext.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/PropertyEditorRegistrySupport.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/config/PlaceholderConfigurerSupport.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/AbstractBeanDefinitionReader.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/AbstractNestablePropertyAccessor.java  
\*  
/opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/TypeMismatchException.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/config/InstantiationAwareBeanPostProcessor.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/support/PropertyComparator.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionBuilder.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/groovy/GroovyBeanDefinitionReader.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/BeanFactory.java  
\* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-  
jar/org/springframework/beans/factory/support/CglibSubclassingInstantiationStrategy.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2016 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/BeanDefinitionCustomizer.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/Scope.java
- \*
- /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/ReaderEditor.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/parsing/SourceExtractor.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/UtilNamespaceHandler.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/BeanInitializationException.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/BeanNameAware.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/support/ImplicitlyAppearedSingletonException.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/FileEditor.java
- \*
- /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/InputStreamEditor.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/NullValueInNestedPathException.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/config/SmartInstantiationAwareBeanPostProcessor.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/propertyeditors/URLEditor.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/NamedBean.java
- \* /opt/cola/permits/1641409024\_1681703762.6398084/0/spring-beans-5-3-27-sources-jar/org/springframework/beans/factory/xml/NamespaceHandlerResolver.java

## 1.200 spring-context 5.3.27

## 1.200.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2009 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/LifecycleProcessor.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2011 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/ImportAware.java
```

```
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/notification/NotificationPublisherAware.java
```

```
*
 /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/ConflictingBeanDefinitionException.java
```

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/ApplicationEventPublisherAware.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2013 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/joda/LocalDateTimeParser.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/Description.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/concurrent/CustomizableThreadFactory.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/beanvalidation/OptionalValidatorFactoryBean.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/joda/LocalDateTimeParser.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/FilterType.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/joda/ReadableInstantPrinter.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/joda/ReadablePartialPrinter.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/i18n/LocaleContext.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/MessageSourceResourceBundle.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/joda/MillisecondInstantPrinter.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/i18n/TimeZoneAwareLocaleContext.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-

jar/org/springframework/format/datetime/joda/LocalTimeParser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/datetime/joda/DateTimeParser.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2017 the original author or authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/ui/ModelMapExtensions.kt  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/ui/ModelExtensions.kt  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/annotation/Schedules.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-

jar/org/springframework/format/datetime/standard/PeriodFormatter.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/support/RemoteInvocationUtils.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/config/AbstractPropertyLoadingBeanDefinitionParser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jndi/JndiPropertySource.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/Parser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/cache/interceptor/CacheEvaluationContext.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/rmi/RmiClientInterceptorUtils.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/datetime/standard/TemporalAccessorPrinter.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/Printer.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scripting/groovy/GroovyObjectCustomizer.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scripting/support/StandardScriptUtils.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/support/FormatterPropertyEditorAdapter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/cache/annotation/Caching.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/datetime/standard/MonthDayFormatter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scripting/bsh/BshScriptFactory.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/cache/interceptor/SimpleKeyGenerator.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/datetime/standard/YearMonthFormatter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jndi/JndiLocatorDelegate.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/config/PropertyOverrideBeanDefinitionParser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/config/ExecutorBeanDefinitionParser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/cache/interceptor/KeyGenerator.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/config/ScheduledTasksBeanDefinitionParser.java  
\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/support/CompositeCacheManager.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/GenericXmlApplicationContext.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ScopeMetadataResolver.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/standard/DurationFormatter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/instrument/classloading/weblogic/WebLogicLoadTimeWeaver.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/Primary.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2019 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ParserStrategyUtils.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/ui/ModelMap.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ClassPathBeanDefinitionScanner.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/instrument/classloading/InstrumentationLoadTimeWeaver.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/CacheOperationSource.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/Import.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/CacheOperationSourcePointcut.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/CacheManager.java

```

* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/interceptor/CompositeCacheOperationSource.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/SmartLifecycle.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/instrument/classloading/jboss/JBossLoadTimeWeaver.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/annotation/CacheAnnotationParser.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/interceptor/AbstractCacheInvoker.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/validation/ObjectError.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/AnnotatedBeanDefinitionReader.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/AnnotationConfigRegistry.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/support/MBeanServerFactoryBean.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jndi/support/SimpleJndiBeanFactory.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/MessageSource.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/support/MBeanServerConnectionFactoryBean.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/support/AbstractMessageSource.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/annotation/SpringCacheAnnotationParser.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/support/StaticApplicationContext.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/weaving/DefaultContextLoadTimeWeaver.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/support/ConnectorServerFactoryBean.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/config/PropertyPlaceholderBeanDefinitionParser.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/annotation/AnnotationCacheOperationSource.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/AnnotationConfigApplicationContextExtensions.kt
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/event/EventExpressionEvaluator.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scheduling/support/TaskUtils.java

```

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/StaticMessageSource.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jndi/JndiTemplateEditor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/CacheProxyFactoryBean.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/standard/InstantFormatter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ImportBeanDefinitionRegistrar.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/GenericApplicationContextExtensions.kt  
\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/DefaultMessageSourceResolvable.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/ApplicationEventPublisher.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/support/AbstractCacheManager.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/annotation/Async.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2022 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/concurrent/ConcurrentTaskExecutor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/PropertySourcesPlaceholderConfigurer.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/config/ScheduledTask.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-

```

jar/org/springframework/scripting/support/StandardScriptFactory.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/stereotype/Controller.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/support/JmxUtils.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scheduling/concurrent/ThreadPoolTaskExecutor.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/annotation/AnnotationMBeanExporter.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/MBeanExporter.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/format/datetime/standard/TemporalAccessorParser.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/naming/MetadataNamingStrategy.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/stereotype/Repository.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/Cache.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/format/datetime/standard/Jsr310DateTimeFormatAnnotationFormatterFactory.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/access/NotificationListenerRegistrar.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/ConfigurationClassParser.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/i18n/SimpleLocaleContext.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/annotation/ManagedNotifications.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/ui/ExtendedModelMap.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/validation/beanvalidation/LocalValidatorFactoryBean.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/annotation/Cacheable.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/annotation/CacheEvict.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/interceptor/LoggingCacheErrorHandler.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/annotation/AnnotationJmxAttributeSource.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/annotation/ManagedOperationParameter.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/annotation/CachePut.java

```

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/annotation/ManagedOperation.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/stereotype/Service.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/annotation/ManagedNotification.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/ui/Model.java

\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/annotation/ManagedResource.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/GenericApplicationContext.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/annotation/ManagedOperationParameters.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/concurrent/ThreadPoolTaskScheduler.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/DataBinder.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2021 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/support/CronField.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/event/GenericApplicationListener.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/CacheAspectSupport.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/CachePutOperation.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-

jar/org/springframework/context/annotation/AnnotationConfigUtils.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/ResourceLoaderAware.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/ConfigurationClassEnhancer.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/ConfigurationClassPostProcessor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/support/PostProcessorRegistrationDelegate.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/FormatterRegistrar.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/datetime/DateFormatter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/validation/Validator.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/validation/beanvalidation/SpringValidatorAdapter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/annotation/ScheduledAnnotationBeanPostProcessor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/support/CronExpression.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/event/ApplicationListenerMethodAdapter.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/annotation/SchedulingConfigurer.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/Lazy.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/support/QuartzCronField.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/datetime/standard/DateTimeContext.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/PayloadApplicationEvent.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/support/ContextTypeMatchClassLoader.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/AnnotationBeanNameGenerator.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/event/SmartApplicationListener.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/annotation/EnableScheduling.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/support/CompositeCronField.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/ClassPathScanningCandidateComponentProvider.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/support/BindingAwareModelMap.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/event/GenericApplicationListenerAdapter.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/BeanMethod.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/ApplicationEvent.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/annotation/AbstractAsyncConfiguration.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/event/ApplicationEventMulticaster.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/support/BindingAwareConcurrentModel.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/event/EventListener.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ConfigurationMethod.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/event/SourceFilteringListener.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/support/BitsCronField.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/MessageSourceSupport.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/LiveBeansView.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/annotation/AsyncConfigurer.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/AbstractFallbackCacheOperationSource.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/annotation/CachingConfigurer.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/standard/DateTimeFormatterUtils.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/expression/StandardBeanExpressionResolver.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/Configuration.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/CommonAnnotationBeanPostProcessor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/concurrent/ExecutorConfigurationSupport.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/standard/DateTimeContextHolder.java  
\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/concurrent/ThreadPoolExecutorFactoryBean.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/annotation/AbstractCachingConfiguration.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/CacheEvictOperation.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/ApplicationListener.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/event/AbstractApplicationEventMulticaster.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/index/CandidateComponentsIndexLoader.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/ReloadableResourceBundleMessageSource.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/event/SimpleApplicationEventMulticaster.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/BeanDefinitionDsl.kt  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/GenericGroovyApplicationContext.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/standard/DateTimeFormatterFactory.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jndi/JndiCallback.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/support/CronTrigger.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/CacheableOperation.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/ui/ConcurrentModel.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/annotation/ValidationAnnotationUtils.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ComponentScanAnnotationParser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/TypeFilterUtils.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ConfigurationClass.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ConfigurationClassUtils.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/CacheOperation.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/config/AnnotationDrivenCacheBeanDefinitionParser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-

jar/org/springframework/format/datetime/DateTimeFormatAnnotationFormatterFactory.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/annotation/DateTimeFormat.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/config/CronTask.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/EnableAspectJAutoProxy.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/annotation/Scheduled.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2017 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/cache/interceptor/NamedCacheResolver.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/support/NotificationListenerHolder.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/instrument/classloading/SimpleInstrumentableClassLoader.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/config/Task.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/ejb/access/SimpleRemoteSlsbInvokerInterceptor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/access/MBeanProxyFactoryBean.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/cache/interceptor/CacheErrorHandler.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/support/RemoteAccessor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/config/IntervalTask.java  
\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/context/support/AbstractXmlApplicationContext.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/scripting/support/StaticScriptSource.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/jmx/export/metadata/ManagedResource.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/remoting/rmi/JndiRmiProxyFactoryBean.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/context/support/AbstractRefreshableConfigApplicationContext.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/format/datetime/standard/DateTimeFormatterFactoryBean.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/cache/interceptor/BeanFactoryCacheOperationSourceAdvisor.java  
 \*  
 /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/scripting/bsh/BshScriptEvaluator.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/format/datetime/joda/DateTimeFormatterFactory.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/context/support/ConversionServiceFactoryBean.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/jmx/export/naming/ObjectNamingStrategy.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/context/expression/MapAccessor.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/instrument/classloading/weblogic/WebLogicClassPreProcessorAdapter.java  
 \*  
 /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/stereotype/Indexed.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/context/expression/EnvironmentAccessor.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/remoting/rmi/RmiProxyFactoryBean.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/instrument/classloading/glassfish/GlassFishLoadTimeWeaver.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/instrument/classloading/SimpleThrowawayClassLoader.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/scheduling/config/FixedDelayTask.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/context/i18n/SimpleTimeZoneAwareLocaleContext.java  
 \*  
 /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/context/annotation/Jsr330ScopeMetadataResolver.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
 jar/org/springframework/context/support/ClassPathXmlApplicationContext.java  
 \* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-

```

jar/org/springframework/instrument/classloading/SimpleLoadTimeWeaver.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/AspectJAutoProxyRegistrar.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/config/LoadTimeWeaverBeanDefinitionParser.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/format/datetime/joda/JodaTimeContext.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/NotificationListenerBean.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/format/datetime/joda/JodaDateTimeFormatAnnotationFormatterFactory.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/support/MetricType.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/interceptor/SimpleCacheErrorHandler.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/support/NullValue.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/format/number/CurrencyStyleFormatter.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/MessageSourceResolvable.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/instrument/classloading/websphere/WebSphereLoadTimeWeaver.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/metadata/ManagedNotification.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/validation/DefaultMessageCodesResolver.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/instrument/classloading/tomcat/TomcatLoadTimeWeaver.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/expression/BeanExpressionContextAccessor.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scheduling/annotation/AnnotationAsyncExecutionInterceptor.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/assembly/AbstractMBeanInfoAssembler.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scripting/ScriptFactory.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/format/number/money/MonetaryAmountFormatter.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/expression/AnnotatedElementKey.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scripting/support/StandardScriptEvaluator.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/format/number/NumberFormatAnnotationFormatterFactory.java

```

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/support/RemoteExporter.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/metadata/JmxMetadataUtils.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/support/MethodInvokingRunnable.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/assembler/MethodExclusionMBeanInfoAssembler.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/AnnotationScopeMetadataResolver.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scripting/groovy/GroovyScriptEvaluator.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/metadata/ManagedMetric.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/config/TriggerTask.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/ApplicationListenerDetector.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/number/NumberStyleFormatter.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jndi/JndiAccessor.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/weaving/LoadTimeWeaverAwareProcessor.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/EnvironmentAware.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/beanvalidation/CustomValidatorBean.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jndi/TypeMismatchNamingException.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/support/SimpleValueWrapper.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/config/MBeanExportBeanDefinitionParser.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/config/ScheduledTaskHolder.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/support/FormattingConversionServiceFactoryBean.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/EmbeddedValueResolutionSupport.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/joda/DateTimeFormatterFactoryBean.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jndi/JndiObjectTargetSource.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/DelegatingMessageSource.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/joda/JodaTimeFormatterRegistrar.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/config/CacheNamespaceHandler.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/access/ConnectorDelegate.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/config/FixedRateTask.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/concurrent/ScheduledExecutorTask.java  
\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/stereotype/Component.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/DateFormatterRegistrar.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/concurrent/ConcurrentMapCacheFactoryBean.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/expression/BeanFactoryAccessor.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/access/MBeanConnectFailureException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/assembly/AutodetectCapableMBeanInfoAssembler.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/config/SpringConfiguredBeanDefinitionParser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-

jar/org/springframework/context/event/ContextStoppedEvent.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/event/ContextRefreshedEvent.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/ui/context/Theme.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/ScopeMetadata.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/export/UnableToRegisterMBeanException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/ApplicationContextAware.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/ui/context/ThemeSource.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/Phased.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/Formatter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/export/assembler/MBeanInfoAssembler.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/event/ContextStartedEvent.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/ejb/config/JndiLookupBeanDefinitionParser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/config/TaskNamespaceHandler.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/support/UrlBasedRemoteAccessor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/JmxException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/RemoteProxyFailureException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/export/MBeanExportException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/ui/context/support/UiApplicationContextUtils.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/soap/SoapFaultException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/export/metadata/JmxAttributeSource.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/weaving/LoadTimeWeaverAware.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/instrument/classloading/LoadTimeWeaver.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/support/DefaultRemoteInvocationExecutor.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/naming/SelfNaming.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/SchedulingAwareRunnable.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/rmi/RmiBasedExporter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scripting/ScriptSource.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/beanvalidation/LocaleContextMessageInterpolator.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/MBeanExporterListener.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/event/ApplicationContextEvent.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/rmi/CodebaseAwareObjectInputStream.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/SchedulingException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/MessageCodesResolver.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/access/InvocationFailureException.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/RemoteLookupFailureException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/ejb/config/JeeNamespaceHandler.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/HierarchicalMessageSource.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/support/DefaultRemoteInvocationFactory.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/BindingResultUtils.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/number/AbstractNumberFormatter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scripting/support/RefreshableScriptTargetSource.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/ejb/access/EjbAccessException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/rmi/RmiInvocationHandler.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/metadata/InvalidMetadataException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/notification/UnableToSendNotificationException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-

jar/org/springframework/ejb/config/LocalStatelessSessionBeanDefinitionParser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/Trigger.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/LoadTimeWeavingConfigurer.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/ejb/config/RemoteStatelessSessionBeanDefinitionParser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/access/InvalidInvocationException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/config/SchedulerBeanDefinitionParser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/ui/context/HierarchicalThemeSource.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/access/MBeanInfoRetrievalException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/support/DelegatingErrorHandlingRunnable.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/validation/BindingErrorProcessor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/event/ContextClosedEvent.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/RemoteInvocationFailureException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/NoSuchMessageException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/EnableMBeanExport.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/ui/context/support/SimpleTheme.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/config/ContextNamespaceHandler.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/AnnotationConfigBeanDefinitionParser.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/MBeanServerNotFoundException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/RemoteConnectFailureException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jndi/JndiLookupFailureException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/ApplicationContextHolder.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* Copyright 2002-2005 the original author or authors.

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/metadata/ManagedOperation.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2014 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/validation/beanvalidation/MessageSourceResourceBundleLocator.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scheduling/annotation/AsyncConfigurerSupport.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/PropertySources.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/interceptor/BasicOperation.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/ApplicationContext.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
```

jar/org/springframework/format/AnnotationFormatterFactory.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/validation/annotation/Validated.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/config/ContextLifecycleScheduledTaskRegistrar.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2020 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scheduling/support/PeriodicTrigger.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/ApplicationContextInitializer.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scheduling/annotation/ProxyAsyncConfiguration.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/validation/AbstractBindingResult.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/support/SimpleCacheManager.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/ImportSelector.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/ApplicationStartupAware.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scripting/groovy/GroovyScriptFactory.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/support/AbstractRefreshableApplicationContext.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/validation/beanvalidation/MethodValidationPostProcessor.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scheduling/config/ScheduledTaskRegistrar.java
```

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/instrument/classloading/ShadowingClassLoader.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/access/MBeanClientInterceptor.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/AnnotationConfigApplicationContext.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ScopedProxyMode.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/support/AbstractValueAdaptingCache.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/concurrent/DefaultManagedTaskScheduler.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/TaskScheduler.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/CacheInterceptor.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/concurrent/ConcurrentTaskScheduler.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/ejb/access/AbstractRemoteSlsbInvokerInterceptor.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/event/EventListenerMethodProcessor.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/support/NoOpCache.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/SimpleThreadScope.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/index/CandidateComponentsIndex.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/ConfigurableApplicationContext.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/SimpleKey.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/ assembler/InterfaceBasedMBeanInfoAssembler.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/MessageCodeFormatter.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/support/RemoteInvocationTraceInterceptor.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/AbstractErrors.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/beanvalidation/MethodValidationInterceptor.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/ejb/config/AbstractJndiLocatingBeanDefinitionParser.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-

```

jar/org/springframework/scheduling/support/SimpleTriggerContext.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/support/DefaultLifecycleProcessor.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/ConfigurationClassBeanDefinitionReader.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/Bean.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scripting/support/ScriptFactoryPostProcessor.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/ScannedGenericBeanDefinition.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jndi/JndiObjectFactoryBean.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/remoting/support/RemoteInvocationBasedAccessor.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/LoadTimeWeavingConfiguration.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/PropertySource.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/support/ResourceBundleMessageSource.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/concurrent/ConcurrentMapCacheManager.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/ConditionContext.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/concurrent/ConcurrentMapCache.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scheduling/concurrent/ReschedulingRunnable.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/annotation/ManagedAttribute.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/metadata/AbstractJmxAttribute.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/support/ApplicationContextAwareProcessor.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/support/NoOpCacheManager.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/instrument/classloading/websphere/WebSphereClassPreDefinePlugin.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scheduling/annotation/SchedulingConfiguration.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/ejb/access/LocalSlsbInvokerInterceptor.java
*

```

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/concurrent/DefaultManagedTaskExecutor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/rmi/JndiRmiClientInterceptor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/Condition.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/FullyQualifiedAnnotationBeanNameGenerator.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/support/DefaultFormattingConversionService.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/config/TaskExecutorFactoryBean.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/LiveBeansViewMBean.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ContextAnnotationAutowireCandidateResolver.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/AutoProxyRegistrar.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/rmi/RmiClientInterceptor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/TriggerContext.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/AbstractResourceBasedMessageSource.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/MBeanExportConfiguration.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/event/DefaultEventListenerFactory.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/BindException.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ConfigurationCondition.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/annotation/ProxyCachingConfiguration.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/event/EventPublicationInterceptor.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/DeferredImportSelector.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ComponentScan.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/MapBindingResult.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/number/money/Jsr354NumberFormatAnnotationFormatterFactory.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-

jar/org/springframework/jmx/support/RegistrationPolicy.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2015 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scripting/config/LangNamespaceHandler.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/event/EventListenerFactory.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/Role.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/joda/MonthDayFormatter.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/joda/PeriodFormatter.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/annotation/ManagedMetric.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/RemoteTimeoutException.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/beanvalidation/SpringConstraintValidatorFactory.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/joda/DurationFormatter.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/number/PercentStyleFormatter.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/config/AnnotationDrivenBeanDefinitionParser.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ImportResource.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/annotation/CacheConfig.java

```
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/format/datetime/joda/YearMonthFormatter.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scripting/support/StandardScriptEvalException.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scripting/ScriptEvaluator.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/format/number/money/CurrencyUnitFormatter.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/ComponentScans.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2020 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
/**
* Indicates that a component is only eligible for registration when all
* { @linkplain #value specified conditions } match.
*
* <p>A condition is any state that can be determined programmatically
* before the bean definition is due to be registered (see { @link Condition } for details).
*
*
* <p>The { @code @Conditional } annotation may be used in any of the following ways:
*
* as a type-level annotation on any class directly or indirectly annotated with
* { @code @Component }, including { @link Configuration @Configuration } classes
* as a meta-annotation, for the purpose of composing custom stereotype
* annotations
* as a method-level annotation on any { @link Bean @Bean } method
*
*
* <p>If a { @code @Configuration } class is marked with { @code @Conditional },
* all of the { @code @Bean } methods, { @link Import @Import } annotations, and
* { @link ComponentScan @ComponentScan } annotations associated with that
```

\* class will be subject to the conditions.  
\*  
\* **NOTE**: Inheritance of { `@Conditional` } annotations  
\* is not supported; any conditions from superclasses or from overridden  
\* methods will not be considered. In order to enforce these semantics,  
\* { `@Conditional` } itself is not declared as  
\* { `java.lang.annotation.Inherited`  
\* `@Inherited` }; furthermore, any  
\* custom `<em>composed annotation` that is meta-annotated with  
\* { `@Conditional` } must not be declared as { `@Inherited` }.  
\*  
\* `@author Phillip Webb`  
\* `@author Sam Brannen`  
\* `@since 4.0`  
\* `@see Condition`  
\*/

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/Conditional.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/support/MessageSourceAccessor.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/annotation/AsyncAnnotationBeanPostProcessor.java

\*

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/support/MBeanRegistrationSupport.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/support/ScheduledMethodRunnable.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/SchedulingTaskExecutor.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/concurrent/ForkJoinPoolFactoryBean.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/expression/BeanFactoryResolver.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/beanvalidation/BeanValidationPostProcessor.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/AdviceModeImportSelector.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/annotation/EnableCaching.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/ assembler/AbstractConfigurableMBeanInfoAssembler.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jndi/JndiLocatorSupport.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/notification/ModelMBeanNotificationPublisher.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scheduling/annotation/AsyncConfigurationSelector.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/DefaultBindingErrorProcessor.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/NameMatchCacheOperationSource.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/SimpleCacheResolver.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/SmartValidator.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/ assembler/SimpleReflectiveMBeanInfoAssembler.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/rmi/RmiRegistryFactoryBean.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/DependsOn.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scripting/bsh/BshScriptUtils.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/standard/DateTimeFormatterRegistrar.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/instrument/classloading/weblogic/WebLogicClassLoaderAdapter.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/annotation/CachingConfigurationSelector.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/ScopedProxyCreator.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-

jar/org/springframework/scheduling/concurrent/DefaultManagedAwareThreadFactory.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/EmbeddedValueResolverAware.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/cache/interceptor/VariableNotAvailableException.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/ImportRegistry.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/instrument/classloading/ReflectiveLoadTimeWeaver.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/datetime/standard/MonthFormatter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/export/MBeanExportOperations.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/support/RemoteInvocationResult.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/rmi/RmiInvocationWrapper.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/config/TaskManagementConfigUtils.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/expression/CachedExpressionEvaluator.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/cache/interceptor/CacheExpressionRootObject.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/EnableLoadTimeWeaving.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/rmi/JndiRmiServiceExporter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/datetime/standard/YearFormatter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/annotation/EnableAsync.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/validation/BeanPropertyBindingResult.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/validation/ValidationUtils.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/AdviceMode.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/export/metadata/ManagedAttribute.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/support/FileSystemXmlApplicationContext.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/cache/interceptor/AbstractCacheResolver.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/i18n/LocaleContextHolder.java

\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/datetime/standard/DateTimeConverters.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/ui/context/support/DelegatingThemeSource.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/ui/context/support/ResourceBundleThemeSource.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/ProfileCondition.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/instrument/classloading/websphere/WebSphereClassLoaderAdapter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/cache/interceptor/CacheOperationExpressionEvaluator.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/MessageSourceAware.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/Lifecycle.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/rmi/RemoteInvocationSerializingExporter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scripting/config/LangNamespaceUtils.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/annotation/ConditionEvaluator.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/support/RemoteInvocationBasedExporter.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jndi/JndiTemplate.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/scheduling/concurrent/ScheduledExecutorFactoryBean.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/jmx/export/naming/IdentityNamingStrategy.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/event/EventExpressionRootObject.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/support/RemoteInvocation.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/format/datetime/joda/JodaTimeConverters.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/expression/MethodBasedEvaluationContext.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/weaving/AspectJWeavingEnabler.java  
\*  
/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/support/ApplicationObjectSupport.java  
\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/remoting/rmi/RmiServiceExporter.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/instrument/classloading/ResourceOverridingShadowingClassLoader.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/config/CacheManagementConfigUtils.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/support/SimpleHttpServerFactoryBean.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/assembler/MetadataMBeanInfoAssembler.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/support/ObjectNameManager.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/Errors.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/ejb/access/AbstractSlsInvokerInterceptor.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/interceptor/CacheResolver.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/annotation/NumberFormat.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/support/FormattingConversionService.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/RemoteAccessException.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/remoting/support/RemotingSupport.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jmx/export/assembler/AbstractReflectiveMBeanInfoAssembler.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/AbstractPropertyBindingResult.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/context/annotation/Scope.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/validation/BindingResult.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/format/datetime/joda/JodaTimeContextHolder.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scripting/config/ScriptBeanDefinitionParser.java

\*

/opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scripting/support/ResourceScriptSource.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/cache/config/CacheAdviceParser.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/jndi/JndiObjectLocator.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-jar/org/springframework/scripting/config/ScriptingDefaultsParser.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-

```
jar/org/springframework/ejb/access/SimpleRemoteStatelessSessionProxyFactoryBean.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/ejb/access/LocalStatelessSessionProxyFactoryBean.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/Profile.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/validation/DirectFieldBindingResult.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/config/MBeanServerBeanDefinitionParser.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/annotation/CachingConfigurerSupport.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scripting/ScriptCompilationException.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/ComponentScanBeanDefinitionParser.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/instrument/classloading/WeavingTransformer.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/context/annotation/BeanAnnotationHelper.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scheduling/support/CronSequenceGenerator.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/assembler/MethodNameBasedMBeanInfoAssembler.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/format/FormatterRegistry.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/cache/interceptor/CacheOperationInvocationContext.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scheduling/annotation/AsyncAnnotationAdvisor.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/scheduling/annotation/AsyncResult.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/notification/NotificationPublisher.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/naming/KeyNamingStrategy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2020 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
```

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

/\*\*

\* Abstract the invocation of a cache operation.

\*

\* <p>Does not provide a way to transmit checked exceptions but

\* provide a special exception that should be used to wrap any

\* exception that was thrown by the underlying invocation.

\* Callers are expected to handle this issue type specifically.

\*

\* @author Stephane Nicoll

\* @since 4.1

\*/

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/cache/interceptor/CacheOperationInvoker.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2023 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/context/support/AbstractApplicationContext.java

\* /opt/cola/permits/1641409032\_1681703779.118711/0/spring-context-5-3-27-sources-  
jar/org/springframework/validation/FieldError.java

No license file was found, but licenses were detected in source scan.

/\*

```

* Copyright 2002-2019 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * {@link FactoryBean} that obtains a WebSphere {@link javax.management.MBeanServer}
 * reference through WebSphere's proprietary {@code AdminServiceFactory} API,
 * available on WebSphere 5.1 and higher.
 *
 * <p>Exposes the {@code MBeanServer} for bean references.
 *
 * <p>This {@code FactoryBean} is
 * a direct alternative to {@link MBeanServerFactoryBean},
 * which uses standard JMX 1.2 API to access the platform's {@link MBeanServer}.
 *
 * <p>See the javadocs for WebSphere's
 * <a
 * href="https://www.ibm.com/support/knowledgecenter/SSEQTJ_9.0.0/com.ibm.websphere.javadoc.doc/web/apidocs
 * /com/ibm/websphere/management/AdminServiceFactory.html">{@code AdminServiceFactory}
 * and
 * <a
 * href="https://www.ibm.com/support/knowledgecenter/SSEQTJ_9.0.0/com.ibm.websphere.javadoc.doc/web/apidocs
 * /com/ibm/websphere/management/MBeanFactory.html">{@code MBeanFactory}.
 *
 * @author Juergen Hoeller
 * @author Rob Harrop
 * @since 2.0.3
 * @see javax.management.MBeanServer
 * @see MBeanServerFactoryBean
 */

```

Found in path(s):

```

* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/support/WebSphereMBeanServerFactoryBean.java

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

* Copyright 2002-2007 the original author or authors.

```

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/SpringModelMBean.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/remoting/support/RemoteInvocationFactory.java
*
/opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/remoting/support/RemoteInvocationExecutor.java
* /opt/cola/permits/1641409032_1681703779.118711/0/spring-context-5-3-27-sources-
jar/org/springframework/jmx/export/metadata/ManagedOperationParameter.java
```

## 1.201 spring-expression 5.3.27

### 1.201.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2023 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/support/SimpleEvaluationContext.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/Indexer.java
*
/opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/MethodReference.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/standard/InternalSpelExpressionParser.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/support/ReflectiveMethodResolver.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/OperatorMatches.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/OpPlus.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/CompoundExpression.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/OpMultiply.java
*
/opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/SpelMessage.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/Assign.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/FunctionReference.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/EvaluationContext.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ExpressionState.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/VariableReference.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/SpelNodeImpl.java
*
/opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/PropertyOrFieldReference.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
```

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/ExpressionParser.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2013 the original author or authors.

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at

\*

- \* <https://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and

- \* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/MethodExecutor.java

\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/ConstructorExecutor.java

\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/ExpressionInvocationTargetException.java

\*

/opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/common/TemplateParserContext.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2017 the original author or authors.

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at

\*

- \* <https://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/AccessException.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/OperatorOverloader.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/SpelParseException.java  
\*

/opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/ParseException.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/support/ReflectiveConstructorExecutor.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/common/ExpressionUtils.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/CompiledExpression.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/Expression.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/ParserContext.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2019 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-

jar/org/springframework/expression/spel/ast/OperatorPower.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/OperatorInstanceof.java  
\*  
/opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/OpLT.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/OpDec.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/standard/Tokenizer.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/Projection.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/OpGT.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/OpEQ.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/Selection.java  
\*  
/opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/Identifier.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/OpGE.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/RealLiteral.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/BooleanLiteral.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/TypeCode.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/OpDivide.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/Literal.java  
\*  
/opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/LongLiteral.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/OpMinus.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/NullLiteral.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/InlineList.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/OpAnd.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/support/StandardTypeComparator.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-  
jar/org/springframework/expression/spel/ast/OperatorBetween.java

\*  
/opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/ast/OpInc.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/ast/ValueRef.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/ast/OpModulus.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/ast/OperatorNot.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/ast/OpNE.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/ast/IntLiteral.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/ast/OpOr.java

\*  
/opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/ast/OpLE.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/ast/FloatLiteral.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/PropertyAccessor.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2014 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/standard/SpelExpressionParser.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/CompilablePropertyAccessor.java  
\*

/opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/SpelCompilerMode.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/common/CompositeStringExpression.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/support/BooleanTypedValue.java
*
/opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/Operation.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/common/TemplateAwareExpressionParser.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/TypedValue.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/support/StandardOperatorOverloader.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/support/DataBindingMethodResolver.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/SpelEvaluationException.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/FormatHelper.java
*
/opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/SpelNode.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/common/LiteralExpression.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/support/StandardEvaluationContext.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/support/DataBindingPropertyAccessor.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2022 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/support/ReflectivePropertyAccessor.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/StringLiteral.java
*
/opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/ConstructorReference.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/ExpressionException.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/Ternary.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/standard/SpelExpression.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/standard/SpelCompiler.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/ast/Elvis.java
* /opt/cola/permits/1641409073_1681703741.5477977/0/spring-expression-5-3-27-sources-
jar/org/springframework/expression/spel/support/ReflectiveMethodExecutor.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2020 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
```

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/support/StandardTypeLocator.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/ast/AstUtils.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2021 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/SpelParserConfiguration.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/MethodResolver.java  
\*  
/opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/support/ReflectionHelper.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/ast/QualifiedIdentifier.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/ast/TypeReference.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/support/ReflectiveConstructorResolver.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/TypeConverter.java  
\* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-



- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/TypeLocator.java
- \* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/EvaluationException.java
- \* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/MethodFilter.java
- \*
- /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/spel/standard/TokenKind.java
- \* /opt/cola/permits/1641409073\_1681703741.5477977/0/spring-expression-5-3-27-sources-jar/org/springframework/expression/ConstructorResolver.java

## 1.202 spring-aspects 5.3.27

### 1.202.1 Available under license :

No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright 2002-2016 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-jar/org/springframework/scheduling/aspectj/AbstractAsyncExecutionAspect.aj
- \* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-jar/org/springframework/scheduling/aspectj/AnnotationAsyncExecutionAspect.aj

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2013 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1641409016_1681703745.7298813/0/spring-aspects-5-3-27-sources-
jar/org/springframework/cache/aspectj/AnnotationCacheAspect.aj
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2014 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1641409016_1681703745.7298813/0/spring-aspects-5-3-27-sources-
jar/org/springframework/cache/aspectj/AbstractCacheAspect.aj
* /opt/cola/permits/1641409016_1681703745.7298813/0/spring-aspects-5-3-27-sources-
jar/org/springframework/cache/aspectj/JCacheCacheAspect.aj
* /opt/cola/permits/1641409016_1681703745.7298813/0/spring-aspects-5-3-27-sources-
jar/org/springframework/beans/factory/aspectj/AbstractDependencyInjectionAspect.aj
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1641409016_1681703745.7298813/0/spring-aspects-5-3-27-sources-
jar/org/springframework/cache/aspectj/AnyThrow.java
* /opt/cola/permits/1641409016_1681703745.7298813/0/spring-aspects-5-3-27-sources-
jar/org/springframework/context/annotation/aspectj/SpringConfiguredConfiguration.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2012 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1641409016_1681703745.7298813/0/spring-aspects-5-3-27-sources-
jar/org/springframework/context/annotation/aspectj/EnableSpringConfigured.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2017 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-jar/org/springframework/beans/factory/aspectj/GenericInterfaceDrivenDependencyInjectionAspect.aj  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2015 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-jar/org/springframework/transaction/aspectj/JtaAnnotationTransactionAspect.aj  
\* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-jar/org/springframework/transaction/aspectj/AnnotationTransactionAspect.aj  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2021 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-  
jar/org/springframework/beans/factory/aspectj/ConfigurableObject.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2020 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-  
jar/org/springframework/transaction/aspectj/AspectJTransactionManagementConfiguration.java  
\* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-  
jar/org/springframework/beans/factory/aspectj/AnnotationBeanConfigurerAspect.aj  
\*  
/opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-  
jar/org/springframework/transaction/aspectj/AspectJJaTransactionManagementConfiguration.java  
\* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-  
jar/org/springframework/scheduling/aspectj/AspectJAsyncConfiguration.java  
\* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-  
jar/org/springframework/cache/aspectj/AspectJCacheConfiguration.java  
\* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-  
jar/org/springframework/beans/factory/aspectj/AbstractInterfaceDrivenDependencyInjectionAspect.aj  
\* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-  
jar/org/springframework/transaction/aspectj/AbstractTransactionAspect.aj  
\* /opt/cola/permits/1641409016\_1681703745.7298813/0/spring-aspects-5-3-27-sources-  
jar/org/springframework/cache/aspectj/AspectJCCachingConfiguration.java

# 1.203 spring-aop 5.3.27

## 1.203.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2014 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/target/PrototypeTargetSource.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/NameMatchMethodPointcutAdvisor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2020 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-

jar/org/springframework/aop/support/DelegatingIntroductionInterceptor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/autoproxy/target/LazyInitTargetSourceCreator.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/AspectJAfterAdvice.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/autoproxy/AspectJAwareAdvisorAutoProxyCreator.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/config/AdvisorEntry.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/adaptor/ThrowsAdviceInterceptor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/interceptor/DebugInterceptor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/adaptor/MethodBeforeAdviceInterceptor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/interceptor/ConcurrencyThrottleInterceptor.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/AdvisedSupport.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/annotation/BeanFactoryAspectJAdvisorsBuilder.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/config/AopNamespaceHandler.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/autoproxy/AspectJPrecedenceComparator.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/annotation/ReflectiveAspectJAdvisorFactory.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/AspectJAroundAdvice.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/interceptor/CustomizableTraceInterceptor.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/config/AspectEntry.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/interceptor/AbstractMonitoringInterceptor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/config/AdviceEntry.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/Advised.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/autoproxy/BeanNameAutoProxyCreator.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/config/PointcutEntry.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/interceptor/AbstractTraceInterceptor.java

```
*
/opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/framework/ProxyCreatorSupport.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/interceptor/ExposeBeanNameAdvisors.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/aspectj/AspectJAfterThrowingAdvice.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/framework/autoproxy/AbstractAdvisorAutoProxyCreator.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/interceptor/ExposeInvocationInterceptor.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/aspectj/AspectJProxyUtils.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/framework/AopContext.java
*
/opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/interceptor/SimpleTraceInterceptor.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/framework/adapter/AfterReturningAdviceInterceptor.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2023 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/framework/JdkDynamicAopProxy.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/aspectj/annotation/MetadataAwareAspectInstanceFactory.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2007 the original author or authors.
*

```

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/IntroductionInterceptor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/InterceptorAndDynamicMethodMatcher.java  
\*

/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/AdvisedSupportListener.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/AfterAdvice.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/SpringProxy.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/AopInfrastructureBean.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/RawTargetAccess.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/BeforeAdvice.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2008 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/ThrowsAdvice.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2017 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/Advisor.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/interceptor/PerformanceMonitorInterceptor.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/AbstractGenericPointcutAdvisor.java

\*

/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/AspectInstanceFactory.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/interceptor/JamonPerformanceMonitorInterceptor.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/AbstractExpressionPointcut.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/DefaultBeanFactoryPointcutAdvisor.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/DelegatePerTargetObjectIntroductionInterceptor.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/config/AspectComponentDefinition.java

\*

/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/config/SimpleBeanFactoryAwareAspectInstanceFactory.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/AbstractPointcutAdvisor.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-

jar/org/springframework/aop/config/AbstractInterceptorDrivenBeanDefinitionDecorator.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/config/MethodLocatingFactoryBean.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/support/ExpressionPointcut.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/support/DefaultPointcutAdvisor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/AspectJExpressionPointcutAdvisor.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/annotation/LazySingletonAspectInstanceFactoryDecorator.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/autoproxy/InfrastructureAdvisorAutoProxyCreator.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/annotation/AnnotationAwareAspectJAutoProxyCreator.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2022 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/support/AopUtils.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/support/annotation/AnnotationMatchingPointcut.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/ProxyFactoryBean.java

\*

/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/DefaultAopProxyFactory.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/autoproxy/AbstractAutoProxyCreator.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/interceptor/AsyncExecutionAspectSupport.java

\*

/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/DefaultAopProxyFactory.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/autoproxy/AbstractAutoProxyCreator.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/interceptor/AsyncExecutionAspectSupport.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/interceptor/AsyncExecutionAspectSupport.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/interceptor/AsyncExecutionAspectSupport.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/annotation/AspectMetadata.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/AspectJExpressionPointcut.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/AopProxyUtils.java  
\*

/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/CglibAopProxy.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/AbstractAspectJAdvice.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/annotation/AnnotationClassFilter.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/annotation/AnnotationMethodMatcher.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/annotation/AspectJProxyFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/AfterReturningAdvice.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/config/PointcutComponentDefinition.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/StaticMethodMatcherPointcut.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/AspectJAopUtils.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/target/LazyInitTargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-

jar/org/springframework/aop/framework/adapter/AdvisorAdapterRegistrationManager.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/scope/DefaultScopedObject.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/support/JdkRegexpMethodPointcut.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/support/DynamicMethodMatcherPointcut.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/PointcutAdvisor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/adapter/AfterReturningAdviceAdapter.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/adapter/MethodBeforeAdviceAdapter.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/AopProxyFactory.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/AopInvocationException.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/AopProxy.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/config/ScopedProxyBeanDefinitionDecorator.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/scope/ScopedObject.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/target/dynamic/BeanFactoryRefreshableTargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/adapter/AdvisorAdapter.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/config/SpringConfiguredBeanDefinitionParser.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/target/ThreadLocalTargetSourceStats.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/IntroductionInfo.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/AopConfigException.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/adapter/UnknownAdviceTypeException.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/Pointcut.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/target/SimpleBeanTargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/IntroductionAdvisor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/target/dynamic/Refreshable.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/target/PoolingConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2019 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/aopalliance/intercept/Interceptor.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/Pointcuts.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/ComposablePointcut.java

\*

/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/MethodMatchers.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/ClassFilter.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/ObjenesisCglibAopProxy.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/NameMatchMethodPointcut.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/interceptor/AsyncUncaughtExceptionHandler.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/TypePatternClassFilter.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/scope/ScopedProxyUtils.java

\*

/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/ReflectiveMethodInvocation.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/RootClassFilter.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-

jar/org/springframework/aop/support/ClassFilters.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/MethodMatcher.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2021 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/framework/autoproxy/target/AbstractBeanFactoryBasedTargetSourceCreator.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/DynamicIntroductionAdvice.java
*
/opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/target/AbstractPoolingTargetSource.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/support/AbstractBeanFactoryPointcutAdvisor.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/aspectj/MethodInvocationProceedingJoinPoint.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/aspectj/annotation/AbstractAspectJAdvisorFactory.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/framework/ProxyConfig.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/support/DefaultIntroductionAdvisor.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/framework/adapter/ThrowsAdviceAdapter.java
*
/opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/support/ControlFlowPointcut.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/springframework/aop/aspectj/AspectJAdviceParameterNameDiscoverer.java
* /opt/cola/permits/1641409048_1681703759.7085433/0/spring-aop-5-3-27-sources-
jar/org/aopalliance/intercept/Joinpoint.java
```

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/AbstractAdvisingBeanPostProcessor.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/aopalliance/intercept/MethodInterceptor.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/config/ConfigBeanDefinitionParser.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/AspectJPrecedenceInformation.java

\*

/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/IntroductionInfoSupport.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/adaptor/DefaultAdvisorAdapterRegistry.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/adaptor/GlobalAdvisorAdapterRegistry.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/StaticMethodMatcher.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/IntroductionAwareMethodMatcher.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/DefaultAdvisorChainFactory.java

\*

/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/scope/ScopedProxyFactoryBean.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/support/StaticMethodMatcherPointcutAdvisor.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/TrueClassFilter.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/TrueClassFilter.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/TrueClassFilter.java

jar/org/springframework/aop/interceptor/SimpleAsyncUncaughtExceptionHandler.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/target/AbstractLazyCreationTargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/autoproxy/DefaultAdvisorAutoProxyCreator.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/config/AopConfigUtils.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/annotation/NotAnAtAspectException.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/TargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/config/AopNamespaceUtils.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/target/AbstractPrototypeBasedTargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/interceptor/AsyncExecutionInterceptor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/support/AbstractRegexpMethodPointcut.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/RuntimeTestWalker.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/config/AdvisorComponentDefinition.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/TrueMethodMatcher.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/aopalliance/aop/AspectException.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/support/DynamicMethodMatcher.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/autoproxy/BeanFactoryAdvisorRetrievalHelper.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/target/dynamic/AbstractRefreshableTargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/support/RegexpMethodPointcutAdvisor.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/autoproxy/ProxyCreationContext.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/aopalliance/intercept/ConstructorInvocation.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/autoproxy/AutoProxyUtils.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/MethodBeforeAdvice.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/framework/ProxyProcessorSupport.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/AbstractSingletonProxyFactoryBean.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/TruePointcut.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/AdvisorChainFactory.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/target/CommonsPool2TargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/target/EmptyTargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/target/AbstractBeanFactoryBasedTargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/autoproxy/AbstractBeanFactoryAwareAdvisingPostProcessor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/AspectJPointcutAdvisor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/DeclareParentsAdvisor.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/adapter/AdvisorAdapterRegistry.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/SimpleAspectInstanceFactory.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/target/SingletonTargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/target/HotSwappableTargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/autoproxy/target/QuickTargetSourceCreator.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/annotation/BeanFactoryAspectInstanceFactory.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/annotation/InstantiationModelAwarePointcutAdvisorImpl.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2013 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/AspectJWeaverMessageHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2015 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/annotation/PrototypeAspectInstanceFactory.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/ProxyMethodInvocation.java

\*

/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/AspectJMethodBeforeAdvice.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/annotation/AspectJAdvisorFactory.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/TargetClassAware.java

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-  
jar/org/springframework/aop/aspectj/SingletonAspectInstanceFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2016 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/aopalliance/intercept/ConstructorInterceptor.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/AspectJAfterReturningAdvice.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/annotation/SingletonMetadataAwareAspectInstanceFactory.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/aopalliance/intercept/MethodInvocation.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/autoproxy/TargetSourceCreator.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/target/ThreadLocalTargetSource.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/aopalliance/aop/Advice.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/aopalliance/intercept/Invocation.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/annotation/SimpleMetadataAwareAspectInstanceFactory.java  
\*  
/opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/config/AspectJAutoProxyBeanDefinitionParser.java  
\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/framework/ProxyFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2006 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1641409048\_1681703759.7085433/0/spring-aop-5-3-27-sources-jar/org/springframework/aop/aspectj/InstantiationModelAwarePointcutAdvisor.java

# 1.204 spring-data-commons 2.7.11

## 1.204.1 Available under license :

Spring Data Commons 2.7.11 (2021.2.11)

Copyright (c) [2010-2021] Pivotal Software, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE file.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

To the extent any open source subcomponents are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <https://www.springsource.org/download>,

or by sending a request, with your name and address to: VMware, Inc., 3401 Hillview Avenue, Palo Alto, CA 94304, United States of America or email [info@vmware.com](mailto:info@vmware.com). All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. VMware shall mail a copy of the Source Files to you on a CD or equivalent physical medium. This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product.

# 1.205 spring-data-mongodb 3.4.11

## 1.205.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2019-2022 the original author or authors.
~
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
~ See the License for the specific language governing permissions and
~ limitations under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/config/spring-mongo-3.0.xsd
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/config/spring-mongo-2.2.xsd
*
```

```
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/config/spring-mongo-3.3.xsd
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014-2023 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
```

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/query/GeoCommand.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/DefaultDbRefProxyHandler.java
- \*
- /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/Meta.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/DbRefProxyHandler.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/ObjectPath.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/query/TextCriteria.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationOptions.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/script/NamedMongoScript.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/query/Meta.java
- \*
- /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/LazyLoadingProxy.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/config/MongoRepositoryConfigNamespaceHandler.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/query/Term.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/query/TextQuery.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/GeoConverters.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/CompoundIndexDefinition.java
- \*
- /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/IndexResolver.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/ValueResolver.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ScriptOperations.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/DefaultDbRefResolverCallback.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/TextIndexDefinition.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/geo/Sphere.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/DefaultScriptOperations.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/TextIndexed.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/TextScore.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/MongoPersistentEntityIndexResolver.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/Language.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/script/ExecutableMongoScript.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2010-2023 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/FindAndModifyOptions.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/DbCallback.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/MongoRepositoryFactory.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/GeoSpatialIndexed.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-

jar/org/springframework/data/mongodb/core/query/BasicQuery.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/CollectionCallback.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/support/SimpleMongoRepository.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapreduce/GroupBy.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/DocumentCallbackHandler.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/index/Index.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapreduce/MapReduceCounts.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/query/Query.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/query/Field.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/UncategorizedMongoDbException.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/CollectionOptions.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/query/CriteriaDefinition.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/query/Criteria.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/query/Update.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/convert/MongoWriter.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/index/GeospatialIndex.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/MongoExceptionTranslator.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/MongoTemplate.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/query/BasicUpdate.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/convert/MongoConverter.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/query/MongoQueryCreator.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapreduce/MapReduceTiming.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/MongoRepository.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/AbstractMongoQuery.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/MongoRepositoryFactoryBean.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapreduce/MapReduceOptions.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/InvalidMongoDbApiUsageException.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015-2023 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/ReadPreferencePropertyEditor.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/BulkOperations.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/util/MongoClientVersion.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/GeoJsonConfiguration.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationFunctionExpressions.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/geo/GeoJsonMultiLineString.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/MongoClientParser.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/BulkOperationException.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/MongoCredentialPropertyEditor.java  
\*

```
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/geo/GeoJsonMultiPolygon.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/util/MongoDbErrorCodes.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/geo/GeoJsonModule.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/query/MongoRegexCreator.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/geo/GeoJsonPolygon.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/geo/GeoJsonGeometryCollection.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/geo/GeoJsonPoint.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/geo/GeoJsonLineString.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/convert/MongoExampleMapper.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/DefaultWriteConcernResolver.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/AggregationExpression.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/MongoClientFactoryBean.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/DefaultBulkOperations.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/geo/GeoJsonMultiPoint.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/geo/GeoJson.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2008-2023 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
/**
 * JsonTokenType implementation borrowed from <a href=
 * "https://github.com/mongodb/mongo-java-
driver/blob/master/bson/src/main/org/bson/json/JsonTokenType.java">MongoDB
 * Inc. licensed under the Apache License, Version 2.0.

 *
 * @author Jeff Yemin
 * @author Ross Lawley
 * @since 2.2
 */
```

#### Found

in path(s):

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/util/json/JsonTokenType.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2012-2023 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

#### Found in path(s):

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/config/MongoAuditingBeanDefinitionParser.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/monitor/ServerInfo.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/convert/DocumentPropertyAccessor.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/index/DurationStyle.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/config/EnableMongoRepositories.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/config/MongoRepositoriesRegistrar.java
```

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/config/MongoRepositoryConfigurationExtension.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/index/IndexField.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/query/MongoEntityMetadata.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/WriteResultChecking.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/mapping/event/ValidatingMongoEventListener.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/query/SimpleMongoEntityMetadata.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/query/SerializationUtils.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/support/SpringDataMongoDbQuery.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/cdi/MongoRepositoryBean.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/mapping/event/AuditingEventListener.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/config/StringToWriteConcernConverter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2008-2023 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
/**
```

```
* JsonBuffer implementation borrowed from <a href=
```

```
* "https://github.com/mongodb/mongo-java-
```

```
driver/blob/master/bson/src/main/org/bson/json/DateTimeFormatter.java">MongoDB
```

```
* Inc. licensed under the Apache License, Version 2.0.

```

```
* Formatted and modified.
```

```
*
```

\* @author Jeff Yemin  
\* @author Ross  
Lawley  
\* @since 2.2  
\*/

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/util/json/DateTimeFormatter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021-2023 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/UnwrapEntityContext.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/ReactiveFluentQuerySupport.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/WildcardIndexed.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/UnwrappedMongoPersistentEntity.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/DocumentOperators.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/MongoServerApiFactoryBean.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/EncryptionAlgorithms.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/UnwrappedMongoPersistentProperty.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/ReactivePageableExecutionUtils.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/DocumentPointer.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/DocumentReference.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/DocumentReferenceSource.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/DefaultReferenceResolver.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/TimeSeries.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/geo/GeoJsonSerializersModule.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/PersistentPropertyTranslator.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/MongoExpression.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/ReferenceLookupDelegate.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/FetchableFluentQuerySupport.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/Encrypted.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/MongoDatabaseFactoryReferenceLoader.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/LazyLoadingProxyFactory.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/util/EmptyDocument.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/ReferenceResolver.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/BindableMongoExpression.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/util/aggregation/TestAggregationContext.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/EvaluationOperators.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/util/RegexFlags.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/Unwrapped.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/SetWindowFieldsOperation.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/SpringDataMongoDbQuerySupport.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-

```
jar/org/springframework/data/mongodb/util/encryption/EncryptionUtils.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/convert/DocumentPointerFactory.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/util/DotPath.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/timeseries/Granularity.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/index/WildcardIndex.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/util/spel/ExpressionUtils.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/timeseries/GranularityDefinition.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/convert/ReferenceLoader.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2008-2023 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Reads a JSON and evaluates placeholders and SpEL expressions. Modified version of https://github.com/mongodb/mongo-java-driver/blob/master/bson/src/main/org/bson/json/JsonReader.java>MongoDB Inc.
* JsonReader licensed under the Apache License, Version 2.0.

*
* @author Jeff
Yemin
* @author Ross Lawley
* @author Trisha Gee
* @author Robert Guo
* @author Florian Buecklers
* @author Brendon Puntin
* @author Christoph Strobl
* @author Rocco Lagrotteria
```

\* @since 2.2

\*/

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/util/json/ParameterBindingJsonReader.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-2023 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* A {@link Codec} implementation that allows binding parameters to placeholders or SpEL expressions when decoding a

\* JSON String. <br />

\* Modified version of <a href=

\* "https://github.com/mongodb/mongo-java-

driver/blob/master/bson/src/main/org/bson/codecs/DocumentCodec.java">MongoDB

\* Inc. DocumentCodec</a>

licensed under the Apache License, Version 2.0. <br />

\*

\* @author Jeff Yemin

\* @author Ross Lawley

\* @author Ralph Schaer

\* @author Christoph Strobl

\* @author Rocco Lagrotteria

\* @since 2.2

\*/

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/util/json/ParameterBindingDocumentCodec.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019-2023 the original author or authors.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/event/AuditingEntityCallback.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/ReactiveMongoTransactionManager.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/gridfs/GridFsOperationsSupport.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/HashedIndex.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/MongoEncryptionSettingsFactoryBean.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveChangeStreamOperationExtensions.kt  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/util/json/ParameterBindingContext.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/event/BeforeSaveCallback.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/event/BeforeConvertCallback.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/ReactiveStringBasedAggregation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/RelaxedTypeBasedAggregationOperationContext.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/HashIndexed.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/ReactiveMongoResourceHolder.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/Aggregation.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/QuerydslPredicateExecutorSupport.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/StringBasedAggregation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/MappingMongoJsonSchemaCreator.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/ReplaceWithOperation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/ReadConcernPropertyEditor.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/ReactiveMongoDatabaseUtils.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/ReactiveQuerydslMongoPredicateExecutor.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/gridfs/ReactiveGridFsTemplate.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/event/ReactiveBeforeSaveCallback.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/event/ReactiveAuditingEntityCallback.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/ConnectionStringPropertyEditor.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/AggregationUtils.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveChangeStreamOperation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveChangeStreamOperationSupport.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/gridfs/ReactiveGridFsResource.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationUpdate.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/CountQuery.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/ReactiveSpringDataMongoDbQuery.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/CollationUtils.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReadPreferenceAware.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/util/json/ValueProvider.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/MongoJsonSchemaCreator.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/event/ReactiveBeforeConvertCallback.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-

```
jar/org/springframework/data/mongodb/core/aggregation/SetOperation.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/MongoClientSettingsFactoryBean.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/UnsetOperation.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/gridfs/ReactiveGridFsOperations.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2013-2023 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
Found in path(s):
```

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
```

```
jar/org/springframework/data/mongodb/core/aggregation/ExposedFields.java
```

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
```

```
jar/org/springframework/data/mongodb/core/mapping/event/BeforeDeleteEvent.java
```

```
*
```

```
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
```

```
jar/org/springframework/data/mongodb/core/aggregation/LimitOperation.java
```

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
```

```
jar/org/springframework/data/mongodb/core/aggregation/TypeBasedAggregationOperationContext.java
```

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
```

```
jar/org/springframework/data/mongodb/core/convert/DefaultDbRefResolver.java
```

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
```

```
jar/org/springframework/data/mongodb/config/EnableMongoAuditing.java
```

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
```

```
jar/org/springframework/data/mongodb/core/aggregation/Field.java
```

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
```

```
jar/org/springframework/data/mongodb/core/spel/OperatorNode.java
```

```
*
```

```
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
```

```
jar/org/springframework/data/mongodb/core/spel/ExpressionTransformationContextSupport.java
```

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
```

```

jar/org/springframework/data/mongodb/core/aggregation/AggregationResults.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/SortOperation.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/util/DBObjectUtils.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/SkipOperation.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/AggregationExpressionTransformer.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/MongoDataIntegrityViolationException.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/spel/MethodReferenceNode.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/MatchOperation.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/LazyLoadingException.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/config/GridFsTemplateParser.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/FieldsExposingAggregationOperation.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/UnwindOperation.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/GroupOperation.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/TypedAggregation.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/index/GeoSpatialIndexType.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/AggregationOperationContext.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/mapping/event/AbstractDeleteEvent.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/GeoNearOperation.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/mapping/event/AfterDeleteEvent.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/spel/LiteralNode.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/AggregationOperation.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/SpelExpressionTransformer.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/ExposedFieldsAggregationOperationContext.java

```

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/Aggregation.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/spel/ExpressionTransformer.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/Fields.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/spel/ExpressionNode.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/ProjectionOperation.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/DbRefResolverCallback.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/MongoAuditingRegistrar.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/DbRefResolver.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/UpdateMapper.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/DocumentAccessor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-2023 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* Parses the string representation of a JSON object into a set of {@link JsonToken}-derived objects. <br />

\* JsonScanner implementation borrowed from <a href=

\* "https://github.com/mongodb/mongo-java-

driver/blob/master/bson/src/main/org/bson/json/JsonScanner.java">MongoDB

\* Inc.</a> licensed under

the Apache License, Version 2.0. <br />

\* Formatted and modified to allow reading Spring Data specific placeholder values.

\*

\* @author Jeff Yemin  
\* @author Trisha Gee  
\* @author Robert Guo  
\* @author Ross Lawley  
\* @author Christoph Strobl  
\* @since 2.2  
\*/

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/util/json/JsonScanner.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011-2023 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/CustomConversions.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/MongoTypeMapper.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/MongoQueryMethod.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/QuerydslRepositorySupport.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/CompoundIndex.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/event/MongoMappingEvent.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/WriteConcernPropertyEditor.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/Indexed.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-

jar/org/springframework/data/mongodb/core/MongoOperations.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/CachingMongoPersistentProperty.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/gridfs/AntPath.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/convert/DefaultMongoTypeMapper.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/query/MongoEntityInformation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/Field.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/MongoPersistentProperty.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/config/MongoTemplateParser.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapreduce/MapReduceResults.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/support/SpringDataMongoDbSerializer.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/cdi/MongoRepositoryExtension.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/config/MappingMongoConverterParser.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/event/BeforeSaveEvent.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/support/QuerydslMongoRepository.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/query/MongoParameters.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/index/MongoPersistentEntityIndexCreator.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/MongoDbFactory.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/support/MappingMongoEntityInformation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/MongoAdminOperations.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/MongoAction.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/BasicMongoPersistentEntity.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/event/LoggingEventListener.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-

jar/org/springframework/data/mongodb/core/index/IndexPredicate.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/gridfs/GridFsCriteria.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/index/IndexDirection.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/config/MongoNamespaceHandler.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/index/CompoundIndexes.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/gridfs/GridFsOperations.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/query/MongoParametersParameterAccessor.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapreduce/GroupByResults.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/index/MongoMappingEventPublisher.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/MongoAdmin.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/config/MongoDbFactoryParser.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/gridfs/GridFsResource.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/convert/MongoConverters.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/query/NearQuery.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/config/BeanNames.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/WriteConcernResolver.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/convert/QueryMapper.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/event/AfterConvertEvent.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/query/MongoParameterAccessor.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/query/ConvertingParameterAccessor.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/BasicMongoPersistentProperty.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/event/AfterSaveEvent.java  
\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/MappingMongoConverter.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/MongoCollectionUtils.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/Document.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/event/AfterLoadEvent.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/MongoParsingUtils.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/event/BeforeConvertEvent.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/MongoDatabaseFactory.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/DefaultIndexOperations.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/DBRef.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/Query.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/convert/AbstractMongoConverter.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/ServerAddressPropertyEditor.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/MongoActionOperation.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/MongoAnnotationProcessor.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/MongoJmxParser.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/MongoSimpleTypes.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/MongoMappingContext.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/IndexOperations.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/StringBasedMongoQuery.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/Near.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/IndexDefinition.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/event/AbstractMongoEventListener.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-

jar/org/springframework/data/mongodb/gridfs/GridFsTemplate.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/MongoPersistentEntity.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/support/IndexEnsuringQueryCreationListener.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018-2023 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * {@code QuerydslAbstractMongoDbQuery} provides a base class for general Querydsl query implementation.
 *
 * <p>
 * Original implementation source {@link com.querydsl.mongodb.AbstractMongoDbQuery} by {@literal The
 * Querydsl Team}
 * (http://www.querydsl.com/team)
 * licensed under the Apache License, Version
 * 2.0.
 * </p>
 * Modified for usage with {@link MongoDBDocumentSerializer}.
 *
 * @param <Q> concrete subtype
 * @author Iain W
 * @author Mark Paluch
 * @author Christoph Strobl
 * @since 2.1
 * @deprecated since 3.3, use Querydsl's {@link AbstractMongoDbQuery} directly. This class is deprecated for
 * removal
 * with the next major release.
 */
```

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/support/QuerydslAbstractMongoDbQuery.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2022-2023 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/schema/TypeUnifyingMergeFunction.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/schema/MergedJsonSchema.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/convert/MongoValueConverter.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/convert/MongoConversionContext.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/util/json/EvaluationContextExpressionEvaluator.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/schema/MergedJsonSchemaProperty.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/Update.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2023 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
```

\*/

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/monitor/GlobalLockMetrics.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/CursorPreparer.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/monitor/MemoryMetrics.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/monitor/OperationCounters.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/monitor/BackgroundFlushingMetrics.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/PartTreeMongoQuery.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/IndexInfo.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/monitor/BtreeIndexCounters.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/monitor/AssertMetrics.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/monitor/ConnectionMetrics.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/monitor/AbstractMonitor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-2023 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* JsonToken implementation borrowed from <a href=

\* "https://github.com/mongodb/mongo-java-

driver/blob/master/bson/src/main/org/bson/json/JsonToken.java">MongoDB

```
* Inc. licensed under the Apache License, Version 2.0.

*
* @author Jeff Yemin
* @author Ross Lawley
* @since 2.2
*/
```

#### Found

in path(s):

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/util/json/JsonToken.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2008-2023 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
/**
```

```
* JsonBuffer implementation borrowed from <a href=
```

```
* "https://github.com/mongodb/mongo-java-
```

```
driver/blob/master/bson/src/main/org/bson/json/JsonBuffer.java">MongoDB
```

```
* Inc. licensed under the Apache License, Version 2.0.

```

```
* Formatted and modified.
```

```
*
```

```
* @author Jeff Yemin
```

```
* @author Ross Lawley
```

```
* @since 2.2
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/util/json/JsonBuffer.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017-2023 the original author or authors.
```

```
*
```

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveAggregationOperationExtensions.kt
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveInsertOperationExtensions.kt
- \*
- /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationUtils.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/query/UntypedExampleMatcher.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ExecutableUpdateOperationSupport.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/SampleOperation.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveUpdateOperationExtensions.kt
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveUpdateOperationSupport.java
- \*
- /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ExecutableFindOperation.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveRemoveOperationSupport.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ExecutableRemoveOperationExtensions.kt
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ExecutableUpdateOperation.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveRemoveOperation.java
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ExecutableRemoveOperation.java
- \*
- /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ExecutableAggregationOperationExtensions.kt
- \* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-

jar/org/springframework/data/mongodb/core/ReactiveAggregationOperation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/MongoOperationsExtensions.kt  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ExecutableInsertOperation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ExecutableUpdateOperationExtensions.kt  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/CodecRegistryProvider.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ExecutableInsertOperationSupport.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ReactiveMongoOperationsExtensions.kt  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/convert/MongoCustomConversions.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ExecutableInsertOperationExtensions.kt  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ReactiveRemoveOperationExtensions.kt  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ReactiveUpdateOperation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ExecutableAggregationOperation.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ExecutableAggregationOperationSupport.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/aggregation/SortByCountOperation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/query/CriteriaExtensions.kt  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ReactiveInsertOperationSupport.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ReactiveFluentMongoOperations.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/support/QuerydslMongoPredicateExecutor.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/support/MongoEntityInformationSupport.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ExecutableFindOperationSupport.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ReactiveFindOperationExtensions.kt  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ReactiveInsertOperation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ExecutableFindOperationExtensions.kt

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveFindOperation.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveAggregationOperationSupport.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/query/Collation.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ExecutableRemoveOperationSupport.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/FluentMongoOperations.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveFindOperationSupport.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020-2023 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/event/ReactiveAfterConvertCallback.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/query/KPropertyPathExtensions.kt

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/mapping/event/ReactiveAfterSaveCallback.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/UuidRepresentationPropertyEditor.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/UnionWithOperation.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/ScriptOperators.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/RedactOperation.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-

jar/org/springframework/data/mongodb/gridfs/GridFsUpload.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/config/ReactiveMongoAuditingRegistrar.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/gridfs/ReactiveGridFsUpload.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/query/DefaultSpELExpressionEvaluator.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/SpringDataMongoDB.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/ShardKey.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/Sharded.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/config/PersistentEntitiesFactoryBean.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/config/EnableReactiveMongoAuditing.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/gridfs/GridFsObject.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/aggregation/AddFieldsOperation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/QueryOperations.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/repository/support/CachingExpressionParser.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/aggregation/AggregationPipeline.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/aggregation/DocumentEnhancingOperation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/ShardingStrategy.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/aggregation/MergeOperation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/event/AfterConvertCallback.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/mapping/event/AfterSaveCallback.java  
No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2016-2023 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/ReactiveMongoRepositoryFactory.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/ReactiveMongoParameterAccessor.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/DeleteQuery.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/ReactiveMongoQueryExecution.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/ReactiveMongoQueryMethod.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/GeoCommandStatistics.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/IndexFilter.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/OutOperation.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/ComparisonOperators.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/SimpleReactiveMongoDatabaseFactory.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/ArithmeticOperators.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/Tailable.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/DataTypeOperators.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/LiteralOperators.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/LookupOperation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/BucketOperationSupport.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/ConditionalOperators.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/SimpleReactiveMongoRepository.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/FindPublisherPreparer.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/BooleanOperators.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/SetOperators.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/DateOperators.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/MongoConfigurationSupport.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/config/ReactiveMongoRepositoryConfigurationExtension.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/config/ReactiveMongoRepositoriesRegistrar.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/BucketAutoOperation.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/DefaultReactiveIndexOperations.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/ReactivePartTreeMongoQuery.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/ExistsQuery.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/InheritingExposedFieldsAggregationOperationContext.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveMongoClientSettingsFactoryBean.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/AbstractAggregationExpression.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/ArrayOperators.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveDatabaseCallback.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/query/MetricConversion.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveMongoClientFactoryBean.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/BucketOperation.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveMongoOperations.java  
\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/PartialIndexFilter.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/MongoQueryExecution.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationOperationRenderer.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/ReactiveIndexOperations.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/VariableOperators.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/NestedDelegatingExpressionAggregationOperationContext.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/config/AbstractReactiveMongoConfiguration.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/CountQuery.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/StringOperators.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/FacetOperation.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/GraphLookupOperation.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/IndexOperationsProvider.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/util/BsonUtils.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/ReplaceRootOperation.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/support/ReactiveMongoRepositoryFactoryBean.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveCollectionCallback.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/ReactiveMongoDatabaseFactory.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/aggregation/CountOperation.java

\*

/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/ReactiveMongoTemplate.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/config/EnableReactiveMongoRepositories.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/core/index/IndexOperationsAdapter.java

\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-jar/org/springframework/data/mongodb/repository/query/ReactiveStringBasedMongoQuery.java

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/AggregationSpELEExpression.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/DefaultIndexOperationsProvider.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/ReactiveMongoRepository.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/query/AbstractReactiveMongoQuery.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/IndexConverters.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/spel/NotOperatorNode.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/AccumulatorOperators.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2018-2023 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/TailableCursorRequest.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/schema/UntypedJsonSchemaObject.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/schema/MongoJsonSchema.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/MongoTransactionException.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/ChangeStreamTask.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/AggregationUtil.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
```

```

jar/org/springframework/data/mongodb/core/ReactiveMapReduceOperationExtensions.kt
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/SessionCallback.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/SimpleMongoClientDbFactory.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/Subscription.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/ExecutableMapReduceOperationExtensions.kt
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/SessionSynchronization.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/query/QueryUtils.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/ReactiveMapReduceOperationSupport.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/convert/NoOpDbRefResolver.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/schema/TypedJsonObject.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/ExecutableMapReduceOperation.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/ClientSessionException.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/TailableCursorTask.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/MongoResourceHolder.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/convert/JsonSchemaMapper.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/aggregation/ConvertOperators.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/SimpleMongoClientDatabaseFactory.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/index/ReactiveMongoPersistentEntityIndexCreator.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/mapping/FieldType.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/MessageListenerContainer.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/SimpleMessage.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/schema/DocumentJsonSchema.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-

```

jar/org/springframework/data/mongodb/core/ExecutableMapReduceOperationSupport.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/messaging/Task.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/config/AbstractMongoClientConfiguration.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/PropertyOperations.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/schema/IdentifiableJsonSchemaProperty.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/validation/Validator.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ReactiveSessionCallback.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/SessionAwareMethodInterceptor.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/query/UpdateDefinition.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/query/TypedCriteriaExtensions.kt  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/messaging/Message.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/validation/DocumentValidator.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/MappedDocument.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/MongoTransactionManager.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/EntityOperations.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/messaging/SubscriptionRequest.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/aggregation/PrefixingDelegatingAggregationOperationContext.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/validation/CriteriaValidator.java  
\*  
/opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/MongoDbFactorySupport.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/aggregation/ObjectOperators.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/MongoDatabaseFactorySupport.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/MongoDatabaseUtils.java  
\* /opt/cola/permits/1648669524\_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-  
jar/org/springframework/data/mongodb/core/ReactiveMongoContext.java

```

* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/convert/MongoJsonSchemaMapper.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/MessageListener.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/validation/JsonSchemaValidator.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/query/BooleanUtil.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/DefaultMessageListenerContainer.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/ChangeStreamEvent.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/ChangeStreamRequest.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/schema/DefaultMongoJsonSchema.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/query/KPropertyPath.kt
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/CursorReadingTask.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/schema/JsonSchemaProperty.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/ChangeStreamOptions.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/index/ReactiveIndexOperationsProvider.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/ReactiveMapReduceOperation.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/mapping/MongoId.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/TaskFactory.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/SessionScoped.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/MongoSessionProvider.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/FindAndReplaceOptions.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/Cancelable.java
*
/opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/messaging/LazyMappingDelegatingMessage.java
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/ReactiveSessionScoped.java

```

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/core/schema/JsonSchemaObject.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2018-2023 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
/**
```

```
* { QuerydslAnyEmbeddedBuilder } is a builder for constraints on embedded objects.
```

```
* <p>
```

```
* Original implementation source { com.querydsl.mongodb.AnyEmbeddedBuilder } by { The Querydsl Team }
```

```
* (http://www.querydsl.com/team) licensed under the Apache License, Version
```

```
* 2.0.
```

```
* </p>
```

```
* Modified for usage with { QuerydslAbstractMongoDbQuery }.
```

```
*
```

```
* @param <Q> query type
```

```
* @author tiwe
```

```
* @author Mark Paluch
```

```
* @author Christoph Strobl
```

```
* @since 2.1
```

```
* @deprecated since 3.3, use Querydsl's { com.querydsl.mongodb.document.AnyEmbeddedBuilder } directly.
```

```
This class
```

```
* is deprecated for removal with the next major release.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1648669524_1682081035.6168768/0/spring-data-mongodb-3-4-11-sources-
jar/org/springframework/data/mongodb/repository/support/QuerydslAnyEmbeddedBuilder.java
```

## 1.206 spring-data-jpa 2.7.11

## 1.206.1 Available under license :

Spring Data JPA 2.7.11 (2021.2.11)

Copyright (c) [2011-2019] Pivotal Software, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE file.

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

To the extent any open source subcomponents are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <https://www.springsource.org/download>, or by sending a request, with your name and address to: VMware, Inc., 3401 Hillview Avenue, Palo Alto, CA 94304,

United States of America or email [info@vmware.com](mailto:info@vmware.com). All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. VMware shall mail a copy of the Source Files to you on a CD or equivalent physical medium. This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product.

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

## 1.207 micrometer-core 1.9.10

### 1.207.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2019 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/internal/OnlyOnceLoggingDenyMeterFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 VMware, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/mongodb/MongoMetricsConnectionPoolListener.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jetty/JettyServerThreadPoolMetrics.java  
\*  
/opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/mongodb/MongoMetricsCommandListener.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/internal/Timer.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/internal/TimedRunnable.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/util/internal/logging/WarnThenDebugLogger.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jetty/JettyConnectionMetrics.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/Timer.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/internal/TimedCallable.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jetty/InstrumentedQueuedThreadPool.java  
\*  
/opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jetty/Timer.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/internal/TimedScheduledExecutorService.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/httpcomponents/PoolingHttpClientConnectionManagerMetricsBinder.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jetty/OnCompletionAsyncListener.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jvm/JvmMemory.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/httpcomponents/MicrometerHttpRequestExecutor.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 VMware, Inc.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/ipc/http/OkHttpSender.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/kafka/KafkaConsumerMetrics.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/ipc/http/HttpSender.java

\*  
/opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/logging/LoggingMeterRegistry.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/util/NamedThreadFactory.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/ipc/http/HttpStatusClass.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/StrongReferenceGaugeFunction.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/logging/LoggingRegistryConfig.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/push/PushMeterRegistry.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/push/PushRegistryConfig.java

\*  
/opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/ipc/http/URLConnectionSender.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/MultiGauge.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2019 VMware, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable  
law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/util/internal/logging/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 VMware, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

/\*

```

* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable
* law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE
* IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

```

Found in path(s):

```

* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/util/internal/logging/InternalLogger.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/util/internal/logging/JdkLogger.java

```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 VMware, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/composite/package-info.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/simple/CountingMode.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/noop/package-info.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/config/MeterFilterReply.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/config/MissingRequiredConfigurationException.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/PercentileHistogramBuckets.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/Histogram.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/config/MeterRegistryConfig.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/composite/CompositeGauge.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/TimeWindowFixedBoundaryHistogram.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/Clock.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/noop/NoopDistributionSummary.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/step/StepDistributionSummary.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/system/DiskSpaceMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
```

jar/io/micrometer/core/instrument/util/DoubleFormat.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/internal/DefaultGauge.java  
\*  
/opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/binder/system/FileDescriptorMetrics.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/simple/SimpleMeterRegistry.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/util/MeterPartition.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/util/TimeUtils.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/dropwizard/DropwizardRate.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/AbstractMeter.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/push/package-info.java  
\*  
/opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/distribution/pause/PauseDetector.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/AbstractDistributionSummary.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/Measurement.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/dropwizard/DropwizardCounter.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/search/RequiredSearch.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/step/StepMeasurement.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/binder/jvm/JvmGcMetrics.java  
\*  
/opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/distribution/HistogramGauges.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/composite/CompositeDistributionSummary.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/distribution/DistributionStatisticConfig.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/binder/tomcat/TomcatMetrics.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/step/StepTimer.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/instrument/distribution/CountAtBucket.java  
\*

/opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jvm/ClassLoaderMetrics.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/okhttp3/OkHttpMetricsEventListener.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/internal/TimedExecutor.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/dropwizard/DropwizardGauge.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/cumulative/CumulativeFunctionCounter.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/cumulative/CumulativeCounter.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/Gauge.java  
\*  
/opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/distribution/pause/ClockDriftPauseDetector.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/TimeGauge.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jetty/JettyStatisticsMetrics.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/step/StepDouble.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/cache/GuavaCacheMetrics.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/annotation/Timed.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/step/StepFunctionTimer.java  
\*  
/opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/Tags.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/composite/CompositeCustomMeter.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/composite/CompositeLongTaskTimer.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/composite/CompositeMeterRegistry.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jersey/server/MetricsRequestEventListener.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/distribution/AbstractTimeWindowHistogram.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/composite/CompositeMeter.java  
\*  
/opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/system/ProcessorMetrics.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-

```

jar/io/micrometer/core/instrument/binder/db/DatabaseTableMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jvm/JvmCompilationMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/composite/AbstractCompositeMeter.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/ValueAtPercentile.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/util/MeterEquivalence.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/util/package-info.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jvm/ExecutorServiceMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/cache/HazelcastCacheMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/cache/package-info.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/internal/TimedExecutorService.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/TimeWindowPercentileHistogram.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/MeterRegistry.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/FunctionCounter.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/db/PostgreSQLDatabaseMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/util/AbstractPartition.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/step/StepMeterRegistry.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jvm/JvmMemoryMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/config/MeterFilter.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/hystrix/MicrometerMetricsPublisher.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jersey/server/AnnotationFinder.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/system/UptimeMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/BaseUnits.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/cumulative/CumulativeDistributionSummary.java

```

```

* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/internal/DefaultMeter.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/search/package-info.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/simple/package-info.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/step/StepCounter.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/pause/NoPauseDetector.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/internal/Mergeable.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/noop/NoopTimer.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/MeterBinder.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/noop/NoopGauge.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/cache/CacheMeterBinder.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jpa/HibernateMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/util/StringUtils.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/dropwizard/DropwizardFunctionTimer.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jersey/server/DefaultJerseyTagsProvider.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/composite/CompositeFunctionTimer.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/Statistic.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/cache/JCacheMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/annotation/Counted.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/Tag.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/HistogramSnapshot.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/cumulative/CumulativeFunctionTimer.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/dropwizard/DropwizardMeterRegistry.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-

```

```

jar/io/micrometer/core/instrument/binder/logging/LogbackMetrics.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/config/NamingConvention.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/pause/package-info.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jersey/server/MetricsApplicationEventListener.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/dropwizard/package-info.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/step/package-info.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/internal/package-info.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jersey/server/JerseyTagsProvider.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/util/IOUtils.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/annotation/TimedSet.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jersey/server/JerseyTags.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/simple/SimpleConfig.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/step/StepRegistryConfig.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/Meter.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jersey/server/TimedFinder.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/dropwizard/DropwizardFunctionCounter.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/Metrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/hystrix/MicrometerMetricsPublisherCommand.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/MockClock.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jvm/JvmThreadMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/HistogramSupport.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/composite/CompositeTimer.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-

```

```

jar/io/micrometer/core/annotation/Incubating.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/config/package-info.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/FunctionTimer.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/ImmutableTag.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/composite/CompositeFunctionCounter.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jvm/DiskSpaceMetrics.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/dropwizard/DropwizardClock.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/noop/NoopFunctionTimer.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/TimeWindowMax.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/noop/NoopTimeGauge.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/dropwizard/DropwizardDistributionSummary.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/composite/CompositeTimeGauge.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/cumulative/package-info.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/util/StringEscapeUtils.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/AbstractTimer.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/cumulative/CumulativeTimer.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/noop/NoopFunctionCounter.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/DistributionSummary.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/NoopHistogram.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/noop/NoopCounter.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/noop/NoopMeter.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/aop/CountedAspect.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/package-info.java

```

```

* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/aop/TimedAspect.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/dropwizard/DropwizardConfig.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/Counter.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/package-info.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/noop/NoopLongTaskTimer.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/config/InvalidConfigurationException.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/step/StepFunctionCounter.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/logging/package-info.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/hystrix/HystrixMetricsBinder.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/hystrix/MicrometerMetricsPublisherThreadPool.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/cache/EhCache2Metrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/LongTaskTimer.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/cache/CaffeineCacheMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/search/MeterNotFoundException.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/step/StepLong.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/dropwizard/DropwizardTimer.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/internal/DefaultLongTaskTimer.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/logging/Log4j2Metrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/search/Search.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/util/HierarchicalNameMapper.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/composite/CompositeCounter.java
No license file was found, but licenses were detected in source scan.

/*

```

\* Copyright 2019 VMware, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/  
/\*

\* Copyright 2017 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable  
\* law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-  
jar/io/micrometer/core/util/internal/logging/LocationAwareSlf4JLogger.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2019 VMware, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

```
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable
* law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE
* IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/
```

Found in path(s):

```
*/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/util/internal/logging/FormattingTuple.java
```

```
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/util/internal/logging/MessageFormatter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2002-2017 the original author or authors.
```

```
* Copyright 2017-2021 VMware, Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/lang/NonNullApi.java
```

```
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/lang/NonNull.java
```

```
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/lang/Nullable.java
```

```
*
```

```
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/lang/NonNullFields.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2020 VMware, Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/mongodb/MongoConnectionPoolTagsProvider.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/kafka/KafkaClientMetrics.java
- \*
- /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/okhttp3/OkHttpConnectionPoolMetrics.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jvm/JvmHeapPressureMetrics.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/step/StepValue.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jetty/JettySslHandshakeMetrics.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/httpcomponents/HttpContextUtils.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/distribution/FixedBoundaryVictoriaMetricsHistogram.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/http/HttpRequestTags.java
- \*
- /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/config/MeterRegistryConfigValidator.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/http/Outcome.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/AbstractTimerBuilder.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jetty/JettyClientTags.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/cache/HazelcastIMapAdapter.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/config/validate/ValidationException.java
- \*
- /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/db/MetricsDSLContext.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jetty/JettyClientMetrics.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/http/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/config/validate/DurationValidator.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/config/validate/PropertyValidator.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/step/StepTuple2.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-

```
jar/io/micrometer/core/instrument/binder/jpa/HibernateQueryMetrics.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/kafka/KafkaStreamsMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/kafka/KafkaMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/config/validate/Validated.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/db/JooqExecuteListener.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/config/validate/InvalidReason.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/distribution/TimeWindowSum.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/internal/CumulativeHistogramLongTaskTimer.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/http/DefaultHttpServletRequestTagsProvider.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/httpcomponents/DefaultUriMapper.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/httpcomponents/MicrometerHttpClientInterceptor.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/http/HttpServletRequestTagsProvider.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/commonspool2/CommonsObjectPool2Metrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jetty/JettyClientTagsProvider.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2021 VMware, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/grpc/MetricCollectingServerInterceptor.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/mongodb/DefaultMongoConnectionPoolTagsProvider.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/jvm/JvmInfoMetrics.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/grpc/AbstractMetricCollectingInterceptor.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/grpc/MetricCollectingClientCall.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/grpc/MetricCollectingServerCall.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/grpc/package-info.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/grpc/MetricCollectingServerCallListener.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/grpc/MetricCollectingClientInterceptor.java
*
/opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/mongodb/MongoCommandTagsProvider.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/cache/CaffeineStatsCounter.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/mongodb/DefaultMongoCommandTagsProvider.java
* /opt/cola/permits/1651967758_1682342799.8695438/0/micrometer-core-1-9-10-sources-
jar/io/micrometer/core/instrument/binder/grpc/MetricCollectingClientCallListener.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2019 VMware, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* Copyright 2012 The Netty Project
*
```

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable  
law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/util/internal/logging/JdkLoggerFactory.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/util/internal/logging/Slf4JLoggerFactory.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/util/internal/logging/Slf4JLogger.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/util/internal/logging/AbstractInternalLogger.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/util/internal/logging/InternalLogLevel.java  
\*

/opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/util/internal/logging/InternalLoggerFactory.java

No license file was found, but licenses were detected in source scan.

# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/META-INF/native-image/io.micrometer/micrometer-core/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 VMware, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/commonspool2/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/config/validate/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/httpcomponents/package-info.java
- \*
- /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/system/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/ipc/http/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/aop/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/annotation/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/logging/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/hystrix/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jersey/server/package-info.java
- \*
- /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/tomcat/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jpa/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jvm/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/db/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/jetty/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/okhttp3/package-info.java
- \*
- /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/mongodb/package-info.java
- \* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/kafka/package-info.java

\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/instrument/binder/package-info.java  
\* /opt/cola/permits/1651967758\_1682342799.8695438/0/micrometer-core-1-9-10-sources-jar/io/micrometer/core/lang/package-info.java

# 1.208 spring-data-keyvalue 2.7.11

## 1.208.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

SPRING FRAMEWORK \${version} SUBCOMPONENTS:

Spring Framework \${version} includes a number of subcomponents with separate copyright notices and license terms. The product that includes this file does not necessarily use all the open source subcomponents referred to below. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

>>> ASM 4.0 (org.ow2.asm:asm:4.0, org.ow2.asm:asm-commons:4.0):

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <<https://www.ow2.org/>>

>>> CGLIB 3.0 (cglib:cglib:3.0):

Per the LICENSE file in the CGLIB JAR distribution downloaded from <https://sourceforge.net/projects/cglib/files/cglib3/3.0/cglib-3.0.jar/download>, CGLIB 3.0 is licensed under the Apache License, version 2.0, the text of which is included above.

=====

To the extent any open source subcomponents are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <https://www.springsource.org/download>, or by sending a request, with your name and address to:

VMware, Inc., 3401 Hillview Avenue

Palo Alto, CA 94304  
United States of America

or email [info@vmware.com](mailto:info@vmware.com). All such requests should clearly specify:

#### OPEN SOURCE FILES REQUEST

Attention General Counsel

VMware shall mail a copy of the Source Files to you on a CD or equivalent physical medium. This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product.

Spring Data KeyValue 2.7.11 (2021.2.11)

Copyright (c) 2015-2019 Pivotal Software, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.209 spring-data-redis 2.7.11

## 1.209.1 Available under license :

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Spring Data Redis 2.7.11 (2021.2.11)

Copyright (c) [2010-2019] Pivotal Software, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License").  
You may not use this product except in compliance with the License.

This product may include a number of subcomponents with  
separate copyright notices and license terms. Your use of the source  
code for these subcomponents is subject to the terms and  
conditions of the subcomponent's license, as noted in the LICENSE file.

## 1.210 jsr305 3.0.2

### 1.210.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (c) 2005 Brian Goetz
- \* Released under the Creative Commons Attribution License
- \* (<http://creativecommons.org/licenses/by/2.5>)
- \* Official home: <http://www.jcip.net>
- \*/

Found in path(s):

- \* /opt/cola/permits/1656638364\_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/ThreadSafe.java
- \* /opt/cola/permits/1656638364\_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/NotThreadSafe.java
- \* /opt/cola/permits/1656638364\_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/Immutable.java
- \* /opt/cola/permits/1656638364\_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/GuardedBy.java

# 1.211 tomcat-coyote 9.0.74

## 1.211.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.212 openssl 3.0.2-0ubuntu1.10

## 1.212.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE  
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.  
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain

that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive

use

in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that

accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer

the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE

PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY  
SERVICING,  
REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING  
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR  
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,  
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING  
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED  
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY  
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER  
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE  
POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest  
possible use to humanity, the best way to achieve this is to make it  
free software which everyone can redistribute and change under these  
terms.

To do so,  
attach the following notices to the program. It is safest to  
attach them to the start of each source file to most effectively convey  
the exclusion of warranty; and each file should have at least the  
"copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation; either version 1, or (at your option)  
any later version.

This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free  
Software

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
  - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
  - b) use the modified Package only within your corporation or organization.
  - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.213 jaxb-runtime 2.3.8

### 1.213.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions

are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notices for Eclipse Implementation of JAXB

This content is produced and maintained by the Eclipse Implementation of JAXB project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb-impl>

## Trademarks

Eclipse Implementation of JAXB is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jaxb-ri>
- \* <https://github.com/eclipse-ee4j/jaxb-istack-commons>
- \* <https://github.com/eclipse-ee4j/jaxb-dtd-parser>
- \* <https://github.com/eclipse-ee4j/jaxb-fi>
- \*
- <https://github.com/eclipse-ee4j/jaxb-stax-ex>
- \* <https://github.com/eclipse-ee4j/jax-rpc-ri>

## ## Third-party Content

This project leverages the following third party content.

Apache Ant (1.10.2)

- \* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Ant (1.10.2)

- \* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Felix (1.2.0)

- \* License: Apache License, 2.0

args4j (2.33)

- \* License: MIT License

dom4j (1.6.1)

- \* License: Custom license based on Apache 1.1

file-management (3.0.0)

- \* License: Apache-2.0
- \* Project: <https://maven.apache.org/shared/file-management/>
- \* Source:  
<https://svn.apache.org/viewvc/maven/shared/tags/file-management-3.0.0/>

JUnit (4.12)

- \* License: Eclipse Public License

JUnit (4.12)

\* License: Eclipse Public License

maven-compat (3.5.2)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/ref/3.5.2/maven-compat/>

\* Source:

<https://mvnrepository.com/artifact/org.apache.maven/maven-compat/3.5.2>

maven-core

(3.5.2)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/ref/3.5.2/maven-core/index.html>

\* Source: <https://mvnrepository.com/artifact/org.apache.maven/maven-core/3.5.2>

maven-plugin-annotations (3.5)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/plugin-tools/maven-plugin-annotations/>

\* Source:

<https://github.com/apache/maven-plugin-tools/tree/master/maven-plugin-annotations>

maven-plugin-api (3.5.2)

\* License: Apache-2.0

maven-resolver-api (1.1.1)

\* License: Apache-2.0

maven-resolver-api (1.1.1)

\* License: Apache-2.0

maven-resolver-connector-basic (1.1.1)

\* License: Apache-2.0

maven-resolver-impl (1.1.1)

\* License: Apache-2.0

maven-resolver-spi (1.1.1)

\* License: Apache-2.0

maven-resolver-transport-file (1.1.1)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/resolver/maven-resolver-transport-file/>

\* Source:

<https://github.com/apache/maven-resolver/tree/master/maven-resolver-transport-file>

maven-resolver-util (1.1.1)

\* License: Apache-2.0

maven-settings

(3.5.2)

\* License: Apache-2.0

\* Source:

<https://mvnrepository.com/artifact/org.apache.maven/maven-settings/3.5.2>

OSGi Service Platform Core Companion Code (6.0)

\* License: Apache License, 2.0

plexus-archiver (3.5)

\* License: Apache-2.0

\* Project: <https://codehaus-plexus.github.io/plexus-archiver/>

\* Source: <https://github.com/codehaus-plexus/plexus-archiver>

plexus-io (3.0.0)

\* License: Apache-2.0

plexus-utils (3.1.0)

\* License: Apache- 2.0 or Apache- 1.1 or BSD or Public Domain or Indiana University Extreme! Lab Software License V1.1.1 (Apache 1.1 style)

relaxng-datatype (1.0)

\* License: New BSD license

Sax (0.2)

\* License: SAX-PD

\* Project: <http://www.megginson.com/downloads/SAX/>

\* Source: [http://sourceforge.net/project/showfiles.php?group\\_id=29449](http://sourceforge.net/project/showfiles.php?group_id=29449)

testng (6.14.2)

- \* License: Apache-2.0 AND (MIT OR GPL-1.0+)
- \* Project: <https://testng.org/doc/index.html>
- \* Source: <https://github.com/cbeust/testng>

wagon-http-lightweight (3.0.0)

- \* License: Pending
- \*
- Project: <https://maven.apache.org/wagon/>
- \* Source:  
<https://mvnrepository.com/artifact/org.apache.maven.wagon/wagon-http-lightweight/3.0.0>

xz for java (1.8)

- \* License: LicenseRef-Public-Domain

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.214 spring-rabbit 2.4.12

## 1.214.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.  
Spring AMQP Framework 2.4.12  
Copyright (c) 2010-2023 Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

# 1.215 woodstox 6.4.0

## 1.215.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.216 jaxb-core 2.3.8

## 1.216.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache CXF  
Copyright 2006-2011 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.217 jinjava 2.7.0

## 1.217.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2014 HubSpot Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/tree/TagNode.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/util/HelperStringTokenizer.java
- \*
- /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/tag/ForTag.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/tag/ExtendsTag.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/Jinjava.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/interpret/Context.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/tree/TextNode.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/AbsFilter.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/util/ObjectIterator.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/tree/Node.java
- \*
- /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/tree/RootNode.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/EscapeFilter.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/util/Variable.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/tag/SetTag.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/CutFilter.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/tree/TreeParser.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/tag/IncludeTag.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/tag/BlockTag.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/tag/Tag.java
- \*
- /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/FilterLibrary.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/tag/IfTag.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/tag/IfchangedTag.java
- \* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-

jar/com/hubspot/jinjava/tree/ExpressionNode.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/JinjavaConfig.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/lib/tag/CycleTag.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

Copyright (c) 2014 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

\*\*\*\*\*/

Found in path(s):

\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/lib/filter/TruncateFilter.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/tree/parse/TextToken.java  
\*

/opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/lib/filter/LowerFilter.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/loader/ResourceLocator.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/tree/parse/Token.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/util/Logging.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/util/ForLoop.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/lib/filter/DivisibleFilter.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/lib/filter/DefaultFilter.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/lib/filter/AdvancedFilter.java  
\*

/opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/lib/filter/RandomFilter.java

\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/DatetimeFilter.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/Importable.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/tree/parse/TokenScannerSymbols.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/loader/FileLocator.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/tree/parse/NoteToken.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/DivideFilter.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/tag/ElseTag.java  
\*  
/opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/Md5Filter.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/ReverseFilter.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/LengthFilter.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/tree/parse/TagToken.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/interpret/InterpretException.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/SimpleLibrary.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/util/ObjectTruthValue.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/tree/parse/ExpressionToken.java  
\*  
/opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/AddFilter.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/UpperFilter.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/tag/TagLibrary.java  
\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/MultiplyFilter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2006-2009 Odysseus Software GmbH  
\* Modifications Copyright (c) 2023 HubSpot Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/el/ext/BeanELResolver.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2022 HubSpot Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*\*\*\*\*/

Found in path(s):

\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-  
jar/com/hubspot/jinjava/lib/filter/UnescapeHtmlFilter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2017 HubSpot Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*\*\*\*\*

Found in path(s):

\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/EscapeJinjavaFilter.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
  - \* you may not use this file except in compliance with the License.
  - \* You may obtain a copy of the License at
  - \*
  - \* <http://www.apache.org/licenses/LICENSE-2.0>
  - \*
  - \* Unless required by applicable law or agreed to in writing, software
  - \* distributed under the License is distributed on an "AS IS" BASIS,
  - \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/BoolFilter.java

\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/interpret/DynamicVariableResolver.java

No license file was found, but licenses were detected in source scan.

/\*

Copyright (c) 2014 HubSpot Inc.

- Licensed under the Apache License, Version 2.0 (the "License");
- you may not use this file except in compliance with the License.
- You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

- Unless required by applicable law or agreed to in writing, software
- distributed under the License is distributed on an "AS IS" BASIS,
- WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- See the License for the specific language governing permissions and
- limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/tree/parse/TokenScanner.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

Copyright (c) 2020 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*\*\*\*\*/

Found in path(s):

\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/AbstractFilter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

Copyright (c) 2014 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*\*\*\*\*/

Found in path(s):

\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/EscapeJsFilter.java

\* /opt/cola/permits/1816090927\_1696825882.3108249/0/jinjava-2-7-0-sources-jar/com/hubspot/jinjava/lib/filter/Filter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2014 HubSpot Inc.
 *
 * Licensed under the Apache License Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1816090927_1696825882.3108249/0/jinjava-2-7-0-sources-
jar/com/hubspot/jinjava/interpret/JinjavaInterpreter.java
```

# 1.218 spring-framework 5.3.27

## 1.218.1 Available under license :

Spring Framework \${version}  
Copyright (c) 2002-\${copyright} Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

#### SPRING FRAMEWORK \${version} SUBCOMPONENTS:

Spring Framework \${version} includes a number of subcomponents with separate copyright notices and license terms. The product that includes this file does not necessarily use all the open source subcomponents referred to below. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

>>> ASM 9.1 (org.ow2.asm:asm:9.1, org.ow2.asm:asm-commons:9.1):

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <<https://www.ow2.org/>>

>>> CGLIB 3.3 (cglib:cglib:3.3):

Per the LICENSE file in the CGLIB JAR distribution downloaded from [https://github.com/cglib/cglib/releases/download/RELEASE\\_3\\_3\\_0/cglib-3.3.0.jar](https://github.com/cglib/cglib/releases/download/RELEASE_3_3_0/cglib-3.3.0.jar), CGLIB 3.3 is licensed under the Apache License, version 2.0, the text of which is included above.

>>> Objenesis 3.2 (org.objenesis:objenesis:3.2):

Per the LICENSE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html>, Objenesis 3.2 is licensed under the Apache License, version 2.0, the text of which is included above.

Per

the NOTICE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html> and corresponding to section 4d of the Apache License, Version 2.0, in this case for Objenesis:

Objenesis

Copyright 2006-2019 Joe Walnes, Henri Tremblay, Leonardo Mesquita

=====

To the extent any open source components are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <https://spring.io/projects>, Pivotal's website at <https://network.pivotal.io/open-source>, or by sending a request, with your name and address to: Pivotal Software, Inc., 875 Howard Street, 5th floor, San Francisco, CA 94103,

Attention: General Counsel. All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. Pivotal can mail a copy of the Source Files to you on a CD or equivalent physical medium.

This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product. Alternatively, the Source Files may accompany the Software.

## 1.219 bson 4.6.1

### 1.219.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.220 tomcat 9.0.74

## 1.220.1 Available under license :

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

#### APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices and license terms. Your use of these subcomponents is subject to the terms and conditions of the following licenses.

For the ecj-x.x.x.jar component and the EnclosingMethod and LocalVariableTypeTable classes in the org.apache.tomcat.util.bcel.classfile package:

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution"

means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program"  
means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any.

For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the

Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control,

and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR

IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b)

above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

For the Windows

Installer component:

- \* All NSIS source code, plug-ins, documentation, examples, header files and graphics, with the exception of the compression modules and where otherwise noted, are licensed under the zlib/libpng license.
- \* The zlib compression module for NSIS is licensed under the zlib/libpng license.
- \* The bzip2 compression module for NSIS is licensed under the bzip2 license.
- \* The lzma compression module for NSIS is licensed under the Common Public License version 1.0.

zlib/libpng license

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

bzip2 license

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

[jseward@acm.org](mailto:jseward@acm.org)

Common

Public License version 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone

acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"

means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii)

effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with

respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses

relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to

the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Special exception for LZMA compression module

Igor Pavlov and Amir Szekely, the authors of the LZMA compression module for NSIS, expressly permit you to statically or dynamically link your code (or bind by name) to the files from the LZMA compression module for NSIS without subjecting your linked code to the terms of the Common Public license version 1.0. Any modifications or additions to files from the LZMA compression module for NSIS, however, are subject to the terms of the Common Public License version 1.0.

For the following XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd
- javaee\_web\_services\_client\_1\_3.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

## 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions

thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this

definition, .control. means (a) the power, direct or indirect, to cause

the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted:
  - (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in

Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered

Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the

Initial Developer and every Contributor

for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify

the Initial Developer and

every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

### 4. Versions of the License.

#### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered

Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the

name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

#### 6.1. This License

and the rights granted hereunder will terminate

automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach.

Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant

Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer

(if the Initial Developer is not

the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this

License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

This software contains code derived from netty-native developed by the Netty project (<https://netty.io>, <https://github.com/netty/netty-tcnative/>) and from finagle-native developed at Twitter (<https://github.com/twitter/finagle>).

This software contains code derived from jgroups-kubernetes developed by the JGroups project (<http://www.jgroups.org/>).

The Windows Installer is built with the Nullsoft Scriptable Install System (NSIS), which is open source software. The original software and related information is available at <http://nsis.sourceforge.net>.

Java compilation software for JSP pages is provided by the Eclipse JDT Core Batch Compiler component, which is open source software. The original software and related information is available at <https://www.eclipse.org/jdt/core/>.

org.apache.tomcat.util.json.JSONParser.jj is a public domain javacc grammar for JSON written by Robert Fischer. <https://github.com/RobertFischer/json-parser>

For portions of the Tomcat JNI OpenSSL API and the OpenSSL JSSE integration The org.apache.tomcat.jni and the org.apache.tomcat.net.openssl packages are derivative work originating from the Netty project and the finagle-native project developed at Twitter  
\* Copyright 2014 The Netty Project  
\* Copyright 2014 Twitter

For portions of the Tomcat cloud support The org.apache.catalina.tribes.membership.cloud package contains derivative work originating from the jgroups project. <https://github.com/jgroups-extras/jgroups-kubernetes>  
Copyright 2002-2018 Red Hat Inc.

The original XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd
- javaee\_web\_services\_client\_1\_3.xsd
- jsp\_2\_2.xsd
- web-app\_3\_0.xsd

- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd
- javaee\_7.xsd
- javaee\_web\_services\_1\_4.xsd
- javaee\_web\_services\_client\_1\_4.xsd
- jsp\_2\_3.xsd
- web-app\_3\_1.xsd
- web-common\_3\_1.xsd
- web-fragment\_3\_1.xsd
- javaee\_8.xsd
- web-app\_4\_0.xsd
- web-common\_4\_0.xsd
- web-fragment\_4\_0.xsd

may be obtained from:

<http://www.oracle.com/webfolder/technetwork/jsc/xml/ns/javaee/index.html>

Apache Tomcat

Copyright 1999-@YEAR@ The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Standard Taglib Implementation  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices and license terms. Your use of these subcomponents is subject to the terms and conditions of the following licenses.

For the following XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd
- javaee\_web\_services\_client\_1\_3.xsd
- jsp\_2\_2.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd
- javaee\_7.xsd
- javaee\_web\_services\_1\_4.xsd
- javaee\_web\_services\_client\_1\_4.xsd
- jsp\_2\_3.xsd
- web-app\_3\_1.xsd
- web-common\_3\_1.xsd
- web-fragment\_3\_1.xsd
- javaee\_8.xsd
- web-app\_4\_0.xsd
- web-common\_4\_0.xsd
- web-fragment\_4\_0.xsd

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted:
  - (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or

portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License

or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5.

#### Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version

of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach.

Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2

of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such

provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

### APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices and license terms. Your use of these subcomponents is subject to the terms and conditions of the following licenses.

For the Eclipse JDT Core Batch Compiler (ecj-x.x.x.jar) component:

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and

documentation  
distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient"

means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not

create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related

settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT,

MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation

may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

For the Windows Installer component:

- \* All NSIS source code, plug-ins, documentation, examples, header files and graphics, with the exception of the compression modules and where otherwise noted, are licensed under the zlib/libpng license.
- \* The zlib compression module for NSIS is licensed under the zlib/libpng license.
- \* The bzip2 compression module for NSIS is licensed under the bzip2 license.
- \* The lzma compression module for NSIS is licensed under the Common Public License version 1.0.

zlib/libpng license

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be

misrepresented as being the original software.

3. This notice may not be removed or altered from any source distribution.

bzip2 license

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

[jseward@acm.org](mailto:jseward@acm.org)

Common Public License version 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed

Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form.

This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to

Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any.

For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement.

In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5.

##### NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of

program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER

CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement.

IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Special exception for LZMA compression module

Igor Pavlov and Amir Szekely, the authors of the LZMA compression module for NSIS, expressly permit you to statically or dynamically link your code (or bind by name) to the files from the LZMA compression module for NSIS without subjecting your linked code to the terms of the Common Public license version 1.0. Any modifications or additions to files from the LZMA compression module for NSIS, however, are subject to the terms of the Common Public License version 1.0.

For the following XML

Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd
- javaee\_web\_services\_client\_1\_3.xsd
- jsp\_2\_2.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd
- javaee\_7.xsd
- javaee\_web\_services\_1\_4.xsd
- javaee\_web\_services\_client\_1\_4.xsd
- jsp\_2\_3.xsd
- web-app\_3\_1.xsd
- web-common\_3\_1.xsd

- web-fragment\_3\_1.xsd
- javaee\_8.xsd
- web-app\_4\_0.xsd
- web-common\_4\_0.xsd
- web-fragment\_4\_0.xsd

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification

of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software
- (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted:

(1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of:

(1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted:

(1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications

made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in

Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor.

You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer

or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK

AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7.

### LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE,

COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible

for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Standard Taglib Specification API  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache Tomcat  
Copyright 1999-@YEAR@ The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The original XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd

- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd
- javaee\_web\_services\_client\_1\_3.xsd
- jsp\_2\_2.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd
- javaee\_7.xsd
- javaee\_web\_services\_1\_4.xsd
- javaee\_web\_services\_client\_1\_4.xsd
- jsp\_2\_3.xsd
- web-app\_3\_1.xsd
- web-common\_3\_1.xsd
- web-fragment\_3\_1.xsd
- javaee\_8.xsd
- web-app\_4\_0.xsd
- web-common\_4\_0.xsd
- web-fragment\_4\_0.xsd

may be obtained from:

<http://www.oracle.com/webfolder/technetwork/jsc/xml/ns/javaee/index.html>

Apache Tomcat JDBC Pool

Copyright 2008-2023 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

# 1.221 spring-amqp 2.4.12

## 1.221.1 Available under license :

Spring AMQP Framework \${version}

Copyright (c) 2010-\${copyright} Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.222 activation 1.2.2

### 1.222.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

- Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,  
THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR  
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notices for Jakarta Activation

This content is produced and maintained by Jakarta Activation project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaf>

## ## Third-party Content

This project leverages the following third party content.

JUnit (4.12)

\* License: Eclipse Public License

# 1.223 spring-security-core 5.7.8

## 1.223.1 Available under license :

Apache-2.0

# 1.224 snappy-java 1.1.4

## 1.224.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

This product includes software developed by Google  
Snappy: <http://code.google.com/p/snappy/> (New BSD License)

This product includes software developed by Apache  
PureJavaCrc32C from apache-hadoop-common <http://hadoop.apache.org/>  
(Apache 2.0 license)

This library contained statically linked libstdc++. This inclusion is allowed by  
"GCC Runtime Library Exception"  
<http://gcc.gnu.org/onlinedocs/libstdc++/manual/license.html>

== Contributors ==

- \* Tatu Saloranta
  - \* Providing benchmark suite
- \* Alec Wysoker
  - \* Performance and memory usage improvement

## 1.225 spring-security-web 5.7.8

### 1.225.1 Available under license :

Apache-2.0

## 1.226 freeradius 3.0.26

### 1.226.1 Available under license :

#### 1. COPYRIGHT

Unless otherwise mentioned, the copyrights described in section 4,  
below, apply to all files in this distribution.

#### 2. INDIVIDUAL DIRECTORIES

##### 2.1 doc/rfc/

Most of the files in this directory are copyrighted by the Internet Society, Inc. See the contents of the files for details.

## 2.2 src/lib/

Copyright for files in this directory is held by the contributors.  
See the contents of the files for details

### 2.2.1 LICENSE

The license for all files in the src/lib directory is the GNU LGPL version 2, which is included with this program in the file src/lib/LICENSE.

## 3. ALL OTHER FILES

Copyright for files in this directory is held by the contributors.  
See the contents of the files for details. Files without explicit copyright notices are copyright The FreeRADIUS Server Project. See section 4.2 for more information.

### 3.1 LICENSE

The license for all other source code and documentation except the files in src/lib directory is the GNU GPL version 2, which is included with this program  
in the LICENSE file in this directory.

### 3.2 LIST OF COPYRIGHT HOLDERS

Portions of the source code and documentation included here are copyright by one or more of the following organizations and individuals. This list is not exhaustive. Consult the individual files for more detailed copyright statements.

Copyright (C) 1999-2021 The FreeRADIUS Server Project

Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009 Alan DeKok <aland@deployingradius.com>

Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005 Free Software Foundation, Inc.

Copyright (C) 2011-2015 Arran Cudbard-Bell <a.cudbardb@freeradius.org>

Copyright (C) 2012-2018 Matthew Newton <matthew-git@newtoncomputing.co.uk>

Copyright (C) 2003, 2004, 2005 Kostas Kalevras <kkalev@noc.ntua.gr>

Copyright (C) 2004 Cladju Consulting, Inc.

Copyright (C) 2001, 2002, 2003, 2004, 2005 Google, Inc.

Copyright (C) 2003, 2004 Michael Richardson <mcr@sandelman.ottawa.on.ca>

Copyright (C) 2002, 2003,  
2004 Novell, Inc.

Copyright (C) 2002 Miguel A.L. Paraz <mparaz@mparaz.com>

Copyright (C) 2002 Simon Ekstrand <simon@routemeister.net>

Copyright (C) 2001 Chad Miller <cmiller@surfsouth.com>

Copyright (C) 2001 hereUare Communications, Inc.

Copyright (C) 2000 Jochen Friedrich <jochen@scram.de>

Copyright (C) 2000, 2002 Miquel van Smoorenburg

Copyright (C) 2000 Jeff Carneal <jeff@apex.net>

Copyright (C) 2000 Alan Curry <pacman@world.std.com>

Copyright (C) 2000 David Kerry <davidk@snti.com>

Copyright (C) 2000 Dmitri Ageev <d\_ageev@ortcc.ru>

Copyright (C) 2000 Nathan Neulinger <nneul@umr.edu>

Copyright (C) 2000 Mike Machado <mike@innercite.com>

Copyright (C) 2000, 2001 Chad Miller <cmiller@surfsouth.com>

Copyright (C) 1997, 1998, 1999 Cistron Internet Services B.V.

Copyright (C) 1999 Kunihiro Ishiguro <kunihiro@zebra.org>

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know

that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in

non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for

writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in

themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not

compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one

of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally

accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute

so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and

"any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the

ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

```
<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice
```

That's all there is to it!

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: FreeRADIUS server

Source: <https://github.com/FreeRADIUS/freeradius-server>

Files-Excluded: doc/rfc/\*

Comment: This is a DEP-5 machine readable version of the debian/copyright file shipped with earlier versions of FreeRADIUS. It is not yet comprehensive. See individual files for their copyright and license.

<http://dep.debian.net/deps/dep5/>

Files: \*

Copyright: 2000-2014, The FreeRADIUS Server Project

1997-1999, Cistron Internet Services B.V.

License: GPL-2+

Files:debian/\*

Copyright: 2008, Stephen Gran <sgran@debian.org>

License: GPL-2+

Comment: This package was debianized by Chad Miller <cmiller@debian.org> on  
Fri, 24 Nov 2000 16:25:57 -0500.

The packaging was rearranged by Paul Hampson <Paul.Hampson@anu.edu.au> on  
Sun, 4 May 2003 03:51:20 +1000

The packaging was revamped by Stephen Gran <sgran@debian.org> on  
Sat, 15 Mar 2008 16:26:51 +0000.

It was downloaded from <http://www.freeradius.org/>

Files:

src/\*

Copyright: 2000-2014, The FreeRADIUS Server Project

1997-1999, Cistron Internet Services B.V.

License: GPL-2+ with OpenSSL exception

Files: src/lib/\*

Copyright: See individual files

License: LGPL-2.1+

This library is free software; you can redistribute it and/or  
modify it under the terms of the GNU Lesser General Public  
License as published by the Free Software Foundation; either  
version 2 of the License, or (at your option) any later version.

.

On Debian systems, the complete text of the GNU Lesser General Public  
License can be found in `/usr/share/common-licenses/LGPL-2.1`.

License: GPL-2+

This program is free software; you can redistribute it  
and/or modify it under the terms of the GNU General Public  
License as published by the Free Software Foundation; either  
version 2 of the License, or (at your option) any later  
version.

.

This program is distributed in the hope that it will be  
useful, but WITHOUT ANY WARRANTY; without even the implied  
warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR  
PURPOSE. See the GNU General Public License for more  
details.

.

You should have received a copy of the GNU General Public

License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.  
On Debian systems, the full text of the GNU General Public License version 2 can be found in the file `~/usr/share/common-licenses/GPL-2'`.

License: GPL-2+ with OpenSSL exception  
This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.  
In addition, as a special exception, the author of this program gives permission to link the code of its release with the OpenSSL project's "OpenSSL" library (or with modified versions of it that use the same license as the "OpenSSL" library), and distribute the linked executables. You must obey the GNU General Public License in all respects for all of the code used other than "OpenSSL". If you modify this file, you may extend this exception to your version of the file, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

.  
This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.  
You should have received a copy of the GNU General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.  
On Debian systems, the full text of the GNU General Public License version 2 can be found in the file `~/usr/share/common-licenses/GPL-2'`.  
Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are

granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.

#### Section 1 -- Definitions.

- a. Adapted Material means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License, where the Licensed Material is a musical work, performance, or sound recording, Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.
- b. Adapter's License means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.
- c. Copyright and Similar Rights means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section 2(b)(1)-(2) are not Copyright and Similar Rights.
- d. Effective Technological Measures means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.
- e. Exceptions and Limitations means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.
- f. Licensed Material means the artistic or literary work, database, or other material to which the Licensor applied this Public License.
- g. Licensed Rights means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the

Licensed Material and that the Licensor has authority to license.

- h. Licensor means the individual(s) or entity(ies) granting rights under this Public License.
- i. Share means to provide material to the public by any means or process that requires permission under the Licensed Rights, such as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.
- j. Sui Generis Database Rights means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.
- k. You means the individual or entity exercising the Licensed Rights under this Public License. Your has a corresponding meaning.

## Section 2 -- Scope.

- a. License grant.
  - 1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free, non-sublicensable, non-exclusive, irrevocable license to exercise the Licensed Rights in the Licensed Material to:
    - a. reproduce and Share the Licensed Material, in whole or in part; and
    - b. produce, reproduce, and Share Adapted Material.
  - 2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.
  - 3. Term. The term of this Public License is specified in Section 6(a).
  - 4. Media and formats; technical modifications allowed. The

Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications

necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a)(4) never produces Adapted Material.

5. Downstream recipients.

a. Offer from the Licensor -- Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.

b. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.

6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.

2. Patent and trademark rights are not licensed under this Public License.

3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

### Section 3 -- License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the following conditions.

#### a. Attribution.

1. If You Share the Licensed Material (including in modified form), You must:

a. retain the following if it is supplied by the Licensor with the Licensed Material:

i. identification of the creator(s) of the Licensed Material and any others designated to receive attribution, in any reasonable manner requested by the Licensor (including by pseudonym if designated);

ii. a copyright notice;

iii. a notice that refers to this Public License;

iv. a notice that refers to the disclaimer of warranties;

v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;

b. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and

c. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.

2. You may satisfy the conditions in Section 3(a)(1) in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be

reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that includes the required information.

3. If requested by the Licensor, You must remove any of the information required by Section 3(a)(1)(A) to the extent reasonably practicable.
4. If You Share Adapted Material You produce, the Adapter's License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

#### Section 4 -- Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

- a. for the avoidance of doubt, Section 2(a)(1) grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;
- b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
- c. You must comply with the conditions in Section 3(a) if You Share all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section 4 supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

#### Section 5 -- Disclaimer of Warranties and Limitation of Liability.

- a. UNLESS OTHERWISE SEPARATELY UNDERTAKEN BY THE LICENSOR, TO THE EXTENT POSSIBLE, THE LICENSOR OFFERS THE LICENSED MATERIAL AS-IS AND AS-AVAILABLE, AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE LICENSED MATERIAL, WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHER. THIS INCLUDES, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OR ABSENCE OF ERRORS, WHETHER OR NOT

KNOWN OR DISCOVERABLE. WHERE DISCLAIMERS OF WARRANTIES ARE NOT ALLOWED IN FULL OR IN PART, THIS DISCLAIMER MAY NOT APPLY TO YOU.

- b. TO THE EXTENT POSSIBLE, IN NO EVENT WILL THE LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY (INCLUDING, WITHOUT LIMITATION, NEGLIGENCE) OR OTHERWISE FOR ANY DIRECT, SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY, OR OTHER LOSSES, COSTS, EXPENSES, OR DAMAGES ARISING OUT OF THIS PUBLIC LICENSE OR USE OF THE LICENSED MATERIAL, EVEN IF THE LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSSES, COSTS, EXPENSES, OR DAMAGES. WHERE A LIMITATION OF LIABILITY IS NOT ALLOWED IN FULL OR IN PART, THIS LIMITATION MAY NOT APPLY TO YOU.
- c. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent possible, most closely approximates an absolute disclaimer and waiver of all liability.

#### Section 6 -- Term and Termination.

- a. This Public License applies for the term of the Copyright and Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.
- b. Where Your right to use the Licensed Material has terminated under Section 6(a), it reinstates:
  - 1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or
  - 2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section 6(b) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

- c. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.
- d. Sections 1, 5, 6, 7, and 8 survive termination of this Public License.

Section 7 -- Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
- b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

Section 8 -- Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully be made without permission under this Public License.
- b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.
- c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.
- d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

=====

Creative Commons is not a party to its public licenses. Notwithstanding, Creative Commons may elect to apply one of its public licenses to material it publishes and in those instances will be considered the Licensor. The text of the Creative Commons public licenses is dedicated to the public domain under the CC0 Public Domain Dedication. Except for the limited purpose of indicating that material is shared under a Creative Commons public license or as otherwise permitted by the Creative Commons policies published at [creativecommons.org/policies](http://creativecommons.org/policies), Creative Commons does not authorize the

use of the trademark "Creative Commons" or any other trademark or logo of Creative Commons without its prior written consent including, without limitation, in connection with any unauthorized modifications to any of its public licenses or any other arrangements, understandings, or agreements concerning use of licensed material. For the avoidance of doubt, this paragraph does not form part of the public licenses.

Creative Commons may be contacted at [creativecommons.org](http://creativecommons.org).

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty;

and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program

with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is

void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed

through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS

TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

```
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version
2 of the License, or
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## 1.227 postgresql 14.9

### 1.227.1 Available under license :

PostgreSQL Database Management System  
(formerly known as Postgres, then as Postgres95)

Portions Copyright (c) 1996-2023, PostgreSQL Global Development Group

Portions Copyright (c) 1994, The Regents of the University of California

Permission to use, copy, modify, and distribute this software and its documentation for any purpose, without fee, and without a written agreement is hereby granted, provided that the above copyright notice and this paragraph and the following two paragraphs appear in all copies.

IN NO EVENT SHALL THE UNIVERSITY OF CALIFORNIA BE LIABLE TO ANY PARTY FOR

DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE UNIVERSITY OF CALIFORNIA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE UNIVERSITY OF CALIFORNIA SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE UNIVERSITY OF CALIFORNIA HAS NO OBLIGATIONS TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS. This regular expression package was originally developed by Henry Spencer. It bears the following copyright notice:

\*\*\*\*\*

Copyright (c) 1998, 1999 Henry Spencer. All rights reserved.

Development of this software was funded, in part, by Cray Research Inc., UUNET Communications Services Inc., Sun Microsystems Inc., and Scriptics Corporation, none of whom are responsible for the results. The author thanks all of them.

Redistribution and use in source and binary forms -- with or without modification -- are permitted for any purpose, provided that redistributions in source form retain this entire copyright notice and indicate the origin and nature of any modifications.

I'd appreciate being given credit for this package in the documentation of software which uses it, but that is not a requirement.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL HENRY SPENCER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*\*\*\*\*

PostgreSQL adopted the code out of Tcl 8.4.1. Portions of regc\_locale.c and re\_syntax.n were developed by Tcl developers other than Henry; these files bear the Tcl copyright and license notice:

\*\*\*\*\*

This software is copyrighted by the Regents of the University of California, Sun Microsystems, Inc., Scriptics Corporation, ActiveState Corporation and other parties. The following terms apply to all files associated with the software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute, and license this software and its documentation for any purpose, provided that existing copyright notices are retained in all copies and that this notice is included verbatim in any distributions. No written agreement, license, or royalty fee is required for any of the authorized uses. Modifications to this software may be copyrighted by their authors and need not follow the licensing terms described here, provided that the new terms are clearly indicated on the first page of each file where they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

GOVERNMENT USE: If you are acquiring this software on behalf of the U.S. government, the Government shall have only "Restricted Rights" in the software and related documentation as defined in the Federal Acquisition Regulations (FARs) in Clause 52.227.19 (c) (2). If you are acquiring the software on behalf of the Department of Defense, the software shall be classified as "Commercial Computer Software" and the Government shall have only "Restricted Rights" as defined in Clause 252.227-7013 (c) (1) of DFARS. Notwithstanding the foregoing, the authors grant the U.S. Government and others acting in its behalf permission to use and distribute the software in accordance with the terms specified in this license.

\*\*\*\*\*

Subsequent modifications to the code by the PostgreSQL project follow the same license terms as the rest of PostgreSQL.

# 1.228 mongodb 6.0.11

## 1.228.1 Available under license :

Server Side Public License  
VERSION 1, OCTOBER 16, 2018

Copyright © 2018 MongoDB, Inc.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### TERMS AND CONDITIONS

#### 0. Definitions.

“This License” refers to Server Side Public License.

“Copyright” also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

“The Program” refers to any copyrightable work licensed under this License. Each licensee is addressed as “you”. “Licensees” and “recipients” may be individuals or organizations.

To “modify” a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a “modified version” of the earlier work or a work “based on” the earlier work.

A “covered work” means either the unmodified Program or a work based on the Program.

To “propagate” a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To “convey” a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays “Appropriate Legal Notices” to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The “source code” for a work means the preferred form of the work for making modifications to it. “Object code” means any non-source form of a work.

A “Standard Interface” means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language. The “System Libraries” of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A “Major Component”, in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The “Corresponding Source” for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can

regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program, subject to section 13. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law. Subject to section 13, you may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

## 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you

receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program. You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
  
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to “keep intact all notices”.
  
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
  
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an “aggregate” if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either
  - (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A “User Product” is either (1) a “consumer product”, which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, “normally used” refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

“Installation Information” for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form),

and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

“Additional permissions” are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions. When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered “further restrictions” within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms. Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

#### 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An “entity transaction” is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A “contributor” is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's “contributor version”.

A contributor's “essential patent claims” are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as

a consequence of further modification of the contributor version. For purposes of this definition, “control” includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a “patent license” is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To “grant” such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. “Knowingly relying” means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is “discriminatory” if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under

which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot use, propagate or convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not use, propagate or convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Offering the Program as a Service.

If you make the functionality of the Program or a modified version available to third parties as a service, you must make the Service Source Code available via network download to everyone at no charge, under the terms of this License. Making the functionality of the Program or modified version available to third parties as a service includes, without limitation, enabling third parties to interact with the functionality of the Program or modified version remotely through a computer network, offering a service the value of which entirely or primarily derives from the value of the Program or modified version, or offering a service that accomplishes for users the primary purpose of the Program or modified version.

“Service Source Code” means the Corresponding Source for the Program or the modified version, and the Corresponding Source for all programs that you use to make the Program or modified version available as a service, including, without limitation, management software, user interfaces, application program interfaces, automation software, monitoring software, backup software, storage software and hosting software, all such that a user could run an instance of the service using the Service Source Code

you make available.

#### 14. Revised Versions of this License.

MongoDB, Inc. may publish revised and/or new versions of the Server Side Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the Server Side Public License “or any later version” applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by MongoDB, Inc. If the Program does not specify a version number of the Server Side Public License, you may choose any version ever published by MongoDB, Inc.

If the Program specifies that a proxy can decide which future versions of the Server Side Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER

PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

## 1.229 rabbitmq 3.9.13

### 1.229.1 Available under license :

This package, the rabbitmq-web-mqtt-examples, is licensed under the MPL 2.0. For the MPL, please see LICENSE-MPL-RabbitMQ.

priv/mqttws31.js is a part of the Paho project (<https://eclipse.org/paho/clients/js/>) and is released under the EPL and the EDL.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

Copyright (c) 2007-2014 IOLA and Ole Laursen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR  
OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017-2020 VMware, Inc. or its affiliates.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This package, the RabbitMQ STOMP-over-WebSockets plugin, is licensed under the MPL 2.0. For the MPL, please see LICENSE-MPL-RabbitMQ.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

This package is licensed under the MPL 2.0. For the MPL 2.0, please see LICENSE-MPL-RabbitMQ.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

rabbitmq-aws is licensed under the BSD 3-Clause License, see LICENSE-rabbitmq\_aws.

This package makes use of the following third party libraries:

- httpc-aws - <https://github.com/gmr/httpc-aws> - BSD 3-Clause License, see LICENSE-httpc\_aws
- erlcloud - <https://github.com/erlcloud/erlcloud> - Simplified BSD License, see LICENSE-erlcloud.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This package, the RabbitMQ commons library, is licensed under the MPL 2.0. For the MPL, please see LICENSE-MPL-RabbitMQ.

The files `rabbit\_numerical.erl` and `rabbit\_http\_util.erl` are (c) 2007 Mochi Media, Inc and licensed under a MIT license, see LICENSE-MIT-Mochi.

The files `rabbit\_semver.erl` and `rabbit\_semver\_parser.erl` are Copyright (c) 2011 Erlware, LLC and licensed under a MIT license, see LICENSE-MIT-Erlware-Commons.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

Copyright (c) 2011 John Resig, <https://jquery.com/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This package, the RabbitMQ Random Exchange, is dual-licensed under the Apache License v2 and the Mozilla Public License v2.0.

For the Apache License, please see the file LICENSE-APACHE2.

For the Mozilla Public License, please see the file LICENSE-MPL-RabbitMQ.

For attribution of copyright and other details of provenance, please

refer to the source code.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

This package, `rabbitmq_ct_helpers`, is dual-licensed under the Apache License v2 and the Mozilla Public License v2.0.

For the Apache License, please see the file `LICENSE-APACHE2`.

For the Mozilla Public License, please see the file `LICENSE-MPL-RabbitMQ`.

For attribution of copyright and other details of provenance, please refer to the source code.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

EJS - Embedded JavaScript

Copyright (c) 2007 Edward Benson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This package, the `rabbitmq-web-stomp-examples`, is licensed under the MPL 2.0. For the MPL, please see `LICENSE-MPL-RabbitMQ`.

`priv/stomp.js` is a part of `stomp-websocket` project (<https://github.com/jmesnil/stomp-websocket>) and is released under APL2. For the license see `LICENSE-APL2-Stomp-Websocket`.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The

text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

-----

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor

Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional

disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*  
 \*  
 \* 6. Disclaimer of Warranty \*  
 \* ----- \*  
 \* \*  
 \* Covered Software is provided under this License on an "as is" \*  
 \* basis, without warranty of any kind, either expressed, implied, or \*  
 \* statutory, including, without limitation, warranties that the \*  
 \* Covered Software is free of defects, merchantable, fit for a \*  
 \* particular purpose or non-infringing. The entire risk as to the \*  
 \* quality and performance of the Covered Software is with You. \*  
 \* Should any Covered Software prove defective in any respect, You \*  
 \* (not any Contributor) assume the cost of any necessary servicing, \*  
 \* repair, or correction. This disclaimer of warranty constitutes an \*  
 \* essential part of this License. No use of any Covered  
 \* Software is \*  
 \* authorized under this License except under this disclaimer. \*

\*\*\*\*\*  
 \*\*\*\*\*

\*  
 \* 7. Limitation of Liability \*  
 \* ----- \*  
 \* \*  
 \* Under no circumstances and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any character \*  
 \* including, without limitation,  
 \* damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*

\*\*\*\*\*

8. Litigation  
 -----

Any litigation relating to this License may be brought only in the

courts of a jurisdiction where the defendant maintains its principal place

of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions.

Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the

notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

-----

This Source

Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

Copyright (c) 2008 Aaron Quint, Quirkey NYC, LLC

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

### 1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

### 1.8. "License"

means this document.

### 1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

### 1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the

Source

Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the

Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

#### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

#### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become

compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*

\*

\* 6. Disclaimer of Warranty

\*

\* -----

\*

\*

\*

\* Covered Software is provided under this License on an "as is" \*

\* basis, without warranty of any kind, either expressed, implied, or \*

\* statutory, including, without limitation, warranties that the \*

\* Covered Software is free of defects, merchantable, fit for a \*

\* particular purpose or non-infringing. The entire risk as to the \*

\* quality and performance of the Covered Software is with You. \*

\* Should any Covered Software prove defective in any respect, You \*

\* (not any Contributor) assume the cost of any necessary servicing, \*

\* repair, or correction. This disclaimer of warranty constitutes an \*

\* essential part of this License. No use of any Covered

Software is \*

\* authorized under this License except under this disclaimer. \*

\*

\*

\*\*\*\*\*

\*\*\*\*\*

\*

\*

\* 7. Limitation of Liability \*

\* ----- \*

\* \*

\* Under no circumstances and under no legal theory, whether tort \*

\* (including negligence), contract, or otherwise, shall any \*

\* Contributor, or anyone who distributes Covered Software as \*

\* permitted above, be liable to You for any direct, indirect, \*

\* special, incidental, or consequential damages of any character \*

\* including, without limitation,

damages for lost profits, loss of \*

\* goodwill, work stoppage, computer failure or malfunction, or any \*

\* and all other commercial damages or losses, even if such party \*

\* shall have been informed of the possibility of such damages. This \*

\* limitation of liability shall not apply to liability for death or \*

\* personal injury resulting from such party's negligence to the \*

\* extent applicable law prohibits such limitation. Some \*

\* jurisdictions do not allow the exclusion or limitation of \*

\* incidental or consequential damages, so this exclusion and \*

\* limitation may not apply to You. \*

\* \*

\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

## 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

## 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

## 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

### Exhibit A - Source Code Form License Notice

-----

#### This Source

Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

This package, the RabbitMQ Trust Store plugin, is licensed under the MPL 2.0. For the MPL 2.0, please see LICENSE-MPL-RabbitMQ.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

/\*

\* Copyright (c) 2010 Nick Galbreath

\* <https://code.google.com/p/stringencoders/source/browse/#svn/trunk/javascript>

\*

\* Permission is hereby granted, free of charge, to any person

\* obtaining a copy of this software and associated documentation

\* files (the "Software"), to deal in the Software without

\* restriction, including without limitation the rights to use,

\* copy, modify, merge, publish, distribute, sublicense, and/or sell

\* copies of the Software, and to permit persons to whom the

\* Software is furnished to do so, subject to the following

\* conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES

\* OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT

\* HOLDERS BE LIABLE FOR

ANY CLAIM, DAMAGES OR OTHER LIABILITY,

\* WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

\* FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR

\* OTHER DEALINGS IN THE SOFTWARE.

\*/

This package, the RabbitMQ Top plugin, is licensed under the MPL 2.0. For the MPL 2.0, please see LICENSE-MPL-RabbitMQ.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

This package, the RabbitMQ server is licensed under the MPL 2.0. For the MPL 2.0, please see LICENSE-MPL-RabbitMQ.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of

version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its

Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of

the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an

ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*

\*

\* 6. Disclaimer of Warranty

\*

\* -----

\*

\*

\*

\* Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is

\* authorized under this License except under this disclaimer.

\*

\*

\*\*\*\*\*

\*\*\*\*\*

\*

\*

\* 7. Limitation of Liability

\*

\* -----

\*

\*

\*

\* Under no circumstances and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any character \*  
 \* including, without limitation,  
 damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*

\*

\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a

distinguishing version number.

## 10.2.

### Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

## 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

## 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

### Exhibit A - Source Code Form License Notice

-----

#### This Source

Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

The Original Code is RabbitMQ.

The Initial Developer of the Original Code is Pivotal Software, Inc. Copyright (c) 2020 VMware, Inc or its affiliates. All rights reserved. The files amqp-rabbitmq-0.8.json and amqp-rabbitmq-0.9.1.json are "Copyright (C) 2008-2020 VMware, Inc. or its affiliates. and are covered by the MIT license.

This package, the RabbitMQ Management Plugin is licensed under the MPL 2.0. For the MPL 2.0, please see LICENSE-MPL-RabbitMQ.

This package makes use of the following third party libraries:

| Name           | Website                                                                                                                   | License type | License file             |
|----------------|---------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------|
| ExplorerCanvas | <a href="https://github.com/arv/explorercanvas">https://github.com/arv/explorercanvas</a>                                 | APACHE 2     | LICENSE-APACHE2-excanvas |
| base64.js      | <a href="https://code.google.com/p/stringencoders/">https://code.google.com/p/stringencoders/</a>                         | BSD          | LICENSE-BSD-base64js     |
| Cowboy         | <a href="https://ninenines.eu/">https://ninenines.eu/</a>                                                                 | ISC          | LICENSE-ISC-cowboy       |
| EJS            | <a href="https://code.google.com/archive/p/embeddedjavascript/">https://code.google.com/archive/p/embeddedjavascript/</a> | MIT          | LICENSE-MIT-EJS          |
| Flot           | <a href="https://github.com/flot/flot">https://github.com/flot/flot</a>                                                   | MIT          | LICENSE-MIT-Flot         |
| Sammy          | <a href="https://code.quirkey.com/sammy/">https://code.quirkey.com/sammy/</a>                                             | MIT          | LICENSE-MIT-Sammy        |
| jQuery         | <a href="https://jquery.com/">https://jquery.com/</a>                                                                     | MIT          | LICENSE-MIT-jQuery       |

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

Copyright (C) 2010 Brian Buchanan. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY AUTHOR AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2011 Erlware, LLC

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2007-2013 IOLA and Ole Laursen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2012-2017, Frdric Trottier-Hbert

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

The names of its contributors may not be used to endorse or promote

products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This package, the RabbitMQ HTTP dispatcher library, is licensed under the MPL 2.0. For the MPL 2.0, please see LICENSE-MPL-RabbitMQ.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

This package, the RabbitMQ server is licensed under the MPL 2.0. For the MPL, please see LICENSE-MPL-RabbitMQ.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

This package, the RabbitMQ AMQP 1.0 commons library, is licensed under the MPL 2.0. For the MPL, please see LICENSE-MPL-RabbitMQ.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

This package, the RabbitMQ FederationManagement Plugin is licensed under the MPL 2.0. For the MPL 2.0, please see LICENSE-MPL-RabbitMQ.

This package makes use of the following third party libraries:

jQuery - <https://jquery.com/> - MIT license, see LICENSE-MIT-jQuery164  
EJS - <https://embeddedjs.com/> - MIT license, see LICENSE-MIT-EJS10  
Sammy - <https://code.quirkey.com/sammy/> - MIT license, see LICENSE-MIT-Sammy060  
cowboy - <https://github.com/ninenines/cowboy> - ISC license  
base64.js - <https://code.google.com/p/stringencoders/> - BSD license, see LICENSE-BSD-base64js

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

This is the MIT license.

Copyright (c) 2007 Mochi Media, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the

rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

RabbitMQ packaging source code is licensed under the MPL 2.0. For the MPL2, please see LICENSE-MPL-RabbitMQ.

Some RabbitMQ server OCF files are licensed under the Apache Software License 2.0. For the ASL2, please see LICENSE-APACHE2.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

This package, the RabbitMQ MQTT-over-WebSockets plugin, is licensed under the MPL 2.0. For the MPL 2.0, please see LICENSE-MPL-RabbitMQ.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

EJS - Embedded JavaScript

Copyright (c) 2007 Edward Benson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This package, the RabbitMQ code generation library and associated files, is licensed under the MPL 2.0. For the MPL 2.0, please see LICENSE-MPL-RabbitMQ.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This package, the RabbitMQ Tracing plugin, is licensed under the MPL 2.0. For the MPL 2.0, please see LICENSE-MPL-RabbitMQ.

If you have any questions regarding licensing, please contact us at [info@rabbitmq.com](mailto:info@rabbitmq.com).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2007-2013 VMware, Inc.

Copyright 2011 Jon Brisbin.

Copyright 2013-2020 VMware, Inc. or its affiliates.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2016, Gavin M. Roy <gavinmroy@gmail.com>.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* The names of its contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT license is as follows:

"Permission is hereby granted, free of charge, to any person obtaining a copy of this file (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE."

The BSD 2-Clause license is as follows:

"Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE."

The rest of this package is licensed under the Mozilla Public License 2.0 Authors and Copyright are as described below:

Mozilla Public License Version 2.0  
=====

### 1. Definitions

-----

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- (a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- (b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor

hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or

as part of a Larger Work; and

- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights

to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If

You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and

the

Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically

if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \* \* \* \*

\* 6. Disclaimer of Warranty \*  
\* ----- \*  
\* \*  
\* \*  
\* Covered Software is provided under this License on an "as is" \*  
\* basis, without warranty of any kind, either expressed, implied, or \*  
\* statutory, including, without limitation, warranties that the \*  
\* Covered Software is free of defects, merchantable, fit for a \*  
\* particular purpose or non-infringing. The entire risk as to the \*  
\* quality and performance of the Covered Software is with You. \*  
\* Should any Covered Software prove defective in any respect, You \*  
\* (not any Contributor) assume the cost of any necessary servicing, \*  
\* repair, or correction. This disclaimer of warranty constitutes an \*  
\* essential part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*  
\* \* \* \* \*

\*\*\*\*\*

\*\*\*\*\*

\*

\*

\* 7. Limitation of Liability \*  
 \* ----- \*  
 \* \*  
 \* Under no circumstances and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*  
 \* \*  
 \*\*\*\*\*

8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

-----

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

## 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

## 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

## 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file,  
then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

Copyright (c) 2007-2020 VMware, Inc. or its affiliates.  
Copyright (c) 2011-2017, Loc Hogue <essen@ninenines.eu>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.230 redis 6.0.16

### 1.230.1 Available under license :

Lua License

-----

Lua is licensed under the terms of the MIT license reproduced below. This means that Lua is free software and can be used for both academic and commercial purposes at absolutely no cost.

For details and rationale, see <http://www.lua.org/license.html> .

=====

Copyright (C) 1994-2012 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

(end of COPYRIGHT)

Copyright (c) 2009-2011, Salvatore Sanfilippo <antirez at gmail dot com>  
Copyright (c) 2010-2011, Pieter Noordhuis <pnoordhuis at gmail dot com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2006-2020, Salvatore Sanfilippo  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Unless otherwise specified, files in the jemalloc source distribution are subject to the following license:

-----  
Copyright (C) 2002-2018 Jason Evans <jasone@canonware.com>.

All rights reserved.

Copyright (C) 2007-2012 Mozilla Foundation. All rights reserved.

Copyright (C) 2009-2018 Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice(s), this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice(s), this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER(S) ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

## 1.231 generate-schema 2.6.0

### 1.231.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Nijiko Yonskai

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of

the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.232 fast-json-patch 2.0.7

### 1.232.1 Available under license :

(The MIT License)

Copyright (c) 2013, 2014 Joachim Wester

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.233 rxjs 6.5.2

## 1.233.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (c) 2015-2018 Google, Inc., Netflix, Inc., Microsoft Corp. and contributors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

@title

@description

The MIT License

Copyright (c) 2014-2018 Google, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.234 ngx-echarts 4.2.1

## 1.234.1 Available under license :

MIT License

Copyright (c) 2017 Xie, Ziyu

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.235 codemirror 5.62.0

### 1.235.1 Available under license :

MIT License

Copyright (C) 2017 by Marijn Haverbeke <marijnh@gmail.com> and others

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

## 1.236 ngx-json-viewer 2.4.0

### 1.236.1 Available under license :

MIT License

Copyright (c) 2017 Vivo Xu

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH  
THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

## 1.237 jsonlint 1.6.3

### 1.237.1 Available under license :

No license file was found, but licenses were detected in source scan.

JSON Lint

=====

A pure [JavaScript version](<http://zaach.github.com/jsonlint/>) of the service provided at [jsonlint.com](<http://jsonlint.com>).

## Command line interface

Install jsonlint with npm to use the command line interface:

```
npm install jsonlint -g
```

Validate a file like so:

```
jsonlint myfile.json
```

or pipe input into stdin:

```
cat myfile.json | jsonlint
```

jsonlint will either report a syntax error with details or pretty print the source if it is valid.

### ### Options

```
$ jsonlint -h
```

Usage: jsonlint [file] [options]

file file to parse; otherwise uses stdin

#### Options:

- v, --version print version and exit
- s, --sort-keys sort object keys
- i, --in-place overwrite the file
- t CHAR, --indent CHAR character(s) to use for indentation [ ]
- c, --compact compact error display
- V, --validate a JSON

schema to use for validation

- e, --environment which specification of JSON Schema the validation file uses [json-schema-draft-03]
- q, --quiet do not print the parsed json to STDOUT [false]
- p, --pretty-print force pretty printing even if invalid

### ## Module interface

I'm not sure why you wouldn't use the built in `JSON.parse` but you can use jsonlint from a CommonJS module:

```
var jsonlint = require("jsonlint");

jsonlint.parse('{ "creative?": false }');
```

It returns the parsed object or throws an `Error`.

### ## Vim Plugins

- \* [Syntastic]([http://www.vim.org/scripts/script.php?script\\_id=2736](http://www.vim.org/scripts/script.php?script_id=2736))
- \* [sourcebeautify]([http://www.vim.org/scripts/script.php?script\\_id=4079](http://www.vim.org/scripts/script.php?script_id=4079))

### ## MIT License

Copyright (C) 2012 Zachary Carter

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

\* /opt/cola/permits/1830500141\_1698117328.220715/0/jsonlint-1-6-3-2-tgz/package/README.md

## 1.238 d3 5.8.0

### 1.238.1 Available under license :

Copyright 2010-2017 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.239 ngx-cookie-service 2.2.0

### 1.239.1 Available under license :

MIT License

Copyright (c) 2017 7leads GmbH

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.240 bootstrap 4.3.1

### 1.240.1 Available under license :

---

layout: docs

title: License FAQs

description: Commonly asked questions about Bootstrap's open source license.

group: about

---

Bootstrap is released under the MIT license and is copyright {{ site.time | date: "%Y" }} Twitter. Boiled down to smaller chunks, it can be described with the following conditions.

#### It requires you to:

\* Keep the license and copyright notice included in Bootstrap's CSS and JavaScript files when you use them in your works

#### It permits you to:

- Freely download and use Bootstrap, in whole or in part, for personal, private, company internal, or commercial purposes
- Use Bootstrap in packages or distributions that you create
- Modify the source code
- Grant a sublicense to modify and distribute Bootstrap to third parties not included in the license

#### It forbids you to:

- Hold the authors and license owners liable for damages as Bootstrap is provided without warranty
- Hold the creators or copyright holders of Bootstrap liable
- Redistribute any piece of Bootstrap without proper attribution
- Use any marks owned by Twitter in any way that might state or imply that Twitter endorses your distribution
- Use any marks owned by Twitter in any way that might state or imply that you created the Twitter software in question

#### It does not require you to:

- Include the source of Bootstrap itself, or of any modifications you may have made to it, in any redistribution you may assemble that includes it
- Submit changes that you make to Bootstrap back to the Bootstrap project (though such feedback is encouraged)

The full Bootstrap license is located [in the project repository]({{ site.repo }}/blob/v{{ site.current\_version }}/LICENSE) for more information.

The MIT License (MIT)

Copyright (c) 2011-2019 Twitter, Inc.

Copyright (c) 2011-2019 The Bootstrap Authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT,  
TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2023 Cisco Systems, Inc. All rights reserved.